

Edited for the British Pharmacological Society by

J.F. Mitchell (*Chairman*)

G.M. Lees (*Secretary*)

Margaret Day (*Press Editor*)

C.V. Wedmore (*Assistant Press Editor*)

EDITORIAL BOARD

T. Bennett
Nottingham
N.J.M. Birdsall
London
C.M. Bradshaw
Manchester
K.T. Bunce
Ware
G. Burnstock
London
B.A. Callingham
Cambridge
J.A.J.H. Critchley
Edinburgh
M. Maureen Dale
London
R.J. Flower
Bath
J.C. Foreman
London
A.R. Green
London
M.C. Harris
Birmingham
G. Henderson
Cambridge
C.R. Hiley
Cambridge
R.G. Hill
Cambridge
J.R.S. Hoult
London
P.P.A. Humphrey
Ware
L.L. Iversen
Harlow
P.G. Jenner
London
Kathleen A. Kane
Glasgow
W.A. Large
London
W.E. Lindup
Liverpool
D. Lodge
London

R. McBurney
Newcastle
J.C. McGrath
Glasgow
C.A. Marsden
Nottingham
R.J. Marshall
Newhouse
S.R. Nahorski
Leicester
D.A.A. Owen
Welwyn Garden City
B.K. Park
Liverpool
M.E. Parsons
Welwyn Garden City
N.L. Poyser
Edinburgh
P.J. Roberts
Southampton
R.C. Small
Manchester
M. Spedding
Edinburgh
T.L.B. Spriggs
Cardiff
I.P. Stolerman
London
E. Szabadi
Manchester
D.A. Terrar
Oxford
D.R. Tomlinson
Nottingham
R.M. Wadsworth
Glasgow
D.I. Wallis
Cardiff
D.F. Weetman
Sunderland
T.J. Williams
Harrow
G.N. Woodruff
Harlow
J.M. Young
Cambridge

CORRESPONDING EDITORS

P.R. Adams
Galveston, U.S.A.
K.P. Bhargava
Kuwait, Arabian Gulf
C. Bell
Melbourne, Australia
F.E. Bloom
La Jolla, U.S.A.
A.L.A. Boura
Clayton, Australia
N.J. Dun
Maywood, U.S.A.
R.F. Furchgott
New York, U.S.A.
T. Godfraind
Brussels, Belgium
S.Z. Langer
Paris, France
R.J. Miller
Chicago, U.S.A.
R.C. Murphy
Denver, U.S.A.
E. Muscholl
Mainz, Germany
R.A. North
Portland, U.S.A.
M. Otsuka
Tokyo, Japan
M.J. Rand
Melbourne, Australia
S. Rosell
Södertälje, Sweden
P. Seeman
Toronto, Canada
L. Szekeres
Szeged, Hungary
B. Uvnäs
Stockholm, Sweden
P.A. Van Zwieten
Amsterdam, Netherlands
V.M. Varagich
Belgrade, Yugoslavia
G. Velo
Verona, Italy
M.B.H. Youdim
Haifa, Israel

Papers will be considered for publication on all aspects of pharmacology, including chemotherapy.

Manuscripts (two copies) should be sent to Dr G. M. Lees, Editorial Office, British Journal of Pharmacology, University of Aberdeen, Marischal College, Aberdeen AB9 1AS. Authors should consult the instructions inside the back cover and Vol. 81, 415-422 (1984).

The *British Journal of Pharmacology* is published monthly by the Scientific & Medical Division, The Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 2XS. Telephone: Basingstoke 29242. ISSN 0007-1188.

Registered Office: 4 Little Essex Street, London WC2R 3LF.

The journal is covered by *Current Contents* and *Excerpta Medica*.

Annual subscription UK £215. Rest of world, £255 (or equivalent in any other currency). (Orders must be accompanied by remittance. Prices correct at time of publication).

Cheques should be made payable to Macmillan Journals Limited. All circulation, subscription or general enquiries should be sent to: The Macmillan Press Ltd, P.O. Box 500, Leicester, LE99 0AA, UK.

Overseas subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment.

Second Class postage paid at New York, NY.
US Mailing Agent: Expeditors of the Printed Word Ltd, 515 Madison Avenue, New York, NY 10022.

Enquiries concerning advertising space and rates should be addressed to: David R. Guthrie, Advertising Dept., The Macmillan Press Ltd, Brunel Road, Houndmills, Basingstoke, Hampshire, England RG21 2XS. Telephone: 0256 29242 Fax: 0256 479476

Publisher: Harry Holt.

Production Services: Nigel McNeil-Smith.

Advertising: David R. Guthrie.

Promotion: Richard Gedy.

Circulation Services: A.L. Clark.

© Copyright: Scientific & Medical Division, The Macmillan Press Ltd, 1987. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by The Macmillan Press Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$1.00 per copy, plus \$0.10 per page is paid directly to CCC, 21 Congress St., Salem, MA 01970, U.S.A.

0007-1188/87 \$1.00 + \$0.10

INDEX TO VOLUME 92

AUTHOR INDEX

A

- ABRAHAM, S., AMITAI, G., OZ, N. & WEISSMAN, B.A. Bay K 8644-induced changes in the ECG pattern of the rat and their inhibition by antianginal drugs, **92**, 603
- AHSAN, M.A., ILUNDAIN, A., NAFTALIN, R.J., SANDHU, B.K. & SMITH, P.M. Effects of theophylline, choleragen and loperamide on rabbit ileal fluid and electrolyte transport *in vitro*, **92**, 743
- AKED, D.M. & FOSTER, S.J. Leukotriene B₄ and prostaglandin E₂ mediate the inflammatory response of rabbit skin to intradermal arachidonic acid, **92**, 545
- AKSOY, A. *see* RITTER, J.M., **92**, 857
- ALHEID, U., DUDEL, C. & FÖRSTERMANN, U. Selective inhibition by gossypol of endothelium-dependent relaxations augments relaxation by glyceryl trinitrate in rabbit coeliac artery, **92**, 237
- ALLGAIER, C., HERTTING, G., HUANG, H.Y. & JACKISCH, R. Protein kinase C activation and α_2 -autoreceptor-modulated release of NA, **92**, 161
- AMITAI, G. *see* ABRAHAM, S., **92**, 603
- ANDO, K. *see* MORITOKI, H., **92**, 469
- AULT, B., WANG, C.M. & YAWN, B.C. L-Proline depolarizes rat spinal motoneurons by an excitatory amino acid antagonist-sensitive mechanism, **92**, 319
- AUTORE, G., CAPASSO, F., DI CARLO, G. & MASCOLO, N. Effect of cholera toxin on the production of eicosanoids by rat jejunum, **92**, 149

B

- BAIRD, A.W. & CUTHBERT, A.W. Neuronal involvement in type 1 hypersensitivity reactions in gut epithelia, **92**, 647
- BAKER, G.B., COUTTS, R.T. & RAO, T.S. Neuropharmacological and neurochemical properties of N-(cyanoethyl)-2-phenylethylamine, a prodrug of 2-phenylethylamine, **92**, 243
- BAKHLE, Y.S. & PANKHANIA, J.J. Inhibitors of prostaglandin dehydrogenase (Ph CL 28A and Ph CK 61A) increase output of prostaglandins from rat isolated lung, **92**, 189
- BARNES, P. *see* GREENBERG, B., **92**, 789
- BARNES, P.J. *see* FULLER, R.W., **92**, 76
- BARNETT, D.B. *see* COOK, N., **92**, 587
- BARROW, S.E. *see* WARREN, J.B., **92**, 895
- BARROWCLIFFE, T.W., EDWARDS, S.J., GRAY, E. & KERRY, P.J. Procoagulant activity of platelet arachidonic acid, **92**, 129
- BARTOLINI, A., GALLI, A., GHELARDINI, C., GIOTTI, A., MALCANGIO, M., MALMBERG-AIELLO, P. & ZUCCHI, P.L. Antinociception induced by systemic administration of local anaesthetics depends

- on a central cholinergic mechanism, **92**, 711
- BATRA, S. Increase by oestrogen of calcium entry and calcium channel density in uterine smooth muscle, **92**, 389
- BEER, M., HACKER, S., POAT, J. & STAHL, S.M. Independent regulation of β_1 and β_2 -adrenoceptors, **92**, 817
- BEIJER, L., BOTTING, J., CROOK, P., OYEKAN, A.O., PAGE, C.P. & RYLANDER, R. The involvement of platelet activating factor in endotoxin-induced pulmonary platelet recruitment in the guinea-pig, **92**, 803
- BENTLEY, G.A. & WIDDOP, R.E. Postjunctional α_2 -adrenoceptors mediate venoconstriction in the hindquarters circulation of anaesthetized cats, **92**, 121
- BENYON, R.C., ROBINSON, C., HOLGATE, S.T. & CHURCH, M.K. Prostaglandin D₂ release from human skin mast cells in response to ionophore A23187, **92**, 635
- BERKENBOOM, G., DEPIERREUX, M. & FONTAINE, J. The influence of atherosclerosis on the mechanical responses of human isolated coronary arteries to substance P, isoprenaline and noradrenaline, **92**, 113
- BERKOWITZ, B.A. *see* LONG, C.J., **92**, 843
- , *see* SHIKANO, K., **92**, 483
- BOTTING, J. *see* BEIJER, L., **92**, 803
- BOUTHILLIER, J., DEBLOIS, D. & MARCEAU, F. Studies on the induction of pharmacological responses to des-Arg⁹-bradykinin *in vitro* and *in vivo*, **92**, 257
- BRAUNSCHWEIG, J., STÄUBLI, M. & STUDER, H. Interactions of amiodarone with digoxin in rats, **92**, 553
- BROUGHTON-SMITH, N.K. *see* WHITTLE, B.J.R., **92**, 3
- BRYSON, S.E. & RODGER, I.W. Effects of phosphodiesterase inhibitors on normal and chemically-skinned isolated airway smooth muscle, **92**, 673
- BURGEN, A.S.V. The effects of agonists on the components of the cardiac muscarinic receptor, **92**, 327
- BURNSTOCK, G. *see* WARLAND, J.J.I., **92**, 871
- BUXTON, B.F., JONES, C.R., MOLENAAR, J.P. & SUMMERS, R.J. Characterization and autoradiographic localization of β -adrenoceptor subtypes in human cardiac tissues, **92**, 299
- BYRNE, N.G. & LARGE, W.A. Membrane mechanism associated with muscarinic receptor activation in single cells freshly dispersed from the rat anococcygeus muscle, **92**, 371

C

- CAMPBELL, T.J. *see* PALLANDI, R.T., **92**, 97
- CANTÓ, T. *see* ORTS, A., **92**, 795
- CANTWELL, M.E. & FOREMAN, J.C. The actions of inhibitors of diacylglycerol kinase and diacylglycerol

- lipase on histamine release from rat peritoneal mast cells, **92**, 597
- CAPASSO, F. *see* AUTORE, G., **92**, 149
- CENA, V. *see* ORTS, A., **92**, 795
- CHIDECKEL, E.W., FROST, J.L., MIKE, P. & FEDAN, J.S. The effect of ouabain on tension in isolated respiratory tract smooth muscle of humans and other species, **92**, 609
- CHÓ, C.H., OGLE, C.W. & SEVILLA, E.L. The protective effects of sulphasalazine against ethanol-induced gastric damage in rats, **92**, 31
- CHURCH, M.K. *see* BENYON, R.C., **92**, 635
- COEFFIER, E., JOSEPH, D., PRÉVOST, M.-C. & VARGAFTIG, B.B. Platelet-leukocyte interaction: activation of rabbit platelets by FMLP-stimulated neutrophils, **92**, 393
- COLLIS, M.G., JACOBSON, K.A. & TOMKINS, D.M. Apparent affinity of some 8-phenyl-substituted xanthines at adenosine receptors in guinea-pig aorta and atria, **92**, 69
- CONRADSON, T.-B. *see* FULLER, R.W., **92**, 76
- COOK, N., NAHORSKI, S.R. & BARNETT, D.B. Human platelet β_2 -adrenoceptors: agonist-induced internalisation and down regulation in intact cells, **92**, 587
- COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Effects of 5-HT₁ receptor antagonist, GR38032F, on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain, **92**, 881
- COUTTS, R.T. *see* BAKER, G.B., **92**, 243
- CRAGOE, E.J. Jr. *see* RITTER, J.M., **92**, 857
- CRIST, J. & SURPRENANT, A. Evidence that 8-hydroxy-2-(n-dipropylamino)tetralin (8-OH-DPAT) is a selective α_2 -adrenoceptor antagonist on guinea-pig submucous neurones, **92**, 341
- CROOK, P. *see* BEIJER, L., **92**, 803
- CROSSMAN, D., MCEWAN, J., MACDERMOT, J., MACINTYRE, I. & DOLLERY, C.T. Human calcitonin gene-related peptide activates adenylate cyclase and releases prostacyclin from human umbilical vein endothelial cells, **92**, 695
- CROSSMAN, D.C. *see* FULLER, R.W., **92**, 76
- CUNNANE, T.C., MUIR, T.C. & WARDLE, K.A. Is co-transmission involved in the excitatory responses of the rat anococcygeus muscle? **92**, 39
- CUTHBERT, A.W. *see* BAIRD, A.W., **92**, 647
- D**
- DACQUET, C., LOIRAND, G., MIRONNEAU, C., MIRONNEAU, J. & PACAUD, P. Spironolactone inhibition of contraction and calcium channels in rat portal vein, **92**, 535
- DACQUET, C., MIRONNEAU, C. & MIRONNEAU, J. Effects of calcium entry blockers on calcium-dependent contractions of rat portal vein, **92**, 203
- DALE, M.M. *see* PENFIELD, A., **92**, 63
- DEBLOIS, D. *see* BOUTHILLIER, B., **92**, 257
- DEPEIRREUX, M. *see* BERKENBOOM, G., **92**, 113
- DI CARLO, G. *see* AUTORE, G., **92**, 149
- DICKENSON, A.H. & LE BARS, D. Lack of evidence for increased descending inhibition on the dorsal horn of rat following periaqueductal grey morphine microinjections, **92**, 271
- DIXON, C.M.S. *see* FULLER, R.W., **92**, 76
- DOLLERY, C.T. *see* CROSSMAN, D., **92**, 695
- DOMENEY, A.M. *see* COSTALL, B., **92**, 881
- DOUGALL, I.G. & LEFF, P. Pharmacological analysis of the calcium-dependence of μ -receptor agonism, **92**, 723
- DUDEL, C. *see* ALHEID, U., **92**, 237
- E**
- EDWARDS, S.J. *see* BARROWCLIFFE, T.W., **92**, 129
- EINSTEIN, R., MIHAILIDOU, A.S. & RICHARDSON, D.P. Positive inotropic effects of histamine in anaesthetized dogs, **92**, 445
- EL TAHIR, K.E.H. Influence of niridazole and chloroquine on arterial and myometrial prostacyclin synthesis, **92**, 567
- ELFERINK, J.G.R. The effect of apomorphine on exocytosis and metabolic burst of polymorphonuclear leukocytes, **92**, 909
- ELLIOTT, J.R. & HENDRY, B.M. The effects of external and internal application of disopyramide on the ionic currents of the squid giant axon, **92**, 77
- ESPLUGUES, J.V. *see* WHITTLE, B.J.R., **92**, 3
- EVERTS, M.E. & VAN HARDEVELD, C. Effects of dantrolene on force development in slow- and fast-twitch muscle of euthyroid, hypothyroid and hyperthyroid rats, **92**, 47
- F**
- FARMER, S.G. *see* HAY, D.W.P., **92**, 381
- FARMER, S.G., HAY, D.W.P., RAEBURN, D. & FEDAN, J.F. Relaxation of guinea-pig tracheal smooth muscle to arachidonate is converted to contraction following epithelium removal, **92**, 231
- FEDAN, J.S. *see* CHIDECKEL, E.W., **92**, 609
- , *see* FARMER, S.G., **92**, 231
- , *see* HAY, D.W.P., **92**, 381
- FONTAINE, J. *see* BERKENBOOM, G., **92**, 113
- FOREMAN, J.C. *see* CANTWELL, M.E., **92**, 597
- FÖRSTERMANN, U. *see* ALHEID, U., **92**, 237
- FOSTER, S.J. *see* AKED, D.M., **92**, 545
- FRANKLYN, J.A. *see* GAMMAGE, M.D., **92**, 363
- FRÖLICH, J.C. & YOSHIZAWA, M. Renal vascular effects of leukotriene C₄ in the isolated perfused kidney of the rat, **92**, 311
- FROST, J.L. *see* CHIDECKEL, E.W., **92**, 609
- FUJIMOTO, Y., WADA, K., KANEKO, M. & FUJITA, T. Effect of angiotensin-converting enzyme inhibitor YS980 on prostaglandin synthesis in rabbit kidney medulla slices, **92**, 479
- FUJITA, T. *see* FUJIMOTO, Y., **92**, 479
- FULLER, R.W., CONRADSON, T.-B., DIXON, C.M.S., CROSSMAN, D.C. & BARNES, P.J. Sensory neuropeptide effects in human skin, **92**, 76
- G**
- GALLI, A. *see* BARTOLINI, A., **92**, 711
- GAMMAGE, M.D., FRANKLYN, J.A. & LOGAN, S.D.

- Effects of amiodarone and thyroid dysfunction on myocardial calcium, serum calcium and thyroid hormones in the rat, **92**, 363
- GARCÍA, A.G. *see* ORTS, A., **92**, 795
- GHELARDINI, C. *see* BARTOLINI, A., **92**, 711
- GONZÁLEZ-GARCÍA, C. *see* ORTS, A., **92**, 795
- GOODWIN, J.A. *see* GRAY, J.A., **92**, 863
- GRAY, J.A. & GREEN, A.R. Increased GABA_B receptor function in mouse frontal cortex after repeated administration of antidepressant drugs or electroconvulsive shocks, **92**, 357
- GRAY, J.A., GOODWIN, G.M., HEAL, D.J. & GREEN, A.R. Hypothermia induced by baclofen, a possible index of GABA_B receptor function in mice, is enhanced by antidepressant drugs and ECS, **92**, 863
- GREBREMEDHIN, D., HADHÁZY, P. & MAGYAR, K. Inhibition by quinine of endothelium-dependent relaxation of rabbit aortic strips, **92**, 827
- GREEN, A.R. *see* GRAY, J.A. **92**, 357
- , *see* GRAY, J.A., **92**, 863
- GREEN, A.R. & VINCENT, N.D. The effect of repeated electroconvulsive shock on GABA synthesis and release in regions of rat brain, **92**, 19
- GREEN, A.R., HEAL, D.J. & VINCENT, N.D. The effects of single and repeated electroconvulsive shock administration on the release of 5-hydroxytryptamine and noradrenaline from cortical slices of rat brain, **92**, 25
- GREEN, A.R., METZ, A., MINCHIN, M.C.W. & VINCENT, N.D. Inhibition of the rate of GABA synthesis in regions of rat brain following a convulsion, **92**, 5
- GREEN, A.R., MINCHIN, M.C.W. & VINCENT, N.D. Inhibition of GABA release from slices prepared from several brain regions of rats at various times following a convulsion, **92**, 13
- GREENBERG, B., RHODEN, K. & BARNES, P. Calcitonin gene-related peptide (CGRP) is a potent non-endothelium-dependent inhibitor of coronary vasomotor tone, **92**, 789
- GRIESBACHER, T. & LEMBECK, F. Effect of bradykinin antagonists on bradykinin-induced plasma extravasation, venoconstriction, prostaglandin E₂ release, nociceptor stimulation and contraction of the iris sphincter muscle in the rabbit, **92**, 333
- GUIMARÃES, S. & PAIVA, M.Q. Postsynaptic α -adrenoceptor reserve and the shift of the concentration-response curves to the right, as caused by the irreversible α -adrenoceptor antagonist phenoxybenzamine, **92**, 505
- GYLFE, E. & HELLMAN, B. External ATP mimics carbachol in initiating calcium mobilization from pancreatic β -cells conditioned by previous exposure to glucose, **92**, 281
- HACKER, S. *see* BEER, M., **92**, 827
- HADHÁZY, P. *see* GREBREMEDHIN, D., **92**, 827
- HATTORI, T. & MAEHASHI, H. Facilitation of frog neuromuscular transmission by sodium fluoride, **92**, 513
- HAY, D.W.P. *see* FARMER, S.G., **92**, 231
- HAY, D.W.P., FARMER, S.G., RAEBURN, D., MUCITELLI, R.M., WILSON, K.A. & FEDAN, J.S. Differential effects of epithelium removal on the responsiveness of guinea-pig tracheal muscle to bronchoconstrictors, **92**, 381
- HEAL, D.J. *see* GRAY, J.A., **92**, 863
- , *see* GREEN, A.R., **92**, 25
- HELLMAN, B. *see* GYLFE, E. **92**, 281
- HENDRY, B.M. *see* ELLIOTT, J.R., **92**, 77
- HERRTING, G. *see* ALLGAIER, C., **92**, 161
- HICKLING, N.E. *see* WARREN, J.B., **92**, 895
- HILL, R.G. *see* LEIGHTON, G.E., **92**, 915
- HISHINUMA, S. & UCHIDA, M.K. Effects of local anaesthetics on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733
- HOLGATE, S.T. *see* BENYON, R.C., **92**, 635
- HUANG, H.Y. *see* ALLGAIER, C., **92**, 161
- HUGHES, D. *see* KEHL, S.J., **92**, 573
- HUGHES, J. *see* LEIGHTON, G.E., **92**, 915
- HUTCHESON, I.R. *see* WHITTLE, B.J.R., **92**, 3

I

- ILUNDAIN, A. *see* AHSAN, M.A., **92**, 743
- IMAI, S., KAWADA, T., KIMURA, T., OHTA, H., NAKAZAWA, M. & YOSHIDA, Y. Positive inotropic and chronotropic effects of trypsin and some other proteolytic enzymes in the guinea-pig heart, **92**, 55
- IRELAND, S.J. Origin of 5-hydroxytryptamine-induced hyperpolarization of the rat superior cervical ganglion and vagus nerve, **92**, 407
- IRELAND, S.J. & JORDAN, C.C. Pharmacological characterization of 5-hydroxytryptamine-induced hyperpolarization of the rat superior cervical ganglion, **92**, 417
- ISHIDA, Y. *see* MORITOKI, H., **92**, 469
- IWAMOTO, T. *see* MORITOKI, H., **92**, 469

J

- JACKISCH, R. *see* ALLGAIER, C., **92**, 161
- JACOBSON, K.A. *see* COLLIS, M.G., **92**, 69
- JOHNSON, M.A. *see* LEIGHTON, G.E., **92**, 915
- JONES, C.R. *see* BUXTON, B.F., **92**, 299
- JORDAN, C.C. *see* IRELAND, S.J., **92**, 417
- JOSEPH, D. *see* COEFFIER, E., **92**, 393

K

- KANAYA, J. *see* MORITOKI, H., **92**, 469
- KANEKO, M. *see* FUJIMOTO, Y., **92**, 479
- KANNISTO, P., OWMAN, Ch., SCHMIDT, G. & SJÖBERG, N.-O. Characterization of presynaptic 5-HT receptors on adrenergic nerves supplying the bovine ovarian follicle, **92**, 487
- KAWADA, T. *see* IMAI, S., **92**, 55
- KEHL, S.J., HUGHES, D. & MCBURNEY, R.N. A patch clamp study of γ -aminobutyric acid (GABA)-induced macroscopic currents in rat melanotrophs in cell culture, **92**, 573
- KEITH, R.A. & SALAMA, A.I. Individual variation of prostanoid agonist responses in rabbit aorta: evidence for the independent regulation of prostanoid receptor subtypes, **92**, 133

H

- KENNEDY, C. & KRIER, J. [Met⁵]enkephalin acts via δ -opioid receptors to inhibit pelvic nerve-evoked contractions of cat distal colon, **92**, 291
 —, δ -Opioid receptors mediate inhibition of fast excitatory postsynaptic potentials in cat parasympathetic colonic ganglia, **92**, 437
 KERRY, P.J. *see* BARROWCLIFFE, T.W., **92**, 129
 KIGOSHI, S. *see* MURAMATSU, I., **92**, 901
 KIMURA, T. *see* IMAI, S., **92**, 55
 KITAGAWA, K. *see* MORITOKI, H., **92**, 469
 KITAMURA, K. *see* TERADA, K., **92**, 615
 KOBAYASHI, M., OCHI, R. & OHIZUMI, Y. Maitotoxin-activated single calcium channels in guinea-pig cardiac cells, **92**, 665
 KOBRINSKY, E. & SAXON, M. Biphasic inotropic effects of a Ca²⁺ channel activator CGP28392 in rat myocardium: possible relation to intracellular Ca²⁺ release, **92**, 499
 KOMORI, K. & SUZUKI, H. Heterogeneous distribution of muscarinic receptors in the rabbit saphenous artery, **92**, 657
 KRIER, J. *see* KENNEDY, C. **92**, 291
 —, *see* KENNEDY, C., **92**, 437
 KRUMPL, G. *see* SCHNEIDER, W., **92**, 87
 KURIYAMA, H. *see* TERADA, K., **92**, 615
- L**
- LABEDZ, T. *see* SCHACHTER, M., **92**, 851
 LAITINEN, L.A., LAITINEN, M.A. & WIDDICOMBE, J.G. Dose-related effects of pharmacological mediators on tracheal vascular resistance in dogs, **92**, 703
 LAITINEN, M.A. *see* LAITINEN, L.A., **92**, 703
 LARGE, W.A. *see* BYRNE, N.G., **92**, 371
 LE BARS, D. *see* DICKENSON, A.H., **92**, 271
 LEFF, P. *see* DOUGALL, I.G., **92**, 723
 LEFORT, J. *see* RANDOM, J., **92**, 683
 LEIGHTON, G.E., JOHNSON, M.A., MEECHAM, K.G., HILL, R.G. & HUGHES, J. Pharmacological profile of PD 117302, a selective κ -opioid agonist, **92**, 915
 LEMBECK, F. *see* GRIESBACHER, T., **92**, 333
 LEW, M.J. & WHITE, T.D. Release of endogenous ATP during sympathetic nerve stimulation, **92**, 349
 LIVINGSTON, A. *see* NOLAN, A., **92**, 527
 LOGAN, S.D. *see* GAMMAGE, M.D., **92**, 363
 LOIRAND, G. *see* DACQUET, C., **92**, 535
 LONG, C.J., SARAU, H.M. & BERKOWITZ, B.A. The inhibition of release of endothelium-derived relaxant factor by manoalide, a potent inhibitor of phospholipase A₂, **92**, 843
 LONGRIDGE, D.J. *see* SCHACHTER, M., **92**, 851
- M**
- McBURNEY, R.M. *see* KEHL, S.J., **92**, 573
 McCAIG, D.J. Comparison of autonomic responses in the trachea isolated from normal and albumin-sensitive guinea-pigs, **92**, 809
 MACDERMOT, J. *see* CROSSMAN, D., **92**, 695
 McEWAN, J. *see* CROSSMAN, D., **92**, 695
 MACINTYRE, I. *see* CROSSMAN, D., **92**, 695
- MAEHASHI, H. *see* HATTORI, T., **92**, 513
 MAGYAR, K. *see* GREBREMEDHIN, D., **92**, 827
 MALCANGIO, M. *see* BARTOLINI, A., **92**, 711
 MALMBERG-AIELLO, P. *see* BARTOLINI, A., **92**, 711
 MARCEAU, F. *see* BOUTHILLIER, J., **92**, 257
 MARRIOTT, J.F. An investigation of the actions of diltiazem on rat aorta exposed to acute hypoxia followed by re-oxygenation, **92**, 451
 MARSHALL, K. & SENIOR, J. A study of the effect of a single dose of tamoxifen on uterine hyperaemia and growth in the rat, **92**, 429
 MAYER, N. *see* SCHNEIDER, W., **92**, 87
 MEECHAM, K.G. *see* LEIGHTON, G.E., **92**, 915
 METZ, A. *see* GREEN, A.R., **92**, 5
 MICHEL, A.D. & WHITING, R.L. Direct binding studies on ileal and cardiac muscarinic receptors, **92**, 755
 MIHAILIDOU, A.S. *see* EINSTEIN, R., **92**, 445
 MIKE, P. *see* CHIDECKEL, E.W., **92**, 609
 MILL, J.G. & NETO, F.R. Electrophysiological effects of labetalol on canine atrial, cardiac Purkinje fibres and ventricular muscle, **92**, 627
 MINCHIN, M.C.W. *see* GREEN, A.R., **92**, 5
 —, *see* GREEN, A.R., **92**, 13
 MIR, A.K. *see* SPEDDING, M., **92**, 457
 MIRONNEAU, C. *see* DACQUET, C., **92**, 203
 —, *see* DACQUET, C., **92**, 535
 MIRONNEAU, J. *see* DACQUET, C., **92**, 203
 —, *see* DACQUET, C., **92**, 535
 MITCHELL, J.W. *see* NAYLER, R.A., **92**, 173
 MITCHELL, P.D., SMITH, G.W., WELLS, E. & WEST, P.A. Inhibition of Uptake₁ by doxamine hydrochloride *in vitro*, **92**, 265
 MOLENAAR, J.P. *see* BUXTON, B.F., **92**, 299
 MONCADA, S. *see* RADOMSKI, M.W., **92**, 181
 —, *see* RADOMSKI, M.W., **92**, 639
 MORITOKI, H., IWAMOTO, T., KANAYA, J., ISHIDA, Y., ANDO, K. & KITAGAWA, K. Capsaicin enhances the non-adrenergic twitch response of rat vas deferens, **92**, 469
 MUCCITELLI, R.M. *see* HAY, D.W.P., **92**, 381
 MUIR, T.C. *see* CUNNANE, T.C., **92**, 39
 MURAMATSU, I. & KIGOSHI, S. Purinergic and non-purinergic innervation in the cerebral arteries of the dog, **92**, 901
 MUSTAFA, M.B.H. *see* O'DONNELL, S.R., **92**, 221
- N**
- NAFTALIN, R.J. *see* AHSAN, M.A., **92**, 743
 NAHORSKI, S.R. *see* COOK, N., **92**, 587
 NAKOA, K. *see* TERADA, K., **92**, 615
 NAJAZAWA, M. *see* IMAI, S., **92**, 55
 NAYLER, R.A. & MITCHELL, H.W. Airway hyperreactivity and bronchoconstriction induced by vanadate in the guinea-pig, **92**, 173
 NAYLOR, R.J. *see* COSTALL, B., **92**, 881
 NETO, F.R. *see* MILL, J.G., **92**, 627
 NEWBERRY, N.R. & PRIESTLEY, T. Pharmacological differences between two muscarinic responses of the rat superior cervical ganglion *in vitro*, **92**, 817
 NOLAN, A., LIVINGSTON, A. & WATERMAN, A.E.

Investigation of the antinociceptive activity of buprenorphine in sheep, **92**, 527

O

- O'DONNELL, S.R., WANSTALL, J.C. & MUSTAFA, M.B.H. Influence of thyroid status on responses of rat isolated pulmonary artery, vas deferens and trachea to smooth muscle relaxant drugs, **92**, 221
- OCHI, R. *see* KOBAYASHI, M. **92**, 665
- OGLE, C.W. *see* CHO, C.H., **92**, 31
- OHIZUMI, Y. *see* KOBAYASHI, M., **92**, 665
- OHLSTEIN, E.H. *see* SHIKANO, K., **92**, 483
- OHYA, H. *see* IMAI, S., **92**, 55
- OKABE, K. *see* TERADA, K., **92**, 615
- ORELLANA, C. *see* ORTS, A., **92**, 795
- ORTS, A., ORELLANA, C., CANTÓ, T., CEÑA, V., GONZÁLEZ-GARCÍA, C. & GARCÍA, A.G. Inhibition of adrenomedullary catecholamine release by propranolol isomers and clonidine involving mechanisms unrelated to adrenoceptors, **92**, 795
- OSTERRIEDER, W. 9-Amino-1,2,3,4-tetrahydroacridine (THA) is a potent blocker of cardiac potassium channels, **92**, 521
- OWMAN, Ch. *see* KANNISTO, P., **92**, 487
- OYEKAN, A. O. *see* BEIJER, L., **92**, 803
- OZ, N. *see* ABRAHAMAS, S., **92**, 603

P

- PACAUD, P. *see* DACQUET, C., **92**, 535
- PAGE, C.P. *see* BEIJER, L., **92**, 803
- , *see* ROBERTSON, D.N., **92**, 105
- PAIVA, M.Q. *see* GUIMARÃES, S., **92**, 505
- PALLANDI, R.T. & CAMPBELL, T.J. Resting, and rate-dependent depression of V_{max} of guinea-pig ventricular action potentials by amiodarone and desmethyldiamodarone, **92**, 97
- PALMER, R.M.J. *see* RADOMSKI, M.W., **92**, 181
- , *see* RADOMSKI, M.W., **92**, 639
- PANKHANIA, J.J. *see* BAKHLE, Y.S., **92**, 189
- PENFIELD, A. & DALE, M.M. Comparison of the effects of indomethacin, RHC80267 and R59022 on superoxide production by 1,oleoyl-2,acetyl glycerol and A23187 in human neutrophils, **92**, 63
- POAT, J. *see* BEER, M., **92**, 827
- POWIS, D.A. α_2 -Adrenoceptor blockade prevents cardiac glycoside-evoked neurotransmitter release from sympathetic nerves in dog saphenous vein, **92**, 213
- PRADO, W.A. *see* REES, H., **92**, 769
- PREVOST, M.-C. *see* COEFFIER, E., **92**, 393
- PRIESTLEY, T. *see* NEWBERRY, N.R., **92**, 817

R

- RABERGER, G. *see* SCHNEIDER, W., **92**, 87
- RADOMSKI, M.W., PALMER, R.M.J. & MONCADA, S. The anti-aggregating properties of vascular endothelium: interactions between prostacyclin and nitric oxide, **92**, 639
- , Comparative pharmacology of endothelium-derived

- relaxing factor, nitric oxide and prostacyclin in platelets, **92**, 181
- RAEBURN, D. *see* FARMER, S.G., **92**, 231
- , *see* HAY, D.W.P., **92**, 381
- RANDOM, J., LEFORT, J. & VARGAFTIG, B.B. Blockade by methylation inhibitors of the anaphylactic response of guinea-pig lung strips, **92**, 683
- RAO, T.S. *see* BAKER, G.B., **92**, 243
- RAWLINGS, S. *see* REES, H., **92**, 769
- REES, H., PRADO, W.A., RAWLINGS, S. & ROBERTS, M.H.T. The effects of intraperitoneal administration of antagonists and development of morphine tolerance on the antinociception induced by stimulating the anterior pretectal nucleus of the rat, **92**, 769
- RHODEN, K. *see* GREENBERG, B., **92**, 789
- RICHARDSON, D.P. *see* EINSTEIN, R., **92**, 445
- RITTER, J.M. *see* WARREN, J.B., **92**, 895
- RITTER, J.M., AKSOY, A., CRAGOE, E.J.Jr. & TAYLOR, G.W. Actions of amiloride analogues on prostacyclin synthesis by aortic rings, **92**, 857
- ROBERTS, M.H.T. *see* REES, H., **92**, 769
- ROBERTSON, D.N. & PAGE, C.P. Effect of platelet agonists on airway reactivity and intrathoracic platelet accumulation, **92**, 105
- ROBINSON, C. *see* BENYON, R.C., **92**, 635
- RODGER, I.W. *see* BRYSON, S.E., **92**, 673
- RYLANDER, R. *see* BEIJER, L., **92**, 803

S

- SALAMA, A.I. *see* KEITH, R.A. **92**, 133
- SANDU, B.K. *see* AHSAN, M.A., **92**, 743
- SARAU, H.M. *see* LONG, C.J., **92**, 843
- SAXON, M. *see* KOBRINSKY, E., **92**, 499
- SCARPIGNATO, C., TRAMACERE, R. & ZAPPIA, L. Antisecretory and antiulcer effect of the H_2 -receptor antagonist famotidine in the rat: comparison with ranitidine, **92**, 153
- SCHACHTER, M., UCHIDA, Y., LONGRIDGE, D.J., LABEDZ, T., WHALLEY, E.T., VAVREK, R.J. & STEWART, J.M. New synthetic antagonists of bradykinin, **92**, 851
- SCHMIDT, G. *see* KANNISTO, P., **92**, 487
- SCHNEIDER, W., KRUMPL, G., MAYER, N. & RABERGER, G. The effects of nitroglycerin on exercise-induced regional myocardial contractile dysfunction are not diminished by pretreatment with dihydroergotamine, **92**, 87
- SENIOR, J. *see* MARSHALL, K., **92**, 429
- SEVILLA, E.L. *see* CHO, C.H., **92**, 31
- SHIKANO, K., OHLSTEIN, E.H. & BERKOWITZ, B.A. Differential selectivity of endothelium-derived relaxing factor and nitric oxide in smooth muscle, **92**, 483
- SJÖBERG, N.-O. *see* KANNISTO, P., **92**, 487
- SMITH, G.W. *see* MITCHELL, P.D., **92**, 265
- SMITH, P.M. *see* AHSAN, M.A., **92**, 743
- SPEDDING, M. & MIR, A.K. Direct activation of Ca^{2+} channels by palmitoyl carnitine, a putative endogenous ligand, **92**, 457
- STAHL, S.M. *see* BEER, M., **92**, 827
- STÄUBLI, M. *see* BRAUNSCHWEIG, J., **92**, 553
- STEWART, J.M. *see* SCHACHTER, M., **92**, 851

- STOJANOVIC, V. *see* VARAGIC, V.M., **92**, 197
 STUDER, H. *see* BRAUNSCHWIEG, J., **92**, 553
 SUMMERS, R.J. *see* BUXTON, B.F., **92**, 299
 SURPRENANT, A. *see* CRIST, J., **92**, 341
 SUZUKI, H. *see* KOMORI, K., **92**, 657

T

- TAYLOR, G.W. *see* RITTER, J.M., **92**, 857
 TERADA, K., NAKOA, K., OKABE, K., KITAMURA, K. & KURIYAMA, H. Action of the 1,4-dihydropyridine derivative, KW-3049, on the smooth muscle membrane of the rabbit mesenteric artery, **92**, 615
 TOMKINS, D.M. *see* COLLIS, M.G., **92**, 69
 TRAMACERE, R. *see* SCARPIGNATO, C., **92**, 153
 TYERS, M.B. *see* COSTALL, B., **92**, 881

U

- UCHIDA, M.K. *see* HISHINUMA, S., **92**, 733
 UCHIDA, Y. *see* SCHACHTER, M., **92**, 851

V

- VAN HARDEVELD, C. *see* EVERTS, M.E., **92**, 47
 VARAGIC, V.M. & STOJANOVIC, V. The effect of enkephalins and of β -endorphin on the hypertensive response to physostigmine in the rat, **92**, 197
 VARGAFTIG, B.B. *see* COEFFIER, E., **92**, 393
 —, *see* RANDOM, J., **92**, 683
 VAVREK, R.J. *see* SCHACHTER, M., **92**, 851
 VINCENT, N.D. *see* GREEN, A.R., **92**, 5
 —, *see* GREEN, A.R., **92**, 13
 —, *see* GREEN, A.R., **92**, 19
 —, *see* GREEN, A.R., **92**, 25

W

- WACHTEL, R.E. Effects of diltiazem and verapamil on responses to acetylcholine, **92**, 561

- WADA, K. *see* FUJIMOTO, Y., **92**, 479
 WALLACE, J.L. *see* WHITTLE, B.J.R., **92**, 3
 WANG, C.M. *see* AULT, B., **92**, 319
 WANSTALL, J.C. *see* O'DONNELL, S.R., **92**, 221
 WARDLE, K.A. *see* CUNNANE, T.C., **92**, 39
 WARLAND, J.J.I. & BURNSTOCK, G. Effects of reserpine and 6-hydroxydopamine on adrenergic and purinergic components of sympathetic nerve responses of rabbit saphenous artery, **92**, 871
 WARREN, J.B., RITTER, J.M., HICKLING, N.E. & BARROW, S.E. Bradykinin-stimulated prostaglandin synthesis in conscious rabbits, **92**, 895
 WATERMAN, A.E. *see* NOLAN, A., **92**, 527
 WEISSMAN, B.A. *see* ABRAHAMS, S., **92**, 603
 WELLS, E. *see* MITCHELL, P.D., **92**, 265
 WEST, P.A. *see* MITCHELL, P.D., **92**, 268
 WHALLEY, E.T. *see* SCHACHTER, M., **92**, 851
 WHITE, T.D. *see* LEW, M.J., **92**, 349
 WHITING, R.L. *see* MICHEL, A.D., **92**, 755
 WHITTLE, B.J.R., BROUGHTON-SMITH, N.K., HUTCHESON, I.R., ESPLUGUES, J.V. & WALLACE, J.L. Increased intestinal formation of Paf in endotoxin-induced damage in the rat, **92**, 3
 WIDDICOMBE, J.G. *see* LAITINEN, L.A., **92**, 703
 WIDDOP, R.E. *see* BENTLEY, G.A., **92**, 121
 WILSON, K.A. *see* HAY, D.W.P., **92**, 381

Y

- YAWN, B.C. *see* AULT, **92**, 319
 YOSHIDA, Y. *see* IMAI, S., **92**, 55
 YOSHIZAWA, M. *see* FRÖLICH, J.C., **92**, 311

Z

- ZAPPIA, L. *see* SCARPIGNATO, C. **92**, 153
 ZUCCHI, P.L. *see* BARTOLINI, A., **92**, 711

SUBJECT INDEX

A

- Acetylcholine**, activation of ion channels in mouse diaphragm, effect of diltiazem and verapamil, **92**, 561
 —, effects on the components of the cardiac muscarinic receptor, **92**, 327
 —, induction of bronchoconstriction in guinea-pig, effect of vanadate, **92**, 173
 —, induction of contractions in rat portal veins, effect of calcium entry blockers, **92**, 203
 —, induction of electrical and mechanical responses in smooth muscle cells of rabbit saphenous artery, effect of atropine and pirenzepine, **92**, 657
 —, induction of endothelium-dependent relaxations of rabbit coeliac arterial strips, effect of gossypol, **92**, 237
Acetylcholinesterase, lack of inhibition by local anaesthetics in rodents, **92**, 711
Action potentials, effect of amiodarone or desmethyldiamiodarone in guinea-pig ventricular myocardium, **92**, 97
 —, effects of labetalol in canine atrial, cardiac Purkinje fibres and ventricular muscle, **92**, 627
Adenosine diphosphate, effect on guinea-pig airway reactivity and intrathoracic platelet accumulation, **95**, 105
Adenosine 3',5'-monophosphate, cyclic, effect of phosphodiesterase inhibitors on concentrations in isolated airway smooth muscle, **92**, 673
 —, cyclic, effects of trypsin with or without aminophylline on guinea-pig myocardial concentrations, **92**, 55
 —, cyclic, role in increase of transmitter release, involvement in facilitation of neuromuscular transmission by sodium fluoride, **92**, 513
Adenosine receptors, affinity of some 8-phenyl-substituted xanthines, in guinea-pig aorta and atria, **92**, 69
Adenosine triphosphate, a co-transmitter with noradrenaline in sympathetic nerves of rabbit saphenous artery, **92**, 871
 —, endogenous, release during sympathetic nerve stimulation, **92**, 349
 —, initiation of calcium mobilization from pancreatic β -cells conditioned by exposure to glucose, **92**, 281
Adenylate cyclase, activation in endothelial cells of human umbilical vein by calcitonin gene-related-peptide, **92**, 695
Adrenal medulla, cat, inhibition of catecholamine release by propranolol and clonidine involving mechanisms unrelated to adrenoceptors **92**, 795
Adrenergic nerves, bovine ovarian follicle, characterization of presynaptic 5-HT receptors, **92**, 487
 β -Adrenoceptor agonists, potency in rat isolated pulmonary artery, vas deferens and trachea, influence of thyroid status, **92**, 221
 α -Adrenoceptor antagonists, effects on neuro-transmitter release evoked by cardiac glycosides from sympathetic nerves in dog saphenous vein, **92**, 213
 β -Adrenoceptor subtypes, characterization and localization in human cardiac tissues, **92**, 299
 α -Adrenoceptors, spare, in dog mesenteric, and renal arteries, **92**, 505
 α_2 -Adrenoceptors, antagonist effect of 8-hydroxy-2-(n-dipropylamino)tetralin on guinea-pig submucous neurones, **92**, 341
 —, postjunctional, mediation of venoconstriction in the hindquarters circulation of anesthetized cats, **92**, 121
 β -Adrenoceptors, mediation of relaxations in human coronary arteries, influence of atherosclerosis, **92**, 113
 β_1 -Adrenoceptors, down regulation as biochemical marker for antidepressant efficacy, **92**, 827
 —, effect of isoprenaline on [125 I]-pindolol binding in intact human platelets, **92**, 587
Airway reactivity, effect of platelet agonists in guinea-pig, **92**, 105
Airway resistance, effect of vanadate in guinea-pig, **92**, 173
Amiloride analogues, actions on prostacyclin synthesis by rat aortic rings, **92**, 857
9-Amino-1,2,3,4-tetrahydroacridine, blockade of guinea-pig cardiac potassium channels, **92**, 521
 γ -Aminobutyric acid, effect of repeated electro-convulsive shock on synthesis and release of, in rat brain, **92**, 19
 —, induction of macroscopic currents in rat melanotrophs in cell culture, **92**, 573
 —, inhibition of synthesis in regions of rat brain following convulsion **92**, 5
 —, inhibition of release from slices from areas of rat brain at various times following a convulsion, **92**, 13
 γ -Aminobutyric acid_a receptor function, effect of antidepressant drugs and ECS in mice, **92**, 863
 —, effect of repeated administration of antidepressant drugs or electro-convulsive shocks in mouse frontal cortex, **92**, 357
Aminophylline, effect on positive inotropic and chronotropic effects of trypsin in guinea-pig heart, **92**, 55
4-Aminopyridine, blockade of guinea-pig cardiac potassium channels, **92**, 521
Amiodarone, effect on guinea-pig ventricular action potentials, **92**, 97
 —, effects on myocardial calcium, serum calcium and thyroid hormones in the rat, **92**, 363
 —, interactions with digoxin in rats, **92**, 553
Amitriptyline, effect on GABA_a receptor function in mouse frontal cortex, **92**, 357
Analgesia, induced by electrical stimulation of rat anterior pretectal nucleus, effect of intraperitoneal administration of antagonists, **92**, 769

- Anaphylaxis**, guinea-pig lung strips, blockade by methylation inhibitors, **92**, 683
- Angina pectoris**, exercise-induced, effects of dihydroergotamine, **92**, 87
- Angiotensin-converting enzyme inhibitor**, effect on prostaglandin synthesis in rabbit kidney medulla slices, **92**, 479
- Anococcygeus muscle**, rat, involvement of co-transmission in excitatory responses, **92**, 39
- Antianginal drugs**, inhibition of changes in ECG pattern induced by Bay K 8644 in the rat, **92**, 603
- Antiarrhythmic agents**, close affinity with local anaesthetics, **92**, 77
- Antiarrhythmic actions**, class I and class III, produced by labetalol in dog cardiac muscle *in vitro*, **92**, 627
- , of amiodarone or desmethyldiamiodarone in guinea-pig, **92**, 97
- Antidepressant drugs**, effect on baclofen-induced hypothermia in mice, **92**, 863
- , effect on GABA_A receptor function in mouse frontal cortex, **92**, 357
- , measurement of regulation of β -adrenoceptors as a biochemical marker for efficacy, **92**, 827
- Antinociception**, buprenorphine-induced in sheep, **92**, 527
- , induction by PD 117302, **92**, 915
- , induction by systemic administration of local anaesthetics depends on a central cholinergic mechanism, **92**, 711
- Aorta**, guinea-pig, apparent affinity of some 8-phenyl-substituted xanthines at adenosine receptors, **92**, 69
- , rabbit, individual variation of prostanoid responses, evidence for the independent regulation of prostanoid receptor subtypes, **92**, 133
- , rabbit isolated, investigations of mechanisms by which agents modulate the induction of kinin B₁-receptors, **92**, 257
- , rat, actions of amiloride analogues on prostacyclin synthesis in rings, **92**, 857
- , rat, effect of diltiazem after exposure to acute hypoxia followed by re-oxygenation, **92**, 451
- Apomorphine**, effect on excytosis and metabolic burst of polymorphonuclear leukocytes, **92**, 909
- Aprotinin**, effect on positive inotropic and chronotropic effects of trypsin in guinea-pig heart, **92**, 55
- Araichidonate**, induction of relaxation in guinea-pig tracheal smooth muscle, effect of removal of epithelium, **92**, 231
- Arachidonic acid**, induction of acute inflammation in rabbit skin, mediation by leukotriene B₄ and prostaglandin E₂, **92**, 545
- Arachidonic acid metabolites**, procoagulant activity in human platelets, **92**, 129
- Arecoline**, effects on the components of the cardiac muscarine receptors, **92**, 327
- Arteries**, cat hindquarters, mediation of constriction by post junctional α_2 -adrenoceptors, **92**, 121
- , rat, influence of nifedipine and chloroquine on prostacyclin synthesis, **92**, 567
- Atherosclerosis**, influence on the mechanical responses of human isolated coronary arteries to substance P, isoprenaline and noradrenaline, **92**, 113
- Aspirin**, effect on neuropeptide-induced effects in human skin, **92**, 781
- , inhibition of bradykinin-stimulated prostaglandin synthesis in conscious rabbits, **92**, 895
- Asthma**, model for comparison of autonomic responses in trachea of normal and albumin-sensitive guinea-pigs, **92**, 809
- Atria**, guinea-pig, apparent affinity of some 8-substituted xanthines at adenosine receptors, **92**, 69
- Atropine**, effect on ACh-induced responses in smooth muscle cells of rabbit saphenous artery, **92**, 657
- , effect on responses of dog cerebral arteries to electrical stimulation, **92**, 901
- , prevention of local anaesthetic-induced antinociception in rodents, **92**, 711
- Autonomic nervous system**, comparison of responses in trachea isolated from normal and albumin-sensitive guinea-pigs, **92**, 809
- Autoradiography**, characterization and localization of β -adrenoceptor subtypes in human cardiac tissues, **92**, 299
- α_2 -Autoreceptors**, modulation of noradrenaline and protein kinase C activation in rabbit hippocampus, **92**, 161

B

- B4310**, effect on the actions of bradykinin in rabbit iris sphincter muscle, **92**, 333
- Baclofen**, inhibition of potassium-evoked release of 5-HT in mouse frontal cortex, effect of repeated doses of antidepressants or electroconvulsive shocks, **92**, 357
- , induction of hypothermia, effect of antidepressant drugs and electroconvulsive shock in mice, **92**, 863
- Barium current**, effect of KW-3049 in rabbit mesenteric artery smooth muscle membrane, **92**, 615
- Bay K 8644**, induction of changes in ECG pattern of the rat and their inhibition by antianginal drugs, **92**, 603
- , similarity to action of palmitoyl carnitine in potassium depleted smooth muscle, **92**, 457
- 2',3'-Benzobenzamil**, action of prostacyclin synthesis in rat aortic rings, **92**, 857
- Benzocaine**, effect on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733
- Blood**, rabbit, platelet-leukocyte interactions, **92**, 393
- , rat, effect of amiodarone on digoxin levels, **92**, 553
- Blood pressure**, effect of histamine in anaesthetized dogs, **92**, 445
- Blood vessels**, rabbit, inhibition of release of endothelium-derived relaxant factor by manolide, **92**, 843
- BN 52021**, effect on endotoxin-induced pulmonary recruitment in guinea-pig, **92**, 803
- Bradykinin**, effect on tracheal vascular resistance in dogs, **92**, 703
- , stimulation of prostaglandin synthesis in conscious rabbits, **92**, 895
- Bradykinin antagonists**, effect on the actions of bradykinin in iris sphincter muscle in the rabbit, **92**, 333
- , new synthetic, **92**, 851
- Bromelain**, positive inotropic and chronotropic effects in guinea-pig heart, **92**, 55
- Brotizolam**, effect on endotoxin-induced pulmonary recruitment in guinea-pig, **92**, 803
- Bupivacaine**, antinociceptive effects of systemic administration using hot-plate, writhing and tail-flick tests, **92**, 711
- Buprenorphine**, antinociceptive activity in sheep, **92**, 527

C

- Caffeine**, induction of contractions in rat portal veins, effect of calcium entry blockers, **92**, 203
- Calcitonin gene-related peptide**, activation of adenylate cyclase and release of prostacyclin from human umbilical vein endothelial cells, **92**, 695
- , effects in human skin, **92**, 781
- , non-endothelium-dependent inhibition of coronary vasomotor tone in bovine coronary artery, **92**, 789
- Calcium**, increase by oestrogen of entry and channel density in uterine smooth muscle, **92**, 389
- , myocardial and serum concentrations, effect of amiodarone and thyroid dysfunction in the rat, **92**, 363
- Calcium activated potassium channels**, role in endothelium-dependent relaxation of rabbit aorta induced by ACh and A23187, **92**, 835
- Calcium channel antagonists**, effect on responses to ACh at neuromuscular junction of mouse diaphragm, **92**, 561
- Calcium channels**, activation by maitotoxin in guinea-pig cardiac cells, **92**, 665
- , direct activation by palmitoyl carnitine, **92**, 457
- , effect of 9-amino-1,2,3,4-tetrahydroacridine in guinea-pig isolated ventricular myocytes, **92**, 521
- , inhibition in rat portal vein by spironolactone, **92**, 535
- , inhibitory and facilitory actions of KW-3049 depending on values of holding and command potentials, **92**, 615
- Calcium concentrations**, effect on μ -receptor-mediated agonism in guinea-pig ileum, **92**, 723
- Calcium cycling**, effect of thyroid hormones during force development in slow and fast twitch muscle in rats, **92**, 47
- Calcium entry blockers**, effect on calcium-dependent contractions of rat portal vein, **92**, 203
- Calcium mobilization**, effect of ATP or carbachol in pancreatic β -cells conditioned by previous exposure to glucose in *ob/ob* mice, **92**, 281
- Calcium release**, relationship with CGP 28392 biphasic effects in rat myocardium, **92**, 499
- Calmodulin**, role in calcium-induced contractions in skinned trachealis, **92**, 673
- Capsaicin**, effect on non-adrenergic twitch response of rat vas deferens, **92**, 469
- Carbachol**, effects on the components of cardiac muscarinic receptors, **92**, 327
- , initiation of calcium mobilization from pancreatic β -cells conditioned by previous exposure to glucose, **92**, 281
- , mechanism of action in freshly dispersed cells of the rat anococcygeus muscle, **92**, 371
- (\pm)-**Carbamyl β -methylcholine**, effects on the components of the cardiac muscarinic receptors, **92**, 327
- 5-Carboxamidotryptamine**, induction of hyperpolarization of rat cervical ganglion, **92**, 417
- Cardiac glycosides**, induction of NA release from sympathetic nerves in dog saphenous vein, effect of α_2 -adrenoceptor antagonists, **92**, 213
- Cardiac ischaemia**, role of Bay K 8644 and its response to antianginal drugs, **92**, 603
- Cardiac myocytes**, guinea-pig isolated, electrophysiological effects of maitotoxin, **92**, 665
- Catecholamines**, inhibition of adrenomedullary release by propranolol isomers and clonidine involving mechanism unrelated to adrenoceptors, **92**, 795
- Cerebral arteries**, dog, purinergic and non-purinergic innervation, **92**, 901
- CGP 20712A**, use in the characterization and localization of β -adrenoceptor subtypes in human cardiac tissue, **92**, 299
- CGP 28392**, biphasic inotropic effects in rat myocardium, **92**, 499
- Chromaffin cells**, effect of propranolol isomers on NA release from bovine adrenal gland, **92**, 795
- Chloride secretion**, effect of 5-HT antagonists in guinea-pig ileal and colonic epithelia when challenged with 5-HT or antigen, **92**, 647
- 2-Chloroadenosine**, antagonism of effects in guinea-pig aorta or atria by xanthines, **92**, 69
- Chloroquine**, effect on arterial and myometrial prostacyclin synthesis, **92**, 567
- Cholera toxin**, effect on rabbit ileal fluid and electrolyte transport *in vitro*, **92**, 743
- , effect on the production of eicosanoids by rat jejunum, **92**, 149
- Choline**, effects on the components of cardiac muscarinic receptors, **92**, 327
- Chymotrypsin**, positive inotropic and chronotropic effects in guinea-pig heart, **92**, 55
- Clenbuterol**, effect on regulation of β -adrenoceptors, **92**, 827
- Clonidine**, effect on catecholamine release from cat adrenal glands, **92**, 795
- Coagulation system**, role for platelet arachidonic acid metabolites, **92**, 129
- Collagen**, effect on guinea-pig airway reactivity and intrathoracic platelet accumulation, **92**, 105
- Colon**, cat, inhibition of pelvic nerve-evoked contractions by [Met³]enkephalin acting via δ -opioid receptors, **92**, 291
- Colonic ganglia**, cat, parasympathetic, effect of opioids on synaptic transmission, **92**, 437
- Contractions**, antigen-induced in guinea-pig lung strip, effect of methylation inhibitors, **92**, 683
- , bradykinin-induced in guinea-pig isolated ileum, effect of new synthetic bradykinin antagonists, **92**, 851
- , bradykinin-induced in rabbit iris sphincter muscle, effect of bradykinin antagonists, **92**, 333
- , calcium-dependent, effect of calcium entry blockers in rat portal vein, **92**, 203
- , in bovine ovarian follicle strip, effects of 5-HT, **92**, 487
- , induced by NA or high K⁺, effect of diltiazem or removal of extracellular Ca²⁺, **92**, 451
- , inhibition in rat portal vein by spironolactone, **92**, 535
- , pelvic nerve-evoked in cat distal colon, inhibition by [Met³]enkephalin acting via δ -opioid receptors, **92**, 291
- Coronary artery**, bovine, non-endothelium-dependent inhibition by calcitonin gene-related peptide, **92**, 789
- , human isolated, influence of atherosclerosis on mechanical responses to substance P, isoprenaline and noradrenaline, **92**, 113
- Cortex**, rat, effect of repeated electroconvulsive shock on GABA synthesis and release, **92**, 19
- Corwin**, effect on regulation of β -adrenoceptors, **92**, 827
- Co-transmission**, involvement in excitatory responses of rat anococcygeus muscle, **92**, 39
- , involving ATP and NA is demonstrated in sympathetic nerves of rabbit saphenous artery, **92**, 871
- CV-3988**, effect on endotoxin-induced pulmonary recruit-

- ment in guinea-pig, **92**, 803
- N-(2-cyanoethyl)-2-phenylethylamine**, neuropharmacological and neurochemical properties, **92**, 243
- Cyanopindolol**, effect on 5-HT concentration-response curve in rat superior cervical ganglion, **92**, 417
- [¹²⁵I]-cyanopindolol**, use in characterization and localization of β -adrenoceptor subtypes in human cardiac tissue, **92**, 299
- Cyclo-oxygenase**, role in arachidonate-induced relaxation in guinea-pig tracheal smooth muscle with intact epithelium, **92**, 231
- Cyproheptadine**, effect on response to 5-HT and to antigen challenge in guinea-pig gut epithelia, **92**, 647

D

- D 600**, effect on calcium-dependent contractions of rat portal vein, **92**, 203
- D 888**, effect on calcium-dependent contractions of rat portal vein, **92**, 203
- Dantrolene**, effects on force development in slow- and fast-twitch muscle of euthyroid, hypothyroid and hyperthyroid rats, **92**, 47
- 3-Deazaadenosine**, plus L-homocysteine, inhibition of antigen-induced contraction, thromboxane B₂ formation and histamine release from guinea-pig lung strips, **92**, 683
- Des-Arg²-bradykinin**, studies on the induction of pharmacological responses *in vitro* and *in vivo*, **92**, 257
- Descending controls**, lack of effect of microinjections of morphine into periaqueductal grey in the rat, **92**, 271
- Desipramine**, effect on GABA_A receptor function in mouse frontal cortex, **92**, 357
- , effect on regulation of β -adrenoceptors, **92**, 827
- Desmethyldiamorone**, effect on guinea-pig ventricular action potentials, **92**, 97
- Diacylglycerol kinase inhibitors**, effect on histamine release from rat peritoneal mast cells, **92**, 597
- Diacylglycerol lipase**, role in the production of superoxide by 1,oleoyl-2,acetyl glycerol and A 23187 in human neutrophils, **92**, 63
- Diacylglycerol lipase inhibitors**, effect on histamine release from rat peritoneal mast cells, **92**, 597
- Dibucaine**, effect on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733
- Digoxin**, interactions with amiodarone in rats, **92**, 553
- Dihydroergotamine**, effect of pretreatment on the action of nitroglycerin on exercise-induced regional myocardial contractile dysfunction in dogs, **92**, 87
- Diltiazem**, effect on lifetime of ion channels activated by ACh in mouse diaphragm, **92**, 561
- , effect on rat aorta, exposed to acute hypoxia followed by re-oxygenation, **92**, 451
- , inhibition of Bay K 8644-induced changes in the ECG pattern of the rat, **92**, 603
- 5-(N,N-dimethyl)amiloride**, action on prostacyclin synthesis in rat aortic rings, **92**, 857
- Disopyramide**, effect of external and internal application on the ionic currents of the squid giant axon, **92**, 77
- Dopamine**, induction of locomotor hyperactivity after infusion in left amygdala of rat, inhibition by GR 38032F, **92**, 881
- Dopamine antagonists**, effect on the antinociceptive effects of

electrical stimulation of the rat anterior pretectal nucleus, **92**, 769

Dopexamine hydrochloride, inhibition of NA neuronal uptake *in vitro* in guinea-pig, **92**, 268

Dorsal horn neurones, relationships with analgesic effects of morphine in rat, **92**, 271

Down-regulation, of β -adrenoceptors in human platelets induced by isoprenaline, **92**, 587

E

Eicosanoids, effect of arachidonic acid on skin concentrations in rabbits, **92**, 545

Electroconvulsive shock, effect of repeated administration on GABA_A receptor function in mouse frontal cortex, **92**, 357

—, effect of repeated application on GABA synthesis and release in regions of rat brain, **92**, 19

—, effect of single and repeated administration on release of 5-HT and NA from cortical slices of rat brain, **92**, 25

—, effect on baclofen-induced hypothermia in mice, **92**, 863

—, induction of seizures, effect on inhibition of GABA release from slices of regions of rat brain at various times, **92**, 13

—, induction of seizures, effect on rate of GABA synthesis in regions of rat brain, **92**, 5

Electrocorticogram, Bay K 8644-induced changes of pattern of the rat, effect of antianginal drugs, **92**, 603

Electrolyte transport, effect of theophylline, cholergan and loperamide in rabbit ileum *in vitro*, **92**, 743

Electrophysiological effects, of labetalol on canine cardiac muscle, **92**, 627

Electrophysiology, membrane mechanism associated with muscarinic receptor activation in single cells freshly dispersed from the rat anococcygeus, **92**, 371

5-(N-ethyl-N-isopropyl)amiloride, action on prostacyclin synthesis in rat aortic rings, **92**, 857

β -Endorphin, effect on hypertensive response to physostigmine in the rat, **92**, 197

Endothelial cell growth factor, effect on rate of sensitization to des-Arg²-bradykinin *in vivo* and *in vitro*, **92**, 257

Endothelium, effect of removal on the responses of rabbit coeliac artery to ACh, substance P, prostaglandin E₁ and glyceryl trinitrate, **92**, 237

—, human umbilical vein, activation of adenylate cyclase and release of prostacyclin by human calcitonin gene-related-peptide, **92**, 695

—, location of muscarinic acetylcholine receptors on cells of rabbit saphenous artery, **92**, 657

Endothelium-dependent relaxation, role of calcium-activated potassium channels, rabbit aortic strips, **92**, 835

Endothelium-derived inhibitory factor, existence in guinea-pig tracheal smooth muscle, **92**, 381

Endothelium-derived relaxing factor, pharmacological effects on human and rabbit platelets, **92**, 181

—, selectivity in smooth muscles, **92**, 483

—, vasodilator properties, role of nitric oxide, **92**, 639

Endotoxin, induction of damage in rat intestine, increased Paf formation, **92**, 3

—, induction of pulmonary platelet recruitment in guinea-pig, involvement of Paf, **92**, 803

Endplate potentials, effect of sodium fluoride alone or in

- combination with theophylline or imidazole, and of forskolin and papaverine in frog, **92**, 513
- Enkephalinamide**, Met⁵, effect on synaptic transmission in cat sacral parasympathetic colonic ganglia, **92**, 437
- Enkephalins**, action via δ -opioid receptor to inhibit pelvic nerve-evoked contractions of cat distal colon, **92**, 291
- , effect on hypertensive response to physostigmine in the rat, **92**, 197
- , effect on synaptic transmission in cat sacral parasympathetic colonic ganglia, **92**, 437
- Epidermal growth factor**, effect on the rate of sensitization to des-Arg⁹-bradykinin *in vivo* and *in vitro*, **92**, 257
- Epithelium**, effect of removal on the responses of guinea-pig tracheal smooth muscle to arachidonate, **92**, 231
- , effect of removal on the responsiveness of guinea-pig tracheal smooth muscle to bronchoconstrictors, **92**, 381
- Ethanol**, induction of gastric damage in rats, protective effects of sulphasalazine, **92**, 31
- N-ethylmaleimide**, effect of pretreatment on enhancement of NA release by phorbol esters in rabbit hippocampal slices, **92**, 161
- Excitatory junction potentials**, inhibition by ACh, effect of atropine and pirenzepine, **92**, 657
- Excitatory postsynaptic potentials**, effects of opioids on inhibition in cat parasympathetic colonic ganglia, **92**, 437
- Excytosis**, effect of apomorphine in rabbit polymorphonuclear leukocytes, **92**, 909

F

- Famotidine**, antisecretory and antiulcer effects in the rat, **92**, 153
- Flare**, development after sensory neuropeptides in human skin, **92**, 781
- Fluid transport**, effect of theophylline, cholergan and loperamide in rabbit ileum *in vitro*, **92**, 743
- Flurothyl**, induction of seizures, effect on inhibition of GABA release from slices from regions of rat brain at various times, **92**, 13
- , induction of seizures, effect on rate of GABA synthesis in regions of rat brain, **92**, 5
- Force frequency relation**, effect of CGP 28392 in rat myocardium, **92**, 499
- Forskolin**, effect on endplate potentials from frog neuromuscular junction, **92**, 513
- FPL 55712**, blockade of vascular response of rat kidney to leukotriene C₄, **92**, 311
- Furmethide**, effects on the components of the cardiac muscarinic receptors, **92**, 327

G

- Gallamine**, effect on muscarinic responses of rat superior cervical ganglion *in vitro*, **92**, 817
- Gastric acid**, effect of sulphasalazine on secretion in rats with elathanol-induced gastric damage, **92**, 31
- Gastric damage**, ethanol-induced in rats, protective effects of sulphasalazine, **92**, 31
- Gastric emptying**, effect of famotidine and ranitidine in the rat, **92**, 153
- Gastric mucus**, effect of sulphasalazine on secretion in rats with ethanol-induced damage, **92**, 31

- Gastric secretion**, effects of famotidine and ranitidine in the rat, **92**, 153
- Gastrocnemius muscle**, rat, effects of dantrolene on force development in euthyroid, hypothyroid and hyperthyroid rats, **92**, 47
- Gastrointestinal damage**, endotoxin-induced, increased intestinal formation of Paf, **92**, 3
- Glucose**, effect of previous exposure to, on ATP and carbachol mobilization of calcium from pancreatic β -cells, **92**, 281
- Glyceryl trinitrate**, induction of endothelium-dependent relaxations of rabbit coeliac artery, effect of gossypol, **92**, 237
- Gossypol**, selective inhibition of endothelium-dependent relaxation, augmentation of relaxations by glyceryl trinitrate in rabbit coeliac artery, **92**, 237
- GR 38032F**, effect on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain, **92**, 881
- Growth**, uterine, study of the effect of a single dose of tamoxifen in the rat, **92**, 429
- Guanethidine**, effect of responses of dog cerebral arteries to electrical stimulation, **92**, 901
- Guanosine 3', 5'-monophosphate**, cyclic, effect of phosphodiesterase inhibitors on concentrations in isolated airway smooth muscle, **92**, 673
- Guinea-pig**, heart, positive inotropic and chronotropic effects of trypsin and other proteolytic enzymes, **92**, 55

H

- Haloperidol**, effect on antinociceptive effects of electrical stimulation of rat anterior pretectal nucleus, **92**, 769
- Heart**, guinea-pig, direct binding studies on muscarinic acetylcholine receptors, **92**, 755
- , human, characterization and localization of β -adrenoceptor subtypes, **92**, 299
- , rat, effect of agonists on the components of muscarinic receptor, **92**, 327
- , rat, effect of amiodarone on digoxin levels, **92**, 553
- Heart rate**, effect of histamine in anaesthetized dogs, **92**, 445
- Hemicholinium-3**, prevention of local anaesthetic-induced antinociception in rodents, **92**, 711
- Heparin**, effect on endotoxin-induced pulmonary recruitment in guinea-pig, **92**, 803
- 5-(N,N-hexamethylene)amiloride**, action on prostacyclin synthesis in rat aortic rings, **92**, 857
- Hindquarters**, cat, mediation of venoconstriction by post-junctional α -adrenoceptors, **92**, 121
- Hippocampus**, rabbit, effects of phorbol esters on evoked NA release, **92**, 161
- , rat, effect of repeated electroconvulsive shock on GABA synthesis and release, **92**, 19
- Histamine**, effect of inhibitors of diacylglycerol kinase and diacylglycerol lipase on release from rat peritoneal mast cells, **92**, 597
- , effect of local anaesthetics on short-term desensitization of guinea-pig caecum, **92**, 733
- , effect on dog tracheal vascular resistance, **92**, 703
- , induction of bronchoconstriction in guinea-pig, effect of vanadate, **92**, 173
- , induction of release in human mast cells by ionophore A 23187, **92**, 635

- , positive inotropic effects in anaesthetized dogs, **92**, 445
- , release from guinea-pig lung strip in response to ovalbumin challenge, effect of methylation inhibitors, **92**, 683
- Histamine H₂ antagonists**, effect on gastric secretion and emptying in the rat, **92**, 153
- L-Homocysteine**, plus 3-deazaadenosine, inhibition of antigen-induced contraction, thromboxane B₂ formation and histamine release from guinea-pig lung strips, **92**, 683
- Hot-plate test**, examination of antinociceptive effects of local anaesthetics, **92**, 711
- 8-Hydroxy-2-(n-dipropylamino)tetralin**, evidence for selective α_2 -adrenoceptor antagonism on guinea-pig submucous neurones, **92**, 341
- , induction of hyperpolarization of rat superior cervical ganglion, **92**, 417
- 6-Hydroxydopamine**, effect on adrenergic and purinergic components of sympathetic nerve responses of rabbit saphenous artery, **92**, 871
- 5-Hydroxytryptamine**, effect of baclofen on potassium-evoked release in mouse frontal vortex, effect of repeated administration of antidepressant drugs or electroconvulsive shocks, **92**, 357
- , effect of electroconvulsive shock on release from rat brain cortical slices, **92**, 25
- , effect on contractions and release of [³H]-NA in bovine ovarian follicle strips, **92**, 487
- , induction of bronchoconstriction in guinea-pig, effect of vanadate, **92**, 173
- , induction of chloride-secretory response in guinea-pig gut epithelia, effect of 5-HT antagonists, **92**, 647
- , induction of contractions in guinea-pig tracheal smooth muscle to, effect of epithelium removal, **92**, 381
- , induction of hyperpolarization of rat superior cervical ganglion, pharmacological characterization, **92**, 417
- , induction of hyperpolarization of rat superior cervical ganglion and vagus nerve, **92**, 407
- 5-Hydroxytryptamine antagonists**, effect on the antinociceptive effects of electrical stimulation of the anterior pretecal nucleus, **92**, 769
- 5-Hydroxytryptamine, receptor antagonist**, effect on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain, **92**, 881
- 5-Hydroxytryptamine receptors**, agonist actions of 8-hydroxy-2-(n-dipropylamino)tetralin in guinea-pig submucous neurones, **92**, 341
- , characterization on adrenergic nerves supplying the bovine ovarian follicle, **92**, 487
- Hyperaemia**, uterine, study of the effect of a single dose of tamoxifen in the rat, **92**, 429
- Hypersensitivity reactions**, type 1, neuronal involvement in gut epithelia, **92**, 647
- Hypothermia**, baclofen-induced, enhancement by antidepressant drugs, and ECS in mice, **92**, 863
- Hypoxia**, influence on the actions of diltiazem on rat aorta, **92**, 451
- ICI 118, 551**, use in the characterization and localization of β -adrenoceptor subtypes in human cardiac tissue, **92**, 299
- ICS 205-930**, effect on response to 5-HT and to antigen challenge in guinea-pig gut epithelia, **92**, 647
- Idazoxan**, antagonism of antinociceptive effects of electrical stimulation of rat anterior pretecal nucleus, **92**, 769
- Ileum**, guinea-pig, direct binding studies on muscarinic acetylcholine receptors, **92**, 755
- , guinea-pig, effect of variations of calcium concentrations on μ -receptor-mediated effects of DAGOL, **92**, 723
- , rabbit, effects of theophylline, choleran and loperamide on fluid and electrolyte transport *in vitro*, **92**, 743
- Imidazole**, effects of interactions with sodium fluoride on endplate potentials from frog neuromuscular junction, **92**, 513
- Impromidine**, positive inotropic effects in intact anaesthetized dogs, **92**, 445
- Indomethacin**, contrasting effects on leukotriene-induced contractions in guinea-pig tracheal smooth muscle, effect of epithelium removal, **92**, 381
- , effect of endotoxin-induced pulmonary recruitment in guinea-pig, **92**, 803
- , effect on responses of guinea-pig tracheal smooth muscle to arachidonate, **92**, 231
- , effect on superoxide production by 1-oleoyl-2-acetyl glycerol and A 23187 in human neutrophils, **92**, 63
- , induction of gastric damage and raised PGE₂ levels in rat, effects of sulphasalazine, **92**, 31
- Inflammation**, arachidonic acid-induced, mediation by leukotriene B₄ and prostaglandin E₂ in rabbit skin, **92**, 545
- Inotropic effects**, potentiation by dexamethasone hydrochloride in guinea-pig *in vitro*, **92**, 265
- Insulin secretion**, role of P₂-purinoceptors in *ob/ob* mice, **92**, 281
- Intestine**, rat, increase formation of Paf in endotoxin-induced damage in the rat, **92**, 3
- Ion channels**, effect of diltiazem and verapamil on responses to acetylcholine in mouse diaphragm, **92**, 561
- Ion transport**, potency of amiloride as inhibitor in rat aortic rings, **92**, 857
- Ionophore A 23187**, induction of prostaglandin D₂ release in human skin mast cells, **92**, 635
- Isapirone**, induction of hyperpolarization of rat cervical ganglion, **92**, 417
- Islet-activating protein**, effect of pretreatment on κ -enhancement of NA release by phorbol esters in rabbit hippocampal slices, **92**, 161
- , effects on the positive inotropic and chronotropic effects of trypsin in rat heart, **92**, 55
- Isobutyl methylxanthine**, effect on normal and chemically skinned isolated airway smooth muscle, **92**, 673
- Isometric tone**, effect of inhibition of sodium-potassium pump and sodium-potassium exchange in human trachealis and other species, **92**, 609
- Isoprenaline**, effect of pretreatment on [¹²⁵I]-pindolol binding to β_2 -adrenoceptors in intact human platelets, **92**, 587
- , effect on catecholamine release from cat adrenal glands, **92**, 795
- , mechanical responses of human isolated coronary arteries, influence of atherosclerosis, **92**, 113

J

Jejunum, rat, effect of cholera toxin on production of eicosanoids, 92, 149

K

Kainate, depolarizing effect on rat spinal cord, 92, 319
Kallikrein, positive inotropic and chronotropic effects in guinea-pig heart, 92, 55
Ketanserin, effect on antinociceptive effects of electrical stimulation of rat anterior pretectal nucleus, 92, 769
—, effect on response to 5-HT and to antigen challenge in guinea-pig gut epithelia, 92, 647
Kidney, rat, renal vascular effects of leukotriene C₄, 92, 311
Kidney medulla, rabbit, effect of YS980 on prostaglandin synthesis, 92, 479
Kinin B₁-receptor, induction in rabbit isolated aorta, mechanisms, 92, 257
KW-3049, action on the smooth muscle membrane of rabbit mesenteric artery, 92, 615

L

Labetalol, electrophysiological effects on canine atrial, cardiac Purkinje fibres and ventricular muscle, 92, 627
β-Lactoglobulin, sensitization of guinea-pig gut epithelia, effect of 5-HT antagonists against chloride secretory responses, 92, 647
Leukotriene B₄, effect of intravenous injection of cholera toxin on production in rat jejunum, 92, 149
—, B₄, mediation of inflammatory response of rabbit skin to intradermal arachidonic acid, 92, 545
Leukotriene C₄, effect of intravenous injection of cholera toxin on production in rat jejunum, 92, 149
—, C₄, renal vascular effect in the isolated perfused kidney of the rat, 92, 311
Ligand binding studies, on ileal and cardiac muscarinic acetylcholine receptors, 92, 755
Lignocaine, antinociceptive effects of systemic administration using hot-plate, writhing and tail-flick tests, 92, 711
—, effects on short-term desensitization of guinea-pig taenia caecum to histamine, 92, 733
Lipopolysaccharide, effect on the rate of sensitization to des-Arg²-bradykinin *in vivo* and *in vitro*, 92, 257
Lipoxygenase, involvement in arachidonic acid metabolism in human platelets, 92, 129
—, role in arachidonate-induced contraction in guinea-pig tracheal smooth muscle after removal of epithelium, 92, 231
5-Lipoxygenase inhibitors, assessment of efficacy using arachidonic acid model in rabbits, 92, 545
Liver, rat, effect of amiodarone on digoxin levels, 92, 553
Local anaesthetics, antinociceptive effects of systemic administration using hot-plate, writhing and tail-flick tests, 92, 711
—, close affinity with class I anti-arrhythmic agents, 92, 77
—, effects on short-term desensitization of guinea-pig taenia caecum to histamine, 92, 733
Locomotor activity, amphetamine-induced, inhibition by GR38032 injected into nucleus accumbens of rat and

marmoset, 92, 881

Loperamide, effects on rabbit ileal fluid and electrolyte transport, 92, 743

Lung, guinea-pig, involvement of Paf in endotoxin-induced platelet recruitment, 92, 803

Lung strips, guinea-pig, blockade of the anaphylactic responses, 92, 683

M

Macroscopic currents, GABA-induced in rat melanotrophs in cell culture, 92, 573

Maitotoxin, electrophysiological effects on guinea-pig isolated cardiac myocytes, 92, 665

Manoalide, inhibition of release of endothelium-derived relaxant factor in rabbit aorta, 92, 843

Mast cells, human skin, prostaglandin D₂ release in response to ionophore A 23187, 92, 635

—, rat peritoneal, actions of inhibitors of diacylglycerol kinase and diacylglycerol lipase on histamine release, 92, 597

Melanotrophs, rat, patch clamp study of GABA-induced macroscopic currents in cell culture, 92, 573

Membrane potentials, effect of 5-HT in rat superior cervical ganglion, 92, 417

—, rat superior cervical ganglion and vagus nerve, effect of 5-HT, 92, 407

Membrane responsiveness, effect of labetalol in canine cardiac muscle, 92, 627

Mepivacaine, effect on short term desensitization of guinea-pig taenia caecum to histamine, 92, 733

Mesenteric artery, effect of phenoxybenzamine on concentration-response curves to phylephrine or NA, 92, 505

—, rabbit, action of KW-3049 on smooth muscle membrane, 92, 615

Metabolic bursts, effect of apomorphine in rabbit polymorphonuclear leukocytes, 92, 909

Methacholine, effect on dog tracheal vascular resistance, 92, 703

N-methyl-D-aspartate receptor, mediation of 60–70% of the response to L-proline in rat isolated spinal cord, 92, 319

Methylation inhibitors, blockade of anaphylactic response of guinea-pig lung strips, 92, 683

N-methylatropine, effect on muscarinic responses of rat cervical ganglion, 92, 817

α,β-Methylene adenosine triphosphate, effect on excitatory responses of rat anococcygeus muscle, 92, 39

—, effect on responses of dog cerebral arteries to electrical stimulation, 92, 901

Methylfurmethide, effect on muscarinic responses of rat superior cervical ganglion *in vitro*, 92, 817

—, effects on the components of cardiac muscarinic receptors, 92, 327

Methysergide, effect on antinociceptive actions of electrical stimulation of rat anterior pretectal nucleus, 92, 769

—, effect on response to 5-HT and to antigen challenge in guinea-pig gut epithelia, 92, 647

Mianserin, effect on GABA_A receptor function in mouse frontal cortex, 92, 357

Morphine, mechanisms of supraspinal action in dorsal horn neurones in the rat, 92, 271

Morphine antagonists, effect on the antinociceptive effects of

- the rat anterior pretectal nucleus, **92**, 769
- Morphine tolerance**, effect on antinociceptive effects of electrical stimulation of rat anterior pretectal nucleus, **92**, 769
- Muramyl-dipeptide**, effect on the rate of sensitization to des-Arg⁹-bradykinin *in vivo* and *in vitro*, **92**, 257
- Muscarinic acetylcholine receptors**, activation in single cells freshly dispersed from the rat anococcygeus muscle, membrane mechanism, **92**, 371
- , binding of eleven agonists in competition with [³H]-N-methylscopolamine in rat heart, **92**, 327
 - , direct binding studies in guinea-pig heart and ileum, **92**, 755
 - , heterogeneous distribution in rabbit saphenous artery, **92**, 657
 - , pharmacological differences between responses on rat superior cervical ganglion *in vitro*, **92**, 817
- Myocardial contractility**, effect of histamine in anaesthetized dogs, **92**, 445
- Myocardial function**, effect of dihydroergotamine in dogs, **92**, 87
- Myocardial ischaemia**, role of interaction between palmitoyl carnitine and calcium channels, **92**, 457
- Myocardium**, rat, biphasic inotropic effects of CGP 28392, **92**, 499
- , rat effect of amiodarone and thyroid dysfunction on levels of calcium, **92**, 363
- Myometrium**, rat, influence of nifedipine and chloroquine on prostacyclin synthesis, **92**, 567

N

- Nagarse**, positive inotropic and chronotropic effects in guinea-pig heart, **92**, 55
- Naloxone**, effect on local anaesthetic-induced antinociception in rodents, **92**, 711
- Neurokinins**, effects in human skin, **92**, 781
- Neuromuscular junction**, effect of diltiazem and verapamil on decay phase of miniature endplate currents, **92**, 561
- Neuromuscular transmission**, facilitation by sodium fluoride in the frog, **92**, 513
- Neurotransmitter release**, evoked by cardiac glycosides from sympathetic nerves in dog saphenous vein, effect of α_2 -adrenoceptor antagonists, **92**, 213
- Neutrophils**, N-formyl-L-methionyl-L-phenylalanine-stimulated, activation of rabbit platelets, **92**, 393
- , human, comparison of the effects of indomethacin, RHC80267 and R59022 on superoxide production by 1,oleoyl-2,acetyl glycerol and A 23187, **92**, 63
- Nicardipine**, effect on calcium-dependent contractions of rat portal vein, **92**, 203
- Nifedipine**, effect on calcium-dependent contractions of rat portal vein, **92**, 203
- , inhibition of Bay K 8644-induced changes in the ECG pattern of the rat, **92**, 603
- Niridazole**, effect on arterial and myometrial prostacyclin synthesis, **92**, 567
- Nitrendipine**, effect of *in vivo* oestrogen treatment on kinetics in uterine smooth muscle, **92**, 389
- Nitric oxide**, interactions with prostacyclin released by the endothelium, investigation of role in inhibition of platelet aggregation, **92**, 639

- , pharmacological effects on human and rabbit platelets, **92**, 181
 - , selectivity in smooth muscles, **92**, 483
- Nitroglycerin**, effects on exercise-induced regional myocardial contractile dysfunction, action of dihydroergotamine pretreatment, **92**, 87
- , inhibition of Bay K 8644-induced changes in ECG pattern of the rat, **92**, 603
- Nociceptor stimulation**, bradykinin-induced, effect of bradykinin antagonists in rabbit iris sphincter muscle, **92**, 333
- Non-adrenergic twitch response**, effect of capsaicin in rat vas deferens, **92**, 469
- Non-purergic innervation**, cerebral arteries of the dog, **92**, 901
- Noradrenaline**, effect of electroconvulsive shock on release from rat brain cortical slices, **92**, 25
- , induction of contractions in rat portal veins, effect of calcium entry blockers, **92**, 203
 - , release in bovine ovarian follicle strip, effects of 5-HT, **92**, 487
 - , a co-transmitter with ATP in sympathetic nerves of rabbit saphenous artery, **92**, 871
 - , inhibition of uptake *in vitro* in guinea-pig by dopexamine hydrochloride, **92**, 268
 - , mechanical responses of human isolated coronary arteries, influence of atherosclerosis, **92**, 113
- Noradrenaline antagonists**, effect on the antinociceptive effects of electrical stimulation of the rat anterior pretectal nucleus, **92**, 769
- Noradrenaline release**, evoked by cardiac glycosides from sympathetic nerves in dog saphenous vein, effect of α_2 -adrenoceptor antagonist, **92**, 213
- Nordihydroguaiaretic acid**, effect on the responses of guinea-pig tracheal smooth muscle to arachidonate in the presence and absence of epithelium, **92**, 231
- Nucleus accumbens**, rat and marmoset, effect of injections of GR 38032 on amphetamine-induced locomotor activity, **92**, 881

O

- Oestrogen**, increase of calcium entry and calcium channel density in uterine smooth muscle, **92**, 389
- Oestrogen receptor**, role of distribution in relation to changes in uterine blood flow and weight in the rat, **92**, 429
- κ -Opioid receptor agonists**, pharmacological profile, **92**, 915
- Opioid receptors**, mediation of inhibition of fast excitatory postsynaptic potentials in cat parasympathetic colonic ganglia, **92**, 437
- δ -Opioid receptors**, role in sacral parasympathetic outflow to cat distal colon, **92**, 291
- μ -Opioid receptors**, pharmacological analysis of calcium-dependence of agonism, **92**, 723
- Opioids**, antinociceptive action in sheep, **92**, 527
- , effect on synaptic transmission in cat parasympathetic colonic ganglia, **92**, 437
- Ouabain**, effect on tension in isolated respiratory tract smooth muscle of humans and other species, **92**, 609
- Oxotremorine**, effects on the components of cardiac muscarinic receptors, **92**, 327
- Oxybuprocaine**, effects on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733

P

- Palmitoyl carnitine**, direct activation of Ca^{2+} channels, **92**, 457
- Pancreatic β -cells**, external ATP or carbachol initiates calcium mobilization after conditioning with glucose, **92**, 281
- Pancuronium**, effect on muscarinic responses of rat superior cervical ganglion *in vitro*, **92**, 817
- Papaverine**, effect on endplate potentials from frog neuromuscular junction, **92**, 513
- , effect on normal and chemically-skinned isolated airway smooth muscle, **92**, 673
- Patch-clamp techniques**, analysis of electrophysiological effects of maitotoxin on guinea-pig isolated cardiac myocytes, **92**, 665
- , effect of spironolactone on mechanical activity and calcium channels in rat portal vein, **92**, 535
- , study of γ -aminobutyric acid-induced macroscopic currents in rat melanotrophs in cell culture, **92**, 573
- PD 117302**, pharmacological profile, **92**, 915
- Pelvic nerves**, stimulation-induced contractions of cat distal colon, inhibition by $[\text{Met}^3]\text{enkephalin}$ acting via δ -opioid receptors, **92**, 291
- Pentyl TMA**, effect on the components of the cardiac muscarinic receptor, **92**, 327
- Peptido-leukotrienes**, induction of contractions in guinea-pig tracheal smooth muscle, effect of epithelium removal, **92**, 381
- Periaqueductal grey**, morphine microinjections, lack of evidence for increased descending controls and depression of dorsal horn neurones, **92**, 271
- Peritoneum**, rat, actions of inhibitors of diacylglycerol kinase and diacylglycerol lipase on histamine from mast cells, **92**, 597
- PGI₂**, *see* Prostacyclin
- Pharmacological mediators**, dose-related effects on tracheal vascular resistance in dogs, **92**, 703
- Ph CK 61A**, effect on prostaglandin catabolism and synthesis in rat and isolated lung, **92**, 189
- Ph CL 28A**, effect on prostaglandin catabolism and synthesis in rat and isolated lung, **92**, 189
- Phenamil**, action on prostacyclin synthesis in rat aortic rings, **92**, 857
- Phenoxybenzamine**, antagonism of antinociceptive effects of electrical stimulation of rat anterior pretectal nucleus, **92**, 769
- , effect on concentration-response curves to phenylephrine and noradrenaline in dog saphenous vein and mesenteric artery, **92**, 505
- Phenylephrine**, effect on dog tracheal vascular resistance, **92**, 703
- Phorbol esters**, effect on evoked NA release in rabbit hippocampus labelled with $[\text{H}^3]\text{-NA}$, **92**, 161
- Phorbol myristate acetate**, effect on the rate of sensitization to des-Arg⁹-bradykinin *in vivo* and *in vitro*, **92**, 257
- Phosphodiesterase inhibitors**, effect on normal and chemically-skinned isolated airway smooth muscle, **92**, 673
- Phospholipase A₂**, inhibition, effect on release of endothelium-derived relaxant factor in rabbit aorta, **92**, 843
- Physostigmine**, hypertensive response in the rat, effect of enkephalins and of β -endorphin, **92**, 197
- Pilocarpine**, effects on the components of cardiac muscarinic receptors, **92**, 327
- Piperidine**, effects on the components of cardiac muscarinic receptors, **92**, 327
- Pirenzepine**, effect on ACh-induced responses in smooth muscle cells of rabbit saphenous artery, **92**, 657
- , effect on depolarizing and hyperpolarizing responses in rat superior cervical ganglion, **92**, 817
- PK 11195**, inhibition of Bay K 8644-induced changes in the ECG pattern of the rat, **92**, 603
- Plasma extravasation**, assessment of inflammation of rabbit skin after arachidonic acid, **92**, 545
- , bradykinin-induced, effect of bradykinin antagonists in iris sphincter muscle of the rabbit, **92**, 333
- Platelet activating factor**, effect on guinea-pig airway reactivity and intrathoracic platelet accumulation, **92**, 105
- , increased intestinal formation in endotoxin-induced damage in the rat, **92**, 3
- , involvement in endotoxin-induced pulmonary platelet recruitment in guinea-pig, **92**, 803
- , participation in platelet aggregation in rabbits, **92**, 393
- Platelet aggregation**, effect of endothelium-derived relaxing factor, nitric oxide and prostacyclin, **92**, 181
- Platelets**, anti-aggregating properties of vascular endothelium, interactions between prostacyclin and nitric oxide, **92**, 639
- , effect of platelet agonists on intrathoracic accumulation in guinea-pigs, **92**, 105
- , guinea-pig, involvement of Paf in endotoxin-induced recruitment, **92**, 803
- , human, effect of isoprenaline on β_2 -adrenoceptors, internalisation and down-regulation in intact cells, **92**, 587
- , human and rabbit, comparative pharmacology of endothelium-derived relaxing factor, nitric oxide and prostacyclin, **92**, 181
- , rabbit, activation by N-formyl-L-methionyl-L-leucyl-L-phenylalanine-stimulated neutrophils, **92**, 393
- PN 200-110**, effect on calcium-dependent contractions of rat portal vein, **92**, 203
- Polymyxin B**, effect on evoked NA release in rabbit hippocampal slices, **92**, 161
- Polymorphonuclear leukocytes**, effect of apomorphine on exocytosis and metabolic burst, **92**, 909
- Polyphosphoinositide breakdown**, activation by carbachol, mobilization of calcium, **92**, 281
- Portal vein**, rat, effect of calcium entry blockers on calcium-dependent contractions, **92**, 203
- , rat, spironolactone inhibition of contraction and calcium channels, **92**, 535
- Potassium**, induction by high levels of contractions in rat portal vein, effects of calcium entry blockers, **92**, 203
- Potassium channels**, calcium activated, role in endothelium-dependent relaxation of rabbit aorta induced by ACh and A 23187, **92**, 835
- , guinea-pig heart, blockade by 9-amino-1,2,3,4-tetrahydroacridine, **92**, 521
- Potassium currents**, effect of external and internal application of disopyramide in squid giant axon, **92**, 77
- Prazosin**, antagonism of antinociceptive effects of electrical stimulation of rat anterior pretectal nucleus, **92**, 769
- , effect on responses of dog cerebral arteries to electrical stimulation, **92**, 901
- Prenalterol**, effect on regulation of β -adrenoceptors, **92**, 827

- Pretectum**, electrical stimulation induced analgesia, effect of intraperitoneal administration of antagonists, **92**, 769
- Procainamide**, effects on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733
- Procaine**, antinociceptive effects of systemic administration using hot-plate, writhing and tail-flick tests, **92**, 711
- , effects on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733
- Procatenol**, use in the characterization and localization of β -adrenoceptor subtypes in human cardiac tissue, **92**, 299
- Propranolol**, effect on antinociceptive effects of electrical stimulation of rat anterior pretectal nucleus, **92**, 769
- , effect on positive inotropic and chronotropic effects of trypsin in guinea-pig heart, **92**, 55
- , effect on responses of dog cerebral arteries to electrical stimulation, **92**, 901
- Propranolol isomers**, effect on catecholamine release from cat adrenal glands, **92**, 795
- Prostacyclin**, effect of amiloride analogues on synthesis in rat aortic rings, **92**, 857
- , effect of niridazole and chloroquine on synthesis in rat artery or myometrium, **92**, 567
- , effect of prostaglandin dehydrogenase on synthesis in rat isolated lung, **92**, 189
- , interactions with nitric oxide released by endothelium, investigation of role in inhibition of platelet aggregation, **92**, 639
- , pharmacological effects on human and rabbit platelets, **92**, 181
- , release in endothelium of human umbilical vein by calcitonin gene-related peptide, **92**, 695
- , stimulation of production by bradykinin in conscious rabbits, **92**, 895
- Prostaglandin D₂**, release from human skin mast cells in response to ionophore A 23187, **92**, 635
- Prostaglandin E₁**, induction of endothelium-dependent relaxations of rabbit coeliac arterial strips, effect of gossypol, **92**, 237
- Prostaglandin E₂**, bradykinin-induced release, effect of bradykinin antagonists in the rabbit iris sphincter muscle, **92**, 333
- , effect of intravenous injection of cholera toxin on production in rat jejunum, **92**, 149
- , effect of niridazole and chloroquine on synthesis in rat myometrium, **92**, 567
- , effect of sulphasalazine on levels in rats with ethanol-induced gastric damage, **92**, 31
- , mediation of inflammatory response of rabbit skin to intradermal arachidonic acid, **92**, 545
- , potency in aortic strips from male rabbits, **92**, 133
- Prostaglandin F₂**, $9\alpha, 11\beta$ -, measurement of release in response to ionophore A 23187, **92**, 635
- , 13,13-dihydro-15-oxo-, stimulation of production by bradykinin in conscious rabbits, **92**, 895
- Prostaglandin F₂**, potency in aortic strips from male rabbits, **92**, 133
- Prostaglandin dehydrogenase inhibitors**, effect on prostaglandin catabolism and synthesis in rat isolated lung, **92**, 189
- Prostaglandins**, effect of YS 980 on synthesis in rabbit kidney medulla slices, **92**, 479
- , effect on dog tracheal vascular resistance, **92**, 703
- Prostanoid receptor subtypes**, independent regulation, **92**, 133
- Prostanoids**, involvement in the way that indomethacin mimics the effect of epithelium removal on leukotriene C₄-induced responses in guinea-pig trachea, **92**, 381
- Protein kinase**, effect on calcium-induced contractions in skinned trachealis, **92**, 673
- Protein kinase C**, role in the production of superoxide by 1,oleoyl-2,acetyl glycerol and A 23187 in human neutrophils, **92**, 63
- Protein kinase C activators**, effect on NA release in rabbit hippocampal slices, **92**, 161
- Pulmonary artery**, rat isolated, responses to smooth muscle relaxant drugs, influence of thyroid status, **92**, 221
- Purinergic innervation**, cerebral arteries of the dog, **92**, 901
- P₂-purinoceptors**, role in amplification of insulin secretory response in *ob/ob* mice, **92**, 281

Q

- Quinine**, inhibition of endothelium-dependent relaxation of rabbit aortic strips, **92**, 835
- Quisqualate**, depolarizing actions in rat isolated spinal cord, **92**, 319

R

- RO 363**, use in the characterization and localization of β -adrenoceptor subtypes in human cardiac tissue, **92**, 299
- R 59022**, effect on histamine release from rat peritoneal mast cells, **92**, 597
- , effect on superoxide production by 1,oleoyl-2,acetyl glycerol and A 23187 in human neutrophils, **92**, 63
- Ranitidine**, antisecretory and antiulcer effects in the rat, **92**, 153
- Relaxations**, endothelium-dependent, effect on manolide in rabbit aorta, **92**, 843
- , endothelium-dependent, in rabbit aortic strips, role of calcium-activated potassium channels, **92**, 835
- Renal arteries**, dog, effect of phenoxybenzamine on concentration-response curves to phenylephrine or NA, **92**, 505
- Renal vascular responses**, to leukotriene C₄ in isolated perfused rat kidney, **92**, 311
- Re-oxygenation**, influence on the actions of diltiazem on rat aorta, **92**, 451
- Reserpine**, effect on adrenergic and purinergic components of sympathetic nerve responses of rabbit saphenous artery, **92**, 871
- Respiratory hypersensitivity**, effect of vanadate in guinea-pig, **92**, 173
- Resting state contraction**, effect of CGP 28392 in rat myocardium, **92**, 499
- RHC80267**, effect on histamine release from rat peritoneal mast cells, **92**, 597
- , effect on superoxide production by 1,oleoyl-2, acetyl glycerol and A 23187 in human neutrophils, **92**, 63
- Rheumatoid arthritis**, locus of action of indomethacin, **92**, 63

S

- Salbutamol**, effect on dog tracheal vascular resistance, **92**, 703

- Saphenous artery rabbit**, effects on reserpine and 6-hydroxy-dopamine on sympathetic nerve responses, **92**, 871
- Saphenous vein**, dog, effect of phenoxybenzamine on concentration-response curves to phenylephrine or NA, **92**, 505
- Sarcoplasmic reticulum**, calcium release, intracellular action of CGP 28392 action in rat myocardium, **92**, 499
- Sedation**, amitriptyline-induced, increased response to baclofen in mice, **92**, 863
- Seizures**, effect on inhibition of GABA release from slices of regions of rat brain at various times, **92**, 13
- , electrically-induced, effect on rate of GABA synthesis in regions of rat brain, **92**, 5
- , induced by electroconvulsive shock, effect on GABA synthesis and release in regions of rat brain, **92**, 19
- , induced by electroconvulsive shock, effect on release of 5-HT and NA from rat brain cortical slices, **92**, 25
- Serum**, effect of amiodarone and thyroid dysfunction on levels of calcium in the rat, **92**, 363
- Single-channel currents**, effect of maitotoxin in guinea-pig isolated cardiac myocytes, **92**, 665
- Skeletal muscle**, rat, effect of amiodarone on digoxin levels, **92**, 553
- SKF 94120**, effect on normal and chemically skinned isolated airway smooth muscle, **92**, 673
- Skin**, human, effects of sensory neuropeptides, **92**, 781
- , human, induction of prostaglandin D₂ release in mast cells by ionophore A 23187, **92**, 635
- , rabbit, inflammatory response to arachidonic acid, mediation by leukotriene B₄ and prostaglandin E₂, **92**, 545
- Smooth muscle**, differential selectivity of endothelium derived relaxing factor and nitric oxide, **92**, 483
- , guinea-pig trachea, differential effects of epithelium removal on responsiveness to bronchoconstrictors, **92**, 381
- , rat, involvement of co-transmission in excitatory responses, **92**, 39
- , rat uterus, increase by oestrogen of calcium entry and calcium channel density, **92**, 389
- , trachea, effect of ouabain on tension in human and other species, **92**, 609
- Smooth muscle cells**, mechanism associated with muscarinic receptor activation in single cells from rat anococcygeus, **92**, 371
- , rabbit saphenous artery, heterogeneous distribution of muscarinic receptors, **92**, 657
- Smooth muscle relaxant drugs**, effect on rat isolated pulmonary artery, vas deferens and trachea, influence of thyroid status, **92**, 221
- Sodium-calcium exchange**, effect of inhibition on isometric tone of isolated trachealis of humans and other species, **92**, 609
- Sodium currents**, effect of external and internal application of disopyramide in squid giant axon, **92**, 77
- Sodium-potassium pump**, effect of inhibition on isometric tone of isolated trachealis of humans and other species, **92**, 609
- Sodium fluoride**, facilitation of neuromuscular transmission in the frog, **92**, 513
- Soleus muscle**, rat, effects of dantrolene on force development in euthyroid, hypothyroid and hyperthyroid rats, **92**, 47
- Spinal cord**, rat isolated, depolarization effects of L-proline, **92**, 319
- Spiperone**, antagonism of 5-HT-induced responses in rat superior cervical ganglion, **92**, 417
- Spironolactone**, inhibition of contraction and calcium channels in rat portal vein, **92**, 535
- SQ 29548**, variation of responses in aortic strips from male rabbits, **92**, 133
- ST segment**, Bay K 8644-induced changed, effect of antianginal drugs, **92**, 603
- Striatum**, rat, effect of repeated electroconvulsive shock on GABA synthesis and release, **92**, 19
- Submucous plexus**, guinea-pig, evidence that 8-hydroxy-2-(n-dipropylamino)tetralin is a selective α_2 -adrenoceptor antagonist on the neurones, **92**, 341
- Substance P**, effect on dog tracheal vascular resistance, **92**, 703
- , effects in human skin, **92**, 781
- , induction of endothelium-dependent relaxations of rabbit coeliac arterial strips, effect of gossypol, **92**, 237
- , mechanical responses of human isolated coronary arteries, influences of atherosclerosis, **92**, 113
- Sulphasalazine**, protective effects against ethanol-induced gastric damage in rats, **92**, 31
- Superior cervical ganglion**, rat, pharmacological differences between two muscarinic responses, **92**, 817
- Superoxide**, production by 1, oleoyl-2, acetyl glycerol and A 23187 in human neutrophils, comparison of effects of indomethacin, RHC 80267 and R 59022, **92**, 63
- Sympathetic ganglia**, pharmacological characterization of 5-HT-induced hyperpolarization in rats, **92**, 417
- , rat, origin of 5-HT-induced hyperpolarization, **92**, 407
- Sympathetic nerve stimulation**, release of endogenous ATP from guinea-pig vas deferens, **92**, 349
- Sympathetic nerves**, effect of stimulation in rat anococcygeus muscle, involvement of co-transmission in excitatory responses, **92**, 39

T

- Taenia caecum**, guinea-pig, effects of local anaesthetics on short-term desensitization to histamine, **92**, 733
- Tail flick tests**, examination of antinociceptive effects of local anaesthetics, **92**, 711
- Tamoxifen**, effect of single dose on uterine hyperaemia and growth in the rat, **92**, 429
- Terfenadine**, effect on neuropeptide-induced effects in human skin, **92**, 781
- Tetanic force**, effect of dantrolene on development in rats of different thyroid status, **92**, 47
- Tetracaine**, effects on short-term desensitization of guinea-pig taenia caecum to histamine, **92**, 733
- Tetramethylammonium chloride**, effect on endothelium-dependent relaxation of rabbit aortic strips, **92**, 835
- Tetrodotoxin**, effect on response to 5-HT and to antigen challenge in guinea-pig gut epithelia, **92**, 647
- Theophylline**, effect on rabbit ileal fluid and electrolyte transport *in vitro*, **92**, 743
- , effects of interactions with sodium fluoride on endplate potentials from frog neuromuscular junction, **92**, 513
- Thromboxane B₂**, formation in response to ovalbumin in guinea-pig lung strip, effect of methylation inhibitors, **92**, 683
- Thyroid dysfunction**, effects on myocardial calcium, serum calcium and thyroid hormones in the rat, **92**, 363

- Thyroid hormones**, effect of amiodarone and thyroid dysfunction in the rat, **92**, 363
- Thyroid status**, effect on action of dantrolene on force development in rats, **92**, 47
- , influence on responses of rat isolated pulmonary artery, vas deferens and trachea to smooth muscle relaxant drugs, **92**, 221
- Trachea**, dog, dose-related effects of pharmacological mediators on vascular resistance in dogs, **92**, 703
- , guinea-pig, differential effects of epithelium removal on responsiveness of smooth muscle to bronchoconstrictors, **92**, 381
- , rat isolated, responses to smooth muscle relaxant drugs, influence of thyroid status, **92**, 221
- , guinea-pig isolated, comparison of autonomic responses in normal and albumin-sensitive animals, **92**, 809
- Tracheal smooth muscle**, effect of removal of epithelium on responses to sodium arachidonate in guinea-pig, **92**, 231
- Treadmill exercise**, induction of myocardial dysfunction in dogs, effect of dihydroergotamine pretreatment on the action of nitroglycerin, **92**, 87
- Triton X-100**, skinning of isolated airway smooth muscle, effect of phosphodiesterase inhibitors on tension responses and cyclic nucleotide content, **92**, 673
- Trypsin**, positive inotropic and chronotropic effects in guinea-pig heart, **92**, 55
- Twitch force**, effect of dantrolene on development in rats of different thyroid status, **92**, 47
- Twitch response**, non-adrenergic, effect of capsaicin in rat vas deferens, **92**, 469

U

- U-50**, 488H, effect on synaptic transmission in cat sacral parasympathetic colonic ganglia, **92**, 437
- U44069**, induction of contractions in guinea-pig tracheal smooth muscle, effect of epithelium removal, **92**, 381
- U46619**, effect on guinea-pig airway reactivity and intrathoracic platelet accumulation, **92**, 105
- , variation of responses in aortic strips from male rabbits, **92**, 133
- Ulcers**, effect of famotidine and ranitidine in rats, **92**, 153
- Uterus**, rat, increase by oestrogen of calcium entry and calcium channel density in smooth muscle, **92**, 389
- , rat, study of the effect of a single dose of tamoxifen on uterine hyperaemia and growth in the rat, **92**, 429

V

- Vagus nerve**, rat, origin of 5-HT-induced hyperpolarization, **92**, 407
- Vanadate**, induction of airway hyperreactivity and bronchoconstriction in the guinea-pig, **92**, 173
- Vas deferens**, guinea-pig, release of endogenous ATP during sympathetic nerve stimulation, **92**, 349

- , rat, capsaicin enhances the non-adrenergic twitch response of rat vas deferens, **92**, 469
- , rat isolated, responses to smooth muscle relaxant drugs, influence of thyroid status, **92**, 221
- Vascular permeability**, bradykinin-induced, effect of new synthetic bradykinin antagonists, **92**, 851
- Vascular resistance**, dose-related effects of pharmacological mediators in dog trachea, **92**, 703
- Vasoactive intestinal peptide**, effect on dog tracheal vascular resistance, **92**, 703
- Vasomotor tone**, induction of non-endothelium-dependent inhibition by calcitonin gene-related peptide in bovine coronary artery, **92**, 789
- Veins**, cat hindquarters, mediation of constriction by post junctional α_2 -adrenoceptors, **92**, 121
- Venoconstriction**, bradykinin-induced, effect of bradykinin antagonists in iris sphincter muscle of the rabbit, **92**, 333
- , mediation in hindquarters circulation of anaesthetized cats by postjunctional α_2 -adrenoceptors, **92**, 121
- Verapamil**, effect on lifetime of ion channels activated by ACh in mouse diaphragm, **92**, 561
- Voltage clamp technique**, investigation of effects of 9-amino-1,2,3,4-tetrahydroacridine on calcium and potassium currents, **92**, 521
- , investigation of effects of KW-3049 on smooth muscle membrane of rabbit mesenteric artery, **92**, 615

W

- Weal**, development after the administration of sensory neuropeptides in human skin, **92**, 781
- Writhing test**, examination of antinociceptive effects of local anaesthetics, **92**, 711

X

- Xanthines**, 8-phenyl substituted, affinity at adenosine receptors in guinea-pig aorta and atria, **92**, 69

Y

- Yohimbine**, effect on responses of dog cerebral arteries to electrical stimulation, **92**, 901
- YS980**, effect on prostaglandin synthesis in rabbit kidney medulla slices, **92**, 479

Z

- Zimeldine**, effect on GABA_A receptor function in mouse frontal cortex, **92**, 357
- ZK 36374**, effect on endotoxin-induced pulmonary recruitment in guinea-pig, **92**, 803

MEETINGS CALENDAR

5 January 1988

Symposium on Drugs which Modify the Opening of Potassium Channels in Smooth Muscle, London, U.K. (Dr. A.H. Weston, Dept. of Physiological Sciences, Medical School, University of Manchester, Manchester M13 9PT, U.K.)

6-8 January 1988

British Pharmacological Society Winter Meeting, London, U.K. (Closed meeting for members and guests.)

29 March-2 April 1988

International Symposium 'Excitatory Amino Acids 88', Manaus, Brazil. (E. Calvalheiro, Laboratorio de Neurologia Experimental, Escola Paulista de Medicina, Rua Botucata, 862 CEP 04023, São Paulo SP, Brazil.)

6-8 April 1988

Modelling and Control in Biomedical Systems, Venice, Italy. (Secretariat IFAC BME-88 Symposium. Dept. Electrical Engineering, Univ. of Padova, Via Gradenigo 1-35131 Padova, Italy.)

6-9 April 1988

British Pharmacological Society Spring Meeting, Liverpool, U.K. (Closed meeting for members and guests.)

12-14 April 1988

International Conference on Neural Mechanisms in Disorders of Movement, Manchester, U.K. (Dr. A.R. Crossman, Exptl. Neurology, Dept. of Cell & Structural Biology, School of Biological Sciences, Stopford Building, University of Manchester, Oxford Road, Manchester M13 9PT.)

2-6 May 1988

Second Forum on Peptides, Nancy, France. (Dr. M. Marrand, LCPM-ENSIC 1 Rue Grandville 54042, Nancy Cedex, France.)

4-6 May 1988

International Symposium on Biomolecules - Analytical Options, Stockholm, Sweden. (Swedish Acad. of Pharmaceutical Sciences, P.O.B. 113b, S-11, 81 Stockholm, Sweden.)

26-27 May 1988

There is a Case for PAF-acether Antagonists, Paris, France (Dr. E. Coeffier, Unite des Venins, Unite Associée Institut Pasteur, 25 rue du Dr. Roux, 75015 Paris, France.)

26-28 May 1988

Giuseppe Porcellati Foundation Meeting on Neurochemical Aspects of Phospholipid Metabolism, Perugia, Italy. (Giuseppe Porcellati Foundation, Institute of Biological Chemistry, P.O. Box 3, Montelucente, 06100 Perugia, Italy.)

5-9 June 1988

9th International Symposium on Parkinsons Disease, Jerusalem, Israel. (The Secretariat, P.O.B. 5006, Tel-Aviv 61500, Israel.)

12-17 June 1988

European Society for Neurochemistry, Seventh General Meeting, Göteborg, Sweden. (ESN Meeting Secretariat, Kongresshuset AB, Östra Hamngatan 45, S-411 10 Göteborg, Sweden.)

6-8 July 1988

British Pharmacological Society Summer Meeting, Dublin, Ireland. (Closed meeting for members and guests.)

9-12 July 1988

European/British Societies for Chronobiology Annual Meeting, Birmingham, U.K. (Dr. E. Morgan, Dept. of Zoology, University of Birmingham, P.O. Box 363, Birmingham, B15 2TT, U.K.)

18-20 July 1988

Calcium Channels: Structure & Function, London, U.K. (Conference Dept. New York Academy of Sciences, 2 East 63rd Street, New York, NY 10021, U.S.A.)

20-23 July 1988

International Symposium on Tachykinins, Graz, Austria (Tachykinin Symposium, Dept. of Pharmacology, University of Graz, Universitätsplatz 4, A-8010 Graz, Austria.)

15-19 August 1988

XVth Congress of the Collegium Internationale Neuro-Psychopharmacologium, Munich, W. Germany. (Congress Management, Letzter Hasenpfad 61, D-6000 Frankfurt 70, Federal Republic of Germany.)

22-26 August 1988

International Symposium on the Pharmacology of Thermoregulation, Odense, Denmark (Dr. O.A. Nedergaard, Dept. of Pharmacology, Odense University, J.B. Winslows Vej 19, DK-5000, Odense C, Denmark.)

31 August-3 September 1988

European Behavioural Pharmacology Society, Athens, Greece. (Dr. C. Spyraiki, Dept. of Pharmacology, National University of Athens Medical School, Gondi 115 29, Athens, Greece.)

5-16 September 1988

NATO-ASI Course: Prostanoids and Drugs, Erice, Italy. (Prof. G. Folco, School of Pharmacy, University of Parma, Via Balzaretti 9, 20133 Milan, Italy)

7-9 September 1988

British Pharmacological Society Autumn Meeting, Nottingham U.K. (Closed meeting for members and guests.)

16-18 September 1988

MPTP-Sardinia '88: Degeneration and Regeneration Processes in CNS, Cagliari, Italy. (Prof. G.U. Corsini, Dept. of Neuroscience, University of Cagliari, Via Porcell 4, 09124 Cagliari, Italy.)

21–23 September 1988

Biological Determinants of Drug Response in Man, Gothenburg, Sweden (Swedish Academy of Pharmaceutical Sciences, POB 1136, S-111, 81 Stockholm, Sweden.)

28–30 September 1988

International Conference on Drug Absorption, Edinburgh, U.K. (Conference secretariat, 26–28 Albany Street, Edinburgh EH1 3QH, U.K.)

3–5 October 1988

Symposium on Variability in Pharmacokinetics and Drug Response, Gothenburg, Sweden. (Swedish Academy of Pharmaceutical Sciences, P.O. Box 1136, S-111 81 Stockholm, Sweden.)

19–21 December 1988

British Pharmacological Society Winter Meeting, London, U.K. (Closed meeting for members and guests.)

2–5 April 1989

Seventh National Meeting of the Brain Research Association, Sheffield, U.K. (Dr. N. Payne, Dept. of Anatomy, Sheffield University, Sheffield, U.K.)

5–7 April 1989

British Pharmacological Society Spring Meeting, Bristol, U.K. (Closed meeting for members and guests.)

16–21 July 1989

Vth International Congress of Toxicology, Brighton, U.K. (IUTOX '89, Congress House, 65 West Drive, Sutton, Surrey SH2 7NB, U.K.)

29 May–1 June 1990

Fondazione Giovanni Lorenzini Conference on Prostaglandins and Related Compounds, Florence, Italy (Fondazione Giovanni Lorenzini, Via Monte Napoleone, 23, 20121 Milan, Italy.)

1–6 July 1990

IUPHAR 11th International Congress of Pharmacology, Amsterdam, Netherlands (Contact to be advised.)

INSTRUCTIONS TO AUTHORS

Whilst every effort is made by the publishers and editorial committee to see that no inaccurate or misleading data, opinion or statement appears in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned. Accordingly the publishers and the editorial committee and their respective employees, officers and agents accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Papers will be considered for publication in all fields of pharmacology.

Before submitting a manuscript, authors must note the following points since failure to comply with instructions will lead to either delay or rejection of the manuscript. Overseas authors may find it helpful to seek advice from a Corresponding Editor in their country before submitting a manuscript for consideration.

1. **Manuscripts** (2 copies) should be sent to Dr G.M. Lees, Editorial Office, University of Aberdeen, Marischal College, Aberdeen AB9 1AS. The manuscript must be typed in double spacing on one side of paper, not larger than A4 (210 × 297 mm). There should be a separate title page with the names of authors and their appropriate addresses. One first name of each author may be included.

2. **Style** Papers must be submitted in the style of the journal (see any recent issue of the journal) and in accordance with the Instructions to Authors published in *Br. J. Pharmac.* (1984), **81**, 3–10. (Copies of these instructions may be obtained from Dr Lees.)

3. **Statement** The manuscript must be accompanied by the following statement: 'This manuscript has not been nor will be published in whole or in part by any other journal.' The statement may be included as part of the accompanying letter which must be signed by all authors. No paper will be accepted without this statement and the signature of each author.

4. **Summary** (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.

5. **Short title** A short (running) title of not more than 50 letters and spaces should be submitted. This may be typed on the title page.

6. **Figures** These should not be larger than A4 (210 × 297 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

○ ● □ ■ △ ▲ ▽ ▼ ◇ ◆ + ×

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction. Each figure legend should be typed on a separate sheet of paper.

7. **Tables** These should generally have not more than 85 characters to a line (counting spaces between columns as 4 characters) and never more than 110 characters to a line. Each table should be typed on a separate sheet of paper.

8. **References** These must be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the most recent edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number (where appropriate), the town of origin then the name of publisher. Where citation is made to a paper 'in press' the paper should if possible, accompany the manuscript, as an aid to the editor and referee.

9. **Short Communications** These will be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text including references and only one figure or table. The summary should be a single paragraph. A statement must be included.

10. **Key Words** Up to ten key words or phrases of two to three words should be displayed on the title page.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. If reprints will not be available from the author, a note to this effect may be added at the end of the text.

British Journal of Pharmacology

VOLUME 92 NUMBER 4 DECEMBER 1987

PAPERS

- 695 CROSSMAN, D., McEWAN, J., MacDERMOT, J., MACINTYRE, I. & DOLLERY, C.T. Human calcitonin gene-related-peptide activates adenylate cyclase and releases prostacyclin from human umbilical vein endothelial cells
- 703 LAITINEN, L.A., LAITINEN, M.A. & WID-DICOMBE, J.G. Dose-related effects of pharmacological mediators on tracheal vascular resistance in dogs
- 711 BARTOLINI, A., GALLI, A., GHELARDINI, C., GIOTTI, A., MALCANGIO, M., MALMBERG-AIELLO, P. & ZUCCHI, P. Antinociception induced by systemic administration of local anaesthetics depends on a central cholinergic mechanism
- 723 DOUGALL, I.G. & LEFF, P. Pharmacological analysis of the calcium-dependence of μ -receptor agonism
- 733 HISHINUMA, S. & UCHIDA, M.K. Effects of local anaesthetics on short-term desensitization of guinea-pig taenia caecum to histamine
- 743 AHSAN, M.A., ILUNDAIN, A., NAFTALIN, R.J., SANDHU, B.K. & SMITH, P.M. Effects of theophylline, choleragen and loperamide on rabbit ileal fluid and electrolyte transport *in vitro*
- 755 MICHEL, A.D. & WHITING, R.L. Direct binding studies on ileal and cardiac muscarinic receptors
- 769 REES, H., PRADO, W.A., RAWLINGS, S. & ROBERTS, M.H.T. The effects of intraperitoneal administration of antagonists and development of morphine tolerance on the antinociception induced by stimulating the anterior pretectal nucleus of the rat
- 781 FULLER, R.W., CONRADSON, T.-B., DIXON, C.M.S., CROSSMAN, D.C. & BARNES, P.J. Sensory neuropeptide effects in human skin
- 789 GREENBERG, B., RHODEN, K. & BARNES, P. Calcitonin gene-related peptide (CGRP) is a potent non-endothelium-dependent inhibitor of coronary vasomotor tone
- 795 ORTS, A., ORELLANA, C., CANTÓ, T., CEÑA, V., GONZÁLEZ-GARCÍA, C. & GARCÍA, A.G. Inhibition of adrenomedullary catecholamine release by propranolol isomers and clonidine involving mechanisms unrelated to adrenoceptors
- 803 BEIJER, L., BOTTING, J., CROOK, P., OYEKAN, A.O., PAGE, C.P. & RYLANDER, R. The involvement of platelet activating factor in endotoxin induced pulmonary platelet recruitment in the guinea-pig
- 809 McCAIG, D.J. Comparison of autonomic responses in the trachea isolated from normal and albumin-sensitive guinea-pigs
- 817 NEWBERRY, N.R. & PRIESTLEY, T. Pharmacological differences between two muscarinic responses of the rat superior cervical ganglion *in vitro*
- 827 BEER, M., HACKER, S., POAT, J. & STAHL, S.M. Independent regulation of β_1 - and β_2 -adrenoceptors
- 835 GEBREMEDHIN, D., HADHÁZY, P. & MAGYAR, K. Inhibition by quinine of endothelium-dependent relaxation of rabbit aortic strips
- 843 LONG, C.J., SARAU, H.M. & BERKOWITZ, B.A. The inhibition of release of endothelium-derived relaxant factor by manoalide, a potent inhibitor of phospholipase A_2
- 851 SCHACHTER, M., UCHIDA, Y., LONGRIDGE, D.J., LABEDZ, T., WHALLEY, E.T., VAVREK, R.J. & STEWART, J.M. New synthetic antagonists of bradykinin
- 857 RITTER, J.M., AKSOY, A., CRAGOE, JR E.J., & TAYLOR, G.W. Actions of amiloride analogues on prostacyclin synthesis by rat aortic rings
- 863 GRAY, J.A., GOODWIN, G.M., HEAL, D.J. & GREEN, A.R. Hypothermia induced by baclofen, a possible index of GABA_B receptor function in mice, is enhanced by antidepressant drugs and ECS.
- 871 WARLAND, J.J.I. & BURNSTOCK, G. Effects of reserpine and 6-hydroxydopamine on the adrenergic and purinergic components of sympathetic nerve responses of the rabbit saphenous artery
- 881 COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Effects of the 5-HT₂ receptor antagonist, GR38032F, on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain.
- 895 WARREN, J.B., RITTER, J.M., HICKLING, N.E. & BARROW, S.E. Bradykinin-stimulated prostaglandin synthesis in conscious rabbits
- 901 MURAMATSU, I. & KIGOSHI, S. Purinergic and non-purinergic innervation in the cerebral arteries of the dog
- 909 ELFERINK, J.G.R. The effect of apomorphine on exocytosis and metabolic burst of polymorphonuclear leukocytes
- 915 LEIGHTON, G.E., JOHNSON, M.A., MEECHAM, K.G., HILL, R.G. & HUGHES, J. Pharmacological profile of PD 117302, a selective κ -opioid agonist
- 923 VOLUME INDEX

CUMULATIVE CONTENTS

MEETINGS CALENDAR