

British Journal of Pharmacology

PAPERS

- 695 CROSSMAN, D., McEWAN, J., MacDERMOT, J., MACINTYRE, I. & DOLLERY, C.T. Human calcitonin gene-related-peptide activates adenylate cyclase and releases prostacyclin from human umbilical vein endothelial cells
- 703 LAITINEN, L.A., LAITINEN, M.A. & WID-DICOMBE, J.G. Dose-related effects of pharmacological mediators on tracheal vascular resistance in dogs
- 711 BARTOLINI, A., GALLI, A., GHELARDINI, C., GIOTTI, A., MALCANGIO, M., MALMBERG-AIELLO, P. & ZUCCHI, P. Antinociception induced by systemic administration of local anaesthetics depends on a central cholinergic mechanism
- 723 DOUGALL, I.G. & LEFF, P. Pharmacological analysis of the calcium-dependence of μ -receptor agonism
- 733 HISHINUMA, S. & UCHIDA, M.K. Effects of local anaesthetics on short-term desensitization of guinea-pig taenia caecum to histamine
- 743 AHSAN, M.A., ILUNDAIN, A., NAFTALIN, R.J., SANDHU, B.K. & SMITH, P.M. Effects of theophylline, cholera toxin and loperamide on rabbit ileal fluid and electrolyte transport *in vitro*
- 755 MICHEL, A.D. & WHITING, R.L. Direct binding studies on ileal and cardiac muscarinic receptors
- 769 REES, H., PRADO, W.A., RAWLINGS, S. & ROBERTS, M.H.T. The effects of intraperitoneal administration of antagonists and development of morphine tolerance on the antinociception induced by stimulating the anterior pretectal nucleus of the rat
- 781 FULLER, R.W., CONRADSON, T.-B., DIXON, C.M.S., CROSSMAN, D.C. & BARNES, P.J. Sensory neuropeptide effects in human skin
- 789 GREENBERG, B., RHODEN, K. & BARNES, P. Calcitonin gene-related peptide (CGRP) is a potent non-endothelium-dependent inhibitor of coronary vasomotor tone
- 795 ORTS, A., ORELLANA, C., CANTÓ, T., CEÑA, V., GONZÁLEZ-GARCÍA, C. & GARCÍA, A.G. Inhibition of adrenomedullary catecholamine release by propranolol isomers and clonidine involving mechanisms unrelated to adrenoceptors
- 803 BEIJER, L., BOTTING, J., CROOK, P., OYEKAN, A.O., PAGE, C.P. & RYLANDER, R. The involvement of platelet activating factor in endotoxin induced pulmonary platelet recruitment in the guinea-pig
- 809 MCCAIG, D.J. Comparison of autonomic responses in the trachea isolated from normal and albumin-sensitive guinea-pigs
- 817 NEWBERRY, N.R. & PRIESTLEY, T. Pharmacological differences between two muscarinic responses of the rat superior cervical ganglion *in vitro*
- 827 BEER, M., HACKER, S., POAT, J. & STAHL, S.M. Independent regulation of β_1 - and β_2 -adrenoceptors
- 835 GEBREMEDHIN, D., HADHÁZY, P. & MAGYAR, K. Inhibition by quinine of endothelium-dependent relaxation of rabbit aortic strips
- 843 LONG, C.J., SARAU, H.M. & BERKOWITZ, B.A. The inhibition of release of endothelium-derived relaxant factor by manoalide, a potent inhibitor of phospholipase A_2
- 851 SCHACHTER, M., UCHIDA, Y., LONGRIDGE, D.J., LABEDZ, T., WHALLEY, E.T., VAVREK, R.J. & STEWART, J.M. New synthetic antagonists of bradykinin
- 857 RITTER, J.M., AKSOY, A., CRAGOE, JR E.J., & TAYLOR, G.W. Actions of amiloride analogues on prostacyclin synthesis by rat aortic rings
- 863 GRAY, J.A., GOODWIN, G.M., HEAL, D.J. & GREEN, A.R. Hypothermia induced by baclofen, a possible index of GABA_B receptor function in mice, is enhanced by antidepressant drugs and ECS.
- 871 WARLAND, J.J.I. & BURNSTOCK, G. Effects of reserpine and 6-hydroxydopamine on the adrenergic and purinergic components of sympathetic nerve responses of the rabbit saphenous artery
- 881 COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Effects of the 5-HT₃ receptor antagonist, GR38032F, on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain.

- 895 WARREN, J.B., RITTER, J.M., HICKLING, N.E. & BARROW, S.E. Bradykinin-stimulated prostaglandin synthesis in conscious rabbits
- 901 MURAMATSU, I. & KIGOSHI, S. Purinergic and non-purinergic innervation in the cerebral arteries of the dog
- 909 ELFERINK, J.G.R. The effect of apomorphine on exocytosis and metabolic burst of polymorphonuclear leukocytes

- 915 LEIGHTON, G.E., JOHNSON, M.A., MEECHAM, K.G., HILL, R.G. & HUGHES, J. Pharmacological profile of PD 117302, a selective κ -opioid agonist

923 **VOLUME INDEX**

CUMULATIVE CONTENTS

MEETINGS CALENDAR

British Journal of Pharmacology

CONTENTS

VOLUME 92 NUMBER 1 SEPTEMBER 1987

SHORT COMMUNICATION

- 3 WHITTLE, B.J.R., BOUGHTON-SMITH, N.K., HUTCHESON, I.R., ESPLUGUES, J.V. & WALLACE, J.L. Increased intestinal formation of Paf in endotoxin-induced damage in the rat

PAPERS

- 5 GREEN, A.R., METZ, A., MINCHIN, M.C.W. & VINCENT, N.D. Inhibition of the rate of GABA synthesis in regions of rat brain following a convulsion
- 13 GREEN, A.R., MINCHIN, M.C.W. & VINCENT, N.D. Inhibition of GABA release from slices prepared from several brain regions of rats at various times following a convulsion
- 19 GREEN, A.R. & VINCENT, N.D. The effect of repeated electroconvulsive shock on GABA synthesis and release in regions of rat brain
- 25 GREEN, A.R., HEAL, D.J. & VINCENT, N.D. The effects of single and repeated electroconvulsive shock administration on the release of 5-hydroxytryptamine and noradrenaline from cortical slices of rat brain
- 31 CHO, C.H., OGLE, C.W. & SEVILLA, E.L. The protective effects of sulphasalazine against ethanol-induced gastric damage in rats
- 39 CUNNANE, T.C., MUIR, T.C. & WARDLE, K.A. Is co-transmission involved in the excitatory responses of the rat anococcygeus muscle?
- 47 EVERTS, M.E. & VAN HARDEVELD, C. Effects of dantrolene on force development in slow- and fast-twitch muscle of euthyroid, hypothyroid, and hyperthyroid rats
- 55 IMAI, S., KAWADA, T., KIMURA, T., OHTA, H., NAKAZAWA, M. & YOSHIDA, Y. Positive inotropic and chronotropic effects of trypsin and some other proteolytic enzymes in the guinea-pig heart
- 63 DALE, M.M. & PENFIELD, A. Comparison of the effects of indomethacin, RHC80267 and R59022 on superoxide production by 1,oleoyl-2,acetyl glycerol and A23187 in human neutrophils
- 69 COLLIS, M.G., JACOBSON, K.A. & TOMKINS, D.M. Apparent affinity of some 8-phenyl-substituted xanthines at adenosine receptors in guinea-pig aorta and atria
- 77 ELLIOTT, J.R. & HENDRY, B.M. The effects of external and internal application of disopyramide on the ionic currents of the squid giant axon
- 87 SCHNEIDER, W., KRUMPL, G., MAYER, N. & RABERGER, G. The effects of nitroglycerin on exercise-induced regional myocardial contractile dysfunction are not diminished by pretreatment with dihydroergotamine
- 97 PALLANDI, R.T. & CAMPBELL, T.J. Resting, and rate-dependent depression of \dot{V}_{\max} of guinea-pig ventricular action potentials by amiodarone and desethylamiodarone
- 105 ROBERTSON, D.N. & PAGE, C.P. Effect of platelet agonists on airway reactivity and intrathoracic platelet accumulation
- 113 BERKENBOOM, G., DEPIERREUX, M. & FONTAINE, J. The influence of atherosclerosis on the mechanical responses of human isolated coronary arteries to substance P, isoprenaline and noradrenaline
- 121 BENTLEY, G.A. & WIDDOP, R.E. Postjunctional α_2 -adrenoceptors mediate venoconstriction in the hindquarters circulation of anaesthetized cats
- 129 BARROWCLIFFE, T.W., EDWARDS, S.J., GRAY, E. & KERRY, P.J. Procoagulant activity of platelet arachidonic acid metabolites
- 133 KEITH, R.A. & SALAMA, A.I. Individual variations of prostanoid agonist responses in rabbit aorta: evidence for the independent regulation of prostanoid receptor subtypes
- 149 AUTORE, G., CAPASSO, F., DI CARLO, G. & MASCOLO, N. Effect of cholera toxin on the production of eicosanoids by rat jejunum
- 153 SCARPIGNATO, C., TRAMACERE, R. & ZAPPIA, L. Antisecretory and antiulcer effect of the H_2 -receptor antagonist famotidine in the rat: comparison with ranitidine
- 161 ALLGAIER, C., HERTTING, G., YU HUANG, H. & JACKISCH, R. Protein kinase C activation and α_2 -autoreceptor-modulated release of noradrenaline
- 173 NAYLER, R.A. & MITCHEL, H.W. Airways hyperreactivity and bronchoconstriction induced by vanadate in the guinea-pig
- 181 RADOMSKI, M.W., PALMER, R.M.J. & MONCADA, S. Comparative pharmacology of endothelium-derived relaxing factor, nitric oxide and prostacyclin in platelets
- 189 BAKHLE, Y.S. & PANKHANIA, J.J. Inhibitors of prostaglandin dehydrogenase (Ph CL 28A and Ph CK 61A) increase output of prostaglandins from rat isolated lung
- 197 VARAGIĆ, V.M. & STOJANOVIĆ, V. The effect of enkephalins and of β -endorphin on the hypertensive response to physostigmine in the rat
- 203 DACQUET, C., MIRONNEAU, C. & MIRONNEAU, J. Effects of calcium entry blockers on calcium-dependent contractions of rat portal vein
- 213 POWIS, D.A. α_2 -Adrenoceptor blockade prevents cardiac glycoside-evoked neurotransmitter release from sympathetic nerves in dog saphenous vein
- 221 O'DONNELL, S.R., WANSTALL, J.C. & MUSTAFA, M.B.H. Influence of thyroid status on responses of rat isolated pulmonary artery, vas deferens and trachea to smooth muscle relaxant drugs

- 231 FARMER, S.G., HAY, D.W.P., RAEBURN, D. & FEDAN, J.S. Relaxation of guinea-pig tracheal smooth muscle to arachidonate is converted to contraction following epithelium removal
- 237 ALHEID, U., DUDEL, C. & FÖRSTERMANN, U.

Selective inhibition by gossypol of endothelium-dependent relaxations augments relaxations to glyceryl trinitrate in rabbit coeliac artery

VOLUME 92 NUMBER 2 OCTOBER 1987

PAPERS

- 243 BAKER, G.B., COUTTS, R.T. & RAO, T.S. Neuropharmacological and neurochemical properties of N-(2-cyanoethyl)-2-phenylethylamine, a prodrug of 2-phenylethylamine
- 257 BOUTHILLIER, J., DEBLOIS, D. & MARCEAU, F. Studies on the induction of pharmacological responses to des-Arg⁹-bradykinin *in vitro* and *in vivo*
- 265 MITCHELL, P.D., SMITH, G.W., WELLS, E. & WEST, P.A. Inhibition of Uptake₁ by dopenamine hydrochloride *in vitro*
- 271 DICKENSON, A.H. & LE BARS, D. Lack of evidence for increased descending inhibition on the dorsal horn of the rat following periaqueductal grey morphine microinjections
- 281 GYLFE, E. & HELLMAN, B. External ATP mimics carbachol in initiating calcium mobilization from pancreatic β -cells conditioned by previous exposure to glucose
- 291 KENNEDY, C. & KRIER, J. [Met⁵]enkephalin acts via δ -opioid receptors to inhibit pelvic nerve-evoked contractions of cat distal colon
- 299 BUXTON, B.F., JONES, C.R., MOLENAAR, P. & SUMMERS, R.J. Characterization and autoradiographic localization of β -adrenoceptor subtypes in human cardiac tissues
- 311 FRÖLICH, J.C. & YOSHIZAWA, M. Renal vascular effects of leukotriene C₄ in the isolated perfused kidney of the rat
- 319 AULT, B., WANG, C.M. & YAWN, B.C. L-Proline depolarizes rat spinal motoneurons by an excitatory amino acid antagonist-sensitive mechanism
- 327 BURGÉN, A.S.V. The effects of agonists on the components of the cardiac muscarinic receptor
- 333 GRIESBACHER, T. & LEMBECK, F. Effect of bradykinin antagonists on bradykinin-induced plasma extravasation, venoconstriction, prostaglandin E₂ release, nociceptor stimulation and contraction of the iris sphincter muscle in the rabbit.
- 341 CRIST, J. & SURPRENANT, A. Evidence that 8-hydroxy-2-(n-dipropylamino)tetralin (8-OH-DPAT) is a selective α_2 -adrenoceptor antagonist on guinea-pig submucous neurones
- 349 LEW, M.J. & WHITE, T.D. Release of endogenous ATP during sympathetic nerve stimulation
- 357 GRAY, J.A. & GREEN, A.R. Increased GABA_B receptor function in mouse frontal cortex after repeated administration of antidepressant drugs or electroconvulsive shocks
- 363 GAMMAGE, M.D., FRANKLYN, J.A. & LOGAN, S.D. Effects of amiodarone and thyroid dysfunction on myocardial calcium, serum calcium and thyroid hormones in the rat
- 371 BYRNE, N.G. & LARGE, W.A. Membrane mechanism associated with muscarinic receptor activation in single cells freshly dispersed from the rat anococcygeus muscle
- 381 HAY, D.W.P., FARMER, S.G., RAEBURN, D., MUCCITELLI, R.M., WILSON, K.A. & FEDAN, J.S. Differential effects of epithelium removal on the responsiveness of guinea-pig tracheal smooth muscle to bronchoconstrictors
- 389 BATRA, S. Increase by oestrogen of calcium entry and calcium channel density in uterine smooth muscle
- 393 COEFFIER, E., JOSEPH, D., PRÉVOST, M.-C. & VARGAFTIG, B.B. Platelet-leukocyte interaction: activation of rabbit platelets by FMLP-stimulated neutrophils
- 407 IRELAND, S.J. Origin of 5-hydroxytryptamine-induced hyperpolarization of the rat superior cervical ganglion and vagus nerve
- 417 IRELAND, S.J. & JORDAN, C.C. Pharmacological characterization of 5-hydroxytryptamine-induced hyperpolarization of the rat superior cervical ganglion
- 429 MARSHALL, K. & SENIOR, J. A study on the effect of a single dose of tamoxifen on uterine hyperaemia and growth in the rat
- 437 KENNEDY, C. & KRIER, J. δ -Opioid receptors mediate inhibition of fast excitatory postsynaptic potentials in cat parasympathetic colonic ganglia
- 445 EINSTEIN, R., MIHAILIDOU, A.S. & RICHARDSON, D.P. Positive inotropic effects of histamine in anaesthetized dogs
- 451 MARRIOTT, J.F. An investigation of the actions of diltiazem on rat aorta exposed to acute hypoxia followed by re-oxygenation
- 457 SPEDDING, M., MIR, A.K. Direct activation of Ca²⁺ channels by palmitoyl carnitine, a putative endogenous ligand
- 469 MORITOKI, H., IWAMOTO, T., KANAYA, J., ISHIDA, Y., ANDO, K. & KITAGAWA, K. Capsaicin enhances the non-adrenergic twitch response of rat vas deferens

SHORT COMMUNICATIONS

- 479 FUJIMOTO, Y., WADA, K., KANEKO, M. & FUJITA, T. Effect of angiotensin-converting enzyme inhibitor YS980 on prostaglandin synthesis in rabbit kidney medulla slices
- 483 SHIKANO, K., OHLSTEIN, E.H. & BERKOWITZ, B.A. Differential selectivity of endothelium-derived relaxing factor and nitric oxide in smooth muscle
- PAPERS**
- 487 KANNISTO, P., OWMAN, Ch., SCHMIDT, G. & SJÖBERG, N.-O. Characterization of presynaptic 5-HT receptors on adrenergic nerves supplying the bovine ovarian follicle
- 499 KOBRINSKY, E & SAXON, M. Biphasic inotropic effects of a Ca^{2+} channel activator CGP28392 in rat myocardium: possible relation to intracellular Ca^{2+} release
- 505 GUIMARÃES, S. & PAIVA, M.Q. Postsynaptic α -adrenoceptor reserve and the shift of the concentration-response curves to the right, as caused by the irreversible α -adrenoceptor antagonist phenoxybenzamine
- 513 HATTORI, T. & MAHASHI, H. Facilitation of frog neuromuscular transmission by sodium fluoride
- 521 OSTERRIEDER, W. 9-Amino-1,2,3,4-tetrahydroacridine (THA) is a potent blocker of cardiac potassium channels
- 527 NOLAN, A., LIVINGSTON, A. & WATERMAN, A.E. Investigation of the antinociceptive activity of buprenorphine in sheep.
- 535 DACQUET, C., LOIRAND, G., MIRONNEAU, C., MIRONNEAU, J., & PACAUD, P. Spironolactone inhibition of contraction and calcium channels in rat portal vein
- 545 AKED, D.M. & FOSTER, S.J. Leukotriene B_4 and prostaglandin E_2 mediate the inflammatory response of rabbit skin to intradermal arachidonic acid
- 553 BRAUNSCHWEIG, J., STÄUBLI, M. & STUDER, H. Interactions of amiodarone with digoxin in rats.
- 561 WACHTEL, R.E. Effects of diltiazem and verapamil on responses to acetylcholine
- 567 EL TAHIR, K.E.H. Influence of niridazole and chloroquine on arterial and myometrial prostacyclin synthesis
- 573 KEHL, S.J., HUGHES, D. & MCBURNEY, R.N. A patch clamp study of γ -aminobutyric acid (GABA)-induced macroscopic currents in rat melanotrophs in cell culture
- 587 COOK, N., NAHORSKI, S.R. & BARNETT, D.B. Human platelet β_2 -adrenoceptors: agonist-induced internalisation and down-regulation in intact cells
- 597 CANTWELL, M.E. & FOREMAN, J.C. The actions of inhibitors of diacylglycerol kinase and diacylglycerol lipase on histamine release from rat peritoneal mast cells
- 603 ABRAHAM, S., AMITAI, G., OZ, N. & WEISSMAN, B.A. Bay K 8644-induced changes in the ECG pattern of the rat and their inhibition by antianginal drugs
- 609 CHIDECKEL, E.W., FROST, J.L., MIKE, P. & FEDAN, J.S. The effect of ouabain on tension in isolated respiratory tract smooth muscle of humans and other species
- 615 TERADA, K., NAKAO, K., OKABE, K., KITAMURA, K. & KURIYAMA, H. Action of the 1,4-dihydropyridine derivative, KW-3049, on the smooth muscle membrane of the rabbit mesenteric artery
- 627 MILL, J.G. & RICCIOPO NETO, F. Electrophysiological effects of labetalol on canine atrial, cardiac Purkinje fibres and ventricular muscle
- 635 BENYON, R.C., ROBINSON, C., HOLGATE, S.T. & CHURCH, M.K. Prostaglandin D_2 release from human skin mast cells in response to ionophore A23187
- 639 RADOMSKI, M.W., PALMER, R.M.J. & MONCADA, S. The anti-aggregating properties of vascular endothelium: interactions between prostacyclin and nitric oxide
- 647 BAIRD, A.W. & CUTHBERT, A.W. Neuronal involvement in type 1 hypersensitivity reactions in gut epithelia
- 657 KOMORI, K. & SUZUKI, H. Heterogeneous distribution of muscarinic receptors in the rabbit saphenous artery
- 665 KOBAYASHI, M., OCHI, R. & OHIZUMI, Y. Maitotoxin-activated single calcium channels in guinea-pig cardiac cells
- 673 BRYSON, S.E. & RODGER, I.W. Effects of phosphodiesterase inhibitors on normal and chemically-skinned isolated airway smooth muscle
- 683 RANDON, J., LEFORT, J. & VARGAFTIG, B.B. Blockade by methylation inhibitors of the anaphylactic response of guinea-pig lung strips

PAPERS

- 695 CROSSMAN, D., MCEWAN, J., MACDERMOT, J., MACINTYRE, I. & DOLLERY, C.T. Human calcitonin gene-related-peptide activates adenylate cyclase and releases prostacyclin from human umbilical vein endothelial cells

- 703 LAITINEN, L.A., LAITINEN, M.A. & WID-DICOMBE, J.G. Dose-related effects of pharmacological mediators on tracheal vascular resistance in dogs
- 711 BARTOLINI, A., GALLI, A., GHELARDINI, C., GIOTTI, A., MALCANGIO, M., MALMBERG-AIELLO, P. & ZUCCHI, P.L. Antinociception induced by systemic administration of local anaesthetics depends on a central cholinergic mechanism
- 723 DOUGALL, I.G. & LEFF, P. Pharmacological analysis of the calcium-dependence of μ -receptor agonism
- 733 HISHINUMA, S. & UCHIDA, M.K. Effects of local anaesthetics on short-term desensitization of guinea-pig taenia caecum to histamine
- 743 AHSAN, M.A., ILUNDAIN, A., NAFTALIN, R.J., SANDHU, B.K. & SMITH, P.M. Effects of theophylline, cholera toxin and loperamide on rabbit ileal fluid and electrolyte transport *in vitro*
- 755 MICHEL, A.D. & WHITING, R.L. Direct binding studies on ileal and cardiac muscarinic receptors
- 769 REES, H., PRADO, W.A., RAWLINGS, S. & ROBERTS, M.H.T. The effects of intraperitoneal administration of antagonists and development of morphine tolerance on the antinociception induced by stimulating the anterior pretectal nucleus of the rat
- 781 FULLER, R.W., CONRADSON, T.B., DIXON, C.M.S., CROSSMAN, D.C. & BARNES, P.J. Sensory neuropeptide effects in human skin
- 789 GREENBERG, B., RHODEN, K. & BARNES, P. Calcitonin gene-related peptide (CGRP) is a potent non-endothelium-dependent inhibitor of coronary vasomotor tone
- 795 ORTOS, A., ORELLANA, C., CANTÓ, T., CEÑA, V., GONZÁLEZ-GARCÍA, C. & GARCÍA, A.G. Inhibition of adrenomedullary catecholamine release by propranolol isomers and clonidine involving mechanisms unrelated to adrenoceptors
- 803 BEIJER, L., BOTTING, J., CROOK, P., OYEKAN, A.O., PAGE, C.P. & RYLANDER, R. The involvement of platelet activating factor in endotoxin induced pulmonary platelet recruitment in the guinea-pig
- 809 McCAIG, D.J. Comparison of autonomic responses in the trachea isolated from normal and albumin-sensitive guinea-pigs
- 817 NEWBERRY, N.R. & PRIESTLEY, T. Pharmacological differences between two muscarinic responses of the rat superior cervical ganglion *in vitro*
- 827 BEER, M., HACKER, S., POAT, J. & STAHL, S.M. Independent regulation of β_1 - and β_2 -adrenoceptors
- 835 GEBREMEDHIN, D., HADHÁZY, P. & MAGYAR, K. Inhibition by quinine of endothelium-dependent relaxation of rabbit aortic strips
- 843 LONG, C.J., SARAU, H.M. & BERKOWITZ, B.A. The inhibition of release of endothelium-derived relaxant factor by manoalide, a potent inhibitor of phospholipase A_2
- 851 SCHACHTER, M., UCHIDA, Y., LONGRIDGE, D.J., LABEDZ, T., WHALLEY, E.T., VAVREK, R.J. & STEWART, J.M. New synthetic antagonists of bradykinin
- 857 RITTER, J.M., AKSOY, A., CRAGOE, JR E.J., & TAYLOR, G.W. Actions of amiloride analogues on prostacyclin synthesis by rat aortic rings
- 863 GRAY, J.A., GOODWIN, G.M., HEAL, D.J. & GREEN, A.R. Hypothermia induced by baclofen, a possible index of GABA_B receptor function in mice, is enhanced by antidepressant drugs and ECS.
- 871 WARLAND, J.J.I. & BURNSTOCK, G. Effects of reserpine and 6-hydroxydopamine on the adrenergic and purinergic components of sympathetic nerve responses of the rabbit saphenous artery
- 881 COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Effects of the 5-HT₂ receptor antagonist, GR38032F, on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain.
- 895 WARREN, J.B., RITTER, J.M., HICKLING, N.E. & BARROW, S.E. Bradykinin-stimulated prostaglandin synthesis in conscious rabbits
- 901 MURAMATSU, I. & KIGOSHI, S. Purinergic and non-purinergic innervation in the cerebral arteries of the dog
- 909 ELFERINK, J.G.R. The effect of apomorphine on exocytosis and metabolic burst of polymorphonuclear leukocytes
- 915 LEIGHTON, G.E., JOHNSON, M.A., MEECHAM, K.G., HILL, R.G. & HUGHES, J. Pharmacological profile of PD 117302, a selective κ -opioid agonist
- 923 **VOLUME INDEX**

CUMULATIVE CONTENTS