

VOLUME 92

DECEMBER 1987

British Journal of Pharmacology

PROCEEDINGS SUPPLEMENT

PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY

UNIVERSITY OF OXFORD

9th–11th September 1987

INDEX TO PROCEEDINGS SUPPLEMENTS TO VOLUMES 90, 91 and 92

AUTHOR INDEX

- ABUL, H., DAVIDSON, J., MILTON, A.S. & ROTONDO, D. The effects of peripherally administered ACTH₁₋₂₄ and α -MSH on normal body temperature and during fever in the rabbit, 91, 493P
- ABUSREWILL, M. see AHMAD, B., 92, 728P
- ADAMS, M. see BOARDER, M.R., 91, 372P
- ADAMS, M., BOARDER, M.R. & MARRIOTT, D. Release of opioid peptides from rat striatal slices and cultured bovine chromaffin cells: sensitivity to dihydropyridines, 90, 216P
- ADAMSON, P., BRAMMER, M.J. & CAMPBELL, I.C. Modulation of intrasynaptosomal free calcium concentration by α_2 -adrenoceptors and serotonin receptors, 90, 240P
- ADAMSON, P., MCWILLIAM, J.R., BRAMMER, M.J. & CAMPBELL, I.C. Interactive effects of α_2 -adrenoceptors and κ -opiate receptor agonists on intrasynaptosomal free calcium, 92, 691P
- ADCOCK, J.J., ALLAN, G., RICHARDSON, P. J., SCHEIDER, C. & SMITH, T.W. Antitussive effects and inhibition of vagal sensory nerve activity by Tyr.D.Arg.Gly.Phe(4-No₂).Pro.NH₂. (443C), 90, 143P
- ADCOCK, J.J. & SMITH, T.W. Inhibitory effects of the opiod peptide BW443C on smaller diameter sensory nerve activity in the vagus, 92, 596P
- ADEAGBO, A.S.O. & COCEANI, F. Evidence for a functional cytochrome P450 - monooxygenase pathway in the isolated lamb ductus venosus, 92, 637P
- ADLERCREUTZ, H., FOTSIS, T., MARTIN, F. & MURPHY, C. Tamoxifen and 4-hydroxy-tamoxifen levels in immature rat uterine cytosol and uterine KCl-nuclear extracts, 90, 189P
- AHMAD, B., ABUSREWILL, M., BRAIN, K.R. & NICHOLLS, P.J. Altered pharmacokinetics of aminoglutethimide in mice receiving the drug chronically, 92, 728P
- AHTEE, L., MARTTI, L., ATILA, J., HAIKALA, H., CARLSON, K.R. & VUORELA, A. Augmentation of morphine-induced changes in cerebral dopamine metabolism in rats treated chronically with naltrexone, 91, 440P
- AKED, D.M. & FOSTER, S.J. The contribution of eicosanoids to the acute inflammatory reaction induced by arachidonic acid in rabbit skin, 90, 58P
- AKED, D.M., FOSTER, S.J., HOWARTH, A. & POTTS, H.C. Leukotriene B₄ and acute inflammation in the rabbit, 90, 235P
- AKERS, I.A., COATES, J., DREW, G.M., GURDEN, J.M. & SULLIVAN, A.T. Does prazosin distinguish between subgroups of α_1 -adrenoceptors? 91, 383P
- ALABASTER, C.T. & RANCE, D.J. UK-61,260-induced cardiac stimulation in the conscious dog; a pharmacological and pharmacokinetic study, 91, 391P
- ALABASTER, V.A. see GATER, P.R., 91, 498P
- ALABASTER, V.A., BULLOCH, J.M. & MCGRATH, J.C. Purinergic involvement in the NANC bronchodilatory response in the anaesthetised cat, 90, 33P
- ALABASTER, V.A. & KEIR, R.F. Comparative effect of drugs on bronchoconstriction induced by PAF, histamine and acetylcholine, 90, 145P
- ALBANESE, A. see UEKI, A., 92, 701P
- ALBANESE, A., JENNER, P., MARSDEN, C.D. & STEPHENSON, J.D. Bladder hyperreflexia following MPTP treatment of the common marmoset, 92, 610P
- ALBANO, J.D.M., GRENFELL, S.J. & WALLER, D.G. Renal kallikrein release from 3 species: the effect of arginine vasopressin and desamino-D-arginine vasopressin, 91, 296P
- ALBERY, W.J., BOUTELLE, M., CASS, A.E.G. DURRENT, S.L.T., FILLENZ, M. & ZETTERSTROM, T. A new assay for measuring basal acetylcholine levels in rat brain dialysate, 92, 608P
- ALEXANDER, B.S. & WOOD, M.D. Monoamine receptor binding profile of the 5-HT_{1A} antagonist spiroxatrine, 91, 449P

- ALEXANDER, B.S. & WOOD, M.D. [³H]-8-OH-DPAT binding in rat hippocampus and striatum, 92, 562P
- AL-KAZWINI, S.J. see MARSHALL, I., 91, 354P
- AL-KAZWINI, S.J., CRAIG, R.K., HOLMAN, J. J. & MARSHALL, I. Maintained hypotensive effect of human α -CGRP after infusion for up to 4 hours in conscious rats, 90, 37P
- - - Comparison of the relaxation of rat arteries and veins by human α -CGRP, sodium nitroprusside and acetylcholine, 90, 220P
- ALLAN, G. see ADCOCK, J.J., 90, 143P
- - - see CAMBRIDGE, D., 92, 570P
- - - see HUGHES, B., 92, 779P
- ALLAN, G., ASHTON, D., CAMBRIDGE, D., FOLLENFANT, M.J., HARDY, G.W. & MILLS, G. The preclinical pharmacology of a novel dual-acting antihypertensive agent, BW B385C, 92, 571P
- ALLAN, G. & LONGRIDGE, D.J. Failure of allopurinol and oxypurinol to reduce the incidence of reperfusion ventricular fibrillation in anaesthetised beagles, 90, 22P
- ALLCORN, R.J. & CUNNANE, T.C. Evidence against a role for excitatory 'non- α -adrenoceptors' in sympathetic neurotransmission in the rabbit saphenous artery in vitro, 92, 774P
- ALLELY, M. & ALPS, B.J. Electrocardiographic analysis of the anti-anginal effects of nicardipine and nitroglycerine, 90, 208P
- - - The effects of nicardipine on pentylene-tetrazole-induced seizure activity in the mouse, 92, 605P
- ALLEN, J. see ARBILLA, S., 92, 538P
- ALLEN, J.D., HARRON, D.W.G. & UPRICHARD, A.C.G. Effects of tocainide enantiomers on experimental arrhythmias produced by programmed electrical stimulation, 90, 23P
- ALPS, B.J. see ALLELY, M., 90, 208P
- - - see ALLELY, M.C., 92, 605P
- ALPS, B.J., CALDER, C., HASS, W.K. & WILSON, A.D. The delayed post-ischaemic treatment effects of nicardipine in a rat model of four vessel occlusion, 91, 312P
- ALYAMI, A.M. & WOOD, D. Lack of specific effect of benzodiazepines on GABA-induced contractions in guinea-pig ileum, 91, 480P
- ANAND, I.S., GURDEN, J. & POOLE-WILSON, P.A. Effects of atrial natriuretic peptide (ANP) on haemodynamics and regional blood flow in experimental chronic heart failure, 92, 785P
- ANDERSON, J.M., BALFOUR, D.J.K. & BENWELL, M.E.M. Evidence that smoking exerts regionally-selective effects on 5-HT systems in human brain, 91, 336P
- ANDERSON, S.M.P., SHARP, T., HALLIS, K., GRAHAME-SMITH, D.G. Effects of 5-HT agonists with selectivity for 5-HT receptor subtypes on 5-HT turnover in rat brain regions, 92, 699P
- ANDRADE, S., FAN, T.-P.D. & LEWIS, G.P. A new method of measuring angiogenesis, 91, 499P
- ANDREWS, P.L.R., BAILEY, H.E., HAWTHORN, J., STABLES, R. & TYERS, M.B. GR38032F, a novel 5-HT₃ receptor antagonist, can abolish emesis induced by cyclophosphamide or radiation in the ferret, 91, 417P
- ANGELO-KHATTAR, M. & THULESIUS, O. Effects of corticosteroids on motility of isolated ovine ureteral rings, 91, 320P
- ANNETT, L. see OERTEL, W.H., 92, 611P
- APPLEYARD, M.E. & SMITH, A.D. In vitro release of acetylcholinesterase from Auerbach's plexus of guinea-pig ileum, 92, 530P
- ARAM, J.A. & LODGE, D. Effects of anticonvulsants on NMDA receptor-mediated epileptiform activity in rat cortical slices superfused with magnesium free medium, 90, 6P
- ARAM, J.A., LODGE, D. & O'SHAUGHNESSY, C.T. Adenosine inhibits NMDA receptor mediated epileptiform activity in rat cortical slices, 90, 11P
- ARBILLA, S., BIGG, D., CLAUSTRE, Y., GRAHAM, D., HABERT, E., LANGER, S.Z., PIMOULE, C., SCATTON, B. & SCHOEMAKER, H. SL 81.0385, a new selective and potent 5-Hydroxytryptamine uptake inhibitor, 90, 84P
- ARBILLA, S. see LISTA, A., 92, 564P
- ARBILLA, S., TAN, S., GEORGE, P., ALLEN, J., WICK, A. & LANGER, S.Z. Specific binding of the anxiolytic [³H]-alpidem to central receptors: differences with [³H]-diazepam, 92, 538P
- ARBUTHNOTT, G.W. see FAIRBROTHER, I. S., 92, 612P
- ARKLE, S., MICHALEK, R. & TEMPLETON, D. Effects of C-kinase activators and inhibitors on amylase secretion by isolated rat parotid salivary glands, 91, 492P
- ARMAH, I.B. & FERRY, D. Moxonidine (BE 5895) is a full agonist at presynaptic (α_2 -) and postsynaptic (α_1 -) adrenoceptor sites, 90, 27P

- ARMSTRONG, J.M., DUMEZ, D. & FERRANDON, P. Effects of a novel class III and class IA antiarrhythmic agent RS-87337 in rats and dogs, 91, 395P
- ARVIN, B., NEVILLE, L.F. & ROBERTS, P. J. 2-Chloroadenosine prevents kainic acid-induced lesions of rat striatum, 92, 540P
- ASHBY, M.J., BROWN, M.J., HILEY, C.R. & PEARD, D.J. Adrenal stimulation by DMPP may facilitate noradrenaline release but pressor response is not reduced by P2x-purinoceptor 'blockade', 91, 375P
- ASHFORD, M.L.J., STURGESS, N.C., TROUT, N.J., GARDNER, N.J. & HALES, C.N. ATP-sensitive channels in neonatal rat cultured neurones, 91, 301P
- ASHTON, D. see ALLAN, G., 92, 571P
- ASPLEY, S., BAKER, R., BILLINGTON, D.C., GEE, N.S., JACKSON, R.G., KULAGOWSKI, J.J., MAWER, I.M., RAGAN, C.I., REID, G.G. & WATLING, K.J. Inhibition by lithium of hydrolysis of myo-inositol-1-phosphate and myo-inositol-4-phosphate in bovine brain, 91, 303P
- ASSIMALOPOULOS, M., BHoola, K.D., DAWRANT, F. & TABERNER, P.V. The influence of spontaneous and drug-induced diabetes on mouse pancreatic and submandibular tissue kallikrein-like enzymes, 90, 51P
- ATKINSON, J. Sensitivity to serotonin in tail arteries of hypertensive rats, 90, 193P
- ATKINSON, J., BOILLAT, N., FLUCKIGER, J. P., FOU DA, A.K. & SONNAY, M. Sensitivity to α_2 -adrenoceptor agonists in hypertensive rats, 90, 192P
- ATKINSON, J., BOILLAT, N., FOU DA, A.K., PORCHET, P.A., SAUTEL, M. & SONNAY, M. Nicardipine and α_1 -adrenoceptors in hypertensive rats, 90, 195P
- ATKINSON, J., FOU DA, A.K., SAUTEL, M. & SONNAY, M. Effect of nicardipine and removal of calcium on vasoconstrictor responses serotonin, 90, 194P
- ATTERWILL, C.K. see PILLAR, A.M., 91, 302P
- - - see PILLAR, A.M., 92, 694P
- ATTERWILL, C.K., BROWN, C.G., FOWLER, K. & JONES, C.A. Studies on the effects of omeprazole on thyroid function in the rat, 91, 470P
- ATTERWILL, C.K., CATTO, L.C., DICKENS, T.A., HEAL, D.J. & HOLLAND, C.W. Secretion of TSH and thyroid hormones following treatment of rats with desipramine or ECS, 92, 671P
- ATTILA, J. see AHTEE, L., 91, 440P
- AUSTIN, C.E., BRECKENRIDGE, A.M. & CHESSE-WILLIAMS, R. Increased cardiac β -adrenoceptor sensitivity in the diabetic rat, 92, 760P
- AXTON, M.S. & MOORE, N.A. Apomorphine-induced climbing behaviour in mice: a D₁ and D₂ dopamine receptor interaction, 90, 238P
- AYLIFFE, T. see LEES, P., 92, 604P
- BACHY, A., BIZIERE, K., KEANE, P., MORRE, M. & SIMIAND, J. Effects of chronic diazepam and tetrazepam on tolerance and dependence in mice, 90, 262P
- BACON, K.B., CAMP, R.D.R. & CUNNINGHAM, F.M. 12(R)-hydroxy-5,8,10,14-eicosatetraenoic acid is a lymphocyte chemoattractant, 91, 474P
- - - Contrasting activities of 12(R)- and 12(S)-hydroxy-5,8,10,14-eicosatetraenoic acids as lymphocyte chemoattractants, 92, 635P
- BACON, K.B., HOULT, J.R.S., OSBORNE, D. J. & ROBINSON, C. Metabolism of prostaglandin D₂ to 9 α 11 β -PGF₂ and subsequent transformation in rat, rabbit and guinea-pig, 91, 322P
- BACON, S.J. & SMITH, A.D. Widespread distribution of GABA immunoreactive synaptic boutons on dendrites of rat sympathetic preganglionic neurons, 92, 683P
- BADAWY, A.A.-B., DACEY, A., MORGAN, C. J. & STOPPARD, T. Effect of chronic lofepramine and desmethylinipramine administration on tryptophan metabolism and disposition in the rat, 91, 345P
- BAGUST, J., GARDNER, C.R., HUSSAIN, S. & WALKER, R.J. Quantitative analysis of γ -aminobutyric acid (GABA) agonists and antagonists on cell activity in rat cerebellar slices, 91, 446P
- BAILEY, H.E. see ANDREWS, P.L.R., 91, 417P
- BAILEY, I.A., BLACKWELL, C.P. & WOODWARD, B. Quantitative chemiluminescence measurements of xanthine oxidase and dehydrogenase activity in four types of cardiovascular cell, 92, 759P
- BAIRD, A.W. & MARGOLIUS, H.S. Bradykinin stimulates electrogenic bicarbonate secretion by guinea-pig gallbladder, 91, 369P
- BAIRD, J.R.C., BEATTIE, D.T. & MUIR, T. C. Effects of calcium channel antagonists on action potential conduction in the guinea-pig hypogastric nerve

- in vivo, 90, 190P
- BAITZMAN, E.R., BELL, M.R., BRADFORD, J.C., FERRARI, R.A., HAUBRICH, D.R., LUTTINGER, D., MILLER, M.S., PERRONE, M.H., PIERSON, A.K., SAELENS, J.K. & WARD, S. J. Antinociceptive activity of WIN 48098, 90, 66P
- BAKER, R. see ASPLEY, S., 91, 303P
- BAKER, J.B.E. & BETMOUNI, S. The calcium paradox: some consequences of changing sodium ion concentration, 92, 551P
- BAKER, J.B.E. & MILLER, S.C. A simple pre-practical class Apple II series computer simulation of the Langendorff heart principle, 92, 792P
- BAKHLE, Y.S. see IZUMI, T., 91, 405P
- BAKHLE, Y.S. & PANKHANIA, J.J. Potentiation of prostaglandin (PG) synthesis by an inhibitor of PG dehydrogenase (PH CL28A) in rat isolated lung, 90, 55P
- BALDWIN, H.A. see CURLE, P.F., 92, 654P
- BALDWIN, H.A. & FILE, S.E. Benzodiazepine withdrawal: enhanced anxiety in the rat reversed by flumazenil (RO 15-1788), 92, 536P
- BALFOUR, D.J.K. see ANDERSON, J.M., 91, 336P
- BALL, C.E. see BURNS, E., 92, 603P
- BALL, D.I., COLEMAN, R.A., DENYER, L.H., NIALS, A.T. & SHELDRICK, K.E. In vitro characterisation of the β_2 -adrenoceptor agonist, salmeterol, 92, 590P
- - - Bronchodilator activity of salmeterol, a long-acting β_2 -adrenoceptor agonist, 92, 746P
- BALL, D.I., COLEMAN, R.A., HARTLEY, R.W. & SHELDRICK, K.E. A novel method for the evaluation of bronchoactive agents in the conscious guinea-pig, 90, 150P
- BALL, D.I., COLEMAN, R.A. & SHELDRICK, K.E. Evaluation of some bronchoactive agents in conscious guinea-pigs, 90, 151P
- BARASI, S. & WILLIAMS, J.H. The interaction between two putative spinal antinociceptive agents in rats anaesthetized with alphaxalone-alphadalone, 90, 67P
- BARBER, H.E., BUCKLEY, G.A., MCCAPPIN, T. R., PETRIE, J.C. & SMITH, K.J. The effect of glycerol-induced acute renal failure on the hepatic uptake of sodium cromoglycate in the isolated perfused rat liver, 91, 469P
- BARLOW, A.G. see COKER, S.J., 92, 613P
- BARLOW, R.B. Molecular graphics with a microcomputer and a mouse, 92, 791P
- BARNES, J.C., BARNES, N.M., COSTALL, B., DOMENEY, A.M., FELL, A.F. & NAYLOR, R.J. Laterality of brain neurochemistry in the rat: relationship between dopamine and 5-hydroxytryptamine, 90, 242P
- BARNES, J.C., COSTALL, B. & NAYLOR, R. J. Antagonism by ketotifen of changes in dopamine receptor sensitivity in the rat brain, 90, 96P
- - - Influence of medial raphe nucleus lesions on behavioural responding to dopamine infusion into the rat amygdala, 91, 428P
- BARNES, N.J.G., BARNES, N.M., COSTALL, B. & NAYLOR, R.J. Topographical dopamine and dopac distribution and dopamine turnover in control and MPTP-treated common marmosets, 90, 254P
- BARNES, N.J.G., COSTALL, B. & NAYLOR, R.J. Is the dopamine uptake system required for MPTP to induce neurotoxicity in the primate brain? 90, 241P
- BARNES, N.M. see BARNES, J.C., 90, 242P
- - - see BARNES, N.J.G., 90, 254P
- BARNES, N.M., BARRY, J.M., COSTALL, B., NAYLOR, R.J. & TATTERSALL, F.D. Antagonism by parachlorophenylalanine of cisplatin-induced emesis, 92, 649P
- BARNES, P.J. see BELVISI, M.G., 92, 595P
- - - see KIOUMIS, I., 92, 592P
- - - see STRETTON, C.D., 92, 593P
- BARNES, P.J. & RHODEN, K.J. The effect of oxygen-derived free radicals on airway smooth muscle responses, 90, 142P
- BARNES, P.J., CROSSMAN, D.C. & FULLER, R.W. Cutaneous effects of neuropeptides are dependent upon both histamine and cyclooxygenase products 90, 100P
- BARNES, P.J., MACLAGAN, J. & MELDRUM, L.A. Effects of tachykinins on cholinergic neural responses in guinea-pig trachea, 90, 138P
- BARNES, S., WHITHAM, E.M. & DAVIES, J. A. Effects of potassium-channel blocking agents on the release of endogenous glutamate from cerebellar slices, 92, 667P
- BARNETT, D.B. see COOK, N., 90, 41P
- BARON, B. see WILLOUGHBY, J., 92, 681P
- BARON, D.A., MARGOLIUS, H.S., MILLER, D.H., STEWART, J.M. & VAVREK, R.J.

- Antagonists of bradykinin-induced chloride secretion and concomitant morphological change, 91, 485P
- BARRAND, M.A. see GEE, A.S., 91, 477P
- BARRETT, M.L., LEWIS, G.P. & O'NEILL, L.A.J. Mechanism of IL-1-induced PG₂ formation in human synovial cells, 90, 65P
- BARRETT, M.L., LEWIS, G.P., WARD, S. & WESTWICK, J. Platelet activating factor induces interleukin-1 production from human adherent macrophages, 90, 113P
- BARROW, S.E. see WARREN, J.B., 92, 792P
- BARRY, J.M. see BARNES, N.M., 92, 649P
- BARRY, J.M., COSTALL, B., KELLY, M.E., NAYLOR, R.J. & ONAIVI, E.S. A simple habituation test in the mouse, 92, 651P
- BARTHO, L. see HOLZER, P., 92, 567P
- BARTON, H.J., HARVEY, J., PARSONS, M. & WARD, M.A. A potential source of error in the quantitation of platelet-activating factor (PAF) in biological fluids, 90, 223P
- BARTON, J.J., BOOT, J.R., THOMAS, K.H. & WALKER, J.R. Is PAF induced bronchoconstriction initiated by lipooxygenase products? 90, 224P
- BATES, R.F.L., BUCKLEY, G.A., MIREYLEES, S.E. & PARKER, J.E. Calcitonin and the sympathetic nervous system in haemorrhagic shock, 91, 376P
- BATES, R.F.L. see PARKER, J.E., 92, 786P
- BATINK, H.D., DAVIDESKO, D., DOODS, H.N., VAN CHARLDORP, K.J., DE JONGE, A., MATHY, M.J. & VAN ZWIETEN, P.A. Comparison of the effects of some M₁-muscarinic agonists of the heart and sympathetic ganglia, 90, 154P
- BATINK, H.D., DAVIDESKO, D., DOODS, H.N., VAN CHARLDORP, K.J., DE JONGE, A. & VAN ZWIETEN, P.A. Subdivision of M₂-receptors into three types, 90, 81P
- BAX, N.D.S. see BURNS, E., 92, 603P
- BEALES, D. see MCLEAN, A.E.M., 90, 182P
- BEATTIE, D.T. see BAIRD, J.R.C., 90, 190P
- BECKERINGH, J.J., BRODDE, O.-E., DAUL, A., MICHEL, M.C. & WANG, X.L. Haemodynamic and lymphocyte β_2 -adrenoceptor changes during procaterol treatment in man, 90, 43P
- BECKERINGH, J.J., BRODDE, O.-E., BUTTNER, D. & MICHEL, M.C. & WANG, X.L. β_2 -adrenoceptor density is increased in heart, lung and kidney of spontaneously hypertensive rats, 90, 42P
- BEECH, D.J. & BOLTON, T.B. Effects of BRL 34915 on membrane currents recorded from single smooth muscle cells from the rabbit portal vein, 92, 550P
- BEER, M.S., HACKER, S.A., IVERSEN, L. L., POAT, J.A. & STAHL, S.M. The regulation of β_1 - and β_2 -adrenoceptors in rat CNS by chronic treatment with desipramine and β -agonists, 90, 292P
- BEIJER, L., BOTTING, J., OYEKAN, A.O., PAGE, C.P. & RYLANDER, R. The involvement of PAF endotoxin-induced pulmonary platelet recruitment, 90, 118P
- BELL, K.J., CANDY, J.M. & WHITFORD, C. A. Advanced image analysis of receptor binding autoradiographs, 90, 291P
- BELL, M.R. see BAIZMAN, E.R., 90, 66P
- BELVISI, M.G., CHUNG, K.F., JACKSON, D.M. & BARNES, P.J. Opioid control of non-cholinergic bronchoconstriction in the guinea-pig *in vivo*, 92, 595P
- BENAVIDES, J. & SCATTON, B. Activation of quisqualate receptors increases calcium levels in synaptoneuroosomes from immature rat brain, 90, 279P
- BENAVIDES, J., CARTER, C., FAGE, D. & SCATTON, B. Increased peripheral benzodiazepine binding site densities in brain as an index of excitotoxin-induced neuronal damage, 90, 280P
- BENHADJALI, B. see GALZIN, A.M., 92, 577P
- BENJAMIN, N., DOLLERY, C.T., FULLER, R.W., LARKIN, S. & MCEWAN, J. The effects of calcitonin gene-related peptide and substance P on resistance and capacitance vessels, 90, 39P
- BENNETT, A. & GAFFEN, J.D. Indomethacin increases the killing of malignant cells by methotrexate, 90, 98P
- BENNETT, G.W. see BRISTOW, L., 91, 343P
- - - see BRISTOW, L.J., 92, 708P
- - - see FONE, K.C.F., 91, 434P
- - - see FONE, K.C.F., 92, 670P
- - - see FORD, A.P.D.W., 92, 588P
- BENNETT, T. see GARDINER, S.M., 92, 568P
- - - see GARDINER, S.M., 92, 771P
- - - see HARLAND, D., 91, 353P

- BENNETT, T., STRANGE, P.G. & WILLIAMS, K.
Decrease in smooth muscle α_1 -adrenoceptors after reversible noradrenergic denervation, 90, 109P
- BENONI, G., CUZZOLIN, L., DEL SOLDATO, P., FOSCHI, D., FRACASSO, E. & VELO, G.P. Early events in the pathogenetic processes underlying idomethacin induced intestinal lesions in rats, 90, 99P
- BENONI, G. see DEL SOLDATO, P., 92, 525P
- BEN-SHACHAR, D., JACOBOWITZ, D. & YODIM, M.B.H. Dopamine D₂ receptor modulation by brain non-haem iron, 90, 2P
- BEN-SHACHAR, D. & YODIM, M.B.H.
Neuroleptic induced dopamine receptor supersensitivity and tardive dyskinesia may involve altered brain iron metabolism, 90, 95P
- BENWELL, M.E.M. see ANDERSON, J.M., 91, 336P
- BENYON, R.C., CHURCH, M.K., HILLIER, K. & REES, P.H. Human colon mucosal mast cells: isolation and characterization, 90, 158P
- BENYON, R.C., CHURCH, M.K. & LOWMAN, M. A. Histamine release from human dispersed skin mast cells induced by substance P, 90, 102P
- BENYON, R.C. see ROBINSON, C., 92, 516P
- BERESFORD, I.J.M., HALL, M.D., HILL, R.G., HUGHES, J. & SIRINATHSIGHI, D.J.S.
Autoradiographic evidence for the localization of CCK receptors on intrinsic striatal neurones, 92, 686P
- BERRY, C.N. & LLOYD, K.G. Effects of sulphasalazine and PHCL28A on gastric ulcer formation and prostaglandin metabolism in the rat, 90, 54P
- BERTI, C. see NISTRI, A., 91, 461P
- BETMOUNI, S. see BAKER, J.B.E., 92, 551P
- BEVAN P., EVANS, R.H., KRIJZER, F. & LONG, S.K. An in vitro spinal cord preparation from the mature rat, 91, 309P
- BEVAN, P. see LONG, S.K., 92, 541P
- BEWLEY, J., BHOOLA, K.D., CROTHERS, D. M. & CINGI, M.I. Biphasic responses of the isolated guinea-pig tracheal muscle strip to kallidin and bradykinin, 92, 597P
- BHALLA, P. see GURDEN, M.F., 92, 788P
- BHALLA, P., GURDEN, M.F. & KENNEDY, I.
Chronotropic and dromotropic actions of adenosine in the anaesthetised guinea-pig, rat and dog, 92, 787P
- BHARDWAJ, R. & MOORE, P.K. Endothelium dependent inhibition of human platelet aggregation in vitro, 91, 402P
- BHASKAR, N.K., DAVIS, J., FILIPOWICZ, B., HAWKEY, C.J., KEMP, R.T. & WALT, R.P. Possible physical basis for adaptive cytoprotection, 90, 52P
- BHOOLA, K.D. see ASSIMALOPOULOS, M., 90, 51P
- - - see BEWLEY, J., 92, 597P
- BHOOLA, K.D., EVANS, R.H. & FORSTER, M. R. Excitatory effect of bradykinin on spinal neurones, 90, 15P
- BIANCI, L. see DELLA CORTE, L., 92, 732P
- BIGG, D. see ARBILLA, S., 90, 84P
- BILLINGTON, D.C. see ASPLEY, S., 91, 303P
- BIRCH, N.J. see PARTRIDGE, S., 91, 373P
- BIRCH, P.J. & HAYES, A.G. Effect of the opioid antagonist 16-methylcyprenorphine (M8008) on opioid-induced changes in urine output in the water-loaded rat, 91, 472P
- BIRCH, P.J., HAYES, A.G. & SHEEHAN, M. J. In vitro and in vivo profile of the opioid antagonist norbinaltorphimine, 92, 587P
- BIRCHMORE, B., CLARK, C.R., HILL, R.G., HORWELL, D.C., HUNTER, J.C., HUGHES, J. & SHARIF, N. PD117302: a selective agonist at the κ -opioid receptor, 91, 299P
- BIRD, C.R. see CAMP, R.D.R., 92, 523P
- BIZIERE, K. see BACHY, A., 90, 262P
- BIZIERE, K. & WORMS, P. Antagonism of pirenzepine-induced turning in mice: a new model for the assessment of a cholinomimetic activity, 91, 347P
- BJORKLUND, A. see CLARKE, D.J., 92, 682P
- BLACKBURN, T.P. see GROWCOTT, J.W., 92, 720P
- BLACKBURN, T.P., COX, B., GROWCOTT, J. W. & HATTON, R. The in vitro profile of the novel 5-HT antagonist ICI 169,369 in tissues containing different 5-HT receptor subtypes, 90, 276P
- BLACKBURN, T.P., COX, B. & MARTIN, D.A. Failure of ICI 169,369, propranolol and cyanopindolol to antagonise 8-OH-DPAT-induced rotation in the rat, 91, 439P
- BLACKBURN, T.P., COX, B., PEARCE, R.J. & THORNER, C.W. In vivo pharmacology of ICI 169,369 - a new 5-HT₂ antagonist, 90, 256P
- - - In vitro pharmacology of ICI 169,

- 369 - a new 5-HT₂ antagonist, 90, 277P
 BLACKHAM, A. see WALSH, L.P., 91, 294P
 BLACKMAN, D.E., MCCARTHY, P.S. & NAYLOR, V.J.H. Drug discrimination studies with buprenorphine: further evidence for a morphine-like opiate receptor interaction, 91, 447P
 BLACKWELL, C.P. see BAILEY, I.A., 92, 759P
 BLACKWELL, G.J., BOUGHTON-SMITH, N.K., GUARNER, F. & MONCADA, S. Protective effect of prostacyclin on paracetamol induced liver injury, 90, 53P
 BLAIN, I.R., DOLPHIN, A.C. & PRESTWICH, S.A. Inhibition of glutamate release in cultured neurones by adenosine may not involve enhancement of presynaptic potassium currents, 90, 5P
 BOARDER, M.R. see ADAMS, M., 90, 216P
 BOARDER, M.R., ADAMS, M. & MARRIOTT, D. B. Effect of dorskolin, dideoxyforskolin and PGE₁ on stimulus secretion coupling in chromaffin cells, 91, 372P
 BODDEKE, H.W.G.M. see JAP, T.J.W., 90, 217P
 BODDEKE, H.W.G.M., HEYNIS, J.B., WILFFERT, B. & VAN ZWIETEN, P.A. A study on the mechanism of negative inotropy of some calcium entry blockers in isolated guinea-pig hearts, 90, 131P
 BODDEKE, H.W.G.M., HEYNIS, J.B., VELDSEMA-CURRIE, R., WILFFERT, B. & VAN ZWIETEN, P.A. Anti-ischæmic properties of R 58735 in isolated heart preparations, 90, 29P
 BODEN, P. & HILL, R.G. Effects of cholecystokinin and pentagastrin on neuronal activity in the ventromedial nucleus of the rat hypothalamic slice preparation, 92, 585P
 BOGETT, D., HAYWARD, J., OBEID, A., PETTINGER, S. & TODD, M. Laser doppler flow system in microvascular research, 92, 789P
 BOHM, M. see NEUMANN, J., 92, 546P
 BOILLAT, N. see ATKINSON, J., 90, 192P
 - - - see ATKINSON, J., 90, 195P
 BOLAM, J.P. see DELLA CORTE, L., 92, 792P
 BOLLANDS, A.D. & LOWE, K.C. Lymphoid tissue responses to fluosol-DA in rats: time course effects relative to immunological challenge, 90, 180P
 - - - Spleen cell responses to emulsified perfluorocarbons *in vitro*, 91, 457P
 BOLLANDS, A.D., DAVIS, S.S., LOWE, K.C. & SHARMA, S.K. Effects of a novel perfluorocarbon emulsion in rats, 90, 179P
 BOLT, G.R., ITOH, H., LEDERIS, K. & MACCANNELL, K.L. Interference of a selective mesenteric vasodilator peptide, urotensin 1, with adrenergic pressor responses, 91, 501P
 BOLTON, J., WILLIAMS, J. & RICHENS, A. Blood platelets: a novel system to examine central GABA-transaminase inhibition, 92, 738P
 BOLTON, T.B. see BEECH, D.J., 92, 550P
 BONANNO, G., PITTALUGA, A. & RAITERI, M. Possible coexistence of carriers for GABA and choline uptake on the same nerve terminal in rat hippocampus, 91, 305P
 BOOBIS, A.R., DAVIES, D.S., EDWARDS, R. & SESARDIC, D. Tissue dependent regulation of isozymes of cytochrome P-450 catalysing the O-deethylation of phenacetin in rat, 90, 185P
 BOOT, J.R. see BARTON, J.J., 90, 224P
 BOTTING, J. see BEIJER, L., 90, 118P
 BOUDREAU, N. & VOHRA, M.M. The mechanisms by which histamine evokes catecholamine release from the vas deferens and the adrenal gland of the rat, 92, 710P
 BOUGHTON-SMITH, N.K. see BLACKWELL, G.J., 90, 53P
 BOULLIN, D.J. & GRAHAME-SMITH, D.G. Behavioural effects of calcium channel blockers suggesting a central serotonergic mechanism, 92, 607P
 BOURA, A.L.A., HODGSON, W.C. & KING, R. G. Changes in sensitivity to arachidonic acid of perfused hind-quarters of rats with alloxan-induced diabetes, 92, 513P
 BOUTELLE, M. see ALBERY, W.J., 92, 608P
 BOYCE, S. see CLARKE, C.E., 91, 443P
 - - - see CLARKE, C.E., 91, 508P
 BOYCE, S., CROSSMAN, A.R. & MITCHELL, I.J. Autoradiographic demonstration of increased [³H]-spiperone binding in the MPTP-treated monkey, 90, 250P
 BOYLE, J.P., DAVIES, J.M., FOSTER, R. W., MORGAN, G.P. & SMALL, R.C. Electrical and mechanical effects of adenosine and ATP in guinea-pig isolated trachealis, 91, 491P
 BOYLES, E.A., MINER, W.D. & SANGER, G. J. Different anti-cancer therapies evoke emesis by mechanisms that can be blocked by the 5-HT₃ receptor antagonist BRL 43694, 91, 418P
 BRADFORD, H.F. see CROUCHER, M.J., 92, 668P

- BRADFORD, J.C. see BAIZMAN, E.R., 90, 66P
- BRADING, A.F. see FOSTER, C.D., 92, 751P
- BRADLEY, P.B. & BRYANT, S. Opioid influences on the response of respiratory-related neurones to carbon dioxide, 90, 144P
- BRADSHAW, C.M., MORLEY, M.J. & SZABADI, E. DSP-4 alters the effect of d-amphetamine on operant behaviour, 90, 267P
- BRADSHAW, C.M. see SHERIDAN, R.D., 92, 544P
- BRADSHAW, C.M., SHERIDAN, R.D. & SZABADI, E. Depressant responses of cortical neurones to isoprenaline: involvement of β_1 -adrenoceptors, 90, 70P
- BRADSHAW, E.G., SUER, A.H. & WALI, F.A. Neuromuscular blockade by vecuronium-verapamil and reversal by edrophonium at rat neuromuscular junction, 90, 212P
- BRADSHAW, J., BRITAIN, R.T., COLEMAN, R. A., JACK, D., KENNEDY, I., LUNTS, L. H.C. & SKIDMORE, I.F. The design of salmeterol, a long-acting selective β_2 -adrenoceptor agonist, 92, 591P
- BRAIN, K.R. see AHMAD, B., 92, 728P
- BRAITHWAITE, I.M., WARD, S.A., EDWARDS, G., HOWELLS, R.E. & BRECKENRIDGE, A.M. The disposition of 3-[3 H] primaquine in the anaesthetised rat, 91, 488P
- BRAMMER, M.J. see ADAMSON, P., 90, 240P
- - - see ADAMSON, P., 92, 691P
- BRAMWELL, S. see SHARP, T., 92, 666P
- BRANCH, R.A., OHNISHI, A., HAMILTON, R. & JACKSON, E.K. Adenosine contributes to the pathogenesis of renovascular hypertension in the rat: studies with caffeine, 92, 558P
- BRANDON, D.R., CRANSTONE, S., GOODERHAM, R., SWEATMAN, W.J.F., THOMAS, K.H. & WALKER, J.R. Experimentally induced leukopenia of the guinea-pig and the action of lipoxigenase and cyclo-oxygenase inhibitors, 91, 403P
- BRAY, K.D., NEWGREEN, D.T. & WESTON, A.H. Some effects of the enantiomers of the potassium channel openers, BRL34915 and pinacidil, on rat blood vessels, 91, 357P
- BRAZELL, M.P. see MITCHELL, S.N., 91, 430P
- BRECKENRIDGE, A.M. see AUSTIN, C.E., 92, 760P
- - - see BRAITHWAITE, I.M., 91, 488P
- - - see CHRISTIE, G., 92, 602P
- - - see NICHOLL, D.D., 91, 489P
- BREEN, M. see WEBBER, S.E., 92, 594P
- BREMER, M.E. see MIDDLEMISS, D.N., 92, 559P
- BRENNAN, C.H., CHARLES, S.J. & LITTLETON, J.M. DHP-sensitive Ca^{2+} channels, inositol lipid breakdown and functional responses in vasa deferentia from ethanol-dependent rats, 91, 454P
- BRIGGS, A.D. & HALLIDAY, J. Vasopressin-induced primary changes in flow and secondary changes in contractility in perfused guinea pig hearts, 91, 388P
- BRISTOW, L. & BENNETT, G.W. Micro-injection of histamine into the nucleus accumbens alters behavioural activity in rats, 91, 343P
- - - [3 H]-mepyramine binding to guinea-pig and rat nucleus accumbens indicates the presence of H_1 -receptors, 92, 708P
- BRISTOW, L.J. see HEAL, D.J., 92, 578P
- BRITAIN, R.T. see BRADSHAW, J., 92, 590P
- - - see HUMPHREY, P.P.A., 92, 616P
- BRITAIN, R.T., BUTINA, D., COATES, I. H., FENIUK, W., HUMPHREY, P.P.A., JACK, D., OXFORD, A.W. & PERREN, M. J. GR 43175 selectively constricts the canine carotid arterial bed via stimulation of 5-HT $_1$ -like receptors, 92, 618P
- BRITAIN, R.T., BUTLER, A., COATES, I. H., FORTUNE, D.H., HAGAN, R., HILL, J.M., HUMBER, D.C., HUMPHREY, P.P.A., IRELAND, S.J., JACK, D., JORDAN, C. C., OXFORD, A., STRAUGHAN, D.W. & TYERS, M.B. GR38032F, a novel selective 5-HT $_3$ receptor antagonist, 90, 87P
- BROADHEAD, G.D. see BURNS, E., 92, 603P
- BROADHURST, A.M., WOOD, M.D. & WYLLIE, M.G. Complex rat cortical [3 H]-rauwolscine binding: heterogeneous α_2 -adrenoceptors or a serotonergic interaction? 90, 73P
- BROADLEY, K.J. & HEREPATH, M.L. Isoprenaline-induced *in vitro* desensitization of β -adrenoceptor mediated responses of guinea-pig atria, 90, 197P
- - - The effect of travel-induced stress of guinea-pigs on cardiac β -adrenoceptor sensitivity, 91, 379P
- BROADLEY, K.J. see HEREPATH, M.L., 92, 747P
- BROCK, J.A. & CUNNANE, T.C. Effects of bretylium on electrical activity in sympathetic postganglionic nerve terminals, 92, 569P

- - - Focal application of TTX to sympathetic nerve terminals using internally perfused suction electrodes, 92, 714P
- BRODDE, O.-E. see BECKERINGH, J.J., 90, 42P
- - - see BECKERINGH, J.J., 90, 43P
- BROWN, A.D., DEIGHTON, N.M., HAMILTON, C.A. & REID, J.L. Changes in adrenoceptor number following chronic noradrenaline infusions in vivo in rabbit, 91, 330P
- BROWN, A.K. & STRONG, P. Stimulation of cardiac lipolysis by isoprenaline: a study using the perfused rat heart, 90, 206P
- BROWN, A.K. see TREVETHICK, M.A., 92, 526P
- BROWN, A.M. see DONALDSON, J., 92, 581P
- BROWN, A.M., DONALDSON, J. & HILL, S.J. Effect of rolipram on histamine and adenosine-induced [^3H]-cyclic AMP accumulation in guinea-pig brain slices, 91, 442P
- BROWN, C.G. see ATTERWILL, C.K., 91, 470P
- BROWN, C.M., DYE, A.C., KILPATRICK, A.T. & SPEDDING, M. Loss of adenosine uptake recognition sites: a consequence of cerebral ischaemia, 90, 12P
- BROWN, C.M., KILPATRICK, A.T. & SPEDDING, M. Cerebral ischaemia reduces 5-HT₂ binding site density but not affinity, 91, 313P
- BROWN, C.M., MACLENNAN, S.J. & MCGRATH, J.C. 5-Hydroxytryptamine receptors in human umbilical artery: functional and binding studies, 91, 481P
- BROWN, G.J. & DEWHURST, D.G. Interactive teaching programs in physiology and pharmacology for the BBC microcomputer, 92, 790P
- BROWN, J.R., DHUNA, S., JORDAN, C.C. & WRIGHT, I.K. A microcomputer controlled system for fully automated testing of drugs on in vitro tissue preparations, 91, 507P
- BROWN, J.R. & HUNTER, J.C. [^{125}I]-Bolton-Hunter labelled eledoisin binding sites in rat dorsal horn and cerebral cortex are similar, 90, 245P
- BROWN, M.J. see ASHBY, M.J., 91, 375P
- BROWN, M.J., HILEY, C.R., PEARD, D. & THOMAS, G.R. Effect of desensitisation of the P_{2x}-purinoceptor on the pressor response to DMPP in the rat, 90, 284P
- BROWN, N.K. & HARVEY, D.J. Metabolism and potency of tetrahydro-cannabinol homologues, 92, 724P
- BROWN, N.L., CHEVILLARD, C. & WORCEL, M. Differences between trandolapril and enalapril for inhibition of tissue ACE activity in rats, 90, 204P
- BROWN, N.L., FICHELE, J., VINCENT, J. C. & WORCEL, M. Cardiovascular profile of trandolapril, a new angiotensin converting enzyme (ACE) inhibitor, 90, 203P
- BRUNDIN, P. see CLARKE, D.J., 92, 682P
- BRYANT, S. see BRADLEY, P.B., 90, 144P
- BRYSON, S.E. & RODGER, I.W. Effects of papaverine and isobutylmethyl xanthine (IBMX) on normal and chemically skinned guinea-pig trachealis, 91, 458P
- BRYSON, S.E. & RODGER, I.W. Simultaneous measurement of agonist-induced ^{45}Ca efflux and contraction in isolated airway smooth muscle, 92, 632P
- BUCKETT, W.R., HOPCROFT, R.H., LUSCOMBE, G.P. & THOMAS, P.C. BTS 54 524, a monoamine uptake inhibitor exhibiting potent actions in models predictive of potential antidepressant activity, 90, 261P
- BUCKETT, W.R. see LUSCOMBE, G.P., 92, 575P
- BUCKETT, W.R., LUSCOMBE, G.P. & THOMAS, P.C. The putative antidepressant BTS 54 524 rapidly and potentially down-regulates cortical β -adrenoceptors in the rat, 90, 94P
- BUCKINGHAM, J.C. & COOPER, T.A. Modulation of the secretion of corticotrophin releasing factor (CRF) by opioid substances, 90, 167P
- BUCKINGHAM, J.C., COWELL, A-M. & FLOWER, R.J. Possible involvement of arachidonic acid metabolites in the regulation of corticotrophin secretion, 91, 487P
- BUCKLE, D.R., BUMSTEAD, J., CLARKE, G. D., TAYLOR, S.G. Reversal of agonist-induced bronchoconstriction in the guinea-pig by the potassium channel activator BRL 34915, 92, 744P
- BUCKLEY, G.A. see BARBER, H.E., 91, 469P
- - - see BATES, R.F.L., 91, 376P
- - - see PARKER, J.E., 92, 786P
- BUDHRAM, P. see GARDNER, C.R., 92, 537P
- - - see GARDNER, C.R., 92, 655P

- BULL, D.R. Electrophysiological evidence for a D₂ receptor agonist effect of SK&F 82526 in substantia nigra in vitro, 92, 687P
- BULLOCH, J.M. see ALABASTER, V.A., 90, 33P
- BUMSTEAD, J. see BUCKLE, D.R., 92, 744P
- BUNCE, K.T. & SPRAGGS, C.F. Stimulation of choloid secretion by U46619 in guinea-pig isolated gastric mucosa is mediated by thromboxane receptors, 91, 319P
- BURGUETE, M.C. & RIBEIRO, J.A. The effect of histamine on axonal conduction, 90, 171P
- BURLEIGH, D.E. Severe idiopathic constipation is associated with reduced activity of colonic cholinergic nerves, 92, 719P
- BURNS, E., BALL, C.E., BROADHEAD, G.D., TUCKER, G.T. & BAX, N.D.S. The estimation of hepatic blood flow in the rat using indocyanine green, 92, 603P
- BUSCH, U., EWINS, C.P., HIGGINS, A.J., LEES, P., PUGH, K.E. & SEDGWICK, A.D. A preliminary study of miloxicam pharmacodynamics and pharmacokinetics in the horse, 90, 181P
- BUSS, D.C., ROUTLEDGE, P.A. & WATT, A.H. Inosine, diprydamole and adenosine-induced respiratory stimulation in the adult rabbit, 90, 146P
- BUTCHER, S.P. see FAIRBROTHER, I.S., 92, 612P
- BUTCHERS, P.R., COUSINS, S.A. & VARDEY, C.J. Salmeterol: a potent and long-acting inhibitor of the release of inflammatory and spasmogenic mediators from human lung, 92, 745P
- BUTINA, D. see BRITTAIN, R.T., 92, 618P
- - - see HUMPHREY, P.P.A., 92, 616P
- BUTLER, A. see BRITTAIN, R.T., 90, 87P
- BUTTERFIELD, L. see CAMBRIDGE, D., 92, 570P
- BUTTNER, D. see BECKERINGH, J.J., 90, 42P
- BUXTON, B.B.F., JONES, C.R., MOLENAAR, P. & SUMMERS, R.J. Autoradiographic localization and characterization of human cardiac β_2 -adrenoceptors, 90, 205P
- BYFIELD, R.A. & SWAYNE, G.T.G. Characterisation of the histamine receptor which mediates EDRF release in a microvascular preparation, 90, 152P
- BYLAND, E., JESSUP, C.L., JESSUP, R. & WAYNE, M. ICI 185282; a selective potent thromboxane A₂ receptor antagonist on smooth muscle, 90, 228P
- BYWATER, L., FRANCIS, L. & OSBORNE, R. H. Buspirone contracts the isolated rat ileum by an interaction with 5-HT₂ receptors, 92, 721P
- CALDER, C. see ALPS, B.J., 91, 312P
- CALDWELL, J. see MIKOV, M., 91, 473P
- CALLINGHAM, B.A. see ELLIOTT, J., 91, 444P
- - - see ELLIOTT, J., 92, 749P
- - - see GEE, A.S., 91, 477P
- CAMBRIDGE, D. see ALLAN, G., 92, 571P
- CAMBRIDGE, D., WHITING, M.V., ALLAN, G., FOLLENFANT, M.J., OLIVER, P.L. & BUTTERFIELD, L. The effects of a novel ACE-inhibitor/adrenoceptor blocking agent on plasma renin activity in the dog, 92, 570P
- CAMBRIDGE, H., LEES, P., SEDGWICK, A. D., HOOKE, R.E., RUSSELL, C., DAWSON, J. & MAY, S.A. Influence of non-steroidal anti-inflammatory drugs on serum thromboxane and platelet function in the horse, 92, 623P
- CAMP, R.D.R. see BACON, K.B., 91, 474P
- - - see BACON, K.B., 92, 635P
- - - see WOOLLARD, P.M., 92, 524P
- CAMP, R.D.R., FINCHAM, N.J., CUNNINGHAM, F.M., GEARING, A.J.H. & BIRD, C.R. Human monocyte preparation produce a 10-30kD neutrophil chemokinetic compound which is distinct from interleukin-1, 92, 523P
- CAMPBELL, I.C. see ADAMSON, P., 90, 240P
- - - see ADAMSON, P., 92, 691P
- - - see MCWILLIAM, J.R., 92, 697P
- - - see MCWILLIAM, J.R., 92, 698P
- CAMPBELL, N., FREEDMAN, S.B., HARLEY, E., HILL, D., LALIES, M.D., MCKNIGHT, A.T., MAGUIRE, J., NEWBERRY, N., SALAMONE, J.S., SAUNDERS, J. & SHOWELL, G.A. Biochemical and pharmacological characterisation of all four isomers of the muscarinic agonist AF-30, 90, 155P
- CAMPBELL, N., HILL, D.R., SHAW, T.M. & WOODRUFF, G.N. Characterisation of "peripheral" type CCK receptors in rat brain using [³H]-L-364,718, 92, 583P

- CALLACHAN, H., LAMBERT, J.J. & PETERS, J.A. The actions of the steroidal convulsant RU 5135 on glycine and GABA_A receptors, 90, 120P
- CANDY, J.M. see BELL, K.J., 90, 291P
- CAREY, F. see CREBA, J.A., 92, 627P
- CAREY, F., CREBA, J.A., HAWORTH, D. & LEWIS, P. The effect of lithium on superoxide generation and inositol phosphate production in human neutrophils and HL60 cells, 91, 478P
- CAREY, F., FORDER, R.A. & HAWORTH, D. Assessment of the bioavailability and selectivity of inhibitors of arachidonic acid metabolism in whole blood, 91, 404P
- CAREY, F. & GROWCOTT, J.W. Mouse plasma haptoglobin: a sensitive parameter for the measurement of NSAID and non-NSAID-induced gastrointestinal toxicity, 90, 177P
- CAREY, F., HAWORTH, D., STONE, M.A., HERON, J.R.M., WAYNE, J., JAMIESON, A. & RUSSELL, N.J.W. Involvement of corticosterone in the anti-inflammatory activity of the opioid κ -agonists tifluadom and U50488, 92, 629P
- CAREY, F. & STONE, M.A. Inhibition of CRF stimulated ACTH release from rat anterior pituitary cells by mepacrine, 91, 486P
- CARLSON, K.R. see AHTEE, L., 91, 440P
- CARLSSON, A., SERIES, H.G., SHARP, T. & UNGERSTEDT, U. *In vivo* monitoring of extra-cellular 5-HT in rat frontal cortex using microdialysis combined with small-bore HPLC-EC, 90, 268P
- CARROLL, J.A., FORREST, J.D. & SHAW, J.S. Ex-vivo binding: a measure of drug penetration into the CNS, 92, 689P
- CARSWELL, H. see CRAWFORD, M.L.A., 91, 304P
- CARTER, C.J. see DEXTER, D.T., 92, 690P
- CARTER, C.J., NOEL, F. & SCATTON, B. Sodium and calcium dependency of N-methyl-D-aspartate induced increases in cyclic GMP levels in immature rat cerebellar slices, 90, 8P
- CARTER, C. see BENAVIDES, J., 90, 280P
- CARTER, T.D., HALL, J.M., MCCABE, D.V., MORTON, I.K.M. & SCHACHTER, M. Biphasic actions of bradykinin in the guinea-pig taenia, 90, 137P
- CASS, A.E.G. see ALBERY, W.J., 92, 608P
- CATTO, L.C. see ATTERWILL, C.K., 92, 671P
- CAVERO, I. & LAWSON, K. The laevo enantiomer of Bay K 8644 can contract the rat aorta in the absence of extra-cellular potassium ions, 90, 128P
- CAVERO, I. see LE MONNIER DE GOUVILLE, A-C., 92, 615P
- CAVERO, I., DELLA BRUNA, R. & KURTZ, A. Dopamine releases renin from isolated rat juxtaglomerular epithelioid cells by stimulation of DA₁ receptors but not β -adrenoceptors, 91, 351P
- CAVERO, I., LAWSON, K. & PRATZ, J. An investigation of K⁺-induced relaxation of the rat isolated aorta suspended in a K⁺-deficient solution, 91, 455P
- CAVERO, I., LAVE, D., MARQUIS, O. & ROBAUT, C. [³H]-52770RP: a novel ligand for PAF-receptor sites in rabbit platelet preparations, 90, 116P
- CAVERO, I. & MONDOT, S. PAF-acether-evoked hypotension is enhanced by blockade of vasopressin and renin-angiotensin systems, in rats, 90, 174P
- CHAKDER, S.K. & ZEITLIN, I.J. Initial characterisation of enzymes which destroy vasoactive intestinal polypeptide (VIP) in gastrointestinal tissue, 92, 600P
- CHANDER, C.L., DOLEMAN, D.J., NAYLOR, I. L. & SHARPE, D.T. Tissue expander capsule - an '*in vitro*' model for the study of human myofibroblast contractility, 91, 479P
- CHANDLER, J. see HAMBLETON, P., 92, 625P
- CHAPPLE, D.J. & DONOGHUE, S. Cardiovascular effects of a novel opioid peptide (BW 443C) in the anaesthetised cat, 91, 384P
- CHARLES, S.J. see BRENNAN, C.H., 91, 454P
- CHAU, P-L. see DEAN, P.M., 91, 503P
- CHEETHAM, S.C., CROMPTON, M.R., CZUDEK, C., HORTON, R.W., KATONA, C.L.E. & REYNOLDS, G.P. Monoamine neurotransmitters and their metabolites in depressed suicide victims, 90, 286P
- CHEETHAM, S.C. see CROSS, J.A., 91, 341P
- CHEN, W.Z., PALMER, R.M.J. & MONCADA, S. The effect of nitric oxide on the isolated perfused rabbit heart, 92, 643P
- CHESS-WILLIAMS, R. *In vitro* desensitisation by noradrenaline of aortic but not myo-cardial α -adrenoceptor responses, 91, 328P
- - - Desensitisation of cardiac and aortic adrenergic responses by adrenaline, 92, 761P

- - - see AUSTIN, C.E., 92, 760P
- CHESS-WILLIAMS, R. & CRITCHLEY, D.J.P. A physiological role for myocardial α -adrenoceptors in hypothyroidism, 90, 45P
- - - Cardiac adrenoceptor responsiveness in hypothyroid rats, 90, 289P
- CHESS-WILLIAMS, R. & WINN, M.J. The effects of ICI 118551 or propranolol on depressor responses to prazosin in pentobarbitone-anaesthetized rats, 91, 386P
- CHEVILLARD, C. see BROWN, N.L., 90, 204P
- CHIAPPETTA, P. see VOHRA, M.M., 92, 709P
- CHIVERS, J.K., HORTON, R.W., JENNER, P. G., LOWTHER, S., MARSDEN, C.D. & TESTA, B. Interaction of the substituted benzamide, clebopride with brain benzodiazepine binding sites, 90, 123P
- CHONG, P.N. see OERTEL, W.H., 92, 611P
- - - see UEKI, A., 92, 701P
- CHOWDHURY, M., FILLENZ, M. & STEARDO, L. Protein kinase C mediates the stimulation by somatostatin of dopamine synthesis in striatal synaptosomes, 92, 792P
- CHRISTIE, G., COLEMAN, J.W., BRECKENRIDGE, A.M. & PARK, B.K. The immunogenicity and disposition of benzylpenicillin and its degradation products in the rat, 92, 602P
- CHRISTIE, M.I. & LEWIS, M.J. The pig coronary artery is more responsive to endothelium-derived relaxing factor (EDRF) than the rabbit aorta, 91, 318P
- CHRISTOFFERSEN, P.S., HERMANSEN, K. & RASMUSSEN K.K. Cardiovascular and general toxic effects of doxorubicin (adriamycin) and 4-demethoxy-daunorubicin (idarubicin) in rats, 92, 730P
- CHUNG, K.F. see BELVISI, M.G., 92, 595P
- CHURCH, J., DAVIES, S.N., LAGNADO, L., LODGE, D., MARTIN, D., MARSHALL, J. & MILLAR, J.D. Studies on the use-dependency of phencyclidine-like compounds as N-methylaspartate antagonists *in vivo* and *in vitro*, 90, 10P
- CHURCH, M.K. see BENYON, R.C., 90, 102P
- - - see BENYON, R.C., 90, 158P
- - - see HUTSON, P.A., 92, 598P
- - - see ROBINSON, C., 92, 516P
- CHURCH, M.K., CLAY, T.P., HOLGATE, S.T., HUTSON, P.A. & MILLER, P. Multiple late phase reactions and cellular correlates in an *in vivo* guinea-pig model of bronchial asthma, 90, 30P
- CINGI, M.I. see BEWLEY, J., 92, 597P
- CIRINO, G. & FLOWER, R.J. The inhibitory effect of lipocortin on eicosanoid synthesis is dependent on Ca^{2+} ions, 92, 521P
- CLAUQUE, R. & SPEDDING, M. Selective interaction of buspirone, WB 4101 and prazosin with 8-OH-DPAT and RU 24969 in the rat, 90, 252P
- CLARK, C.R. see BIRCHMORE, B., 91, 299P
- CLARK, C.R., HUGHES, J. & SHARIF, N.A. κ opioid receptors labelled with peptide and nonpeptide radioligands - quantitative autoradiographic studies, 90, 3P
- CLARK, C.R., DAY, N.C., HALL, M.D. & HUGHES, J. Quantitative autoradiographic localization of cholecystikinin receptors in discrete nuclei of the rat hypothalamus, 90, 4P
- CLARK, K.L., DREW, G.M. & HILDITCH, A. Potentiation of the effects of dopamine in the rabbit splenic artery *in vitro* by IBMX or forskolin, 90, 25P
- CLARKE, C.E., BOYCE, S., SAMBROOK, M.A. & CROSSMAN, A.R. Dyskinesia in MPTP-treated primates on long-term levodopa therapy: a valuable experimental model, 91, 508P
- CLARKE, C.E., BOYCE, S., STAHL, S.M. & CROSSMAN, A.R. Prolonged reversal of Parkinsonism in MPTP-treated primates following sustained-release 4-propyl-9-hydroxynaphthoxazine, 91, 443P
- CLARKE, C.R., HUGHES, J. & LO, W.W.Y. Cholecystikinin and muscarinic receptors in flow 9000 cells activate phosphoinositide turnover in a GTP-sensitive mechanism, 90, 75P
- CLARKE, D.J. see DELLA CORTE, L., 92, 792P
- CLARKE, D.J., BRUNDIN, P. & BJORKLUND, A. Grafting of human fetal dopamine neurons in a rat model of Parkinsons Disease: a tyrosine hydroxylase immunocytochemical study, 92, 682P
- CLARKE, G.D. see BUCKLE, D.R., 92, 744P
- CLAUSTRE, Y. see ARBILLA, S., 90, 84P
- CLAY, T.P. see CHURCH, M.K., 90, 30P
- CLAYTON, J.K., MARSHALL, K. & SENIOR, J. Effect of indomethacin on human myometrial responses to prostaglandins

- F₂ E₂ and E analogues, 90, 231P
- CLAYTON, J.K., DESTA, B. & SENIOR, J. Effect of nifedipine on the responses of the diabetic pregnant rat uterine smooth muscle to oxytocin and prostaglandins, 90, 214P
- CLOW, A., GLOVER, V. & SANDLER, M. Triazolam displacement of [³H]-Ro 15-1788 and [³H]-ethyl- β -carboline-3-carboxylate in different regions of rat brain, 90, 122P
- COATES, I.H. see BRITTAİN, R.T., 90, 87P
- - - see BRITTAİN, R.T., 92, 618P
- - - see HUMPHREY, P.P.A., 92, 616P
- COATES, J. see AKERS, I.A., 91, 383P
- COCEANI, F. see ADEAGBO, A.S.O., 92, 637P
- COHEN, D.L., HANAHOE, T.H.P. & PURCELL, W.M. Release of histamine and 5-hydroxytryptamine from rat peritoneal mast cells, 90, 101P
- COKER, S.J. Preliminary studies on ischaemia and reperfusion-induced dysrhythmias in anaesthetised rabbits, 90, 21P
- COKER, S.J. & BARLOW, A.G. Contribution of α -adrenoceptor blockade to the hypotensive action of ritanserine in anaesthetised rats, 92, 613P
- COLDWELL, M.C. BRL 34915 induced K⁺ channel activation: temporal relationship between drug exposure and opening/closing of the channel, 92, 768P
- COLDWELL, M.C. see HOWLETT, D.R., 91, 400P
- COLEMAN, J.W. see CHRISTIE, G., 92, 602P
- COLEMAN, R.A. see BALL, D.I., 90, 150P
- - - see BALL, D.I., 90, 151P
- - - see BALL, D.I., 92, 591P
- - - see BALL, D.I., 92, 746P
- - - see BRADSHAW, J., 92, 590P
- COLEMAN, R.A., DENYER, L.H. & SHELDRIK, K.E. β -adrenoceptors in guinea-pig gastric fundus - are they the same as the 'atypical' β -adrenoceptors in rat adipocytes? 90, 40P
- COLEMAN, R.A., KENNEDY, I. & SHELDRIK, R.L.G. Evidence for the existence of three subtypes of PGE₂ sensitive (EP) receptors in smooth muscle, 91, 323P
- COLEMAN, R.A., KENNEDY, I., SHELDRIK, R. L.G. & TOLOWINSKA, I.Y. Further evidence for the existence of three subtypes of PGE₂-sensitive (EP-) receptors, 91, 407P
- COLLARD, K.J. & EVANS, S.M. The effect of monoamine oxidase inhibitors on the calcium-dependency of 5-HT release from rat brain synaptosomes, 90, 86P
- COMER, M.B., GRISTWOOD, R.W. & WOOD, L. M. SK&F 94836 a novel inodilator retains its activity in the presence of pharmacological doses of digoxin and captopril, 92, 754P
- COMPTON, A.M. see GARDINER, S.M., 92, 568P
- CONNELL, L.A. & WALLIS, D.I. A study of the responses of motoneurons to 5-hydroxytryptamine (5-HT) in the hemisected spinal cord of the neonate rat, 92, 679P
- CONNOLLY, G.P. & NEWBERRY, N.R. Muscarinic responses on isolated superior cervical ganglia from rats of different ages, 91, 451P
- CONNOR, H.E. & FENIUK, W. Influence of endothelium on the contractile effects of haemoglobin in dog basilar artery, 91, 382P
- CONNOR, H.E., FENIUK, W. & HUMPHREY, P. P.A. Characterisation of 5-HT mediating contraction in dog and primate isolated basilar artery, 92, 757P
- CONROY, D.M., PIPER, P.J. & SAMHOUN, M. N. The effect of N-acetyl leukotriene E₄ on guinea-pig airway smooth muscle *in vitro*, 91, 365P
- COOK, D.G., MACLAGAN, J. & TAYLOR, R.G. Bronchodilator action of inhaled ipratropium and fenoterol in normal subjects: a teaching exercise for medical students, 90, 36P
- COOK, N., NAHORSKI, S.R. & BARNETT, D. B. Agonist induced internalisation and down regulation of β_2 -adrenoceptors on intact human platelets, 90, 41P
- COOK, N.S., GRIFFITHS, H.L. & HOF, R.P. The effects of some K⁺ channel blockers and K⁺ channel activator BRL 34915 upon the rabbit aorta, 90, 130P
- COOK, N.S. & HOF, R.P. Cardiovascular effects of apamin and BRL 34915 in rats and rabbits, 90, 198P
- COONEY, D. & KEENAN, A.K. Desensitisation of β -adrenoceptor dependent adenylate cyclase in A-431 cells, 90, 159P
- COOPER, M. see WYLLIE, J.H., 92, 532P
- COOPER, S.J. & DESA, A. Hypertonic saline intake in the rat after administration of 5-HT_{1A} agonists, benzodiazepine partial agonists and zolpidem, 92, 646P
- COOPER, S.J. see NEILL, J.C., 92, 647P

- COOPER, S.J. & NEILL, J.C. Sham feeding in the rat following the administration of (+)-fenfluramine and the putative 5-HT_{1A} agonist, 8-OH-DPAT, 91, 339P
- COOPER, T.A. see BUCKINGHAM, J.C., 90, 167P
- COSTALL, B. see BARNES, J.C., 90, 96P
- - - see BARNES, J.C., 90, 242P
- - - see BARNES, J.C., 91, 428P
- - - see BARNES, N.J.G., 90, 241P
- - - see BARNES, N.J.G., 90, 254P
- - - see BARNES, N.M., 92, 649P
- - - see BARRY, J.M., 92, 651P
- COSTALL, B., DOMENEY, A.M. KELLY, M.E., NAYLOR, R.J. & PINDER, R.M.
The potential antischizophrenic activity of the tetracyclic neuroleptic Org 5222 in rats and marmosets, 92, 705P
- COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & PINDER, R.M. Des enkephalin- γ -endorphin blocks dopaminergic hyperactivity in rats and marmosets, 92, 589P
- COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Effects of GR38032F on hyperactivity induced by unilateral infusions of dopamine into the central amygdala of the rat, 90, 243P
- COSTALL, B., KELLY, M.E. & NAYLOR, R.J. Alcohol treatment and withdrawal in a mouse model of anxiety, 90, 258P
- COSTALL, B., NAYLOR, R.J. & ONAIVI, E.S. Circling behaviour following lesion of the MRN is modified by drug action on 5-HT systems, 90, 255P
- COSTALL, B., NAYLOR, R.J. & OWERA-ATEPO, J.B. Neuroleptic interaction with the effects of 5-HT on the rabbit vagal nerve, 92, 650P
- COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Hyperactivity following withdrawal of mesolimbic dopamine infusion and neuroleptic treatment is reversed by GR38032F, 91, 338P
- COSTALL, B., DOMENEY, A.M., KELLY, M.E., NAYLOR, R.J. & TYERS, M.B. The antipsychotic potential of GR38032F, a selective antagonist of 5-HT₃ receptors in the central nervous system, 90, 89P
- - - Anxiogenesis follows abstinence withdrawal from long-term treatment with diazepam but not GR38032F, 91, 420P
- - - The behavioural consequences of treatment with selective 5-HT₃ receptor antagonists, 92, 657P
- COSTALL, B., DOMENEY, A.M., GUNNING, S. J., NAYLOR, R.J., TATTERSALL, F.D. & TYERS, M.B. GR38032F: a potent and novel inhibitor of cisplatin-induced emesis in the ferret, 90, 90P
- COSTALL, B., DOMENEY, A., HENDRIE, C. A., KELLY, M.E., NAYLOR, R.J. & TYERS, M.B. The anxiolytic activity of GR38032F in the mouse and marmoset, 90, 257P
- COUGHLAN, J., DOURISH, C.T., GILBERT, F. & IVERSEN, S.D. The 5-HT_{1A} agonist 8-OH-DPAT increases sweetened milk consumption in rats, 91, 423P
- COUPAR, I.M. Tetrodotoxin inhibits the secretory/antiabsorptive effects of VIP, PGE₁ and bethanechol in the small intestine, 90, 165P
- COUPAR, I.M. & TAYLOR, D.A. Possible involvement of noradrenergic and tryptaminergic neurones in the intestinal antisecretory action of morphine, 90, 105P
- COURT, E.N. & KINGSTON, W.P. A sensitive assay for platelet activating factor using guinea-pig platelets, 91, 409P
- COURT, E.N. & KINGSTON, W.P. Platelet activating factor in the bronchoalveolar lavage fluid of oxygen treated rats, 92, 630P
- COURTNEY, S. see KITCHEN, I., 92, 739P
- COUSINS, S.A. see BUTCHERS, P.R., 92, 745P
- COWAN, A. & WHEELER, H. Influence of morphine and U-50, 488H on the cardiovascular changes associated with centrally administered bombesin in rats, 90, 219P
- COWELL, A-M. see BUCKINGHAM, J.C., 91, 487P
- COWLRICK, I.S. Acute effects of cilazapril and other antihypertensive agents on the baroreflex on conscious spontaneously hypertensive rats, 92, 765P
- COX, B. see BLACKBURN, T.P., 90, 256P
- - - see BLACKBURN, T.P., 90, 276P
- - - see BLACKBURN, T.P., 90, 277P
- - - see BLACKBURN, T.P., 91, 439P
- - - see GROWCOTT, J.W., 92, 720P
- COX, H.M. Identification of intestinal angiotensin II receptors with a radiolabelled antagonist, [¹²⁵I]-[SAR¹.THR⁸]-AII, 91, 362P
- CRAIG, R.K. see AL-KAZWINI, S.J., 90, 37P
- - - see AL-KAZWINI, S.J., 90, 220P
- - - see MARSHALL, I., 91, 354P

- CRANSTONE, S. see BRANDON, D.R., 91, 403P
- CRAWFORD, M.L.A., CARSWELL, H. & YOUNG, J.M. GABA inhibits histamine-induced inositol phospholipid breakdown in guinea-pig cerebellum, 91, 304P
- CREBA, J.A. see CAREY, F., 91, 478P
- CREBA, J.A., LEWIS, P.E., HAWORTH, D. & CAREY, F. The effect of dimethyl sulphoxide on superoxide generation and inositol phosphate production in human neutrophils and HL60 cells, 92, 627P
- CRESPI, F. & MARSDEN, C.A. Can somatostatin be detected using in vivo voltammetry? 92, 696P
- CRESPI, F., MARTIN, K.F. & MARSDEN C.A. Nafion coated carbon fibre electrodes combined with differential pulse voltammetry measure 5-HT release in vivo, 92, 565P
- CRIDDLE, D.N., HIGGINS, A.J. & WOODWARD, B. Effects of three acyl carnitines on the isolated coronary and mesenteric vascular beds of the rat, 92, 758P
- CRITCHLEY, D.J.P. see CHESS-WILLIAMS, R., 90, 45P
- - - see CHESS-WILLIAMS, D.J.P., 90, 289P
- CRITCHLEY, M.A.E. & HANDLEY, S.L. 5-HT_{1A} ligand effects in the X-maze anxiety test, 92, 660P
- CRITCHLEY, M.A.E., NJUNG'E, K. & HANDLEY, S.L. 5-HT ligand effects in the social interaction test of anxiety, 92, 659P
- CROMPTON, M.R. see CHEETHAM, S.C., 90, 286P
- - - see CROSS, J.A., 91, 341P
- CROSS, A.J., HEWITT, L., SLATER, P. & WADDINGTON, J.L. Interaction of benzazepine enantiomers related to SCH 23390 with rat brain serotonin receptors, 90, 244P
- CROSS, A.J. see SIMPSON, M.D.C., 92, 609P
- CROSS, A.J., SLATER, P. & SKAN, W. Characteristics of [¹²⁵I]-Bolton-Hunter labelled cholecystokinin binding in human brain, 91, 438P
- CROSS, J.A., CHEETHAM, S.C., CROMPTON, M. R., KATONA, C.L.E. & HORTON, R.W. GABA_B binding sites in the cortex and hippocampus of depressed suicide victims, 91, 341P
- CROSS, J.A. & HORTON, R.W. Rat frontal cortical GABA_B and 5-HT₂ binding sites following chronic oral administration of two antidepressant drugs, 92, 576P
- CROSSMAN, A.R. see BOYCE, S., 90, 250P
- - - see CLARKE, C.E., 91, 443P
- CROSSMAN, A.R. see CLARKE, C.E., 91, 508P
- CROSSMAN, A.R., FARMERY, S.M. & STUART, A.M. The autoradiographic localisation of neurokinin A binding sites in primate brain, 90, 259P
- CROSSMAN, A.R. see GRAHAM, W.C., 91, 306P
- CROSSMAN, A.R., ROBERTSON, R.G. & STUART, A.M. The characterisation and localisation of [³H]-flunitrazepam binding sites in the primate brain, 90, 248P
- CROSSMAN, A.R., ROBERTSON, R.G. & STUART, A.M. The distribution of [³H]-muscimol receptor subtypes in the primate central nervous system, 90, 249P
- CROSSMAN, D.C. see BARNES, P.J., 90, 100P
- CROSSMAN, D., DOLLERY, C.T., MACDERMOT, J., MACINTYRE, I. & MCEWAN, J. Effects of human calcitonin gene-related peptide of human endothelial cells, 90, 38P
- CROTHERS, D.M. see BEWLEY, J., 92, 597P
- CROUCHER, M.J. & BRADFORD, H.F. The influence of daily focal injections of excitatory amino acid antagonists on electrical kindling of the DPC, 92, 668P
- CUNNANE, T.C. see ALLCORN, R.J., 92, 774P
- - - see BROCK, J.A., 92, 569P
- - - see BROCK, J.A., 92, 714P
- CUNNANE, T.C. & MANCHANDA, R. Inactivation of the sympathetic transmitter in the guinea-pig vas deferens: support for co-transmission, 91, 497P
- CUNNINGHAM, F.M. see BACON, K.B., 91, 474P
- - - see BACON, K.B., 92, 635P
- - - see CAMP, R.D.R., 92, 523P
- - - see WOOLLARD, P.M., 92, 524P
- CUNNINGHAM, F.M., LEIGH, I. & MALLETT, A.I. The production of platelet activating factor (PAF) by human epidermal cells, 90, 117P
- CUNNINGHAM, J. see SHAH, M.A., 92, 693P
- CURLE, P.F., BALDWIN, H.A., FILE, S.E. & NEAL, M.J. Evidence from in vivo dialysis that reduced hippocampal 5-HT and glycine release is associated with anxiety in the rat, 92, 654P
- CURRINGTON, A., PIPKIN, G., PRICE, C.A. & SWAYNE, G.T. The effect of U46619 on rat gastric blood flow using

- laser doppler velocimetry, 90, 233P
- CURTIS, M.J. & WALKER, M.J.A. Nifedipine, at high doses, reduces the arrhythmias induced by myocardial ischaemia, 91, 349P
- CURZON, G. see HUTSON, P.A., 92, 645P
- CURZON, G., DONOHOE, T.P. & HUTSON, P.H. Neurochemical and behavioural effects of LY165163: a putative 5-HT_{1A} centrally acting agonist, 90, 93P
- CURZON, G., DONOHOE, T.P. & HUTSON, P.H. Blockade of dopamine receptors explains the absence of 5-HT stereotypy with LY165163, a putative 5-HT_{1A} agonist, 91, 509P
- CURZON, G., DOURISH, C.T. & KENNETT, G.A. 5-HT_{1B} agonists cause anorexia at post-synaptic receptors, 90, 91P
- CURZON, G. see KENNETT, G.A., 92, 563P
- CUSSOLIN, L. see DEL SOLDATO, P., 92, 525P
- CUTHBERT, A.W., MACVINISH, L.J. & KIRKLAND, S.C. Deficiency down-stream of cAMP generation prevents chloride secretion in colony 3 epithelial cells, 91, 370P
- CUTHBERT, N.J. & GARDINER, P.J. Evidence for two leukotriene receptors (LT₁ & LT₂) on guinea-pig ileum, 91, 408P
- CUTLER, M.G., GRAHAM, D.J.M. & MOORE, M.R. The mauve factor of schizophrenia and porphyria: effects on behaviour of rats and mice, 92, 704P
- CUTLER, M.G., MAIR, J. & MOORE, M.R. Pharmacological effects of haem biosynthetic intermediates in isolated gastrointestinal preparations, 91, 504P
- CUZZOLIN, L. see BENONI, G., 90, 99P
- CZUDEK, C. see CHEETHAM, S.C., 90, 286P
- CZUDEK, C. & REYNOLDS, G.P. [³H]-muscimol binding to post-mortem brain tissue in schizophrenia, 91, 342P
- DACEY, A. see BADAWY, A.A.-B., 91, 345P
- DAFFONCHIO, L., LEES, I., PAYNE, A.N. & WHITTLE, B.J.R. Non-specific airway hyperreactivity following bronchial anaphylaxis in anaesthetised guinea-pigs, 90, 141P
- DAINTY, I.A., MCGRATH, J.C., MILLER, D.J. & SPEDDING, M. Ca²⁺ re-addition distinguishes between phenylephrine and 5-HT in rat aortic rings: differences in α_1 and 5-HT receptor coupling, 91, 387P
- DAINTY, I.A., MCGRATH, J.C., SPEDDING, M. & TEMPLETON, A.G.B. Experimental conditions affect the quantitative demonstration of the effect of basal and stimulated release of EDRF, 92, 619P
- DAINTY, I.A., DALY, C.J., MCGRATH, J.C., SINCLAIR, J. & SPEDDING, M. Measurement and analysis of analogue signals from linseis chart recorder using a BBC micro-computer, 91, 506P
- DALE, M.M. see OBIANIME, A.W., 90, 170P
- DALEY, C.J., MCGRATH, J.C. & WILSON, V.G. Post-junctional α -adrenoceptor subtypes(s) for NA on the rabbit isolated saphenous vein, 91, 397P
- DALY, C.J. see DAINTY, I.A., 91, 506P
- DALY, C.J., MCGRATH, J.C. & WILSON, V.G. Isolation of post-junctional α_2 -adrenoceptors in the rabbit isolated saphenous vein with phenoxybenzamine, 92, 775P
- - - α -adrenoceptor-mediated contractions in the rabbit saphenous vein: the influence of endothelial cells, 92, 776P
- DALZIEL, H.H. & SNEDDON, P. Pre-junctional inhibition of excitatory junction potentials in guinea-pig vas deferens by AMP, 92, 713P
- DAMANHOURI, Z. & NICHOLLS, P.J. Acute dosing with aminoglutethimide inhibits mixed function oxidation in the mouse and rat, 90, 188P
- - - Further evidence for the inducing activity of aminoglutethimide in the rat and mouse, 92, 727P
- DAMASE, C., MONTASTRUC, J.L., MONTASTRUC, P. & VALET, P. Chronic arterial hypertension following sinoaortic dogs: a study of adrenoceptors, 90, 196P
- DANIELS, P.U. see EDWARDSON, J.M., 91, 463P
- DANOFF, S.K. & YOUNG, J.M. On the mechanism of histamine potentiation of adenosine-stimulated adenylate cyclase in guinea-pig cerebral cortex, 90, 271P
- DARK, C.H. see SUER, A.H., 92, 718P
- DARMANI, N.A., NICHOLLS, P.J., STOLZ, J. & SEWELL, R.D.E. Effects of beclamide *in vitro* on D₂, 5-HT₁ and 5-HT₂ binding sites, 91, 421P
- DARMANI, N.A., SEWELL, R.D.E. & NICHOLLS, P.J. Beclamide induced locomotor and behavioural effects, 92, 674P

- DART, A.M. & RIEMERSMA, R.A. Effects of acidosis and Na^+/H^+ exchange on anoxic noradrenaline release from the heart, 91, 358P
- DART, A.M., RIEMERSMA, R.A. & RUSSELL, D.C. Differential effects of α_1 - and α_2 -adrenoceptor blockade on regional myocardial blood flow in acutely ischaemic myocardium, 90, 28P
- DASCOMBE, M.J., LE FEUVRE, R., ROTHWELL, N.J., SAGAY, B.O. & STOCK, M.J. Pyrogenic and thermogenic effects of recombinant human interleukin-1 in the rabbit and the rat, 92, 622P
- DASHWOOD, M.R., PARRATT, J.R., SPYER, K. M. & WAINWRIGHT, C.L. Autoradiographic demonstration of changes in α -adrenoceptor and muscarinic cholinergic receptor density in ischaemic rat heart, 91, 510P
- DAUL, A. see BECKERINGH, J.J., 90, 43P
- DAVID, J.A., PINNOCK, R.D., SATTELLE, D. B. & WAFFORD, K.A. GABA receptors on an identified insect motoneurone, 90, 260P
- DAVIDESKO, D. see BATINK, H.D., 90, 81P
- - - see BATINK, H.D., 90, 154P
- DAVIDESKO, D., DE JONGE, A., DOODS, H. N., VAN CHARLDORP, K.J., MATHY, M-J. & VAN ZWIETEN, P.A. *In vivo* potencies of selective muscarinic antagonists support the subdivision of M-receptors into M_1 , M_2 and M_3 subtypes, 90, 160P
- DAVIDSON, J. see ABUL, H., 91, 493P
- DAVIDSON, J., MILTON, A.S. & ROTONDO, D. A study of the involvement of opioid receptor sub-types in normal thermoregulation and during fever in the rabbit, 91, 494P
- DAVIE, R.J. see PARTRIDGE, S., 91, 373P
- DAVIES, A., HILL, R.G., MEECHAM, K.G. & PITTAWAY, K.M. Electrophysiological studies on the interaction of substance P, bombesin and cholecystokinin-8 on the rat spinal cord *in vitro*, 90, 282P
- DAVIES, C., STANFORD, C., STEINBERG, H., SYKES, E.A. & TERRY, P. Clenbuterol/chlordiazepoxide induced backward walking in mice is modified by mild stress, 90, 119P
- DAVIES, D.S. see BOOBIS, A.R., 90, 185P
- DAVIES, J.A. see BARNES, S., 92, 667P
- DAVIES, J.M. see BOYCE, J.P., 91, 491P
- DAVIES, M. see ROBERTS, M.H.T., 91, 308P
- DAVIES, S.N. see CHURCH, J., 90, 10P
- DAVIS, J. see BHASKAR, N.K., 90, 52P
- DAVIS, S.S. see BOLLANDS, A.D., 90, 179P
- - - see SHARMA, S.K., 91, 459P
- DAVIS, W.G. see MANNION, D., 91, 496P
- DAWRANT, F. see ASSIMALOPOULOS, M., 90, 51P
- DAWSON, J. see CAMBRIDGE, H., 92, 623P
- DAWSON, J., LEES, P. & SEDGWICK, A.D. Chemoattractant properties of prostaglandin E_2 and leukotriene B_4 for equine polymorphonuclear and mononuclear leucocytes, 90, 64P
- - - Influence of non-steroidal anti-inflammatory drugs on equine leucocyte locomotion *in vitro*, 92, 624P
- DAY, N.C. see CLARK, C.R., 90, 4P
- DEACON, R. see GARDNER, C.R., 92, 534P
- - - see GARDNER, C.R., 92, 537P
- - - see GARDNER, C.R., 92, 655P
- DEAKIN, J.F.W. see SIMPSON, M.D.C., 92, 609P
- DEAN, P.M. & CHAU, P-L. Searching for pattern matches on dissimilar drug molecules, 91, 503P
- DEANE, R. see PILLAR, A.M., 92, 694P
- DE'BRITO, F.B., DESA, F.M., HOLMES, M. J.G., TOWLERTON, G.R. & WILLOUGHBY, D.A. Modification of the cotton granuloma model of cartilage breakdown for direct pharmacological investigations, 91, 465P
- DE'BRITO, F.B., MOORE, A.R. & WILLOUGHBY, D.A. The inflammatory response of the air pouch to bacterial lipopolysaccharide, 90, 140P
- DEIGHTON, N.M. see BROWN, A.D., 91, 330P
- DEIGHTON, N.M., ELFELLAH, M.S. & REID, J.L. Characterisation of β -adrenoceptors in rabbit skeletal muscle and regulation by chronic treatment with adrenaline and noradrenaline, 91, 500P
- DE JONGE, A. see BATINK, H.D., 90, 81P
- - - see BATINK, H.D., 90, 154P
- - - see DAVIDESKO, D., 90, 160P
- DELGADO, C., ROSA, C., SESIN, J., TAMARGO, J. & TEJERINA, T. Effects of UD-CG-115 BS on contractile force and ^{45}Ca in vascular smooth muscle, 90, 218P
- DELLA BRUNA, R. see CAVERO, I., 91, 351P

- DELLA CORTE, L., BIANCI, L., NINCI, R., SGARAGLI, G.P. & VALOTI, M. Tissue distribution and toxicity of 2-t-butyl-4-methoxyphenol (BHA) in the rat, 92, 732P
- DELLA CORTE, L., BOLAM, J.P., CLARKE, D. J. & SMITH, A.D. Morphological biochemical and lesion studies of the uptake and release of [³H]-taurine in the rat substantia nigra, 92, 792P
- DELPON, E. see VALENZUELA, C., 92, 772P
- DEL SOLDATO, P., BENONI, G., CUSSOLIN, L., LEONE, R., VELO, G.P. & FRACASSO, M.E. Studies on relationship between intestinal lesions and alterations of hepatic and renal enzyme activity in the rat, 92, 525P
- DEL SOLDATO, P. see BENONI, G., 90, 99P
- DEMUS, J.F. see TROUVE, R., 90, 183P
- - - see TROUVE, R., 90, 184P
- DEMUS, J.F., NAHAS, G., SITBON, M. & TROUVE, R. Ca²⁺ modulators and atropine as antidotes to acetylcholine lethal toxicity in rat, 92, 770P
- DE NUCCI, G. see LAGENTE, V., 90, 35P
- DENYER, L.H. see BALL, D.I., 92, 591P
- - - see BALL, D.I., 92, 746P
- - - see COLEMAN, R.A., 90, 40P
- DESA, A. see COOPER, S.J., 92, 646P
- DESA, F.M. see DE'BRITO, F.B., 91, 465P
- DESTA, B. see CLAYTON, J.K., 90, 214P
- DEWHURST, D.G. see BROWN, G.J., 92, 790P
- DEXTER, D.T., CARTER, C.J., JENNER, P. & MARSDEN, C.D. Alterations in inducible of lipid peroxidation in Parkinsonian substantia nigra, 92, 690P
- DEXTER, D.T., JENNER, P. & MARSDEN, C.D. Alteration in the content of iron and other metal ions in Parkinsonian brain, 91, 427P
- DHUNA, S. see BROWN, J.R., 91, 507P
- DICKEN, M.P., MASTERS, D.J., MCMILLAN, R.M. & VICKERS, V.C. Activation and inactivation of 5-lipoxygenase by arachidonic acid, 90, 59P
- DICKENS, T.A. see ATTERWILL, C.K., 92, 671P
- DICKINSON, S.L., GADIE, B. & TULLOCH, I. F. Behavioural activation induced by specific and selective α_2 -adrenoceptor antagonists in the rat, 91, 415P
- DICKSON, M., MARSHALL, R.J. & SHAHID, M. Comparison of the positive inotropic and phosphodiesterase inhibitory effects of IBMX and milrinone in the rabbit myocardium, 92, 545P
- DIX, P. see FONE, K.C.F., 91, 434P
- DIXON, D. & TRAYNOR, J.R. Formation of [Leu⁵] enkephalin from dynorphin (1-8) by rat spinal cord in vitro, 91, 300P
- D'MELLO, A. see WIECZOREK, W.J., 90, 202P
- DOBLE, A., HUBERT, J.P. & PERRIER, M. L. The pharmacology of an excitatory amino acid receptor, 91, 307P
- DOCHERTY, J.R. Contractions to 5-hydroxytryptamine (5-HT) receptor agonists in the human saphenous vein, 90, 107P
- - - No evidence for more than one type of α_1 -adrenoceptor in rabbit pulmonary artery, 91, 329P
- DODDS, M.G., FREEMAN, A.J., GARDNER, C.J. & ROBERTS, P.M. Regional vasodilator activity of rat ANF (5-28) in rat autoperfused preparations, 91, 377P
- DOLEMAN, D.J. see CHANDER, C.L., 91, 479P
- DOLIN, S.J. & LITTLE, H.J. Effects of the calcium channel antagonist, nitrendipine, on nitrous oxide anaesthesia, tolerance and withdrawal, 90, 211P
- DOLIN, S.J. see LITTLE, H.J., 92, 606P
- DOLIN, S.J., LITTLE, H.J., LITTLETON, J.M. & PAGONIS, C. Dihydropyridine-sensitive calcium channels in rat brain are increased in ethanol physical dependence, 90, 210P
- DOLLERY, C.T. see BENJAMIN, N., 90, 39P
- - - see CROSSMAN, D., 90, 38P
- DOLLERY, C.T., EADY, R., FULLER, R.W., JACKSON, D.M., NORRIS, A., TURNER, N.C. & VENDY, K. Bronchial anaphylaxis in ascaris sensitive dogs, 90, 34P
- DOLLERY, C.T. & TURNER, N.C. Anaphylactic release of prostaglandins and thromboxane B₂ from guinea-pig lung, 90, 225P
- DOLPHIN, A.C. see BLAIN, I.R., 90, 5P
- DOLPHIN, A.C. & SCOTT, R.H. The action of Bay K8644 on calcium channel currents modified by GTP- γ -S, 90, 14P
- DOLPHIN, C.T. see MIKOV, M., 91, 473P
- DOMENEY, A.M. see BARNES, J.C., 90, 242P
- - - see COSTALL, B., 90, 89P
- - - see COSTALL, B., 90, 90P

- DOMENEY, A.M. see COSTALL, B., 90, 243P
- - - see COSTALL, B., 90, 257P
- - - see COSTALL, B., 91, 338P
- - - see COSTALL, B., 91, 420P
- - - see COSTALL, B., 92, 589P
- - - see COSTALL, B., 92, 657P
- - - see COSTALL, B., 92, 705P
- DONALDSON, J. see BROWN, A.M., 91, 442P
- DONALDSON, J., BROWN, A.M. & HILL, S.J. Kinetic studies of histamine H₁-receptor mediated augmentation of cyclic AMP accumulation in guinea-pig brain slices, 92, 581P
- DONATO DI PAOLO, E., HICKS, P.E. & LORRAIN, J. Cardiovascular effects of BRL 34915 in anaesthetised and pithed rats, 92, 752P
- DONOGHUE, S. see CHAPPLE, D.J., 91, 384P
- DONOHUE, T.P. see CURZON, G., 90, 93P
- - - see CURZON, G., 91, 509P
- DOODS, H.N. see BATINK, H.D., 90, 81P
- - - see BATINK, H.D., 90, 154P
- - - see DAVIDESKO, D., 90, 160P
- DOUGALL, I.G. & LEFF, P. Pharmacological analysis of the Ca²⁺-dependence of μ -receptor-mediated agonism, 90, 186P
- DOURISH, C.T. see COUGHLAN, J., 91, 423P
- - - see CURZON, G., 90, 90P
- DOURISH, C.T. & GILBERT, F. Interactions between 5-HT_{1A} agonists on food intake in rats, 91, 425P
- DOURISH, C.T. see HUTSON, P.A., 92, 645P
- DOURISH, C.T. & IVERSEN, S.D. Blockade of cholecystokinin (CCK)-induced anorexia in the rat by the CCK-A receptor antagonist L-365,031, 92, 584P
- DOURISH, C.T., IVERSEN, S.D. & MARTIN-IVERSEN, M.T. Evidence that CCK mimics satiety, but does not induce malaise or decrease diet palatability, 92, 582P
- DOWNING, O.A. see URQUHART, C.J., 92, 711P
- - - see WATERS, C.M., 92, 780P
- - - see WILSON, V.G., 92, 573P
- DRAPER, A.J., REDFERN, P.H. & ROBERTS, J. Cardiovascular changes following administration of adrenaline and isoprenaline to the hypothalamus of the anaesthetised rat, 91, 385P
- DRAZAN, K.M. see MARTIN, W., 92, 519P
- DREW, G.M. see AKERS, I.A., 91, 383P
- - - see CLARK, K.L., 90, 25P
- - - see TEMPLETON, A., 92, 766P
- DUFFY, S. & LIVINGSTON, A. Examination of the sigma opioid-mediated release of [³H]-noradrenaline from rat amygdala slices in vitro, 92, 685P
- DUMEZ, D. see ARMSTRONG, J.M., 91, 395P
- DUNCAN, G.P., PATMORE, L. & SPEDDING, M. Selective antagonism of the effects of Bay K 8644 and palmitoyl carnitine in chick heart by calcium antagonists, 92, 554P
- DUNCAN, I., JEFFRIES, T.M. & NOTARIANNI, L.J. Effects of aroclor 1254 on immature rats following exposure of the mother either prior to mating or during lactation, 91, 293P
- DUNNETT, S. see OERTEL, W.H., 92, 611P
- DUPONT, A.G., LEFEBVRE, R.A. & VANDERNIEPEN, P. Fenoldopam induces vasodilation in the rat hindquarters, possibly via ganglionic dopamine receptors, 90, 26P
- DURRANT, S.L.T. see ALBERY, W.J., 92, 608P
- DYE, A.C. see BROWN, C.M., 90, 12P
- DYSON, E.H. see MCKENNA, M.F., 92, 640P
- DYSON, E.H., JONES, R.L. & WILSON, N.H. A routine method for studying pulmonary pressor responses to thromboxane mimetics in the anaesthetised rat, 90, 227P
- EADY, R. see DOLLERY, C.T., 90, 34P
- EBENEZER, I.S. The effects of nicotine on cortical event-related slow potentials in the conscious rat, 90, 272P
- - - The effect of arginine vasopressin (AVP) on the electro-encephalogram (EEG) of conscious rats, 91, 450P
- EDEN, R.J., HUGHES, H., OWEN, D.A.A. & WALLDUCK, M.S. The effect of SK&F 101468-A, a DA₂ agonist, on nerve stimulation tachycardia: comparison between cats and cynomolgus monkeys, 91, 380P
- EDWARDS, D., HOLLINGSWORTH, M., SMALL, R.C. & WESTON, A.H. Relaxation of rat uterus by BRL34915, 90, 129P
- EDWARDS, G. see BRAITHWAITE, I.M., 91, 488P
- - - see NICHOLL, D.D., 91, 489P
- EDWARDS, R. see BOOBIS, A.R., 90, 185P
- EDWARDS, R.J., MACDERMOT, J. & WILKINS, A.J. Responses of platelets to

- adenosine (A_2) are attenuated by exposure to prostacyclin analogues, 90, 292P
- EDWARDSON, J.M., ELLINGHAM, R.B., DANIELS, P.U. & WOODMAN, P.G. Monensin and nigericin delay the delivery of the influenza virus envelope proteins to the plasma membrane in MDCK cells, 91, 463P
- EGLME, C. & GODFRAIND, T. Effect of Bay K 8644 on the endothelium-dependent relaxation induced by acetylcholine in the rat isolated aorta, 91, 398P
- EGLIN, R.M., HUFF, M.M. & WHITING, R. L. Different muscarinic receptor profiles in the guinea-pig trachea and oesophageal muscularis mucosae, 90, 108P
- - Application of the chengprussoff relationship to the estimation of antagonist affinity constants from isolated tissues, 90, 157P
- ELFELLAH, M.S. see DEIGHTON, N.M., 91, 500P
- ELFELLAH, M.S. & REID, J.L. Regulation of skeletal muscle β -adrenoceptors in vivo by chronic administration of adrenoceptor agonists and propranolol, 90, 44P
- ELLINGHAM, R.B. see EDWARDSON, J.M., 91, 463P
- ELLIOTT, J.M. Characterisation of [125 I]-iodocyanopindolol binding to cultured human lymphoblast cells, 92, 734P
- ELLIOTT, J.M. see HEAL, D.J., 92, 578P
- ELLIOTT, J. & CALLINGHAM, B.A. Characterisation of a semicarbazide-sensitive amine oxidase in the cat uterine artery, 91, 444P
- ELLIOTT, J.M. & KENT, A. [125 I]-IODO-LSD labels a subset of 5-HT₂ receptors in human frontal cortex, 90, 83P
- ELLIOTT, J., CALLINGHAM, B.A. & SHARMAN, D.F. Semicarbazide-sensitive amine oxidases of sheep blood vessels and blood plasma, 92, 749P
- ELLIOTT, J.M., HARDY, J.A., HAYES, R. J. & IDLE, J.R. Phenotypic association between the effects of MPTP treatment and debrisoquine hydroxylation in the rat, 91, 483P
- ELLIS, P., HENDERSON, C.G. & SAMUELS, C.M.R. UK-61,260: a novel cardiac stimulant and vasodilator agent, 91, 392P
- EL-MAHDY, N. & NICHOLLS, P.J. Histamine release by cotton dust from isolated lung cells, 90, 148P
- - Release of SRS-like activity from guinea-pig alveolar macrophages by cotton dust, 91, 466P
- EL-MURADI, E.M.A. & MCCURRIE, J.R. Comparison of haemodynamic effects of verapamil and sodium nitroprusside in anaesthetised and pithed rats, 91, 399P
- - Effects of anoxia, rotenone and altered cyclic GMP concentration on reactivity of rat portal vein and mesentery, 92, 778P
- ELPHICK, M. see WOOD, A.J., 92, 579P
- ELPHICK, M. & GRAHAME-SMITH, D.G. Effects of carbamazepine on some behavioural models of monoamine function, 92, 665P
- ENGLAND, P.J. see MURRAY, K.J., 92, 755P
- - see REEVES, M.L., 92, 773P
- ENNIS, C. Is the 5-HT receptor which modulates [3 H]-dopamine release in rat striatum a 5-HT_{1A} receptor? 90, 274P
- ENNIS, C. & MINCHIN, M.C.W. Benzo-diazepines enhance the effect of GABA autoreceptor agonists, 92, 535P
- ESPLUGUES, J.V. & WHITTLE, B.J.R. Induction of rat gastric damage by close-arterial infusion of PAF and the thromboxane mimetic, U,46619, 91, 367P
- - PAF and a thromboxane mimetic stimulate rat gastric contractility after local arterial infusion, 92, 620P
- EVANS, A.T. see FORMUKONG, E.A., 92, 601P
- EVANS, F.J. see FORMUKONG, E.A., 92, 601P
- EVANS, G.O. see HUGHES, B., 92, 779P
- EVANS, H.G., LEWIS, M.J. & SMITH, J.A. Release of endothelium-derived relaxing factor (EDRF) is inhibited by 8-bromo-cyclic GMP, 91, 321P
- EVANS, R.H. see BEVAN, P., 91, 309P
- - see BHOOLA, K.D., 90, 15P
- - see LONG, S.K., 92, 541P
- EVANS, S.M. see COLLARD, K.J., 90, 86P
- EWINS, C.P. see BUSCH, U., 90, 181P

- FAGBEMI, O., PARRATT, J.R. & WAINWRIGHT, C.L. The effects of dopexamine and dopamine in myocardial ischaemia, 91, 352P
- FAGE, D. see BENAVIDES, J., 90, 280P
- FAIRBROTHER, I.S., BUTCHER, S.P., KELLY, J.S. & ARBUTHNOTT, G.W. A physiological role for monoamine oxidase-B in brain dopamine metabolism? 92, 612P
- FAKE, C.S., KING, F.D. & SANGER, G.J. BRL 43694: a potent and novel 5-HT₃ receptor antagonist, 91, 335P
- FAN, T.-P.D. see ANDRADE, S., 91, 499P
- FARABOLLINI, F., FILE, S.E., JOHNSTON, A.L. & WILSON, C.A. An analysis of sex differences in the open field and tests of exploration and anxiety, 90, 263P
- FARMER, S.G., FEDAN, J.S., HAY, D.W.P. & RAEBURN, D. The effect of epithelium removal and indomethacin on sensitivity of guinea-pig isolated trachealis to peptidoleukotrienes, 90, 292P
- FARMERY, S.M. see CROSSMAN, A.R., 90, 259P
- FARSANG, C., KAPOCSI, J. & VIZI, E.S. Presynaptic α_2 -adrenoceptors sensitive to phenylethylamine structure in human cystic artery, 91, 332P
- FASEHUN, O.A., JENNETT, S., MCGRATH, J.C. & MILLER, D.J. Ca²⁺ and oxygen dependence of noradrenaline-induced contraction of the isolated rat portal vein, 90, 207P
- FASEHUN, O.A., JENNETT, S.M., MCGRATH, J.C. & SPEDDING, M. Effects of Ca²⁺ modulators on the hypoxia-resistant response of the isolated rat portal vein to potassium chloride, 92, 553P
- FAULKNER, D. see MACLAGAN, J., 91, 368P
- FEARS, R., FERRES, H. & STANDRING, R. The protective effect of acylation on the stability of eminase (APSAC) in human plasma, 91, 462P
- FEDAN, J.S. see FARMER, S.G., 90, 292P
- FELL, A.F. see BARNES, J.C., 90, 242P
- FENIUK, W. see BRITAIN, R.T., 92, 618P
- - - see CONNOR, H.E., 91, 382P
- - - see CONNOR, H.E., 92, 757P
- - - see HUMPHREY, P.P.A., 92, 616P
- - - see SUMNER, M.J., 92, 574P
- FENIUK, W., HUMPHREY, P.P.A. & PERREN, M.J. Selective vasoconstrictor action of GR 43175 on arteriovenous anastomoses (AVAS) in the anaesthetised cat, 92, 756P
- FERGUSON, D.R. see HARRISON, S.C.W., 91, 509P
- - - see LEWIS, N.P., 90, 168P
- - - see LEWIS, N.P., 90, 169P
- - - see LEWIS, N.P., 92, 743P
- FERRARI, P., LEVRIER, J. & LLOYD, K.G. Comparison of zolpidem with diazepam hypnotics on respiratory function in the rat, 90, 236P
- FERRARI, R.A. see BAIZMAN, E.R., 90, 66P
- FERREIRA, S.H. see LORENZETTI, B.B., 90, 69P
- FERRENDON, P. see ARMSTRONG, J.M., 91, 395P
- FERRES, H. see FEARS, R., 91, 462P
- FERRY, D. see ARMAH, I.B., 90, 27P
- FICHELE, J. see BROWN, N.L., 90, 203P
- FILE, S.E. see BALDWIN, H.A., 92, 536P
- - - see CURLE, P.F., 92, 654P
- - - see FARABOLLINI, F., 90, 263P
- FILE, S.E. & PELLOW, S. Low doses of benzodiazepine receptor inverse agonists enhance, and high doses impair, passive avoidance learning in rats, 90, 264P
- FILE, S.E., JOHNSTON, A.L. & PELLOW, S. Effects of compounds acting at CNS 5-hydroxytryptamine systems on anxiety in the rat, 90, 265P
- FILE, S.E., MARTIN, I.L. & WILKS, L. A between-strain comparison of anticonvulsant effects of oxazepam suggests differences in GABA-benzodiazepine coupling, 91, 509P
- FILIPOWICZ, B. see BHASKAR, N.K., 90, 52P
- FILLENZ, M. see ALBERY, W.J., 92, 608P
- - - see CHOWDHURY, M., 92, 792P
- FILLENZ, M. & PEI, Q. TPA increases 5-hydroxytryptamine synthesis in rat hippocampal and hypothalamic synaptosomes, 92, 675P
- FINBERG, J.P.M. & YODIM, M.B.H. Buspirone potentiates contractile response of vas deferens to field stimulation, 90, 104P
- FINCHAM, N.J. see CAMP, R.D.R., 92, 523P
- FINE, A. see OERTEL, W.H., 92, 611P
- FITZGERALD, M.F., LEES, I.W., PARENTE, L. & PAYNE, A.N. Exposure to PAF-acether aerosol induces airway hyperresponsiveness to 5-HT in guinea-pigs, 90, 112P
- FITZGERALD, M.F., PARENTE, L., PAYNE, A.N. & WHITTLE, B.J.R. Pharmacolog-

- ical actions of PAF-acether in guinea-pig isolated perfused lungs and alveolar macrophages, 91, 412P
- FITZPATRICK, F.T.A. & GREENSTEIN, B.D. Dihydrotestosterone potentiates oestradiol-induced thymus atrophy in male rats, 92, 527P
- FLAVAHAN, N.A., VOS, A.A.A.M. & VANHOUTTE, P.M. Subclassification of α_1 -adrenoceptors mediating contraction of the canine pulmonary artery, 91, 331P
- FLETCHER, A.E., MCKNIGHT, A.T. & MAGUIRE, J.J. The use of [Glp⁶,L-Pro⁹]SP-(6-11) and [Glp⁶,D-Pro⁹]SP-(6-11) to distinguish receptors for tachykinins, 90, 266P
- FLETCHER, G.H. & STARR, M.S. Role of the substantia nigra in the expression of dopamine D₁ and D₂ behaviours, 91, 437P
- FLOWER, R.J. see BUCKINGHAM, J.C., 91, 487P
- - - see CIRINO, G., 92, 521P
- - - see PEERS, S.H., 92, 628P
- FLUCKIGER, J.P. see ATKINSON, J., 90, 192P
- FOLLENFANT, M.J. see ALLAN, G., 92, 571P
- - - see CAMBRIDGE, D., 92, 570P
- FOLLENFANT, R.L., HARDY, G.W., LOWE, L.A. & SMITH, T.W. Antinociceptive effects of a novel, peripheral acting peptide, Tyr.D.Arg.Gly.Phe[4-NO₂].Pro.NH₂ (443C). 90, 68P
- FONE, K.C.F., DIX, P., BENNETT, G.W. & MARSDEN, C.A. Chronic intrathecal TRH analogue (CG 3509) alters wet-dog shakes, spinal cord choline acetyltransferase and indoleamine levels, 91, 434P
- FONE, K.C.F., JOHNSON, J.V., BENNETT, G.W. & MARSDEN, C.A. Serotonergic involvement in the behaviours produced by intrathecal TRH analogue (CG3509), 92, 670P
- FORD, A.P.D.W. & MARSDEN, C.A. Selective mesolimbic neurochemical responsiveness to neurotensin microinjection into rat mesencephalic dopamine cell bodies, 90, 237P
- FORD, A.P.D.W., PEPPER, J.M., BENNETT, G.W. & MARSDEN, C.A. Chronic cerebroventricular infusion of neurotensin antiserum enhances mesolimbic dopamine function in the rat, 92, 588P
- FORDER, R.A. see CAREY, F., 91, 404P
- FORMUKONG, E.A., LEE, C.R., ROBERTS, M.F., EVANS, A.T. & EVANS, F.J. Cannabinoids, the active constituents of *cannabis sativa* L. inhibit both human and rabbit platelet aggregation, 92, 601P
- FORREST, J.D. see CARROLL, J.A., 92, 689P
- FORSTER, M.R. see BHOOLA, K.D., 90, 15P
- FORTUNE, D.H. see BRITTAIN, R.T., 90, 87P
- FOSCHI, D. see BENONI, G., 90, 99P
- FOSTER, A.C. see GILL, R., 91, 311P
- - - see KEMP, J.A., 91, 314P
- FOSTER, A.C., GILL, R., IVERSEN, L.L. & WOODRUFF, G.N. Systemic administration of MK-801 protects against ischaemia-induced hippocampal neurodegeneration in the gerbil, 90, 9P
- FOSTER, A.C., GILL, R. & WOODRUFF, G.N. MK-801 prevents degeneration of striatal neurones caused by intrastriatal injection of quinolinic acid, 90, 7P
- FOSTER, C.D. & BRADING, A.F. The effect of potassium channel antagonists on the BRL 34915 activated potassium channel in guinea-pig bladder, 92, 751P
- FOSTER, G.A. see ROBERTS, M.H.T., 91, 308P
- FOSTER, M., HORNBY, E.J. & PERRY, C. Adenosine analogues as inhibitors of human platelet aggregation, 92, 736P
- FOSTER, R.W. see BOYLE, J.P., 91, 491P
- FOSTER, S.J. see AKED, D.M., 90, 58P
- - - see AKED, D.M., 90, 235P
- FOTSIS, T. see ADLERCREUTZ, H., 90, 189P
- FOUDA, A.K. see ATKINSON, J., 90, 192P
- - - see ATKINSON, J., 90, 194P
- - - see ATKINSON, J., 90, 195P
- FOWLER, K. see ATTERWILL, C.K., 91, 470P
- FOX, A.J. see HALL, J.M., 91, 475P
- FOX, A.J., HALL, J.M. & MORTON, I.K.M. Neuromodulatory actions of bombesin-related neuromedins in the vas deferens preparation, 90, 136P
- FOZARD, J.R., HIBERT, M., KIDD, E.J., MIDDLEMISS, D.N., MIR, A.K. & TRICKLEBANK, M.D. MDL 72832: a potent, selective and stereospecific ligand for 5-HT_{1A} receptors, 90, 265P
- FOZARD, J.R. & MIR, A.K. Are 5-HT receptors involved in the antihypertensive effects of urapidil? 90, 24P

- FRACASSO, E. see BENONI, G., 90, 99P
 FRACASSO, M.E. see DEL SOLDATO, P., 92, 525P
- FRANCIS, G.R., GLEN, A.E. & MCCLELLAND, C.M. Multichannel analysis of gastrointestinal electrical spiking activity, 91, 505P
- FRANCIS, L. see BYWATER, L., 92, 721P
- FRANKLIN, T.G. & TRAYNOR, J.R. Action of phenoxybenzamine at the μ -opioid binding site, 92, 740P
- FRAZER, C.E. & RITTER, J.M. Recovery of endothelial prostacyclin synthesis after inhibition by aspirin, effects of cycloheximide and epidermal growth factor, 90, 63P
- FREEDMAN, S.B. see CAMPBELL, N., 90, 155P
- FREEDMAN, S.B., HARLEY, E. & IVERSEN, L. L. NMS/Oxo-M ratio, a binding assay designed to predict efficacy at muscarinic receptors, 90, 80P
- FREEMAN, A.J. see DODDS, M.G., 91, 377P
- FREEMAN, P.C. & O'CALLAGHAN, P. Decreased bioavailable copper in rat and human arthritic plasma - a rationale for copper therapy, 90, 49P
- FRENKEN, M. & KAUMANN, A.J. ICI 169,369 is both a competitive antagonist and an allosteric modulator of arterial 5-HT₂ receptors, 91, 350P
- FUJII, K. An electrophysiological investigation of the mechanism of action of BRL 34915 on the guinea-pig bladder, 92, 750P
- FULLER, R.W. see BARNES, P.J., 90, 100P
- - - see BENJAMIN, N., 90, 39P
- - - see DOLLERY, C.T., 90, 34P
- FURMAN, B.L. see GRAY, G.A., 92, 644P
- FURMAN, B.L., SIDEY, F.M. & WARDLAW, A.C. Acute hyperinsulinaemia following ether exposure after α -adrenoceptor blockade or adrenal demedullation, 90, 50P
- FURMAN, B.L. & SMITH, M. Effect of benextramine on the inhibitory actions of adrenaline secretion in vitro, 90, 172P
- GAAL, J., HARSING, L.G., SOMOGYI, G.T., SZABO, L., SZANTAY, Cs., TOTH, I., & VIZI, E.S. CH-38083, a highly selective α_2 -adrenoceptor antagonist, 90, 71P
- GADIE, B. see DICKINSON, S.L., 91, 415P
- GAFFEN, J.D. see BENNETT, A., 90, 98P
- GALE, R., LITTLE, H.J., NUTT, D.J., STANDING, B. & TAYLOR, S.C. The effects of chronic benzodiazepine treatment on the hypothermic actions of benzodiazepine inverse agonists, 90, 270P
- GALINOVSKI, A. see GALZIN, A.M., 92, 577P
- GALTON, S.A. & PIPER, P.J. Release of leukotrienes from porcine pulmonary artery by PAF and FMLP, 91, 411P
- GALVAN, M., KUPSCH, A. & TEN BRUGGEN-CATE, G. Actions of MPTP and MPP⁺ on guinea-pig hippocampal neurones in vitro, 91, 310P
- GALZIN, A.M. see RAMDINE, R., 92, 566P
- GALZIN, A-M., LANGER, S.Z. & RAMDINE, R. Interaction between forskolin and the α_2 -adrenoceptor-mediated inhibition of the electrically-evoked release of [³H]-5HT and [³H]-NA, 90, 72P
- GALZIN, A.M., BENHADJALI, B., SCHOEMAKER, H., SECHTER, D., GALINOVSKI, A., POIRIER, M.F., LOO, H. & LANGER, S.Z. Absence of a circadian rhythm in the Bmax of [³H]-imipramine binding in platelets from healthy volunteers during winter, 92, 577P
- GARCIA-SEVILLA, J.A. & GIRALT, M.T. Regulation of α_2 -adrenoceptors after manipulation of noradrenergic transmission in the rat brain, 91, 452P
- GARDINER, D.G. see QUINN, P., 90, 161P
- GARDINER, P.J. see CUTHBERT, N.J., 91, 408P
- GARDINER, P.J., JONES, R.L., MCKENNIFF, M., NORMAN, P. & RODGER, I. Prostanoid contractile receptors on guinea-pig and human airways, 91, 363P
- GARDINER, S.M. see HARLAND, D., 91, 353P
- GARDINER, S.M. & BENNETT, T. Regional haemodynamic effects of β -adrenoceptor antagonism in conscious, unrestrained, Long Evans rats, 92, 771P
- GARDINER, S.M., COMPTON, A.M. & BENNETT, T. Regional haemodynamic effects of rat calcitonin gene-related peptide (rat-CGRP) in conscious, unrestrained Brattleboro rats, 92, 568P
- GARDNER, C.J. see DODDS, M.G., 91, 377P

- GARDNER, C.R., DEACON, R., GUY, A.P. & MANN, G. RU 31719, a new benzodiazepine receptor ligand with benzodiazepine-like tranquilising effects, 92, 534P
- GARDNER, C.R., DEACON, R., MANN, G., BUDRAM, P. & GUY, A.P. Agonist and antagonist effects of RU 32514, a new non-benzodiazepine ligand for benzodiazepine receptors, 92, 655P
- GARDNER, C.R., DEACON, R., GUY, A.P., MANN, G., BUDHRAM, P. & MILLER, P. RU 32698, a new benzodiazepine receptor ligand with anxiolytic but little sedative/myorelaxant properties, 92, 537P
- GARDNER, C.R. & GUY, A.P. Different effects on leptazol seizures in rats or mice of RU 32514, a new benzodiazepine receptor ligand, 92, 656P
- GARDNER, C.R., GUY, A.P. & JAMES, V. Opposite effects of 5-HT₁ and 5-HT₂ agonists on suprahypoid muscle twitching, 91, 471P
- GARDNER, N.J. see ASHFORD, M.L.J., 91, 301P
- GATER, P.R., ALABASTER, V.A. & PIPER, I. Study of muscarinic receptors mediating mucus secretion in cat trachea, 91, 498P
- GAW, A.J., HUMPHREY, P.P.A. & WADSWORTH, R.M. A comparison of the effects of noradrenaline on sheep basilar and middle cerebral arteries, 92, 762P
- GEARING, A.J.H. see CAMP, R.D.R., 92, 523P
- GEE, A.S., BARRAND, M.A. & CALLINGHAM, B.A. Metabolism of the pyrone maltol during intestinal absorption of an iron-maltol complex in the rat, 91, 477P
- GEE, N.S. see ASPLEY, S., 91, 303P
- GEORGE, P. see ARBILLA, S., 92, 538P
- GIBB, W.R. see UEKI, A., 92, 701P
- GILBERT, F. see COUGHLAN, J., 91, 423P
- - - see DOURISH, C.T., 91, 425P
- GILBERT, F., STAHL, S.M. & TRICKLEBANK, M.D. Characterisation of the 5-HT receptor subtype mediating ACTH release in the rat, 91, 495P
- GILL, R. see FOSTER, A.C., 90, 7P
- - - see FOSTER, A.C., 90, 9P
- GILL, R., FOSTER, A.C. & WOODRUFF, G.N. Systemic administration of MK-801 protects against ischaemic neuropathology in rats, 91, 311P
- GIRALT, M.T. see GARCIA-SEVILLA, J.A., 91, 452P
- GLÉN, A.E. see FRANCIS, G.R., 91, 505P
- GLINZ, R., MOHLER, H., RICHARDS, J.G. & SEQUIER, J.M. In vivo binding characteristics of benzodiazepine receptor ligands in mouse brain: quantitative autoradiography and image analysis, 90, 121P
- GLOVER, V. see CLOW, A., 90, 122P
- - - see WILLOUGHBY, J., 92, 681P
- GOBERT, J.G., GOWER, A.J., HANIN, I., JAMSIN, P., ROUSSEAU, D. & WULFERT, E. AF64A induced impairment of Morris water maze and hyperactivity in the rat at doses which do not cause widespread necrosis, 91, 448P
- GODFRAIND, T. see EGLEME, C., 91, 398P
- GODFREY, P.P. see WATSON, S.P., 92, 742P
- GODFREY, P.P., GRAHAME-SMITH, D.G., GRAY, J.A. & MCCLUE, S.J. GABA_B receptor mediated inhibition of 5-HT stimulated phosphatidylinositol turnover in mouse cerebral cortex, 90, 251P
- GODFREY, P.P., GRAHAME-SMITH, D.G., HEAL, D.J., MCCLUE, S.J. & YOUNG, M.M. 5-HT stimulated PI turnover does not reflect altered 5-HT₂ function after antidepressants or neurochemical lesioning, 90, 76P
- GODFREY, P.P., HEAL, D.J., MCCLUE, S.J. & YOUNG, M.M. The pharmacological characterisation of 5-HT mediated phosphoinositide turnover in mouse cortex, 90, 253P
- GODSON, C. & RYAN, M.P. Effects of gentamicin on calcium transport in rat renal brush border membrane vesicles, 91, 490P
- GONZALES, R.G., VERSLUIJS-BROERS, J.A.M. & VAN WILGENBURG, H. Atropine reduces the decay phase of giant potentials induced by eserine in the rat neuromuscular junction, 90, 134P
- GOODERHAM, R. see BRANDON, D.R., 91, 403P
- GOROG, P. Inhibitory effect of mucopolysaccharide polysulphate on laser-induced microvascular thrombosis, 90, 47P
- GOWER, A.J. see GOBERT, J.G., 91, 448P
- GRAHAM, D. see ARBILLA, S., 90, 84P
- GRAHAM, D.J.M. see CUTLER, M.G., 92, 704P
- GRAHAM, W.C., WOODRUFF, G.N. & CROSSMAN, A.R. [³H]-sulpiride autoradiography in control rat and monkey brains and in those lesioned

- with 6-OHDA and MPTP respectively, 91, 306P
- GRAHAME-SMITH, D.G. see ANDERSON, S.M. P., 92, 699P
- - - see BOULLIN, D.J., 92, 607P
- - - see ELPHICK, M., 92, 665P
- - - see GODFREY, P.P., 90, 76P
- - - see GODFREY, P.P., 90, 251P
- - - see SHARP, T., 92, 666P
- - - see WOOD, A.J., 92, 579P
- GRANDORDY, B. see KIOUMIS, I., 92, 592P
- GRANT, A. & ZEITLIN, I.J. Actions of some analogues of bradykinin on rat paw oedema, 91, 464P
- - - The effects of some analogues of bradykinin on bradykinin-induced rat paw swelling, 92, 626P
- GRANT, T.L. see THORPE, K.A., 92, 781P
- GRANT, T.L. & TODD, M.H. In vitro effects of calcium antagonists on adrenergic responses in canine saphenous vein and rat thoracic aorta, 91, 396P
- GRAY, G.A., FURMAN, B.L. & PARRATT, J.R. Endotoxin-induced impairment of vascular reactivity in the pithed rat, 92, 644P
- GRAY, J.A. see GODFREY, P.P., 90, 251P
- - - see MITCHELL, S.N., 91, 430P
- GREAVES, M.W. see WOOLLARD, P.M., 92, 524P
- GREENIDGE, E. see HAYTER, A.P., 91, 460P
- GREENIDGE, E., SUER, A.H., TUGWELL, A.C. & WALI, F.A. Local anaesthetics inhibit influx of K⁺, Na⁺ and Ca²⁺ into rat isolated ileum, 90, 213P
- - - Effect of verapamil on the contractions produced by high potassium and noradrenaline in human isolated saphenous vein, 90, 221P
- GREENSTEIN, B.D. see FITZPATRICK, F.T. A., 92, 527P
- GREENTREE, S.G. & PERTWEE, R.G. Flurazepam enhances the ability of δ -9-tetrahydrocannabinol to induce catalepsy in mice, 92, 539P
- GRENFELL, S.J. see ALBANO, J.D.M., 91, 296P
- GRIESBACHER, T. see LEMBECK, F., 91, 295P
- GRIFFITHS, H.L. see COOK, N.S., 90, 130P
- GRIMWOOD, S. see KEMP, J.A., 91, 314P
- GRISTWOOD, R.W. see COMER, M.B., 92, 754P
- - - see REEVES, M.L., 92, 773P
- GRISTWOOD, R.W. & ROTHUL, A.L. The effects of epinine on human cardiac action potential characteristics, 91, 389P
- GRISTWOOD, R.W. & SAMPFORD, K.A. Inhibition of histamine-induced bronchoconstriction by SK&F 94836, salbutamol and theophylline in anaesthetised guinea-pigs, 92, 631P
- GROBANS, A., MUSCHOLL, E. & RACKE, K. Presynaptic autoreceptors regulate release of endogenous dopamine (DA) in both lobes of the rat neuro-intermediate lobe (NIL), 90, 162P
- GROSS, G., HANFT, G. & KOLASSA, N. Derivatives of urapidil with hypotensive properties and high affinity for 5-HT_{1A} receptors, 92, 753P
- GROWCOTT, J.W. see BLACKBURN, T.P., 90, 276P
- - - see CAREY, F., 90, 177P
- GROWCOTT, J.W., BLACKBURN, T.P. & COX, B. Evidence for dissimilarity between 5-HT₁ like receptors in the guinea-pig ileum and rat fundic strip, 92, 720P
- GUARD, S., WATLING, K.J. & WATSON, S. P. Neurokinin-3 receptors are linked to inositol phospholipid hydrolysis in the guinea-pig ileum, 92, 586P
- GUARNER, F. see BLACKWELL, G.J., 90, 53P
- GUMBLETON, M., NICHOLLS, P.J. & TAYLOR, G. The influence of some laboratory anaesthetics on renal haemodynamics: significance in pharmacokinetic studies, 91, 468P
- - - Laboratory anaesthetics and plasma renin activity in the rat, 92, 725P
- GUNNING, S.J. see COSTALL, B., 90, 90P
- GUNNING, S.J., HAGAN, R.M. & TYERS, M.B. Cisplatin induces biochemical and histological changes in the small intestine of the ferret, 90, 135P
- GUNNING, S.J. & HUMPHREY, P.P.A. Evidence for 5-HT₃-receptor mediated release of an inhibitory transmitter in guinea-pig isolated ileum, 91, 359P
- GUPPY, L.J. & LITTLETON, J.M. Increased [³H]-dihydropyridine binding sites in brain, heart and smooth muscle of ethanol dependent rats, 92, 662P
- GUPTA, P., MARKHAM, A. & MORGAN, R.M. Flufenamic acid modifies NADH-linked substrate oxidation and calcium-stimulated respiration in guinea-pig lung mitochondria, 90, 187P

- GURDEN, J.M. see AKERS, I.A., 91, 383P
 - - - see ANAND, I.S., 92, 785P
 GURDEN, M.F. see BHALLA, P., 92, 787P
 GURDEN, M.F., BHALLA, P. & KENNEDY, I. Is PD116, 948 a selective adenosine A₁ receptor antagonist? 92, 788P
 GUTH, P.H., MORISHITA, T., OHYA, Y. & WHITTLE, B.J.R. Actions of platelet-activating factor (PAF) on the rat gastric microcirculation, 90, 115P
 GUY, A.P. see GARDNER, C.R., 91, 471P
 - - - see GARDNER, C.R., 92, 534P
 - - - see GARDNER, C.R., 92, 537P
 - - - see GARDNER, C.R., 92, 655P
 - - - see GARDNER, C.R., 92, 656P
- HABERT, E. see ARBILLA, S., 90, 84P
 HACKER, S.A. see BEER, M.S., 90, 292P
 HAGAN, R. see BRITTAİN, R.T., 90, 87P
 - - - see GUNNING, S.J., 90, 135P
 HAIKALA, H. see AHTEE, L., 91, 440P
 HALES, C.N. see ASHFORD, M.L.J., 91, 301P
 HALL, J.M. see CARTER, T.D., 90, 137P
 - - - see FOX, A.J., 90, 136P
 HALL, J.M., FOX, A.J. & MORTON, I.K.M. Characterisation of tachykinin receptors in the vas deferens preparation of the guinea-pig, 91, 475P
 HALL, M.D. see BERESFORD, I.J.M., 92, 686P
 - - - see CLARK, C.R., 90, 4P
 HALLAM, T.J. Thrombin stimulates the influx of divalent cations into human umbilical vein endothelial cells loaded with fura-2, 91, 371P
 HALLIDAY, J. see BRIGGS, A.D., 91, 388P
 HALLIS, K. see ANDERSON, S.M.P., 92, 699P
 HAMBLETON, P., CHANDLER, J. & MILLER, P. Inhibition of acute cellular accumulation by catalase, 92, 625P
 HAMILTON, C.A. see BROWN, A.D., 91, 330P
 HAMILTON, R. see BRANCH, R.A., 92, 558P
 HANAHOE, T.H.P. see COHEN, D.L., 90, 101P
 HANDLEY, S.L. see CRITCHLEY, M.A.E., 92, 659P
 - - - see CRITCHLEY, M.A.E., 92, 660P
 HANFT, G. see GROSS, G., 92, 753P
 HANIN, I. see GOBERT, J.G., 91, 448P
 HANLEY, M.R. see HARRISON, S.C.W., 91, 509P
 HARDY, G.W. see ALLAN, G., 92, 571P
- HARDY, G.W. see FOLLENFANT, R.L., 90, 68P
 HARDY, J.A. see ELLIOTT, J.M., 91, 483P
 HARLAND, D., GARDINER, S.M. & BENNETT, T. Cardiovascular effects of ICV or intracisternal (IC) vasopressin (AVP) in conscious Long Evans and Brattleboro rats, 91, 353P
 HARLEY, E. see CAMPBELL, N., 90, 155P
 - - - see FREEDMAN, S.B., 90, 80P
 HARPER, J.C. & LITTLETON, J.M. Putative alcohol dependence in adrenal cell cultures: relation to Ca²⁺ channel activity, 92, 661P
 HARRIS, N.C. & RYALL, R.W. The effect of topically applied mustard oil on responses of nociceptive dorsal horn neurones in the rat, 91, 316P
 HARRISON, S.C.W., HANLEY, M.R. & FERGUSON, D.R. The effect of capsaicin on the rabbit urinary bladder, 91, 509P
 HARRON, D.W.G. see ALLEN, J.D., 90, 23P
 HARROW, D.W.G. & UPRICHARD, A.C.G. Are cimetidine and ranitidine proarrhythmic? 91, 325P
 HARSING, L.G. see GAAL, J., 90, 71P
 HART, S.L. & OLUYOMI, A.O. Histamine and stress-induced antinociception in the mouse, 92, 707P
 HARTLEY, R.W. see BALL, D.I., 90, 150P
 HARVEY, D.J. see BROWN, N.K., 92, 724P
 HARVEY, J. see BARTON, H.J., 90, 223P
 HASS, W.K. see ALPS, B.J., 91, 312P
 HATT, P.A., SMITH, H. & SPICER, B.A. The failure of platelet activating factor (PAF-acether) to produce diapedesis in the rat despite leucocyte stimulation, 92, 518P
 HATTON, R. see BLACKBURN, T.P., 90, 276P
 HAUBRICH, D.R. see BAIZMAN, E.R., 90, 66P
 HAWCOCK, A.B. & ROBERTS, F.F. Comparison of the activities of muscarinic agonists on rabbit thoracic aorta preparations, 92, 722P
 HAWKEY, C.J. see BHASKAR, N.K., 90, 52P
 HAWKSWORTH, G.M. see PENNINGTON, J., 92, 729P
 HAWORTH, D. see CAREY, F., 91, 404P
 - - - see CAREY, F., 91, 478P

- HAWORTH, D. see CAREY, F., 92, 629P
 - - - see CREBA, J.A., 92, 627P
 HAWTHORN, J. see ANDREWS, P.L.R., 91, 417P
 HAY, D.W.P. see FARMER, S.G., 90, 292P
 HAYES, A.G. see BIRCH, P.J., 91, 472P
 - - - see BIRCH, P.J., 92, 587P
 HAYES, R.J. see ELLIOTT, J.M., 91, 483P
 HAYTER, A.P. see WALI, F.A., 92, 717P
 HAYTER, A.P., WALI, F.A., SUER, A.H., TUGWELL, A.C. & GREENIDGE, E. The effect of ethanol on tone and contractility of rat isolated ileum, 91, 460P
 HAYWARD, J. see BOGGETT, D., 92, 789P
 HEAL, D.J. see ATTERWILL, C.K., 92, 671P
 - - - see GODFREY, P.P., 90, 76P
 - - - see GODFREY, P.P., 90, 253P
 - - - see SMITH, S.L., 91, 414P
 - - - see SMITH, S.L., 92, 672P
 HEAL, D.J., BRISTOW, L.J. & ELLIOTT, J. M. Comparison of α_2 - and β -adrenoceptor function in male and female rats and effects of repeated administration of ECS or desipramine, 92, 578P
 HEAPY, C.G., JAMIESON, A. & RUSSELL, N. J.W. Afferent C-fibre and A- δ activity in models of inflammation, 90, 164P
 HELLEWELL, P.G. see SEALE, J.P., 92, 634P
 HELLEWELL, P.G., JOSE, P.J. & WILLIAMS, T.J. Mediators of IGE-dependent local anaphylactic reactions in rabbit skin, 91, 317P
 HENDERSON, B., HIGGS, G.A., MONCADA, S. & PETTIPHER, E.R. Effect of leucopaenia on the development of antigen-induced arthritis, 91, 366P
 HENDERSON, C.G. see ELLIS, P., 91, 392P
 HENDERSON, G. & ROGERS, H. μ and δ but not κ , opioid agonists depress synaptic transmission in the mouse hypogastric ganglion, 91, 298P
 HENDRIE, C.A. Evidence to suggest that reduced analgesic efficacy of morphine may reflect tolerance to endogenous opioids in aged mice, 91, 419P
 HENDRIE, C.A. see COSTALL, B., 90, 257P
 HERDON, H. & NAHORSKI, S.R. Effects of dihydropyridines and forskolin on K^+ -induced or electrically-evoked endogenous dopamine release from rat striatal slices, 91, 334P
 HEREPATH, M.L. see BROADLEY, K.J., 90, 197P
 - - - see BROADLEY, K.J., 91, 379P
 HEREPATH, M.L. & BFOADLEY, K.J. An examination of whether β_2 -adrenoceptors of isolated lung are desensitized by isoprenaline and dopexamine hydrochloride, 92, 747P
 HERMAN, A.G., JORDAENS, F.G., VAN HOVE, C.E. & VERBEUREN, T.J. Adrenergic serotonergic and EDRF-mediated responses in the athero-sclerotic thoracic aorta of the rabbit, 90, 19P
 HERMANSEN, K. see CHRISTOFFERSEN, P. S., 92, 730P
 HERON, J.R.M. see CAREY, F., 92, 629P
 HERSOM, A.S. & MACKENZIE, J.E. Opioid receptors involved in emesis in the dog, 92, 648P
 HEWICK, D.S., JOHNSTON, P. & STEVENSON, I.H. The effect of digoxin specific-Fab fragments on digoxin elimination in the rat, 90, 178P
 HEWITT, G.M., WALKER, R.J. & WANN, K. T. Actions of avermectin MD 936 (AVM) on γ -aminobutyric acid (GABA) inhibition and bioelectric potential of ascaris muscle, 92, 673P
 HEWITT, L. see CROSS, A.J., 90, 244P
 HEWSON, G., LEIGHTON, G.E., HILL, R.G. & HUGHES, J. Effects of the cholecystokinin receptor antagonist L364, 718 on food intake in the rat, 91, 424P
 HEYNIS, J.B. see BODDEKE, H.W.G.M., 90, 29P
 - - - see BODDEKE, H.W.G.M., 90, 131P
 HIBERT, M. see FOZARD, J.R., 90, 273P
 HICKLING, N.E. see WARREN, J.B., 92, 792P
 HICKS, P.E. Relative antagonist selectivity of buspirone on the cardiovascular effects of 5-HT_{1A}, DA₂ and α_2 -receptor agonists, 91, 502P
 HICKS, P.E. see DONATO DI PAOLO, E. 92, 752P
 HIGGINS, A.J. see BUSCH, U., 90, 181P
 - - - see CRIDDLE, D.N., 92, 758P
 HIGGINS, G.A., JONES, B.J., OAKLEY, N. R. Compounds selective for the 5-HT_{1A} receptors have anxiolytic effects when injected into the dorsal raphe nucleus of the rat, 92, 658P

- HIGGS, G.A. see HENDERSON, B., 91, 366P
- HILEY, C.R. see ASHBY, M.J., 91, 375P
 - - - see BROWN, M.J., 90, 284P
- HILEY, C.R., PHOON, C.K.L. & THOMAS, G. R. Acetylcholine vasorelaxation in superior mesenteric arterial bed of the rat is endothelium-dependent and sensitive to antioxidants, 91, 378P
- HILDITCH, A. see CLARK, K.L., 90, 25P
- HILEY, C.R. & THOMAS, G.R. Effects of intracerebro-ventricular bradykinin on cardiac output and tissue blood flow in anaesthetised rats, 90, 163P
- HILL, D. see CAMPBELL, N., 90, 155P
 - - - see CAMPBELL, N., 92, 583P
- HILL, J.M. see BRITAIN, R.T., 90, 87P
- HILL, R.G. see BERESFORD, I.J.M., 92, 686P
 - - - see BIRCHMORE, B., 91, 299P
 - - - see BODEN, P., 92, 585P
 - - - see DAVIES, A., 90, 282P
 - - - see HEWSON, G., 91, 424P
 - - - see LEIGHTON, G.E., 91, 433P
 - - - see SHARIF, N.A., 92, 533P
- HILL, R.G., HUGHES, J., LEIGHTON, G.E. & RODRIGUEZ, R.E. The κ agonists U50488 and U69593 produce antinociception after ICV and peripheral but not intrathecal administration in the rat, 90, 281P
- HILL, R.G., HUGHES, J., MEECHAM, K.G. & WIDE, J.M. The effects of the κ -receptor agonist U50488 on the cerebral blood flow of the urethane anaesthetised rat, 90, 283P
- HILL, S.J. see BROWN, A.M., 91, 442P
 - - - see DONALDSON, J., 92, 581P
- HILL, S.J. & KENDALL, D.A. Adenosine inhibits histamine-induced inositol phospholipid hydrolysis in mouse cerebral cortex slices, 90, 77P
- HILLIER, K. see BENYON, R.C., 90, 158P
- HODGSON, W.C. see BOURA, A.L.A., 92, 513P
- HOF, R.P. see COOK, N.S., 90, 130P
 - - - see COOK, N.S., 90, 198P
- HOLDEN-DYE, L. & WALKER, R.J. Caesium ions diminish the dopamine induced hyperpolarisations in identified helix aspersa neurons, 92, 676P
- HOLGATE, S.T. see CHURCH, M.K., 90, 30P
 - - - see HUTSON, P.A., 92, 598P
 - - - see ROBINSON, C., 92, 516P
- HOLLAND, A., MEHMET, M., PEH, K.H., SACRE, P., THORNTON, P.C. & WAN, B.Y. C. Balsalazide does not share sulphasalazine-induced infertility in male rats, 90, 176P
- HOLLAND, C.W. see ATTERWILL, C.K., 92, 671P
- HOLLINGSWORTH, M. see EDWARDS, D., 90, 129P
- HOLMAN, J.J. see AL-KAZWINI, S.J., 90, 37P
 - - - see AL-KAZWINI, S.J., 90, 220P
 - - - see MARSHALL, I., 91, 354P
- HOLMES, M.J.G. see DE'BRITO, F.B., 91, 465P
- HOLMES, S.W. Resting plasma angiotensin converting enzyme activity in several species, 92, 784P
- HOLZBAUER, M., RACKE, K. & SHARMAN, D. F. GABA receptor-mediated inhibition of release of 5-hydroxytryptamine (5-HT) from the intermediate lobe of the rat hypophysis, 90, 124P
- HOLZER, P. see LIPPE, I.Th., 92, 529P
- HOLZER, P., MATUSAK, O. & BARTHO, L. Calcitonin gene-related peptide inhibits a distinct neural pathway supplying intestinal circular muscle, 92, 567P
- HOLZIER-PETSCH, U., SEITZ, H. & LEMBECK, F. Vagal nerve fibres influence responses of rat stomach to neurokinin A, 92, 716P
- HOOD, W.F., LANTHORN, T.H., MICHEL, J., MONAHAN, J.B., PULLAN, L.M. & RADER, R.K. Effects of γ -carboxyglutamic acid at acidic amino acid receptors and recognition sites, 91, 445P
- HOOKE, R.E. see CAMBRIDGE, H., 92, 623P
- HOPCROFT, R.H. see BUCKETT, W.R., 90, 261P
 - - - see LUSCOMBE, G.P., 92, 575P
- HORNBY, E.J. see FOSTER, M., 92, 736P
- HORNE, A.L. & SIMMONDS, M.A. Comparison of the excitatory amino acids quisqualate and AMPA in slices of rat cerebral cortex, 92, 543P
- HORTON, R.W. see CHEETHAM, S.C., 90, 286P
 - - - see CHIVERS, J.K., 90, 123P
 - - - see CROSS, J.A., 91, 341P
 - - - see CROSS, J.A., 92, 576P
- HORTON, R.W., JAZRAWI, S.P. & YAMAGUCHI, Y. 5-HT₂ binding sites in mice susceptible (DBA/2J) and resistant (C57/B16) to audiogenic seizures, 90, 82P
- HORWELL, D.C. see BIRCHMORE, B., 91, 299P
 - - - see LEIGHTON, G.E., 91, 433P
- HOULT, J.R.S. see BACON, K.B., 91, 322P

- HOULT, J.R.S. see PHILLIPS, J.A., 92, 621P
- HOULT, J.R.S. & PHILLIPS, J.A. Different involvement of calcium in PGE₂ generation and transepithelial p.d. in colon of rat versus rabbit, 90, 222P
- HOWARTH, A. see AKED, D.M., 90, 235P
- HOWELLS, R.E. see BRAITHWAITE, I.M., 91, 488P
- HOWLETT, D.R. Effects of BRL 34915, nicorandil and sodium nitroprusside on calcium efflux and cyclic GMP accumulation in rabbit vascular tissue, 92, 767P
- HOWLETT, D.R. & COLDWELL, M.C. BRL 34915 induced potassium channel activation: dependence on calcium ions for closing, 91, 400P
- HOYER, D. Interactions of lisuride with serotonin (5-HT_{1A}) receptors, 90, 92P
- HOYER, D., WAEBER, C. & PALACIOS, J.M. Identification of a 5HT₁ recognition site in pig and human brain different from 5-HT_{1A}, 5-HT_{1B} and 5-HT_{1C}, 92, 561P
- HUBERT, J.P. see DOBLE, A., 91, 307P
- HUFF, M.M. see EGEN, R.M., 90, 108P
- - - see EGEN, R.M., 90, 157P
- HUGHES, A. & SEVER, P. Demonstration of vascular dopamine receptors on human resistance vasculature, 92, 614P
- HUGHES, B., LONGRIDGE, D.J., EVANS, G.O. & ALLAN, G. Plasma creatine kinase as an indicator of myocardial infarct size in a canine coronary artery occlusion/reperfusion model, 92, 779P
- HUGHES, H. see EDEN, R.J., 91, 380P
- HUGHES, I.E. Computer-simulation of cardiovascular responses from in vivo preparations, 90, 290P
- HUGHES, J. see BERESFORD, I.J.M., 92, 686P
- - - see BIRCHMORE, B., 91, 299P
- - - see CLARK, C.R., 90, 3P
- - - see CLARK, C.R., 90, 4P
- - - see CLARKE, C.R., 90, 75P
- - - see HEWSON, G., 91, 424P
- - - see HILL, R.G., 90, 281P
- - - see HILL, R.G., 90, 283P
- - - see LEIGHTON, G.E., 91, 433P
- - - see LO, W.W.Y., 91, 297P
- - - see SHARIF, N.A., 92, 533P
- HUGHES, R. see RODGERS, J., 91, 374P
- HUMBER, D.C. see BRITTAİN, R.T., 90, 87P
- HUMPHREY, P.P.A. see BRITTAİN, R.T., 90, 87P
- - - see BRITTAİN, R.T., 92, 618P
- - - see CONNOR, H.E., 92, 757P
- - - see FENIUK, W., 92, 756P
- HUMPHREY, P.P.A. see GAW, A.J., 92, 762P
- - - see GUNNING, S.J., 91, 359P
- - - see SUMNER, M.J., 92, 574P
- HUMPHREY, P.P.A., FENIUK, W., PERREN, M.J., OXFORD, A.W., COATES, I.H., BUTINA, D., BRITTAİN, R.T. & JACK, D. GR 43175 - a selective agonist for functional 5-HT₁-like receptors in dog saphenous vein, 92, 616P
- HUNT, S. see OERTEL, W.H., 92, 611P
- HUNTER, A.J., LAZARENO, S.H. & ROBERTS, F.F. The effects of 8-hydroxy-2-(Di-N-propylamino) tetralin (8-OH-DPAT) on spatial learning in the Morris Water Maze task, 90, 246P
- HUNTER, J.C. see BIRCHMORE, B., 91, 299P
- - - see BROWN, J.R., 90, 245P
- - - see SHARIF, N.A., 92, 533P
- HUTCHINSON, P.J.A., MONCADA, S. & PALMER, R.M.J. Comparative pharmacology of EDRF and nitric oxide, 91, 406P
- HUTSON, P.A. see CHURCH, M.K., 90, 30P
- HUTSON, P.A., CHURCH, M.K. & HOLGATE, S.T. Sodium cromoglycate inhibits the late bronchoconstrictor response to ovalbumin in the guinea-pig, 92, 598P
- HUTSON, P.A., DOURISH, C.T. & CURZON, G. Evidence that 8-OH-DPAT induced hyperphagia is mediated by 5-HT_{1A} receptors, 92, 645P
- HUTSON, P.H. see CURZON, G., 90, 93P
- - - see CURZON, G., 91, 509P
- IDLE, J.R. see ELLIOTT, J.M., 91, 483P
- IRELAND, S.J. see BRITTAİN, R.T., 90, 87P
- ITO, H. see BOLT, G.R., 91, 501P
- IVERSEN, L.L. see BEER, M.S., 90, 292P
- - - see FOSTER, A.C., 90, 9P
- - - see FREEDMAN, S.B., 90, 80P
- IVERSEN, S.D. see COUGHLAN, J., 91, 423P
- - - see DOURISH, C.T., 92, 582P
- - - see DOURISH, C.T., 92, 584P
- IVERSEN, S.D., OLES, R.J., SINGH, L. & TRICKLEBANK, M.D. Involvement of the haloperidol-sensitive sigma recognition site in the behaviours induced in the rat by (+)-SKF 10,047, 91, 340P
- IZUMI, T. & BAKHLE, Y.S. Effects of steroids on pulmonary oedema and

- prostaglandin E₂ pharmacokinetics following endotoxin in rats, 91, 405P
- JACK, D. see BRADSHAW, J., 92, 590P
 - - - see BRITTAİN, R.T., 90, 87P
 - - - see BRITTAİN, R.T., 92, 618P
 - - - see HUMPHREY, P.P.A., 92, 616P
 JACKSON, D.M. see BELVISI, M.G., 92, 595P
 - - - see DOLLERY, C.T., 90, 34P
 JACKSON, E.A., JENNER, P. & MARSDEN, C. D. GM-1 ganglioside treatment of rats with a partial unilateral electrolytic lesion of the substantia nigra, 92, 700P
 JACKSON, E.K. see BRANCH, R.A., 92, 558P
 JACKSON, H.C. & KITCHEN, I. A developmental study of κ -opioid induced behaviour in the rat, 91, 432P
 - - -receptor involvement in opioid induced hyperactivity in neonatal rats, 92, 664P
 JACKSON, R.G. see ASPLEY, S., 91, 303P
 JACOBOWITZ, D. see BEN-SHACHAR, D., 90, 2P
 JACOBS, M. & TURNER, M. Inhibition of endothelium-dependent relaxation by compound 48/80 in rat aorta, 92, 792P
 JAMES, V. see GARDNER, C.R., 91, 471P
 JAMIESON, A. see CAREY, F., 92, 629P
 - - - see HEAPY, C.G., 90, 164P
 JAMIESON, A., ROBERTS, M. & RUSSELL, N. J.W. Tachykinin responses in the rabbit iris sphincter muscle, 92, 715P
 JAMIESON, A. & RUSSELL, N.J.W. An analysis of the responses to electrical field stimulation capsaicin or formalin in the rabbit iris sphincter, 90, 48P
 JAMSIN, P. see GOBERT, J.G., 91, 448P
 JANSSENS, W.J., SCHUURKES, J.A.J., VAN NURTEN, J.M. & XHONNEUX, R. 5-HT₂ receptor and α_1 -adrenoceptor interactions may be involved in hypertension in spontaneously hypertensive rats, 90, 191P
 JAP, T.J.W., BODDEKE, H.W.G.M. & VAN ZWIETEN, P.A. Hemodynamic comparison of various calcium entry blockers in the heart-lung preparation (HLP) of the guinea-pig, 90, 217P
 JARRETT, F. see WALSH, L.P., 91, 294P
 JAZRAWI, S.P. see HORTON, R.W., 90, 82P
 JEFFRIES, T.M. see DUNCAN, I., 91, 293P
 JENNER, P. see ALBANESE, A., 92, 610P
 - - - see CHIVERS, J.K., 90, 123P
 JENNER, P. see DEXTER, D.T., 91, 427P
 - - - see DEXTER, D.T., 92, 690P
 - - - see JACKSON, E.A., 92, 700P
 - - - see OERTEL, W.H., 92, 611P
 - - - see STEWART, B.R., 91, 337P
 - - - see STEWART, B.R., 92, 702P
 - - - see STEWART, B.R., 92, 703P
 - - - see UEKI, A., 92, 701P
 JENNETT, S. see FASEHUN, O.A., 90, 207P
 - - - see FASEHUN, O.A., 92, 553P
 JESSUP, C.L. see BYLAND, E., 90, 228P
 JESSUP, C.L., JESSUP, R. & WAYNE, M. ICI 185282 a potent thromboxane receptor antagonist on platelets, 90, 229P
 JESSUP, R. see BYLAND, E., 90, 228P
 - - - see JESSUP, C.L., 90, 229P
 JOHNS, E.J. & RUTKOWSKI, B. Influence of atriopeptin lll on renal function in DOCA-salt hypertensive rats, 92, 557P
 JOHNSON, D.A. & NICHOLLS, P.J. Bronchial airways response of the guinea-pig to cotton dust extract, 90, 149P
 JOHNSON, J.V. see FONE, K.C.F., 92, 670P
 JOHNSON, M.A. see LEIGHTON, G.E., 91, 433P
 JOHNSTON, A.L. see FARABOLLINI, F., 90, 263P
 - - - see FILE, S.E., 90, 265P
 JOHNSTON, P. see HEWICK, D.S., 90, 178P
 JOLY, D., LLOYD, K.G., PICHAT, Ph. & SANGER, D.J. Correlation between the behavioural effect of desipramine and GABA_B receptor regulation in the olfactory bulbectomized rat, 90, 125P
 JONES, B.J. see HIGGINS, G.A., 92, 658P
 JONES, B.J., OAKELY, N.R. & TYERS, M.B. The anxiolytic activity of GR38032F, a 5-HT₃ receptor antagonist, in the rat and cynomolgus monkey, 90, 88P
 JONES, C.A. see ATTERWILL, C.K., 91, 470P
 JONES, C.J. see SUER, A.H., 92, 718P
 JONES, C.R. see BUXTON, B.B.F., 90, 205P
 JONES, R.L. see DYSON, E.H., 90, 227P
 - - - see GARDINER, P.J., 91, 363P
 - - - see MCKENNA, M.F., 92, 640P
 JONES, R.L., TYMKEWYCZ, P. & WILSON, N. H. Differences in antagonist but

- not agonist potencies on the thromboxane-sensitive systems of human, rat and rabbit platelets, 90, 226P
- JORDAENS, F.G. see HERMAN, A.G., 90, 19P
- JORDAN, C.C. see BRITTAIN, R.T., 90, 87P
- - - see BROWN, J.R., 91, 507P
- JOSE, P.J. see HELLEWELL, P.G., 91, 317P
- JOSEPH, M.H. see MITCHELL, S.N., 91, 430P
- JOSEPH, S.K., KAKKAR, V.V. & KRISHNAMURTHI, S. Effect of protein kinase C activators on agonist induced arachidonate release in human platelets, 90, 62P
- JOSEPH, S.K., KAKKAR, V.V., KRISHNAMURTHI, S. & PATEL, Y. 1,2-diocanoylglycerol but not 1-oleoyl-2-acetyl glycerol inhibits agonist-induced platelet responses, 90, 61P
- JOSEPH, S., KRISHNAMURTHI, S. & KAKKAR, V.V. Effect of the diacylglycerol kinase inhibitor R59022 on agonist-induced human platelet activation, 92, 636P
- JUETT, J.R. & PATMORE, L. On the electrophysiological mechanism of action of a novel antiarrhythmic agent - RS 87337, 91, 394P
- KAKKAR, V.V. see JOSEPH, S.K., 90, 61P
- - - see JOSEPH, S.K., 90, 62P
- - - see JOSEPH, S., 92, 636P
- KAKKAR, V.V. & KRISHNAMURTHI, S. Studies on the roles of PG endoperoxides/thromboxane A₂ and diacylglycerol in 'weak' agonist-induced platelet secretion, 90, 57P
- KAPOCSI, J. see FARSANG, C., 91, 332P
- KATONA, C.L.E. see CHEETHAM, S.C., 90, 286P
- - - see CROSS, J.A., 91, 341P
- KAUMANN, A.J. see FRENKEN, M., 91, 350P
- KAUMANN, A.J. & LEMOINE, H. Increase of contractile force by adrenaline through β_2 -adrenoceptors in ventricular myocardium of man, 90, 17P
- KAUMANN, A.J., LEMOINE, H. & SLEE, S. β_1 -adrenoceptor reserve for the positive inotropic effects of denopamine (TA 064) in kitten heart tissues, 92, 547P
- KEANE, P. see BACHY, A., 90, 262P
- KEEN, M. & NAHORSKI, S.R. A receptor reserve for muscarinic inhibition of adenylate cyclase activity in rat striatal membranes, 90, 79P
- KEEN, M., KELLY, E. & NAHORSKI, S.R. Differential linkage of dopamine D₂ to D₁ stimulated cyclic AMP accumulation in rat striatum and limbic forebrain, 90, 97P
- KEENAN, A.K. see COONEY, D., 90, 159P
- KEERY, R.J., WATTS, I.S. & LUMLEY, P. Influence of extracellular Ca²⁺ transients in Quin 2- and Fura 2-loaded human platelets, 92, 735P
- KEIR, R.F. see ALABASTER, V.A., 90, 145P
- KELLY, E. see KEEN, M., 90, 97P
- KELLY, J.S. see FAIRBROTHER, I.S., 92, 612P
- KELLY, M.E. see BARRY, J.M., 92, 651P
- - - see COSTALL, B., 90, 89P
- - - see COSTALL, B., 90, 258P
- - - see COSTALL, B., 91, 420P
- - - see COSTALL, B., 92, 657P
- - - see COSTALL, B., 92, 705P
- - - see NAYLOR, R.J., 90, 257P
- KEMP, J.A., GRIMWOOD, S. & FOSTER, A.C. Characterisation of the antagonism of excitatory amino acid receptors in rat cortex by kynurenic acid, 91, 314P
- KEMP, M.C., KUONEN, D.R., SUTTON, A. & ROBERTS, P.J. Rat brain NADPH-diaphorase utilises cytochrome C as substrate, 92, 695P
- KEMP, R.T. see BHASKAR, N.K., 90, 52P
- KENDALL, D.A. see HILL, S.J., 90, 77P
- - - see WHITWORTH, P., 92, 678P
- KENNEDY, I. see BHALLA, P., 92, 787P
- - - see BRADSHAW, J., 92, 590P
- - - see COLEMAN, R.A., 91, 323P
- - - see COLEMAN, R.A., 91, 407P
- - - see GURDEN, M.F., 92, 788P
- KENNETT, G.A. see CURZON, G., 90, 90P
- KENNETT, G.A. & CURZON, G. Evidence that the 5-HT agonists mCPP and TFMP cause hypolocomotion by stimulating 5-HT_{1C} receptors, 92, 563P
- KENT, A. see ELLIOTT, J.M., 90, 83P
- KERR, M.B. & SENIOR, J. Modification of uterine responses in a normotensive strain of rat by a thromboxane antagonist, 90, 230P
- - - The effect of a thromboxane antagonist on uter-placental blood flow in rats at different stages of gestation, 91, 410P

- KERR, M.B. & SENIOR, J. Effects of a thromboxane antagonist on organ blood flow in spontaneously hypertensive rats of different gestational ages, 92, 641P
- KIDD, E.J. see FOZARD, J.R., 90, 273P
- KILBINGER, H. & WESSLER, I. Nicotine and muscarine autoreceptors on the rat phrenic nerve, 90, 110P
- KILPATRICK, A.T. see BROWN, C.M., 91, 313P
- KILPATRICK, I.C. see BROWN, C.M., 90, 12P
- KILPATRICK, I.C. & MOZLEY, L.S. Medial thalamic neurones do not appear to use aspartate or glutamate for neurotransmission, 90, 13P
- KILPATRICK, I.C. & ROGERS, H.J. Activation of dopamine-D₂ receptors inhibits the release of endogenous dopamine from slices of rat prefrontal cortex, 92, 706P
- KING, F.D. see FAKE, C.S., 91, 335P
- KING, R.G. see BOURA, A.L.A., 92, 513P
- KINGSTON, W.P. see COURT, E.N., 91, 409P
- - - see COURT, E.N., 92, 630P
- KIOUMIS, I., GRANDORDY, B. & BARNES, P. J. Interaction between adenosine receptors and β -adrenoceptors in airways, 92, 595P
- KIRIMA, N.R. see PILLAR, A.M., 91, 302P
- KIRKLAND, S.C. see CUTHBERT, A.W., 91, 370P
- KIRKNESS, E.F., LAMBERT, J.J., PETERS, J.A. & TURNER, A.J. Stereoselective modulation of the GABA_A receptor by pregnane steroids, 91, 484P
- KITCHEN, I. see JACKSON, H.C., 91, 432P
- - - see JACKSON, H.C., 92, 664P
- - - see YEADON, M., 91, 431P
- KITCHEN, I. & COURTNEY, S. Drug displacement of radiolabelled alfentanil from protein binding sites in human plasma, 92, 739P
- KOLASSA, N. see GROSS, G., 92, 753P
- KOSHIKAWA, N. & STEPHENSON, J.D. Tolerance to the potentiating effects of spinal 5-HT₂ receptor activation on a flexor reflex in spinal rats, 90, 247P
- KRIJZER, F. see BEVAN, P., 91, 309P
- - - see LONG, S.K., 92, 541P
- KRISHNAMURTHI, S. see JOSEPH, S.K., 90, 61P
- - - see JOSEPH, S.K., 90, 62P
- - - see JOSEPH, S., 92, 636P
- KRISHNAMURTHI, S. see KAKKAR, V.V., 90, 57P
- KULAGOWSKI, J.J. see ASPLEY, S., 91, 303P
- KUONEN, D.R. see KEMP, M.C., 92, 695P
- KUPSCH, A. see GALVAN, M., 91, 310P
- KURTZ, A. see CAVERO, I., 91, 351P
- KVETNANASKY, R. see MCWILLIAM, J.R., 92, 698P
- LAD, N. & MANNING, A.S. Reperfusion arrhythmias in the anaesthetised rat: beneficial action of cilazapril, 91, 390P
- - - Reperfusion-induced arrhythmias: effect of oral administration of two xanthine oxidase inhibitors in anaesthetised rats, 92, 764P
- LAGENTE, V., LIDBURY, P., STEEL, G., VARGAFTIG, B.B., WALLACE, J.L. & WHITTLE, B.J.R. Role of PAF as a mediator of endotoxin-induced gastrointestinal damage, 90, 114P
- LAGENTE, V., MONCADA, S. & DE NUCCI, G. Sensitization of guinea-pigs by aerosol: effect of paraquat, 90, 35P
- LAGNADO, L. see CHURCH, J., 90, 10P
- LAL, C. & NAYLOR, I.L. The role of calmodulin in the contractility of rat testicular capsule myofibroblasts, 90, 215P
- LALIES, M.D. see CAMPBELL, N., 90, 155P
- LAMBERT, J.J. see CALLACHAN, H., 90, 120P
- - - see KIRKNESS, E.F., 91, 484P
- LANGER, S.Z. see ARBILLA, S., 90, 84P
- - - see ARBILLA, S., 92, 538P
- - - see GALZIN, A-M., 90, 72P
- - - see GALZIN, A.M., 92, 577P
- - - see LISTA, A., 92, 564P
- - - see RAMDINE, R., 92, 566P
- LANGER, S.Z., PIMOULE, C. & SCHOEMAKER, H. In the frog heart, [³H]-desipramine labels the neuronal transporter for adrenaline, 90, 285P
- LANGLANDS, J.M., RODGER, I.W. & WATSON, J. Effect of methacholine and leukotriene D₄ on cyclic AMP content and cyclic AMP-dependent protein kinase activity in airway smooth muscle, 92, 633P
- LANTHORN, T.H. see HOOD, W.F., 91, 445P
- LARKIN, S. see BENJAMIN, N., 90, 39P
- LATOUR, C. see TROUVE, R., 90, 183P
- LATOUR, R. see TROUVE, R., 90, 184P
- LAVE, D. see CAVERO, I., 90, 116P
- LAWSON, K. see CAVERO, I., 90, 128P

- LAWSON, K. see CAVERO, I., 91, 455P
 - - - see LE MONNIER DE GOUVILLE, A-C., 92, 615P
- LAYCOCK, S.M., SMITH, H. & SPICER, B.A. Airway hyperactivity and eosinophils in rats treated with sephadex particles, 90, 31P
- LAZARENO, S.H. see HUNTER, A.J., 90, 246P
- LAZARENO, S. & ROBERTS, F.F. Measuring muscarinic antagonist potency using stimulated phosphoinositide breakdown in rat cortex slices, 92, 677P
- LECHAIRE, J. & LEFEVRE-BORG, F. Comparison of hemodynamic effects of fenoldopam and quinirole in anaesthetized rats, 90, 209P
- LEDERIS, K. see BOLT, G.R., 91, 501P
- LEE, C.R. see FORMUKONG, E.A., 92, 601P
- LEES, I. see DAFFONCHIO, L., 90, 141P
- LEES, I.W. see FITZGERALD, M.F., 90, 112P
- LEES, I.W. & PAYNE, A.N. Cardio-pulmonary effects of inhaled arachidonic acid aerosols in anaesthetized cats, 92, 642P
- LEES, P. see BUSCH, U., 90, 181P
 - - - see CAMBRIDGE, H., 92, 623P
 - - - see DAWSON, J., 90, 64P
 - - - see DAWSON, J.A., 92, 624P
- LEES, P., AYLIFFE, T., TAYLOR, J.B.O. & MAITHO, T.E. Pharmacokinetics of phenylbutazone in adult cattle following intravenous intramuscular and oral administration, 92, 604P
- LEFEVRE, R.A. see DUPONT, A.G., 90, 26P
- LE FEUVRE, R. see DASCOMBE, M.J., 92, 622P
- LE FEUVRE, R., ROTHWELL, N.J. & STOCK, M.J. Activation of brown fat thermogenesis in the rat by CRF, 90, 46P
- LEFEVRE-BORG, F. see LECHAIRE, J., 90, 209P
- LEFF, P. see DOUGALL, I.G., 90, 186P
- LEIGH, B.K. see REEVES, M.L., 92, 773P
- LEIGH, B.K., POTTS, H., PRICE, C.A. & REEVES, M.L. The effect of isoenzyme selective phosphodiesterase inhibitors on acid secretion in rat isolated stomach and fundus strip, 90, 232P
- LEIGH, I. see CUNNINGHAM, F.M., 90, 117P
- LEIGHTON, G.E. see HEWSON, G., 91, 424P
 - - - see HILL, R.G., 90, 281P
- LEIGHTON, G.E., HILL, R.G., HORWELL, D.C. HUGHES, J., JOHNSON, M.A. & MEECHAM, K. G. The antinociceptive effects of PD117302, a selective κ -opioid agonist, 91, 433P
- LEMBECK, P. see HOLZIER-PETSCH, U., 92, 716P
- LEMBECK, F. & GRIESBACHER, T. Specific antagonists for bradykinin, 91, 295P
- LEMOINE, H. see KAUMANN, A.J., 90, 17P
 - - - see KAUMANN, A.J., 92, 547P
- LE MONNIER DE GOUVILLE, A-C, LAWSON, K. & CAVERO, I. Blood pressure effects of the fluoro analog of fenoldopam SKF 87516, an agonist at DA₁, β_2 , α_2 and 5-HT₂ receptors in rats, 92, 615P
- LEONARD, M.N. & STRANGE, P.G. D₂ dopamine receptors in striatum are homogeneous as defined by antagonist binding, 91, 426P
- LEONE, R. see DEL SOLDATO, P., 92, 525P
- LEVRIER, J. see FERRARI, P., 90, 236P
- LEWIS, G.P. see ANDRADE, S., 91, 499P
 - - - see BARRETT, M.L., 90, 65P
 - - - see BARRETT, M.L., 90, 113P
 - - - see O'NEILL, L.A.J., 92, 511P
 - - - see WATSON, M.L., 91, 364P
 - - - see WATSON, M.L., 92, 512P
- LEWIS, M.J. see CHRISTIE, M.I., 91, 318P
 - - - see EVANS, H.G., 91, 321P
- LEWIS, N.P. & FERGUSON, D.R. Binding of [³H]-angiotensin 11 to basolateral membranes from the proximal renal tubule of the rat, 90, 168P
 - - - Effect of angiotensin 11 on adenylate cyclase in basolateral membranes from the proximal renal tubule of the rat, 90, 169P
 - - - Effect of sodium intake and captopril on [³H]-angiotensin 11 binding to rat renal basolateral membranes, 92, 743P
- LEWIS, P. see CAREY, F., 91, 478P
- LEWIS, P.E. see CREBA, J.A., 92, 627P
- LI, J.Y.M. & WARBURTON, G. Prolongation of refractory periods in ischaemic ventricular myocardium of the anaesthetised rat by amiodarone, 91, 356P
- LIDBURY, P. see LAGENTE, V., 90, 114P
- LIPPE, I.Th. & HOLZER, P. Intragastric capsaicin enhances gastric acid elimination and mucosal blood flow

- by activation of afferent neurones, 92, 529P
- LISTA, A., ARBILLA, S. & LANGER, S.Z. Facilitation by alpidem and diazepam of the evoked release of [3 H]-5-HT from rat frontal cortex, 92, 564P
- LITTLE, H.J. see DOLIN, S.J., 90, 210P
- - - see DOLIN, S.J., 90, 211P
- - - see GALE, R., 90, 270P
- - - see LITTLETON, J.M., 92, 663P
- LITTLE, H.J. & DOLIN, S.J. Lack of tolerance to ethanol after concurrent administration of nitrendipine, 92, 606P
- LITTLETON, J.M. see BRENNAN, C.H., 91, 454P
- - - see DOLIN, S.J., 90, 210P
- - - see GUPPY, L.J., 92, 662P
- - - see HARPER, J.C., 92, 661P
- - - see PAGONIS, C., 91, 416P
- LITTLETON, J.M. & LITTLE, H.J. Dihydropyridine and the ethanol withdrawal syndrome: stereospecificity and the effects of Bay K 8644, 92, 663P
- LIVINGSTON, A. see DUFFY, S., 92, 685P
- LLOYD, K.G. see BERRY, C.N., 90, 54P
- - - see FERRARI, P., 90, 236P
- - - see JOLY, D., 90, 125P
- LLOYD, K.G. & THURET, F. The effect of zolpidem on [35 S]-TBPS binding to rat cortex membranes, 90, 74P
- LO, W.W.Y. see CLARKE, C.R., 90, 75P
- LO, W.W.Y. & HUGHES, J. Negative feedback regulation of CCK-8 and muscarinic receptor-mediated phosphoinositide metabolism in pituitary clonal cells, 91, 297P
- LODGE, D. see ARAM, J.A., 90, 6P
- - - see ARAM, J.A., 90, 11P
- - - see CHURCH, J., 90, 10P
- LONG, S.K. see BEVAN, P., 91, 309P
- LONG, S.K., EVANS, R.H., KRIJZER, F. & BEVAN, P. Strychnine-resistant action of glycine at mammalian motoneurons, 92, 541P
- LONGRIDGE, D.J. see ALLAN, G., 90, 22P
- - - see HUGHES, B., 92, 779P
- LOO, H. see GALZIN, A.M., 92, 577P
- LORD, J.A.H. see MOORE, R.J.G., 92, 723P
- - - see URQUHART, C.J., 92, 711P
- LORENZETTI, B.B. & FERREIRA, S.H. On the mode of analgesic action of Tyr.D.Arg. Gly.Phe[4-NO $_2$].Pro NH $_2$ (443C), 90, 69P
- LORRAIN, J. see DONATO DI PAOLO, E., 92, 752P
- LOVE, W.G. see RAO, S., 91, 467P
- LOWE, K.C. see BOLLANDS, A.D., 90, 179P
- - - see BOLLANDS, A.D., 90, 180P
- LOWE, K.C. see BOLLANDS, A.D., 91, 457P
- - - see SHARMA, S.K., 91, 459P
- LOWE, L.A. see FOLLENFANT, R.L., 90, 68P
- LOWMAN, M.A. see BENYON, R.C., 90, 102P
- LOWTHER, S. see CHIVERS, J.K., 90, 123P
- LUCAS, P.D., QIRBI, A. & SARDAR, A. [3 H]-noradrenaline uptake and release by anococcygeus muscles from control, diabetic and statil treated diabetic rats, 92, 737P
- LUHESHI, G.N. & ZAR, M.A. Motor transmission in urinary bladder of streptozotocin-induced diabetic rats, 92, 528P
- LUMLEY, P. see KEERY, R.J., 92, 735P
- LUMLEY, P. & ROBERTSON, M.J. Can differential calcium channel blocker potency in cardiac muscle be explained by the modulated receptor hypothesis? 92, 769P
- LUNTS, L.H.C. see BRADSHAW, J., 92, 590P
- LUSCOMBE, D.K., MUSTAFA, M.R. & STOLZ, J.F. Effect of chronic rolipram treatment on clonidine-induced behavioural activity, 91, 429P
- LUSCOMBE, G.P. see BUCKETT, W.R., 90, 94P
- - - see BUCKETT, W.R., 90, 261P
- LUSCOMBE, G.P., HOPCROFT, R.H., THOMAS, P.C. & BUCKETT, W.R. Down-regulation of rat cortical β -adrenoceptors by the putative antidepressant BTS 54 524: contribution of metabolites, 92, 575P
- LUTTINGER, D. see BAIZMAN, E.R., 90, 66P
- LYLES, G.A. & TANEJA, D.T. Effects of amine oxidase inhibitors upon tryptamine metabolism and tryptamine-induced contractions of rat aorta, 90, 16P
- LYLES, G.A. & WOLLAGE, E. Some properties of amine oxidases in human umbilical artery, 90, 175P
- MACCANNELL, K.L. see BOLT, G.R., 91, 501P
- MACDERMOT, J. see CROSSMAN, D., 90, 38P
- - - see EDWARDS, R.J., 90, 292P
- MACINTYRE, D.E. see ROSSI, A.G., 92, 522P
- MACINTYRE, I. see CROSSMAN, D., 90, 38P

- MACKENZIE, J.E. see HERSOM, A.S., 92, 648P
- MACLAGAN, J. see BARNES, P.J., 90, 138P
 - - - see COOK, D.G., 90, 36P
- MACLAGAN, J. & FAULKNER, D. Leukotrienes potentiate parasympathetic neurotransmission in guinea-pig trachea by pre- and post-junctional mechanisms, 91, 368P
- MACLENNAN, S.J. see BROWN, C.M., 91, 481P
- MACRAE, I.M. & REID, J.L. The cardiovascular significance of centrally administered neuropeptide Y₁, 91, 355P
- MACVINISH, L.J. see CUTHBERT, A.W., 91, 370P
- MAGUIRE, J. see CAMPBELL, N., 90, 155P
 - - - see FLETCHER, A.E., 90, 266P
 - - - see MCKNIGHT, A.T., 90, 103P
 - - - see MCKNIGHT, A.T., 91, 360P
- MAIDMENT, N.T. & MARSDEN, C.A. In vivo evidence for autoreceptor control of meso-prefrontal cortical dopamine function, 91, 333P
- MAIR, J. see CUTLER, M.G., 91, 504P
- MAITHO, T.E. see LEES, P., 92, 604P
- MALLET, A.I. see CUNNINGHAM, F.M., 90, 117P
- MANCHANDA, R. see CUNNANE, T.C., 91, 497P
- MANLEY, S. see OSTMAN-SMITH, I., 92, 556P
- MANN, D.M.A. see SIMPSON, M.D.C., 92, 609P
- MANN, G. see GARDNER, C.R., 92, 534P
 - - - see GARDNER, C.R., 92, 537P
 - - - see GARDNER, C.R., 92, 655P
- MANNING, A.S. see LAD, N., 92, 764P
- MANNION, D. & DAVIS, W.G. A dual effect of propranolol on diuresis in the rat, 91, 496P
- MARAGODAKIS, M.E., PIPILI, E. & ZOUMBOULIS, G. Adrenergic modulation of prostaglandin I₂ release from mesenteric arterial bed of the normotensive and hypertensive rat, 91, 413P
- MARGOLIUS, H.S. see BAIRD, A.W., 91, 369P
 - - - see BARON, D.A., 91, 485P
- MARKHAM, A. see GUPTA, P., 90, 187P
- MARQUIS, O. see CAVERO, I., 90, 116P
- MARR, J.F. & SMITH, G.M. A novel in vivo method for continuous measurement of circulating leukocyte levels, 92, 748P
- MARRIOTT, D. see ADAMS, M., 90, 216P
 - - - see BOARDER, M.R., 91, 372P
- MARSDEN, C.A. see CRESPI, F., 92, 565P
 - - - see CRESPI, F., 92, 696P
 - - - see FONE, K.C.F., 91, 434P
 - - - see FONE, K.C.F., 92, 670P
- MARSDEN, C.A. see FORD, A.P.D.W., 90, 237P
 - - - see FORD, A.P.D.W., 92, 588P
 - - - see MAIDMENT, N.T., 91, 333P
 - - - see MARTIN, K.F., 92, 560P
 - - - see SLEIGHT, A.J., 91, 344P
- MARSDEN, C.A., PALFREYMAN, M.G. & SLEIGHT, A.J. 5-HT release in vivo increased by non-selective MAO inhibition but not MAO A inhibition, 90, 85P
- MARSDEN, C.D. see ALBANESE, A., 92, 610P
 - - - see CHIVERS, J.K., 90, 123P
 - - - see DEXTER, D.T., 91, 427P
 - - - see DEXTER, D.T., 92, 690P
 - - - see JACKSON, E.A., 92, 700P
 - - - see OERTEL, W.H., 92, 611P
 - - - see STEWART, B.R., 91, 337P
 - - - see STEWART, B.R., 92, 702P
 - - - see STEWART, B.R., 92, 703P
 - - - see UEKI, A., 92, 701P
- MARSHALL, I. see AL-KAZWINI, S.J., 90, 37P
 - - - see AL-KAZWINI, S.J., 90, 220P
- MARSHALL, I., HOLMAN, J.J., AL-KAZWINI, S.J. & CRAIG, R.K. Three day intravenous infusion of human α -calcitonin gene-related peptide (human α -CGRP) causes sustained hypotension in rats, 91, 354P
- MARSHALL, J. see CHURCH, J., 90, 10P
- MARSHALL, K. see CLAYTON, J.K., 90, 231P
- MARSHALL, R.J. see DICKSON, M., 92, 545P
- MARTIN, D.A. see VLACKBURN, T.P., 91, 439P
 - - - see CHURCH, J., 90, 10P
- MARTIN, F. see ADLERCREUTZ, H., 90, 189P
- MARTIN, I.L. see FILE, S.E., 91, 509P
- MARTIN, K.F. see CRESPI, F., 92, 565P
- MARTIN, K.F. & MARSDEN, C.A. Control of 5-HT metabolism in rat SCN: a primary role for terminal receptors? 92, 560P
- MARTIN, W. & DRAZAN, K.M. Methylene blue inhibits prostacyclin production by pig aortic endothelial cells, 92, 519P
- MARTIN, W. & WHITE, D.G. Pig aortic endothelial cells contain both soluble and particulate guanylate cyclase isoenzymes, 90, 18P
- MARTIN, W. see WHITE, D.G., 92, 520P

- MARTIN-IVERSEN, M.T. see DOURISH, C. T., 92, 582P
- MARTTI, L. see AHTEE, L., 91, 440P
- MASTERS, D.J. see DICKEN, M.P., 90, 59P
- MATA, L.R., RIBEIRO, J.A. & SEBASTIAO, A.M. Electronmicroscope autoradiographic localisation of adenosine receptors in the sciatic nerve, 90, 288P
- MATHY, M.J. see BATINK, H.D., 90, 154P
- - - see DAVIDESKO, D., 90, 160P
- MATTHEWS, E.K. see RODGERS, J., 91, 374P
- MATUSAK, O. see HOLZER, P., 92, 567P
- MAWER, I.M. see ASPLEY, S., 91, 303P
- MAY, S.A. see CAMBRIDGE, H., 92, 623P
- MAZZONI, L., MORLEY, J., SANJAR, S. & SCHAEUBLIN, E. An anomalous interaction between propranolol and isoprenaline, 91, 326P
- MCATEER, E.J. see SUER, A.H., 92, 718P
- - - see WALI, F.A., 92, 717P
- MCBEAN, D.E. Effect of adenosine analogue N⁶-cyclohexyladenosine (CHA) on cerebral blood flow in the anaesthetised rat, 90, 200P
- MCCABE, D.V. see CARTER, T.D., 90, 137P
- MCCAPPIN, T.R. see BARBER, H.E., 91, 469P
- MCCARTHY, P.S. see BLACKMAN, D.E., 91, 447P
- MCCLELLAND, C.M. The effects of BRL 24924 and metoclopramide on myoelectric activity of the rat small intestine, 91, 456P
- MCCLELLAND, C.M. see FRANCIS, G.R., 91, 505P
- MCCLUE, S.J. see GODFREY, P.P., 90, 76P
- - - see GODFREY, P.P., 90, 251P
- - - see GODFREY, P.P., 90, 253P
- MCCURRIE, J.R. see EL-MURADI, E.M.A., 91, 399P
- - - see EL-MURADI, E.M.A., 92, 778P
- MCEWAN, J. see CROSSMAN, D., 90, 38P
- - - see BENJAMIN, N., 90, 39P
- MCGRATH, J.C. see ALABASTER, V.A., 90, 33P
- - - see BROWN, C.M., 91, 481P
- - - see DAINITY, I.A., 91, 387P
- - - see DAINITY, I.A., 91, 506P
- - - see DAINITY, I.A., 92, 619P
- - - see DALEY, C.J., 91, 397P
- - - see DALY, C.J., 92, 775P
- - - see DALY, C.J., 92, 776P
- - - see FASEHUN, O.A., 90, 207P
- - - see FASEHUN, O.A., 92, 553P
- - - see TEMPLETON, A., 92, 766P
- - - see UGWU, A.C., 92, 552P
- MCGRATH, J.C., MILLER, D.J. & UGWU, A. C. Desensitisation of responses to noradrenaline and potassium chloride in the isolated perfused rat tail artery, 90, 153P
- MCGRATH, J.C. & WILSON, V.G. A comparative study of the α -adrenoceptor antagonism of corynathine, prazosin and YM-12617 in the rat isolated thoracic aorta, 91, 327P
- MCHARG, A.D. & WADSWORTH, R.M. Endothelial α_2 -adrenoceptors on canine femoral and coronary arteries do not modulate the contractile responses to adrenaline, 90, 201P
- - - The effect of endothelial removal on contraction of canine coronary artery rings, 92, 617P
- MCKENNA, M.F., DYSON, E.H., WILSON, N. H. & JONES, R.L. Characterisation of prostanoid receptors in the rat pulmonary circulation, 92, 640P
- MCKENNIFF, M. see GARDINER, P.J., 91, 363P
- MCKNIGHT, A.T. see CAMPBELL, N., 90, 155P
- - - see FLETCHER, A.E., 90, 266P
- MCKNIGHT, A.T. & MAGUIRE, J.J. Comparison of the receptors for tachykinins in the vas deferens and portal vein of the rat, 90, 103P
- MCKNIGHT, A.T., MAGUIRE, J.J. & VARNEY, M.A. Characterisation of receptors for tachykinins in guinea-pig isolated trachea, 91, 360P
- MCLAUGHLIN, N.J., RASHID, S. & SWEETMAN, A.J. Characteristics of binding of [³H]-idazoxan to human platelet membranes, 92, 733P
- MCLEAN, A.E.M. & BEALES, D. Paracetamol as a cause of dietary deficiency of sulphur amino acids, 90, 182P
- MCLEOD, M. & MITCHELL, R. Effects of tachykinins on the secretion of growth hormone and prolactin, 91, 482P
- MCMILLAN, R.M. see DICKEN, M.P., 90, 59P
- - - see ROSSI, A.G., 92, 522P
- MCNALLY, J. see WATSON, S.P., 92, 742P
- MCWILLIAM, J.R. see ADAMSON, P., 92, 691P
- MCWILLIAM, J.R. & CAMPBELL, I.C. Interactions between κ -opioid and α_2 -adrenoceptors in rat hypothalamus, 92, 697P
- MCWILLIAM, J.R., KVETNANASKY, R., ZEMAN, P. & CAMPBELL, I.C. The measurement of κ -opioid receptors

- in regions of rat brain, 92, 698P
- MEDGETT, I.C. & RUFFOLO, R.R. Jr.
Effects of Bay K 8644 on α -adrenoceptor-mediated vasoconstriction in rat auto-perfused hindlimb and mesentery, 91, 348P
- MEECHAM, K.G. see DAVIES, A., 90, 282P
- - - see HILL, R.G., 90, 283P
- - - see LEIGHTON, G.E., 91, 433P
- MEHMET, M. see HOLLAND, A., 90, 176P
- MELDRUM, L.A. see BARNES, P.J., 90, 138P
- MICHALEK, R. see ARKLE, S., 91, 492P
- MICHEL, A.D. & WHITTING, R.L. Selective ligands for the [3 H]-pirenzepine binding site in rat cerebral cortex, 90, 156P
- MICHEL, J. see HOOD, W.F., 91, 445P
- MICHEL, M.C. see BECKERINGH, J.J., 90, 42P
- - - see BECKERINGH, J.J., 90, 43P
- MICHELETTI, R. & SCHIAVONE, A. McN-A-343 activation of neuronal muscarinic receptors induces relaxation of the isolated rat duodenum, 90, 111P
- MIDDLEMISS, D.N. & BREMER, M.E. The terminal 5-HT autoreceptor in the guinea-pig frontal cortex: a pharmacological analysis, 92, 559P
- MIDDLEMISS, D.N. see FOZARD, J.R., 90, 273P
- MIKOV, M., CALDWELL, J., DOLPHIN, C.T. & SMITH, R.L. Influence of neomycin pretreatment on the disposition of paracetamol in the mouse: a possible role for the intestinal microflora? 91, 473P
- MILES, C.M.M. see SCHACHTER, M., 92, 555P
- MILES, C.M.M., SCHACHTER, M. & SEVER, P.S. Fluoride-stimulated phosphoinositide turnover in human platelets: drug interactions, 90, 173P
- MILLAR, J.D. see CHURCH, J., 90, 10P
- MILLER, A.A., SPARROWHAWK, K.T. & WHEATLEY, P.L. Chloride ions are involved in 'desensitisation' to N-methyl-D-aspartate in rat cortical slices, 91, 436P
- MILLER, D.H. see BARON, D.A., 91, 485P
- MILLER, D.J. see DAINTY, I.A., 91, 387P
- - - see FASEHUN, O.A., 90, 207P
- - - see MCGRATH, J.C., 90, 153P
- MILLER, M.S. see BAIZMAN, E.R., 90, 66P
- MILLER, P. see CHURCH, M.K., 90, 30P
- - - GARDNER, C.R., 92, 537P
- - - see HAMBLETON, P., 92, 625P
- MILLER, R.C. see TOPOUZIS, S., 92, 782P
- MILLER, R.C., SCHINI, V. & SCHOEFFTER, P. Effect of the endothelium on the extrusion of cyclic GMP from rat isolated aorta, 90, 139P
- MILLER, S.C. see BAKER, J.B.E., 92, 792P
- MILLS, G. see ALLAN, G., 92, 571P
- MILTON, A.S. see ABUL, H., 91, 493P
- - - see DAVIDSON, J., 91, 494P
- MINCHIN, M.C.W. see ENNIS, C., 92, 535P
- MINER, W.D. see BOYLES, E.A., 91, 418P
- MIR, A.K. see FOZARD, J.R., 90, 24P
- - - see FOZARD, J.R., 90, 273P
- MIREYLEES, S.E. see BATES, R.F.L., 91, 376P
- - - see PARKER, J.E., 92, 786P
- MITCHELL, I.J. see BOYCE, S., 90, 250P
- MITCHELL, P.J. & REDFERN, P.H. Chronic, but not acute, clomipramine increases intruder-orientated aggressive behaviour in short-term socially isolated rats, 92, 653P
- MITCHELL, R. see MCLEOD, M., 91, 482P
- MITCHELL, S.N., BRAZELL, M.P., JOSEPH, M.H. & GRAY, J.A. Regional differences in the effect of nicotine on catecholamine turnover in the rat CNS, 91, 430P
- MOFFAT, B. British Pharmacological Society: assisting a search for ancient cures, 92, 792P
- MOHLER, H. see GLINZ, R., 90, 121P
- MOHLER, H., RICHARDS, J.G. & SCHOCH, P. Resolving GABA_A/benzodiazepine receptors: cellular and subcellular localization in the CNS with monoclonal antibodies, 90, 287P
- MOLENAAR, P. see BUXTON, B.B.F., 90, 205P
- MONAHAN, J.B. see HOOD, W.F., 91, 445P
- MONCADA, S. see BLACKWELL, G.J., 90, 53P
- - - see CHEN, W.Z., 92, 643P
- - - see HENDERSON, B., 91, 366P
- - - see HUTCHINSON, P.J.A., 91, 406P
- - - see LAGENTE, V., 90, 35P
- - - see REES, D.D., 92, 517P
- MONCADA, S., PALMER, R.M.J. & RADOMSKI, K. Prostacyclin and nitric oxide: interactions as inhibitors of aggregation of human platelets, 91, 324P
- MONDOT, S. see CAVERO, I., 90, 174P

- MONTASTRUC, J.L. see DAMASE, C., 90, 196P
- MONTASTRUC, P. see DAMASE, C., 90, 196P
- MOORE, A.R. see DE BRITO, F.B., 90, 140P
- MOORE, M.R. see CUTLER, M.G., 91, 504P
- - - see CUTLER, M.G., 92, 704P
- MOORE, N.A. see AXTON, M.S., 90, 238P
- MOORE, P.K. see BHARDWAJ, R., 91, 402P
- MOORE, R.J.G., LORD, J.A.H. & SMEATON, L. A. The effects of idazoxan on chemically-induced ileus in the rat, 92, 723P
- MOREAU, J.L. & PIERI, L. Modification of morphine antinociception by intrathecally (i.t.) administered benzodiazepine receptor ligands, 92, 652P
- MOREL, E., PERRAULT, G., SANGER, D.J. & ZIVKOVIC, B. Antagonism of the pharmacological effects of solpidem by a new amino- β -carboline, 90, 239P
- MOREL, E., PERRAULT, G. & ZIVKOVIC, B. Comparison of the anticonvulsant actions of alpidem and diazepam after repeated treatment, 92, 669P
- MORGAN, C.J. see BADAWY, A.A.-B., 91, 345P
- MORGAN, G.P. see BOYLE, J.P., 91, 491P
- MORGAN, R.M. see GUPTA, P., 90, 187P
- MORISHITA, T. see GUTH, P.H., 90, 115P
- MORLEY, J. see MAZZONI, L., 91, 326P
- MORLEY, M.J. see BRADSHAW, C.M., 90, 267P
- MORRE, M. see BACHY, A., 90, 262P
- MORTON, I.K.M. see CARTER, T.D., 90, 137P
- - - see FOX, A.J., 90, 136P
- - - see HALL, J.M., 91, 475P
- MOSS, H.E. & SANGER, G.J. Antagonism by BRL 43694 of the pseudoaffective reflex induced by duodenal distension, 92, 531P
- MOTTRAM, D.R. Effects of adrenoceptor agonists on the biphasic response to prolonged field stimulation in isolated rat vas deferens, 90, 166P
- MOZLEY, L.S. see KILPATRICK, I.C., 90, 13P
- MUIR, T.C. see BAIRD, J.R.C., 90, 190P
- MUIR, T.C. & WARDLE, K.A. Electrical and mechanical responses to nerve stimulation in mouse vas deferens, evidence for co-transmission, 90, 132P
- MURPHY, C. see ADLERCREUTZ, H., 90, 189P
- MURPHY, G.M. see WOOLLARD, P.M., 92, 524P
- MURRAY, K.J., ENGLAND, P.J. & REEVES, M.L. Positive inotropic actions of SK&F 94120 occur via a cyclic AMP-dependent mechanism: activation of cAMP-protein kinase, 92, 755P
- MUSCHOLL, E. see GROBANS, A., 90, 162P
- MUSTAFA, M.R. see LUSCOMBE, D.K., 91, 429P
- NAHAS, G. see DEMUS, J.F., 92, 770P
- - - see TROUVE, R., 90, 183P
- - - see TROUVE, R., 90, 184P
- NAHORSKI, S.R. see COOK, N., 90, 41P
- - - see HERDON, H., 91, 334P
- - - see KEEN, M., 90, 79P
- - - see KEEN, M., 90, 97P
- NAHORSKI, S.R. & ROONEY, T.A. Postnatal ontogeny of agonist and depolarisation-induced phosphoinositide hydrolysis in rat cerebral cortex, 90, 78P
- NAYA, I. see SMITH, G.W., 92, 777P
- NAYLOR, I.L. see CHANDER, C.L., 91, 479P
- - - see LAL, C., 90, 215P
- NAYLOR, R.J. see BARNES, J.C., 90, 96P
- - - see BARNES, J.C., 90, 242P
- - - see BARNES, J.C., 91, 428P
- - - see BARNES, N.J.G., 90, 241P
- - - see BARNES, N.J.G., 90, 254P
- - - see BARNES, N.M., 92, 649P
- - - see BARRY, J.M., 92, 651P
- - - see COSTALL, B., 90, 89P
- - - see COSTALL, B., 90, 90P
- - - see COSTALL, B., 90, 243P
- - - see COSTALL, B., 90, 255P
- - - see COSTALL, B., 90, 257P
- - - see COSTALL, B., 90, 258P
- - - see COSTALL, B., 91, 338P
- - - see COSTALL, B., 91, 420P
- - - see COSTALL, B., 92, 589P
- - - see COSTALL, B., 92, 650P
- - - see COSTALL, B., 92, 657P
- - - see COSTALL, B., 92, 705P
- NAYLOR, V.J.H. see BLACKMAN, D.E., 91, 447P
- NEAL, M.J. see CURLE, P.F., 92, 654P
- - - see SHAH, M.A., 92, 693P
- NEILL, J.C. see COOPER, S.J., 91, 339P
- NEILL, J.C. & COOPER, S.J. MDL 72832, a novel 5-HT_{1A} receptor ligand, stereoselectively stimulates palatable food consumption in rats, 92, 647P
- NEUMANN, J., BOHM, M., QUAST, U., SCHMITZ, W. & SCHOLZ, H. Failure of (-)-N⁶-phenylisopropyl-adenosine to affect the cAMP-dependent protein kinase, 92, 546P

- NEVILLE, L.F. see ARVIN, B., 92, 540P
 NEWBERRY, N. see CAMPBELL, N., 90, 155P
 - - - see CONNOLLY, G.P., 91, 451P
 NEWGREEN, D.T. see BRAY, K.D., 91, 357P
 NIALS, A.T. see BALL, D.I., 92, 591P
 - - - see BALL, D.I., 92, 746P
 NICHOLL, D.D., EDWARD, G., WARD, S.A., ORME, M.L'E. & BRECKENRIDGE, A.M. Stereoselective formation of the carboxylic acid metabolite of primaquine by the isolated perfused rat liver, 91, 489P
 NICHOLLS, P.J. see AHMAD, B., 92, 728P
 - - - see DAMANHOURI, Z., 90, 188P
 - - - see DAMANHOURI, Z., 92, 727P
 - - - see DARMANI, N.A., 91, 421P
 - - - see DARMANI, N.A., 92, 674P
 - - - see EL-MAHDY, N., 90, 148P
 - - - see EL-MAHDY, N., 91, 466P
 - - - see GUMBLETON, M., 91, 468P
 - - - see GUMBLETON, M., 92, 725P
 - - - see JOHNSON, D.A., 90, 149P
 - - - see RAO, S., 91, 467P
 NICHOLLS, P.J. & SHAW, M.A. Inhibition of human placental aromatase by substituted azoles, 92, 726P
 NICHOLSON, C.D. & WILKE, R. The selective inhibition of a low K_m cyclic AMP phosphodiesterase from rat cerebral cortex by denbufylline, 92, 680P
 NINCI, R. see DELLA CORTE, L., 92, 732P
 NISTRI, A. & BERTI, C. Effects of mecamlamine on cholinergic responses of the frog optic tectum in vitro, 91, 461P
 NJUNG'E, K. see CRITCHLEY, M.A.E., 92, 659P
 NOEL, F. see CARTER, C.J., 90, 8P
 NOMOTO, M. see OERTEL, W.H., 92, 611P
 - - - see UEKI, A., 92, 701P
 NORMAN, P. see GARDINER, P.J., 91, 363P
 NORRIS, A. see DOLLERY, C.T., 90, 34P
 - - - see WALSH, L.P., 91, 294P
 NOTARIANNI, L.J. see DUNCAN, I., 91, 293P
 NOURSHARGH, S. see SEALE, J.P., 92, 634P
 NUNN, D.L. & WATSON, S.P. A diacyglycerol kinase inhibitor R59022, potentiates thrombin-induced platelet aggregation, 90, 133P
 NUTT, D.J. see GALE, R., 90, 270P
 NWATOR, I.A.A. & WHALLEY, E.T. Expression of des-Arg⁹-BK sensitive (B1) receptors in vivo and in vitro by angiotensin converting enzyme inhibitors, 92, 572P
 OAKLEY, N.R. see HIGGINS, G.A., 92, 658P
 - - - see JONES, B.J., 90, 88P
 OBEID, A. see BOGGETT, D., 92, 789P
 OBIANIME, A.W. & DALE, M.M. The effect of phorbol esters on the guinea-pig parenchymal strip, 90, 170P
 O'CALLAGHAN, P. see FREEMAN, P.C., 90, 49P
 O'DONNELL, S.R. & WANSTALL, J.C. Age influences responses of rat aorta and pulmonary artery to Bay K 8644, potassium, calcium and noradrenaline, 90, 127P
 OERTEL, W.H., FINE, A., CHONG, P.N., HUNT, S., NOMOTO, M., TEMLETT, J.A., DUNNETT, S., ANNETT, L., JENNER, P. & MARSDEN, C.D. Pilot study of transplantation of foetal nigral cells into striatum of marmosets with MPTP-induced parkinsonian syndrome, 92, 611P
 OHNISHI, A. see BRANCH, R.A., 92, 558P
 OHYA, Y. see GUTH, P.H., 90, 115P
 OLES, R.J. see IVERSEN, S.D., 91, 340P
 OLIVER, P.L. see CAMBRIDGE, D., 92, 570P
 OLUYOMI, A.O. see HART, S.L., 92, 707P
 OMOGBAI, E.K.I. & SMITH, G.M. The effects of isosorbides dinitrate and diltiazem on the rat tail artery and portal vein, 92, 763P
 ONAIVI, E.S. see BARRY, J.M., 92, 651P
 - - - see COSTALL, B., 90, 255P
 O'NEILL, L.A.J. see BARRETT, M.L., 90, 65P
 O'NEILL, L.A.J. & LEWIS, G.P. Interleukin-1 pretreatment of synovial cells potentiates tumour necrosis factor and bradykinin-induced PGE₂ release, 92, 511P
 ORMANDY, G.C. & PRINCE, A.K. Aziridinium inhibition of choline transport in rat corpus striatum, cerebral cortex and hippocampus after depolarisation in vitro, 90, 278P
 ORME, M.L'E. see NICHOLL, D.D., 91, 489P

- OSBORNE, D.J. see BACON, K.B., 91, 322P
- OSBORNE, R.H. see BYWATER, L., 92, 721P
- O'SHAUGHNESSY, C.T. see ARAM, J.A., 90, 11P
- O'SHAUGHNESSY, C.T. & SLATER, P. Activation of excitatory amino acid receptors increases calcium mobilisation in synaptosomes from rat cortex, 91, 435P
- OSTMAN-SMITH, I. & MANLEY, S. Effect of high-dose propranolol treatment on cardiac hypertrophy in response to aortic coarctation or to hypoxia in the rat, 92, 556P
- OWEN, D.A.A. see EDEN, R.J., 91, 380P
- OWEN, D.A.A., REES, C.N. & WOOD, L.M. Differences in vasodilator activity of some isoenzyme selective phosphodiesterase inhibitors, 90, 234P
- OWEN, D.A.A. & WOOD, L.M. The effect of some selective phosphodiesterase inhibitors on vasoconstrictor responses to stimulation of sympathetic nerves, 91, 393P
- OWERA-ATEPO, J.B. see COSTALL, B., 92, 650P
- OXFORD, A. see BRITTAİN, R.T., 90, 87P
- - - see BRITTAİN, R.T., 92, 618P
- - - see HUMPHREY, P.P.A., 92, 616P
- OYEKAN, A.O. see BEIJER, L., 90, 118P
- PAGE, C.P. see BEIJER, L., 90, 118P
- PAGONIS, C. see DOLIN, S.J., 90, 210P
- PAGONIS, C. & LITTLETON, J.M. The Ca²⁺ antagonist PN 200-110 inhibits [³H]-dopamine release from nigral but not striatal slices from ethanol-dependent rats, 91, 416P
- PALACIOS, J.M. see HOYER, D., 92, 561P
- PALFREYMAN, M.G. see MARSDEN, C.A., 90, 85P
- - - see SLEIGHT, A.J., 91, 344P
- PALMER, R.M.J. see CHEN, W.Z., 92, 643P
- - - see HUTCHINSON, P.J.A., 91, 406P
- - - see MONCADA, S., 91, 324P
- - - see REES, D.D., 92, 517P
- PANKHANIA, J.J. see BAKHLE, Y.S., 90, 55P
- PARENTE, L. see FITZGERALD, M.F., 90, 112P
- - - see FITZGERALD, M.F., 91, 412P
- PARK, B.K. see CHRISTIE, G., 92, 602P
- PARK, B.K. & WINN, M.J. The effect of 17 β -oestradiol on the response to warfarin in castrated rats, 91, 509P
- PARKER, J.E. see BATES, R.F.L., 91, 376P
- PARKER, J.E., BATES, R.F.L., BUCKLEY, G.A. & MIREYLEES, S.E. The role of the adrenal glands in the pressor response to calcitonin, 92, 786P
- PARKER, K.E. see SIM, E., 92, 731P
- PARRATT, J.R. see DASHWOOD, M.R., 91, 510P
- - - see FAGBEMI, O., 91, 352P
- - - see GRAY, G.A., 92, 644P
- PARSONS, M. see BARTON, H.J., 90, 223P
- PARTRIDGE, S., DAVIE, R.J. & BIRCH, N. J. The effect of bumetanide, ouabain and metabolic inhibitors on magnesium transport in the guinea-pig jejunum, 91, 373P
- PATEL, Y. see JOSEPH, S.K., 90, 61P
- PATMORE, L. see DUNCAN, G.P., 92, 554P
- - - see JUETT, J.R., 91, 394P
- PAYNE, A.N. see DAFFONCHIO, L., 90, 141P
- - - see FITZGERALD, M.F., 90, 112P
- - - see FITZGERALD, M.F., 91, 412P
- - - see LEES, I.W., 92, 642P
- PEARCE, R.J. see BLACKBURN, T.P., 90, 256P
- - - see BLACKBURN, T.P., 90, 277P
- PEARDE, D.J. see ASHBY, M.J., 91, 375P
- - - see BROWN, M.J., 90, 284P
- PEDDER, E.K. see PILLAR, A.M., 91, 302P
- PEERS, S.H. & FLOWER, R.J. The effects of dexamethasone on oedema formation in rabbit skin, 92, 628P
- PEH, K.H. see HOLLAND, A., 90, 176P
- PEI, Q. see FILLENZ, M., 92, 675P
- PELLOW, S. see FILE, S.E., 90, 264P
- - - see FILE, S.E., 90, 265P
- PENNINGTON, J., SCOTT, A.K., REID, I.W. & HAWKSWORTH, G.M. Tri-iodothyronine-induced changes in UDP-glucuronyl transferase activity towards phenolphthalein in the rat, 92, 729P
- PEPEU, G. see VANNUCCI, M.G., 92, 692P
- PEPPER, J.M. see FORD, A.P.D.W., 92, 588P
- PERRAULT, G. see MOREL, E., 90, 239P
- - - see MOREL, E., 92, 669P
- PERREN, M.J. see BRITTAİN, R.T., 92, 618P
- - - see FENIUK, W., 92, 756P
- - - see HUMPHREY, P.P.A., 92, 616P
- PERRIER, M.L. see DOBLE, A., 91, 307P
- PERRONE, M.H. see BAIZMAN, E.R., 90, 66P

- PERRY, C. see FOSTER, M., 92, 736P
 PERTWEE, R.G. see GREENTREE, S.G., 92, 539P
 PETERS, J.A. see CALLACHAN, H., 90, 120P
 - - - see KIRKNESS, E.F., 91, 484P
 PETRIE, J.C. see BARBER, H.E., 91, 496P
 PETTINGER, S. see BOGGETT, D., 92, 789P
 PETTIPHER, E.R. see HENDERSON, B., 91, 366P
 PHILLIPS, J.A. see HOULT, J.R.S., 90, 222P
 PHILLIPS, J.A. & HOULT, J.R.S. Histamine does not mediate the *in vitro* colonic secretory response to compound 48/80 in rat, 92, 621P
 PHOON, C.K.L. see HILEY, C.R., 91, 378P
 PICHAT, Ph. see JOLY, D., 90, 125P
 PIERCE, V. & SHEPPEERSON, N.B. Central administration of methoxamine evokes cardiovascular responses in the rat mediated via the anterior hypothalamus, 91, 381P
 PIERI, L. see MOREAU, J.L., 92, 652P
 PIERSON, A.K. see BAIZMAN, E.R., 90, 66P
 PILLAR, A.M., ATTERWILL, C.K., DEANE, R. & PRINCE, A.K. The stability of ethylcholine mustard aziridinium (ECMA) in cerebrospinal fluid and culture media, 92, 694P
 PILLAR, A.M., ATTERWILL, C.K., KIRIMA, N. R., PEDDER, E.K. & PRINCE, A.K. Recovery of muscarinic receptors in rat brain reaggregate cultures after irreversible blockade by ethylcholine mustard aziridinium, 91, 302P
 PIMOULE, C. see ARBILLA, S., 90, 84P
 - - - see LANGER, S.Z., 90, 285P
 PINDER, R.M. see COSTALL, B., 92, 589P
 - - - see COSTALL, B., 92, 705P
 PINNOCK, R.D. see DAVID, J.A., 90, 260P
 PIPER, I. see GATER, P.R., 91, 498P
 PIPER, P.J. see CONROY, D.M., 91, 365P
 - - - see GALTON, S.A., 91, 411P
 - - - see STANTON, A.W.B., 92, 639P
 PIPILI, E. see MARAGODAKIS, M.E., 91, 413P
 PIPKIN, G. see CURRINGTON, A., 90, 233P
 PITTALUGA, A. see BONANNO, G., 91, 305P
 PITTAWAY, K.M. see DAVIES, A., 90, 282P
 PLEASS, R.D. see WARD, S.G., 92, 515P
 PLEVIN, R.J. Noradrenaline stimulates PI metabolism in rat renal cortex slices, 91, 441P
 PLEVIN, R.J. & POAT, J.A. Binding of [³H]-bradykinin to renal cortex membranes prepared from rat and guinea-pig, 90, 1P
 POAT, J.A. see BEER, M.S., 90, 292P
 - - - see PLEVIN, R.J., 90, 1P
 POIRIER, M.F. see GALZIN, A.M., 92, 577P
 POOLE-WILSON, P.A. see ANAND, I.S., 92, 785P
 PORCHET, P.A. see ATKINSON, J., 90, 195P
 PORSIUS, A.J. see VAN DER WOUW, P. A., 90, 20P
 PORSIUS, A.J., POST, M.J., VAN ROOIJ, H.H. & UFKES, J.G.R. Effects of milrinone and sulmazole on anaphylactic bronchoconstriction and mediator release in rat isolated lungs, 90, 147P
 POST, M.J. see PORSIUS, A.J., 90, 147P
 POTTS, H.C. see AKED, D.M., 90, 235P
 - - - see LEIGH, B.K., 90, 232P
 PRASSAD, S.K. & SALT, T.E. Interaction of MK-801 with NMDA receptors and synaptic transmission in the rat ventrobasal thalamus, 92, 542P
 PRATZ, J. see CAVERO, I., 91, 455P
 PRESTWICH, S.A. see BLAIN, I.R., 90, 5P
 PRICE, C.A. see CURRINGTON, A., 90, 233P
 - - - see LEIGH, B.K., 90, 232P
 PRIESTLEY, T. & WOODRUFF, G.N. Inhibition of electrically-evoked contractions of the rat anococcygeus by somatostatin and two cyclic analogues, 90, 106P
 PRINCE, A.K. see ORMANDY, G.C., 90, 278P
 - - - see PILLAR, A.M., 91, 302P
 - - - see PILLAR, A.M., 92, 694P
 PUGH, K.E. see BUSCH, U., 90, 181P
 PULLAN, L.M. see HOOD, W.F., 91, 445P
 PURCELL, W.M. see COHEN, D.L., 90, 101P
 QIRBI, A. see LUCAS, P.D., 92, 737P
 QUAIST, U. see NEUMANN, J., 92, 546P
 QUINN, P. & GARDINER, D.G. The interaction between Bay K8644 and nitrendipine on renin release from rat kidney slices, 90, 161P

- RACKE, K. see GROBANS, A., 90, 162P
 - - - see HOLZBAUER, M., 90, 124P
- RACKE, K. & SIRRENBURG, S. Effects of tetraethylammonium (TEA) on the pre-synaptic auto-inhibition of dopamine release from the rat neuro-intermediate lobe, 92, 688P
- RADER, R.K. see HOOD, W.F., 91, 445P
- RADOMSKI, K. see MONCADA, S., 91, 324P
- RAEBURN, D. see FARMER, S.G., 90, 292P
- RAGAN, C.I. see ASPLEY, S., 91, 303P
- RAITERI, M. see BONANNO, G., 91, 305P
- RAMDINE, R. see GALZIN, A-M., 90, 72P
- RAMDINE, R., GALZIN, A.M. & LANGER, S.Z. Interaction of phorbol-12, 13-dibutyrate and forskolin with the presynaptic inhibitory 5-HT auto-receptor in rat hypothalamic slices, 92, 566P
- RAMPART, M. & WILLIAMS, T.J. The effect of PGI₂ on polymorpho-nuclear leukocyte (PMNL) accumulation in rabbit skin, 90, 56P
- RANCE, D.J. see ALABASTER, C.T., 91, 391P
- RANDALL, J.I. & RODGERS, R.J. Evidence against benzodiazepine site mediation of 'defeat' analgesia in male mice, 91, 346P
- RAO, S., LOVE, W.G. & NICHOLLS, P.J. Preliminary study of aminoglutethimide in an arthritic model in rats, 91, 467P
- RASHID, S. see MCLAUGHLIN, N.J., 92, 733P
- RASMUSSEN, K.K. see CHRISTOFFERSEN, P. S., 92, 730P
- REDFERN, P.H. see DRAPER, A.J., 91, 385P
 - - - see MITCHELL, P.J., 92, 653P
- REES, C.N. see OWEN, D.A.A., 90, 234P
- REES, D.D., PALMER, R.M.J. & MONCADA, S. The effect of SK&F 525A on the release of nitric oxide from vascular endothelial cells, 92, 517P
- REES, P.H. see BENYON, R.C., 90, 158P
- REEVES, M.L. see LEIGH, B.K., 90, 232P
- REEVES, M.L., GRISTWOOD, R.W., LEIGH, B. K. & ENGLAND, P.J. SK&F 94836, a potent inotropic agent, is a selective inhibitor of Type 111 phosphodiesterase activity from several tissue, 92, 773P
- REEVES, M.L. see MURRAY, K.J., 92, 755P
- REID, G.G. see ASPLEY, S., 91, 303P
- REID, I.W. see PENNINGTON, J., 92, 729P
- REID, J.L. see BROWN, A.D., 91, 330P
 - - - see DEIGHTON, N.M., 91, 500P
- REID, J.L. see ELFELLAH, M.S., 90, 44P
 - - - see MACRAE, I.M., 91, 355P
- REIFFENSTEIN, R.J. & WARENYCIA, M.W. The effects of repeated exposure to hydrogen sulphide on amino acid content of the brainstem, 91, 315P
- REYNOLDS, G.P. see CHEETHAM, S.C., 90, 286P
 - - - see CZUDEK, C., 91, 342P
 - - - see SIMPSON, M.D.C., 92, 609P
 - - - see WILLOUGHBY, J., 92, 681P
- RHODEN, K.J. see BARNES, P.J., 90, 142P
- RIBEIRO, J.A. see BURGUETE, M.C., 90, 171P
 - - - see MATA, L.R., 90, 288P
- RIBEIRO, J.A. & SEBASTIAO, A.M. Non competitive antagonism by calcium of the inhibitory effect of adenosine on neuromuscular transmission, 91, 453P
- RICHARDS, J.G. see GLINZ, R., 90, 121P
 - - - see MOHLER, H., 90, 287P
- RICHARDS, R. & TATTERSFIELD, A.E. Comparison of timolol and its isomer, L-714,465 on the airways of asthmatic patients, 90, 32P
- RICHARDSON, P.J. see ADCOCK, J.J., 90, 143P
- RICHENS, A. see BOLTON, J., 92, 738P
- RIEMERSMA, R.A. see DART, A.M., 90, 28P
 - - - see DART, A.M., 91, 358P
- RITTER, J.M. see FRAZER, C.E., 90, 63P
 - - - see WARREN, J.B., 92, 792P
- ROACH, A.G. see URQUHART, C.J., 92, 711P
- ROBAUT, C. see CAVERO, I., 90, 116P
- ROBERTS, F.F. see HAWCOCK, A.B., 92, 722P
 - - - see HUNTER, A.J., 90, 246P
 - - - see LAZARENO, S., 92, 677P
- ROBERTS, J. see DRAPER, A.J., 91, 385P
- ROBERTS, M. see JAMIESON, A., 92, 715P
- ROBERTS, M.F. see FORMUKONG, E.A., 92, 601P
- ROBERTS, M.H.T., DAVIES, M. & FOSTER, G.A. The effects of 5-hydroxytryptamine and selective 5-HT binding ligands on the excitability of rat spinal motoneurons, 91, 308P
- ROBERTS, P.J. see ARVIN, B., 92, 540P
 - - - see KEMP, M.C., 92, 695P

- ROBERTS, P.M. see DODDS, M.G., 91, 377P
- ROBERTSON, M.J. see LUMLEY, P., 92, 769P
- ROBERTSON, R.G. see CROSSMAN, A.R., 90, 248P
- - - see CROSSMAN, A.R., 90, 249P
- ROBINSON, C. see BACON, K.B., 91, 322P
- ROBINSON, C., BENYON, R.C., HOLGATE, S. T. & CHURCH, M.K. The calcium- and IgE-dependent release of eicosanoids from human cutaneous mast cells, 92, 516P
- RODGER, I. see GARDINER, P.J., 91, 363P
- RODGER, I.W. see BRYSON, S.E., 91, 458P
- - - see BRYSON, S.E., 92, 632P
- - - see LANGLANDS, J.M., 92, 633P
- RODGERS, J., HUGHES, R. & MATTHEWS, E.K. Effects of neomycin sulphate on secretion in rat pancreatic acini, 91, 374P
- RODGERS, R.J. see RANDALL, J.I., 91, 346P
- RODRIGUEZ, R.E. see HILL, R.G., 90, 281P
- ROGERS, H. see HENDERSON, G., 91, 298P
- - - see KILPATRICK, I.C., 92, 706P
- ROONEY, K.F., SEWELL, R.D.E. & SPENCER, P.S.J. Behavioural analysis of chronic dopamine D₁ receptor blockade in mice, 91, 422P
- ROONEY, T.A. see NAHORSKI, S.R., 90, 78P
- ROSA, C. see DELGADO, C., 90, 218P
- ROSE, S. see STEWART, B.R., 92, 703P
- - - see UEKI, A., 92, 701P
- ROSSI, A.G., MCMILLAN, R.M. & MACINTYRE, D.E. Are PAF and LTB₄ mediators of neutrophil activation? 92, 522P
- ROTHAUL, A.L. see GRISTWOOD, R.W., 91, 389P
- ROTHWELL, N.J. see DASCOMBE, M.J., 92, 622P
- - - see LE FEUVRE, R., 90, 46P
- ROTONDO, D. see ABUL, H., 91, 493P
- - - see DAVIDSON, J., 91, 494P
- ROUSSEAU, D. see GOBERT, J.G., 91, 448P
- ROUTLEDGE, P.A. see BUSS, D.C., 90, 146P
- ROYSTON, M.C. see SIMPSON, M.D.C., 92, 609P
- RUFFOLO, R.R. Jn. see MEDGETT, I.C., 91, 348P
- RUSSELL, C. see CAMBRIDGE, H., 92, 623P
- RUSSELL, D.C. see DART, A.M., 90, 28P
- RUSSELL, N.J.W. see CAREY, F., 92, 629P
- - - see HEAPY, C.G., 90, 164P
- - - see JAMIESON, A., 90, 48P
- - - see JAMIESON, A., 92, 715P
- RUTKOWSKI, B. see JOHNS, E.J., 92, 557P
- RYALL, R.W. see HARRIS, N.C., 91, 316P
- RYAN, M.P. see GODSON, C., 91, 490P
- RYLANDER, R. see BEIJER, L., 90, 118P
- SACRE, P. see HOLLAND, A., 90, 176P
- SAELEN, J.K. see BAIZMAN, E.R., 90, 66P
- SAGAY, B.O. see DASCOMBE, M.J., 92, 622P
- SALAMONE, J.S. see CAMPBELL, N., 90, 155P
- SALONEN, R.O., WEBBER, S.E. & WIDDICOMBE, J.G. Effects of neuropeptides on tracheal vascular resistance in anaesthetized dogs, 91, 361P
- SALT, T.E. see PRASSAD, S.K., 92, 542P
- SAMBROOK, M.A. see CLARKE, C.E., 91, 508P
- SAMHOUN, M.N. see CONROY, D.M., 91, 365P
- SAMPFORD, K.A. see GRISTWOOD, R.W., 92, 631P
- SAMUELS, C.M.R. see ELLIS, P., 91, 392P
- SANDLER, M. see CLOW, A., 90, 122P
- - - see WILLOUGHBY, J., 92, 681P
- SANGER, D.J. see JOLY, D., 90, 125P
- - - see MOREL, E., 90, 239P
- SANGER, G.J. see BOYLES, E.A., 91, 418P
- - - see FAKE, C.S., 91, 335P
- - - see MOSS, H.E., 92, 531P
- SANJAR, S. see MAZZONI, L., 91, 326P
- SARDAR, A. see LUCAS, P.D., 92, 737P
- SASSAGURI, T. Ca²⁺ entry through voltage sensitive channels contribute to inositol phospholipid hydrolysis induced by K⁺ in guinea-pig ileum, 92, 712P
- SATTELLE, D.B. see DAVID, J.A., 90, 260P
- SAUNDERS, J. see CAMPBELL, N., 90, 155P
- SAUTEL, M. see ATKINSON, J., 90, 194P
- - - see ATKINSON, J., 90, 195P
- SCARPIGNATO, C., TRAMACERE, R. & ZAPPIA, L. *In vivo* gastro-intestinal pharmacology of famotidine in the rat: a comparison with ranitidine, 92, 599P

- SCATTON, B. see ARBILLA, S., 90, 84P
 - - - see BENAVIDES, J., 90, 279P
 - - - see BENAVIDES, J., 90, 280P
 - - - see CARTER, C.J., 90, 8P
 SCHACHTER, M. see CARTER, T.D., 90, 137P
 - - - see MILES, C.M.M., 90, 173P
 SCHACHTER, M., MILES, C.M.M. & SEVER, P.S. The cyclic peptide beauvericin promotes calcium influx in human neutrophils, 92, 555P
 SCHAEBLIN, E. see MAZZONI, L., 91, 326P
 SCHIAVONE, A. see MICHELETTI, R., 90, 111P
 SCHINI, V. see MILLER, R.C., 90, 139P
 SCHMITZ, W. see NEUMANN, J., 92, 546P
 SCHNEIDER, C. see ADCOCK, J.J., 90, 143P
 SCHOCH, P. see MOHLER, H., 90, 287P
 SCHOEFFTER, P. see MILLER, R.C., 90, 139P
 SCHOEMAKER, H. see ARBILLA, S., 90, 84P
 - - - see GALZIN, A.M., 92, 577P
 - - - see LANGER, S.Z., 90, 285P
 SCHOLZ, H. see NEUMANN, J., 92, 546P
 SCHUURKES, J.A.J. see JANSSENS, W.J., 90, 191P
 SCOTT, A.K. see PENNINGTON, J., 92, 729P
 SCOTT, R.H. see DOLPHIN, A.C., 90, 14P
 SEALE, J.P., NOURSHARGH, S., HELLEWELL, P.G. & WILLIAMS, T.J. Responses of the rabbit pulmonary microvasculature to platelet activating factor, 92, 634P
 SEBASTIAO, A.M. see RIBEIRO, J.A., 91, 453P
 - - - see MATA, L.R., 90, 288P
 SECHTER, D. see GALZIN, A.M., 92, 577P
 SEDGWICK, A.D. see BUSCH, U., 90, 181P
 - - - see CAMBRIDGE, H., 92, 623P
 - - - see DAWSON, J., 90, 64P
 - - - see DAWSON, J.A., 92, 624P
 SEITZ, H. see HOLZIER-PETSCH, U., 92, 716P
 SENIOR, J. see CLAYTON, J.K., 90, 214P
 - - - see CLAYTON, J.K., 90, 231P
 - - - see KERR, M.B., 90, 230P
 - - - see KERR, M.B., 91, 410P
 - - - see KERR, M.B., 92, 641P
 SEQUIER, J.M. see GLINZ, R., 90, 121P
 SERIES, H.G. see CARLSSON, A., 90, 268P
 SESARDIC, D. see BOOBIS, A.R., 90, 185P
 SESIN, J. see DELGADO, C., 90, 218P
 SEVER, P. see HUGHES, A., 92, 614P
 - - - see MILES, C.M.M., 90, 173P
 - - - see SCHACHTER, M., 92, 555P
 SEWELL, R.D.E. see DARMANI, N.A., 92, 674P
 - - - see ROONEY, K.F., 91, 422P
 SGARAGLI, G.P. see DELLA CORTE, L., 92, 732P
 SHAH, M.A., CUNNINGHAM, J. & NEAL, M.J. Effects of γ -vinyl GABA on neuronal and glial GABA release from the retina, 92, 693P
 SHAHID, M. see DICKSON, M., 92, 545P
 SHARIF, N. see BIRCHMORE, B., 91, 299P
 - - - see CLARK, C.R., 90, 3P
 SHARIF, N.A., HUNTER, J.C., HILL, R.G. & HUGHES, J. Bradykinin receptor-induced phosphatidyl inositol turnover in human embryonic pituitary tumour cells, 92, 533P
 SHAEMA, S.K. see BOLLANDS, A.D., 90, 179P
 SHARMA, S.K., DAVIS, S.S. & LOWE, K.C. Novel compositions of emulsified perfluorocarbons for biological uses: effects of surfactant and oil additive concentrations, 91, 459P
 SHARMAN, D.F. see ELLIOTT, J., 92, 749P
 - - - see HOLZBAUER, M., 90, 124P
 SHARP, T. see ANDERSON, S.M.P., 92, 699P
 - - - see CARLSSON, A., 90, 268P
 SHARP, T., BRAMWELL, S. & GRAHAME-SMITH, D.G. Effect of lithium on release of cortical 5-HT induced by MAO inhibition: a brain dialysis study, 92, 666P
 SHARP, T., UNGERSTEDT, U. & ZETTERSTROM, T. The dopamine D₂ receptor agonist, LY 171555, causes a transient increase of dopamine release in rat striatum *in vivo*, 90, 269P
 SHARPE, D.T. see CHANDER, C.L., 91, 479P
 SHAW, J.S. see CARROLL, J.A., 92, 689P
 SHAW, M.A. see NICHOLLS, P.J., 92, 726P
 SHAW, T.M. see CAMPBELL, N., 92, 583P
 SHEEHAN, M.J. see BIRCH, P.J., 92, 587P
 SHELDRIK, K.E. see BALL, D.I., 90, 150P
 - - - see BALL, D.I., 90, 151P
 - - - see BALL, D.I., 92, 591P
 - - - see BALL, D.I., 92, 746P
 - - - see COLEMAN, R.A., 90, 40P

- SHELDRIK, R.L.G. see COLEMAN, R.A., 91, 323P
 - - - see COLEMAN, R.A., 91, 407P
 SHEPPEERSON, N.B. see PIERCE, V., 91, 381P
 SHERIDAN, R.D. see BRADSHAW, C.M., 90, 70P
 SHERIDAN, R.D., SZABADI, E. & BRADSHAW, C.M. Inhibition by carbachol of the synaptically-evoked excitation of hippocampal CA1 neurones: mediation by M₁ muscarinic receptors? 92, 544P
 SHIPMAN, L.J. see WATSON, S.P., 92, 742P
 SHOWELL, G.A. see CAMPBELL, N., 90, 155P
 SIDEY, F.M. see FURMAN, B.L., 90, 50P
 SIM, E., PARKER, K.E. & WOOD, M. Guinea-pig C4 resembles human C4A in its reactivity towards nitrogen and oxygen neutrophils, 92, 731P
 SIMIAND, J. see BACHY, A., 90, 262P
 SIMMONDS, M.A. see HORNE, A.L., 92, 543P
 SIMPSON, M.D.C., ROYSTON, M.C., CROSS, A.J., SLATER, P., MANN, D.M.A., DEAKIN, J.F.W. & REYNOLDS, G.P. Brain regional [³H]-D-aspartate and [³H] TCP binding in Alzheimer's disease and Down's syndrome, 92, 609P
 SINCLAIR, J. see DAINTY, I.A., 91, 506P
 SINGH, L. see IVERSEN, S.D., 91, 340P
 SIRINATHSIGHI, D.J.S. see BERESFORD, I. J.M., 92, 686P
 SIRRENBURG, S. see RACKE, K., 92, 688P
 SITBON, M. see DEMUS, J.F., 92, 770P
 - - - see TROUVE, R., 90, 183P
 - - - see TROUVE, R., 90, 184P
 SKAN, W. see CROSS, A.J., 91, 438P
 SKIDMORE, I.F. see BRADSHAW, J., 92, 590P
 SLATER, P. see CROSS, A.J., 90, 244P
 - - - see CROSS, A.J., 91, 438P
 - - - see O'SHAUGHNESSY, C.T., 91, 435P
 - - - see SIMPSON, M.D.C., 92, 609P
 SLEE, S. see KAUMANN, A.J., 92, 547P
 SLEIGHT, A.J. see MARSDEN, C.A., 90, 85P
 SLEIGHT, A.J., MARSDEN, C.A. & PALFREYMAN, M.G. Selective MAO inhibitors - effects on 5-hydroxytryptamine release in the freely moving rat, 91, 344P
 SMALL, R.C. see BOYLE, J.P., 91, 491P
 - - - see EDWARDS, D., 90, 129P
 SMEATON, L.A. see MOORE, R.J.G., 92, 723P
 SMITH, A.D. see APPLEYARD, M.E., 92, 530P
 - - - see BACON, S.J., 92, 683P
 SMITH, A.D. see DELLA CORTE, L., 92, 792P
 - - - see TOTTERDELL, S., 92, 684P
 SMITH, G.M. see MARR, J.F., 92, 748P
 - - - see OMOGBAI, E.K.I., 92, 763P
 SMITH, G.W. & NAYA, I. Inhibition of uptake 1 in the dog by dopexamine hydrochloride, 92, 777P
 SMITH, H. see HATT, P.A., 92, 518P
 - - - see LAYCOCK, S.M., 90, 31P
 SMITH, J.A. see EVANS, H.G., 91, 321P
 SMITH, K.J. see BARBER, H.E., 91, 469P
 SMITH, M. see FURMAN, B.L., 90, 172P
 SMITH, R.L. see MIKOV, M., 91, 473P
 SMITH, S.L. & HEAL, D.J. The effects of acute and repeated T₃ administration on behavioural responses mediated via 5-HT₁ and 5-HT₂ receptors in mice, 91, 414P
 - - - Repeated T₃ administration potentiates the effects of ECS on 5-HT₂ but not 5-HT_{1A} mediated behavioural changes in mice, 92, 672P
 SMITH, T.W. see ADCOCK, J.J., 90, 143P
 - - - see ADCOCK, J.J., 92, 596P
 - - - see FOLLENFANT, R.L., 90, 68P
 SNEDDON, P. see DALZIEL, H.H., 92, 713P
 SOMOGYI, G.T. see GAAL, J., 90, 71P
 SONNAY, M. see ATKINSON, J., 90, 192P
 - - - see ATKINSON, J., 90, 194P
 - - - see ATKINSON, J., 90, 195P
 SOUTHERTON, J.S., TAYLOR, S.G., WEIR, S.W. & WESTON, A.H. An investigation into the mechanism of action of pinacidil in rat blood vessels, 90, 126P
 SPARROWHAWK, K.T. see MILLER, A.A., 91, 436P
 SPEDDING, M. see BROWN, C.M., 90, 12P
 - - - see BROWN, C.M., 91, 313P
 - - - see CLAQUE, R., 90, 252P
 - - - see DAINTY, I.A., 91, 387P
 - - - see DAINTY, I.A., 91, 506P
 - - - see DAINTY, I.A., 92, 619P
 - - - see DUNCAN, G.P., 92, 554P
 - - - see FASEHUN, O.A., 92, 553P
 - - - see UGWU, A.C., 92, 552P
 SPENCER, P.S.J. see ROONEY, K.F., 91, 422P
 SPICER, B.A. see HATT, P.A., 92, 518P

- SPICER, B.A. see LAYCOCK, S.M., 90, 31P
- SPRAGGS, C.F. see BUNCE, K.T., 91, 319P
- SPYER, K.M. see DASHWOOD, M.R., 91, 510P
- STABLES, R. see ANDREWS, P.L.R., 91, 417P
- STAHL, S.M. see BEER, M.S., 90, 292P
 - - - see CLARKE, C.E., 91, 443P
 - - - see GILBERT, F., 91, 495P
- STAMFORD, J.A. & WIGHTMAN, R.M.
 Nomifensine abolishes the actions of dopamine receptor antagonists on stimulated striatal dopamine release: in vivo voltammetric data, 90, 275P
- STANDING, B. see GALE, R., 90, 270P
- STANDRING, R. see FEARS, R., 91, 462P
- STANFORD, C. see DAVIES, C., 90, 119P
- STANTON, A.W.B. & PIPER, P.J. Antagonism by calcium antagonists of leukotriene-induced coronary constriction in vitro, 92, 639P
- STARR, M.S. see FLETCHER, G.H., 91, 437P
- STEARDO, L. see CHOWDHURY, M., 92, 792P
- STEEL, G. see LAGENTE, V., 90, 114P
- STEINBERG, H. see DAVIES, C., 90, 119P
- STEPHENSON, J.D. see ALBANESE, A., 92, 610P
 - - - see KOSHIKAWA, N., 90, 247P
- STEVENSON, I.H. see HEWICK, D.S., 90, 178P
- STEWART, B.R., JENNER, P. & MARSDEN, C.D. Involvement of '5-HT-1 like' receptors in purposeless chewing in rats, 91, 337P
 - - - Characterisation of the muscarinic receptor subtype mediating pilocarpine-induced purposeless chewing behaviour, 92, 702P
- STEWART, B.R., ROSE, S., JENNER, P. & MARSDEN, C.D. Pilocarpine-induced purposeless chewing is dependent upon central intact stores of 5-HT, 92, 703P
- STEWART, J.M. see BARON, D.A., 91, 485P
- STOCK, M.J. see DASCOMBE, M.J., 92, 622P
 - - - see LE FEUVRE, R., 90, 46P
- STOLZ, J.F. see LUSCOMBE, D.K., 91, 429P
- STONE, M.A. see CAREY, F., 91, 486P
 - - - see CAREY, F., 92, 629P
- STOPPARD, T. see BADAWY, A.A.-B., 91, 345P
- STRANGE, P.G. see BENNETT, T., 90, 109P
- STRANGE, P.G. see LEONARD, M.N., 91, 426P
- STRAUGHAN, D.W. see BRITTAIN, R.T., 90, 87P
- STRETTON, C.D. & BARNES, P.J. Neuropeptide Y modulates cholinergic nerves in the guinea-pig trachea, 92, 593P
- STRONG, P. see BROWN, A.K., 90, 206P
 - - - see TREVETHICK, M.A., 92, 526P
 - - - see WRIGHT, G., 92, 638P
- STUART, A.M. see CROSSMAN, A.R., 90, 248P
 - - - see CROSSMAN, A.R., 90, 249P
 - - - see CROSSMAN, A.R., 90, 259P
- STURGESS, N.C. see ASHFORD, M.L.J., 91, 301P
- SUER, A.H. see BRADSHAW, E.G., 90, 212P
 - - - see GREENIDGE, E., 90, 213P
 - - - see GREENIDGE, E., 90, 221P
 - - - see HAYTER, A.P., 91, 460P
 - - - see WALI, F.A., 92, 717P
- SUER, A.H., MCATEER, E.J., WALI, F.A., TUGWELL, A.C., DARK, C.H. & JONES, C.J. Effects of atropine and glycopyrrrolate, on twitch, tetanic and post-tetanic twitch responses in the rat diaphragm preparation, 92, 718P
- SULLIVAN, A.T. see AKERS, I.A., 91, 383P
- SUMMERS, R.J. see BUXTON, B.B.F., 90, 205P
- SUMNER, M.J., HUMPHREY, P.P.A. & FENIUK, W. Characterisation of the 5-HT₁-like receptor mediating relaxation of porcine vena cava, 92, 574P
- SUTTON, A. see KEMP, M.C., 92, 695P
- SWAYNE, G.T.G. see BYFIELD, R.A., 90, 152P
 - - - see CURRINGTON, A., 90, 233P
- SWEATMAN, W.J.F. see BRANDON, D.R., 91, 403P
- SWEETMAN, A.J. see MCLAUGHLIN, N.J., 92, 733P
- SYKES, E.A. see DAVIES, C., 90, 119P
- SZABADI, E. see BRADSHAW, C.M., 90, 70P
 - - - see BRADSHAW, C.M., 90, 267P
 - - - see SHERIDAN, R.D., 92, 544P
- SZABO, L. see GAAL, J., 90, 71P
- SZANTAY, Cs. see GAAL, J., 90, 71P
- TABERNER, P.V. see ASSIMALOPOULOS, M., 90, 51P
- TAMARGO, J. see DELGADO, C., 90, 218P

- TAMARGO, J. see VALENZUELA, C., 92, 772P
- TAN, S. see ARBILLA, S., 92, 538P
- TANEJA, D.T. see LYLES, G.A., 90, 16P
- TATTERSALL, F.D. see BARNES, N.M., 92, 649P
- - - see COSTALL, B., 90, 90P
- TATTERSFIELD, A.E. see RICHARDS, R., 90, 32P
- TAYLOR, D.A. see COUPAR, I.M., 90, 105P
- TAYLOR, G. see GUMBLETON, M., 91, 468P
- - - see GUMBLETON, M., 92, 725P
- TAYLOR, J.B.O. see LEES, P., 92, 604P
- TAYLOR, J.F. see BUCKLE, D.R., 92, 744P
- TAYLOR, R.G. see COOK, D.G., 90, 36P
- TAYLOR, S.C. see GALE, R., 90, 270P
- TAYLOR, S.G. see BUCKLE, D.R., 92, 744P
- - - see SOUTHERTON, J.S., 90, 126P
- TEJERINA, T. see DELGADO, C., 90, 218P
- TEMLETT, J.A. see OERTEL, W.H., 92, 611P
- TEMPLETON, A.G.B. see DAINITY, I.A., 92, 619P
- TEMPLETON, A., DREW, G.M. & MCGRATH, J.C. Endothelium-dependent vasodilator responses to acetylcholine in hypertension and diabetes, 92, 766P
- TEMPLETON, D. see ARKLE, S., 91, 492P
- TEN BRUGGENCATE, G. see GALVAN, M., 91, 310P
- TERRAR, D.A. & VICTORY, J.G.G. Influence of membrane potential on the negative inotropic effects of halothane on cells isolated from guinea-pig ventricular muscle, 92, 548P
- TERRAR, D.A. & WHITE, E. Nifedipine-resistant contractions at positive potentials in cells isolated from guinea-pig ventricular muscle, 92, 549P
- TERRY, P. see DAVIES, C., 90, 119P
- TESTA, B. see CHIVERS, J.K., 90, 123P
- THOMAS, G.R. see BROWN, M.J., 90, 284P
- - - see HILEY, C.R., 90, 163P
- - - see HILEY, C.R., 91, 378P
- THOMAS, K.H. see BARTON, J.J., 90, 224P
- - - see BRANDON, D.R., 91, 403P
- THOMAS, P.C. see BUCKETT, W.R., 90, 94P
- - - see BUCKETT, W.R., 90, 261P
- - - see LUSCOMBE, G.P., 92, 575P
- THORNBUR, C.W. see BLACKBURN, T.P., 90, 256P
- THORNBUR, C.W. see BLACKBURN, T.P., 90, 277P
- THORNTON, P.C. see HOLLAND, A., 90, 176P
- THORPE, K.A., GRANT, T.L. & TODD, M.H. Comparison of the contractile effects of neuropeptide Y and other agonists on rabbit isolated blood vessels, 92, 781P
- THULESIUS, O. see ANGELO-KHATTAR, M., 91, 320P
- THURET, F. see LLOYD, K.G., 90, 74P
- TODD, M. see BOGGETT, D., 92, 789P
- - - see GRANT, T.L., 91, 396P
- - - see THORPE, K.A., 92, 781P
- TOLOWINSKA, I.Y. see COLEMAN, R.A., 91, 407P
- TOPOUZIS, S. & MILLER, R.C. Possible role of Na^+ - K^+ - Cl^- -cotransport in the production and/or release of endothelium-derived relaxing factor, 92, 782P
- TOTH, I. see GAAL, J., 90, 71P
- TOTTERDELL, S. & SMITH, A.D. Hippocampal and dopaminergic inputs to the nucleus accumbens converge onto the same neurons, 92, 684P
- TOWLERTON, G.R. see DE'BRITO, F.B., 91, 465P
- TRAMACERE, R. see SCARPIGNATO, C., 92, 599P
- TRAYNOR, J.R. see DIXON, D. 91, 300P
- - - see FRANKLIN, T.G., 92, 740P
- TRENDELENBURG, U. & WILSON, V.G. Substrate concentration gradient and the potency of uptake inhibitors in slices of the rat cerebral cortex, 92, 580P
- TREVETHICK, M.A. see WRIGHT, G., 92, 638P
- TREVETHICK, M.A., BROWN, A.K., WRIGHT, G. & STRONG, P. Effect of A23187 and ischaemia-reperfusion on leukotriene release from rat isolated perfused heart, 92, 526P
- TREVETHICK, M.A., WHELAN, C.J. & WRIGHT, G. The negative inotropic actions of leukotrienes are secondary to coronary vasoconstriction, 90, 60P
- TRICKLEBANK, M.D. see FOZARD, J.R., 90, 273P
- - - see GILBERT, F., 91, 495P
- - - see IVERSEN, S.D., 91, 340P
- TROUT, N.J. see ASHFORD, M.L.J., 91, 301P
- TROUVE, R. see DEMUS, J.F., 92, 770P

- TROUVE, R., NAHAS, G., LATOUR, C., SITBON, M. & DEMUS, J.F. Ca^{2+} modulators as antidotes to imipramine lethal toxicity in the rat, 90, 183P
 - - - Nitrendipine: an antidote to the lethal toxicity of cocaine, 90, 184P
 TUCKER, G.T. see BURNS, E., 92, 603P
 TUGWELL, A.C. see GREENIDGE, E., 90, 213P
 - - - see GREENIDGE, E., 90, 221P
 - - - see HAYTER, A.P., 91, 460P
 - - - see SUER, A.H., 92, 718P
 TULLOCH, I.F. see DICKINSON, S.L., 91, 415P
 TURNER, A.J. see KIRKNESS, E.F., 91, 484P
 TURNER, M. see JACOBS, M., 92, 792P
 TURNER, N.C. see DOLLERY, C.T., 90, 34P
 - - - see DOLLERY, C.T., 90, 225P
 TYERS, M.B. see ANDREWS, P.L.R., 91, 417P
 - - - see BRITAIN, R.T., 90, 87P
 - - - see COSTALL, B., 90, 89P
 - - - see COSTALL, B., 90, 90P
 - - - see COSTALL, B., 90, 243P
 - - - see COSTALL, B., 90, 257P
 - - - see COSTALL, B., 91, 338P
 - - - see COSTALL, B., 91, 420P
 - - - see COSTALL, B., 92, 657P
 - - - see GUNNING, S.J., 90, 135P
 - - - see JONES, B.J., 90, 88P
 TYMKEWYCZ, P. see JONES, R.L., 90, 226P

 UEKI, A., CHONG, P.N., ALBANESE, A., NOMOTO, M., ROSE, S., GIBB, W.R., JENNER, P. & MARSDEN, C.D. Brain dopamine function and responses to MPTP in common marmosets treated with MPTP up to 18 months previously, 92, 701P
 UFKES, J.G.R. see PORSIUS, A.J., 90, 147P
 UGWU, A.C. see MCGRATH, J.C., 90, 153P
 UGWU, A.C., MCGRATH, J.C. & SPEDDING, M. Comparisons of the effects of palmitol carnitine and Bay K 8644 on the calcium-sensitivity of the rat tail artery, 92, 552P
 UNGERSTEDT, U. see CARLSSON, A., 90, 268P
 - - - see SHARP, T., 90, 269P
 UPRICHARD, A.C.G. see ALLEN, J.D., 90, 23P
 - - - see HARRON, D.W.G., 91, 325P
 URQUHART, C.J., DOWNING, O.A., WILSON, K.A., LORD, J.A.H. & ROACH, A.G. Phenylephrine and noradrenaline evoke increases in short circuit current after α_2 -adrenoceptor antagonism in the rat jejunum, 92, 711P

 VALENZUELA, C., DELPON, E. & TAMARGO, J. Resting and phasic V_{max} block induced by 5-hydroxypropafenone in guinea-pig ventricular muscle fibres, 92, 772P
 VALET, P. see DAMASE, C., 90, 196P
 VALOTI, M. see DELLA CORTE, L., 92, 732P
 VAN CHARLDORP, K.J. see BATINK, H.D., 90, 154P
 - - - see BATINK, H.D., 90, 81P
 - - - see DAVIDESKO, D., 90, 160P
 VANDERNIEPEN, P. see DUPONT, A.G., 90, 26P
 VAN DER WOUW, P.A., VLEEMING, W., VAN ROOIJ, H.H. & PORSIUS, A.J. Functional response to dobutamine in the pithed rat 48 hours and 7 days after myocardial infarction, 90, 20P
 VANHOUTTE, P.M. see FLAVAHAN, N.A., 91, 331P
 VAN HOVE, C.E. see HERMAN, A.G., 90, 19P
 VANNUCCHI, M.G. & PEPEU, G. The release of endogenous acetylcholine and [^3H]-acetylcholine from cortical slices of ageing rats, 92, 692P
 VAN NUETEN, J.M. see JANSSENS, W.J., 90, 191P
 VAN ROOIJ, H.H. see PORSIUS, A.J., 90, 147P
 VAN ROOIJ, H.H. see VAN DER WOUW, P. A., 90, 20P
 VAN WILGENBURG, H. see GONZALES, R.G., 90, 134P
 VAN ZWIETEN, P.A. see BATINK, H.D., 90, 81P
 - - - see BATINK, H.D., 90, 154P
 - - - see BODDEKE, H.W.G.M., 90, 131P
 - - - see BODDEKE, H.W.G.M., 90, 29P
 - - - see DAVIDESKO, D., 90, 160P
 - - - see JAP, T.J.W., 90, 217P
 VARDEY, C.J. see BUTCHERS, P.R., 92, 745P
 VARGAFTIG, B.B. see LAGENTE, V., 90, 114P
 VARNEY, M.A. see MCKNIGHT, A.T., 91, 360P
 VAVREK, R.J. see BARON, D.A., 91, 485P
 VELDSEMA-CURRIE, R. see BODDEKE, H.W. G., 90, 29P
 VELO, G.P. see BENONI, G., 90, 99P

- VELO, G.P. see DEL SOLDATO, P., 92, 525P
- VENDY, K. see DOLLERY, C.T., 90, 34P
- VERBEUREN, T.J. see HERMAN, A.G., 90, 19P
- VERSLUIJS-BROERS, J.A.M. see GONZALES, R.G., 90, 134P
- VICKERS, V.C. see DICKEN, M.P., 90, 59P
- VICTORY, J.G.G. see TERRAR, D.A., 92, 548P
- VINCENT, J.C. see BROWN, N.L., 90, 203P
- VIZI, E.S. see FARSANG, C., 91, 332P
- - - see GAAL, J., 90, 71P
- VLEEMING, W. see VAN DER WOUW, P.A., 90, 20P
- VOHRA, M.M. see BOUDREAU, N., 92, 710P
- VOHRA, M.M. & CHIAPPETTA, P. Release of [³H]-noradrenaline by the proton-pump inhibitor omeprazole, 92, 709P
- VOS, A.A.A.M. see FLAVAHAN, N.A., 91, 331P
- VUORELA, A. see AHTEE, L., 91, 440P
- WADDINGTON, J.L. see CROSS, A.J., 90, 244P
- WADSWORTH, R.M. see GAW, A.J., 92, 762P
- - - see MCHARG, A.D., 90, 201P
- - - see MCHARG, A.D., 92, 617P
- WAEBER, C. see HOYER, D., 92, 561P
- WAFFORD, K.A. see DAVID, J.A., 90, 260P
- WAINWRIGHT, C.L. see DASHWOOD, M.R., 91, 510P
- - - see FAGBEMI, O., 91, 352P
- WALKER, R.J. see HEWITT, G.M., 92, 673P
- WALI, F.A. see BRADSHAW, E.G., 90, 212P
- - - see GREENIDGE, E., 90, 213P
- - - see GREENIDGE, E., 90, 221P
- - - see HAYTER, A.P., 91, 460P
- - - see SUER, A.H., 92, 718P
- WALI, F.A., SUER, A.H., HAYTER, A.P. & MCATEER, E.J. Effect of atracurium on tone, contractility and the contractions produced by periarterial stimulation in the rat isolated ileum, 92, 717P
- WALKER, J.R. see BARTON, J.J., 90, 224P
- - - see BRANDON, D.R., 91, 403P
- WALKER, M.J.A. see CURTIS, M.J., 91, 349P
- WALKER, R.J. see HOLDEN-DYE, L., 92, 676P
- WALLACE, J.L. see LAGENTE, V., 90, 114P
- WALLDUCK, M.S. see EDEN, R.J., 91, 380P
- WALLER, D.G. see ALBANO, J.D.M., 91, 296P
- WALLIS, D.I. see CONNELL, L.A., 92, 679P
- WALSH, L.P. & ZEITLIN, I.J. Effect of salazopyrin, 5-aminosalicylic acid and prednisolone on an immune complex-mediated colitis in mice, 92, 741P
- WALSH, L.P., ZEITLIN, I.J., BLACKHAM, A., NORRIS, A.A. & JARRETT, F. Immune complex-mediated colitis in mice, 91, 294P
- WALT, R.P. see BHASKAR, N.K., 90, 52P
- WAN, B.Y.C. see HOLLAND, A., 90, 176P
- WANG, X.L. see BECKERINGH, J.J., 90, 43P
- - - see BECKERINGH, J.J., 90, 42P
- WANN, K.T. see HEWITT, G.M., 92, 673P
- WANSTALL, J.C. see O'DONNELL, S.R., 90, 127P
- WARBURTON, G. see LI, J.Y.M., 91, 356P
- WARD, M.A. see BARTON, H.J., 90, 223P
- WARD, S. see BARRETT, M.L., 90, 113P
- - - see BRAITHWAITE, I.M., 91, 488P
- - - see NICHOLL, D.D., 91, 489P
- WARD, S.G., PLEASS, R.D. & WESTWICK, J. Modulation of receptor-operated calcium mobilisation by protein kinase C, but not cAMP or cGMP dependent systems in U937 cells, 92, 515P
- WARD, S.G. & WESTWICK, J. Receptor-operated calcium mobilisation in a human pre-monocytic cell line, U937, 92, 514P
- WARD, S.J. see BAIZMAN, E.R., 90, 66P
- WARDLAW, A.C. see FURMAN, B.L., 90, 50P
- WARDLE, K.A. see MUIR, T.C., 90, 132P
- WARENYCIA, M.W. see REIFFENSTEIN, R. J., 91, 315P
- WARREN, J.B., RITTER, J.M., HICKLING, N.E. & BARROW, S.E. Stimulation of prostaglandin synthesis in conscious rabbits by bradykinin, 92, 792P
- WARREN, M. The use of *in vitro* techniques in pharmacological investigations, 91, 509P

- WATERS, C.M., WILSON, K.A. & DOWNING, O. A. The influence of endothelium on hypoxic responses of rat arteries, 92, 780P
- WATLING, K.J. see ASPLEY, S., 91, 303P
 - - - see GUARD, S., 92, 586P
- WATSON, J. see LANGLANDS, J.M., 92, 633P
- WATSON, M.L., LEWIS, G.P. & WESTWICK, J. Interleukin 1, tumour necrosis factor, leukotriene B₄ and human polymorphonuclear leukocyte chemokinesis, 91, 364P
 - - - A neutrophil chemokinetic factor produced by interleukin-1-stimulated human synovial fibroblasts, 92, 512P
- WATSON, S.P. see GUARD, S., 92, 586P
 - - - see NUNN, D.L., 90, 133P
- WATSON, S.P., SHIPMAN, L.J., MCNALLY, J. & GODFREY, P.P. The action of staurosporine, an inhibitor of protein kinase C, on the activation of human platelets by thrombin, 92, 742P
- WATT, A.H. see BUSS, D.C., 90, 146P
- WATTS, I.S. see KEERY, R.J., 92, 735P
- WAYNE, J. see CAREY, F., 92, 629P
- WAYNE, M. see BYLAND, E., 90, 228P
 - - - see JESSUP, C.L., 90, 229P
- WEBBER, S.E. see SALONEN, R.O., 91, 361P
- WEBBER, S.E., BREEN, M. & WIDDICOMBE, J.G. The effects of PH1 and NPY on mucus secretion from the ferret *in vitro* trachea, 92, 594P
- WEIR, S.W. see SOUTHERTON, J.S., 90, 126P
- WESSLER, I. see KILBINGER, H., 90, 110P
- WESTON, A.H. see BRAY, K.D., 91, 357P
 - - - see EDWARDS, D., 90, 129P
 - - - see SOUTHERTON, J.S., 90, 126P
- WESTWICK, J. see BARRETT, M.L., 90, 113P
 - - - see WARD, S.G., 92, 514P
 - - - see WARD, S.G., 92, 515P
 - - - see WATSON, M.L., 91, 364P
 - - - see WATSON, M.L., 92, 512P
- WHALLEY, E.T. see NWATOR, I.A.A., 92, 572P
 - - - see WHALLEY, H., 91, 476P
 - - - see WHALLEY, H., 92, 783P
- WHALLEY, H. & WHALLEY, E.T. The role of the endothelium in the response of the *in vitro* rat aorta to BK, A11, 5-HT, PHE, and ACh: effect of oxyhaemoglobin, 91, 476P
 - - - Responses of the isolated perfused rat mesentery to A11, 5-HT, PhE and ACh: role of the endothelium, 92, 783P
- WHEATLEY, P.L. see MILLER, A.A., 91, 436P
- WHEELER, H. see COWAN, A., 90, 219P
- WHELAN, C.J. see TREVETHICK, M.A., 90, 60P
 - - - see WRIGHT, G., 92, 638P
- WHITE, D.G. see MARTIN, W., 90, 18P
- WHITE, D.G. & MARTIN, W. Differential production of endothelium-derived relaxing factor and prostacyclin by pig aortic endothelial cells, 92, 520P
- WHITHAM, E.M. see BARNES, S., 92, 667P
- WHITE, E. see TERRAR, D.A., 92, 549P
- WHITFORD, C.A. see BELL, K.J., 90, 291P
- WHITING, M.V. see CAMBRIDGE, D., 92, 570P
- WHITING, R.L. see EGLEN, R.M., 90, 108P
 - - - see EGLEN, R.M., 90, 157P
 - - - see MICHEL, A.D., 90, 156P
- WHITTLE, B.J.R. see DAFFONCHIO, L., 90, 141P
 - - - see ESPLUGUES, J.V., 91, 367P
 - - - see ESPLUGUES, J.V., 92, 620P
 - - - see FITZGERALD, M.F., 91, 412P
 - - - see GUTH, P.H., 90, 115P
 - - - see LAGENTE, V., 90, 114P
- WHITWORTH, P. & KENDALL, D.A. Selective effects of lithium on inositol polyphosphate formation in mouse cerebral cortical slices *in vitro*, 92, 678P
- WICK, A. see ARBILLA, S., 92, 538P
- WIDDECOMBE, J.G. see SALONEN, R.O., 91, 361P
 - - - see WEBBER, S.E., 92, 594P
- WIDE, J.M. see HILL, R.G., 90, 283P
- WIECZOREK, W.J. & D'MELLO, A. Role of the endothelium in age-related responses of rat aorta, 90, 202P
- WIGHTMAN, R.M. see STAMFORD, J.A., 90, 275P
- WILFFERT, B. see BODDEKE, H.W.G.M., 90, 29P
 - - - see BODDEKE, H.W.G.M., 90, 131P
- WILKE, R. see NICHOLSON, C.D., 92, 680P
- WILKINS, A.J. see EDWARDS, R.J., 90, 292P
- WILKS, L. see FILE, S.E., 91, 509P
- WILLIAMS, J.H. see BARASI, S., 90, 67P
 - - - see BOLTON, J., 92, 738P
- WILLIAMS, K. see BENNETT, T., 90, 109P

- WILLIAMS, T.J. see HELLEWELL, P.G., 91, 317P
- - - see RAMPART, M., 90, 56P
- - - see SEALE, J.P., 92, 634P
- WILLOUGHBY, D.A. see DE BRITO, F.B., 90, 140P
- - - see DE BRITO, F.B., 91, 465P
- WILLOUGHBY, J., GLOVER, V., SANDLER, M., REYNOLDS, G. & BARON, B. Monoamine oxidase B distribution in the human, marmoset and rat brain, 92, 681P
- WILSON, A.D. see ALPS, B.J., 91, 312P
- WILSON, C. Antagonism of the vasorelaxant activity of BRL 34915 by K⁺ channel blockers, 91, 401P
- - - see FARABOLLINI, F., 90, 263P
- WILSON, K.A. see URQUHART, C.J., 92, 711P
- - - see WATERS, C.M., 92, 780P
- - - see WILSON, V.G., 92, 573P
- WILSON, N.H. see DYSON, E.H., 90, 227P
- - - see JONES, R.L., 90, 226P
- - - see MCKENNA, M.F., 92, 640P
- WILSON, V.G. see DALEY, C.J., 91, 397P
- - - see DALY, C.J., 92, 775P
- - - see DALY, C.J., 92, 776P
- - - see MCGRATH, J.C., 91, 327P
- - - see TRENDLENBURG, U., 92, 580P
- WILSON, V.G., DOWNING, O.A. & WILSON, K.A. The interaction between α - and β -adrenoceptors in the rat isolated thoracic aorta and the action of prazosin, 92, 573P
- WINN, M.J. see CHESS-WILLIAMS, R., 91, 386P
- - - see PARK, B.K., 91, 509P
- WITHRINTON, P.G. The vasodilation potency of calcitonin gene related peptide on the hepatic arterial vasculature of the dog, 90, 199P
- WOLLAGE, E. see LYLES, G.A., 90, 175P
- WOOD, A.J., ELPHICK, M. & GRAHAME-SMITH, D.G. Chronic lithium carbamazepine and haloperidol, but not phenytoin stimulate ⁸⁶Rb uptake by mouse brain P₂ fractions, 92, 579P
- WOOD, D. see ALYAMI, A.M., 91, 480P
- WOOD, L.M. see COMER, M.B., 92, 754P
- - - see OWEN, D.A.A., 90, 234P
- - - see OWEN, D.A.A., 91, 393P
- WOOD, M.D. see ALEXANDER, B.S., 91, 449P
- - - see ALEXANDER, B.S., 92, 562P
- - - see BROADHURST, A.M., 90, 73P
- WOOD, M. see SIM, E., 92, 731P
- WOODMAN, P.G. see EDWARDSON, J.M., 91, 463P
- WOODRUFF, G.N. see CAMPBELL, N., 92, 583P
- - - see FOSTER, A.C., 90, 7P
- - - see FOSTER, A.C., 90, 9P
- - - see GILL, R., 91, 311P
- - - see GRAHAM, W.C., 91, 306P
- - - see PRIESTLEY, T., 90, 106P
- WOODWARD, B. see BAILEY, I.A., 92, 759P
- - - see CRIDDLE, D.N., 92, 758P
- WOOLLARD, P.M., MURPHY, G.M., CUNNINGHAM, F.M., CAMP, R.D.R., & GREAVES, M.W. Evidence that 12(R)-HETE is a more active neutrophil chemoattractant than its 12(S) epimer in human skin, 92, 524P
- WORCEL, M. see BROWN, N.L., 90, 203P
- - - see BROWN, N.L., 90, 204P
- WORMS, P. see BIZIERE, K., 91, 347P
- WRIGHT, G. see TREVETHICK, M.A., 90, 60P
- - - see TREVETHICK, M.A., 92, 526P
- WRIGHT, G., TREVETHICK, M.A., WHELAN, C.J. & STRONG, P. Evidence that leukotriene C₄ and U46619 induce hypoxia in the guinea-pig isolated perfused heart, 92, 638P
- WRIGHT, I.K. see BROWN, J.R., 91, 507P
- WULFERT, E. see GOBERT, J.G., 91, 448P
- WYLLIE, D.H. see WYLLIE, J.H., 92, 532P
- WYLLIE, J.H., WYLLIE, D.H. & COOPER, M. Several reputed agonists at 5-HT_{1B} receptors behave as partial agonists on mouse bladder preparation, 92, 532P
- WYLLIE, M.G. see BROADHURST, A.M., 90, 73P
- XHONNEUX, R. see JANSSENS, W.J., 90, 191P
- YAMAGUCHI, Y. see HORTON, R.W., 90, 82P
- YEADON, M. & KITCHEN, I. Comparative binding characteristics of μ and δ selective ligands in marmoset and rat brain, 91, 431P
- YODIM, M.B.H. see BEN-SHACHAR, D., 90, 2P
- - - see BEN-SHACHAR, D., 90, 95P
- - - see FINBERG, J.P.M., 90, 104P

YOUNG, J.M. see CRAWFORD, M.L.A., 91,
304P

- - - see DANOFF, S.K., 90, 271P

YOUNG, M.M. see GODFREY, P.P., 90,
76P

- - - see GODFREY, P.P., 90, 253P

ZAPPIA, L. see SCARPIGNATO, C., 92,
599P

ZAR, M.A. see LUHESHI, G.N., 92,
528P

ZEITLIN, I.J. see CHAKDER, S.K., 92,
600P

- - - see GRANT, A., 91, 464P

- - - see GRANT, A., 92, 626P

- - - see WALSH, L.P., 91, 294P

- - - see WALSH, L.P., 92, 741P

ZEMAN, P. see MCWILLIAM, J.R., 92,
698P

ZETTERSTROM, T. see ALBERY, W.J., 92,
608P

- - - see SHARP, T., 90, 269P

ZIVKOVIC, B. see MOREL, E., 90, 239P

- - - see MOREL, E., 92, 669P

ZOUMBOULIS, G. see MARAGOUDAKIS, M.E.,
91, 413P

SUBJECT INDEX

- A-431 cells, 90, 159P
 Accumbens nucleus, 92, 684P
 Acetylcholine, 90, 145P; 91, 297P
 461P; 92, 608P, 719P, 766P
 [³H]-acetylcholine, 90, 110P
 Acetylcholine lethal toxicity, 92, 770P
 Acetylcholine release, 92, 692P
 Acetylcholinesterase release, 92, 530P
 [³H] ACh release, 91, 305P
 Acidosis, 91, 358P
 Acute inflammation, 90, 58P
 Acute porphyria, 91, 504P
 Acylation, 91, 462P
 Acyl carnitines, 92, 758P
 Additive variations, 91, 459P
 Adenosine, 90, 5P, 11P, 77P, 146P, 200P,
 271P; 91, 453P; 92, 558P, 581P, 736P,
 787P, 788P
 Adenosine (A₂), 90, 292P
 Adenosine 3',5'-monophosphate, cyclic,
 protein kinase, 92, 755P, 633P
 Adenosine 5'-monophosphate, 92, 713P
 Adenosine A₁ receptor antagonist, 92,
 788P
 Adenosine receptors, 92, 546P, 592P
 Adenosine receptor, 90, 12P, 288P
 Adenylate cyclase, 90, 38P, 79P, 97P,
 159P, 169P, 271P
 Adrenal gland, rat, 92, 710P
 Adrenal glands, 92, 786P
 Adrenaline, 90, 17P; 91, 330P; 92, 761P
 Adrenergic mechanisms, 90, 153P, 207P
 Adrenergic mediated responses, 90, 19P
 Adrenergic receptors, 90, 196P
 Adrenergic responses, 91, 396P
 β-Adrenoceptor agonist, long-acting,
 92, 745P, 746P
 Adrenoceptor agonists, 90, 44P
 α-Adrenoceptor agonists, 91, 501P
 α₂-Adrenoceptor agonists, 90, 27P, 166P
 β-Adrenoceptor agonists, 92, 631P
 β₂-Adrenoceptor agonists, 92, 590P,
 591P
 α-Adrenoceptor antagonists, 91, 501P
 α₂-Adrenoceptor antagonism, 92, 711P
 α₂-Adrenoceptor antagonist, 90, 71P
 α₁-Adrenoceptor binding sites, 90, 27P
 α-Adrenoceptor blockade, 90, 50P
 β-Adrenoceptor blocker, 92, 570P
 Adrenoceptor number, 91, 330P
 Adrenoceptors, 91, 328P; 92, 761P, 774P
 α-Adrenoceptors, 90, 28P, 172P; 91,
 327P, 348P, 413P, 441P, 510P; 92,
 573P, 578P, 762P, 776P
 α₁-Adrenoceptors, 90, 109P, 195P; 91,
 329P, 331P, 381P, 383P
 α₂-Adrenoceptors, 90, 73P, 192P, 201P,
 240P; 91, 332P, 452P; 92, 691P, 697P,
 775P
 β-Adrenoceptors, 90, 40P, 44P, 94P,
 159P, 197P, 205P; 91, 379P, 500P; 92,
 573P, 575P, 578P, 592P, 734P, 749P,
 760P
 β₁-Adrenoceptors, 90, 70P, 292P; 92,
 547P
 β₂-Adrenoceptors, 90, 17P, 41P, 42P,
 43P 292P; 92, 771P
 Adrenoceptors, prejunctional, 90, 166P
 α-Adrenoceptor subtype (S), 91, 397P
 Adrenocorticotrophic hormone, 91, 486P
 Adrenocorticotropin₁₋₂₄, 91, 493P
 Aerosol, 92, 642P
 Aerosol sensitization, guinea-pigs,
 90, 35P
 AF-30, 90, 155P
 AF64A, 91, 448P
 Affinity constants, 90, 157P
 Ageing, 90, 127P, 202P; 91, 451P; 92,
 692P
 Aggressive behaviour, rats, 92, 653P
 β-Agonists, 90, 292P
 κ-Agonist, 90, 281P; 91, 299P, 433P;
 92, 629P
 Agonist desensitization, 90, 197P
 Air pouch, 90, 140P
 Airway, guinea-pig, 91, 363P, 365P
 Airway conductance, 90, 149P
 Airway resistance, 91, 326P
 Airways, human, 90, 32P; 91, 363P
 Airway smooth muscle, 91, 368P, 458P;
 92, 595P, 632P, 633P
 Alcohol, 90, 258P
 Alcohol dihydropyridine, 92, 661P
 Alfentanil, 92, 739P
 Alkylation, 92, 740P
 Allergy, 92, 602P
 Allopurinol, 90, 22P
 Allosteric modulator, 91, 350P
 Alpidem, 92, 564P, 669P
 [³H]-Alpidem, 92, 538P
 Alzheimer's disease, 92, 609P
 Amino acid receptors, 91, 445P
 Amino acids, 91, 315P
 Amino-β-Carboline, 90, 239P

γ -Aminobutyric acid, 90, 124P, 125P; 91, 304P, 446P, 480P; 92, 673P
 γ -Aminobutyric acid antagonist, 90, 120P
 γ -Aminobutyric acid autoreceptor, 92, 535P
 γ -Aminobutyric acid β behaviour, 90, 125P
 γ -Aminobutyric acid-benzodiazepine coupling, 91, 509P
 γ -Aminobutyric acid β binding sites, 91, 341P; 92, 576P
 γ -Aminobutyric acid α -chloride ionophore complex, 90, 74P
 γ -Aminobutyric acid receptors, 90, 249P, 260P; 91, 342P
 γ -Aminobutyric acid α receptors, 91, 484P
 γ -Aminobutyric acid β receptors, 90, 125P
 γ -Aminobutyric acid release, 91, 305P; 92, 535P, 693P
 γ -Aminobutyric acid-transaminase, 92, 738P
 γ -Aminobutyric synapses, 92, 683P
Aminoglutethimide, 91, 467P; 92, 727P, 728P; 90, 188P
Amiodarone, 91, 356P
Animal models, 91, 347P
Aminoglutethimide, 90, 188P
1-[2-(4-aminophenyl)ethyl]-4-(trifluoromethylphenyl) piperazine, 90, 93P
d-amphetamine, 90, 267P
Amphetamine, 92, 611P
Amygdala, rat, 90, 243P; 91, 428P; 92, 685P
Anaesthetics, 90, 211P; 91, 468P
Anaesthetised cat, 92, 756P
Anaesthetised rats, 92, 752P
Analgesic efficacy, 91, 419P
Analgesics, 90, 66P
Analogue signals, 91, 506P
Anaphylaxis, 90, 141P, 147P, 225P
Angina, 90, 208P
Angiogenesis, 91, 499P
Angiotensin II, 90, 168P, 169P; 92, 743P
Angiotensin II antagonist, 91, 362P
Angiotensin converting enzyme activity, 92, 784P
Angiotensin converting enzyme inhibitor, 90, 203P; 91, 390P; 92, 570P, 572P
Animal model of colitis, 92, 741P
Animal models, 91, 347P; 92, 744P
Anococcygeus, rat, 90, 104P; 92, 737P
Anorexia, 92, 584P
Anoria, 92, 778P
Antagonism, 91, 314P; 92, 626P
 α -Antagonism, 92, 613P
Antagonists, 90, 226P; 91, 485P; 92, 574P
 α 2-Antagonists, 91, 415P
 β -Antagonist, 91, 386P
Anterior hypothalamus, 91, 381P
Antiarrhythmic agent, 91, 394P, 395P
Anti-colitic drugs, 92, 741P
Anticonvulsant effects, 91, 509P
Anticonvulsants, 90, 6P; 92, 669P
Antidepressant metabolites, 92, 575P
Antidepressants, 90, 76P, 94P, 125P, 261P; 91, 429P; 92, 576P, 580P
Antidiuresis, 91, 496P
Antihypertensive effects, 90, 24P
Antihypertension, 92, 571P
Anti-ischaemic properties, 90, 29P
Antinociception, 90, 66P, 67P, 68P, 69P, 281P; 91, 433P
Antioxidants, 91, 378P
Antipsychotic potential, 90, 89P
Antitussive agents, 90, 143P
Anxiety, 90, 88P
Anxiety, marmoset, 90, 257P
Anxiety, mouse, 90, 257P, 258P
Anxiety, rat, 90, 263P, 264P; 92, 536P, 654P, 659P, 660P
Anxiogenesis, 91, 420P
Anxiolysis, 92, 658P
Anxiolytic, 92, 537P
Aorta, rabbit, 90, 130P; 91, 318P
Aorta, rat, 90, 16P, 128P, 202P; 91, 398P, 455P; 92, 573P, 619P, 766P, 792P
Aortic coarctation, 92, 556P
Apamin, 90, 137P, 198P
Apomorphine, 90, 238P
Arachidonate, 90, 62P
Arachidonic acid, 91, 487P; 92, 513P, 642P
Arginine vasopressin, 91, 450P
Aroclor 1254, 91, 293P
Aromatisation, 92, 726P
Arrhythmias, 91, 349P, 352P, 390P; 92, 764P
Arterial relaxation, rat, 90, 220P
Artery, rat, 90, 193P; 92, 780P
Arthritic model, 91, 467P
Arthritis, 91, 366P
Arthritis, adjuvant-induced, 90, 49P
Ascaris muscle, 92, 673P
Asthmatic reaction, guinea-pig, 92, 598P
Aspartate binding, 92, 609P
Aspirin, 90, 63P
Assay, 90, 223P; 91, 409P; 92, 608P
Asthma, 90, 32P; 91, 322P
Asthma, dog, 90, 34P
Asthma, late reaction, 90, 30P
Atherosclerosis, 90, 19P
ATP, 91, 301P
Atracurium, 92, 717P
Atria, guinea-pig, 90, 197P; 91, 379P; 92, 747P

Atrial natriuretic factor, 91, 377P
 Atrial natriuretic peptide, 92, 785P
 Atriopeptin III, 92, 557P
 Atropine, 90, 134P; 92, 718P, 770P
 Audiogenic seizures, 90, 82P
 Auerbach's plexus, 92, 530P
 α_2 Auto-adrenoceptors, 90, 72P
 Autoradiographic studies, 90, 3P, 4P, 288P, 290P
 Autoradiography, 90, 121P, 250P, 259P; 91, 510P; 92, 686P
 Autoradiography receptor, 90, 205P
 Autoreceptors, 90, 110P; 92, 699P
 Avermectin, 92, 673P
 Axon reflex, 90, 100P

Backward walking, mice, 90, 119P
 Baclofen, 90, 124P, 251P
 Bacterial lipopolysaccharide, 90, 140P
 Balsalazide, 90, 176P
 Barareflex, 92, 765P
 Basilar artery, 91, 382P; 92, 757P
 Bay K 8644, 90, 127P, 128P, 161P; 91, 348P, 398P; 92, 554P
 Beauvericin, 92, 555P
 Beclamide, 91, 421P; 92, 674P
 Behaviour, 91, 340P; 92, 607P, 657P, 702P, 704P
 Behavioural activity, 91, 429P
 Behavioural hyperactivity, 90, 96P
 Benzodiazepine agonist, 92, 656P
 Benzodiazepine antagonist, 92, 656P
 Benzodiazepine binding sites, 90, 8P, 123P
 Benzodiazepine inverse agonists, 90, 273P
 Benzodiazepine receptors, 90, 121P, 239P, 248P, 287P; 92, 534P, 537P, 655P
 Benzodiazepines, 90, 236P, 244P, 262P, 270P; 91, 346P, 480P; 92, 535P, 652P
 Benzodiazepine withdrawal, 92, 536P
 Benzylamine, 91, 444P
 Bethanechol, 90, 165P
 Bicuculline methiodide, 91, 446P
 Binding, 91, 299P; 362P
 Binding, *in vivo*, 90, 121P
 μ and δ binding, 91, 431P
 Binding sites, 90, 1P; 91, 449P
 Bladder, guinea-pig, 92, 750P, 751P
 Bladder, mouse, 92, 532P
 Bladder, rat, 92, 528P
 Bladder hyperreflexia, 92, 610P
 Blood flow, 91, 410P, 499P; 92, 785P, 789P
 Blood platelets, 92, 736P, 738P
 Blood pressure, 90, 191P, 289P; 91, 353P, 386P
 Blood vessels, 90, 126P; 92, 783P
 Body temperature, rabbit, 91, 493P
 Bombesin, 90, 136P, 219P

Bradykinin, 90, 1P, 15P, 137P, 163P, 222P; 91, 295P, 369P, 485P; 92, 511P, 626P, 792P
 Bradykinin analogues, 91, 464P
 Bradykinin antagonists, 91, 295P
 Bradykinin receptors, 92, 533P
 Brain, human, 90, 83P, 248P, 249P, 259P, 286P; 91, 336P, 342P, 438P; 92, 561P
 Brain, mouse, 92, 678P
 Brain, rat, 91, 452P; 92, 681P, 698P
 Brain cell cultures, 91, 302P
 Brain neurochemistry, rat, 90, 242P
 Brainstem, 91, 315P
 Bretylum, 92, 569P
 British Pharmacological Society, 92, 792P
 BRL 24924, 91, 456P
 BRL 34915, 90, 198P; 91, 357P, 400P, 401P; 92, 550P, 744P, 750P, 751P, 752P, 767P, 768P
 BRL 43694, 91, 335P, 418P; 92, 531P
 8-bromo-cyclic guanosine 3',5'-mono-phosphate, 91, 321P
 Bronchoactive agents, 90, 150P
 Bronchoconstriction, 90, 145P, 147P, 151P, 224P; 92, 631P, 642P, 744P
 Bronchodilation, 90, 36P; 92, 746P
 Bronchodilatation, 90, 151P; 91, 458P
 Brown fat, 90, 46P
 BTS 54 524, 92, 575P
 Bumetanide, 91, 373P
 Buprenorphine, 91, 447P
 Buspirone, 90, 106P, 252P; 91, 502P; 92, 721P
 BW A385C, 92, 570P, 571P
 BW443C, 92, 596P

Caesium, 92, 676P
 Caffeine, 92, 558P
 Calcitonin, 91, 376P; 92, 786P
 Calcitonin gene related peptide, 90, 199P; 91, 354P; 92, 567P, 568P
 α -Calcitonin gene related peptide, human, 90, 37P, 220P
 Calcium, 90, 194P, 222P; 91, 371P, 387P, 435P, 453P; 92, 514P, 515P, 521P
 Calcium antagonists, 91, 396P; 92, 554P, 639P
 Calcium channel antagonists, 90, 190P
 Calcium channel blockers, 92, 607P, 769P
 Calcium channels, 90, 210P, 216P; 91, 416P, 454P; 92, 606P, 663P
 Calcium concentration, 90, 240P
 Calcium currents, 90, 14P, 218P

Calcium dependence, 90, 186P, 280P; 91, 400P
 Calcium entry, 92, 712P
 Calcium entry blockers, 90, 131P, 217P
 Calcium facilitators, 90, 153P, 207P
 Calcium influx, 92, 555P, 632P, 767P
 Calcium, intracellular, 90, 279P
 Calcium mobilisation, 92, 763P
 Calcium modulator, 92, 770P
 Calcium paradox, 92, 551P
 Calcium sensitivity, 92, 552P
 Calcium transport, 91, 490P
 Calcium uptake, 90, 213P
 Calmodulin, 90, 215P
 Cancer, 90, 98P
 Cannabinoids, 92, 601P
 Capsaicin, 90, 48P; 91, 509P; 92, 529P
 Captopril, 92, 743P, 754P
 Carbamazepine, 92, 665P
 Carbon dioxide, 90, 144P
 γ -Carboxyglutamic acid, 91, 445P
 Carboxylic ionophores, 91, 463P
 Cardiac action, human, 90, 205P
 Cardiac action potential, 91, 389P
 Cardiac adrenoceptors, 92, 760P
 Cardiac contractility, 91, 388P
 Cardiac hypertrophy, 92, 556P
 Cardiac lypolysis, 90, 206P
 Cardiac output, rat, 90, 163P
 Cardiac responses, 90, 45P
 Cardiac stimulation, dog, 91, 391P
 Cardiovascular effects, 91, 328P, 355P, 384P, 502P
 Cardiovascular pharmacology, 90, 289P
 Cardiovascular responses, 90, 219P; 91, 381P
 Cardiovascular system, 92, 615P
 Carrier coexistence, 91, 305P
 Carotid artery bed, 92, 618P
 Carotid shunts, 92, 756P
 Cartilage breakdown, 91, 465P
 Cartilage degradation, 91, 366P
 Catalase, 92, 625P
 Catalepsy, 92, 539P
 Catecholamine release, 92, 710P
 Catecholamines, 90, 196P; 91, 430P
 Cation channels, rat, 91, 301P
 Cellular accumulation, 92, 625P
 Cellular localization, 90, 287P
 Central microinjection, 91, 355P
 Central nervous system, 91, 353P
 Cerebral arteries, sheep, 92, 762P
 Cerebral blood flow, rat, 90, 283P
 Cerebral circulation, rat, 90, 200P
 Cerebral cortex, guinea-pig, 90, 271P
 Cerebral cortex, rat, 90, 78P, 245P; 92, 543P, 680P
 C-Fibre, 90, 164P
 Chemical ileus, rat, 92, 723P
 Chemoattraction, 90, 64P
 Chemokinesis, 91, 364P; 92, 512P, 523P
 Chemotaxis, 91, 474P; 92, 524P, 635P
 Cheng-Prusoff relationship, 90, 157P
 Chloride ions, 91, 436P
 Chloride secretion, 92, 621P
 2-Chloroadenosine, 92, 540P
 p-Chlorophenylalanine, 92, 703P
 1-(3-chlorophenyl) piperazine, 92, 563P
 m-Chlorophenylpiperazine, 91, 337P
 Cholecystokinin, 90, 75P; 91, 297P, 438P
 Cholecystokinin antagonist, 91, 424P
 Cholecystokinin octapeptide, 92, 582P
 Cholecystokinin receptors, 90, 4P; 92, 583P, 686P
 Cholecystokinins, 92, 584P, 585P
 Choline acetyltransferase activity, 91, 434P
 Cholinergic nerves, 92, 593P
 Cholinergic neurotoxin, 92, 694P
 Cholinomimetics, 91, 347P
 Chromaffin cells, 91, 372P, 484P; 92, 661P
 Cilazapril, 92, 765P
 Cimetidine, 90, 171P; 91, 325P
 Circadian rhythm, 92, 577P
 Circling behaviour, 90, 255P
 Cisplatin, 90, 90P, 135P; 92, 649P
 Clebopride, 90, 123P
 Clenbuterol/chlordiazepoxide combination, 90, 119P
 Climbing behaviour, mice, 90, 238P
 Cocaine, 90, 184P; 92, 762P
 Colitis, animal model, 92, 741P
 Colitis, 91, 294P
 Colon, human, 90, 158P; 92, 719P
 Colon, rabbit, 90, 222P
 Colon, rat, 90, 222P
 Colonic epithelium, 92, 621P
 Complement, 92, 731P
 Compound 48/80, 92, 621P, 792P
 Computer simulation, 90, 289P; 92, 790P, 792P
 Conjugation, 91, 477P
 Conscious dog, 91, 391P
 Constipation, 92, 719P
 Continuous leukocyte counting, 92, 748P
 Contractile force, 90, 17P, 218P
 Contractile receptors, 91, 363P
 Contractile response, 90, 106P
 Contractility, 92, 717P
 Contraction, 92, 616P, 632P
 Coronary artery, 92, 617P
 Coronary arteries, dog, 90, 201P
 Coronary artery, pig, 91, 318P
 Coronary vasoconstriction, 91, 388P
 Cortex, mouse, 90, 253P

Cortex, rat, 90, 278P
 Cortical neurones, 90, 70P
 Cortical slices, rat, 90, 11P
 Corticosteroids, 91, 320P; 92, 629P
 Corticotrophin, 91, 487P
 Corticotrophin releasing factor, 90, 46P, 167P
 Corynathine, 91, 327P
 Co-transmission, 90, 132P; 91, 497P
 Cotton bracts, 90, 148P; 91, 466P
 Cotton dust, 90, 148P, 149P; 91, 466P
 Cotton granuloma, 91, 465P
 Creatine kinase, dog, 92, 779P
 Cultured cells, 92, 533P
 Cultured epithelia, 91, 370P
 Cultured neurones, rat, 91, 301P
 Cyclic adenosine 3',5'-monophosphate, 91, 442P, 458P; 92, 581P, 633P
 Cyclic nucleotide phosphodiesterase, 92, 680P
 Cyclic nucleotides, 92, 545P
 N⁶-Cyclohexyladenosine, 90, 200P
 Cyclo-oxygenase, 90, 65P, 224P; 91, 405P
 Cyclo-oxygenase inhibitors, 90, 66P
 Cystic fibrosis, 91, 370P
 Cytochrome C, 92, 695P
 Cytochrome P-450, 90, 185P; 92, 637P
 Cytokines, 92, 511P
 Cytosol extracts, 90, 189P
 Cytostatics, 92, 730P
 Cytotoxicity, 90, 98P

DA₁ receptors, 91, 437P; 92, 615P
 DA₂ receptors, 91, 380P, 437P
 D₂ autoreceptors, 92, 706P
 D₂ receptor agonist, 92, 687P
 DBA/2J mice, 90, 82P
 D₂ behaviours, 91, 422P
 Debrisoquine hydroxylation, rat, 91, 483P
 Deep prepyriform cortex, 92, 668P
 Defeat analgesia, 91, 346P
 Dehydrogenase, 92, 759P
 Demedullation, 90, 50P
 Denbufylline, 92, 680P
 Denervation, 90, 109P
 Denopamine, 92, 547P
 Dependence, 90, 262P
 Depolarisation, 90, 278P
 Depression, 90, 286P; 91, 341P
 Dermis, rabbit, 90, 58P
 Des-enkephalin-γ-endorphin, 92, 589P
 Desensitization, 90, 282P, 284P; 91, 328P, 436P; 92, 747P, 761P
 Desipramine, 90, 292P; 92, 671P
 [³H]-desipramine binding, 90, 285P
 Desmethylinipramine, 92, 576P

Diabetes, 90, 51P, 214P; 92, 513P, 528P, 737P, 760P
 Diacylglycerol, 90, 61P, 62P; 92, 636P
 Dialysis, *in vivo*, 92, 654P
 Diaphragm, rat, 92, 718P
 Diazepam, 91, 420P
 Dideoxyforskolin, 91, 372P
 Diet, 90, 182P
 Digoxin, 90, 178P; 92, 754P
 Dihydropyridine, 90, 14P, 210P, 216P; 91, 334P; 92, 606P, 662P, 663P
 Diltiazem, 92, 763P
 3-[2-dimethylamino]ethyl-N-methyl-1H-indole-5 methane sulphonamide, 92, 616P, 618P
 Dimethylsulphoxide, 92, 627P
 Dipyrindamole, 90, 146P
 Distribution, 92, 732P
 Dobutamine, 90, 20P
 Dodecylamine, 92, 549P
 Dopamine, 90, 237P, 250P; 91, 338P, 351P, 421P, 440P; 92, 588P, 665P, 676P
 Dopamine agonists, 91, 380P
 Dopamine antagonists, 90, 275P
 Dopamine autoreceptors, 91, 333P
 Dopamine infusion, 91, 428P
 Dopamine metabolism, 92, 612P
 Dopamine receptors, 90, 25P, 95P, 96P, 97P, 238P; 91, 426P, 509P
 Dopamine D₂ receptors, 90, 2P; 91, 306P
 Dopamine D₂ receptor agonists, 90, 269P
 Dopamine release, 90, 162P, 269P, 274P; 92, 688P, 706P
 Dopaminergic neurons, 92, 682P
 Dopaminergic synapses, 92, 684P
 Dopamine synthesis, 92, 792P
 Dopamine topography, 90, 254P
 Dopamine uptake, 90, 275P
 Dopexamine, 91, 352P
 Dorsal horn, rat, 90, 245P; 91, 316P
 Down regulation, 90, 41P, 12P
 Drug binding, 92, 733P
 Drug discrimination, 91, 447P
 Drug metabolism, inhibition, 90, 188P
 Drug penetration, 92, 689P
 DSP-4, 90, 267P
 Ductus Venosus, 92, 637P
 Duration of action, 92, 591P
 Dynorphin (1-8), 91, 300P
 Dyskinesia, 91, 508P
 Dysrhythmias, 90, 21P

Efficacy, 90, 80P
 Eicosanoids, 90, 58P; 92, 521P, 635P, 638P

- Electrical responses, 90, 132P
 Electrocardiogram, 90, 208P; 92, 787P
 Electroconvulsive shock, 92, 578P, 672P
 Electroencephalogram, 91, 450P
 Electrophysiology, 90, 260P; 91, 394P, 491P; 92, 750P
 Eledoisin binding sites, 90, 245P
 Emesis, 91, 417P, 418P
 Emesis, dog, 92, 648P
 Emesis, ferret, 90, 90P; 92, 649P
 Eminase, 91, 462P
 Emulsified perfluorocarbons, 91, 457P
 Enalapril, 90, 203P, 204P
 Endogenous dopamine release, 91, 334P
 Endogenous opioids, mice, 91, 419P
 Endothelial cells, 92, 776P
 Endothelium, 90, 18P, 63P, 139P, 201P, 202P; 91, 371P, 382P, 402P, 476P; 92, 519P, 520P, 617P, 780P, 783P
 Endothelium-dependence, 90, 220P
 Endothelium-dependent relaxation, 92, 792P
 Endothelium dependent releasing factor, 90, 152P; 91, 378P, 398P, 402P, 406P; 92, 619P, 643P, 766P, 782P, 783P
 Endothelium-derived relaxing factor, 91, 318P, 321P; 92, 517P, 520P
 Endothelium-derived relaxing factor release, 90, 19P
 Endotoxin, 90, 118P; 92, 644P
 Endotoxin shock, 90, 114P
 Envelope proteins, 91, 463P
 Enzyme activity, 92, 525P
 Eosinophil, 90, 31P
 Eosinophils, 90, 34P
 Epidermal cells, human, 90, 117P
 Epinephrine, 91, 389P
 Epileptiform activity, 90, 6P, 11P
 Epithelial chloride transport, 91, 370P
 Epithelium, 90, 52P, 292P
 Epoxyeicosatrienoic acids, 92, 637
 Equine leucocytes, 90, 64P; 92, 624P
 Eserine, 90, 134P
 Ethanol, 91, 416P, 454P, 460P
 Ethanol dependence, 90, 210P; 92, 662P
 Ethanol treatment, 92, 606P
 Ethanol withdrawal, 92, 663P
 [³H]-ethyl- β -carboline-3-carboxylate, 90, 122P
 Ethylcholine mustard, 90, 278P; 91, 302P; 92, 694P
 Event-related slow potentials, rat, 90, 272P
 Excitation, 90, 15P
 Excitatory amino acid antagonists, 92, 668P
 Excitatory amino acids, 90, 13P; 91, 307P; 92, 543P
 Excitatory amino acid receptors, 91, 314P
 Excitotoxins, peripheral, 90, 8P
 Extracellular calcium, 92, 735P
 Extracellular 5-hydroxytryptamine, 92, 565P
 Extraction, 90, 223P
 Extrusion, 90, 139P
 Ex-vivo binding, 92, 689P
 Fab fragments, rat, 90, 178P
 Feeding, 91, 339P; 92, 582P
 Feeding behaviour, 90, 91P
 Femoral arteries, dog, 90, 201P
 Femoral artery, sheep, 92, 749P
 Fenfluramine, 91, 339P
 Fenoldopam, 90, 26P, 209P
 Fenoterol, 90, 36P
 Fever, 92, 622P
 Fever, rabbit, 91, 493P, 494P
 Flexor reflex, rat, 90, 247P
 Flufenamic acid, 90, 187P
 Flumazenil, 92, 536P
 Flunitrazepam, 90, 74P, 248P
 Fluoride, 90, 173P
 Fluosol-DA, 90, 180P
 Flurazepam, 92, 539P
 Flurbiprofen, 92, 644P
 Foetal mesencephalon transplantation, marmoset, 92, 611P
 Food consumption, rats, 91, 424P, 425P; 92, 647P
 N-formyl-methionyl-leucyl-phenylalanine, 91, 411P; 92, 748P
 Forskolin, 90, 25P, 72P; 91, 334P, 372P
 Free calcium, 92, 691P
 Free radicals, 90, 142P; 92, 625P
 Frontal cortex, guinea-pig, 92, 559P
 Frontal cortex, rat, 90, 268P; 92, 576P
 Fundic strip, rat, 92, 720P
 [Glp⁶, D-Pro⁹]SP-(6-11), 90, 266P
 [Glp⁶, L-Pro⁹]SP-(6-11), 90, 266P
 Gallbladder, guinea-pig, 91, 369P
 Ganglia, sympathetic, 91, 451P
 Ganglioside, 92, 700P
 Gastric emptying, rat, 92, 599P
 Gastric fundus, guinea-pig, 90, 40P
 Gastric ischaemia U46619, 90, 233P
 Gastric motility, 92, 620P
 Gastric mucosa, 91, 319P, 367P
 Gastric secretion, rat, 92, 599P
 Gastric ulcers, 90, 54P, 115P
 Gastrointestinal damage, 90, 114P
 Gastrointestinal preparations, 91, 504P
 Gastrointestinal tissue, 92, 600P
 Gastrointestinal tract, ferret, 90, 135P

Gastrointestine, 91, 505P
 General anaesthetics, 92, 548P
 Gentamicin, 91, 490P
 Glucocorticoids, 92, 628P
 Glutamate, 92, 667P
 Glutamate receptors, 90, 279P
 Glutamate release, 90, 5P
 Glycine, 92, 541P
 Glycine antagonist, 90, 120P
 Glycopyrrolate, 92, 718P
 GR38032, 90, 243P, 257P
 GR38032F, 90, 87P, 88P, 89P, 90P
 GR43175, 92, 756P, 757P
 Granule cell, 91, 307P
 Growth, 90, 182P; 91, 482P; 92, 527P
 Guanosine 3',5' monophosphate, cyclic, 90, 18P, 139P, 280P; 92, 767P
 Guanosine triphosphate-binding protein, 90, 14P
 Guanylate cyclase, 90, 18P

 H₁-receptors, 92, 708P
 H₂-receptor antagonists, 92, 599P
 Habituation, 92, 651P
 Haemodynamic effects, 90, 209P, 217P
 Haemodynamics, 91, 399P; 92, 730
 Haemoglobin, 91, 382P, 476P
 Haemorrhagic shock, 91, 376P
 Haem precursors, 91, 504P
 Haloperidol, 91, 422P
 Halothane, 92, 548P
 Haptoglobin, 90, 177P
 Heart, dog, 92, 787P
 Heart, frog, 90, 285P
 Heart, guinea-pig, 90, 29P, 60P, 131P, 217P; 92, 638P, 787P
 Heart, rat, 90, 42P, 154P, 206P; 91, 385P; 92, 526P, 787P
 Heart failure, 92, 785P
 Heart rate, 91, 354P
 Helix neurons, 92, 676P
 Hepatic artery, dog, 90, 199P
 Hepatic blood flow, 92, 603P
 Hepatic enzymes, 92, 727P
 Hepatic uptake, 91, 469P
 12-HETE enantiomers, 92, 524P
 α₂ Hetero-adrenoceptors, 90, 72P
 High performance liquid chromatography, 92, 608P
 Hindquarters, rat, 90, 26P
 Hippocampus, 90, 278P; 91, 310P; 92, 544P, 684P
 Histamine, 90, 77P, 145P, 158P, 171P; 91, 343P, 442P; 92, 581P, 631P, 707P, 708P, 710P
 Histamine H₁ agonist, 90, 271P
 Histamine H₁ receptors, 91, 304P
 Histamine receptors, 90, 152P
 Histamine release, 90, 101P, 147P, 148P
 HPLC-electrochemical detection, 90, 268P

 Huntington's Disease, 90, 7P
 Hydrogen sulphide toxicity, 91, 315P
 3α-hydroxy-16-amino-5β-17-aza-androstan-II-one, 90, 120P
 8-Hydroxy-2-(di-N-propylamino) tetralin, 90, 246P, 252P; 91, 423P, 439P
 12(R)-hydroxy-5,8,10,14-eicosatetraenoic acid, 91, 474P
 5-Hydroxypropafenone, 92, 772P
 5-Hydroxytryptamine, 90, 67P, 87P, 101P, 107P, 135P, 191P, 193P, 194P, 251P, 253P, 255P, 264P, 268P, 274P; 91, 308P, 336P, 345P, 387P, 421P, 449P; 92, 559P, 617P, 649P, 665P, 666P, 679P, 699P, 703P
 5-Hydroxytryptamine₁, 91, 481P
 5-Hydroxytryptamine_{1A}, 90, 93P; 91, 423P, 425P; 92, 660P
 5-Hydroxytryptamine₂, 91, 313P, 481P
 5-Hydroxytryptamine₃, 92, 531P
 5-Hydroxytryptamine agonists, 91, 337P
 5-Hydroxytryptamine₁ agonists, 91, 471P
 5-Hydroxytryptamine_{1A} agonists, 90, 91P, 93P; 91, 339P, 495P, 509P; 92, 646P
 5-Hydroxytryptamine_{1B} agonists, 90, 91P; 92, 532P
 5-Hydroxytryptamine₂ agonists, 91, 471P
 5-Hydroxytryptamine antagonists, 90, 276P; 92, 645P
 5-Hydroxytryptamine₂ antagonists, 90, 256P, 277P; 91, 439P
 5-Hydroxytryptamine₃ antagonists, 90, 243P, 257P
 5-Hydroxytryptamine autoreceptors, 92, 559P, 560P, 566P
 5-Hydroxytryptamine_{1A} binding, 90, 73P
 5-Hydroxytryptamine₂ binding sites, 90, 82P; 92, 576P
 5-Hydroxytryptamine₂ function, 90, 76P
 5-Hydroxytryptamine ligand, 92, 659P
 5-Hydroxytryptamine₁-like receptors, 90, 107P; 92, 574P, 616P, 757P
 5-Hydroxytryptamine mediated responses, 90, 19P; 92, 672P
 5-Hydroxytryptamine₃ receptor antagonists, 90, 87P, 88P, 89P; 92, 657P
 5-Hydroxytryptamine_{1A} receptor ligand, 92, 647P
 5-Hydroxytryptamine receptors, 90, 83P, 240P, 244P; 91, 337P, 414P

- 5-Hydroxytryptamine₁ receptors, 92, 720P
 5-Hydroxytryptamine_{1A} receptors, 90, 24P, 92P, 252P, 265P; 91, 502P; 92, 645P, 658P, 753P
 5-Hydroxytryptamine_{1C} receptors, 92, 563P
 5-Hydroxytryptamine₂ receptors, 90, 247P; 91, 350P; 92, 721P
 5-Hydroxytryptamine₃ receptors, 91, 335P, 338P; 91, 359P, 417P, 418P; 92, 650P
 5-Hydroxytryptamine receptor subtypes, 92, 562P, 561P, 672P
 5-Hydroxytryptamine release, 90, 124P; 91, 344P; 92, 560P, 654P; 90, 86P
 [³H]-5-Hydroxytryptamine release, 92, 564P
 5-Hydroxytryptamine release *in vivo*, 90, 85P
 5-Hydroxytryptamine stereotypy, 91, 509P
 5-Hydroxytryptamine synthesis, 92, 675P
 5-Hydroxytryptamine uptake, 90, 84P; 92, 562P
 Hyperactivity, rat, 91, 343P
 Hyperinsulinaemia, 90, 50P
 Hyperphagia, 90, 93P; 92, 645P
 Hyper-reactivity, 90, 31P, 141P
 Hyper-responsiveness, 90, 112P
 Hypertension, 90, 192P, 193P, 195P, 196P, 230P; 91, 413P; 92, 557P, 558P, 641P, 753P
 Hypnotics, 90, 236P
 Hypogastric ganglion, mouse, 91, 298P
 Hypogastric nerve *in vivo*, 90, 190P
 Hypotension, 90, 174P; 91, 354P
 Hypothalamus, rat, 90, 4P; 91, 385P
 Hypothermia, 90, 270P
 Hypothyroidism, 90, 45P
 Hypoxia, 92, 553P, 556P, 638P, 780P
- ICI 169,369, 90, 256P, 276P, 277P; 91, 439P
 ICI 185282, 90, 228P, 235P
 Idazoxan, 92, 723P, 733P
 Ileum, guinea-pig, 91, 359P, 408P, 480P; 92, 586P, 720P
 Ileum, rat, 90, 213P, 460P; 92, 717P, 721P
 Imidazoles, 92, 726P
 Imidazopyridines, 92, 538P, 564P
 Imipramine, 90, 183P
 [³H]-imipramine binding, 90, 84P
 Imipramine binding, 92, 577P
 Immune complex, 91, 294P; 92, 731P
 Immunotoxicity, 92, 731P
 Impulse inhibition, 90, 143P
 Indocyanine Green, 92, 603P
 Indomethacin, 90, 99P, 231P, 292P; 92, 525P
 Induction, 92, 727P
 Infarct, 92, 779P
 Infertility, male rat, 90, 176P
 Inflammation, 90, 59P, 140P, 142P, 164P, 229P; 91, 404P, 465P; 92, 522P, 625P, 628P, 629P, 741P
 Influenza, 91, 463P
 Infusions, 90, 37P
- Influx, 91, 371P
 Inhibition, 90, 104P
 Inosine, 90, 146P
 Inositol lipids, 91, 454P
 Inositol monophosphatase, 91, 303P
 Inositol phosphate production, 92, 627P
 Inositol-1-phosphate, 91, 441P
 Inositol phosphates, 90, 77P; 91, 303P, 478P
 Inositol phospholipid hydrolysis, 90, 292P; 92, 586P, 712P
 Inositol phospholipids, 91, 304P, 374P
 Inositol polyphosphates, 92, 678P
 Inotrope, 91, 392P
 Inotropic actions, 92, 755P
 Inotropic agent, 92, 773P, 777P
 Inotropic effects, 92, 547P
 Inotropism, negative, 90, 60P
 Insulin secretion, 90, 172P
 Interleukin 1, 90, 65P, 113P; 91, 364P; 92, 512P, 523P, 622P
 Internalisation, 90, 41P
 Intestinal antisecretory action, 90, 105P
 Intestinal epithelia, 91, 362P
 Intestinal lesions, 90, 99P; 92, 525P
 Intestinal microflora, 91, 473P
 Intestine, rat, 90, 165P
 Intracerebroventricular injection, 90, 163P
 Intrathecal administration, 90, 67P
 Inverse agonists, 90, 270P
 [¹²⁵I]-2-iodo-lysergic acid diethylamide binding, 90, 83P
 Ion transport, 91, 319P, 369P, 485P
 Ipratropium, 90, 36P
 Iris sphincter, rabbit, 90, 48P
 Iron, 91, 427P
 Iron-maltol, 91, 477P
 Iron metabolism, 90, 95P
 Ischaemia, 90, 9P, 21P, 28P; 91, 312P, 313P, 356P, 510P; 92, 526P
 Islets, 90, 172P
 3-isobutyl-1-methylxanthine, 90, 25P
 Isolated juxtaglomerular cells, 91, 351P
 Isolated perfused rat liver, 91, 489P
 Isolated tissues, 90, 276P
 Isoprenaline, 90, 70P, 206P; 91, 326P, 385P
 Isosorbide dinitrate, 92, 763P

Jejunum, rat, 90, 111P
 Kainic acid toxicity, 92, 540P
 Kallikrein, 90, 51P; 91, 296P
 Ketanserin, 92, 613P
 Ketotifen, 90, 96P
 Kidney, rat, 90, 42P, 168P, 169P; 91, 296P, 441P
 Kinase inhibitor, 90, 133P
 Kinetics, 92, 695P
 Kinin receptors, 92, 572P, 597P

 L364,718, 91, 424P
 Laboratory rat, 92, 725P
 Lasers, 92, 789P
 Lavage, 92, 630P
 Learning, 90, 273P
 Leptazol seizures, 92, 656P
 Lesion, 92, 700P
 Leucocyte, 92, 518P
 Leucopaenia, 91, 366P, 405P; 92, 748P
 Leukotriene B₄, 90, 64P, 229P; 92, 522P
 Leukotriene C₄, 92, 516P, 639P
 Leukotriene D₄, 91, 365P
 Leukotrienes, 90, 59P, 60P, 149P; 91, 368P, 404P, 408P, 411P; 92, 526P
 Ligand binding, 90, 156P; 91, 426P; 92, 734P
 Ligands, 90, 239P
 Limbic forbrain, rat, 90, 97P
 Limbic tissue, 90, 242P
 Lipid peroxidation, 92, 690P
 Lipocartin, 91, 320P; 92, 521P
 Lipxygenase, 90, 59P; 91, 405P
 Lisuride, 90, 92P
 Lithium, 91, 303P, 478P; 92, 579P, 678P
 Liver necrosis, 90, 53P
 Local anaesthetics, 90, 213P
 Locomotion, 92, 624P
 Locomotor activity, 91, 415P; 92, 674P
 Lofepamine, 91, 345P
 L-triiodothyronine, 91, 414P
 L-Tryptophan, 90, 85P; 91, 344P
 Lung, guinea-pig, 90, 217P, 225P; 91, 412P; 92, 747P
 Lung, rabbit, 92, 634P
 Lung, rat, 90, 42P, 55P
 Lung mediator release, 92, 745P
 Lung mitochondria, guinea-pig, 90, 187P
 LY165163, 91, 509P
 Lymphoblast, 92, 734P
 Lymphocytes, 91, 474P; 92, 635P
 Lymphoid tissue, 90, 179P, 180P

 Macrophages, guinea-pig, 91, 466P
 Macrophages, human, 90, 113P

 Magnesium transport, 91, 373P
 Maintained hypotension, 90, 37P
 Malondialdehyde, 92, 690P
 MAO inhibitors, 91, 344P
 Mast cells, human, 90, 102P, 158P
 Mast cells, rat, 90, 101P; 92, 621P
 Mauve factor, 92, 704P
 McN-A-343, 90, 111P
 MDL 72832, 90, 265P
 Mecamylamine, 91, 461P
 Mechanical responses, 90, 132P
 Medial raphe nucleus, 90, 255P; 91, 428P
 Mediators, 90, 34P; 91, 317P
 α -Melanotropin, 91, 493P
 Memory, 91, 448P
 Mepacrine, 91, 486P
 Mesolimbic dopamine infusion, 92, 589P, 705P
 Meso-prefrontal cortex, 91, 333P
 Metabolism, 91, 300P, 473P; 92, 602P, 724P
 Metal ions, 91, 427P
 N-Methyl-D-Aspartate, 91, 435P, 436P
 N-Methylaspartate receptor antagonists, 90, 10P
 N-Methyl-D-Aspartate receptors, 90, 6P, 11P; 91, 311P
 1-methyl-3-(4-bromobenzoyl)-amino-5-phenyl-3H-1,4-benzodiazepin-2-one, 92, 584P
 16-Methyl-cyprenorphine, 91, 472P
 Methylene blue, 92, 519P
 1-methyl-3-(2-indoloyl)amino-5-phenyl-3H-1,4-benzodiazepin-2-one, 92, 583P
 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine, 90, 241P, 250P, 254P; 91, 310P, 443P, 483P, 508P; 92, 610P, 701P
 Metoclopramide, 91, 335P
 Microcirculation, 90, 47P, 152P
 Microcomputer, 91, 507P; 92, 791P
 Microdialysis, 90, 268P
 Microdialysis in vivo, 92, 612P
 Microvascular research, 92, 789P
 Microvasculature, 90, 115P
 Miloxicam, horse, 90, 181P
 Milrinone, 90, 147P
 MK-801, 90, 7P, 9P; 91, 311P; 92, 542P
 Modulated receptor hypothesis, 92, 769P
 Molecular graphics, 92, 791P
 Molecular modelling, 91, 503P
 Monoamine metabolites, 90, 286P
 Monoamine oxidase, 90, 175P
 Monoamine oxidase-B, 92, 612P, 681P
 Monoamine oxidase inhibitors, 90, 16P, 85P
 Monoamines, 90, 286P
 Monoamine uptake inhibitor, 90, 261P

Monoclonal antibodies, 90, 185P
 Monocytes, 92, 514P, 523P
 Morphine, 90, 105P; 91, 419P, 440P; 92, 652P
 Morris water maze, 91, 448P
 Motoneurons, 92, 541P, 679P
 Motor nerve, 90, 110P
 Moxonidine, 90, 27P
 Mucus secretion, 91, 498P; 92, 594P
 Multichannel analysis, 91, 505P
 Muscarinic acetylcholine antagonist, 90, 160P
 Muscarinic acetylcholine binding assays, 90, 80P
 Muscarinic acetylcholine receptors, 90, 75P, 79P, 80P, 108P, 111P, 155P; 92, 544P
 Muscarinic M₁ acetylcholine receptor agonists, 90, 154P
 Muscarinic M₂ acetylcholine receptors, 90, 81P
 Muscarinic acetylcholine receptor subtypes, 90, 160P; 92, 702P
 Muscarinic agonists, 91, 451P
 Muscarinic antagonists, 92, 702P
 Muscarinic receptors, 91, 302P, 498P; 92, 677P, 727P
 Muscimol, 90, 249P
 Muscularis mucosae, 90, 108P
 Mustard oil, 91, 316P
 Myocardial blood flow, 90, 28P
 Myocardial infarction, 90, 20P
 Myocardial ischaemia, 91, 349P, 352P
 Myocardium, 91, 356P; 92, 551P
 Myocytes, rat, 92, 759P
 Myoelectric activity, 91, 456P, 505P
 Myofibroblasts, 90, 215P; 91, 479P
 Myometrium, 90, 231P

 NADPH-diaphorase, 92, 695P
 Na,K-ATPase, 91, 455P
 Na⁺/H⁺ Antiporter, 91, 358P
 N-acetyl leukotriene E₄, 91, 365P
 N-1-(1-(4-chlorophenyl)cyclobutyl)-3-methylbutyl-N,N-dimethylamine hydrochloride monohydrate, 90, 94P, 261P
 Naloxone, 90, 162P
 Naltrexone, 91, 440P
 Negative inotropic effect, 92, 546P
 Negative inotropism, 90, 131P
 Neomycin, 91, 374P
 Nerve conduction, 90, 171P
 Nerve stimulation, 90, 132P
 Neural response, 90, 138P
 Neurochemical lesioning, 90, 76P
 Neurointermediate lobe, rat, 90, 162P
 Neurokinin A, 90, 259P; 92, 716P
 Neurokinin-3 receptors, 92, 586P
 Neurokinins, 91, 475P
 Neuroleptic activity, 92, 705P
 Neuroleptic agents, 92, 650P
 Neuroleptus, 91, 338P
 Neuromedins, 90, 136P
 Neuromuscular junction, rat, 90, 134P, 212P
 Neuromuscular transmission, 91, 453P
 Neuronal activity, 92, 585P
 Neuronal adrenaline transporter, 90, 285P
 Neurones, cultured, 90, 5P
 Neuropeptide Y, 92, 593P, 781P
 Neuropeptides, 90, 39P, 282P; 91, 355P, 361P; 92, 594P
 Neuroprotection, 91, 311P; 90, 9P
 Neurotensin, 90, 237P; 92, 588P
 Neurotoxicity, 90, 241P
 Neurotransmission, 90, 13P
 Neurotransmitter release, 91, 407P, 416P
 Neutrophil accumulation, 90, 56P; 92, 598P
 Nifedipine, 90, 195P, 208P; 91, 312P; 92, 605P
 Nicotine, 90, 272P; 91, 430P
 Nifedipine, 90, 214P; 91, 349P; 92, 549P
 Nigrostriatal lesion, 91, 306P
 Nitrendipine, 90, 161P, 183P, 184P, 211P
 Nitric oxide, 91, 324P, 406P; 92, 517P, 643P
 Nitroglycerine, 90, 208P
 NMDA receptors, 92, 542P
 N-methyl-D-aspartate, 90, 280P
 Nociception, 91, 316P; 92, 531P, 652P
 Non-adrenergic, non-cholinergic bronchodilatory response, 90, 33P
 Non-cholinergic bronchoconstriction, 92, 595P
 Non-haem iron, 90, 2P
 Non-steroidal anti-inflammatory drug, 90, 177P; 92, 623P, 624P
 Noradrenaline, 90, 45P, 221P; 91, 330P, 397P; 92, 580P, 685P, 711P
 Noradrenaline efflux, 91, 358P
 Noradrenaline release, 91, 332P; 91, 375P
 [³H]-noradrenaline release, 92, 709P
 [³H]-noradrenaline uptake, 92, 737P
 Noradrenaline function, 92, 578P
 Noradrenaline neurones, 90, 105P
 Noradrenergic transmission, 91, 452P
 Norbinaltorphimine, 92, 587P
 Novel perfluorocarbon emulsions, 91, 459P
 N-substitution, 92, 591P

Nuclear extracts, 90, 189P
 Nucleus accumbens, 91, 343P, 430P;
92, 708P
 Nucleus basalis, 92, 651P

Oedema, rat paw, 91, 464P; 92, 626P
 634P
 17 β -Oestradiol, 91, 509P
 8-OH-DPAT, 92, 645P
 Olfactory bulbectomy, 90, 125P
 Omeprazole, 91, 470P; 92, 709P
 Ontogeny, 90, 78P
 Operant behaviour, 90, 267P
 Opiate receptors, 91, 447P; 92, 691P
 κ -opioid adrenoceptors, 92, 697P
 κ -opioid antagonist, 92, 587P
 κ -opioid induced behaviour, 91, 432P
 Opioid-induced hyperactivity, 92,
 664P
 Opioid peptide, 91, 384P
 Opioid receptor, 92, 595P, 648P
 Opioid receptor agonist, 90, 281P;
91, 299P, 433P, 472P; 92, 629P
 κ -opioid receptors, 92, 664P, 697P,
 698P
 Opioid receptor sub-types, 91, 494P
 Opioids, 90, 68P, 69P, 143P, 144P,
 167P, 219P, 281P; 91, 298P, 431P
 Optic tectum, 91, 461P
 Ouabain, 91, 373P
 Oxazepam, 91, 509P
 Oxidation, 90, 187P, 188P
 Oxygen, 90, 207P
 Oxygen tensions, 92, 552P
 Oxypurinol, 90, 22P

Palmitoyl carnitine, 92, 552P, 554P
 Pancreas, 90, 51P
 Pancreatic acini, 91, 374P
 Papaverine, 91, 479P
 Paracetamol, 90, 53P, 182P; 91, 473P
 Paraquat, 90, 35P
 Parasympathetic nerves, 91, 368P
 Parenchymal strip, guinea-pig, 90,
 170P
 Parkinson's disease, 91, 310P, 427P;
92, 690P
 Papillary muscle, 92, 769P
 Parotid, 91, 492P
 [3 H]-paroxetine binding, 90, 84P
 Passive cutaneous anaphylactic reactions,
91, 317P
 Patch clamp, 92, 550P
 Pattern matches, 91, 503P
 [3 H]-PD117302, 91, 299P, 433P
 Penicillin, 92, 602P
 Pentagastrin, 92, 585P
 Pentyleneetetrazole-seizures, 92, 605P

Peptides, 90, 3P
 Peptidoleukotrienes, 90, 292P
 Perfluorocarbon emulsion, 90, 179P
 Peripheral action, 90, 68P, 69P;
92, 596P
 Periplaneta americana, 90, 260P
 Pharmacodynamics, horse, 90, 181P
 Pharmacokinetics, 90, 181P; 91, 468P,
 488P; 92, 604P, 725P, 728P
 Pharmacology, *in vitro*, 90, 277P
 Phenacetin O-Deethylase, 90, 185P
 Phencyclidine, 90, 10P
 Phenolphthalein, 92, 729P
 Phenoxybenzamine, 92, 740P, 775P
 Phenylbutazone, 92, 604P
 Phenylephrine, 90, 194P; 92, 711P
 Phenylethylamine, 91, 332P
 Phorbol-12, 13-Dibutyrate, 92, 566P
 Phorbol esters, 90, 170P
 Phosphatidylinositol, 90, 76P, 251P;
92, 533P
 Phosphodiesterase, 90, 232P; 91, 393P;
92, 545P, 773P
 Phosphodiesterase inhibition, 90,
 234P
 Phosphoinositide, 91, 297P; 92, 677P
 Phosphoinositide hydrolysis, 90, 78P
 Phosphoinositide turnover, 90, 75P,
 173P, 253P
 Picrotoxin, 91, 446P
 Pilocarpine, 92, 703P
 Pimobendan, 90, 218P
 Pinacidil, rat, 90, 126P; 91, 357P
 Pirenzepine, 91, 347P; 92, 544P
 [3 H]-pirenzepine, 90, 156P
 Pituitary cells, 91, 486P
 Plasma, 92, 784P
 Plasma, human, 92, 739P
 Plasma, sheep, 92, 749P
 Plasma adrenocorticotrophic hormone,
91, 495P
 Plasma renin activity, 92, 570P, 725P
 Platelet activating factor, 90, 112P,
 113P, 114P, 115P, 117P, 118P, 145P,
 223P, 224P; 91, 367P, 409P, 411P,
 412P; 92, 514P, 515P, 518P, 522P,
 620P, 621P, 630P, 634P, 748P
 Platelet activation, 90, 116P
 Platelet aggregation, 90, 133P, 174P;
92, 601P, 735P
 Platelets, 90, 47P, 57P, 61P, 62P,
 118P, 226P, 292P; 92, 555P, 577P,
 636P
 Platelets, human, 90, 173P, 235P; 91,
 324P, 402P; 92, 733P
 Platelets, rabbit, 90, 235P
 Platelets, rat, 90, 235P
 Plethysmography, 90, 39P
 Portal vein, rat, 90, 103P; 92, 553P,
 778P

Positive inotropism, 92, 545P
 Post-mortem human brain, 91, 341P
 Potassium, 90, 221P
 Potassium channel activator, 90, 130P
 Potassium channel antagonists, 92, 751P,
 Potassium channel blockers, 90, 130P;
91, 401P; 92, 667P
 Potassium channels, 90, 126P, 129P;
91, 357P, 400P; 92, 688P, 768P
 Potassium chloride, 92, 553P
 Potassium-free solution, 90, 128P
 Potassium-induced relaxation, 91, 455P
 Potassium uptake, 90, 213P
 Potency, 92, 724P
 Potentials, 90, 134P
 Prazosin, 90, 252P; 91, 327P, 329P,
 331P, 383P, 386P; 92, 573P
 Prefrontal cortex, rat, 92, 706P
 Preganglionic sympathetic neurons, 92, 683P
 Pregnancy, 91, 410P
 Pressor response, 91, 375P
 Presynaptic autoreceptors, 92, 688P
 3-[³H]-Primaquine, 91, 488P, 489P
 Primary afferent neurones, 92, 529P
 Proarrhythmic effects, 91, 325P
 Procaterol, 90, 43P
 Prolactin, 91, 482P
 Propranolol, 90, 44P; 91, 326P, 496P;
92, 556P
 4-Propyl-9-hydroxynaphthoxazine, 91, 443P
 Prostacyclin, 90, 38P, 53P, 56P, 63P;
91, 324P; 92, 519P, 520P
 Prostacyclin analogues, 90, 292P
 Prostaglandin, 90, 55P, 222P, 225P
 Prostaglandin D₂, 91, 322P; 92, 516P
 Prostaglandin E₁, 90, 165P; 91, 372P
 Prostaglandin E₂, 90, 64P; 91, 405P;
92, 511P
 9 α ,11 β -Prostaglandin F₂, 91, 322P
 Prostaglandin I₂, 91, 413P
 Prostaglandin breakdown, 90, 54P
 Prostaglandin dehydrogenase, 90, 55P
 Prostaglandin metabolism, 91, 322P
 Prostaglandins, 90, 98P; 91, 319P,
 404P
 Prostaglandin synthesis, 90, 52P;
92, 792P
 Prostanoid receptors, 92, 640P
 Prostanoid EP-receptors, 91, 323P,
 407P
 Prostanoids, 90, 231P; 91, 363P
 Protection, 92, 540P
 Protein binding, 92, 739P
 Protein kinase, 92, 546P
 Protein kinase C, 90, 170P; 91, 492P;
92, 515P, 675P, 742P, 792P
 Proteins, copper-binding, 90, 49P
 Proton-pump inhibitor, 92, 709P
 Psoriasis, 90, 117P
 Pulmonary circulation, rat, 90, 227P;
92, 640P
 Pulmonary oedema, 91, 405P
 Purine receptors, 90, 33P
 Purinergic receptors, 92, 736P
 Purines, 91, 491P
 P2x-purinoceptor, 90, 284P; 91, 375P
 P₁-purinoceptors, 92, 713P
 Purposeless chewing, rats, 91, 337P;
92, 702P, 703P
 Quin 2/Fura 2, 92, 735P
 Quinolinic acid, 90, 7P
 Quinpirole, 90, 209P
 Quisqualate receptors, 92, 543P
 R 58735, 90, 29P
 R59022, 90, 133P
 Radiation, 91, 417P
 Radioligand binding, 90, 116P; 92, 562P
 Ranitidine, 91, 325P
 Raphe nucleus, rat, 92, 658P
 [³H]-Rauwolscine, 90, 73P
 μ -receptor, 92, 740P
 μ -receptor agonist, 90, 186P
 α_2 -receptor, 92, 615P
 β -receptors, 92, 556P
 Receptor binding, 91, 421P
 Receptor binding autoradiograph, 90, 290P
 Receptor classification, 90, 81P
 Receptor coupling, 91, 387P
 Receptor reserve, 90, 79P
 Receptors, 90, 168P
 Receptor subtypes, 90, 274P; 92, 538P
 Regional blood flow, 91, 399P
 Regional haemodynamics, 92, 568P, 771P
 Relaxation, 90, 111P, 129P; 91, 359P;
92, 574P
 Renal brush border membrane vesicles,
91, 490P
 Renal cortex, guinea-pig, 90, 1P
 Renal cortex, rat, 90, 1P
 Renal failure, 91, 469P
 Renal function, rat, 92, 557P
 Renal haemodynamics, 91, 468P
 Renin, 91, 351P
 Renin release, 90, 161P
 Renin-vasopressin systems, 90, 174P
 Renovascular effect, 90, 192P
 Reperfusion, 90, 21P; 91, 390P; 92, 764P
 Reperfusion ventricular fibrillation,
90, 22P
 Respiration, 90, 146P, 187P
 Respiratory function, rat, 90, 236P

Respiratory-related neurones, 90, 144P
Rheumatoid arthritis, 90, 49P
Ritanserin, 92, 613P
[³H]-Ro 15-1788, 90, 122P
Rolipram, 91, 429P, 442P
Rotation, rat, 91, 439P; 92, 700P
Rotenone, 92, 778P
[³H]52770 RP, 90, 116P
RS 87337, 91, 395P
RU 24969, 90, 252P
Rubidium, 92, 579P

Saline intake, 92, 646P
Salmeterol, 92, 590P, 591P, 745P, 746P
Saphenous vein, human, 90, 221P
Saphenous vein, rabbit, 91, 397P;
92, 775P, 776P
SCH23390, 91, 422P
Schizophrenia, 91, 342P; 92, 589P,
705P
Sciatic nerve, frog, 90, 288P
Scopolamine, 92, 651P
Secretion, 90, 57P, 61P, 167P; 91,
492P
Sedation, 90, 239P
Selectivity, 90, 155P
Semicarbazide-sensitive amine oxidase,
90, 175P; 91, 444P; 92, 749P
Sensory afferents, 92, 715P
Serotonergic neurones, 92, 670P
Serotonin, 92, 607P
Serum thromboxane, horse, 92, 623P
Sigma-opioid, 92, 685P
Sigma receptors, 91, 340P
SK&F 82526, 92, 687P
SK&F 87516, 92, 615P
SK&F 94120, 92, 755P
SK&F 94836, 92, 754P, 773P
SK&F 10,047, 91, 340P
Skeletal muscle, guinea-pig, 90, 44P
Skeletal muscles, rabbit, 91, 500P
Skin, human, 90, 102P; 92, 524P
Skin mast cell, 92, 516P
Small intestine, guinea-pig, 92, 567P
Small intestine, rat, 91, 456P, 477P
Smoking, 91, 336P
Smooth muscle, 91, 323P, 407P
Smooth muscle, chick, 90, 109P
Smooth muscle, rabbit, 90, 228P; 92,
550P
Smooth muscle, rat, 90, 153P, 228P
Sodium channel, 91, 394P
Sodium cromoglycate, 91, 469P; 92,
598P
Sodium intake, 92, 743P
Sodium levels, 92, 551P
Sodium nitroprusside, 92, 766P
Na⁺-K⁺-Cl⁻-cotransport, 92, 782P
Somatostatin, 90, 104P; 92, 696P, 792P

Spasmogens, 91, 476P
Spatial learning, 90, 246P
Species difference, 92, 656P
Specific neurones, 92, 695P
Spinal cord, rat, 90, 15P, 282P; 91,
300P, 309P; 92, 679P, 683P
Spinal motoneurones, 91, 308P, 309P
Spiroxatrine, 91, 449P
Spleen cells, 91, 457P
Sponge implantation, 91, 499P
Spontaneous hypertension, rat, 90, 42P,
192P; 92, 765P
SRS-release, 91, 466P
Stability, 91, 459P, 742P
Staurosporine, 92, 742P
Stereotypy, 92, 674P
Steroid modulation, 91, 484P
Steroids, 92, 527P; 91, 405P
Stereoselectivity, 90, 265P
Stimulus response coupling, 92, 636P
Stomach, rat, 92, 529P, 716P; 90, 232P
Streptozotocin, 92, 528P
Stress induced antinociception, 92,
707P
Striatal neurones, 92, 686P
Striatum, 91, 426P; 92, 696P; 90, 97P,
269P, 274P, 278P
Stress, 90, 119P; 91, 379P
Striatal tissue, 90, 242P
Strychnine, 92, 541P
Subcellular localization, 90, 287P
Subcutaneous sponge implantation, 90,
229P
Submandibular gland, 90, 51P
Substance P, 90, 48P, 102P; 92, 715P
Substantia nigra, 91, 427P, 437P;
92, 611P, 687P, 690P, 700P, 792P
Substituted benzamides, 90, 123P
Subunit-specific monoclonal antibodies,
90, 287P
Suicide, 90, 286P; 91, 341P
Sulmazole, 90, 147P
Sulphasalazine, 90, 54P, 176P
[³H]-sulpiride binding, 91, 306P
Superior mesenteric bed of rat, 91,
378P
Superoxide, 91, 406P
Superoxide generation, 91, 478P; 92,
627P
Suprachiasmatic nucleus, 92, 560P
Suprahyoid muscle twitching, 91, 471P
Sympathetic nerve, 90, 284P; 91, 393P
Sympathetic nerve stimulation, 92,
774P
Sympathetic nerve terminals, 92, 569P,
714P
Sympathetic nervous system, 91, 376P;
92, 786P
Sympathetic ganglia, rat, 90, 154P
Sympathetic transmitter, 91, 497P

Synapses, 92, 682P
 Synaptic activity, 90, 240P
 Synaptic transmission, 91, 298P
 Synaptoneurosome, rat, 90, 279P
 Synaptosomes, 90, 86P; 91, 435P;
92, 579P
 Synovial cells, 92, 512P
 Synovium, 90, 65P
 Synthetase inhibitors, 90, 53P

Tachycardia, 91, 380P
 Tachykinin receptors, 90, 100P, 103P,
 266P; 91, 475P
 Tachykinins, 90, 138P; 91, 360P, 482P;
92, 715P
 Taenia caeci, guinea-pig, 90, 137P
 Tamoxifen, 90, 189P
 Tardive dyskinesia, 90, 95P
 [³H]Taurine, 92, 792P
 [³⁵S]-TBPS binding, 90, 74P
 2-t-butyl-4-methoxyphenol, 92, 732P
 TCP binding, 92, 609P
 Teaching program, 92, 790P
 Techniques, *in vitro*, 91, 509P
 Δ-9-tetrahydrocannabinol, 92, 539P
 Tetrahydrocannabinol homologues, 92,
 724P
 Tetradotoxin, 90, 165P; 92, 714P
 Thalamus, 90, 13P
 Thermogenesis, 90, 46P; 92, 622P
 Thermoregulation, 91, 494P
 Thoracic aorta, rabbit, 92, 722P
 Thrombin, 90, 133P; 92, 742P
 Thrombosis, 90, 47P
 Thromboxane, 90, 53P, 57P, 226P,
 227P; 91, 367P; 92, 620P, 641P
 Thromboxane antagonist, 90, 230P;
91, 410P
 Thromboxane receptor antagonist,
90, 235P
 Thromboxane A₂ receptor antagonist,
90, 228P
 Thymus, 92, 527P
 Thyroid function, 91, 470P
 Thyroid hormones, 92, 671P
 Thyrotrophin-releasing hormone,
91, 434P; 92, 670P
 Time dependency, 92, 768P
 Timolol, 90, 32P
 Tissue ace, 90, 204P
 Tissue baths, 91, 507P
 Tissue expanders, 91, 479P
 Tocainide, 90, 23P
 Tocainide enantiomers, 90, 23P
 Tolerance, 90, 211P, 247P, 262P;
92, 606P, 669P, 728P
 Toxicity, 90, 177P, 183P, 184P,
 227P; 91, 293P; 92, 730P, 732P
 Trachea, cat, 91, 498P
 Trachea, ferret, 92, 594P
 Trachea, guinea-pig, 90, 108P, 138P,
 142P; 91, 360P; 92, 593P
 Trachealis, 90, 292P; 91, 491P
 Tracheal muscle, guinea-pig, 92, 597P
 Tracheal vasculature, dogs, 91, 361P
 Trandolapril, 90, 203P, 204P
 Tranquiliser, 92, 534P
 Trans-5-chloro-2,3,3a,12b-tetrahydro-2-
 methyl-1H-dibenzo[2,3:6,7]oxepino
 [4,5-c]pyrrole, 92, 705P
 Transmitter release, 91, 307P; 92, 569P,
 714P
 Transplantation, 92, 682P
 Triazolam, 90, 122P
 Trifluoperazine, 90, 215P
 1-[3-(trifluoromethyl) phenyl] piperazine,
92, 563P
 Triiodothyronine, 92, 672P, 729P
 Tryptamine, 90, 16P
 Tryptaminergic neurones, 90, 105P
 Tryptophan metabolism, 91, 345P
 TSH, 92, 671P
 Tumour necrosis factor, 91, 364P

U50488, 90, 283P; 91, 432P
 UDP glucuronyl transferase, 92, 729P
 UK-61,260, 91, 391P, 392P
 Umbilical artery, human, 90, 175P; 91,
 481P
 Uptake, 92, 580P
 Uptake 1, 92, 777P
 Urapadil, 90, 24P; 92, 753P
 Uterine bloodflow, 92, 641P
 Ureter, sheep, 91, 320P
 Urinary bladder, hamster, 90, 292P
 Urinary bladder, rabbit, 91, 509P
 Uterine artery, cat, 91, 444P
 Uterus, rat, 90, 129P, 189P, 214P, 230P

Vagal nerve, 92, 716P
 Vagal stimulation, 92, 595P
 Vagus, 92, 596P
 Vagus nerve, rabbit, 92, 650P
 Vascular beds, rat, 92, 758P
 Vascular cells, 92, 759P
 Vascular changes, 92, 513P
 Vascular dopamine receptors, 92, 614P
 Vascular muscle, dog, 90, 199P
 Vascular permeability, 92, 628P
 Vascular potassium channels, 90, 198P
 Vascular reactivity, 92, 644P
 Vascular smooth muscle, 90, 127P, 218P;
91, 393P; 92, 781P
 Vasculature, human, 92, 614P
 Vas deferens, guinea-pig, 90, 106P, 136P;
91, 475P; 92, 713P
 Vas deferens, mouse, 90, 132P
 Vas deferens, rat, 90, 103P, 106P, 166P;
92, 710P

Vasoactive intestinal peptide, 90,
165P
Vasoactive intestinal polypeptide,
92, 600P
Vasoconstriction, 91, 348P, 396P;
92, 618P, 639P, 781P
Vasodilatation, 90, 100P, 199P,
234P
Vasodilation, 91, 377P
Vasodilator agent, 91, 501P
Vasodilators, 90, 39P; 91, 392P,
399P
Vasodilator peptides, 90, 38P
Vasopressin, 91, 296P, 353P
Vasopressin V₂ antagonist, 91, 496P
Vasopressin receptors, 91, 388P
Vasorelaxation, 91, 401P
Vecuronium, 90, 212P
Ventricular arrhythmias, 90, 23P
Ventricular muscle, 92, 548P, 549P
772P
Verapamil, 90, 212P, 221P
γ-Vinyl γ-aminobutyric acid, 92,
693P
Voltage sensitive channels, 92,
712P
Voltammetry *in vivo*, 90, 237P, 275P;
91, 333P; 92, 565P, 588P, 696P

Warfarin, 91, 509P
WB 4101, 90, 252P
Wet-dog shakes, 91, 434P; 92, 670P
Withdrawal, 90, 211P, 258P

Xanthine oxidase, 92, 759P, 764P

Yohimbine, 91, 329P, 331P

Zimelidine, 92, 576P
Zolpidem, 90, 74P, 236P, 239P;
92, 646P