

Author Index

A

- AALKJAER, C., MULVANY, M.J. & NYBORG, N.C.B. Atrial natriuretic factor causes specific relaxation of rat renal arcuate arteries, **86**, 447
- ABAJO, F.J., CASTRO, M.A.S., GARJO, B. & SANCHEZ-GARCIA, P. Catecholamine release evoked by lithium from the perfused adrenal gland of the cat, **91**, 539
- ABEL, M.H. & HOLLINGSWORTH, M. The effects of long-term infusion of salbutamol, diltiazem and nifedipine on uterine contractions in the ovariectomized, post-partum rat, **88**, 577
- , The potencies and selectivities of four calcium antagonists as inhibitors of uterine contractions in the rat *in vivo*, **85**, 263
- ABIKO, Y., FUKUSHI, Y., HAGA, N. & MATSUMURA, H. Attenuation by isosorbide dinitrate of coronary occlusion-induced acidosis in the dog myocardium, **87**, 427
- ABIKO, Y., NISHIMURA, T. & SAKAI, K. Nicorandil attenuates myocardial acidosis during coronary occlusion in dogs, **81**, 409
- ABOULAFIA, J., CAPOCCI, H., PAIVA, A.C.M. & PAIVA, T.B. Sodium-dependence of the non-specific desensitization of the guinea-pig ileum induced by acetylcholine and histamine, **90**, 347
- ABRAHAM, S., AMITAI, G., OZ, N. & WEISSMAN, B.A. Bay K 8644-induced changes in the ECG pattern of the rat and their inhibition by antianginal drugs, **92**, 603
- ABRAHAMSSON, J.M., BOURA, A.L.A., EVANS, R.G., JOHNSTON, C.I. & OLLEY, J.E. The effects of N-(cyclopropyl-methyl)-19-isopentyl-norvinol (M320), a potent agonist at κ - and μ -opioid receptors, on urine excretion of rats, **89**, 759
- ABRAHAMSSON, T. The β_1 - and β_2 -adrenoceptor stimulatory effects of alprenolol, oxprenolol and pindolol: a study in the isolated right atrium and uterus of the rat, **87**, 657
- ABRAHAMSSON, T., ALMGREN, O. & CARLSSON, L. Wash-out or noradrenaline and its metabolites by calcium-free reperfusion after ischaemia: support for the concept of ischaemia-induced noradrenaline release, **81**, 22
- ABRAMOVICH, D.R., PAGE, K.R. & PARKIN, A.M.L. The effect of prostaglandin D₂ on the blood vessels of the perfused isolated cotyledon of the human placenta, **81**, 16
- ACEVES, J., MARISCAL, S., MORRISON, K.E. & YOUNG, J.M. The binding of doxepin to histamine H₁-receptors in guinea-pig and rat brain, **84**, 417
- ADDICKS, K., HIRCHE, H., McDONALD, F.M. & POLWIN, W. Effects of morphine on catecholamine release and arrhythmias evoked by myocardial ischaemia in rats, **90**, 247
- ADVENIER, C., CERRINA, J., DUROUX, P., FLOCH, A. & RENIER, A. Effects of five different organic calcium antagonists on guinea-pig isolated trachea, **82**, 727
- ADVENIER, C. & FRESLON, J.-L. The guinea-pig isolated bronchus for the *in vitro* study of small calibre airway reactivity, **86**, 367
- ADVENIER, C., GNASSOUNOU, J.P. & SCARPIGNATO, C. Relaxant effect of the H₂-receptor antagonist omepridine on guinea-pig and human airways, **90**, 523
- ADVENIER, C., NALINE, E. & RENIER, A. Effects of Bay K 8644 on contractions of the human isolated bronchus and guinea-pig isolated trachea, **88**, 33
- AGRAWAL, S.G. & EVANS, R.H. The primary afferent depolarizing action of kainate in the rat, **87**, 345
- AGUILAR, M.-J., MORALES-OLIVAS, F.J. & RUBIO, E. Pharmacological investigation into the effects of histamine and histamine analogues on guinea-pig and rat colon *in vitro*, **88**, 501
- AHMED, F., FOSTER, R.W. & SMALL, R.C. Some effects of nifedipine in guinea-pig isolated trachealis, **84**, 861
- AHMED, F., FOSTER, R.W., SMALL, R.C. & WESTON, A.H. Some features of the spasmogenic actions of acetylcholine and histamine in guinea-pig isolated trachealis, **83**, 227
- AHSAN, M.A., ILUNDAIN, A., NAFTALIN, R.J., SANDHU, B.K. & SMITH, P.M. Effects of theophylline, choleragen and loperamide on rabbit ileal fluid and electrolyte transport *in vitro*, **92**, 743
- AKAGI, H., KONISHI, S., OTSUKA, M. & YANAGISAWA, M. The role of substance P as a neurotransmitter in reflexes of slow time courses in the neonatal rat spinal cord, **84**, 663
- AKAGI, H. & YANAGISAWA, M. GABAergic modulation of a substance P-mediated reflex of slow time course in the isolated rat spinal cord, **91**, 189
- AKAIKE, N. & WAKITA, Y. The electrogenic Na pump and spontaneous contraction of the hypokalemic rat duodenum, **88**, 881
- AKASU, T. & KOKETSU, K. Effect of adenosine triphosphate on the sensitivity of the nicotinic acetylcholine-receptor in the bullfrog sympathetic ganglion cell, **84**, 525
- AKED, D., FOSTER, S.J., HOWARTH, A., MCCORMICK, M.E. & POTTS, H.C. The inflammatory response of rabbit skin to topical arachidonic acid and its pharmacological modulation, **89**, 431
- AKED, D.M. & FOSTER, S.J. Leukotriene B₄ and prostaglandin E₂ mediate the inflammatory response of rabbit skin to intradermal arachidonic acid, **92**, 545
- AKIBA, T., MIYAZAKI, A. & TODA, N. Vasodilator actions of TRK-100, a new prostaglandin I₂ analogue, **89**, 703
- AKSOY, A. see RITTER, J.M., **92**, 857
- ALABASTER, V.A., KIER, R.F. & PETERS, C.J. Comparison of potency of α_2 -adrenoceptor antagonists *in vitro*: evidence for heterogeneity of α_2 -adrenoceptors, **88**, 607
- ALBERT, J., LINGLE, C.J., MARDER, E. & O'NEIL, M.B. A GABA-activated chloride conductance not blocked by picrotoxin on spiny lobster neuromuscular preparations, **87**, 771
- AL-GADI, M. & HILL, S.J. Characterization of histamine receptors mediating the stimulation of cyclic AMP accumulation in rabbit cerebral cortical slices, **85**, 877
- , The role of calcium in the cyclic AMP response to histamine in rabbit cerebral cortical slices, **91**, 213
- ALHEID, U., DUDEL, C. & FÖRSTERMANN, U. Selective inhibition by gossypol of endothelium-dependent relaxations augments relaxation by glyceryl trinitrate in rabbit coeliac artery, **92**, 237
- AL-HUMAYYD, M. & WHITE, T.D. 5-Hydroxytryptamine releases adenosine 5'-triphosphate from nerve varicosities isolated from the myenteric plexus of guinea-pig ileum, **84**, 27
- ALI, B.H. Effect of some monoamine oxidase inhibitors on the thiamin status of rabbits, **86**, 869
- ALI, H., CHRISTENSEN, S.B., FOREMAN, J.C., PEARCE, F.L., PIOTROWSKI, W. & THASTRUP, O. The ability of thapsogargin and thapsigargin to activate cells involved in the inflammatory response, **85**, 705
- AL-KAZWINI, S.J., CRAIG, R.K. & MARSHALL, I. Post-junctional inhibition of contractor responses in the mouse vas deferens by rat and human calcitonin gene-related peptides, (CGRP), **88**, 173
- ALLAN, G., CAMBRIDGE, D., HARDY, G.W. & FOLLENFANT, M.J. BW A575C, a chemically novel agent with angiotensin converting enzyme inhibitor and β -adrenoceptor blocking properties, **90**, 609
- ALLAN, G., CAMBRIDGE, D., LEE-TSANG-TAN, L., VANWAY, C.W. & WHITING, M.V. The protective action of allopurinol in an experimental model of haemorrhagic shock and reperfusion, **89**, 149
- ALLAN, G., CHAPPLE, D.J. & HUGHES, B. Effects of an increase in haemoglobin O₂ affinity produced by BW12C on myocardial function in the erythrocyte-perfused rabbit heart *in vitro* and myocardial infarct size in the dog, **89**, 183
- ALLAN, G., DONOGHUE, S., FOLLENFANT, M.J. & SAWYER, D.A. BW A256C, a chemically novel class 1 anti-arrhythmic agents. A comparison of *in vitro* and *in vivo* activity with other class 1 antiarrhythmic agents, **88**, 333
- ALLAN, G., FOLLENFANT, M.J., LIDBURY, P., OLIVER, P.L. & WHITTLE, B.J.R. The cardiovascular and platelet actions of 9 β -methyl carbacyclin (ciprostone), a chemically stable analogue of prostacyclin, in the dog and monkey, **85**, 547
- ALLAN, R.D., DICKENSON, H.W., HIERN, B.P., JOHNSTON, G.A.R. & KAZLUASKAS, R. Isothiourea compounds as γ -aminobutyric acid agonists, **88**, 379
- ALLCORN, R.J., CUNNANE, T.C. & KIRKPATRICK, K. Actions of α , β -methylene ATP and 6-hydroxydopamine on sympathetic neurotransmission in the vas deferens of the guinea-pig, rat and mouse: support for co-transmission, **89**, 647
- ALLELY, M.C. & UNGAR, A. Interactions of β -adrenoceptor antagonists and thyroid hormones in the control of heart rate in the dog, **86**, 393
- ALLEN, J.M., BURKE, E.P., JOHNSTON, M.G. & McHALE, N.G. The inhibitory effect of aspirin on lymphatic contractility, **82**, 509
- ALLEN, S.L., BEECH, D.J., FOSTER, R.W., MORGAN, G.P. Electrophysiological and other aspects of the relaxant action of isoprenaline in guinea-pig isolated trachealis, **86**, 843
- ALLEN, S.L., CORTIJO, J., FOSTER, R.W., MORGAN, G.P., SMALL, R.C. & WESTON, A.H. Mechanical and electrical aspects of the relaxant action of aminophylline in guinea-pig isolated trachealis, **88**, 473
- ALLEN, S.L., CORTIJO, R.W., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Electrical and mechanical effects of BRL34915 in guinea-pig isolated trachealis, **89**, 395
- ALLEN, S.L., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. The relaxant action of nicorandil in guinea-pig isolated trachealis, **87**, 109
- ALLEN, S.L., FOSTER, R.W., SMALL, R.C. & TOWART, R. The effects of the dihydropyridine Bay K 8644 in guinea-pig isolated trachealis, **86**, 171
- ALLGAIER, C., HERTTING, G., HUANG, H.Y. & JACKSCH, R. Protein kinase C activation and α_2 -auto-receptor-modulated release of NA, **92**, 161
- ALLGAIER, C., HERTTING, G. & KÜGELGER, O.V. The adenosine receptor-mediated inhibition of noradrenaline release possibly involves a N-protein and is increased by α_2 -autoreceptor blockade, **90**, 403
- ALMAZAN, G., AUNIS, D., GARCIA, A.G., MONTIEL, C., NICHOLAS, G.P. & SANCHEZ-GARCIA, P. Effects of collagenase on the release of [³H]-noradrenaline from bovine cultured adrenal chromaffin cells, **81**, 599
- ALMGREN, O. see ABRAHAMSSON, T., **81**, 22
- ALOSACHIE, I. & GODFRAND, T. Role of cyclic GMP in the modulation by endothelium of the adenylytic action of prazosin in the rat isolated aorta, **89**, 525

- ALSTER, P. & WENNMALM, Å. Effect of nicotine on the formation of prostacyclin-like activity and thromboxane in rabbit aorta and platelets, 81, 55
- ALTIERE, R.J. & DIAMOND, L. Relaxation of cat tracheobronchial and pulmonary arterial smooth muscle by vasoactive intestinal peptide: lack of influence by peptidase inhibitors, 82, 321
- ALTURA, B.M. see ALTURA, B.T., 82, 459
- , see ALTURA, B.T., 91, 449
- ALTURA, B.T. & ALTURA, B.M. Endothelium-dependent relaxation in coronary arteries requires magnesium ions, 91, 449
- ALTURA, B.T., ALTURA, B.M. & QUIRION, R. Identification of benzomorphan- κ opiate receptors in cerebral arteries which subserve relaxation, 82, 459
- AMANN, R. & LEMBECK, F. Stress induced ACTH release in capsaicin treated rats, 90, 727
- AMBLER, J., BUTLER, K.D., KU, E.C., MAGUIRE, E.D., SMITH, J.R. & WALLIS, R.B. CGS 12970: a novel long acting thromboxane synthetase inhibitor, 86, 497
- AMÉDÉE, T. see HOLLINGSWORTH, M., 91, 803
- AMÉDÉE, T., MIRONNEAU, C. & MIRONNEAU, J. Isolation and contractile responses of single pregnant rat myometrial cells in short-term primary culture and the effects of pharmacological and electrical stimuli, 88, 873
- AMELLAL, M., BINCK, M., FROSSARD, N., ILIEN, B. & LANDRY, Y. Sodium-potassium ATPase inhibition potentiates compound 48/80-induced histamine secretion from mast cells, 82, 423
- AMELLAL, M., BRONNER, C. & LANDRY, Y. Transmembrane sodium and potassium gradients modulate histamine secretion induced by ionophore A23187, 85, 819
- AMERINI, A., GIOTTO, A. & MUGELLI, A. Effect of verapamil and diltiazem on calcium-dependent electrical activity in cardiac Purkinje fibres, 85, 89
- AMERINI, S., CARBONIN, P., CERBAI, E., GIOTTO, A., MUGELLI, A. & PAHOR, M. Electrophysiological mechanisms for the antiarrhythmic action of mexiletine on digitalis, reperfusion- and reoxygenation-induced arrhythmias, 86, 805
- AMITAI, G. see ABRAHAM, S., 92, 603
- ANDERSON, W.G. & KAM, S.-T. Pharmacological activity of ACC-7513, a selective α -adrenoceptor and 5-hydroxytryptamine receptor blocking agent, 84, 793
- ANDERSSON, K.-E., LARSEN, B. & SJÖGREN, C. Characterization of the α -adrenoceptors in female rabbit urethra, 81, 293
- ANDERSSON, P. & BERGSTRAND, H. Changes in bronchial anaphylactic reactivity induced in guinea-pigs by long term treatment with histamine H_2 -agents, 82, 207
- ANDO, K. see MORITOKI, H., 92, 469
- ANDREASEN, F. & CHRISTENSEN, J.H. Thiopentone-induced changes in the contraction pattern of vascular smooth muscle: the influence of albumin, 82, 643
- ANDREWS, P.L.R., DUTIA, M.B. & HARRIS, P.J. Angiotensin II does not inhibit vagally-induced bradycardia or gastric contractions in the anaesthetized ferret, 82, 833
- ANDREWS, P.L.R. & WOOD, K.L. Systemic baclofen stimulates gastric motility and secretion via central action in the rat, 89, 453
- ANGELL, P., BRASILI, L., GIANNELLA, M., GUALTIERI, F. & PIGINI, M. Affinity and efficacy correlate with chemical structure more than with potency in a series of pentatomic cyclic muscarinic agonists, 85, 783
- ANGLADE, F., TRAN, L.D., DE SAINT BLANQUAT, G., GAILLARD, G., MICHELDAMASE, C., MONTASTRUC, J.L., MONTASTRUC, P., ROSTIN, M. & TRAN, M.A. A study of the action of clonidine on secretion from the adrenal medulla in dogs, 91, 481
- ANGUS, J.A., BOBIK, A., JACKMAN, G.P., KOPIN, I.J. & KORNER, P.I. Role of auto-inhibitory feed-back in cardiac sympathetic transmission assessed by simultaneous measurements of changes in 3H -efflux and atrial rate in guinea-pig atrium, 81, 201
- ANGUS, J.A., COCKS, T.M. & SATOH, K. α_2 -Adrenoceptors and endothelium-dependent relaxation in canine large arteries, 88, 767
- ANGUS, J.A. & LEW, M.J. Phenolamine – an unexpected agonist in the rabbit, 81, 423
- ANNO, T., FURUTA, T., ITOH, M., KODAMA, I., TOYAMA, J. & YAMADA, K. Effects of bepridil on the electrophysiological properties of guinea-pig ventricular muscles, 81, 589
- , Electromechanical effects of bepridil on rabbit isolated hearts, 81, 41
- ANNO, T., KODAMA, I., SHIBATA, S., TOYAMA, J. & YAMADA, K. Effects of calcium, calcium entry blockers and calmodulin inhibitors on atrioventricular conduction disturbances induced by hypoxia, 88, 277
- ANSON, J. & COLLINS, G.G.S. Possible actions of 2-amino-4-phosphonobutyrate in rat olfactory cortex, 91, 753
- ANTONELLI, T., BEANI, L., BIANCHI, C., RANDO, S., SIMONATO, M. & TANGANELLI, S. Cortical acetylcholine release is increased and γ -aminobutyric acid outflow is reduced during morphine withdrawal, 89, 853
- ANTONJUK, D.J., BIRDSALL, B., CHEUNG, H.T.A., CLORE, G.M., FEENEY, J., GRONENBORN, A., ROBERTS, G.C.K. & TRAN, T.Q. A 3H n.m.r. study of the role of the glutamate moiety in the binding of methotrexate to *Lactobacillus casei* dihydrofolate reductase, 81, 309
- ANWYL, R., BRUTON, J.D. & McLOUGHLIN, J.V. Potassium contracture and mechanical activation in rat skeletal muscle: effects of multivalent cations, temperature and tetracaine, 82, 615
- , The effects of external potassium, multivalent cations and temperature on caffeine contractures in rat skeletal muscle, 82, 609
- ANWYL, R. & ROWAN, M.J. Frequency-dependent block of field potentials in the rat hippocampal slice caused by tricyclic antidepressants, 86, 201
- AOKI, K. & ASANO, M. Effects of Bay K 8644 and nifedipine on femoral arteries of spontaneously hypertensive rats, 88, 221
- APPLEYARD, M.E., GREEN, A.R. & GREENFIELD, S.A. Acetylcholinesterase activity in rat cerebrospinal fluid post-ictally: effect of a substantia nigra lesion on this rise and on seizure threshold, 91, 149
- ARCHER, C.B., MacDONALD, D.M., MORLEY, J., PAGE, C.P., PAUL, W. & SANJAR, S. Effects of serum albumin, indomethacin and histamine H_2 -antagonists on Paf-acether-induced inflammatory responses in the skin of experimental animals and man, 85, 109
- ARCHER, T., DANYSZ, W., JONSSON, G., MINO, B.G. 5-Methoxy-*N,N*-dimethyltryptamine-induced analgesia is blocked by α -adrenoceptor antagonists in rats, 89, 277
- ARCHER, T., FOWLER, C.J., FREDRIKSSON, A., LEWANDER, A., MAGNUSSON, O., MOHRINGER, B. & SÖDERBERG, U. Increased total activity in the rat after *l*-tryptophan plus the monoamine oxidase-A inhibitor amiflamine but not after *l*-tryptophan plus cloglyline, 85, 581
- ARCHER, T., JONSSON, G. & ROSS, S.B. A parametric study of the effects of the noradrenaline neurotoxin DSP4 on avoidance acquisition and noradrenaline neurones in the CNS of the rat, 82, 249
- ARIMURA, H. & IKEMOTO, Y. Action of enflurane on cholinergic transmission in identified *Aplysia* neurones, 89, 573
- ARMSTRONG, R.A., JONES, R.L., MACDERMOT, J. & WILSON, N.H. Prostaglandin endoperoxide analogues which are both thromboxane receptor antagonists and prostacyclin mimetics, 87, 543
- ARMSTRONG, R.A., JONES, R.L., PEESAPATI, V., WILL, S.G. & WILSON, N.H. Competitive antagonism at thromboxane receptor in human platelets, 84, 595
- ARTALEJO, C.R. & GARCIA, A.G. Effects of Bay K 8644 on cat adrenal catecholamine secretory responses to A23187 or ouabain, 88, 757
- ASANO, M. see AOKI, K., 88, 221
- ASCIOTI, C. see DE SARRO, G.B., 90, 675
- ASHCROFT, S.J.H., HARRISON, D.E., POJE, M. & ROCIC, B. Structure-activity relationships of alloxan-like compounds derived from uric acid, 89, 469
- ASHOORI, F., HIDAKA, H. & TOMITA, T. Carbachol-induced contraction in the circular muscle of guinea-pig stomach in calcium-free solution, 87, 15
- ASHOORI, F., TAKAI, A. & TOMITA, T. The response of non-pregnant rat myometrium to oxytocin in Ca-free solution, 84, 175
- ASHWOOD, T.J. & WEAL, H.V. The expression of N-methyl-D-aspartate-receptor mediated component during epileptiform synaptic activity in the hippocampus, 91, 815
- ASK, A.-L., FAGERVALL, L., FLORVALL, L., ROSS, S.B. & YTTTERBORN, S. Inhibition of monoamine oxidase in 5-hydroxytryptaminergic neurones by substituted *p*-aminophenylalkylamines, 85, 683
- ATCHISON, W.D., LUKE, V.S., NARAHASHI, T. & VOGEL, S.M. Nerve membrane sodium channels as the target site of brevetoxins at neuromuscular junctions, 89, 731
- ATCHISON, W.D., NARAHASHI, T. & VOGEL, S.M. Endplate blocking action of lophotoxin, 82, 667
- ATTERWILL, C.K., KINGSBURY, A., NICHOLLS, J. & PRINCE, A. Development of markers for cholinergic neurones in re-aggregate cultures of foetal rat whole brain in serum-containing and serum-free media: effects of triiodothyronine (T_3), 83, 89
- AULAKH, C.S., COHEN, R.M., HILL, J.L., MURPHY, D.L. & ZOHRAR, J. Long-term imipramine enhances locomotor and food intake suppressant effects of *m*-chlorophenylpiperazine in rats, 91, 747
- AULT, B. & WANG, C.M. Adenosine inhibits epileptiform activity arising in hippocampal area CA3, 87, 685
- AULT, B., WANG, C.M. & YAWN, B.C. *l*-Proline depolarizes rat spinal motoneurons by an excitatory amino acid antagonist-sensitive mechanism, 92, 319
- AUNIS, D. see ALMAZAN, G., 81, 599
- AUTORE, G., CAPASSO, F., DI CARLO, G. & MASCOLO, N. Effect of cholera toxin on the production of eicosanoids by rat jejunum, 82, 149
- AUTORE, G., CAPASSO, F. & MASCOLO, N. Phenolphthalein stimulates the formation of histamine, 5-hydroxytryptamine and postganglionic-like material by rat jejunum, ileum and colon, 81, 347
- AZUMA, H., ISHIKAWA, M., NAKAJIMA, T., SATOH, A. & SEKIZAKI, S. Calcium-dependent contractile response of arterial smooth muscle to a jellyfish toxin (pCrxT: *Carybdea rastonii*), 88, 549
- AZUMA, H., ISHIKAWA, M. & SEKIZAKI, S. Endothelium-dependent inhibition of platelet aggregation, 88, 411

B

- BABA, K., KAWANISHI, M., SATAKE, T. & TOMITA, T. Effects of verapamil on the contractions of guinea-pig tracheal muscle induced by Ca, Sr and Ba, 84, 203
- BABA, K., SATAKE, T., TAKAGI, K. & TOMITA, T. Effects of verapamil on the response of the guinea-pig tracheal muscle to carbachol, 88, 441
- BACCARO, C., BENNARDINI, F., DINI, G., FRANCONI, F., GIOTTI, A., MATUCCI, R. & MINUTI, P. Cardiac hypoxia and subsequent reoxygenation: sensitivity to *l*-arginine methylester, 87, 649
- BACHMAIER, A., EBNER, F. & REITER, M. Potassium changes the relationship between receptor occupancy and the inotropic effect of cardiac glycosides in guinea-pig myocardium, 85, 775
- BACK, D.J., SUTCLIFFE, F. & TJIA, F.J. Tolbutamide as a model drug for the study of enzyme induction and enzyme inhibition in the rat, 81, 557
- BACK, D.J. & TJIA, F.J. Inhibition of tolbutamide metabolism by substituted imidazole drugs *in vivo*: evidence for a structure-activity relationship, 85, 121
- BAILEY, C.C. & KITCHEN, I. Developmental responses to opioids reveals a lack of effect on

- stress-induced corticosterone levels in neonatal rats, 91, 119
- BAILEY, S.J., FEATHERSTONE, R.L., JORDAN, C.C. & MORTON, I.K.M. An examination of the pharmacology of two substance P antagonists and the evidence for tachykinin receptor subtypes, 87, 79
- BAILEY, S.J. & JORDAN, C.C. A study of [D-Pro², D-Phe⁷, D-Trp⁹] substance P and [D-Trp⁹] substance P as tachykinin partial agonists in the rat colon, 82, 441
- BAIRD, A.W. & CUTHBERT, A.W. Changed sensitivity to antigen in a gut epithelium treated with bile salts, 84, 653
- , Neuronal involvement in type I hypersensitivity reactions in gut epithelia, 92, 647
- BAIRD, A.W., CUTHBERT, A.W. & MACVAINISH, L.J. Type I hypersensitivity reactions in reconstructed tissues using syngeneic cell types, 91, 857
- BAIRD, A.W., CUTHBERT, A.W. & PEARCE, F.L. Immediate hypersensitivity reactions in epithelia from rats infected with *Nippostrongylus brasiliensis*, 85, 787
- BAKER, D.J., DREW, G.M. & HILDITCH, A. Presynaptic α -adrenoceptors: do exogenous and neuronally released noradrenaline act at different sites? 81, 457
- BAKER, G.B., COUTTS, R.T. & RAO, T.S. Neuropharmacological and neurochemical properties of N-(cyanomethyl)-2-phenylethylamine, a prodrug of 2-phenylethylamine, 92, 243
- BAKER, J.R.J., BULLOCK, G.R. & WILLIAMSON, L.H.M. Autoradiographic study of the distribution of [³H]- and [¹⁴C]-hydralazine in the rat, 84, 107
- BAKHLE, Y.S. & GRANTHAM, C.J. Effects of pulmonary oedema on pharmacokinetics of adenosine in rat isolated lungs, 91, 849
- BAKHLE, Y.S., MONCADA, S., DE NUCCI, G. & SALMON, J.A. Differential release of eicosanoids by bradykinin, arachidonic acid and calcium ionophore A23187 in guinea-pig isolated perfused lung, 86, 55
- BAKHLE, Y.S., MORTON, I.K.M., STRAUGHAN, D.W. & WEBSTER, R.A. Third report on the organization of pharmacology in Great Britain, 87, 463
- BAKHLE, Y.S. & PANKHANIA, J.J. Inhibitors of prostaglandin dehydrogenase (Ph CL 28A and Ph CK 61A) increase output of prostaglandins from rat isolated lung, 92, 189
- BAKICH, V., BROWN, J., KWOK, Y.N., MCINTOSH, C. & NISHIMURA, E. Contractile effects of cysteamine on the guinea-pig ileum, 82, 791
- BALFOUR, D.J.K., BENWELL, M.E.M., GRAHAM, C.A. & VALE, A.L. Behavioural and adrenocortical responses to nicotine measured in rats with selective lesions of the 5-hydroxytryptaminergic fibres innervating the hippocampus, 89, 341
- BALLEJO, G., CALIXTO, J.B. & MEDEIROS, Y.S. *In vitro* effects of calcium entry blockers, chlorpromazine and fenoterol upon human pregnant myometrium contractility, 89, 515
- BANNERJEE, A.K., TUFFIN, D.P. & WALKER, J.L. Pharmacological effects of the ($\pm$)-11-deoxy, 16-phenoxy-prostaglandin E₁ derivatives in the cardiovascular system, 84, 71
- BANNO, H., IMAIZUMI, Y. & WATANABE, M. Pharmacomechanical coupling in the response to acetylcholine and substance P in the smooth muscle of the rat iris sphincter, 85, 905
- BARANOWSKI, R., LYNN, B. & PINI, A. The effects of locally applied capsaicin on conduction in cutaneous nerves in four mammalian species, 89, 267
- BARANY, E.H. Muscarinic subsensitivity without receptor change in monkey ciliary muscle, 84, 193
- BARASI, S., BEN-SRETI, M.M., CLATWORTHY, A.I., DUGGAL, K.N., GONZALEZ, J.P., ROBERTSON, J., ROONEY, K.F. & SEWELL, R.D.E. Dopamine receptor-mediated spinal antinociception in the normal and haloperidol pretreated rat: effects of sulpiride and SCH 23390, 90, 15
- BARBIERI, E.J., BOYOCK, E., CHERNICH, W.S. & McMICHAEL, R.F. The calcium dependency of mucus glycoconjugate secretion by canine tracheal explants, 82, 199
- BARDEN, A.E., MAHONEY, D.P., TUNNEY, A.M. & VANDONGEN, R. Frusemide releases renin in the rat kidney when prostacyclin synthesis is suppressed, 82, 493
- BARKER, L.A. Regional variation in the sensitivity of longitudinal smooth muscle to histamine at H₁-receptors in guinea-pig ileum and colon, 85, 377
- BARLOW, R.B. & DAWSON, S. The selectivity of the (–) and (+)-forms of hyosine methiodide and hyoscyamine camphorsulphonate for muscarinic (M₂) receptors, 89, 439
- BARLOW, R.B. & SHEPHERD, M.K. A further search for selective antagonists at M₂ muscarinic receptors, 89, 837
- , A search for selective antagonists at M₂ muscarinic receptors, 85, 427
- BARLOW, R.B. & WESTON-SMITH, P. The relative potencies of some agonists at M₂ muscarinic receptors in guinea-pig ileum, 85, 437
- BARNES, P.J., BROWNE, M.J., DOLLERY, C.T., FULLER, R.W., HEAVEY, D.J. & IND, P.W. Histamine is released from skin by substance P but does not act as the final vasodilator in the axon reflex, 88, 741
- BARNES, P.J., CADIEUX, A., CARSTAIRS, J.R., GREENBERG, B., POLAK, J.M. & RHODEN, K. Vasoactive intestinal peptide in bovine pulmonary artery: localization, function and receptor autoradiography, 89, 157
- BARNES, P.J., CUSS, F.M. & PALMER, J.B. The effect of airway epithelium on smooth muscle contractility in bovine trachea, 86, 691
- BARNES, P.J., GRANDORDY, B.M., PAGE, C.P., RHODEN, K.L. & ROBERTSON, D.N. The effect of platelet activating factor on pulmonary β -adrenoceptors, 90, 709
- BARNES, P.J. *see* FULLER, R.W., 92, 76
- BARNES, P.J. *see* PALMER, J.B.D., 91, 95
- BARNES, P. *see* GREENBERG, B., 92, 789
- BARNES, V.F. & HEAVEY, D.J. Effect of prostaglandin D₂ on histamine-induced weals in human skin, 87, 357
- BARNETT, A., CHIU, P.J.S. & TETZLOFF, G. Effects of SCH 32651 on resting and stimulated acid secretion in guinea-pig fundic mucosa, 83, 75
- BARNETT, D.B. *see* COOK, N., 92, 587
- BARRETT, V.J., LEFF, P., MARTIN, G.R. & RICHARDSON, P.J. Pharmacological analysis of the interaction between Bay K 8644 and 5-HT in rabbit aorta, 87, 487
- BARRIGÓN, S. & TAMARGO, J. The effect of oxytocin on contractile responses and ⁴⁵Ca movements in rat isolated aortic strips, 87, 763
- BARRON, B.A. & HEXUM, T.D. Muscarinic receptor modulation of release of [Met⁵]enkephalin immunoreactive material and catecholamines from the bovine adrenal gland, 89, 713
- BARRON, E., MARSHALL, R.J., MARTORANA, M. & WINSLOW, E. Comparative antiarrhythmic and electrophysiological effects known to inhibit calmodulin (TFP, W7 and bepridil), 89, 603
- BARROWCLIFFE, T.W., EDWARDS, S.J., GRAY, E. & KERRY, P.J. Procoagulant activity of platelet arachidonic acid, 92, 129
- BARROW, S.E., COCKCROFT, J., DOLLERY, C.T., HICKLING, N.E. & RITTER, J.M. Identification of 13, 14-dihydro-15-oxo-prostaglandin F₂ in the circulation during infusions of bradykinin and prostaglandin E₂ in man, 91, 245
- BARROW, S.E., DOLLERY, C.T., HEAVEY, D.J., HICKLING, N.E., TITTER, J.M. & VIAL, J. Effect of vasoactive peptides on prostacyclin synthesis in man, 87, 243
- BARROW, S.E. *see* WARREN, J.B., 92, 895
- BARRY, W.H., HORWITZ, J.D. & SMITH, T.W. Comparison of negative inotropic potency, reversibility, and effects on calcium influx of six calcium channel antagonists in cultured myocardial cells, 85, 51
- BARTHO, L., HOLZER, P., LEMBECK, F., LIPPE, I. Th. & SETNIKAR, I. Evaluation of a new and potent cholecystokinin antagonist on motor responses of guinea-pig intestine, 90, 753
- BARTHO, PETHO, G. & RONAI, Z. Theophylline-sensitive modulation of non-cholinergic excitatory neurotransmission in the guinea-pig ileum, 86, 315
- BARTOLINI, A., GALLI, A., GHELARDINI, C., GIOTTI, A., MALCANGIO, M., MALMBERG, G. & ZUCCHI, P.L. Antinociception induced by systemic administration of local anaesthetics depends on a central cholinergic mechanism, 92, 711
- BATRA, S. Characterization of [³H]-nitrendipine binding to uterine smooth muscle plasma membrane and its relevance to inhibition of calcium entry, 85, 767
- , Increase by oestrogen of calcium entry and calcium channel density in uterine smooth muscle, 92, 389
- BATTISTELLA, A., BOAROTO, E., BRUNI, A., MIETTO, L., PALANTINI, P. & TOFFANO, G. Apomorphine-induced inhibition of histamine release in rat peritoneal mast cells, 88, 457
- BAUER, V. Effects of 3,4-diaminopyridine and tetraethylammonium on the pre- and post-junctional α -adrenoceptor mediated inhibitory actions of noradrenaline in the guinea-pig ileum, 85, 171
- BAUMANN, I., BAUMANN, J. & WURM, G. Interactions of inhibitors of the lipoxigenase pathways with a supplementary binding site on soybean lipoxigenase, 83, 954
- BAUMANN, J. *see* BAUMANN, I., 83, 954
- BAUMGARTNER, A., DRACK, E., HALTER, F. & SCHEURER, U. Effects of pinaverium bromide and verapamil on the motility of the rat isolated colon, 86, 89
- BAYOL, A., BENVISTE, J., BRINK, C., CERINA, J., GATEAU, O., LABAT, C. & RAFFESTIN, B. Response and sensitivity of guinea-pig airway muscle preparations to 5-hydroxytryptamine during ontogenesis, 85, 569
- BEANI, L. *see* ANTONELLI, T., 89, 853
- BEATTIE, D.T., CUNNANE, T.C. & MUIR, T.C. Effects of calcium channel antagonists on action potential conduction and transmitter release in the guinea-pig vas deferens, 235 89, 235
- BEAVER, T.H. *see* DOHERTY, N.S., 91, 39
- BECKER, C. & PORZIG, H. Recovery of β -adrenoceptors and cyclic AMP response after long treatment of intact heart cells with β -blockers, 82, 745
- BEDDELL, C.R., GOODFORD, P.J., KNEEN, G., WHITE, R.D., WILKINSON, S. & WOOTTON, R. Substituted benzaldehydes designed to increase the oxygen affinity of human haemoglobin and inhibit the sickling of sickle erythrocytes, 82, 397
- BEECH, D.J. *see* ALLEN, S.L., 86, 843
- BEER, M., HACKER, S., POAT, J. & STAHL, S.M. Independent regulation of β_1 and β_2 -adrenoceptors, 92, 817
- BEIJER, L., BOTTING, J., CROOK, P., OYEKAN, A.O., PAGE, C.P. & RYLANDER, R. The involvement of platelet activating factor in endotoxin-induced pulmonary platelet recruitment in the guinea-pig, 92, 803
- BEIL, W., ELTZE, M., HEINTZE, K., KLEMM, K., RIEDEL, R., SCHUDT, C., SEWING, K.-F. & SIMON, A. The sulphoxide moiety of substituted benzimidazoles is essential for inhibition of parietal cell K⁺/H⁺-ATPase, 88, 389
- BEIL, W., HACKBARTH, I. & SEWING, K.-F. Mechanism of gastric antiseptic effect of SCH 28080, 88, 19
- BEIL, W. & SEWING, K.-F. Inhibition of partially purified K⁺/H⁺-ATPase from guinea-pig isolated and enriched parietal cells by substituted benzimidazoles, 82, 651
- BELL, C. Comparison of the antagonistic effects of phentolamine on vasoconstrictor responses to exogenous responses to exogenous and neurally released noradrenaline *in vivo*, 85, 249
- BELL, C., GILLESPIE, J.S. & MACRAE, I.M. Release of noradrenaline and dopamine by nerve stimulation in the guinea-pig and rat vas deferens, 81, 563
- BELL, C. & ROME, A.C. Pharmacological investigations of the vasodilator nerves supplying the duck's foot, 82, 801
- BELL, G.D., CLEGG, R.J., ELLIS, W.R., MIDDLETON, B. & WHITE, D.A. The effects of 3,5,5-trimethylcyclohexanol on hepatic cholesterol synthesis, bile flow and biliary lipid secretion in the rat, 81, 183
- BELLONI, F.L., ELKIN, P.L. & GIANNOTTO, B. The mechanism of adenosine release from hypoxic rat liver cells, 85, 441
- BELFAIRE, F.M., BOGAERT, M.G., MUGABO, P. & ROSSEEL, M.T. Binding to serum α_1 -acid

- glycoprotein and effect of β -adrenoceptor antagonists in rats with inflammation, **88**, 697
- BENEFY, B.G., ELFEH, M.S., OGILVIE, R.I. & VARMA, R.D. Anti-arrhythmic effects of prazosin and propranolol during coronary artery occlusion and reperfusion in dogs and pigs, **82**, 717
- BENNETT, A., GAFFEN, J.D., MELHUISE, P.B. & STAMFORD, I.F. Studies on the mechanism by which indomethacin increases the anticancer effect of methotrexate, **91**, 229
- BENNETT, A., MELHUISE, P.B. & STAMFORD, I.F. Carbenoxolone and deglycyrrhized liquorice have little or no effect on prostanoid synthesis by rat gastric mucosa, **86**, 693
- BENNETT, G.W., GREEN, A.R., LIGHTON, C. & MARSDEN, C.A. Changes in the behavioural response to a TRH analogue following chronic amitriptyline treatment and repeated electroconvulsive shock in the rat, **88**, 129
- BENNETT, T. & GARDINER, S.M. Neonatal capsaicin treatment impairs vasopressin-mediated blood pressure recovery following acute hypotension, **81**, 341
- , Pressor sensitivity to exogenous vasopressin in conscious, adult rats treated neonatally with capsaicin, **85**, 115
- , The influence of neonatal treatment with capsaicin on the control of blood pressure in adult rats in water-replete and water-deprived states, **85**, 897
- BENOIT, E., CARRATU, M.R., DUBOIS, J.M. & MITOLOCHIEPPA, D. Mechanism of action of ketamine in the current and voltage clamped myelinated nerve fibre of the frog, **87**, 291
- BENOIT, E., CARRATU, M.R., DUBOIS, J.M., MITOLOCHIEPPA, D. & PREZIOSI, P. Electrophysiological studies of the effects of the general anaesthetic etomidate on frog myelinated nerve fibre, **90**, 7
- BEN-SRETI, M.M. see BARASI, S., **90**, 15
- BENTLEY, G.A. & COPELAND, I.W. The effect of chronic haloperidol treatment on some cardiovascular parameters in cats, **86**, 737
- BENTLEY, G.A., CULLEN, L.K., REYNOLDS, J.A. & WIDDOP, R.E. The effect of clonidine on venous haemodynamics in cats and dogs, **88**, 161
- BENTLEY, G.A. & STARR, J. The antinociceptive action of some β -adrenoceptor agonists in mice, **88**, 515
- BENTLEY, G.A. & WIDDOP, R.E. Postjunctional α -adrenoceptors mediate venoconstriction in the hindquarters circulation of anaesthetized cats, **92**, 121
- BENVISTE, J. see BAYOL, A., **85**, 569
- BENWELL, M.E.M. see BALFOUR, D.J.K., **89**, 341
- BENYON, R.C., ROBINSON, C., HOLGATE, S.T. & CHURCH, M.K. Prostaglandin D_2 release from human skin mast cells in response to ionophore A23187, **92**, 635
- BERDEAUX, A., BONHENRY, C., DUHAZÉ, P., GUIDICELLI, J.F. & THUILLEZ, C. Influence of heart rate on the effects of prenalterol on regional myocardial blood flow and function during coronary stenosis in dogs, **83**, 203
- BERGSTRAND, H. see ANDERSSON, P., **82**, 207
- BERKENBOOM, G., DEPIERREUX, M. & FONTAINE, J. The influence of atherosclerosis on the mechanical responses of human isolated coronary arteries to substance P, isoprenaline and noradrenaline, **92**, 113
- BERKOWITZ, B.A. see LONG, C.J., **92**, 843
- BERKOWITZ, B.A. see SHIKANG, K., **92**, 483
- BERNARDINI, F. see BACCARO, C., **87**, 649
- BERRIDGE, T.L. & ROACH, A.G. Characterization of α -adrenoceptors in the vasculature of the canine nasal mucosa, **88**, 345
- BERRIE, C.P., BIRDSALL, N.J.M., HAGA, K., HAGA, T. & HULME, E.C. Hydrodynamic properties of muscarinic acetylcholine receptors solubilized from rat forebrain, **82**, 839
- BERRIE, C.P., BIRDSALL, N.J.M., HULME, E.C., KEEN, M. & STOCKTON, J.M. Solubilization and characterization of guanine nucleotide-sensitive muscarinic agonist binding sites from rat myocardium, **82**, 853
- , Solubilization and characterization of high and low affinity pirenzepine binding sites from rat cerebral cortex, **85**, 677
- BERRY, C.N., GRIFFITHS, R.J., HOULT, J.R.S., MOORE, P.K. & TAYLOR, G.W. Identification of 6-oxo-prostaglandin E_1 as naturally occurring prostanoid generated by rat lung, **87**, 327
- BERRY, S.C., DAWKINS, S.L. & LODGE, D. Comparison of δ - and κ -opioid receptor ligands as excitatory amino acid antagonists, **83**, 179
- BERTHON, B., CAPOD, T. & CLARET, M. Effects of noradrenaline, vasopressin and angiotensin on the Na-K pump in rat isolated liver cells, **86**, 151
- BERTRAND, G., CHAPAL, J., LOUBATIERES-MARIANI, M.M. & ROYÉ, M. Evidence for two different P_2 -purinoceptors on β cell and pancreatic vascular bed, **91**, 783
- BEST, R., LEWIS, A.L., & NASSER, N. The anti-ulcerogenic activity of the unripe plantain banana (*Musa species*), **82**, 107
- BEVAN, P. Effect of muscarinic ligands on the electrical activity recorded from the hippocampus: a quantitative approach, **82**, 431
- BHARGAVA, K.P., GUPTA, G.P. & GUPTA, M.B. Central GABA-ergic mechanism in stress-induced gastric ulceration, **84**, 619
- BHATT, J.D. & GULATI, O.D. The role of the sympathetic nervous system in oestrogen-induced hypertension in rats, **89**, 685
- BHOOLA, K.D. & PAY, S. Opioid inhibition of adenylate cyclase in the striatum and vas deferens of the rat, **89**, 99
- BIANCHI, L. see ANTONELLI, T., **89**, 853
- BIASSONI, R. & VACCARI, A. Selective effects of thiol reagents on the binding sites for imipramine and neurotransmitter amines in the rat, **85**, 447
- BIEGER, D. & TRIGGLE, C. Pharmacological properties of mechanical responses of the rat oesophageal muscularis mucosae to vagal and field stimulation, **84**, 93
- BINCK, M. see AMELLAL, M., **82**, 423
- BINDER, R.R., MAIER, M., RANA, H., STARLINGER, M. & ZHEGU, Z. Urinary kallikrein excretion during inhibition of endogenous angiotensin II in the pig, **88**, 569
- BIRDSALL, B. see ANTONJUK, D.J., **81**, 309
- BIRDSALL, N.J.M. see BERRIE, C.P., **82**, 839
- , see BERRIE, C.P., **85**, 677
- BIRDSALL, N.J.M., HULME, E.C. & KEEN, M. The binding of pirenzepine to digitonin-solubilized muscarinic acetylcholine receptors from the rat myocardium, **87**, 307
- BIZIERE, K., BOURGUIGNON, J.J., CHAM-BON, J.P., HEAULME, M., PERIO, A., TEBIB, S. & WERMUTH, C.G. A 7-phenyl substituted triazolopyridazine has inverse agonist activity at the benzodiazepine receptor site, **90**, 183
- BLABER, L.C. & FRYER, A.D. The response of cat airways to histamine *in vivo* and *in vitro*, **84**, 309
- BLABER, L.C., FRYER, A.D. & MacLAGAN, J. Neuronal muscarinic receptors attenuate vagally-induced contraction of feline bronchial smooth muscle, **86**, 723
- BLACK, A.K. see BRAIN, S.D., **83**, 313
- BLACKBURN, T.P., BORKOWSKI, K.R., FRIEND, J. & RANCE, M.J. On the mechanisms of κ -opioid-induced diuresis, **89**, 593
- BLACK, J.W., GERSKOWITZ, V.P., LEFF, P. & SHANKLEY, N.P. Analysis of competitive antagonism when this property occurs as part of a pharmacological resultant, **89**, 547
- , Pharmacological analysis of β -adrenoceptor-mediated agonism of the guinea-pig, isolated right atrium, **84**, 779
- BLACK, J.W., LEFF, P. & SHANKLEY, N.P. An operational model of pharmacological agonism: the effect of $E/[A]$ curve on agonist dissociation constant estimation, **84**, 561
- , Further analysis of anomalous pK_B values for histamine H_2 -receptor antagonists on the mouse isolated stomach assay, **86**, 581
- , Pharmacological analysis of the pentagastrin-tidine interaction in the mouse isolated stomach, **86**, 589
- BLACK, J.W. & SHANKLEY, N.P. Pharmacological analysis of the muscarinic receptors involved when McN-A 343 stimulates acid secretion in the mouse isolated stomach, **86**, 601
- , Pharmacological analysis of the muscarinic receptors involved with McN-A 343 stimulates acid secretion in the mouse isolated stomach, **86**, 609
- , Pharmacological analysis of the inhibition by pirenzepine and atropine of vagal-stimulated acid secretion in the isolated stomach of the mouse, **88**, 291
- , The isolated stomach preparation of the mouse: a physiological unit for pharmacological analysis, **86**, 571
- BLAKE, J.F., EVANS, R.H. & SMITH, D.A.S. The effect of nicotine on motoneurons of the immature rat spinal cord *in vitro*, **90**, 167
- BLAKELEY, A.G.H., MATHIE, A. & PETERSEN, S.A. Interactions between the effects of yohimbine, clonidine and $[Ca]_i$ on the electrical response of the mouse vas deferens, **88**, 807
- BLANDINA, P., BRUNELLESCHI, S., FANTOZZI, R., GIANNELLA, E., MANNAIONI, P.F. & MASINI, E. The antianaphylactic action of histamine H_2 -receptor agonists in the guinea-pig isolated heart, **90**, 459
- BLOOM, S.R. see PALMER, J.B.D., **91**, 95
- BOAROTO, E. see BATTISTELLA, A., **88**, 457
- BOBIK, A. see ANGUS, J.A., **81**, 201
- BOBYOCK, E. see BARBIERI, E.J., **82**, 199
- BODEN, R., BOTTING, R., COULSON, P. & SPANSWICK, G. Effect of nonselective and selective inhibitors of monamine oxidases A and B on pethidine toxicity in mice, **82**, 151
- BOGAERT, M.G. see BELPARIE, F.M., **88**, 697
- BOJANIC, D., JANSEN, J.D., NAHORSKI, S.R. & ZAAGSMA, J. Atypical characteristics of the β -adrenoceptor mediating cyclic AMP generation and lipolysis in the rat adipocyte, **84**, 131
- BOLD, J.M., GARDNER, C.R. & WALKER, R.J. Central effects of nicotinamide and inosine which are not mediated through benzodiazepine receptors, **84**, 689
- BOLGER, G.T. & SKOLNICK, P. Novel interactions of cations with dihydropyridine calcium antagonist binding sites in brain, **88**, 857
- BOLTON, T.B. & CLAPP, L.H. Endothelial-dependent relaxant actions of carbachol and substance P in arterial smooth muscle, **87**, 713
- BONANNO, G. & RAITERI, M. Coexistence of carriers for dopamine and GABA uptake on a same nerve terminal in the rat brain, **91**, 237
- BOND, R.A. & CLARKE, D.E. A response to isoprenaline unrelated to α - and β -adrenoceptor agonism, **91**, 683
- BONGIANNI, F., CARLA, V., MORONI, F. & PELLEGRINI-GIAMPIETRO, D.E. Calcium channel inhibitors suppress the morphine-withdrawal syndrome in rats, **88**, 561
- BONHENRY, C. see BERDEAUX, A., **83**, 203
- BORDA, E.S., BRACCO, M.M. DE, CANGIANI, S., FINIASZ, M. & STERIN-BORDA, L. α -Adrenoceptor stimulated lymphocytes trigger the mechanical response of vas deferens: participation of arachidonic acid metabolites, **82**, 863
- BORDA, E.S., DE BRACCO, M.M., FINIASZ, M. & STERIN-BORDA, L. Lymphocytes sensitize rat isolated atria to the inotropic and chronotropic effects of sodium arachidonate, **81**, 75
- BORKOWSKI, K.R. & KELLY, E. The effect of adrenal demedullation on cardiovascular response to environmental stimulation in conscious rats, **88**, 943
- BORKOWSKI, K.R. see BLACKBURN, T.P., **89**, 593
- BOSCHCOV, P., PAIVA, A.C.M., PAIVA, T.B. & SHIMUTA, S.I. Further evidence for the existence of two receptor sites for bradykinin responsible for the diaphasic effect in the rat isolated duodenum, **83**, 591
- BOSCHI, G., LAUNAY, N. & RIPS, R. Neuroleptic-induced hyperthermia in mice: lack of evidence for a central mechanism, **90**, 745
- BOTING, J. see BEILER, L., **92**, 803
- BOTTING, R. see BODEN, R., **82**, 151
- BOTTOMLEY, K.M.K., LEWIS, S., RISING, T.J., STEWARD, A. A new *in vivo* method for the measurement of repetitive anaphylactic responses in the guinea-pig, **81**, 195
- BOTTOMCETTI, A. & GALLI, A. Prevention of physostigmine-induced lethality by the opioid analgesic meptazinol in the mouse, **91**, 299
- BOUCHER, M., DUCHÈNE-MARULLAZ, P. & MOUNDANGA, J.L. Studies on the stereoisomers of β -adrenoceptor antagonists in conscious A-V blocked dogs, **89**, 119

- BOU, J., FERNANDEZ, A.G., JAUREGUI, J.M. & MASSINGHAM, R. Involvement of enteric neurones in the response of guinea-pig ileum preparations to metoclopramide, **88**, 95
- BOUKILL, M.A., BUREAU, M., LAGENTE, V., LEFORT, J., LELLOUCH-TUBIANA, A., MALANCHÈRE, E. & VARGAFTIG, B.B. Pharmacological modulation of the effects of *N*-formyl-L-methionyl-L-leucyl-L-phenylalanine in guinea-pigs: involvement of arachidonic acid cascade, **89**, 349
- BOURA, A.L.A., GUDE, N.M., KING, R.G. & WALTERS, W.A.W. Acetylcholine output and foetal vascular resistance of human perfused placental cotyleda, **88**, 301
- BOURA, A.L.A., HODGSON, W.C. & KING, R.G. Changes in cardiovascular sensitivity of alloxan-treated diabetic rats to arachidonic acid, **89**, 613
- BOURA, A.L.A. *see* ABRAHAM, J.M., **89**, 759
- BOURA, A.L.A. & SVOLMANIS, A.P. Converting enzyme inhibition in the rat by captopril is accompanied by potentiation of carageenin-induced inflammation, **82**, 3
- BOURGUIGNON, J.J. *see* BIZIERE, K., **90**, 183
- BOURUT, C., CHENU, E., GODENÈCHE, D., MADELMONT, J.-C., MARALT, R., MATHÉ, G. & MEYNIÉL, G. Cytostatic action of two nitrosoureas derived from cysteamine, **89**, 539
- BOUTILLIER, J., DEBLOIS, D. & MARCEAU, F. Studies on the induction of pharmacological responses to des-Arg¹-bradykinin *in vitro* and *in vivo*, **92**, 257
- BOWMAN, A. & DRUMMOND, A.H. Cyclic GMP mediates neurogenic relaxation in the bovine retractor penis muscle, **81**, 665
- BOWMAN, A. & McGRATH, J.C. The effect of hypoxia on neuroeffector transmission in the bovine retractor penis and anococcygeus muscles, **85**, 869
- BOWMAN, D. & HOPE, D.B. Forskolin: its effects on potassium-evoked release of vasopressin from the rat neurohypophysis, **85**, 197
- BOWMAN, W.C., LAM, F.Y., RODGER, I.W. & SHAHID, M. Cyclic nucleotides and contractility of isolated soleus muscle, **84**, 259
- BOWMER, C.J., CLARKE, A., COMER, M.B. & YATES, M.S. Vascular reactivity in rats with glycerol-induced acute renal failure, **81**, 69
- BOWMER, C.J., COLLIS, M.G. & YATES, M.S. Effect of the adenosine antagonist 8-phenyltheophylline on glycerol-induced acute renal failure in the rat, **88**, 205
- BOWMER, C.J. & YATES, M.S. Pharmacokinetics and biliary excretion of bromosulphophthalein, [³H]-ouabain and [³H]-taurocholic acid in rats with glycerol-induced acute renal failure, **83**, 773
- BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Inhibitory responses to nicotine and transmural stimulation in hyoscine-treated guinea-pig isolated trachealis: an electrical and mechanical study, **90**, 733
- BRACCO, M.M. *de* BORDA, E.S., **82**, 863
- BRADFORD, H.F., CROWDER, J.M. & WHITE, E.J. Inhibitory actions of opioid compounds on calcium fluxes and neurotransmitter release from mammalian cerebral cortical slices, **88**, 87
- BRADLEY, D.J. & RICHARDS, C.D. Temperature-dependence of the action of nerve blocking agents and its relationship to membrane-buffer partition coefficients: thermodynamic implications for the site of action of local anaesthetics, **81**, 161
- BRADLEY, P.B. & BROOKES, A. A microiontophoretic study of the actions of μ - and κ -opioid receptor agonists in the rat brain, **83**, 763
- BRADLEY, P.B., HUMPHRIES, P.A. & WILLIAMS, R.H. Evidence for the existence of 5-hydroxytryptamine receptors, which are not of the 5-HT₁ type mediating contraction of isolated basilar artery, **87**, 3
- , Tryptamine-induced vasoconstrictor responses in rat caudal arteries are mediated predominantly via 5-hydroxytryptamine receptors, **84**, 919
- BRADSHAW, C.M., SHERIDAN, R.D. & SZABADI, E. Excitatory neuronal responses to dopamine in the cerebral cortex: involvement of D₂ but not D₁ dopamine receptors, **86**, 483
- , Neuronal responses to noradrenaline in the cerebral cortex: evidence against the involvement of α -adrenoceptors, **82**, 453
- BRAGE, R., CORTIJO, J., ESPUGUES, J., ESPUGUES, J.V., MARTI-BONMATI, E. & RODRIGUEZ, C. Effects of calcium channel blockers on gastric emptying and acid secretion of the rat *in vivo*, **89**, 627
- BRAIN, S.D., CAMP, R.D.R., CUNNINGHAM, F.M., DOWD, P.M., GREAVES, M.W. & KOBZA BLACK, A. Leukotriene B₂-like material in scale of psoriatic skin lesions, **83**, 313
- BRAIN, S.D. & WILLIAMS, T.J. Inflammatory oedema induced by synergism between calcitonin gene-related peptide (CGRP) and mediators of increased vascular permeability, **86**, 855
- BRALET, J., DIDIER, J.-P., MOREAU, D., OPIE, L.H. & ROCHETTE, L. Effect of α -adrenoceptor antagonists (phenolamine, nergoline and prazosin) on reperfusion arrhythmias and noradrenaline release in perfused rat heart, **84**, 9
- BRAMMER, J.P. & MAGUIRE, M.H. Arachidonate metabolism, 5-hydroxytryptamine release and aggregation in human platelets activated by palmitaldehyde acetal phosphatidic acid, **82**, 61
- BRASCH, H. Influence of the optical isomers (+) and (−)-naloxone on beating frequency, contractile force and action potentials of guinea-pig isolated cardiac preparations, **88**, 733
- BRASILI, L. *see* ANGELI, P., **85**, 783
- BRASS, E.P. & GARRITY, M.J. Effect of non-steroidal anti-inflammatory drugs on glycogenolysis in isolated hepatocytes, **86**, 491
- BRASWELL, L.M., MILLER, K.W. & SAUTER, J.-F. Pressure reversal of the action of octanol on postsynaptic membranes from *Torpedo*, **83**, 305
- BRAUNSCHWEIG, J., STAUBLI, M. & STÜDER, H. Interactions of amiodarone with digoxin in rats, **92**, 553
- BRAYDEN, J.E. & LARGE, W.A. Electrophysiological analysis of neurogenic vasodilatation in the isolated lingual artery of the rabbit, **89**, 163
- BRAY, K.M., NEWGREEN, D.T., SMALL, R.C., SOUTHERTON, J.S., TAYLOR, S.G., WEIR, S.W. & WESTON, A.H. Evidence that the mechanism of the inhibitory action of pinacidil in rat and guinea-pig smooth muscle differs from that of glyceryl trinitrate, **91**, 421
- BRAZELL, M.P., MARSDEN, C.A., NISBET, A.P. & ROUTLEDGE, C. The 5-HT₁ receptor agonist RU-24969 decreases 5-hydroxytryptamine (5-HT) release and metabolism in the rat frontal cortex *in vitro* and *in vivo*, **86**, 209
- BRECKENRIDGE, A.M., CHOLERTON, S., HART, J.A.D., PARK, B.K. & SCOTT, A.K. A study of the relationship between the pharmacokinetics and the pharmacodynamics of the 4-hydroxycoumarin anti-coagulants, warfarin, difenacoum and brodifacoum in the rabbit, **84**, 81
- BREEZE, R.G., LAEGREID, W.W. & OLCOTT, B.M. Role of metabolism in the immediate effects and pneumotoxicity of 3-methylindole in goats, **82**, 809
- BRIGHT, P.S., GAFFNEY, T.E., STREET, J.A. & WEBB, J.G. Depolarization-induced release of propranolol and atenolol from rat cortical synaptosomes, **84**, 499
- BRINDLEY, G.S. Pilot experiments on the actions of drugs injected into the human corpus cavernosum penis, **87**, 495
- BRINK, C. *see* BAYOL, A., **85**, 569
- BRISTOW, D.R., CURTIS, N.R., SUMAN-CHAUHAN, N., WATLING, K.J. & WILLIAMS, B.J. Effects of tachykinins on inositol phospholipid hydrolysis in slices of hamster urinary bladder, **90**, 211
- BRISTOW, M.R., GINSBURG, R., LASER, J.A., MCAULEY, B.L. & MINOBE, W. Tissue response selectivity of calcium antagonists is not due to heterogeneity of [³H]-nitrendipine binding sites, **82**, 309
- BRITTAIN, R.T., JACK, D., REEVES, J.J. & STABLES, R. Pharmacological basis for the induction of gastric carcinoid tumours in the rat by lortidine, an unsurmountable histamine H₂-receptor blocking drug, **85**, 843
- BROADLEY, K.J., BROOME, S. & PATON, D.M. Hypothermia-induced supersensitivity to adenosine for responses mediated via A₁-receptors but not A₂, **84**, 407
- BRONNER, C. *see* AMELLAL, M., **85**, 819
- BROOKES, A. *see* BRADLEY, P.B., **83**, 763
- BROOKS, P.M., BURTON, D. & FORREST, M.J. Crystal-induced inflammation in the rat subcutaneous air-pouch, **90**, 403
- BROOME, S. *see* BROADLEY, K.J., **84**, 407
- BROUGHTON PIPKIN, F. & CHINNERY, E. The effect of a calcium antagonist, nitrendipine, on the responses of isolated strips of human, chorionic plate artery to prostaglandins E₂ and E₁, **86**, 705
- BROUGHTON PIPKIN, F. & WALLACE, C.P. The effect of enalapril (MK421), an angiotensin converting enzyme inhibitor, on the conscious pregnant ewe and her foetus, **87**, 533
- BROUGHTON-SMITH, N.K. *see* WHITTLE, B.J.R., **92**, 3
- BROUGHTON-SMITH, N.K. & WHITTLE, B.J.R. Increased metabolism of arachidonic acid in an immune model of colitis in guinea-pigs, **86**, 439
- BROWN, B.S., GORCZYNSKI, R.J., REYNOLDS, R.D. & SHAFFER, J.E. Comparison of the parasympatholytic activity of ACC-9358 and disopyramide, **87**, 87
- BROWN, D.A. & SCHOLFIELD, C.N. Inhibition of GABA uptake potentiates the conductance increase produced by GABA-mimetic compounds on single neurones in isolated olfactory cortex slices of the guinea-pig, **83**, 195
- BROWN, E.A., GRIFFITHS, R., HARVEY, C.A. & OWEN, D.A.A. Pharmacological studies with SK&F 93944 (temelastine), a novel histamine H₁-receptor antagonist with negligible ability to penetrate the central nervous system, **87**, 569
- BROWN, F., CAMPBELL, W., MITCHELL, P.J. & RANDALL, K. Dopamine autoreceptors and the effects of drugs on locomotion and dopamine synthesis, **84**, 853
- BROWN, J. *see* BAKICH, V., **82**, 791
- BROWN, J., MARSHALL, R.J. & WINSLOW, E. Effects of selective channel blocking agents on contractions and action potentials in K⁺-depolarized guinea-pig atria, **86**, 7
- BROWN, M.H. & HARLAND, D. Evidence for a peripheral component in the sympatholytic effect of clonidine in rats, **83**, 657
- BROWN, M.J. *see* BARNES, P.J., **88**, 741
- BROWN, M.J. & HARLAND, D. B-HT 958 lowers blood pressure and heart rate in the rat through stimulation of dopamine receptors, **87**, 361
- BROWN, M.J. *see* JANSEN, T.L. Th. A., **91**, 687
- BROWN, R.A., DIXON, J., FARMER, J.B., HALL, J.C., HUMPHRIES, R.G., INCE, F., O'CONNOR, S.E., SIMPSON, W.T. & SMITH, G.W. Dopexamine: a novel agonist at peripheral dopamine receptors and β_2 -adrenoceptors, **85**, 599
- BROWN, R.A., FARMER, J.B., HALL, J.C., HUMPHRIES, R.G., O'CONNOR, S.E. & SMITH, G.W. The effects of dopexamine on the cardiovascular system of the dog, **85**, 609
- BRÜCKNER, R. & SCHOLZ, H. Effects of α -adrenoceptor stimulation with phenylephrine in the presence of propranolol on force of contraction, slow inward current and cyclic AMP content in the bovine heart, **82**, 223
- BRUNELLESCHI, S. *see* BLANDINA, P., **90**, 459
- BRUNI, A. *see* BATTISTELLA, A., **88**, 457
- BRUTON, J.D. *see* ANWYL, R., **82**, 609
- , *see* ANWYL, R., **82**, 615
- BRYAN, L.J. & O'DONNELL, S.R. Stereoselectivity of extraneuronal uptake of catecholamines in guinea-pig trachealis smooth muscle cells, **82**, 757
- BRYAN, L.J., O'DONNELL, S.R. & WILLIAMS, A.M. The effects of thyroxine treatment of rats on neuronal and extraneuronal uptake and metabolism of catecholamines in the heart, **87**, 337
- BRYNE, N.G. & LARGE, W.A. The action of noradrenaline on single smooth muscle cells freshly dispersed from the guinea-pig pulmonary artery, **91**, 89
- BRYSON, S.E. & RODGER, I.W. Effects of phosphodiesterase inhibitors on normal and chemically-skinned isolated airway smooth muscle, **92**, 673
- BUENO, L., FARGEAS, M.J., FIORAMONTI, J. & HONDE, C. Effects of dopamine and bromocriptine on colonic motility in dog, **82**, 35
- BULLOCH, J.M., DOCHERTY, J.R.,

- FLAVAHAN, N.A., MCKEAN, C.E. Difference in the potency of α_2 -adrenoceptor agonists and antagonists between the pithed rabbit and rat, **91**, 457
- BULLOCK, G.R. *see* BAKER, J.R.J. **84**, 107
- BULLOCK, G.R., LEFRAN, I., PARRATT, J.R., SZEKERES, L. & WAINWRIGHT, C.L. Effects of a combination of metoprolol and dazmegrel on myocardial infarct size in rats, **86**, 235
- BULLOCK, G.R., TAYLOR, S.G. & WESTON, A.H. Influence of the vascular endothelium on agonist-induced contractions and relaxations in rat aorta, **89**, 819
- BULT, H., HERMAN, A.G., LAEKEMAN, G.M. & RAMPART, M. Formation of prostanoids during intravascular complement activation in the rabbit, **84**, 329
- BULT, H., HERMAN, A.G. & RAMPART, M. Modification of endotoxin-induced haemodynamic and haematological changes in the rabbit by methylprednisolone, F(ab')₂ fragments and rosmarinic acid, **84**, 317
- BUNE, K.T. & CLAYTON, N.M. The effects of the stable thromboxane A₂-mimetic, U46619, on gastric mucosal damage and gastric nonparietal secretion in the rat, **91**, 23
- BURCZYNSKI, F.J., GREENWAY, C.V. & SITAR, D.S. Hepatic blood flow: accuracy of estimation from infusions of indocyanine green in anaesthetized cats, **91**, 651
- BURDYG, Th.V. & MAGURA, I.S. The effects of local anaesthetics on the electrical and mechanical activity of the guinea-pig ureter, **88**, 523
- BUREAU, M. *see* BOUKILI, M.A., **89**, 349
- BURGEN, A.S.V. The effect of ionic strength on cardiac muscarinic receptors, **88**, 451
- , The effects of agonists on the components of the cardiac muscarinic receptor, **92**, 327
- BURKA, J.F. Pharmacological modulation of responses of guinea-pig airways contracted with antigen and calcium ionophore A23187, **85**, 411
- , Pharmacological modulation of responses of guinea-pig airways contracted with arachidonic acid, **85**, 421
- BURKA, J.F. & SAAD, M.H. Bronchodilator-mediated relaxation of normal and ovalbumin-sensitized guinea-pig airways: lack of correlation with lung adenylate cyclase activation, **83**, 645
- , Mediators of arachidonic acid-induced contractions of indomethacin-treated guinea-pig airways: leukotrienes C₄ and D₄, **81**, 465
- BURKE, E.P. *see* ALLEN, J.M., **82**, 509
- BURLEIGH, D.E. & TROUT, S.J. Morphine attenuates cholinergic nerve activity in human isolated colonic muscle, **88**, 307
- BURNSTOCK, G., CROWE, R., KENNEDY, C. & TÖRÖK, J. Evidence that purinergic modulation of perivascular adrenergic neurotransmission in the portal vein is a physiological process, **82**, 359
- BURNSTOCK, G., CUSACK, N.H. & MELDRUM, L.A. Effects of phosphorothioate analogues of ATP, ADP and AMP on guinea-pig taenia coli and urinary bladder, **82**, 369
- BURNSTOCK, G., CUSACK, N.J. & MELDRUM, L.A. Studies on the stereoselectivity of the P₂-purinoceptor on guinea-pig vas deferens, **84**, 431
- BURNSTOCK, G., HILLS, J.M. & HOYLE, C.H.V. Evidence that the P₁-purinoceptor in the guinea-pig taenia coli is an A₂-subtype, **81**, 533
- BURNSTOCK, G. & HOYLE, C.H. Actions of adenine dinucleotides in the guinea-pig taenia coli: NAD acts indirectly on P₁-purinoceptors: NADP acts like a P₂-purinoceptor agonist, **84**, 825
- BURNSTOCK, G. & HOYLE, C.H.V. PACPX-a substituted xanthine-antagonizes both the A₁ and A₂ subclasses of the P₁-purinoceptor: antagonism of the A₂ subclass is competitive but antagonism of the A₁ subclass is not, **85**, 291
- BURNSTOCK, G. *see* WARLAND, J.J.I. **92**, 871
- BURNSTOCK, G. & WARLAND, J.J.I. A pharmacological study of the rabbit saphenous artery *in vitro*: a vessel with a large purinergic contractile response to sympathetic nerve stimulation, **90**, 111
- , P₂-purinoceptors of two subtypes in the rabbit mesenteric artery: reactive blue 2 selectively inhibits response mediated via the P_{2Y}-but not the P_{2X}-purinoceptor, **90**, 383
- BURTON, D. *see* BROOKS, P.M., **90**, 403
- BUSATTO, P.A. & JURKIEWICZ, A. Simultaneous measurement of contractile effects in the circular and longitudinal smooth muscle of the rat vas deferens by drugs perfused externally or via the lumen, **85**, 737
- BUTLER, K.D. *see* AMBLER, J., **86**, 497
- BUXTON, B.F., JONES, C.R., MOLENAAR, J.P. & SUMMERS, R.J. Characterization and autoradiographic localization of β -adrenoceptor subtypes in human cardiac tissues, **92**, 299
- BYRNE, N.G., HIRST, G.D.S. & LARGE, W.A. Electro-physiological analysis of the nature of adrenoceptors in the rat basilar artery during development, **86**, 217
- BYRNE, N.G. & LARGE, W.A. Comparison of the biphasic excitatory junction potential with membrane responses to adenosine triphosphate and noradrenaline in rat anococcygeus muscle, **83**, 751
- , Evidence for two mechanisms of depolarization associated with α_2 -adrenoceptor activation in the rat anococcygeus muscle, **86**, 705
- , Membrane mechanism associated with muscarinic receptor activation in single cells freshly dispersed from the rat anococcygeus muscle, **92**, 371
- BYRNE, N.G. & LARGE, W.A. The effect of α , β -methylene ATP on the depolarization evoked by noradrenaline (γ -adrenoceptor response) and ATP in the immature rat basilar artery, **88**, 6
- BYRNE, N.G. & MUIR, T.C. Mechanisms underlying electrical and mechanical responses of the bovine retractor penis to inhibitory nerve stimulation and to an inhibitory extract, **85**, 149
- ## C
- CADIEUX, A. *see* BARNES, P.J., **89**, 157
- CADIEUX, A. *see* PALMER, J.B.D., **91**, 95
- CALAM, J., GORDON, D., PEART, W.S., TAYLOR, S.A. & UNWIN, R.J. Renal effects of gastrin C-terminal tetrapeptide (as pentagastrin) and cholestokinin octapeptide in conscious rabbit and man, **91**, 307
- CALIXTO, J.B. & LOCH, S. Ketamine-inhibition of calcium-induced contractions in depolarized rat uterus: a comparison with other calcium antagonists, **85**, 189
- CALIXTO, J.B., NICOLAU, M., PIZZOLATTI, M.G. & YUNES, R.A. Kinin antagonistic activity of compounds from *Mandevilla velutina* in the rat isolated uterus, **91**, 199
- CALIXTO, J.B., NICOLAU, M. & YUNES, R.A. The selective antagonism of bradykinin action on rat isolated uterus by crude *Mandevilla velutina* extract, **85**, 729
- CALIXTO, J.B. *see* BALLEJO, G., **89**, 515
- CALIXTO, J.B. & YUNES, R.A. Effect of a crude extract of *Mandevilla velutina* on contractions induced by bradykinin and [des-Arg¹]bradykinin in isolated vessels of the rabbit, **88**, 937
- CALLANAN, K.M. & KEENAN, A.K. Differential effects of D600, nifedipine and dantrolene sodium on excitation-secretion coupling and presynaptic β -adrenoceptor responses in rat atria, **83**, 841
- CALVETE, J.A., DONEGAN, J.L.M., HAYES, R.J., OATES, N.S. the late SLOAN, T.P. Genetic heterogeneity of histamine H₂-receptors in mouse vas deferens, **83**, 723
- CAMBRIDGE, D. *see* ALLAN, G., **89**, 149
- , **90**, 609
- CAMPBELL, T. Differing electrophysiological effects of class IA, IB and IC antiarrhythmic drugs on guinea-pig sinoatrial node, **91**, 395
- CAMPBELL, T.J. Cellular electrophysiological effects of D- and DL-sotalol in guinea-pig sinoatrial node, atrium and ventricle and human atrium: differential tissue sensitivity, **90**, 593
- CAMPBELL, T.J. *see* PALLANDI, R.T., **92**, 97
- CAMPBELL, W. *see* BROWN, F., **84**, 853
- CAMP, R.D.R. & FINCHAM, N.J. Inhibition of ionophore-stimulated leukotriene B₄ production in human leukocytes by monohydroxy fatty acids, **85**, 837
- CAMP, R.D.R. *see* BRAIN, D.S., **83**, 313
- CANFIELD, D.R. & DUNLAP, K. Pharmacological characterization of amine receptors on embryonic chick sensory neurones, **82**, 557
- CANGIANI, S. *see* BORDA, E.S., **82**, 863
- CANO, J.-P., GUILLEN, J.-C., JOUVE, R., LANGLET, F., PUDDU, P.-E., ROLLAND, P.-H. & SERRADIMIGNI, A. Molsidomine prevents post-ischaemic ventricular fibrillation in dogs, **88**, 779
- CANTO, T. *see* OORTS, A., **92**, 795
- CANTWELL, M.E. & FOREMAN, J.C. The actions of inhibitors of diacylglycerol kinase and diacylglycerol lipase on histamine release from rat peritoneal mast cells, **92**, 597
- CAPAROTTA, L., CILLO, F., FASSINA, G. & GAION, R.M. Dual effect of (–)-N⁶-phenylisopropyl adenosine on guinea-pig trachea, **83**, 23
- CAPAROTTA, L., FASSINA, G., FROLDI, G. & POJA, R. Antagonism between N⁶-phenylisopropyladenosine and the calcium channel facilitator Bay K 8644, on guinea-pig isolated atria, **90**, 23
- CAPASSO, F. *see* AUTORE, G., **81**, 347
- , **92**, 149
- CAPIOD, T. *see* BERTHON, B., **86**, 151
- CAPOCCI, H. *see* ABOLAFIA, J., **90**, 347
- CARAMONA, M.M. & SOARES-DA-SILVA, P. The effects of chemical sympathectomy on dopamine, noradrenaline and adrenaline content in some peripheral tissues, **86**, 351
- CARLA, V. *see* BONGIANNI, F., **88**, 561
- CARLINI, C.R., GUIMARÃES, J.A. & RIBEIRO, J.M.C. Platelet release reaction and aggregation induced by canatoxin, a convulsant protein: evidence for the involvement of the platelet lipoxigenase pathway, **84**, 551
- CARLSSON, L. *see* ABRAHAMSSON, T., **81**, 22
- CARMO, L.G., HATMI, M., ROTILIO, D. & VARGAFTIG, B.B. Platelet desensitization induced by arachidonic acid is not due to cyclooxygenase inactivation and involves the endoperoxide receptor, **85**, 849
- CARNUCCIO, R., DI ROSA, M., GUERRASIO, B., IUVONE, T. & SAUTEBIN, L. Vasocortin: a novel glucocorticoid-induced anti-inflammatory protein, **90**, 443
- CAROLDI, S., JARVIS, J. & MAGOS, L. Carbon disulphide exposure affects the response of rat adrenal medulla to hypothermia and hypoglycaemia, **84**, 347
- CARRATU, M.R. *see* BENOIT, E., **87**, 291
- CARRATU, M.R. *see* BENOIT, E., **90**, 7
- CARRAWAY, R.E., COCHRANE, D.E., GRANIER, C., KITABGI, P., LEEMAN, E. & SINGER, E.A. Parallel secretion of endogenous 5-hydroxytryptamine and histamine from mast cells stimulated by vasoactive peptides and compound 48/80, **81**, 227
- CARRIER, R., CRAGOE, E.J., ETHIER, D., FORD-HUTCHINSON, A.W., GIRARD, Y., HALL, R.A., HAMEL, P., ROKACH, J., SHARE, N.N., STONE, N.N. & YUSKO, P. Studies on L-640,035: a novel antagonist of contractile prostanoids in the lung, **82**, 389
- CARSTAIRS, J.R. *see* BARNES, P.J., **89**, 157
- CARSWELL, H., GALIONE, A.G. & YOUNG, J.M. Differential effect of temperature on histamine- and carbachol-stimulated inositol phospholipid breakdown in slices of guinea-pig cerebral cortex, **90**, 175
- CARSWELL, H. & YOUNG, J.M. Regional variation in the characteristics of histamine H₁-agonist mediated breakdown of inositol phospholipids in guinea-pig brain, **89**, 809
- CASALS-STENZEL, J., FRANK, J., FRIEDRICH, T. & LICHEY, J. Bronchial and vascular effects of Paf in the rat isolated lung are completely blocked by WEB 2086, a novel specific Paf antagonists, **91**, 799
- CASALS-STENZEL, J. & WEBER, K.H. Triazolodiazepines: dissociation of their Paf (platelet activating factor) antagonistic and CNS activity, **90**, 139
- CASSELL, J.F. & McLACHLAN, E.M. Muscarinic agonists block five different potassium conductances in guinea-pig sympathetic neurones, **91**, 259
- CASTRO, M.A.S. *see* ABAJO, F.J., **91**, 539
- CECI, A., GARATTINI, S., GOBBI, M. & MENNINI, T. Effect of long term amineptine treatment on pre- and postsynaptic mechanisms in rat brain, **88**, 269
- CENA, V., GARCIA, A.G., GONZALEZ-GARCIA, C. & KIRPEKAR, S.M. Ion

- dependence of the release of noradrenaline by tetraethylammonium and 4-aminopyridine from cat splenic slices, **84**, 299
- CENA, V., GARCIA, A.G., GONZALEZ-GARCIA, C. & KIRPEKAR, S.M. Orthograde and retrograde axonal transport of calmodulin in a cat noradrenergic neurone, **82**, 143
- CENA, V., GARCIA, A.G., KHOVI, M.A., SALAICES, M. & SANCHEZ-GARCIA, G.P. Effect of the dihydropyridine Bay K 8644 on the release of [3 H]-noradrenaline from the rat isolated vas deferens, **85**, 691
- CENA, V., GARCIA, A.G., MONTIEL, C. & SANCHEZ-GARCIA, P. Uptake of [3 H]-nicotine and [3 H]-noradrenaline by cultured chromaffin cells, **81**, 119
- CENA, V. see ORTAS, A., **92**, 795
- CERRINA, J. see ADVENIER, C., **82**, 727
- CERRINA, J. see BAYOL, A., **85**, 569
- CERVONI, P., GOLDSTEIN, B.M., HERZLINGER, H., LAI, F.M. & QUIRK, G.J. Evidence for the lack of interaction between the ($\pm$)-1-0-octadecyl-2-acetylglycerol-3-phosphorylcholine and α -adrenoceptors *in vivo* and *in vitro*, **83**, 511
- CHAHN, L.A. The properties of the clonidine withdrawal response of guinea-pig isolated ileum, **85**, 457
- CHAMBER, J.P. see BIZIERE, K., **90**, 183
- CHANCE, E., PACIOREK, P.M., TODD, M.H. & WATERFALL, J.F. Comparison of the cardiovascular effects of meptazinol and naloxone following haemorrhagic shock in rats and cats, **86**, 43
- CHAND, N., DIAMANTIS, W., PILLAR, J. & SOFIA, R.D. Inhibition of allergic and non-allergic histamine secretion from rat peritoneal mast cells by calcium antagonists, **83**, 899
- CHAND, N., DIAMANTIS, W. & SOFIA, R.D. Modulation of *in vitro* anaphylaxis of isolated tracheal segments of guinea-pig by azelastine, inhibitors of arachidonic acid metabolism and selected antiallergic drugs, **87**, 443
- , The obligatory role of calcium in the development of antigen-induced airway hyperactivity to cold provocation in the rat isolated trachea, **91**, 17
- CHANG, C.C., HONG, S.J. & KO, J.-L. Mechanisms of the inhibition by neostigmine of tetanic contraction in mouse diaphragm, **87**, 757
- CHAN, K.Y. see DOHERTY, N.S., **91**, 39
- CHAN, M.-Y., DAI, S. & KO, W.W.W. Effects of morphine on cardiovascular responses to acute myocardial ischaemia in rats, **90**, 537
- CHAOULOFF, F., ELGHOZI, J.L., GUEZENEC, Y. & LAUDE, D. Effects of conditioned running on plasma, liver and brain tryptophan and on brain 5-hydroxytryptamine metabolism of the rat, **86**, 33
- CHAPAL, J., LOUBATIERES-MARIANI, M.M., PETIT, P. & ROYE, M. Evidence for an A₂-subtype adenosine receptor on pancreatic glucagon secreting cells, **86**, 565
- CHAPAL, J., LOUBATIERES-MARIANI, M.M., ROYE, M. & ZERBIB, A. Effects of adenosine triphosphate and structural analogues on glucagon secretion from the perfused pancreas of rat *in vitro*, **83**, 927
- CHAPAL, J. see BERTRAND, G., **91**, 783
- CHAPPLE, D.J. see ALLAN, G., **89**, 183
- CHARETTE, L. & JONES, T.R. Effects of L-serine borate on antagonism of leukotriene C₄-induced contractions of guinea-pig trachea, **91**, 179
- CHENU, E. see BOURUT, C., **89**, 539
- CHEN, X., GILLIS, C.N. & MOALLI, R. Vascular effects of ginsenosides *in vitro*, **82**, 485
- CHERNICK, W.S. see BARBIERI, E.J., **82**, 199
- CHERUBINI, E., MORITA, K. & NORTH, R.A. Morphine augments calcium-dependent potassium conductance in guinea-pig myenteric neurones, **81**, 617
- , Opioid inhibition of synaptic transmission in the guinea-pig myenteric plexus, **85**, 805
- CHERUBINI, E. & NORTH, R.A. Actions of γ -aminobutyric acid on neurones of guinea-pig myenteric plexus, **82**, 93
- , Inhibition of calcium spikes and transmitter release by γ -aminobutyric acid in the guinea-pig myenteric plexus, **82**, 101
- CHERUBINI, E., NORTH, R.A. & SUPRENANT, A. Quinine blocks a calcium-activated potassium conductance in mammalian enteric neurones, **83**, 3
- CHEUNG, D.W. An electrophysiological study of α -adrenoceptor mediated excitation-contraction coupling in the smooth muscle cells of rat saphenous vein, **84**, 265
- , The effect of Bay K 8644 on contraction mediated by α -adrenoceptors in the rat saphenous vein, **85**, 317
- CHEUNG, D.W. & FUJIOKA, M. Inhibition of the excitatory junction potential in the guinea-pig saphenous artery by ANAPP₃, **89**, 3
- CHEUNG, D.W. & MACKAY, M.J. The effect of Bay K 8644 and nifedipine on the neural responses of the rabbit ear artery, **88**, 363
- CHEUNG, D.W. & MACKAY, M.J. The effects of sodium nitroprusside and 8-bromo-cyclic GMP on electrical and mechanical activities of the rat tail artery, **86**, 117
- CHEUNG, H.T.A. see ANTONYUK, D.J., **81**, 309
- CHIDECKEL, E.W., FROST, J.L., MIKE, P. & FEDAN, J.S. The effect of ouabain on tension in isolated respiratory tract smooth muscle of humans and other species, **82**, 609
- CHIHARA, S. & TOMITA, T. Mechanical and electrical responses to α -adrenoceptor activation in the circular muscle of guinea-pig stomach, **91**, 789
- CHINNERY, E. see BROUGHTON PIPKIN, F., **86**, 705
- CHIOECKEL, E.W., FEDAN, J.S. & MIKE, P. Tetradotoxin-sensitive, K⁺-induced relaxation of guinea-pig isolated trachealis in the presence of Ca²⁺-entry blocking drugs, Ca²⁺-free solution and after polyamine exposure, **89**, 27
- CHIU, P.J.S. see BARNETT, A., **83**, 75
- CHIVERS, J., JENNER, P. & MARSDEN, C.D. Pharmacological characterization of binding sites identified in rat brain following *in vivo* administration of [3 H]-spiperone, **90**, 467
- CHO, C.H. & OGLE, C.W. The inhibitory action of 5-hydroxytryptamine on gastric secretory function in rats, **87**, 371
- CHO, C.H., OGLE, C.W. & SEVILLA, E.L. The protective effects of sulphasalazine against ethanol-induced gastric damage in rats, **92**, 31
- CHOLERTON, S. see BRECKENRIDGE, A.M., **84**, 81
- CHOO, L.K., MITCHELSON, F. & VONG, Y.M. Interaction of some muscarinic agonists and antagonists at the prejunctional muscarinic receptor in the rabbit ear artery preparation, **87**, 733
- CHOUDHURY, L. & O'DONNELL, J.M. Effects of chronic administration of amitriptyline or mianserin on rat cardiac and central adrenoceptors, **85**, 635
- CHOW, P. & MATHERS, D. Convulsant doses of penicillin shorten the lifetime of GABA-induced channels in cultured central neurones, **88**, 541
- CHRISTENSEN, J.H. see ANDREASEN, F., **82**, 643
- CHRISTENSEN, J. & PERCY, W.H. A pharmacological study of oesophageal muscularis mucosae from the cat, dog and American opossum (*Didelphis virginiana*), **83**, 329
- , A pharmacological study of oesophageal muscularis mucosae from the cat, dog and American opossum (*Didelphis virginiana*): addendum **85**, 565
- CHRISTENSEN, S.B. see ALI, H., **85**, 705
- CHRISTOPHE, J., DE NEEF, P., ROBBERECHT, P. & WAELEBROECK, M. Propylbenzyl mustard is selective for rat heart muscarinic receptors having a low affinity for agonists, **88**, 63
- CHURCH, M.K. & HIROI, J. Inhibition of IgE-dependent histamine release from human dispersed lung mast cells by anti-allergic drugs and salbutamol, **90**, 421
- CHURCH, M.K. & HUGHES, P.J. Adenosine potentiates immunological histamine release from rat mast cells by a novel cyclic AMP-independent cell-surface action, **85**, 3
- CHURCH, M.K., HUGHES, P.J. & VARDEY, C.J. Studies on the receptor mediating cyclic AMP-independent enhancement by adenosine of IgE-dependent mediator release from rat mast cells, **87**, 233
- CHURCH, M.K. see BENYON, R.C., **92**, 635
- CIABATTONI, G. & WENNMALM, Å. Adenosine-induced coronary release of prostacyclin at normal and low pH in isolated heart of rabbit, **85**, 557
- CLAGUE, R.U., EGLIN, R.M., STRACHAN, A.C. & WHITING, R.L. Action of agonists at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- CLAPP, L.H. see BOLTON, T.B., **87**, 713
- CLARKE, K.A., SCRUTTON, M.C. & THOMPSON, N.T. Effects of α -adrenoceptor agonists and of related compounds on aggregation of, and on adenylate cyclase activity in, human platelets, **82**, 467
- CLARKE, M. see BERTHON, R., **86**, 151
- CLARKE, A. see BOWMER, C.J., **81**, 69
- CLARKE, D.E. see BOND, R.A., **91**, 683
- CLARKE, G. & WRIGHT, D.M. A comparison of analgesia and suppression of oxytocin release by opiates, **83**, 799
- CLARKE, P.B.S. Chronic central nicotinic blockade after a single administration of bis-quaternary ganglion-blocking drug chlorisondamine, **83**, 527
- CLARKE, P.B.S., HOMMER, D.W., PERT, D.W. & SKIRBOLL, L.R. Electrophysiological actions of nicotine on substantia nigra single units, **85**, 827
- CLARKE, P.B.S. & KUMAR, R. Some effects of nicotine on food and water intake in undernourished rats, **82**, 233
- CLARKE, R.W. & FORD, T.W. The contributions of μ - and κ -opioid receptors to the actions of endogenous opioids on spinal reflexes in the rabbit, **91**, 579
- CLATWORTHY, A.L. see BARASI, S., **90**, 15
- CLAYTON, N.M. see BUNCE, K.T., **91**, 23
- CLAY, T.P. & FENSKE, D.C. The effects of arachidonic acid and non-steroidal anti-inflammatory drugs on intrapulmonary airways of the guinea-pig, **81**, 335
- CLEGG, R.J. see BELL, G.D., **81**, 183
- CLERICI, C., HARF, A. & MCQUINN-MAVIER, I. Failure of enhancement by labetalol of bronchopulmonary effects of histamine in guinea-pigs: independence of α -adrenoceptor antagonism, **91**, 487
- CLORE, G.M. see ANTONYUK, D.J., **81**, 309
- CLOSE, S.P., MARRIOTT, A.S. & PAY, S. Failure of SKF 38393-A to relieve parkinsonian symptoms induced by 1-methyl-4-phenyl-1, 2, 3, 6-tetrahydropyridine in the marmoset, **85**, 320
- COAN, E.J. & COLLINGBRIDGE, G.L. Effects of phenylephrine, SKF 10,047 and related psychomimetic agents on N-methyl-D-aspartate receptor mediated synaptic responses in rat hippocampal slices, **91**, 547
- COATS, R.A. The effects of adrenoceptor agonists and antagonists on plasma potassium concentration in anaesthetized guinea-pigs, rabbits and rats, **86**, 827
- COCHRANE, D.E. see CARRAWAY, R.E., **81**, 227
- COCKCROFT, J. see BARROW, S.E., **91**, 245
- COCKS, T.M., JENKINSON, D.H. & KOLLER, K. Interactions between receptors that increase cytosolic calcium and cyclic AMP in guinea-pig liver cells, **83**, 281
- COCKS, T.M. see ANGUS, J.A., **88**, 767
- COEFFIER, E., JOSEPH, D., PRÉVOST, M.-C. & VARGAFTIG, B.B. Platelet-leukocyte interaction: activation of rabbit platelets by FMLP-stimulated neutrophils, **92**, 393
- COHEN, R.M. see AULAKH, C.S., **91**, 747
- COHEN, S. & HABERMAN, F. The modal volumes of atropine and hyoscine in relation to their respective potencies, **83**, 807
- COKER, S.J. & PARRATT, J.R. AH23848, a thromboxane antagonist, suppresses ischaemia and reperfusion-induced arrhythmias in anaesthetized greyhounds, **86**, 259
- , The effects of timolol on arrhythmias and prostanoid release during canine myocardial ischaemia and reperfusion, **81**, 675
- COLE, O.F. & MARQUIS, V.O. A pharmacological analysis of the responses of the gastro-intestinal smooth muscle of the bat to transmural and periaxillary nerve stimulation, **84**, 587
- COLLIER, B., JOHNSON, G., QUIK, M. & WELNER, S. Effect of chemical destruction of adrenergic neurones on some cholinergic mechanisms in adult rat sympathetic ganglia, **82**, 827
- COLLIER, J.G. & FULLER, R.W. Capsaicin inhalation in man and the effects of sodium

- cromoglycate, 81, 113
 COLLINGRIDGE, G.L. *see* COAN, E.J., 91, 547
 COLLINS, G.G.S. & DEWHURST, D.G. Sites and mechanisms of action of catechol(1,2-dihydroxybenzene) in the rat olfactory cortex slice, 88, 433
 COLLINS, G.G.S. *see* ANSON, J., 91, 753
 COLLIS, M.G., JACOBSON, K.A. & TOMKINS, D.M. Apparent affinity of some 8-phenyl-substituted xanthines at adenosine receptors in guinea-pig aorta and atria, 92, 69
 COLLIS, M.G., KEDDLE, J.R. & TORR, S.R. Evidence that the positive inotropic effects of the alkylxanthines are not due to adenosine receptor blockade, 81, 401
 COLLIS, M.G. *see* BOWMER, C.J., 88, 205
 COMER, M.E. *see* BOWMER, C.J., 81, 69
 CONNOR, E.A. & PARSONS, R.L. Alteration of the fast excitatory postsynaptic current by barium in voltage-clamped amphibian sympathetic ganglion cells, 83, 31
 CONNOR, H.E., FENIUK, W., HUMPHREY, P.P.A. & PERREN, M.J. 5-Carboxamidotryptamine is a selective agonist at 5-hydroxytryptamine receptors mediating vasodilation and tachycardia in anaesthetized cats, 87, 417
 CONOLAN, S., QUINN, M.J. & TAYLOR, D.A. *In vivo* and *in vitro* activity of selective 5-hydroxytryptamine receptor antagonists, 89, 129
 CONRADSON, T.B. *see* FULLER, R.W., 92, 76
 CONSTANT, A. & SIM, J.A. Muscarinic receptors mediating suppression of the M-current in guinea-pig olfactory cortex neurones may be of the M_2 -subtype, 90, 3
 CONZELMANN, U., MEYER, D.K. & SPERK, G. Stimulation of receptors of γ -aminobutyric acid modulates the release of cholecystokinin-like immunoreactivity from slices of rat neostriatum, 89, 845
 COOK, N., NAHORSKI, S.R. & BARNETT, D.B. Human platelet β_2 -adrenoceptors: agonist-induced internalization and down regulation in intact cells, 92, 587
 COOK, N.S. & HOF, R.P. Cardioprotection by the calcium antagonist PN 200-110 in the absence and presence of cardioprotection, 86, 181
 COOPER, C.L. & MALIK, K.U. Effect of glucocorticoids on vascular reactivity to vasoactive hormones in rat isolated kidney: lack of relationship to prostaglandins, 82, 679
 COPELAND, L.W. *see* BENTLEY, G.A., 86, 739
 CORBETT, A.D., GILLAND, M.G.C., KOSTERLITZ, H.W., MCKNIGHT, A.T., PATERSON, S.J. & ROBSON, L.E. Selectivities of opioid peptide analogues as agonists and antagonists at the δ -receptor, 83, 271
 CORBETT, A.D. & KOSTERLITZ, H.W. Bremazocine is an agonist at κ -opioid receptors and an antagonist at μ -opioid receptors in guinea-pig myenteric plexus, 89, 245
 CORBETT, A.D., KOSTERLITZ, H.W., MCKNIGHT, A.T., PATERSON, S.J. & ROBSON, L.E. Pre-incubation of guinea-pig myenteric plexus with β -funaltrexamine: discrepancy between binding assays and bio-assays, 85, 665
 CORDER, R., LOWRY, P.J. & WITHERINGTON, P.G. The actions of peptides, neuropeptide Y and peptide YY, on the vascular and capsular smooth muscle of the isolated, blood-perfused spleen of the dog, 90, 785
 CORDINGLEY, G.E. & WEIGHT, F.F. Non-cholinergic synaptic excitation in neostriatum: pharmacological evidence for mediation by a glutamate-like transmitter, 88, 847
 COREY, E.J. *see* ALARCAO, M.D., 91, 627
 CORRADIETTI, R., KING, A.E., NISTRI, A., ROVIRA, C. & SIVILOTTI, L. Pharmacological characterization of D-aminophosphonovaleric acid antagonism of amino acid and synaptically evoked excitations on frog motoneurons *in vitro*: an intracellular study, 86, 19
 CORRADIETTI, R., PEDATA, F., PEPEU, G. & VANNUCCI, M.G. Chronic caffeine treatment reduced caffeine but not adenosine effects on cortical acetylcholine release, 88, 671
 CORSINI, A., FOLCO, G.C., FUMAGALLI, R., NOE, M.A. & OLIVA, D. (5Z)-carbacyclin discriminates between prostacyclin-receptors coupled to adenylate cyclase in vascular muscle and platelets, 90, 255
 CORTIJO, J., ESPLUGUES, J., MORCILLO, E.J. & PERPIÑA, M. Pharmacological analysis of the responsiveness of guinea-pig lung parenchymal strip to dopamine, 83, 161
 CORTIJO, J. *see* ALLEN, S.L., 88, 473
 CORTIJO, J. *see* BRAGE, R., 89, 627
 CORTIJO, R.W. *see* ALLEN, S.L., 89, 395
 COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Effects of 5-HT₁ receptor antagonist, GR38032F, on raised dopaminergic activity in the mesolimbic system of the rat and marmoset brain, 92, 881
 COSTALL, B., GUNNING, S.J., NAYLOR, R.J. & TYERS, M.B. The effect of GR38032, novel 5-HT₁-receptor antagonist on gastric emptying in the guinea-pig, 91, 263
 COSTALL, B., HOLMES, S.W., KELLY, M.E. & NAYLOR, R.J. Modification of dyskinesias following the intrastriatal injection of prostaglandins in the rodent, 85, 943
 COSTALL, B., KELLY, M.E. & NAYLOR, R.J. The antidyskinetic action of dihomog- γ -linolenic acid in the rodent, 83, 733
 COTTON, R., KOSTERLITZ, H.W., PATERSON, S.J., RANCE, M.J. & TRAYNOR, J.R. The use of [D-Pen²]-D-Pen¹ enkephalin as a highly selective ligand for the δ -binding site, 84, 921
 COTTRELL, G.A., LAMBERT, J.J. & PETERS, J.A. Modulation of GABA_A receptor activity by alfaxalone, 90, 479
 COULSON, P. *see* BODEN, R., 82, 151
 COUTANT, J.E. *see* DOHERTY, N.S., 91, 39
 COUTTS, R.T. *see* BAKER, G.B., 92, 243
 COUTURE, R., CUELLO, A.C. & HENRY, J.L. Trigeminal antidromic vasodilation and plasma extravasation in the rat: effect of acetylcholine antagonists and cholinesterase inhibitors, 84, 637
 COUTURE, R. & KÉROUAC, R. Plasma protein extravasation induced by mammalian tachykinin in rat skin: influence of anaesthetic agents and an acetylcholine antagonists, 91, 265
 COWLRICK, I.S. & SHEPPERSON, N.B. The effects of a new opioid analgesic, meptazinol, on the respiration of the conscious rat, 85, 205
 COX, B.M., GOLDSTEIN, A. & NELSON, W.T. Nicotine self-administration in rats, 83, 49
 COX, H.M., CUTHBERT, A.W. & MUNDAY, K.A. The effect of antidiuretic II upon electrogenic ion transport in rat intestinal epithelia, 90, 393
 COX, H.M., MUNDAY, K.A. & POAT, J.A. Identification of selective, high affinity [¹²⁵I]-angiotensin and [¹²⁵I]-bradykinin binding sites in rat intestinal epithelia, 87, 201
 —, Location of [¹²⁵I]-angiotensin II receptors on rat kidney cortex epithelial cells, 82, 891
 CRAGOE, E.J. Jr *see* RITTER, J.M., 92, 857
 CRAGOE, E.J. *see* CARRIER, R., 82, 389
 CRAIG, R.K. *see* AL-KAZWINI, S.J., 88, 173
 CRESPI, F., KEANE, P.E. & MORRE, M. Anaesthesia abolishes the effect of valproate on extracellular 5-HIAA, DOPAC and ascorbate as measured in rat striatum by differential pulse voltammetry, 87, 279
 CRISCUOLI, M. & SUBISSI, A. Paf-acether-induced death in mice: involvement of arachidonate metabolites and β -adrenoceptors, 90, 203
 CRIST, J. & SURPRENANT, A. Evidence that 8-hydroxy-2-(n-dipropylamino)tetralin (8-OH-DPAT) is a selective α_2 -adrenoceptor antagonist on guinea-pig submucous neurones, 92, 341
 CRITCHLEY, J.A.J.H., ELLIS, P., HENDERSON, C.G., UNGAR, A. & WEST, C.P. Muscarinic and nicotinic mechanisms in the responses of the adrenal medulla of the dog and cat to reflex stimuli and to cholinomimetic drugs, 89, 831
 CROOK, P. *see* BEIJER, L., 92, 803
 CROSSMAN, D.C. *see* FULLER, R.W., 92, 76
 CROSSMAN, D., MCEWAN, J., MACDERMOT, J., MACINTYRE, I. & DOLLERY, C.T. Human calcitonin gene-related peptide activates adenylate cyclase and releases prostacyclin from human umbilical vein endothelial cells, 92, 695
 CROWDER, J.M. *see* BRADFORD, H.F., 88, 87
 CROWE, R. *see* BURNSTOCK, G., 82, 359
 CUELLO, A.C. *see* COUTURE, R., 84, 637
 CULLEN, K.D. & MARTIN, R.J. Effects of injectable anaesthetics on responses to L-glutamate and on spontaneous synaptic activity in lamprey reticulo-spinal neurones, 82, 659
 CULLEN, L.K. *see* BENTLEY, G.A., 88, 161
 CUMMINGS, S.A., GROSZMANN, R.J. & KAUMANN, A.J. Hypersensitivity of mesenteric veins to 5-hydroxytryptamine- and ketanserin-induced reduction of portal pressure in portal hypertensive rats, 89, 501
 CUNARD, C. *see* D'ALARCAO, M., 91, 627
 CUNNANE, T.C., MUIR, T.C. & WARDLE, K.A. Is co-transmission involved in the excitatory responses of the rat anococcygeus muscle? 92, 39
 CUNNANE, T.C. *see* ALLCORN, R.J., 89, 647
 CUNNANE, T.C. *see* BEATTIE, D.T., 89, 235
 CUNNINGHAM, F.M. *see* BRAIN, S.D., 83, 313
 CURTIS, M.J., MACLEOD, B.A. & WALKER, M.J.A. Antiarrhythmic actions of verapamil against ischaemic arrhythmias in the rat, 83, 373
 CURTIS, M.J., MACLEOD, B.A. & WALKER, M.J.A. The effects of ablations in the central nervous system on arrhythmias induced by coronary occlusion in the rat, 86, 663
 CURTIS, M.J. & WALKER, M.J.A. The mechanism of action of the optical enantiomers of verapamil against ischaemia-induced arrhythmias in the conscious rat, 89, 137
 CURTIS, M.J., WALKER, M.J.A. & YUSWACK, T. Actions of the verapamil analogues, anipamil and ronipamil, against ischaemia-induced arrhythmias in conscious rats, 88, 355
 CURTIS, N.R. *see* BRISTOW, D.R., 90, 211
 CUSACK, N.J. & HOURANI, S.M.O. Some pharmacological and biochemical interactions of the enantiomers of adenylyl 5'-(β -methylene)-diphosphonate with guinea-pig urinary bladder, 82, 155
 CUSACK, N.J., HOURANI, S.M.O., LOIZOU, G.D. & WELFORD, L.A. Pharmacological effects of isopolar phosphonate analogues of ATP on P₂-purinoceptors in guinea-pig taenia coli and urinary bladder, 90, 791
 CUSACK, N.J. *see* BURNSTOCK, G., 82, 369
 —, 84, 431
 CUSS, F.M.C. *see* PALMER, J.B.D., 91, 95
 CUSS, F.M. *see* BARNES, P.J., 86, 691
 CUTHBERT, A.W., EGLÉME, C., GREENWOOD, H., HICKMAN, M.E., KIRKLAND, S.C. & MACVINISH, L.J. Calcium- and cyclic AMP-dependent chloride secretion in human colonic epithelia, 91, 503
 CUTHBERT, A.W., HALUSHKA, P.V., KESSEL, D., MARGOLIUS, H.S. & WISE, W.C. Kinin effects on chloride secretion do not require eicosanoid synthesis, 83, 549
 CUTHBERT, A.W., HALUSHKA, P.V., MARGOLIUS, H.S. & SPAYNE, J.A. Mediators of the secretory response to kinins, 82, 597
 —, Role of calcium ions in kinin-induced chloride secretion, 82, 587
 CUTHBERT, A.W., KIRKLAND, S.C. & MACVINISH, L.J. Kinin effects on ion transport in monolayers of HCA-7 cells, a line from human colonic adenocarcinoma, 86, 3
 CUTHBERT, A.W. *see* BAIRD, A.W., 84, 653
 —, 85, 787
 —, 91, 857
 —, 92, 647
 CUTHBERT, A.W. *see* COX, H.M., 90, 393

D

- DACQUET, C., LOIRAND, G., MIRONNEAU, C., MIRONNEAU, J. & PACAUD, P. Spironolactone inhibition of contraction and calcium channels in rat portal vein, 92, 535
 DACQUET, C., MIRONNEAU, C. & MIRONNEAU, J. Effects of calcium entry blockers on calcium-dependent contractions of rat portal vein, 92, 203
 DAFFONCHIO, L., LEES, I.W., PAYNES, A.N. & WHITTLE, B.J.R. Pharmacological modulation of bronchial anaphylaxis induced by aerosol challenge in anaesthetized guinea-pigs, 91, 701
 DAI, S. *see* CHAN, M.-Y., 90, 537
 D'ALARCAO, M., COREY, E.J., CUNARD, C., RAMWELL, P., UOTILA, P., VARGAS, R. & WROBLEWAKA, B. The vasodilation induced by hydroperoxy metabolites of arachidonic acid in the rat mesenteric and pulmonary circulation, 91, 627

- DALE, M.M. & LADD, R. A comparison of dimaprit, nortindaprit, methylamine and chloroquine as inhibitors of mitogen-induced lymphocyte activation, **83**, 293
- DALE, M.M. see PENFIELD, A., **92**, 63
- DAMERAU, B., ROESLER, J. & VOGT, W. Fast deactivation of guinea-pig isolated ileum to $\text{C5a}_{\text{desArg}}$: a possible cyclic AMP-dependent mechanism, **84**, 63
- , Loss and recovery of sensitivity of guinea-pig isolated ileum to the spasmogenic action of the complement peptide $\text{C5a}_{\text{desArg}}$, **84**, 47
- , Pharmacological characterization of slow component of deactivation of guinea-pig isolated ileum to spasmogenic action of $\text{C5a}_{\text{desArg}}$, **84**, 55
- DANIEL, E.E., JURY, J. & ROBOTHAM, K.H. Receptors for neurotransmitters in opossum oesophagus muscularis mucosa, **88**, 707
- DANIOTTI, S. & DEL SOLDATO, P. Comparative studies of the effects of some anti-muscarinic agents on gastric damage and pupillary reflex in the rat, **82**, 305
- DANYSZ, W. see ARCHER, T., **89**, 277
- DARIUS, H., LEFER, A.M., LEPRAN, I. & SMITH, J.B. *In vivo* interaction of prostacyclin with an inhibitor of cyclonucleotide phosphodiesterase, HL 725, **84**, 735
- DART, A.M., DIETZ, R., HIERONYMUS, K., KÜBLER, W., MAYER, E., STROMIG, G. & STRASSER, R. Effects of α - and β -adrenoceptor blockade on the neurally evoked overflow of endogenous noradrenaline from the rat isolated heart, **81**, 475
- DART, A.M., RIEMERSMA, P.A., SCHÖMIG, A. & UNGAR, A. Metabolic requirements for release of endogenous noradrenaline during myocardial ischaemia and anoxia, **90**, 43
- DASCOMBE, M.J. Evidence that cyclic nucleotides are not mediators of fever in rabbits, **81**, 583
- DAUGHERTY, A., FRAYN, K.N., REDFERN, W.S. & WOODWARD, B. The role of catecholamines in the production of ischaemia-induced ventricular arrhythmias in the rat *in vivo* and *in vitro*, **87**, 265
- DAUGHERTY, A., RATERI, D.L., SCHONFELD, G. & SOBEL, B.E. Inhibition of cholesterol ester deposition in macrophages by calcium entry blockers: an effect dis-sociable from calcium entry blockade, **91**, 113
- DAUGHERTY, A. & WOODWARD, B. Carbachol and dibutyl cyclic GMP on the vulnerability to ventricular fibrillation in rat isolated hearts, **85**, 621
- DAVIES, J. & JOHNSTON, S.E. Selective antinociceptive effects of tizanidine (DS 103-282), a centrally acting muscle relaxant, on dorsal horn neurones in the feline spinal cord, **82**, 409
- DAVIES, J.M. see NOYLE, J.P., **90**, 733
- DAVIS, A.S., JENNER, P. & MARSSEN, C.D. A comparison of motor behaviours in groups of rats distinguished by their climbing response to apomorphine, **87**, 129
- DAWKINS, S.C. see BERRY, S.C., **83**, 179
- DAWSON, C.A., LINEHAM, J.H., RICKABY, D.A. & ROERIG, D.L. Influence of plasma protein on the inhibitory effects of indocyanine green and bromocresol green on pulmonary prostaglandin E_2 extraction, **81**, 449
- DAWSON, S. see BARLOW, R.B., **89**, 439
- DE BELLEROCHE, J. & GARDINER, I.M. Muscarinic receptors discriminated by pirenzepine are involved in the regulation of neurotransmitter release in rat nucleus accumbens, **86**, 505
- DE BEURME, F.A. & LEFEBVRE, R.A. Influence of α -chymotrypsin and trypsin on the non-adrenergic non-cholinergic relaxation in the rat gastric fundus, **91**, 171
- DEBLOIS, D. see BOUTHILLIER, B., **92**, 257
- DEBNAM, E.S. & THOMPSON, C.S. Effects of neomycin on galactose absorption across rat jejunum, **82**, 673
- DE BRACCO, M.M. see BORDA, E.S., **81**, 75
- DE JONG, J.W., HUIZTER, T. & TIJSEN, G.P. Energy conservation by nisoldipine in ischaemic heart, **83**, 943
- DEL CASTILLO, J., ESCALONA DE MOTTA, G., ETEROVIC, V.A. & FERCHMIN, P.A. Succinyl derivatives of N-tris(hydroxymethyl)methyl-2-aminoethane sulphonic acid: their effects on frog neuromuscular junction, **84**, 275
- DEL CENSERIE, R., DEVAUX, M.A. & SARLES, H. Action of dopamine on the exocrine pancreatic secretion of the intact dog, **88**, 189
- DELGADO, C., MANZANARES, J., TOMARGO, J. & VALENZUELA, C. Electrophysiological effects of amoxapine in untreated and in amoxapine-pretreated rat atria, **87**, 317
- DELGADO, C., TAMARGO, J. & TEJERINA, T. Electrophysiological effects of propafenone in untreated and propafenone-pretreated guinea-pig atrial and ventricular muscle fibres, **86**, 765
- DELGADO, C., TAMARGO, J., TEJERINA, T. & VALENZUELA, C. Effects of 5-hydroxy-propafenone in guinea-pig atrial fibres, **90**, 575
- DEL SOLDATO, P. see DANIOTTI, S., **82**, 305
- DEMENEIX, B.A., DESAULLES, E., FELTZ, P., LOEFFLER, J.-P. Dual population of GABA_A and GABA_B receptors in rat pars intermedia demonstrated by release of αMSH caused by barium ions, **82**, 183
- DEMICHIEL, P. & ROQUEBERT, J. Effects of rauasine stereoisomers on pre- and postsynaptic α -adrenoceptors in the rat vas deferens, **83**, 505
- DEMPSTER, J., JONES, S.V.P. & MARSHALL, I.G. A kinetic analysis of the endplate ion channel blocking action of disopyramide and its optical isomers, **90**, 299
- DE NEEF, P. see CHRISTOPHE, J., **88**, 63
- DENNIS, P.D. & VAUGHAN WILLIAMS, E.M. Effects on rabbit cardiac potentials of aprindine and indecaine, a new antiarrhythmic agent, in normoxia and hypoxia, **85**, 11
- DE NUCCI, G. see BAKHLE, Y.S., **86**, 55
- DEPEIRREUX, M. see BERKENBOOM, G., **92**, 113
- DE SAINT BLANQUAT, G. see ANGLADE, F., **91**, 481
- DESARMENIEN, M., DESAULLES, E., FELTZ, P. & HAMANN, M. Electrophysiological study of SR 42641, a novel aminopyridazine derivative of GABA_A : antagonist properties and receptor selectivity of GABA_A versus GABA_B responses, **90**, 287
- DESARMENIEN, M., FELTZ, P., OCCHIPINTI, G., SANTANGELO, F. & SCHLICHTER, R. Coexistence of GABA_A and GABA_B receptors on A8 and C primary afferents, **81**, 327
- DE SARRO, G.B., ASCIOTI, C., FROIO, F., LIBRI, V. & NISTICO, G. Evidence that locus coeruleus is the site where clonidine and drugs acting at α_1 and α_2 -adrenoceptors affect sleep and arousal mechanisms, **90**, 675
- DESAULLES, E. see DEMENEIX, B.A., **82**, 183
- DESAULLES, E. see DESARMENIEN, M., **90**, 287
- DESLOU, A., LEFORT, J. & VARGAFTIG, B.B. Histamine and leukotriene-independent guinea-pig anaphylactic shock unaccounted for by Paf-acether, **84**, 801
- DE SOUZA, R.J., GOODWIN, G.M., GREEN, A.R. & HEAL, D.J. Effect of chronic treatment with 5-HT $_1$ agonists (8-OH-DPAT and RU 24969) and antagonists (isapirone) drugs on the behavioural responses of mice to 5-HT $_1$ and 5-HT $_2$ agonists, **89**, 377
- DETTMAR, P.W. & LORD, J.A.H. The effect of α_2 -adrenoceptor agonists on the acid secretory responses of rat isolated gastric mucosa to electrical field stimulation, **89**, 361
- DETURCK, K.H. & POHORECKY, L.A. Development of tolerance to the inhibitory effects of ethanol in rat isolated vas deferens: effect of acute and chronic ethanol administration *in vivo*, **88**, 397
- DEVAUX, M.A. see DELCENSERIE, R., **88**, 189
- DEWHURST, D.G. Non involvement of γ -aminobutyric acid in catechol-induced seizures, **87**, 167
- , Some characteristics of the long-latency of the evoked muscle response induced by administration of catechol to the anaesthetized rat: a neuropharmacological investigation, **83**, 83
- DEWHURST, D.G. see COLLINS, G.G.S., **88**, 433
- DIAMANTIS, W. see CHAND, N., **83**, 899
- DIAMANTIS, W. see CHAND, N., **87**, 443
- , **91**, 17
- DIAMOND, L. see ALTIERE, R.J., **82**, 321
- DI CARLO, G. see AUTORE, G., **92**, 149
- DICKENSON, A.H. & LE BARS, D. Lack of evidence for increased descending inhibition on the dorsal horn of rat following periaqueductal grey morphine microinjections, **92**, 271
- DICKENSON, H.W. see ALLAN, R.D., **88**, 397
- DIDIER, J.-P. see BRALET, J., **84**, 9
- DIETZ, R. see DART, A.M., **81**, 475
- DIEZ, J., TARMARGO, J. & VALENZUELA, C. Negative inotropic effect of somatostatin in guinea-pig atrial fibres, **86**, 547
- DIEZ, J. & TOMARGO, J. Effect of somatostatin on ^{45}Ca fluxes in guinea-pig isolated atria, **90**, 309
- DILLON, J.S. & NAYLER, W.G. [^3H]-verapamil binding to rat cardiac sarcolemmal membrane fragments: an effect of ischaemia, **90**, 99
- DINI, G. see BERNARDINI, F., **87**, 649
- DI ROSA, M. see CARNUCCIO, R., **90**, 443
- DIXON, C.M.S. see FULLER, R.W., **92**, 76
- DIXON, J. see BROWN, R.A., **85**, 599
- DOCHERTY, J.R. An investigation of pre-synaptic α -adrenoceptor subtypes in the pithed rat heart and in the rat isolated vas deferens, **82**, 15
- DOCHERTY, J.R. & HYLAND, L. An examination of 5-hydroxytryptamine receptors in human saphenous vein, **89**, 77
- , Evidence for neuro-effector transmission through postjunctional α_2 -adrenoceptors in human saphenous vein, **84**, 573
- , No evidence for differences between pre- and post-junctional α_2 -adrenoceptors, **86**, 335
- DOCHERTY, J.R. & McGRATH, J.C. The actions of carazoline in the rat vas deferens, **82**, 9
- DOCHERTY, J.R. see BULLOCH, J.M., **91**, 457
- DOCHERTY, J.R. & WARNOCK, P. An investigation of α -adrenoceptor responsiveness in the vas deferens of spontaneously hypertensive rats, **86**, 327
- DOHERTY, N.S., BEAVER, T.H., CHAN, K.Y. & COUTANT, J.E. The role of prostaglandins in the nociceptive response induced by intraperitoneal injection of zymosan in mice, **91**, 39
- DOLEZAL, V. & TUČEK, S. Failure of the calcium channel activator, Bay K 8644, to increase the release of acetylcholine from nerve terminals in brain and diaphragm, **91**, 475
- DOLIN, S.J. & LITTLE, H.J. Augmentation by calcium channel antagonists of general anaesthetic potency in mice, **88**, 909
- DOLLERY, C.T. see BARNES, P.J., **88**, 741
- DOLLERY, C.T. see BARROW, S.E., **87**, 243
- , **91**, 245
- DOLLERY, C.T. see CROSSMAN, D., **92**, 695
- DOLPHIN, A.C. & SCOTT, R.H. Inhibition of calcium currents in cultured rat dorsal root ganglion neurones by (–)-baclofen, **88**, 213
- DOMENEY, A.M. see COSTALL, B., **92**, 881
- DONALDSON, J. & HILL, S.J. 1,4-Dithiothreitol-induced changes in histamine H_1 -agonist efficacy and affinity in the longitudinal smooth muscle of guinea-pig ileum, **90**, 263
- , Histamine-induced inositol phospholipid breakdown in the longitudinal smooth muscle of guinea-pig ileum, **85**, 499
- , Selective enhancement of histamine H_1 -receptor responses in guinea-pig ileal smooth muscle by 1,4-dithiothreitol, **87**, 183
- DONEGAN, J.L.M. see CALVETE, J.A., **83**, 723
- DONG, Y.J. & WADSWORTH, R.M. Effects of Bay K 8644 on ^{45}Ca uptake and efflux and on contraction in the rabbit aorta, **87**, 139
- DONG, Y.L., JONES, R.L. & WILSON, N.H. Prostaglandin E receptor subtypes in smooth muscle: agonist activities of stable prostaglandin analogues, **87**, 97
- DONNERER, J., HOLZER, P. & LEMBECK, F. Release of dynorphin, somatostatin and substance P from the vasculature perfused small intestine of the guinea-pig during peristalsis, **83**, 919
- DONNERER, J. & LEMBECK, F. New models for the evaluation of opioid effect in the guinea-pig ileum, **85**, 61
- DONOGHUE, S. see ALLAN, G., **88**, 333
- DONOSO, M.V., HUIDOBRO-TORO, J.P. & KULLAK, A. Involvement of calcium channels in the contractile activity of neuromusculature but not acetylcholine studies with calcium channel blockers and Bay K 8644 on the rat fundus, **88**, 837
- DORIGO, P. & MARAGNO, I. Interaction of amrinone with endogenous adenosine in guinea-pig atria, **87**, 623
- DOUGALL, I.G. & LEFF, P. Pharmacological analysis of the calcium-dependence of μ -receptor agonism, **92**, 723
- DOUGAN, D.F.H., DUFFIELD, A.M., DUFFIELD, P.H. & WADE, D.N. Stereoselective

- accumulation of hydroxylated metabolites of amphetamine in rat striatum and hypothalamus, **88**, 285
- DOUGLAS, J.A., DUNCAN, P.G. & MUK-HOPADHYAY, A. The antagonism of histamine-induced tracheal and bronchial muscle contraction by diphenhydramine: effect of maturation, **83**, 697
- DOWD, P.M. *see* BRAIN, S.D., **83**, 313
- DOWNES, C.P., LEWIS, P.E. & STONE, M.A. A comparison of the binding of opioids and phenylcyclidine, and the interaction with antipsychotic drugs in rat brain membranes, **88**, 231
- DOWNES, H., EDELSTEIN, R.A. & TAYLOR, S.M. Mechanisms of intrinsic tone in bullfrog lung: relaxant effects of indomethacin, ouabain and potassium, **87**, 579
- DOWNING, S.J., EDWARDS, D. & HOLLINGSWORTH, M. Diltiazem pharmacokinetics in the rat and relationship between its serum concentration and uterine and cardiovascular effects, **91**, 735
- DOXEY, J.C., ROACH, A.G., STRACHAN, D.A. & VIRDEE, N.K. Selectivity and potency of 2-alkyl analogues of the α -adrenoceptor antagonist idazoxan (RX 781094) in peripheral systems, **83**, 713
- DRACK, E. *see* BAUMGARTNER, A., **86**, 89
- DRAY, A., NUNAN, L. & WIRE, W. Central δ -opioid receptor interactions and the inhibition of reflex urinary bladder contractions in the rat, **85**, 717
- DREW, G.M. & HILDITCH, A. Prejunctional dopamine receptors modulate twitch responses to parasympathetic nerve stimulation in the rabbit isolated rectocolic muscle, **83**, 871
- DREW, G.M. *see* BAKER, D.J., **81**, 457
- DRUMMOND, A.H. *see* BOWMAN, A., **81**, 665
- DUBOCOVICH, M.L. & HENSLEY, J.G. Modulation of [3 H]-dopamine released by different frequencies of stimulation from rabbit retina, **88**, 51
- DUBOIS, J.M. *see* BENOIT, E., **87**, 291
- DUBOIS, J.M. *see* BENOIT, E., **90**, 7
- DUCE, I.R. & SCOTT, R.H. Actions of dihyrovermectin B₁ on insect muscle, **85**, 395
- DUCHENE-MARULAZ, P. *see* BOUCHER, M., **89**, 119
- DUDEL, C. *see* ALHEID, U., **92**, 237
- DUFFIELD, A.M. *see* DOUGAN, D.F.H., **88**, 277
- DUFFIELD, P.H. *see* DOUGAN, D.F.H., **88**, 285
- DUGGAL, K.N. *see* BARASI, S., **90**, 15
- DUHAZE, P. *see* BERDEAUX, A., **83**, 203
- DUKES, I.D. & VAUGHAN WILLIAMS, E.M. Cardiovascular effects of bevantolol, a selective β_1 -adrenoceptor antagonist with a novel pharmacological profile, **84**, 365
- DUKES, I.D. & VAUGHAN WILLIAMS, E.M. Electrophysiological effects of α -adrenoceptor antagonists in rabbit sino-atrial node, cardiac Purkinje cells and papillary muscles, **83**, 419
- DUNCAN, P.G. *see* DOUGLAS, J.S., **83**, 697
- DUNCKER, D.J., HARTOG, J.M., LEVINSKY, L. & VERDOUW, P.D. Systemic haemodynamic actions of pimobendan (UD-CG 1158S) and its O-demethyl-metabolite UD-CG212 C1 in the conscious pig, **91**, 609
- DUNCKER, D.J., HEILIGERS, J., MYLECHARENE, E.J., SAXENA, P.R. & VERDOUW, P.D. Nimodipine-induced changes in the distribution of carotid blood flow and cardiac output in pentobarbitone-anaesthetized pigs, **89**, 35
- DUNLAP, K. *see* CANFIELD, D.R., **82**, 557
- DUNWIDDIE, T.V., FREDHOLM, B.B., JONZON, B. & SANDBERG, G. The adenosine receptor activity of EMD 28422, a purine derivative with reported actions on benzodiazepine receptors, **84**, 625
- DUNWIDDIE, T.V., JOHNSON, K.J. & PROCTOR, W.R. Bremazocine differentially antagonizes responses to selective μ and δ opioid receptor agonists in rat hippocampus, **91**, 523
- DUPONT, A.G., LEFEBVRE, R.A. & VANDER-NIEPEN, F. Influence of the dopamine receptor agonists fenoldopam and quinpirole in the rat superior mesenteric vascular bed, **91**, 493
- DUQUE, R.E., FANTONE, J.C., KRAMER, C., MARASCO, W.A. & PHAN, S.H. Inhibition of neurotrophil activation by β -bromophenacyl bromide and its effects on phospholipase A₂, **88**, 463
- DUROUX, P. *see* ADVENIER, C., **82**, 727
- DUSTING, C.J. *see* GRACE, G.C., **91**, 729
- DUSTING, G.J. & LI, D.M.F. Catecholamine release and potentiation of thromboxane A₂ production by nicotine in the greyhound, **87**, 29
- DUTLA, M.B. *see* ANDREWS, P.L.R., **82**, 833
- DZIMIRI, N., FRICKE, U. & KLAUS, W. Influence of derivation of the lipophilicity and inhibitory actions of cardiac glycosides on myocardial Na⁺-K⁺-ATPase, **91**, 31

E

- EADY, R.P., GREENWOOD, B., JACKSON, D.M., ORR, T.S.C. & WELLS, E. The effect of nedocromil sodium and sodium cromoglycate on antigen-induced bronchoconstriction in the *Ascaris*-sensitive monkey, **85**, 323
- EAGAN, T.M. & NORTH, R.A. Acetylcholine acts on m₂-muscarinic receptors to excite rat locus coeruleus, **85**, 733
- EBNER, F. How fast to cardioactive steroids act independently of diffusion in guinea-pig myocardium, **91**, 763
- EBNER, F. *see* BACHMAIER, A., **85**, 755
- EDELSTEIN, R. *see* DOWNES, H., **87**, 579
- EDVINSSON, L., EKBLAD, E., HÅKANSON, R. & WAHLESTEDT, C. Neuropeptide Y potentiates the effect of various vasoconstrictor agents on rabbit blood vessels, **83**, 519
- EDVINSSON, L. & JANSEN, I. Characterization of tachykinin receptors in isolated basilar arteries of guinea-pig, **90**, 553
- EDVINSSON, L., McCULLOCH, J. & SHARKEY, J. Vasomotor responses of cerebral arterioles *in situ* to putative dopamine receptor agonists, **85**, 403
- EDWARDS, D., GOOD, D.M., GRANGER, S.E., HOLLINGSWORTH, M., ROBSON, A., SMALL, R.C. & WESTON, A.H. The spasmogenic action of oxytocin in the rat uterus—comparison with other agonists, **88**, 899
- EDWARDS, D. *see* DOWNING, S.J., **91**, 735
- EDWARDS, D. *see* HOLLINGSWORTH, M., **91**, 803
- EDWARDS, R.J., MACDERMOT, J. & WILKINS, A.J. Prostacyclin analogues reduce ADP-ribosylation of the α -subunit of the regulatory G_i-protein and diminish adenosine (A₂) responsiveness of platelets, **90**, 501
- EDWARDS, S.J. *see* BARROWCLIFFE, T.W., **92**, 129
- EGLÈME, C., GODFRAIND, T. & MILLER, R.C. Enhanced responsiveness of rat isolated aorta to clonidine after removal of the endothelial cells, **81**, 16
- EGLÈME, C. *see* CUTHBERT, A.W., **91**, 503
- EGLÈME, R.M., HUFF, M.M., MONTGOMERY, W.W. & WHITING, R.L. Differential effects of pertussis toxin and lithium on muscarinic responses in the atria and ileum: evidence for receptor heterogeneity, **91**, 3
- EGLÈME, R.M., KENNY, B.A., MICHEL, A.D. & WHITING, R.L. Muscarinic activity of McN-A-343 and its value in muscarinic receptor classification, **90**, 693
- EGLÈME, R.M. *see* CLAGUE, R.U., **86**, 163
- EGLÈME, R.M. & WHITING, R.L. Competitive and non-competitive antagonism exhibited by 'selective' antagonists at atrial and ileal muscarinic receptor subtypes, **90**, 701
- , Determination of the muscarinic receptor subtype mediating vasodilatation, **84**, 3
- EINSTEIN, R. & LAVIDIS, N.A. The dependence of excitatory junction potential amplitude on the external calcium concentration in mouse vas deferens during narcotic withdrawal, **83**, 863
- , The dependence of excitatory junction potential amplitude on the external calcium concentration in narcotic tolerant mouse vas deferens, **83**, 853
- EINSTEIN, R., MIHAILIDOU, A.S. & RICHARDSON, D.P. Positive inotropic effects of histamine in anaesthetized dogs, **92**, 445
- EKBLAD, E., HÅKANSON, R. & WAHLESTEDT, C. Galanin: neuromodulatory and direct contractile effects on smooth muscle preparations, **86**, 241
- EKBLAD, E. *see* EDVINSSON, L., **83**, 519
- ELFELLAH, M.S. *see* BENFEY, B.G., **82**, 717
- ELFERINK, J.G.R. The effect of apomorphine on exocytosis and metabolic burst of polymorphonuclear leukocytes, **92**, 909
- EL-GHAZALY, M., KENAWY, S., KHAYYAL, M.T., ROUSHDY, H. & SALEH, S. Effect of exposure to radiation on the inflammatory process and its influence by diclofenac, **85**, 45
- ELGHOZI, J.L. *see* CHAOULOFF, F., **86**, 33
- ELKIN, P.L. *see* BELLONI, F.L., **85**, 441
- ELLIOTT, J.R. & HENDRY, B.M. The effects of external and internal application of disopyramide on the ionic currents of the squid giant axon, **92**, 77
- ELLIS, P. *see* CRITCHLEY, J.A.J.H., **89**, 831
- ELLIS, W.R. *see* BELL, G.D., **81**, 183
- EL TAHIR, K.E.H. Influence of nifedipine and chloroquine on arterial and myometrial prostacyclin synthesis, **92**, 567
- ELTZÉ, M. *see* BEIL, W., **88**, 389
- EMMS, H. & LEWIS, G.P. Sex and hormonal influences on platelet sensitivity and coagulation in the rat, **86**, 557
- , The effect of synthetic ovarian hormones on an *in vivo* model of thrombosis in the rat, **84**, 243
- , The roles of prostaglandin endoperoxides, thromboxane A₂ and adenosine diphosphate in collagen-induced aggregation in man and rat, **87**, 109
- ENDO, Y. Evidence that the accumulation of 5-hydroxytryptamine in the liver but not in the brain may cause the hypoglycaemia induced by 5-hydroxytryptophan, **85**, 591
- , Induction of hypoglycaemia and accumulation of 5-hydroxytryptamine in the liver after the injection of mitogenic substances into mice, **81**, 645
- , Suppression and potentiation of 5-hydroxytryptophan-induced hypoglycaemia by α -monofluoromethyltyrosine: correlation with the accumulation of 5-hydroxytryptamine in the liver, **90**, 161
- ENGBERG, I., FLATMAN, J.A. & LAMBERT, J.D.C. The response of cat spinal motoneurons to the intracellular application of agents with local anaesthetic action, **81**, 215
- ENGLISH, T.A.H., GRISTWOOD, R.W., OWEN, D.A.A. & WALLWORK, J. Imipramine is a partial H₂-receptor agonist on human ventricular myocardium, **89**, 327
- ENOMOTO, Y., ITO, K., KAWAGOE, Y., MORIO, Y. & YAMASAKI, Y. Positive inotropic action of saponins on isolated atrial and papillary muscles from the guinea-pig, **88**, 259
- ENOUF, J. & LÉVY-TOLEDANO, S. Relationship between structure of phenothiazine analogues and their activity on platelet calcium fluxes, **81**, 509
- EPPS, D.E. *see* SMITH, R.J., **91**, 641
- ERLIJ, D. & GERSON, L. Prostaglandin release mediates drug-induced stimulation of sodium transport in frog skin: the effects of quinacrine, **85**, 775
- ERNE, P. & PLETSCHER, A. Rapid intracellular release of calcium in human platelets by stimulation of 5-HT₂-receptors, **84**, 545
- ESCALONA DE MOTTA, G. *see* DEL CASTILLO, J., **84**, 275
- ESPLUGUES, J. *see* BRAGE, R., **89**, 627
- ESPLUGUES, J. *see* CORTIJO, J., **83**, 161
- ESPLUGUES, J.V. *see* BRAGE, R., **89**, 627
- ESPLUGUES, J.V. *see* WHITTLE, B.J.R., **92**, 3
- ETEROVIC, V.A. *see* DEL CASTILLO, J., **84**, 275
- ETEROVIC, V.A. *see* DEL CASTILLO, J., **84**, 275
- EULIE, P.J. & RHEE, H.M. Reduction by phenolamine of the hypotensive effect of methionine enkephalin in anaesthetized rabbits, **83**, 783
- EVANS, M.H. Effects of some α -adrenoceptor antagonists on central cardio-decelerator mechanism in the rabbit, **84**, 645
- EVANS, R.G. *see* ABRAHAMS, J.M., **89**, 759
- EVANS, R.H., EVANS, S.J., POOK, P.C. & SUNTER, D.C. A comparison of excitatory amino acid antagonists acting at primary afferent C fibres and motoneurons of the isolated spinal cord of the rat, **91**, 531
- EVANS, R.H. *see* AGRAWAL, S.G., **87**, 345
- EVANS, R.H. *see* BLAKE, J.F., **90**, 167
- EVANS, S.F., HINDS, C.J. & VARLEY, J.G. A new canine model of endotoxin shock, **83**, 433
- , Effects of intravascular volume expansion on cardiovascular response to naloxone in a canine model of severe endotoxin shock, **83**, 443
- EVANS, S.J. *see* EVANS, R.H., **91**, 531

- EVERTS, M.E. & VAN HARDEVELD, C. Effects of dantrolene on force development in slow- and fast-twitch muscle of euthyroid, hypothyroid and hyperthyroid rats, **92**, 47
- F**
- FADEN, A.I. & JACOBS, T.P. Dynorphin-related peptides cause motor dysfunction in the rat through a non-opiate action, **81**, 271
- FAGBEMI, O. The effects of the combined administration of α -adrenoceptor antagonists and non-steroidal anti-inflammatory drugs on ligation-induced arrhythmias in rats, **85**, 361
- FAGBEMI, O., KANE, K.A., McDONALD, F.M., PARRATT, J.R. & ROTHMAN, A.L. The effects of verapamil, pirenizine, flunarizine and cinnarizine on the coronary artery occlusion-induced arrhythmias in anaesthetized rats, **83**, 299
- FAGERVALL, I. *see* ASK, A.-L., **85**, 683
- FAGG, G.E. & LANTHORN, T.H. $\text{Cl}^-/\text{Ca}^{2+}$ -dependent L-glutamate binding sites in synaptic membranes do not correspond to 2-amino-4-phosphonobutanoate-sensitive receptors, **86**, 743
- FANTONE, J.C. *see* DUQUE, R.E., **88**, 463
- FANTOZZI, R. *see* BLANDINA, P., **90**, 459
- FAN, T.-P.D. & LEWIS, G.P. Effects of cyclosporin A and inhibitors of arachidonic acid metabolism on blood flow and cyclo-oxygenase products in rat skin allografts, **81**, 361
- FARGEAS, M.J. *see* BUENO, L., **82**, 35
- FARMER, J.B. *see* BROWN, R.A., **85**, 599
- FARMER, S.G., FEDAN, J.S., HAY, D.W.P. & RAEBURN, D. The effects of epithelium removal on the sensitivity of guinea-pig trachealis to bronchodilator drugs, **89**, 407
- FARMER, S.G., HAY, D.W.P., RAEBURN, D. & FEDAN, J.S. Relaxation of guinea-pig tracheal smooth muscle to arachidonate is converted to contraction following epithelium removal, **92**, 231
- FARMER, S.G. & LANIYONU, A.A. Effects of *p*-chlorophenylalanine on the sensitivity of rat intestine to agonists and on intestinal 5-hydroxytryptamine levels during *Nippostrongylus brasiliensis* infection, **82**, 883
- FARMER, S.G. *see* HAY, D.W.P., **92**, 381
- FARQUHAR, R., LESLIE, G.C. & PART, N.J. How is ventilation maintained in the presence of the muscle relaxant, dantrolene sodium? A study in the anaesthetized rat, **88**, 79
- FARUTA, *see* ANNO, T., **589**
- FASSINA, G. *see* CAPARROTTA, L., **90**, 23
- FAULKNER, D., FRYER, A.D. & MACLAGAN, J. Post-ganglionic muscarinic inhibitory receptors in pulmonary parasympathetic nerves in the guinea-pig, **88**, 181
- FEATHERSTONE, R.L., FOSBRAEY, P. & MORTON, I.K.M. A comparison of the effects of three substance P antagonists on tachykinin-stimulated $[\text{H}^3]$ -acetylcholine release in the guinea-pig ileum, **87**, 73
- FEATHERSTONE, R.L., *see* BAILEY, S.J., **87**, 79
- FEDAN, J.S. Potentiation of adenosine triphosphate-induced contractile responses of the guinea-pig isolated vas deferens by adenosine monophosphate and adenosine 5'-monophosphorothionate, **91**, 633
- FEDAN, J.S. *see* CHIDECKEL, E.W., **89**, 27
- FEDAN, J.S. *see* CHIDECKEL, E.W., **92**, 609
- FEDAN, J.S. *see* FARMER, S.G., **89**, 407
- FEDAN, J.S., **92**, 231
- FEDAN, J.S. *see* HAY, D.W.P., **92**, 381
- FEENEY, J. *see* ANTONIUK, D.J., **81**, 309
- FELTZ, P. *see* DEMENEIX, B.A., **82**, 183
- FELTZ, P. *see* DESARMENIEN, M., **81**, 327
- FELTZ, P. *see* DESARMENIEN, M., **90**, 287
- FENIUK, W., HUMPHREY, P.P.A., PERREN, M.J. & WATTS, A.D. A comparison of 5-hydroxytryptamine receptors mediating contraction in rabbit aorta and dog saphenous vein: evidence for different receptor types obtained by use of selective agonists and antagonists, **86**, 697
- FENIUK, W. *see* CONNOR, H.E., **87**, 417
- FENNESSY, M.R., STEWART, A.G. & THOMPSON, D.C. Aerosolized and intravenously administered leukotrienes effects on the bronchoconstrictor potency of histamine in the guinea-pig, **87**, 741
- FENSKE, D.C. *see* CLAY, T.P., **81**, 335
- FERCHMIN, P.A. *see* DEL CASTILLO, J., **84**, 275
- FERGUSON, D.R., JOHNSON, B.I. & PRICE, N. Responses of the pig isolated renal artery to transmural electrical stimulation and drugs, **84**, 879
- FERRY, D.R., GLOSSMANN, H. & KAUFMANN, A.J. Relationship between the stereoselective negative inotropic effects of verapamil enantiomers and their binding to putative calcium channels in human heart, **84**, 811
- FERRY, D.R. & KAUMANN, A.J. Relationship between α -adrenoceptors and calcium channels in human ventricular myocardium, **90**, 447
- FEUERSTEIN, T.J., HERTTING, G., LUPP, A. & NEUFANG, B. False labelling of dopaminergic terminals in the rabbit caudate nucleus: uptake and release of $[\text{H}^3]$ -5-hydroxytryptamine, **88**, 677
- FEURSTEIN, N. & RAMWELL, P.W. Differential effects of prostaglandin E_2 and cyclic AMP on release of arachidonic acid metabolites from resting and lipopolysaccharide-stimulated macrophages, **83**, 759
- FILEP, J., FÖLDES-FILEP, E. & FRÖLICH, J.C. Vascular responses to leukotriene B_4 , C_4 and D_4 following FPL 55712, indomethacin, saralasin, phenolamine and verapamil in the conscious rat, **90**, 431
- FILE, S.A. Prop- and anti-convulsant properties of PK 11195, a ligand for benzodiazepine binding sites: development of tolerance, **83**, 471
- FILE, S.E. & PELLOW, S. The effects of triazolobenzodiazepines in two animal tests of anxiety and in the holeboard, **86**, 729
- FINBERG, J.P.M. & TAL, A. Reduced peripheral presynaptic adrenoceptor sensitivity following chronic antidepressant treatment in rats, **84**, 609
- FINBERG, J.P.M. & YODIM, M.B.H. Modification of blood pressure and nictitating membrane response to sympathetic amines by selective monoamine oxidase inhibitors, types A and B, in the cat, **85**, 541
- FINET, M. & GODFRAND, T. Selective inhibition by ethylisopropylamiloride of the positive inotropic effect evoked by low concentrations of ouabain in rat isolated ventricles, **89**, 533
- FINET, M., GODFRAND, T. & KHOURY, G. The positive inotropic action of the nifedipine analogue, Bay K 8644, in guinea-pig and rat isolated cardiac preparations, **86**, 27
- FINIASZ, M. *see* BORDA, E.S., **81**, 75
- FINIASZ, M., **82**, 863
- FINNEN, M.J. & HASSALL, K.A. Inhibitory effects of centrally acting drugs on the neonatal imprinting of sex differences in the hepatic metabolism of a demethylated epoxide in the rat, **81**, 283
- FINNEY, M.J.B., KARLSSON, J.A. & PERSOON, C.G.A. Effects of bronchoconstrictors and bronchodilators on a novel human small airway preparation, **85**, 29
- FIORAMONTI, J. *see* BUENO, L., **82**, 35
- FITZGERALD, M.F., MONCADA, S. & PARENTE, L. The anaphylactic release of platelet-activating factor from perfused guinea-pig lungs, **88**, 149
- FLATMAN, J.A. *see* ENGBERG, I., **81**, 215
- FLAVAHAN, N.A., GRANT, T.L., GREIG, J. & McGRATH, J.C. Analysis of α -adrenoceptor-mediated, and other, components in the sympathetic vasopressor responses of the pithed rat, **86**, 265
- FLAVAHAN, N.A. *see* BULLOCH, J.M., **91**, 457
- FLEETWOOD, G. & GORDON, J.L. Purinoceptors in the rat heart, **90**, 219
- FLOCH, A. *see* ADVENIER, C., **82**, 727
- FLORVALL, L. *see* ASK, A.-L., **85**, 683
- FLOWER, R.J., PARENTE, L., PERSICO, P. & SALMON, J.A. A comparison of the acute inflammatory response in adrenalectomized and sham-operated rats, **87**, 57
- FOLCO, G.C. *see* CORSINI, A., **90**, 255
- FÖLDES-FILEP, E. *see* FILEP, J., **90**, 431
- FOLKERS, K., HAKANSON, R., HÖRIG, J., JIECHENG, X. & LEANDER, S. Biological evaluation of substance P antagonists, **83**, 449
- FOLLENFANT, J.J. *see* ALLAN, G., **90**, 609
- FOLLENFANT, M.J. *see* ALLAN, G., **85**, 547
- FOLLENFANT, M.J. *see* ALLEN, G., **88**, 333
- FONE, K.C.F. & WILSON, H. The effects of alfentanil and selected narcotic analgesics on the rate of action potential discharge of medullary respiratory neurones in anaesthetized rats, **89**, 67
- FONTAINE, J., GRIVEGNEE, A. & REUSE, J. Adrenoceptors and regulation of intestinal tone in the isolated colon of the mouse, **81**, 231
- FONTAINE, J., GRIVEGNEE, A.R. & ROBBERTSCH, P. Evidence against VIP as the inhibitory transmitter in non-adrenergic, non-cholinergic nerves supplying the longitudinal muscle of the mouse colon, **89**, 599
- FONTAINE, J. & REUSE, J. Contractor responses of the isolated colon of the mouse to morphine and some opioid peptides, **85**, 861
- FONTAINE, J. *see* BERKENBOOM, G., **92**, 113
- FOONG, F.-W. & SATOH, M. The periaqueductal gray is the site of the antinociceptive action of carbamazepine as related to bradykinin-induced trigeminal pain, **83**, 493
- FORD-HUTCHINSON, A.W. *see* CARRIER, R., **82**, 389
- FORD, T.W. *see* CLARKE, R.W., **91**, 579
- FOREMAN, J.C., NORRIS, D.B., RISING, T.J. & WEBBER, S.E. A study of the H_2 -receptor for histamine stimulating adenylate cyclase in homogenates of guinea-pig lung parenchyma, **87**, 37
- , The binding of $[\text{H}^3]$ -tiotidine to homogenates of guinea-pig lung parenchyma, **86**, 475
- FOREMAN, J.C., RISING, T.J. & WEBBER, S.E. A study of the histamine H_2 -receptor mediating relaxation of the parenchymal lung strip preparation of the guinea-pig, **86**, 465
- FOREMAN, J.C. *see* ALI, H., **85**, 705
- FOREMAN, J.C. *see* CANTWELL, M.E., **92**, 597
- FORQUE, F. & VARGAFITZ, B.B. Triggering by Palacetar and adrenaline of cyclooxygenase-independent platelet aggregation, **83**, 625
- FORREST, M.J., JOSE, P.J. & WILLIAMS, T.J. Kinetics of the generation and action of chemical mediators in zymosan-induced inflammation of the rabbit peritoneal cavity, **89**, 719
- FORREST, M.J. *see* BROOKS, P.M., **90**, 403
- FÖRSTERMANN, U., HERTTING, G. & NEUFANG, B. The importance of endogenous prostaglandins other than prostacyclin, for the modulation of contractility of some rabbit blood vessels, **81**, 623
- , The role of endothelial and non-endothelial prostaglandins in the relaxation of isolated blood vessels of the rabbit induced by acetylcholine and bradykinin, **87**, 521
- FÖRSTERMANN, U. & NEUFANG, B. The endothelium-dependent relaxation of rabbit aorta: effects of antioxidants and hydroxylated eicosatetraenoic acids, **82**, 765
- FÖRSTERMANN, U. *see* ALHEID, U., **92**, 237
- FORTES, Z.B., LEME, J.G. & SCIVOLETTO, R. Vascular reactivity in diabetes mellitus: possible role of insulin on the endothelial cell, **83**, 635
- FOSBRAEY, P. *see* FEATHERSTONE, R.L., **87**, 73
- FOSTER, A.C. & WONG, E.H.F. The novel anticonvulsant MK-801 binds to the activated state of the N-methyl-D-aspartate receptor in the rat brain, **91**, 403
- FOSTER, R.W., OKPALUGO, B.I. & SMALL, R.C. Antagonism of Ca^{2+} and other actions of verapamil in guinea-pig isolated trachealis, **81**, 499
- FOSTER, R.W. *see* AHMED, F., **83**, 227
- FOSTER, R.W., **84**, 861
- FOSTER, R.W. *see* ALLEN, S.L., **86**, 171
- FOSTER, R.W. *see* ALLEN, S.L., **87**, 109
- FOSTER, R.W. *see* ALLEN, S.L., **88**, 473
- FOSTER, R.W., **89**, 395
- FOSTER, R.W. *see* BOYLE, J.P., **90**, 733
- FOSTER S.J. *see* AKED, D., **89**, 431
- FOSTER, S.J. *see* AKED, D.M., **92**, 545
- FOULDER, C.J. *see* ARCHER, T., **85**, 581
- FOY, J.M. & NUHU, S.Z. Effect of bumetanide, furosemide and prostaglandin, E_2 on isolated perfused kidney of rat and rabbit, **82**, 165
- FOZARD, J.R., PALFREYMAN, M.G., ROBIN, M. & ZREIKA, M. Selective inhibition of monoamine oxidase type B by MDL 72145 increases the central effects of L-DOPA without modifying its cardiovascular effects, **87**, 257
- FRANCONI, F. *see* BACCARO, C., **87**, 649
- FRANKE, J. *see* CASALS-STENZEL, J., **91**, 799

- FRANKLYN, J.A. *see* GAMMAGE, M.D., 92, 363
 FRAYN, K.N. *see* DAUGHERTY, A., 87, 265
 FRAZER, C.E. & RITTER, J.M. Recovery of prostacyclin synthesis by rabbit aortic endothelium and other tissues after inhibition by aspirin, 91, 251
 FRAZER, C.E. *see* RITTER, J.M., 91, 439
 FREDHOLM, B.B., LINDGREN, E. & LINDSTRÖM, K. Treatment with N-ethylmaleimide selectively reduces adenosine receptor-mediated decreases in cyclic AMP accumulation in rat hippocampal slices, 86, 509
 FREDHOLM, B.B. *see* DUNWIDDIE, T.V., 84, 625
 FREDRIKSSON, A. *see* ARCHER, T., 85, 581
 FRESLON, J.-L. *see* ADVENIER, C., 86, 367
 FRICKE, U. Erythrosin B inhibits high affinity ouabain binding in guinea-pig heart Na-K-ATPase without influence on cardiac glycoside induced contractility, 85, 327
 FRICKE, U. *see* DZIMIRI, N., 91, 31
 FRIEDRICH, T. *see* CASALS-STENZEL, J., 91, 799
 FRIEL, D.D., MILLER, R.J. & WALKER, M.W. Neuropeptide Y: a powerful modulator of epithelial ion transport, 88, 425
 FRIEND, J. *see* BLACKBURN, T.P., 89, 593
 FRIGO, G.M., GALLI, A., LECCHINI, S. & MARCOLI, M. A facilitatory effect of bicuculline on the enteric neurones in the guinea-pig isolated colon, 90, 31
 FRITSCHKA, E., GOTZEN, R., KITTLER, R. & SCHÖNESHÖFER, M. Effects of metoprolol on 24-hour urinary excretion of adrenal steroids and kallikrein in patients with essential hypertension, 81, 245
 FROIO, F. *see* DE SARRO, G.B., 90, 675
 FROLDI, G. *see* CAPARROTTA, L., 90, 23
 FRÖLICH, J.C. *see* FILEP, J., 90, 431
 FRÖLICH, J.C. & YOSHIZAWA, M. Renal vascular effects of leukotriene C₄ in the isolated perfused kidney of the rat, 92, 311
 FROSSARD, N. *see* AMELLAL, M., 82, 423
 FROST, J.L. *see* CHIDECKEL, E.W., 92, 609
 FRYER, A.D. & MACLAGAN, J. Muscarinic inhibitory receptors in pulmonary parasympathetic nerves in the guinea-pig, 83, 973
 FRYER, A.D. *see* BLABER, L.C., 84, 309
 —, 86, 723
 FRYER, A.D. *see* FAULKNER, D., 88, 181
 FUCHS, P. & FUDER, H. The determination of presynaptic K_A values of methacholine and pilocarpine and of a presynaptic receptor reserve in rat perfused heart, 84, 35
 FUDER, H. & JUNG, B. Affinity and efficacy of racemic, (+), and (–)-methacholine in muscarinic inhibition of [³H]-noradrenaline release, 84, 477
 FUDER, H. *see* FUCHS, P., 84, 35
 FUDER, J., MUSCHOLL, E. & WOLF, K. Cholinesterase activity and exposure to acetylcholine as factors influencing the muscarinic inhibition of [³H]-noradrenaline overflow from guinea-pig isolated atria, 86, 905
 FUENMAYOR, L.D. & GARCIA, S. The effect of fasting on 5-hydroxytryptamine metabolism in brain regions of the albino rat, 83, 357
 FUJII, FUJIWARA, M., KUMADA, K., KURASHI, K. & USUI, H. Regional differences of reactivity to stimulants in the dog portal tree, 90, 355
 FUJII, K., MIYAHARA, H. & SUZUKI, H. Comparison of the effects of caffeine and procaine on noradrenergic transmission in the guinea-pig mesenteric artery, 84, 675
 FUJII, Y., NOMURA, S., OSHITA, Y. & SAKURAI, J. Excitatory effect of *Clostridium perfringens* alpha toxin on rat isolated aorta, 88, 531
 FUJIMOTO, Y., WADA, K., KANEKO, M. & FUJITA, T. Effect of angiotensin-converting enzyme inhibitor YS980 on prostaglandin synthesis in rabbit kidney medulla slices, 92, 479
 FUJINMA, S., KAMIKAWA, Y. & SHIMO, Y. Pharmacological characterization of the histamine receptor in the isolated muscarinic mucosae of the guinea-pig oesophagus, 86, 619
 FUJIOKA, M. Lack of a causal relationship between the vasodilator effect of papaverine and cyclic AMP production in the dog basilar artery, 83, 113
 FUJIOKA, M. *see* CHEUNG, D.W., 89, 3
 FUJIOKA, M. & SUZUKI, H. Effects of amosulolol on the electrical responses of guinea-pig vascular smooth muscle to adrenoceptor activation, 84, 489
 FUJITA, T. *see* FUJIMOTO, Y., 92, 479
 FUJIWARA, H., KATO, N., SHUNTOH, H. & TANAKA, C. D₂-dopamine receptor-mediated inhibition of intracellular Ca²⁺ mobilization and release of acetylcholine from guinea-pig neostriatal slices, 91, 287
 FUJIWARA, M. *see* FUJII, K., 90, 355
 FUKUDA, H., HOSOKI, E., ISHIDA, Y. & MORITOKI, M. Opioid receptor types on adrenergic nerve terminals of rabbit ear artery, 86, 539
 FUKUSHI, Y. *see* ABIKO, Y., 87, 427
 FULLER, R.W., CONRADSON, T.B., DIXON, C.M.S., CROSSMAN, D.C. & BARNES, P.J. Sensory neuropeptide effects in human skin, 92, 76
 FULLER, R.W. *see* BARNES, P.J., 88, 741
 FULLER, R.W. *see* COLLIER, J.G., 81, 113
 FUMAGALLI, R. *see* CORSINI, A., 90, 255
 FURLONG, B., HENDERSON, A.H., LEWIS, M.J. & SMITH, J.A. Endothelium-derived relaxing factor inhibits *in vitro* platelet aggregation, 90, 687
 FURMAN, B.L., McKECHNIE, K. & PARRATT, J.R. Failure of drugs that selectively inhibit thromboxane synthesis to modify endotoxin shock in conscious rats, 82, 289
 FURUTA, *see* ANNO, T., 81, 41
 FURUTA, S., KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y. & SUZUKI, K. Structure-antinoceptive activity studies with neurotensin, 83, 43
 FU, W.M. & LIN-SHIAU, S.Y. Mode of stimulatory actions of cadmium ion on the mouse diaphragm, 85, 471
 FU, W.M. & LIN-SHIAU, S.Y. Mode of stimulatory actions of cadmium ion on the mouse diaphragm, 85, 471
- G**
- GADIE, B., LANE, A.C., P.S. MCCARTHY, P.S., TULLOCH, I.F. & WALTER, D.S. 2-Alkyl analogues of idazoxan (RX 781094) with enhanced antagonist potency and selectivity at central α₂-adrenoceptors in the rat, 83, 707
 GAFFEN, J.D. *see* BENNETT, A., 91, 229
 GAFFNEY, T.E. *see* BRIGHT, P.S., 84, 499
 GAGE, P.W. & MCKINNIN, D. Effects of pentobarbitone on acetylcholine-activated channels in mammalian muscle, 85, 229
 GAGE, P.W. & ROBERTSON, B. Prolongation of inhibitory postsynaptic currents by pentobarbitone, halothane and ketamine in CA1 pyramidal cells in rat hippocampus, 85, 675
 GAILLARD, G. *see* ANGLADE, F., 91, 481
 GALINA, Z.H. & KASTIN, A.J. Tyr-MIF-I attenuates antinociceptive responses induced by three models of stress analgesia, 90, 669
 GALIONE, A.G. *see* CARSWELL, H., 90, 175
 GALLENKÄMPER, W., RÜCKER, W. & SCHRÖR, K. Cardioprotective actions of pentoxifylline in an animal model of acute myocardial ischaemia, 81, 575
 GALLI, A. *see* BARTOLINI, A., 92, 711
 GALLI, A. *see* BOTTONCETTI, A., 91, 299
 GALLI, A. *see* FRIGO, G.M., 90, 31
 GALTON, S.A., & PIPER, P.J. The role of blood vessels in the bioconversion of leukotrienes in the pig, 90, 617
 GAMMAGE, M.D., FRANKLYN, J.A. & LOGAN, S.D. Effects of amiodarone and thyroid dysfunction on myocardial calcium, serum calcium and thyroid hormones in the rat, 92, 363
 —, Effects of amiodarone and thyroid dysfunction on myocardial calcium, serum calcium and thyroid hormones in the rat, 92, 363
 GARATTINI, S. *see* CECI, A., 88, 269
 GARCHA, G., IMRIE, P.R., MARLEY, E. & THOMAS, D.V. [¹⁴C]-β-phenylethylamine, its distribution after administration by various routes to cats, and the effects of monamine oxidase inhibitors, 86, 877
 GARCIA, A.G. *see* ALMAZAN, G., 81, 599
 GARCIA, A.G. *see* ARTALEJO, C.R., 88, 757
 GARCIA, A.G. *see* CEÑA, V., 81, 119
 —, 82, 143
 GARCIA, A.G. *see* CEÑA, V., 84, 299
 GARCIA, A.G. *see* CEÑA, V., 85, 691
 GARCIA, A.G. *see* ORTAS, A., 92, 795
 GARCIA, A.G. *see* ORTAS, A., 92, 795
 GARCIA-SEVILLA, J.A. & ZUBIETA, J.K. Activation and desensitization of presynaptic α₂-adrenoceptors after inhibition of neuronal uptake by anti-depressant drugs in the rat vas deferens, 89, 673
 GARCIA, S. *see* FUENMAYOR, L.D., 83, 357
 GARDINER, I.M. *see* de BELLEROCHE, J., 86, 505
 GARDINER, P.J., Characterization of prostanoid relaxant/inhibitory receptors (ψ) using a highly selective agonist, TR4979, 87, 45
 GARDINER, S.M. *see* BENNETT, T., 81, 341
 —, 85, 115
 GARDNER, C.R. *see* BOLD, J.M., 84, 689
 GARIO, B. *see* ABAJO, F.J., 91, 539
 GARNETT, M.E., GODIN, D.V. & TUCHEK, J.M. *In vivo* and *in vitro* studies of bacterial endotoxin-membrane interactions and the effects of membrane-active agents, 83, 15
 GARNIER, D. & ROULET, M.J. Vasoactivity of trimetazidine on guinea-pig isolated ductus arteriosus, 84, 517
 GARRINO, M.G. & HENQUIN, J.C. Adamantane derivatives: a new class on insulin secretagogues, 90, 583
 GARRITY, M.J. *see* BRASS, E.P., 86, 491
 GARTHWAITE, J. Cellular uptake disguises action of L-glutamate on N-methyl-D-aspartate receptors, 85, 297
 GATEAU, O. *see* BAYOL, A., 85, 569
 GATER, P.R., HAYLETT, D.G. & JENKINSON, D.H. Neuromuscular blocking agents inhibit receptor-mediated increases in the potassium permeability of intestinal smooth muscle, 86, 861
 GAUTIER, P., GUIRAUDOU, P. & SAUVIAT, M.-P. Electrophysiological effects of diclofurine on rabbit and frog atrial heart muscle, 90, 717
 —, Electrophysiological effects of diclofurine on rabbit and frog atrial heart muscle, 90, 717
 GERKENS, J.F. & SMITH, A.J. Inhibition of vasoconstriction by frusemide in the rat, 83, 363
 GERSKOWITZ, V.P. *see* BLACK, J.W., 84, 779
 —, 85, 547
 GERSON, T. *see* ERLU, D., 85, 775
 GHATEI, M.A. *see* PALMER, J.B.D., 91, 95
 GHELARDINI, C. *see* BARTOLINI, A., 92, 711
 —, 92, 711
 GIACHETTI, A., GIRALDO, E., LADINSKY, H. & MONTAGNA, E. Binding and functional profiles of selective M₁ muscarinic receptor antagonists trihexyphenidyl and dicyclomine, 89, 83
 GIANNELLA, M. *see* ANGELI, P., 85, 783
 GIANNELLA, E. *see* BLANDINA, P., 90, 459
 GIANNOTTO, B. *see* BELLONI, F.L., 85, 441
 GIBB, A.J., & MARSHALL, I.G. Examination of the mechanisms involved in tetanic fade produced by vecuronium and related analogues in the rat diaphragm, 90, 511
 GIBB, A.J. & MARSHALL, I.G. Nicotinic antagonists produce differing amounts of tetanic fade in the isolated diaphragm of the rat, 89, 619
 GIBSON, A. An oxytocin receptor in anococcygeus muscles isolated from male mice, 88, 155
 —, Complex effects of *Gillichthys* urtensis II on rat aortic strips, 91, 205
 GIESSEN, W.J. VAN DER, SCHOUTSEN, B., TIJSEN, J.G.P. & VERDOUW, P.D. Iloprost (ZK 36374) enhances recovery of regional myocardial function during reperfusion after coronary artery occlusion in the rat, 87, 23
 GILLESPIE, J.S. *see* BELL, C., 81, 563
 GILLIS, C.N., HAVILL, A.M. & MOALLI, R. Effect of nifedipine and indomethacin on pulmonary removal of prostaglandin E₁ after endotoxin in rabbits, 91, 721
 GILLIS, C.N. *see* CHEN, X., 82, 485
 GILLO, B. & LASS, Y. The mechanism of steroid anaesthetic (alphaxalone) block of ACh-induced ionic currents, 82, 783
 GINSBURG, R. *see* BRISTOW, M.R., 82, 309
 GIOTTI, A., LUZZI, S., MAGGI, C.A., SPAGNESI, S. & ZILLETI, L. Modulatory activity of GABA_B receptors on cholinergic tone

- in guinea-pig distal colon, **84**, 883
- GIOTTI, A. *see* BACCARO, C. **87**, 649
- GIOTTO, A. *see* AMERINI, A., **85**, 89
- GIRALDO, E., *see* GIACHETTI, A., **89**, 83
- GIRARD, Y., *see* CARRIER, R., **82**, 389
- GLOSSMANN, H. *see* FERRY, D.R., **84**, 811
- GNASSOUNOU, J.P. *see* ADVENIER, C., **90**, 523
- GOBBI, M. *see* CECI, A., **88**, 269
- GODENECHÉ, D. *see* BOURUT, C., **89**, 539
- GODFRAIND, T. *see* ALOSACHIE, I., **89**, 525
- GODFRAIND, T. *see* EGLÈME, C., **81**, 16
- GODFRAIND, T. *see* FINET, M., **86**, 27
- GODFRAIND, T. *see* FINET, M., **89**, 533
- GODFRAIND, T. & WIBO, M. Subcellular localization of [3 H]-nitrendipine binding sites in guinea-pig ileal smooth muscle **85**, 335
- GODIN, D.V. *see* GARNETT, M.E., **83**, 15
- GOLDIE, R.G., PAPADIMITRIOU, J.M., PATERSON, J.W., RIGBY, P.J. & SPINA, D. Autoradiographic localization of β -adrenoceptors in pig lung using [125 I]-iodocyanopindolol, **88**, 621
- GOLDIE, R.G., PAPADIMITRIOU, J.M., PATERSON, J.W., RIGBY, P.J., SELF, H.M. & SPINA, D. Influence of the epithelium on responsiveness of guinea-pig isolated trachea to contractile and relaxant agonists, **87**, 5
- GOLDIE, R.G., PATERSON, J.W., SPINA, D. & WALE, J.L. Classification of β -adrenoceptors in human isolated bronchus, **81**, 611
- GOLDSTEIN, A. *see* COX, B.M., **83**, 49
- GOLDSTEIN B.M., *see* CERVONI, P., **83**, 511
- GONZALEZ, J.P. *see* BARASI, S., **90**, 15
- GONZALEZ-GARCIA, C. *see* CENA, A.G., **84**, 299
- GONZALEZ-GARCIA, C. *see* ORTA, V., **82**, 143
- GONZALEZ-GARCIA, C. *see* CENA, A., **92**, 795
- GOODALL, J., HUGHES, I.E. & MACKAY, D. Meptazinol has a similar agonist action on opioid receptors in field-stimulated mouse vas deferens and guinea-pig ileum, **88**, 645
- , Quantification of the actions of agonists that simultaneously act on a particular type of receptor and have separate functional interactant properties, **88**, 639
- GOODALL, J., HUGHES, I.E. & MACKAY, D. Similarity of μ -opioid receptors in mouse vas deferens and guinea-pig ileum, **85**, 277
- GOOD, D.M. *see* EDWARDS, D., **88**, 899
- GOODFORD, P.J. *see* BEDDELL, C.R., **82**, 397
- GOODWIN, G.G., GREEN, A.R. & JOHNSON, P. 5-HT $_2$ receptor characteristics in frontal cortex and 5-HT $_1$ receptor-mediated head-twitch behaviour following antidepressant treatment to mice, **83**, 235
- GOODWIN, G.M. & GREEN A.R., A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5-HT $_1$ and 5-HT $_2$ -receptors, **84**, 743
- GOODWIN, G.M., *see* DE SOUZA, R.J., **89**, 377
- GOODWIN, J.A. *see* GRAY, J.A., **92**, 863
- , **92**, 863
- GOOSSENS, J., VAN REEMPTS, J. & VAN WAUWE, J.P. Cytoprotective effects of disodium cromoglycate on rat stomach mucosa, **91**, 165
- GORCZYNSKI, R.J. *see* BROWN, B.S., **87**, 87
- GORDON, D. *see* CALAM, J., **91**, 307
- GORDON, J.L. *see* FLEETWOOD, G., **90**, 219
- GOSHIMA, Y., KUBO, T. & MISU, Y. Biphasic actions of 1-DOPA on the release of endogenous noradrenaline and dopamine from rat hypothalamus slices, **89**, 229
- GÖTHERT, M. & HENTRICH, F. Identification of presynaptic β_2 -adrenoceptors on the sympathetic nerve fibres of the human pulmonary artery, **85**, 933
- GOTO, T., SATOH, K. & TAIRA, N. Bay K 8644, a dihydropyridine calcium agonist, augments vasoconstrictor responses to endogenous and exogenous noradrenaline in the peripheral vasculature of the dog, **85**, 913
- GOTZEN, R. *see* FRITSCHKA, E., **81**, 245
- GRACE, G.C., DUSTING, G.J., KEMP, B.E. & MARTIN, T.J. Endothelium and the vasodilator action of rat calcitonin gene-related peptide (CGRP), **91**, 729
- GRAHAM, C.A. *see* BALFOUR, D.J.K., **89**, 341
- GRANDORDY, B.M. *see* BARNES, P.J., **90**, 709
- GRANGER, S.E., HOLLINGSWORTH, M. & WESTON, A.H. A comparison of several calcium antagonists on uterine, vascular and cardiac muscles from the rat, **85**, 255
- , Effects of calcium entry blockers on tension development and calcium influx in rat uterus, **147**, 87, 147
- GRANGER, S.E. *see* EDWARDS, **88**, 899
- GRANIER, C. *see* CARRAWAY, R.E., **81**, 227
- GRANTHAM, C.J. *see* BAKHLE, Y.S., **91**, 849
- GRANT, T.L., McGRATH, J.C. & O'BRIEN, J.W. The influence of blood gases on α_1 - and α_2 -adrenoceptor-mediated pressor responses in the pithed rat, **86**, 63
- GRANT, T.L. *see* FLAVAHAN, N.A., **86**, 265
- GRAY, D.A., LANGRIEGER, N., RESCHMAIER, J. & SIMON, E. The effect of acetylsalicylic acid on renal function in the Peking duck, **82**, 329
- GRAY, J.A., GOODWIN, G.M. HEAL, D.J. & GREEN, A.R. Hypothermia induced by baclofen, a possible index of GABA $_B$ receptor function in mice, is enhanced by antidepressant drugs and ECS, **92**, 863
- GRAY, J.A. & GREEN, A.R. GABA $_B$ -receptor mediated inhibition of potassium-evoked release of endogenous 5-hydroxytryptamine from mouse frontal cortex, **91**, 517
- , Increased GABA $_B$ receptor function in mouse frontal cortex after repeated administration of antidepressant drugs or electroconvulsive shocks, **92**, 357
- GRAYSON, J. & OYEBOLA, D.D.O. Effect of nicotine on blood flow, oxygen consumption and glucose in canine small intestine, **85**, 797
- GREAVES, M.W. *see* BRAIN, S.D., **83**, 313
- GREBREMEDHIN, D., HADHŽY, P. & MAGYAR, K. Inhibition of quinine of endothelium-dependent relaxation of rabbit aortic strips, **92**, 827
- GREEN, A.R., HEAL, D.J. & VINCENT, N.D. The effects of single and repeated electroconvulsive shock administration on the release of 5-hydroxytryptamine and noradrenaline from cortical slices of rat brain, **92**, 25
- GREEN, A.R., JOHNSON, P., MOUNTFORD, J.A. & NIMGAONKAR, V.L. Some anticonvulsant drugs alter monoamine-mediated behaviour in mice in ways similar to electroconvulsive shock; implications for antidepressant therapy, **84**, 337
- GREEN, A.R., METZ, A., MINCHIN, M.C.W. & VINCENT, N.D. Inhibition of the rate of GABA synthesis in regions of rat brain following a convulsion, **92**, 5
- GREEN, A.R., MINCHIN, M.C.W., & VINCENT, N.D. Inhibition of GABA release from slices prepared from several brain regions of rats at various times following a convulsion, **92**, 13
- GREEN, A.R. *see* APPLEBYARD, M.E., **91**, 149
- GREEN, A.R., *see* BENNETT, G.W., **88**, 129
- GREEN, A.R., *see* DE SOUZA, R.J., **89**, 377
- GREEN, A.R. *see* GOODWIN, G.G., **83**, 235
- GREEN, A.R. *see* GOODWIN, G.M., **84**, 743
- GREEN, A.R. *see* GRAY, J.A., **91**, 517
- , **92**, 357
- , **92**, 863
- GREEN, A.R. & VINCENT, N.D. The effect of repeated electroconvulsive shock on GABA synthesis and release in regions of rat brain, **92**, 19
- GREENBERG, B., RHODEN, K. & BARNES, P. Calcitonin gene-related peptide (CGRP) is a potent non-endothelium-dependent inhibitor of coronary vasomotor tone, **92**, 789
- GREENBERG, B. *see* BARNES, P.J., **89**, 157
- GREENE, R.W., HAAS, H.L. & HERMANN, A. Effects of caffeine on hippocampal pyramidal cells *in vitro*, **85**, 163
- GREENFIELD, S.A. *see* APPLEBYARD, M.E., **91**, 149
- GREEN, P.G. & KITCHEN, I. Different effects of di-isopropylfluorophosphate on the entry to opioids into mouse brain, **84**, 657
- GREENWAY, C.V. *see* BURCZYNSKI, F.J., **91**, 651
- GREENWOOD, B. *see* EADY, R.P., **85**, 323
- GREENWOOD, H. *see* CUTHBERT, A.W., **91**, 503
- GRIEG, J. *see* FLAVAHAN, N.A., **86**, 265
- GRIESBACHER, T. & LEMBECK, F. Effect of bradykinin antagonists on bradykinin-induced plasma extravasation, venoconstriction, prostaglandin E $_2$ release, nociceptor stimulation and contraction of the iris sphincter muscle in the rabbit, **92**, 333
- GRIFFITHS, E.C., SALATER, P. & WIDDOWSON, P.S. The hypothermic action of carbachol in the rat brain periaqueductal grey area may involve neurotensin, **88**, 653
- GRIFFITHS, N.M., HEWICK, D.S., LAMB, J.F. & STEVENSON, I.H. The influence of digoxin antibodies on digoxin disposition and effect: studies in guinea-pigs and He La cells, **84**, 157
- GRIFFITHS, R.J., *see* BERRY, C.N., **87**, 327
- GRIFFITHS, R. *see* BROWN, E.A., **87**, 569
- GRIMA, M., SCHWARTZ, J., SPACH, M.O. & VELLY, J. Anti-anginal arylalkylamines and sodium channels: [3 H]-batrachotoxinin-A 20- α -benzoate and [3 H]-tetracaine binding, **89**, 641
- GRIMA, M., SCHWARTZ, J., SPACH, M.O. & VELLY, J. [3 H]-tetracaine binding on rat synaptosomes and sodium channels **86**, 125
- GRISTWOOD, R.W., JIM, K.F., MACIA, R.A., MATTHEWS, W.D., MORL, C.J. & OWEN, D.A. Evidence that oxmetidine inhibits transmembrane calcium flux in cardiac and vascular tissue, **85**, 923
- GRISTWOOD, R.W. *see* ENGLISH, T.A.H., **89**, 327
- GRIVEGNEE, A. *see* FONTAINE, J., **81**, 231
- GRONENBORN, A. *see* ANTONJUK, D.J., **81**, 309
- GROSZMANN, R.J., *see* CUMMINGS, S.A., **89**, 501
- GRYGLEWSKI, R.J., MONCADA, S. & PALMER, R.M.J. Biossary of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells, **87**, 685
- GUALTIERI, F. *see* ANGELI, P., **85**, 783
- GUDE, N.M. *see* BOURA, A.L.A., **88**, 301
- GUZEZNEC, Y. *see* CHAUOUFF, F., **86**, 33
- GUIDICELLI, J.F. *see* BERDEAUX, A., **83**, 203
- GUILLANI, S., MAGGI, C.A. & MELI, A. Differences in cardiovascular responses to peripherally administered GABA as influenced by basal conditions and type of anaesthesia, **88**, 659
- GUILEN, J.-C. *see* CANO, J.-P., **88**, 779
- GUIMARAES, J.A. *see* CARLINI, C.R., **84**, 551
- GUIMARAES, S. & PAIVA, M.Q. Postsynaptic α -adrenoceptor reserve and the shift of the concentration-response curves to the right, as caused by the irreversible α -adrenoceptor antagonist phenoxybenzamine, **92**, 505
- GUIOL, C., MONTASTRUC, J.-L. & MONTASTRUC, P. Naloxone reduces the diuretic responses induced by water, alcohol or congenial lack of vasopressin in rats, **81**, 85
- GUIRAUDOU, P. *see* GAUTIER, P., **90**, 717
- GULATI, O.D. *see* BHATT, J.D., **89**, 685
- GUNNING, S.J. *see* COSTALL, B., **91**, 263
- GUPTA, G.P. *see* BHARGAVA, K.P., **84**, 619
- GUPTA, M.B. *see* BHARGAVA, K.P., **84**, 619
- GURNEY, A.M. & RANG, H.P. The channel-blocking action of methonium compounds on rat submandibular ganglion cells, **82**, 623
- GUSTAFSSON, L. & WIKLUND, N.P. Adenosine-modulation of cholinergic and non-adrenergic non-cholinergic neurotransmission in the rabbit iris sphincter, **88**, 197
- GWATHMEY, J.K. & MORGAN, J.P. The effects of milrinone and piroximone on intracellular calcium handling in working myocardium from the ferret, **85**, 97
- GWILT, M. & WRAY, D. The effect of chronic neostigmine treatment on channel properties at the rat skeletal neuromuscular junction, **88**, 25
- GYLFE, E. & HELLMAN, B. External ATP mimics carbachol in initiating calcium mobilization from pancreatic β -cells conditioned by previous exposure to glucose, **92**, 281

H

- HAAS, H.L. *see* GREENE, R.W., **85**, 163
- HABERMAN, F. *see* COHEN, S., **83**, 807
- HACKBARTH, I. *see* BEIL, W., **88**, 19
- HACKER, S. *see* BEER, M., **92**, 827
- HADHŽY, P. & MAGYAR, K. Feedback control of arterial smooth muscle tone: the role of prostacyclin, **89**, 853
- HADHŽY, P. *see* GREBREMEDHIN, D., **92**, 827
- HAGA, K. *see* BERRIE, C.P., **82**, 839
- HAGA, N. *see* ABIKO, Y., **87**, 427

- HAGA, T. *see* BERRIE, C.P. 82, 839
 HAKANSON, R. *see* EDVINSSON, L. 83, 519
 HAKANSON, R. *see* EKBLAD, E. 86, 241
 HAKANSON, R. *see* FOLKERS, K. 83, 449
 HALLBERG, H. Central β -adrenoceptors can modulate 5-hydroxytryptamine-induced tremor in rats. 87, 403
 HALL, J.C. *see* BROWN, R.A. 85, 599
 HALL, R.A. *see* CARRIER, R. 82, 389
 HALSEY, M.J., WARDLEY-SMITH, B. & WOOD, S. Pressure reversal of alfaxalone/alphadolone and methohexitone in tadpoles: evidence for different molecular sites for general anaesthesia. 89, 299
 HALTER, F. *see* BAUMGARTNER, A. 86, 89
 HALUSHKA, P.V., KOCHER, P.J. & MAIS, D.E. Binding of thromboxane A_2 /prostaglandin H_2 agonists to human platelets. 91, 223
 HALUSHKA, P.V. *see* CUTHBERT, A.W. 82, 587 —, 82, 597 —, 83, 549
 HAMANN, M. *see* DESARMENIEN, M. 90, 287
 HAMEL, P. *see* CARRIER, R. 82, 389
 HAMID-BLOOMFIELD, S. & WHITTLE, B.J.R. Prostaglandin D_2 interacts at thromboxane receptor sites on guinea-pig platelets. 88, 931
 HAMID, S. & WHITTLE, B.J.R. Interaction of prostaglandin D_2 with prostacyclin, carbacyclin and the hydantoin prostaglandin, BW245C in guinea-pig platelets. 85, 285
 HAMILTON, C.A., REID, J.L. & VINCENT, J. Pharmacokinetic and pharmacodynamic studies with two adrenoceptor antagonists, doxazosin and prazosin in the rabbit. 86, 79
 HAMILTON, T.C., WEIR, S.W. & WESTON, A.H. Comparison of the effects of BRL34915 and verapamil on electrical and mechanical activity in rat portal vein. 88, 103
 HANDLEY, S.L. & SINGH, L. Modulation of 5-hydroxytryptamine-induced head twitch response by drugs acting at GABA and related receptors. 86, 287
 HARDY, C.C., HOLGATE, S.T. & ROBINSON, C. Evidence against the formation of 13,14-dihydro-15-keto-prostaglandin F_{2a} following inhibition of prostaglandin D_2 in man. 87, 563
 HARDY, G.W. *see* ALLAN, G. 90, 609
 HARF, A. *see* CLERICI, C. 91, 487
 HARLAND, D. *see* BROWN, M.J. 83, 657 —, 87, 361
 HARRIS, J.B. & POLLARD, S.L. Reversal of paralysis in nerve muscle preparations isolated from animals with hereditary motor endplate disease. 84, 6
 HARRIS, J.B., POLLARD, S. & TESSERAUX, I. The effects of *Anemonia sulcata* toxin II on vertebrate skeletal muscle. 86, 275
 HARRISON, D.E. *see* ASHCROFT, S.J.H. 89, 469
 HARRISON, N.L. & SIMMONDS, M.A. Quantitative studies on some antagonists of N-methyl-D-aspartate in slices of rat cerebral cortex. 84, 381
 HARRIS, P.J. *see* ANDREWS, P.L.R. 82, 833
 HÄRSING, L.G. JR. & VIZI, E.S. Release of endogenous dopamine from rat isolated striatum: effect of clorgyline and (–)-deprenyl. 83, 741
 HART, J.A.D. *see* BRECKENRIDGE, A.M. 84, 81
 HARTLEY, M.L. & PENNEFATHER, J.N. The costo-uterine muscle of the rat contains a homogeneous population of β -adrenoceptors. 84, 84
 HARTOG, J.M. *see* DUNCKER, D.J. 91, 609
 HARVEY, A.L., HIDER, R.C., HODGES, S.J. & JOUBERT, F.J. Structure-activity studies of homologues of short chain neurotoxins from Elapid snake venoms. 82, 709
 HARVEY, C.A. & OWEN, D.A. Cardiovascular studies with SK&F93319, an antagonists of histamine at both H_1 - and H_2 -receptors. 83, 427
 HARVEY, C.A. *see* BROWN, E.A. 87, 569
 HARVEY, J., HOLGATE, S.T., PETERS, B.J., ROBINSON, C. & WALKER, J.R. Oxidative transformation of arachidonic acid in human dispersed lung cells: disparity between the utilization of endogenous substrate. 86, 417
 HASHIMOTO, K. & MITSUHASHI, H. Effects of OPC-8212, a new positive inotropic agent, on canine ventricular arrhythmias. 88, 915
 HASHIMOTO, S., TANAKA, C. & TANIYAMA, K. Presynaptic muscarinic and α -adrenoceptor-mediated regulation of GABA release from myenteric neurones of the guinea-pig small intestine. 89, 178
 HASHIMOTO, T., HIRATA, M. & ITO, Y. A role for inositol 1,4,5-triphosphate in the initiation of agonist-induced contractions of dog tracheal smooth muscle. 86, 191
 HASHIMOTO, Y., HORI, R., OKUMURA, K. & YASUHARA, M. Pharmacokinetics and antiarrhythmic activity of ajmaline in rats subjected to coronary artery occlusion. 88, 71
 HATA, F., ISHIDA, H. & KONDO, E. Dopamine-induced amylase secretion from rat parotid salivary gland *in vitro*: an effect mediated via noradrenergic and cholinergic nerves. 89, 473
 HATMI, M. *see* CARMO, L.G. 85, 849
 HATTORI, T. & MAEHASHI, H. Facilitation of frog neuromuscular transmission by sodium fluoride. 92, 513
 HATTORI, Y., HAZAMA, S., KANNO, M. & NAKAO, Y. Inotropic effect of Ca^{2+} channel agonist and antagonists in neuraminidase-treated left atria of rats. 87, 299
 HAVILL, A.M. *see* GILLIS, C.N. 91, 721
 HAYASHI, E., MAEDA, T. & SHINOZUKA, K. Adenosine and dipyrindamole: actions and interactions on the contractile response of guinea-pig ileum to high frequency electrical field stimulation. 84, 765
 HAY, D.W.P., FARMER, S.G., RAEBURN, D., MUCCITELLI, R.M., WILSON, K.A. & FEDAN, J.S. Differential effects of epithelium removal on the responsiveness of guinea-pig tracheal muscle to bronchoconstrictors. 92, 381
 HAY, D.W.P. *see* FARMER, S.G. 89, 407 —, 92, 231
 HAYES, A.G., SHEEHAN, M.J. & TYERS, M.B. Determination of receptor selectivity of opioid agonists in guinea-pig ileum and mouse vas deferens by use of β -funaltrexamine. 86, 899
 —, Differential sensitivity of models of antinociception in the rat, mouse and guinea-pig, to μ - and κ -opioid receptor agonists. 91, 823
 HAYES, A.G., SKINGLE, M. & TYERS, M.B. Reversal by β -funaltrexamine of the antinociceptive effect of opioid agonists in the rat. 88, 857
 HAYES, R.J. *see* CALVETE, J.A. 83, 723
 HAYLETT, D.G. *see* GATER, P.R. 86, 861
 HAZAMA, S. *see* HATTORI, Y. 87, 299
 HEAD, R.J., LONGHURST, P.A., PANEK, P.A. & STITZEL, R.E. A contrasting effect of the diabetic state upon the contractile responses of aortic preparations from the rat and rabbit. 91, 275
 HEAGERTY, A.M., OLLERENSHAW, J.D. & SWALES, J.D. Abnormal vascular photoinositolide hydrolysis in the spontaneously hypertensive rat. 89, 803
 HEAL, D.J. *see* DE SOUZA, R.J. 89, 377
 HEAL, D.J. *see* GRAY, J.A. 92, 863
 HEAL, D.J. *see* GREEN, A.R. 92, 25
 HEAULME, M. *see* BIZIERE, K. 90, 183
 HEAVEY, D.J. *see* BARNES, P.J. 88, 741
 HEAVEY, D.J. *see* BARNES, V.F. 87, 357
 HEAVEY, D.J. *see* BARROW, S.E. 87, 243
 HEEPE, P. & STARKE, K. α -Adrenoceptor antagonists and the release of noradrenaline in rabbit cerebral cortex slices: support for the α -autoreceptor hypothesis. 84, 147
 HEHUM, T.D. *see* BARRON, B.A. 89, 713
 HEILIGERS, J. *see* DUNCKER, D.J. 89, 35
 HEINTZE, K. *see* BEIL, W. 88, 389
 HELLEWELL, P.G. & PEARSON, J.D. Purinoceptor mediated stimulation of prostacyclin release in porcine pulmonary vasculature. 83, 457
 HELLMAN, B. *see* GYLFE, E. 92, 281
 HELL, M. & SEWING, K.-F. Effect of omeprazole on eicosanoid formation in and release from guinea-pig gastric mucosal cells. 91, 69
 HEMSWORTH, B.A., SHREEVE, S.M. & VEITCH, G.B.A. Pharmacological action of some cyclic analogues of choline. 81, 685
 HEMSWORTH, B.A., SHREEVE, S.M. & VEITCH, G.B.A. 3-Hydroxy-N,N-dimethylpiperidinium: a precursor of a false cholinergic transmitter. 82, 477
 HENDERSON, A.H. *see* FURLONG, B. 90, 687
 HENDERSON, C.G. *see* CRITCHLEY, J.A.J.H. 89, 831
 HENDERSON, F. & MARSHALL, I.G. The effects of the antibiotic, primumin, on spontaneous transmitter release at the neuromuscular junction. 81, 61
 HENDRY, B.M. *see* ELLIOTT, J.R. 92, 77
 HENQUIN, J.C. *see* GARRINO, M.G. 90, 583
 HENRY, J.L. *see* COUTURE, R. 84, 637
 HENRY, P.J., LULICH, K.M. & PATERSON, J.W. Experimental testing of Mackay's model for functional antagonism in the isolated costovertebrae of the rat. 86, 131
 HENSLER, J.G. *see* DUBOCOVICH, M.L. 88, 51
 HENTRICH, F. *see* GÖTHERT, M. 85, 933
 HERMAN, A.G. *see* BULT, H. 84, 317
 HERMANN, A. *see* GREENE, R.W. 85, 163
 HERMANSSON, L.-E. & JOHANSSON, P. Post-synaptic α_1 - and α_2 -adrenoceptors in the vascular system of the herring gull, *Larus argentatus*. 89, 447
 HERRTING, G. *see* ALLGAIER, C. 92, 161
 HERRTING, G. *see* FÖRSTERMANN, U. 81, 623
 HERRTING, G. *see* ALIGAER, C. 90, 403
 HERRTING, G. *see* FEUERSTEIN, T.J. 88, 677
 HERRTING, G. *see* FÖRSTERMANN, U. 87, 521
 HERZIG, S. & MOHR, K. Action of ouabain on rat heart: comparison with its effect on guinea-pig heart. 82, 135
 —, Sodium load and high affinity ouabain binding in rat and guinea-pig cardiac tissue. 84, 685
 HERZLINGER, H. *see* CERVONI, P. 83, 511
 HESSE, I.F.A. & JOHNS, E.J. The role of α -adrenoceptors in the regulation of renal tubular sodium reabsorption and renin secretion in the rabbit. 84, 715
 HESTER, R.K., STAKE, N., UEDA, S. & YAMAHARA, J. The mode of vasorelaxant action of 2-aminoisoquinoline, 1,3(2H,4H)-dione, a novel 'intracellular' calcium inhibitor. 87, 387
 HEWICK, D.S. *see* GRIFFITHS, N.M. 84, 157
 HICKLING, N.E. *see* BARROW, S.E. 87, 243
 HICKLING, N.E. *see* BARROW, S.E. 91, 245
 HICKLING, N.E. *see* WARREN, J.B. 82, 895
 HICKMAN, M.E. *see* CUTHBERT, A.W. 91, 503
 HICKS, P.E., LANGER, S.Z. & MACRAE, A.D. Differential blocking actions of idazoxan against the inhibitory effects of 6-fluoronoradrenaline and clonidine in the rat vas deferens. 86, 141
 HIDAKA, H. *see* ASHOORI, F. 87, 15
 HIDER, R.C. *see* HARVEY, A.L. 82, 709
 HIERN, B.P. *see* ALLAN, R.D. 88, 379
 HIKINO, H. & MURAYAMA, M. Mechanism of the antinociceptive action of mesocatinine: participation of brain stem and lumbar enlargement. 85, 575
 HILDITCH, A. *see* BAKER, D.J. 81, 457
 HILDITCH, A. *see* DREW, G.M. 83, 871
 HILEY, C.R., NICHOLS, A.J. & THOMAS, G.R. Interactions between noradrenaline and α_2 -adrenoceptor agonists in the superior mesenteric arterial bed of the rat. 89, 779
 HILEY, C.R. & THOMAS, G.R. Effects of α -adrenoceptor agonists on cardiac output and its regional distribution in the pithed rat. 90, 61
 HILL, D.R. GABA_A receptor modulation of adenylate cyclase activity in rat brain slices. 84, 249
 HILLIKER, K.S. & ROTH, R.A. Alteration of mono-crotaline pyrrole-induced cardiopulmonary effects in rats by hydralazine, dexamethasone or sulphur-pyrazole. 82, 375
 HILL, J.L. *see* AULAKH, C.S. 91, 747
 HILL, R.G. *see* LEIGHTON, G.E. 92, 915
 HILL, S.J. & KENDALL, D.A. Studies on the adenosine-receptor mediating the augmentation of histamine-induced inositol phospholipid hydrolysis in guinea-pig cerebral cortex. 91, 661
 HILLS, J.M. *see* BURNSTOCK, G. 81, 533
 HILL, S.J. *see* AL-GADI, M. 85, 877 —, 91, 213
 HILL, S.J. *see* DONALDSON, J. 85, 499 —, 87, 183 —, 90, 263
 HILLYARD, P.A., NIALS, A.T., SKIDMORE, I.F. & VARDEY, C.J. Characterization of the adenosine receptor responsible for the inhibition of histamine and SRS-A release from human lung fragments. 83, 337
 HINDLEY, S.W., HOBBS, A., PATERSON, I.A. & ROBERTS, M.H.T. The effects of methyl β -carboline-3-carboxylate on social interaction and locomotor activity when microinjected into the nucleus raphe dorsalis of the rat. 86, 753
 HINDS, C.J. *see* EVANS, S.F. 83, 433

- , 83, 443
HINZE, T.H., KALEY, G. & PANZENBECK, M.J. Mechanisms of reflex bradycardia and hypotension by metabolites of arachidonic acid in the cat, 82, 117
HIRAI, K. & KATAYAMA, Y. Effect of the endogenous analgesic dipeptide, kyotorphin, on transmitter release in sympathetic ganglia, 85, 629
HIRASAWA, N., OHUCHO, K., SUGIO, K., TSURUFUJI, S., WATANABE, M. & YOSHINO, S. Vascular permeability responses and the role of prostaglandin E₂ in an experimental allergic inflammation of air pouch type in rats, 87, 751
HIRATA, M. see HASIMOTO, T., 86, 191
HIRCHE, H. see ADDICKS, K., 90, 247
HIROI, J. see CHURCH, M.K., 90, 421
HIRST, G.D.S. & LEW, M.J. Lack of involvement of α -adrenoceptors in a sympathetic neural vasoconstriction in the hindquarters of the rabbit, 90, 51
HIRST, G.D.S. see BYRNE, N.G., 86, 217
HISHINUMA, S. & UCHIDA, M.K. Effects of local anaesthetics on short-term desensitization of guinea-pig taenia caecum to histamine, 92, 733
HOBBS, A. see HINDLEY, S.W., 86, 753
HODGES, S.J. see HARVEY, A.L., 82, 709
HODGSON, W.C. see BOURA, A.L.A., 89, 613
HOF, R.P. Modification of vasopressin- and angiotensin II-induced changes by calcium antagonists in the peripheral circulation of anaesthetized rabbits, 85, 75
—, The calcium antagonists PY 108-068 and verapamil diminish the effects of angiotensin II: sites of interaction in the peripheral circulation of anaesthetized cats, 82, 51
—, Vasopressin induced myocardial depression is neurally mediated and not due to impaired coronary blood flow, 87, 611
HOF, R.P. see COOK, N.S., 86, 181
HOLCK, M. & OSTERRIEDER, W. Inhibition of myocardial Ca²⁺ channels by three dihydropyridines with different structural features: potential-dependent blockade by Ro 18-3981, 91, 61
—, Inhibition of the myocardial Ca²⁺ inward current by the class I antiarrhythmic agent, cibenzoline, 87, 705
HOLGATE, S.T. & ROBINSON, C. 6,9-deepoxy-6,9-(phenylimino)- $\Delta^6,8$ -prostaglandin I₁, thromboxane B₂ release from ionophore challenged human dispersed lung cells, 83, 603
HOLGATE, S.T. see BENYON, R.C., 92, 635
HOLGATE, S.T. see HARDY, C.C., 87, 563
HOLGATE, S.T. see HARVEY, J., 86, 417
HOLLINGSWORTH, M., AMÉDEE, T., EDWARDS, D., MIRONNEAU, J., SAVINEAU, J.P., SMALL, R.C. & WESTON, A.H. The relaxant action of BRL 34915 in rat uterus, 91, 803
HOLLINGSWORTH, M. see ABEL, M.H., 85, 263
HOLLINGSWORTH, M. see ABEL, M.H., 88, 577
HOLLINGSWORTH, M. see DOWNING S.J., 91, 735
HOLLINGSWORTH, M. see EDWARDS, D., 88, 899
HOLLINGSWORTH, M. see GRANGER, S.E., 85, 255
—, 87, 147
HOLMES, S.W. see COSTALL, B., 85, 943
HOLROYDE, M.C. The influence of epithelium on the responsiveness of guinea-pig isolated trachea, 87, 501
HOLZER, P. Stimulation and inhibition of gastrointestinal propulsion induced by substance P and substance K in the rat, 86, 305
HOLZER-PETSCH, U. & LEMBECK, F. Systemic capsaicin treatment impairs the micturition reflex in the rat, 83, 935
HOLZER-PETSCH, U., LEMBECK, F. & SEITZ, H. Contractile effects of substance P and neurokinin A in the rat stomach *in vivo* and *in vitro*, 90, 273
HOLZER-PETSCH, U. see HOLZER, P., 89, 453
HOLZER, P., HOLZER-PETSCH, U. & LEANDER, S. A tachykinin antagonist inhibits gastric emptying and gastrointestinal transit in the rat, 89, 453
HOLZER, P. & LIPPE, I.T. Substance P can contract the longitudinal muscle of guinea-pig small intestine by releasing intracellular calcium, 82, 259
HOLZER, P. see BARTHÓ, L., 90, 753
HOLZER, P. see DONNERER, J., 83, 919
HOLZER, P. & SKOFITCH, G. Release of endogenous 5-hydroxytryptamine from the myenteric plexus of the guinea-pig isolated small intestine, 81, 381
HOMEIDA, A.M. Evidence for the presence of oxytocin in the corpus luteum of the goat, 87, 673
HOMEIDA, A.M. & KHALAFALLA, A.M. Effects of oxytocin-antagonist injection of luteal regression in the goat, 90, 281
HOMMER, D.W. & CLARKE, P.B.S., 85, 827
HONDA, K., SATAKE, T., TAKAGI, K. & TOMITA, T. Effects of relaxants on electrical and mechanical activities in the guinea-pig tracheal muscle, 87, 665
HONDE, C. see BUENO, L., 82, 35
HONG, S.J. see CHANG, C.C., 87, 757
HOPE, D.B. see BOWMAN, D., 85, 197
HÖRIG, J. see FOLKERS, K., 83, 449
HORI, R. see HASHIMOTO, Y., 88, 71
HOROWITZ, J.D. see BARRY, W.H., 85, 51
HORTON, R.C., LOGAN, S.D. & WOLSTENCRAFT, J.H. A microiontophoretic study of the actions of the putative sleep factor, piperidine, in the rat brainstem, 85, 37
HOSOKAWA, T., HOWARD, R.B. & MAGUIRE, M.H. Conversion of angiotensin I to angiotensin II in the human foetoplacental vascular bed, 84, 237
HOSOKI, E. see FUKUDA, H., 86, 539
HOULT, J.R.S. & NOURSHARGH, S. Phorbol myristate acetate enhances human polymorphonuclear neutrophil release of granular enzymes but inhibits chemokinesis, 86, 533
HOULT, J.R.S. & PHILLIPS, J.A. Kinin-induced prostaglandin release in rat colon does not display serosal/mucosal 'sidedness' after epithelial removal, 88, 3
HOULT, J.R.S. see BERRY, C.N., 87, 327
HOULT, J.R.S. see NOURSHARGH, S., 91, 557
HOURANI, S.M.O. Desensitization of guinea-pig urinary bladder by the enantiomers of adenylyl 5'-(β , γ -methylene)-disphosphonate and by substance P, 82, 161
HOURANI, S.M.O. see CUSACK, N.J., 82, 255
—, 90, 791
HOWARD, R.B. see HOSOKAWA, T., 84, 237
HOWARTH, A. see AKED, D., 89, 431
HOYLE, C.H. see BURNSTOCK, G., 84, 825
HOYLE, C.H.V. see BURNSTOCK, G., 81, 533
HUANG, H.Y. see ALLGAIER, C., 92, 161
HUANG, X.D., LEE, A.Y.S., WONG, T.M., ZHAN, C.Y. & ZHAO, Y.Y. Naloxone inhibits arrhythmias induced by coronary artery occlusion and reperfusion in anaesthetized dogs, 87, 475
HUFF, M.M. see EGGLE, R.M., 91, 3
HUGHES, B. & PARRATT, J.R. The effects of the protease inhibitor, aprotinin, on the course of shock induced by endotoxin in cats, 86, 399
HUGHES, B. see ALLAN, G., 89, 183
HUGHES, D. see KEHL, S.J., 92, 573
HUGHES, I.E. & MACKAY, D. Quantification of the characteristics of antagonists exhibiting both competitive antagonism and functional interaction, 85, 271
HUGHES, I.E. see GOODALL, J., 85, 277
—, 88, 639
—, 88, 645
HUGHES, J. see LEIGHTON, G.E., 92, 915
HUGHES, P.H. see CHURCH, M.K., 85, 3
HUGLI, T.E. & MARCEAU, F. Effects of C5a anaphylatoxin and its relationship to cyclooxygenase metabolites in rabbit vascular strips, 84, 725
HUIDOBRO-TORO, J. & KULLAK, A. Excitatory neurotensin receptors on the smooth muscle of the rat fundus: possible implications in gastric motility, 84, 897
HUIDOBRO-TORO, J.P. see DONOSO, M.V., 88, 837
HUIZER, T. see DE JONG, J.W., 83, 943
HULME, E.C. see BERRIE, C.P., 82, 839
HULME, E.C. see BERRIE, C.P., 82, 853
HULME, E.C. see BERRIE, C.P., 85, 677
HUMPHREY, P.P.A. see BRADLEY, P.B., 84, 919
HUMPHREY, P.P.A. see BRADLEY, P.B., 87, 3
HUMPHREY, P.P.A. see CONNOR, H.E., 87, 417
HUMPHREY, P.P.A. see FENIUK, W., 86, 697
HUMPHRIES, R.G. see BROWN, R.A., 85, 599
HUMPHRIES, R.G. see BROWN, R.A., 85, 609
HURST, P.R. & PELOW, P.V. Impairment of protein synthesis in the rat uterus following intrauterine delivery of indomethacin, 89, 199
HUTCHESON, I.R. see WHITTLE, B.J.R., 92, 3
HYLAND, L. see DOCHERTY, J.R., 84, 573
—, 86, 335
—, 89, 77
- I
- IBENGWE, J.K. & SUZUKI, H. Changes in mechanical responses of vascular smooth muscles to acetylcholine, noradrenaline and high potassium solution in hypercholesterolemic rabbits, 87, 395
IKEMOTO, Y. see ARIMURA, H., 89, 573
ILIEN, B. see AMELLAL, M., 82, 423
ILUNDAIN, A. see AHSAN, M.A., 92, 743
IMAI, S., KAWADA, T., KIMURA, T., OHTA, H., NAKAZAWA, M. & YOSHIDA, Y. Positive inotropic and chronotropic effects of trypsin and some other proteolytic enzymes in the guinea-pig heart, 92, 55
IMAI, S., MATSUI, K., NAKAZAWA, M., TATATSUKA, N., TAKEDA, K. & TAMATSU, H. Anti-arrhythmic effects of (-)-carnitine chloride and its acetyl analogue on canine late ventricular arrhythmia induced by ligation of the coronary artery as related to improvement of mitochondrial function, 82, 533
IMAIZUMI, Y. see BANNO, H., 85, 905
IMAMURA, I., MAEYAMA, K., WADA, H. & WATANABE, T. Determination of imidazole acetic acid and its conjugate(s) levels in urine, serum and tissues of rats: studies on changes in their levels under various conditions, 82, 701
IMRIE, P.R. see GARCHA, G., 86, 877
INCE, F. see BROWN, R.A., 85, 599
IND, P.W. see BARNES, P.J., 88, 741
INOUE, M., MATSUO, T. & OGATA, N. Baclofen activates voltage-dependent and 4-aminopyridine sensitive K⁺ conductance in guinea-pig hippocampal cells maintained *in vitro*, 84, 833
—, Characterization of pre- and postsynaptic actions of (-)-baclofen in guinea-pig hippocampus, 84, 843
—, Possible involvement of K⁺-conductance in the action of γ -aminobutyric acid in the guinea-pig hippocampus, 86, 515
INOUE, T. & ITO, Y. Pre- and post-junctional actions of prostaglandin I₂, carbocyclic thromboxane A₂ and leukotriene C₄ in dog tracheal tissue, 84, 289
IRELAND, S.J. Origin of 5-hydroxytryptamine-induced hyperpolarization of the rat superior cervical ganglion and vagus nerve, 92, 407
IRELAND, S.J. & JORDAN, C.C. Pharmacological characterization of 5-hydroxytryptamine-induced hyperpolarization of the rat superior cervical ganglion, 92, 417
IRELAND, S.J., STRAUGHAN, D.W. & TYERS, M.B. Influence of 5-hydroxytryptamine uptake on the apparent 5-hydroxytryptamine antagonist potency of metoclopramide in the rat isolated superior cervical ganglion, 90, 151
IRELAND, S.J. & TYERS, M.B. Pharmacological characterization of 5-hydroxytryptamine-induced depolarization of the rat isolated vagus nerve, 90, 229
ISHADA, M. & SHINOZAKI, H. TI-233 as a glutamate channel blocker at the crayfish neuromuscular junction, 86, 105
ISHIDA, H. see HATA, F., 89, 473
ISHIDA, M. & SHINOZAKI, H. Glutamate inhibitory action of matrine at the crayfish neuromuscular junction, 82, 523
ISHIDA, Y. see FUKUDA, H., 86, 539
ISHIDA, Y. see MORITOKI, H., 92, 469
ISHII, K., SATO, Y. & TAIRA, N. Similarity and dis-similarity of the vasoconstrictor effects of Bay K 8644 on coronary, femoral, mesenteric and renal circulation of dogs, 88, 369
ISHII, K., TAIRA, N. & YANAGISAWA, T. Differential antagonism by Bay k 8644, a dihydropyridine calcium agonist, of the negative inotropic effects of nifedipine, verapamil, diltiazem and manganese ions in canine ventricular muscle, 84, 577
ISHIKAWA, M. see AZUMA, H., 88, 411

- , 88, 549
 ISHIKAWA, S. Actions of ATP and α , β -methylene ATP on neuromuscular transmission and smooth muscle membrane of the rabbit and mesenteric arteries, 86, 777
 ISHIKAWA, S., KOMORI, K., NAGAO, T. & SUZUKI, H. Effects of diltiazem on electrical responses evoked spontaneously or by electrical stimulation in the antrum smooth muscle cells of the guinea-pig stomach, 86, 789
 ITOH, M., see ANNO, T., 81, 41
 ITOH, T., KANMURA, Y., KRUIYAMA, H. & SASAGURI, T. Nitroglycerine- and isoprenaline-induced vasodilatation: assessment from the actions of cyclic nucleotides, 84, 393
 ITOH, T. see ITO, Y., 83, 667
 ITO, K. see ENOMOTO, Y., 88, 259
 ITO, Y. & ITOH, T. Effects of isoprenaline on the contraction-relaxation cycle in the cat trachea, 83, 677
 —, The roles of stored calcium in contractions of cat tracheal smooth muscle produced by electrical stimulation, acetylcholine and high K^+ , 83, 667
 ITO, Y. see HASIMOTO, T., 86, 191
 ITO, Y. see INOUE, T., 84, 289
 ITO, Y. & YOSHITOMI, T. Membrane and contractile properties of the dog ciliary muscle, 88, 629
 ITSUO, K., see ANNO, T., 81, 589
 IUVONE, T. see CARNUCCIO, R., 90, 443
 IWAMOTO, T. see MORITOKI, H., 92, 469
 IZUMA, H. Changes in the mechanical properties of the longitudinal and circular muscle tissues of the rat myometrium during gestation, 86, 247
 IZUMI, H. Release of kallikrein-like esterase and tonin from dispersed cells of the rat submandibular gland, 82, 175
- J**
- JACK, D. see BRITTAIR, R.T., 85, 843
 JACKSCH, R. see ALLGAIER, C., 92, 161
 JACKMAN, G.P. see ANGUS, J.A., 81, 201
 JACKSON, D.M. see EADY, R.P., 85, 323
 JACKSON, H.C. & SEWELL, R.E. Characterization of the effects of ($\pm$)mepitazolin, its individual enantiomers and N-methyl mepitazolin on food consumption in the rat, 88, 689
 JACOBSON, K.A. see COLLIS, M.G., 92, 69
 JACOBS, T.P. see FADEN, A.I., 81, 271
 JANSEN, I. see EDVINSSON, L., 90, 553
 JANSEN, J.D. see BOJANIC, D., 84, 131
 JANSEN, T.L. Th. A., MORICE, A.H. & BROWN, M.J. A comparison of the vasodilator responses to atrial peptides in the pulmonary and renal arteries of the pig *in vitro*, 91, 687
 JARVIS, J. see CAROLDI, S., 84, 347
 JAUREGUI, J.M. see BOU, J., 88, 95
 JAYAKODY, R.L., KAPPAGODA, C.T., SENARATNE, M.P.J. & SREEHARAN, N. Absence of calcium antagonists on endothelium-dependent relaxation in rabbit aorta, 91, 155
 JENKINSON, D.H. see COCKS, T.M., 83, 281
 JENKINSON, D.H. see GATER, P.R., 86, 861
 JENNER, P. see CHIVERS, J., 90, 467
 JENNER, P. see DAVIS, A.S., 87, 129
 JENSEN, M.S. & LAMBERT, J.D.C. Electrophysiological studies in cultured mouse CNS neurones of the actions of an agonist and an inverse agonist at the benzodiazepine receptors, 88, 717
 JHAMANDAS, K. & MARIEN, M. Glutamate-evoked release of endogenous brain dopamine: inhibition by an excitatory amino acid antagonist and an enkephalin analogue, 90, 641
 JIE-CHENG, X. see FOLKERS, K., 83, 449
 JIM, K.F. see GRISTWOOD, R.W., 85, 923
 JOHANSSON, P., JOSEFSSON, J.O. & NÄSSBERGER, L. Induction and inhibition of pinocytosis by amino-glycoside antibiotics, 83, 615
 JOHANSSON, P. see HERMANSSON, L.-E., 89, 447
 JOHNS, E.J. The influence of diltiazem and nifedipine on renal function in the rat, 84, 707
 JOHNS, E.J. & MANITIUS, J. An investigation into the α -adrenoceptor mediating renal nerve-induced calcium reabsorption by rat kidney, 89, 91
 —, A study in the rat of the renal actions of nifedipine and diltiazem on the adrenergic regulation of calcium and sodium reabsorption, 89, 99
 JOHNS, E.J. see HESSE, I.F.A., 84, 715
 JOHNSON, B.I. see FERGUSON, D.R., 84, 879
 JOHNSON, G. see COLLIER, B., 82, 827
 JOHNSON, H.G. & MCNEE, M.L. Adenosine-induced secretion in the canine trachea: modification by methyl-xanthines and adenosine derivatives, 86, 63
 JOHNSON, K.J. see DUNWIDDIE, T.V., 91, 523
 JOHNSON, M.A. see LEIGHTON, G.E., 92, 915
 JOHNSON, P. see GOODWIN, G.M., 83, 235
 JOHNSON, P. see GREEN, A.R., 84, 337
 JOHNSTON, C.I. see ABRAHAM, J.M., 89, 759
 JOHNSTON, G.A.R. see ALLAN, R.D., 88, 379
 JOHNSTON, H. & MAJEWSKI, H. Prejunctional β -adrenoceptors in rabbit pulmonary artery and mouse atria: effect of α -adrenoceptor blockade and phosphodiesterase inhibition, 87, 553
 JOHNSTON, H., MAJEWSKI, H. & MUSGRAVE, I.F. Involvement of cyclic nucleotides in prejunctional modulation of noradrenaline release in mouse atria, 91, 773
 JOHNSTON, M.G. see ALLEN, J.M., 82, 509
 JOHNSTON, S.E. see DAVIES, J., 82, 409
 JONES, C.R. see BUXTON, B.F., 92, 299
 JONES, D.R., PENNER, S.B. & SMYTH, D.D. Dietary and pharmacological alterations in endogenous angiotensin II: effect on noradrenaline pressor responsiveness in the rat, 86, 889
 JONES, R.L. see ARMSTRONG, R.A., 84, 595
 —, 87, 543
 JONES, R.L. see DONG, Y.L., 87, 97
 JONES, R.S.G. & OLPE, H.-P. An increase in sensitivity of rat cingulate cortical neurones to substance P occurs following withdrawal of chronic administration of anti-depressant drugs, 81, 659
 JONES, S.V.P. see DEMPSTER, J., 90, 299
 JONES, T.R. see CHARLETTE, L., 91, 179
 JONSSON, G. see ARCHER, T., 82, 249
 —, 89, 277
 JONZON, B. see DUNWIDDIE, T.V., 84, 625
 JORDAN, C.C. see BAILEY, S.J., 82, 441
 JORDAN, C.C. see BAILEY, S.J., 87, 79
 JORDAN, V.C., KOCH, R., MITTAL, S. & SCHNEIDER, M.R. Oestrogenic and anti-oestrogenic action in a series of triphenylbut-1-enes: modulation of prolactin synthesis *in vitro*, 87, 211
 JOSEPH, J.O. see JOHANSSON, P., 83, 615
 JOSEPH, D. see COEFFIER, E., 92, 393
 JOSE, P.J. see FORREST, M.J., 89, 719
 JOUBERT, F.J. see HARVEY, A.L., 82, 709
 JOUVE, R. see CANO, J.-P., 88, 779
 JUAN, H., PESKAR, B.A. & SIMMET, Th. Effect of exogenous 5, 8, 11, 17-icosapentaenoic acid on cardiac anaphylaxis, 90, 315
 JUNG, B. see FUDER, H., 84, 477
 JUNKIEWICZ, A. see BUSATTO, P.A., 85, 737
 JURY, J. see DANIEL, E.E., 88, 707
 JUSTEN, J.M. see SMITH, R.J., 91, 641
- K**
- KALEY, G. see HINZE, T.H., 82, 117
 KALSNER, S. Clonidine and presynaptic adrenoceptor theory, 85, 143
 KALSNER, S. & QUILLAN, M. A hypothesis to explain the presynaptic effect of adrenoceptor antagonists, 82, 515
 KAMIKAWA, Y. see FUJINUMA, S., 86, 619
 KAMIKAWA, Y. & SHIMO, Y. Contractile responses to substance P and related peptides of the isolated muscularis mucosae of the guinea-pig oesophagus, 81, 143
 KAMP, T.J., MILLER, R.J. & SANGUINETTI, M.C. Stimulation rate modulates effects of the dihydropyridine CGP 28 392 on cardiac calcium-dependent action potentials, 85, 523
 KAM, S.-T. see ANDERSON, W.G., 84, 793
 KANAYA, J. see MORITOKI, H., 92, 469
 KANE, K.A., MORCILLO-SANCHEZ, E.J., PARRATT, J.R., RODGER, I.W. & SHAHID, M. The relationship between coronary artery occlusion-induced arrhythmias and myocardial cyclic nucleotide levels in the anaesthetized rat, 84, 139
 KANE, K.A., PARRATT, J.R. & WILLIAMS, F.M. An investigation into characteristics of reperfusion-induced arrhythmias in anaesthetized rats and their susceptibility to antiarrhythmic agents, 82, 349
 KANE, K.A. see FAGBEMI, O., 83, 299
 KANEKO, M. see FUJIMOTO, Y., 92, 479
 KANMURA, Y. see ITOH, T., 83, 243
 —, 84, 393
 KANNISTO, P., OWMAN, Ch., SCHMIDT, G. & SJÖBERG, N.-O. Characterization of presynaptic 5-HT receptors on adrenergic nerves supplying the bovine ovarian follicle, 92, 487
 KANNO, M. see HATTORI, Y., 87, 299
 KAPPAGODA, C.T. see JAYAKODY, R.L., 91, 155
 KARAKI, H., KISHIMOTO, T., OZAKI, H., SAKATA, K., UENO, H. & URAKAWA, N. Inhibition of calcium channels by harmaline and other harmful alkaloids in vascular and intestinal smooth muscles, 89, 367
 KARAKI, H., MURAKAMI, K., NAKAGAWA, H. & URAKAWA, N. Nitroglycerine-induced biphasic relaxation in vascular smooth muscle of rat aorta, 81, 387
 KARAKI, H., NAGASE, H., OZAKI, H., URAKAWA, N. & WEISS, G.B. Effects of calcium channel facilitator, CGP 28, 392, on different modes of contraction in smooth muscle of rabbit and rat aorta and guinea-pig taenia caeci, 89, 423
 KARAKI, H., NAKAGAWA, H. & URAKAWA, N. Age-related changes in the sensitivity to verapamil and sodium nitroprusside of vascular smooth muscle of rabbit aorta, 85, 223
 —, Comparative effects of verapamil and sodium nitroprusside on contraction and ^{45}Ca uptake in the smooth muscle of rabbit aorta, rat aorta and guinea-pig taenia coli, 81, 393
 KARAKI, H., SAKATA, K. & SHIBATA, S. Mechanism of barium-induced contraction in the vascular smooth muscle of rabbit aorta, 88, 821
 KARLSSON, J.-A. see FINNEY, M.J.B., 85, 29
 KARMAZYN, M. A direct protective effect of sulphapyrazole on ischaemic and reperfused rat hearts, 83, 221
 KAROUM, F. N-propargylbenzylamine, a major metabolite of pargyline, is a potent inhibitor of monoamine oxidase type B in rats *in vivo*: a comparison with deprenyl, 90, 335
 KASTIN, A.J. see GALINA, Z.H., 90, 669
 KATAYAMA, Y. see HIRAI, K., 85, 677
 KATAYAMA, S. & TASAKI, K. Effects of H_1 -receptor blocking drugs on the frog sartorius neuromuscular junction, 85, 747
 KATO, E., KOKETSU, K., KUBA, K. & KUMAMOTO, E. The mechanism of the inhibitory action of adrenaline on transmitter release in bullfrog sympathetic ganglia: independence of cyclic AMP and calcium ions, 84, 435
 KATO, H. & TAKATA, Y. Differential effects of Ca antagonists on the noradrenaline release and contraction evoked by nerve stimulation in the presence of 4-aminopyridine, 90, 191
 KATO, N. see FUJIWARA, H., 91, 287
 KAUMANN, A.J. & LOBNIG, B.M. Mode of action of (-)-pindolol on feline and human myocardium, 89, 207
 KAUMANN, A.J., RICHARDS, D.E. & RUSSELL, D.A. Inhibition of the sodium pump by cardioactive DPI 201-106, 91, 3
 KAUMANN, A.J. see CUMMINGS, S.A., 89, 501
 KAUMANN, A.J. see FERRY, D.R., 84, 811
 KAUMANN, A.J. see FERRY, D.R., 90, 447
 KAWADA, T. see IMAI, S., 92, 55
 KAWAGOE, Y. see ENOMOTO, Y., 88, 259
 KAWAI, T. & WATANABE, M. Blockade of Ca-activated K conductance by apamin in rat sympathetic neurones, 87, 225
 KAWANISHI, M. see BABA, K., 84, 203
 KAZLAUSKAS, R. see ALLAN, R.D., 88, 379
 KEANE, P.E. see CRESPI, F., 87, 279
 KEDDIE, J.R. see COLLIS, M.G., 81, 401
 KEENAN, A.K. see CALLANAN, K.M., 83, 841
 KEEN, M. see BERRIE, C.P., 82, 853
 —, 85, 677

- KEHL, S.J., HUGHES, D. & MCBURNEY, R.N. A patch clamp study of γ -aminobutyric acid (GABA)-induced macroscopic currents in rat melanotrophs in cell culture, **57**, 573
- KEIR, R.F. *see* ALABASTER, V.A., **88**, 607
- KEITH, R.A. & SALAMA, A.I. Individual variation of prostanoid agonist responses in rabbit aorta: evidence for the independent regulation of prostanoid receptor sub-types, **92**, 133
- KELLY, E. *see* BORKOWSKI, K.R., **88**, 943
- KELLY, M.E. *see* COSTALL, B., **83**, 733
- , **85**, 943
- KELLY, S.S., MORGAN, G.P. & SMITH, J.W. The origin of (+)-tubocurarine resistance in dystrophic mice, **89**, 47
- KEMP, B.E. *see* GRACE, G.C., **91**, 729
- KEMP, J.A., MARSHALL, G.R., WONG, G.R. & WOODRUFF, G.N. The affinities, potencies and efficacies of some benzodiazepine-receptor agonists, antagonists and inverse-agonists at rat hippocampal GABA_A-receptors, **91**, 601
- KEMP, J.A., MARSHALL, G.R. & WOODRUFF, G.N. Quantitative evaluation of the potencies of GABA-receptor agonists and antagonists using the rat hippocampal slice preparation, **87**, 677
- KENAKIN, T.P. The relative contribution of affinity and efficacy to agonist activity: organ selectivity of noradrenaline and oxymetazoline with reference to the classification of drug receptors, **81**, 131
- KENAKIN, T.P. & PIKE, N.B. An *in vitro* analysis of purine-mediated renal vasoconstriction in rat isolated kidney, **90**, 373
- KENAWY, S. *see* EL-GHAZALY, M., **85**, 45
- KENDALL, D.A. *see* HILL, S.J., **91**, 661
- KENNEDY, C. & KRIER, J. [Met⁵]enkephalin acts via δ -opioid receptors to inhibit pelvic nerve-evoked contractions of cat distal colon, **92**, 291
- , δ -Opioid receptors mediate inhibition of fast excitatory postsynaptic potentials in cat parasympathetic colonic ganglia, **92**, 437
- KENNEDY, C. *see* BURNSTOCK, G., **82**, 359
- KENNY, B.A. *see* EGLEN, R.M., **90**, 693
- KEROUAC, R. *see* COUTURE, R., **91**, 265
- KERR, D.I.B. & ONG, J. Bicarbonate-dependence of responses to ethylenediamine in the guinea-pig isolated ileum: involvement of ethylenediamine-monomerocarbamate, **90**, 763
- , Evidence that ethylenediamine acts in the isolated ileum of the guinea-pig by releasing endogenous GABA, **83**, 169
- KERRY, P.J. & PATON, C.J. Increased sensitivity of arachidonic acid-induced platelet aggregation in the presence of carbon dioxide, **81**, 125
- KERRY, P.J. *see* BARROWCLIFFE, T.W., **92**, 129
- KERRY, R., SCRUTTON, M.C. & WALLIS, R.B. Mammalian platelet adrenoceptors, **81**, 91
- KESSEL, D. *see* CUTHBERT, A.W., **83**, 549
- KHALAFALLA, A.M. *see* HOMEIDA, A.M., **90**, 281
- KHAYYAL, M.T. *see* EL-GHAZALY, M., **85**, 45
- KHOURY, G. *see* FINET, M., **86**, 27
- KHOYI, M.A. *see* CEÑA, V., **85**, 691
- KIDAMA, I. *see* ANNO, T., **81**, 41
- , **81**, 589
- KIDRIĆ, M., PETROVIĆ, J., ŠOŠKIĆ, V. & TRAJKOVIĆ, D. Solubilization of dopamine-D₂ receptors from synaptosomal membranes of the bovine caudate nucleus, **83**, 687
- KIGOSHI, S. *see* MURAMATSU, I., **92**, 901
- KILBINGER, H. & PFEUFFER-FRIEDERICH, I. Two types of receptors for 5-hydroxytryptamine on the cholinergic nerves of the guinea-pig myenteric plexus, **85**, 529
- KIMURA, I., KIMURA, M. & KIMURA, M. Modification by dantrolene, procaine and saxamethonium of caffeine-induced changes in aequorin luminescence transients and twitch tensions of directly-stimulated diaphragm muscle of the mouse, **86**, 319
- , Potassium induces relaxation and hyperpolarization of circular muscles but contraction of longitudinal muscles of pig duodenum, **83**, 187
- KIMURA, M. *see* KIMURA, I., **83**, 187
- , **86**, 319
- KIMURA, T. *see* IMAI, S., **92**, 55
- KING, A.E. *see* CORRADETTI, R., **86**, 19
- KING, K.A. & PANG, C.C.Y. Cardiovascular effects of injections of vasopressin into the nucleus tractus solitarius in conscious rats, **90**, 531
- KING, R.G. *see* BOURA, A.L.A., **88**, 301
- , **89**, 613
- KINGSBURY, A. *see* ATTERWILL, C.K., **83**, 89
- KIRBY, G.C. & McQUEEN, D.S. Characterization of opioid receptors in the cat carotid body involved in chemosensory depression *in vivo*, **88**, 889
- , Effects of the antagonists MDL 72222 and ketanserin on responses of cat carotid body chemoreceptors to 5-hydroxytryptamine, **83**, 259
- KIRKEPAR, S.M. *see* CEÑA, V., **82**, 143
- KIRKLAND, S.C. *see* CUTHBERT, A.W., **86**, 3
- , **91**, 503
- KIRKPATRICK, K. *see* ALLCORN, R.J., **89**, 647
- KIRPEKAR, S.M. *see* CEÑA, A.G., **84**, 299
- KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y., SATO, T., SUZUKI, K. & WATANABE, H. Dermorphin analogues containing μ -kynorphin: structure-antinociceptive relationships in mice, **87**, 183
- KISARA, K. *see* FURUTA, S., **83**, 43
- KISHIMOTO, T. *see* KARAKI, H., **89**, 367
- KITABGI, P. *see* CARRAWAY, R.E., **81**, 227
- KITAGAWA, K. *see* MORITOKI, H., **92**, 469
- KITAMURA, K. *see* TERADA, K., **92**, 615
- KITAZAWA, T., KONDO, H. & TEMMA, K. α_2 -Adrenoceptor-mediated contractile response to catecholamines in smooth muscle strips isolated from rainbow trout stomach (*Salmo gairdneri*), **89**, 259
- KITCHEN, I. *see* BAILEY, C.C., **91**, 119
- KITCHEN, I. *see* GREEN, P.G., **84**, 657
- KITTLER, R. *see* FRITSCHKA, E., **81**, 245
- KLAUS, W. *see* DZIMIRI, N., **91**, 31
- KLEMM, K. *see* BEIL, W., **88**, 389
- KLOCKGERTHER, T., PARDOWITZ, L., SCHWARZ, M., SONTAG, K.-H. & TURSKI, L. Evaluation of the muscle relaxant properties of a novel β -carboline, ZK 93423 in rats and cats, **86**, 357
- KNEEN, G. *see* BEDDELL, C.R., **82**, 397
- KOBAYASHI, M., OCHI, R. & OHIZUMI, Y. Maitotoxin-activated single calcium channels in guinea-pig cardiac cells, **92**, 665
- KOBAYASHI, M., OHIZUMI, Y. & TASUMOTO, T. The mechanism of action of maitotoxin in relation to Ca^{2+} movements in guinea-pig and rat cardiac muscles, **86**, 385
- KOBRINSKY, E. & SAXON, M. Biphasic inotropic effects of a Ca^{2+} channel activator CGP28392 in rat myocardium: possible relation to intracellular Ca^{2+} release, **92**, 499
- KOCHEL, P.J. *see* HALUSHKA, P.V., **91**, 223
- KOCH, R. *see* JORDAN, V.C., **87**, 211
- KODAMA, I. *see* ANNO, T., **88**, 277
- KO, J.-L. *see* CHANG, C.C., **87**, 757
- KOKETSU, K. *see* AKASU, T., **84**, 525
- KOKETSU, K. *see* KATO, E., **84**, 435
- KOLEY, B., KOLEY, J. & SAHA, J.K. The effects of nicotine on spontaneous contractions of cat urinary bladder *in situ*, **83**, 347
- KOLEY, J. *see* KOLEY, B., **83**, 347
- KOLLER, K. *see* COCKS, T.M., **83**, 281
- KOMORI, K. *see* ISHIKAWA, S., **86**, 789
- KOMORI, K. & SUZUKI, H. Heterogeneous distribution of muscarinic receptors in the rabbit saphenous artery, **92**, 657
- KOMORI, S. & OHASHI, H. Nerve pathways involved in adrenergic regulation of electrical and mechanical activities in the chicken rectum, **90**, 121
- , Presynaptic, muscarinic inhibition of non-adrenergic, non-cholinergic neuromuscular transmission in the chicken rectum, **82**, 73
- KONDO, E. *see* HATA, F., **89**, 473
- KONDO, H. *see* KITAZAWA, T., **89**, 259
- KONDO, N. Electrophysiological effects of Ca antagonists, tetrodotoxin, [Ca], and [Na], on myocardium of hibernating chipmunks: possible involvement of Na-Ca exchange mechanism, **91**, 315
- KONISHI, S. *see* AKAGI, H., **84**, 663
- KOPIN, I.J. *see* ANGUS, J.A., **81**, 201
- KORNER, P.I. *see* ANGUS, J.A., **81**, 201
- KORTH, M. & KÜHLKAMP, V. Muscarinic receptors mediate negative and positive inotropic effects in mammalian ventricular myocardium: differentiation by agonists, **90**, 81
- KOSKINEN, L.D. Effects of raised intracranial pressure on regional cerebral blood flow: a comparison of effects of naloxone and TRH on the microcirculation in partial cerebral ischaemia, **85**, 489
- KOSKINEN, L.-O. D. Effect of low intravenous doses of TRH, acid-TRH and cyclo-(His-Pro) on cerebral and peripheral blood flows, **87**, 509
- KOSTERLITZ, H.W., PATERSON, S.J., ROBSON, L.E. & TAYNOR, J.R. Effects of cations on binding, in membrane suspensions, of various opioids at μ -sites of rabbit cerebellum and κ -sites of guinea-pig cerebellum, **91**, 431
- KOSTERLITZ, H.W. *see* CORBETT, A.D., **85**, 665
- , **89**, 245
- KOSTERLITZ, H.W. *see* COTTON, R., **84**, 927
- KO, W.W.W. *see* CHAN, M.-Y., **90**, 537
- KRAMER, C. *see* DUQUE, R.E., **88**, 463
- KRELL, R.D. & KUSNER, E.J. Differential effect of cyclo-oxygenase inhibition on antigen- and ionophore-induced release of slow reacting substance from fragmented guinea-pig lung, **82**, 871
- KRIER, J. *see* KENNEDY, C., **92**, 291
- , **92**, 437
- KRSTEV, E., McPHERSON, G.A., MALTA, E., MOLENAAR, P. & RAPER, C. Is Ro03-7894 an irreversible antagonist at β -adrenoceptor sites? **82**, 501
- KRUML, G. *see* SCHNEIDER, W., **92**, 87
- KUBA, K. & NOHMI, M. Role of ion conductance changes and of the sodium-pump in adrenaline-induced hyperpolarization of rat diaphragm muscle fibres, **91**, 671
- KUBA, K. *see* KATO, E., **84**, 435
- KÜBLER, W. *see* DART, A.M., **81**, 475
- KUBO, T. *see* GOSHIMA, Y., **89**, 229
- KUDO, Y., NIWA, H., TANAKA, A. & YAMADA, L. Actions of picrotoxinin and related compounds on the frog spinal cord: the role of a hydroxyl-group at the 6-position in antagonizing the actions of amino acids and presynaptic inhibition, **81**, 373
- KUDO, Y. & OGURA, A. Glutamate-induced increase in intracellular Ca^{2+} concentration in isolated hippocampal neurons, **89**, 191
- KUDO, Y. & SHIBATA, S. Effects of caroverine and diltiazem on synaptic responses, L-glutamate-induced depolarization and potassium efflux in frog spinal cord, **83**, 813
- KU, E.C. *see* AMBLER, J., **86**, 497
- KÜGELGEN, O.V. *see* ALLGAIER, C., **90**, 403
- KÜHLKAMP, V. *see* KORTH, M., **90**, 81
- KUHN, D.M., WOLF, W.A. & YODUM, M.B.H. 5-Hydroxytryptamine release *in vivo* from a cytoplasmic pool: studies on the 5-HT behavioural syndrome in reserpinized rats, **84**, 121
- KULLAK, A. *see* DONOSO, M.V., **88**, 837
- KULLAK, A. *see* HUIDOBRO-TORO, J., **84**, 897
- KUMADA, K. *see* FUJII, K., **90**, 355
- KUMAMOTO, E. *see* KATO, E., **84**, 435
- KUMAR, R., REAVILL, C. & STOLTERMAN, I.P. Nicotine cue in rats: effects of central administration of ganglion-blocking drugs, **90**, 239
- KUMAR, R. *see* CLARKE, P.B.S., **82**, 233
- KURASHI, K. *see* FUJII, K., **90**, 355
- KURIYAMA, H. *see* ITOH, T., **83**, 243
- , **84**, 393
- KURIYAMA, H. *see* TERADA, K., **92**, 615
- KUSNER, E.J. *see* KRELL, R.D., **82**, 871
- KWOK, Y.N. *see* BAKICH, V., **82**, 791

L

- LABAT, C. *see* BAYOL, A., **85**, 569
- LABEDZ, T. *see* SCHACHTER, M., **92**, 851
- LADD, R. *see* DALE, M.M., **83**, 293
- LADINSKY, H. *see* GIACHETTI, A., **89**, 83
- LAEGREID, W.W. *see* BREEZE, R.G., **82**, 809
- LAKE, G.M. *see* BULT, H., **84**, 329
- LAGENTE, V. *see* BOUKILI, M.A., **89**, 349
- LAI, F.M. *see* CERVONI, P., **83**, 511
- LAITINEN, L.A., LAITINEN, M.A. & WID- DICOMBE, J.G. Dose-related effects of pharmacological mediators on tracheal vascular resistance in dogs, **92**, 703
- LAITINEN, M.A. *see* LAITINEN, L.A., **92**, 703
- LALANNE, C., MIRONNEAU, C., MIRONNEAU, J. & SAVINEAU, J.P. Contractions of rat uterine smooth muscle induced by acetylcholine and angiotensin II in Ca^{2+} -free medium, **81**, 317
- LAMBERT, J.D.C. *see* ENGBERG, I., **81**, 215
- LAMBERT, J.D.C. *see* JENSEN, M.S., **88**, 717
- LAMBERT, J.J. *see* COTTRELL, G.A., **90**, 479

- LAMB, J.F. *see* GRIFFITHS, N.M., 84, 157
 LAMBRECH, G. & PARNHAM, M.J. Kadsurenone distinguishes between different platelet activating factor receptor subtypes on macrophages and polymorphonuclear leucocytes, 87, 287
 LAM, F.Y. *see* BOWMAN, W.C., 84, 259
 LANDRY, Y. *see* AMELLAL, M., 82, 423
 —, 85, 819
 LANE, A.C. *see* GADIE, B., 83, 707
 LANGER, S.Z. *see* HICKS, P.E., 86, 141
 LANGLET, F. *see* CANO, J.-P., 88, 779
 LANGRIEGER, N. *see* GRAY, D.A., 82, 329
 LANIYONU, A.A. *see* FARMER, S.G., 82, 883
 LANTHORN, T.H. *see* FAGG, G.E., 86, 743
 LARGE, W.A. *see* BRAYDEN, J.E., 89, 163
 LARGE, W.A. *see* BYRNE, N.G., 83, 751
 —, 86, 217
 —, 86, 705
 —, 88, 6
 —, 91, 89
 —, 92, 371
 LARGE, W.A. & SIM, J.A. A comparison between mechanisms of action of different nicotinic blocking agents on rat submandibular ganglia, 89, 583
 LARSEN, B. *see* ANDERSSON, K.-E., 81, 293
 LASER, J.A. *see* BRISTOW, M.R., 82, 309
 LASS, Y. *see* GILLO, B., 82, 783
 LAUDE, D. *see* CHAOULOFF, F., 86, 33
 LAUNAY, N. *see* BOSCHI, G., 90, 745
 LAVIDIS, N.A. *see* EINSTEIN, R., 83, 853
 —, 83, 863
 LEACH, K.L. *see* SMITH, R.J., 91, 641
 LEANDER, S. *see* FOLKERS, K., 83, 449
 LEANDER, S. *see* HOLZER, P., 89, 453
 LE BARS, D. *see* DICKENSON, A.H., 92, 271
 LECCHINI, S. *see* FRIGO, G.M., 90, 31
 LEDDA, F. & MANTELLI, L. Difference between the prejunctional effects of phenylephrine and clonidine in guinea-pig isolated atria, 81, 491
 LEE, A.Y.S. *see* HUANG, X.D., 87, 475
 LEE, C.-M. Potentiation by cholinergic agonists of contractions to field stimulation of rat vas deferens, 86, 671
 LEEMAN, E. *see* KITABGI, P., 81, 227
 LEES, I.W. *see* DAFNICHIO, L., 91, 701
 LEE-TSANG-TAN, L. *see* ALLAN, G., 89, 149
 LEEUWEN, R.S., WAL, VAN DER, J.K. & SPANJER, W. Interactions of cholinesterase inhibitors and glucocorticoids with ketamine and pentobarbitone-induced general anaesthesia in the rat: possible effects on central cholinergic activity, 82, 339
 LEFER, A.M., MÜLLER, H.F. & SMITH, J.B. Patho-physiological mechanism of sudden death induced by platelet activating factor, 83, 125
 LEFER, A.M. *see* DARIUS, H., 84, 735
 LEFEVRE, R.A. *see* DE BEURME, F.A., 91, 171
 LEFEVRE, R.A. *see* DUPONT, A.G., 91, 493
 LEFF, P. & MARTIN, G.R. Peripheral 5-HT₂-like receptors. Can they be classified with the available antagonists? 88, 585
 LEFF, P., MARTIN, G.R. & MORSE, J.M. Application of the operational model of agonism to establish conditions when functional antagonism may be used to estimate agonist dissociation constants, 85, 655
 —, Differential classification of vascular smooth muscle and endothelial cell 5-HT receptors by use of tryptamine analogues, 91, 321
 —, The classification of peripheral 5-HT₂-like receptors using tryptamine agonist and antagonist analogues, 89, 493
 LEFF, P. *see* BARRETT, V.J., 87, 487
 LEFF, P. *see* BLACK, J.W., 84, 561
 —, 84, 779
 —, 86, 581
 —, 86, 589
 —, 89, 547
 LEFF, P. *see* DOUGALL, I.G., 92, 723
 LEFORT, J., ROTILIO, D., VARGAFTIG, B.B. The platelet-independent release of thromboxane A₂ by Paf-acether from guinea-pig lungs involves mechanisms distinct from those for leukotriene, 82, 565
 LEFORT, J. *see* BOUKILI, M.A., 89, 349
 LEFORT, J. *see* DESOULI, A., 84, 801
 LEFORT, J. *see* RANDOM, J., 92, 683
 LEIGH, P.J. & MacDERMOT, J. Desensitization of prostacyclin responsiveness in a neuronal hybrid cell line: selective loss of high affinity receptors, 85, 237
 LEIGHTON, G.E., JOHNSON, M.A., MEECHAM, K.G., HILL, R.G. & HUGHES, J. Pharmacological profile of PD 117302, a selective κ -opioid agonist, 92, 915
 LEIJTEN, P.A.A. & VAN BREEMAN, C. The relationship between noradrenaline-induced contraction and ⁴⁵Ca efflux stimulation in rabbit mesenteric artery, 89, 739
 LELLOUCH-TUBIANA, A. *see* BOUKILI, M.A., 89, 349
 LEMBECK, F. *see* AMANN, 90, 727
 LEMBECK, F. *see* BARTHÖ, L., 90, 753
 LEMBECK, F. *see* DONNERER, J., 83, 919
 —, 85, 61
 LEMBECK, F. *see* GRIESBACHER, T., 92, 333
 LEMBECK, F. *see* HOLZER-PETSCHÉ, U., 83, 935
 —, 90, 273
 LEME, J.G. *see* FORTES, Z.B., 83, 635
 LEPRÁIN, I. *see* DARIUS, H., 84, 735
 LEPRÁIN, I., PARRATT, J.R., SZEKERES, L. & WAINWRIGHT, C.L. The effects of metoprolol and dazmegrel, alone and in combination, on arrhythmias induced by coronary artery occlusion in conscious rats, 86, 229
 LEPRÁIN, I. *see* BULLOCK, G.R., 86, 235
 LESLIE, G.C. & PART, N.J. The action of dantrolene sodium on individual fast and slow motor units of the rat anaesthetized with urethane, 81, 351
 LESLIE, G.C. *see* FARQUHAR, R., 88, 79
 LEUNG, K.B.P. & PEARCE, F.L. A comparison of histamine secretion from peritoneal mast cells of the rat and hamster, 81, 693
 LEVINSKY, L. *see* DUNCKER, D.J., 91, 609
 LEVY-TOLEDANO, S. *see* ENOUF, J., 81, 509
 LEWANDER, A. *see* ARCHER, T., 85, 581
 LEWIS, A.L. *see* BEST, R., 82, 107
 LEWIS, G.P. *see* EMMS, H., 84, 243
 —, 86, 557
 —, 87, 109
 LEWIS, G.P. *see* FAN, T.-P.D., 81, 361
 LEWIS, M.J. *see* FURLONG, B., 90, 687
 LEWIS, P.E. *see* DOWNES, C.P., 88, 231
 LEWIS, S. *see* BOTTOMLEY, K.M.K., 81, 195
 LEW, M.J. *see* ANGUS, J.A., 81, 423
 LEW, M.J. *see* HIRST, G.D.S., 90, 51
 LEW, M.J. & WHITE, T.D. Release of endogenous ATP during sympathetic nerve stimulation, 92, 349
 LEW, R. & SUMMERS, R.J. Autoradiographic localization of β -adrenoceptor subtypes in guinea-pig kidney, 85, 341
 LIBRI, V. *see* DE SARRO, G.B., 90, 675
 LICHEY, J. *see* CASALS-STENZEL, J., 91, 799
 LIDBURY, P. *see* ALLAN, G., 85, 547
 LI, D.M.F. *see* DUSTING, G.J., 87, 29
 LIGHTON, C. *see* BENNETT, G.W., 88, 129
 LIM, S.P. & MUIR, T.C. Mechanisms underlying the electrical and mechanical responses of the guinea-pig internal anal sphincter to field stimulation and to drugs, 86, 427
 LINDENMEYER, M., SPÖRRI, S., STÄUBLI, M., STÜDER, A. & STÜDER, H. Does amiodarone affect heart rate by inhibiting the intracellular generation of triiodothyronine from thyroxine? 82, 275
 LINDGREN, E. *see* FREDHOLM, B.B., 86, 509
 LINDGREN, S. & SIMMONDS, M.A. Adaptation of the GABA_A-receptor complex in rat brain during chronic elevation of GABA by ethanolamine O-sulphate, 91, 617
 LINDSTRÖM, K. *see* FREDHOLM, B.B., 86, 509
 LINEHAM, J.H. *see* DAWSON, C.A., 81, 449
 LINGLE, C.J. *see* ALBERT, J., 87, 771
 LIN-SHAU, S.Y. *see* FU, W.M., 85, 471
 LIPE, S. & SUMMERS, R.J. Autoradiographic analysis of the distribution of β -adrenoceptors in the dog splenic vasculature, 87, 595
 LIPPE, I.T. *see* HOLZER, P., 82, 259
 LITTLE, H.J. The effects of benzodiazepine agonists, inverse agonists and Ro 15-1788 on the responses of the superior cervical ganglion to GABA *in vitro*, 83, 57
 LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. Acute and chronic effects of the benzodiazepine receptor ligand FG 7142: proconvulsant properties and kindling, 83, 951
 —, The effects of drugs acting at the GABA_A-receptor/ionophore after chemical kindling with the benzodiazepine receptor ligand FG 7142, 88, 507
 LITTLE, H.J. *see* DOLIN, S.J., 88, 909
 LIVETT, B.G. & MARLEY, P.D. Effects of opioid peptides and morphine on histamine-induced catecholamine secretion from cultured, bovine adrenal chromaffin cells, 89, 327
 LIVINGSTON, A., LOW, J. & MORRIS, B. Effects of clonidine and xylazine on body temperature in the rat, 81, 189
 LIVINGSTON, A. *see* NOLAN, A., 92, 527
 LOBNIG, B.M. *see* KAUMANN, A.J., 89, 207
 LOCH, S. *see* CALIXTO, J.B., 85, 189
 LODGE, D. *see* BERRY, S.C., 83, 179
 LOEFFLER, J.-P. *see* DEMENEIX, B.A., 82, 183
 LOGAN, S.D. *see* GAMMAGE, M.D., 92, 363
 LOGAN, S.D. *see* HORTON, R.C., 85, 37
 LOGRANO, M. & REIBALDI, A. Receptor-responses in fresh human ciliary muscle, 87, 379
 LOIACONO, R.E., RAND, M.J. & STORY, D.F. Interaction between the inhibitory action of acetylcholine and the α -adrenoceptor autinhibitory feedback system on release of [PH]-noradrenaline from rat atria and rabbit ear artery, 84, 697
 LOIRAND, G. *see* DAQUET, C., 92, 535
 LOIZOU, G.D. *see* CUSACK, N.J., 90, 791
 LONG, C.J., SARAU, H.M. & BERKOWITZ, B.A. The inhibition of release of endothelium-derived relaxant factor by monoaloe, a potent inhibitor of phospholipase A₂, 92, 843
 LONGHURST, P.A. *see* HEAD, R.J., 91, 275
 LONGRIDGE, D.J. *see* SCHACHTER, M., 92, 851
 LORD, J.A.H. *see* DETTMAR, P.W., 89, 361
 LOTE, C.J., McVICAR, A.J. & THEWLES, A. Reduction of urinary excretion of PGE₂ and 6 keto PGF_{1 α} by tiaprofenic acid, 85, 7
 LOT, T.Y. The consequences of loss followed by recovery of noradrenergic nerve function on muscarinic receptors in the chick extensor secundarius muscle, 90, 635
 LOUBATIERES-MARIANI, M.M. *see* BERT-RAND, G., 91, 783
 LOUBATIERES-MARIANI, M.M. *see* CHAPAL, J., 83, 927
 —, 86, 565
 LOW, J. *see* LIVINGSTON, A., 81, 189
 LOWRY, P.J. *see* CORDER, R., 90, 785
 LUKE, V.S. *see* ATCHISON, W.D., 89, 731
 LULICH, K.M. *see* HENRY, P.J., 86, 131
 LÜLLMANN, H. & MOHR, K. High and concentration-proportional accumulation of [3H]-nitrendipine by intact cardiac tissue, 90, 567
 LÜLLMANN, H. & SCHWARZ, B. Effects of amino-glycoside antibiotics on bound calcium and contraction in guinea-pig atria, 86, 799
 LUPP, A. *see* FEUERSTEIN, T.J., 88, 677
 LUZZI, S. *see* GIOTTI, A., 84, 883
 LYNN, B. *see* BARANOWSKI, R., 89, 267
 MCCULLOCH, J. *see* EDVINSSON, L., 85, 403

M

- MacDERMOT, J. *see* ARMSTRONG, R.A., 87, 543
 MacDERMOT, J. *see* CROSSMAN, D., 92, 695
 MacDERMOT, J. *see* EDWARDS, R.J., 90, 501
 MacDERMOT, J. *see* LEIGH, P.J., 85, 237
 MacDONALD, A. & McGRATH, J.C. Post-natal development of functional neurotransmission in rat vas deferens, 82, 25
 MacDONALD, D.M. *see* ARCHER, C.B., 85, 109
 MACIA, R.A. *see* GRISTWOOD, R.W., 85, 923
 MacINTYRE, I. *see* CROSSMAN, D., 92, 695
 MACKAY, D. *see* GOODALL, J., 85, 277
 —, 88, 639
 —, 88, 645
 MACKAY, D. *see* HUGHES, I.E., 85, 271
 MACKAY, M.J. *see* CHEUNG, D.W., 86, 117
 MACKAY, M.J. *see* CHEUNG, D.W., 88, 363
 MACKENZIE, J.E., MARSHALL, R.J. & PARRATT, J.R. The haemodynamic and metabolic effects of tolmesoxide with special reference to impaired myocardial function, 89, 313
 MACK, J.A., NIELSON, C.P., STEVENS, D.L. & VESTAL, R.E. β -Adrenoceptor-mediated modulation of calcium ionophore activated polymorphonuclear leucocytes, 88, 417
 MacLAGAN, J. *see* BLABER, L.C., 86, 723
 MacLAGAN, J. *see* FRYER, A.D., 83, 973
 MacLAGAN, J. *see* FAULKNER, D., 88, 181

- MACLENNAN, S.J. *see* McGRATH, J.C., 84, 199
 MACLEOD, B.A. *see* CURTIS, M.J., 83, 373
 —, 86, 663
 MACQUIN-MAVIER, I. *see* CLERICI, C., 91, 487
 MACRAE, A.D. *see* HICKS, P.E., 86, 141
 MACRAE, I.M. *see* BELL, C., 81, 563
 MACVINISH, L.J. *see* BAIRD, A.W., 91, 857
 MACVINISH, L.J. *see* CUTHBERT, A.W., 86, 3
 —, 91, 503
 MADELMONT, J.-C. *see* BOURUT, C., 89, 539
 MAEDA, T. *see* HAYASHI, E., 84, 765
 MAEHASHI, H. *see* HATTORI, T., 92, 513
 MAEYAMA, K. *see* IMAMURA, I., 82, 701
 MAGEE, D.F., NARUSE, S. & PAP, A. Comparison of the action of cholinomimetics and pentagastrin on gastric secretion in dogs, 84, 347
 MAGGI, C.A., MELI, A. & SANTICIOLI, P. Four motor effects of capsaicin on guinea-pig distal colon, 90, 651
 MAGGI, C.A. *see* GIOTTI, A., 84, 883
 MAGGI, C.A. *see* GUILIANI, S., 88, 659
 MAGNUSSON, O. *see* ARCHER, T., 85, 581
 MAGOS, L. *see* CAROLDI, S., 84, 347
 MAGUIRE, E.D. *see* AMBLER, J., 86, 497
 MAGUIRE, M.H. *see* BRAMMER, J.P., 82, 61
 MAGUIRE, M.H. *see* HOSOKAWA, T., 84, 237
 MAGURA, I.S. *see* BURDYGA, Th.V., 88, 523
 MAGYAR, K., NGUYEN, T.T., TÖRÖK, T.L. & TÖTH, P.T. The action of excess potassium and calcium on ouabain-evoked $[^3H]$ -noradrenaline release from the rabbit pulmonary artery, 87, 63
 MAGYAR, K. *see* GREBREMEDHIN, D., 92, 827
 MAGYAR, K. *see* HADHÁZY, P., 89, 853
 MAHONEY, D.P. *see* BARDEN, A.E., 82, 493
 MAIER, M. *see* BINDER, R.R., 88, 569
 MAILMAN, D. Morphine-neural interactions on canine intestinal absorption and blood flow, 81, 263
 MAIS, D.E. *see* HALUSHKA, P.V., 91, 223
 MAJCHERCZYK, S., MIKULSKI, A., SJÖLANDER, M. & THORÉN, P. Increase of renal sympathetic nerve activity by metoprolol or propranolol in conscious spontaneously hypertensive rats, 91, 711
 MAJEWSKI, H. *see* JOHNSTON, H., 87, 553
 MAJEWSKI, H. *see* JOHNSTON, H., 91, 773
 MALANCHÈRE, E. *see* BOKULI, M.A., 89, 349
 MALCANGIO, M. *see* BARTOLINI, A., 92, 711
 MALIK, K.U. *see* COOPER, C.L., 82, 679
 MALLARKEY, G. & SMITH, G.M. A comparative study of the involvement of the prostaglandin H_2 thromboxane A_2 pathway in intravascular platelet aggregation in guinea-pigs and rats, 84, 425
 —, *In vivo* platelet aggregation in the rat: dependence on extracellular divalent cation and inhibition by non-steroidal anti-inflammatory drugs, 81, 31
 MALMBERG-AIELLO, P. *see* BARTOLINI, A., 92, 711
 MALTA, E., MIAN, M.A. & RAPER, C. The *in vitro* pharmacology of xamoterol (ICI 118, 587), 85, 179
 MALTA, E. *see* KRSTEW, E., 82, 501
 MALTA, E. *see* McPHERSON, G.A., 82, 897
 MANITUIS, J. *see* JOHNS, E.J., 89, 91
 —, 89, 99
 MANNAIONI, P.F. *see* BLANDINI, P., 90, 459
 MANTEGAZZA, P., TAMMISO, R., ZAMBOTTI, F. & ZONTA, N. Purinergic involvement in morphine antinociception, 83, 883
 MANTELLI, L. *see* LEDDA, F., 81, 491
 MANZANARES, J. *see* DELGADO, C., 87, 317
 MARAGNO, I. *see* DORIGO, P., 87, 623
 MARALT, R. *see* BOURUT, C., 89, 539
 MARASCO, W.A. *see* DUQUE, R.E., 88, 463
 MARCEAU, F. *see* BOUTHILLIER, J., 92, 257
 MARCEAU, F. *see* HUGLI, T.E., 84, 725
 MARCOLI, M. *see* FRIGO, G.M., 90, 31
 MARDER, E. *see* ALBERT, J., 87, 771
 MARGOLIUS, H.S. *see* CUTHBERT, A.W., 82, 587
 —, 82, 597
 MARGOLIUS, H.S. *see* CUTHBERT, A.W., 83, 549
 MARIEN, M. *see* JHAMANDAS, K., 90, 641
 MARISCAL, S. *see* ACEVES, J., 84, 417
 MARLEY, E. *see* GARCHA, G., 86, 877
 MARLEY, P.D. *see* LIVETT, B.G., 89, 327
 MARQUIS, V.O. *see* COLE, O.F., 84, 587
 MARRIOTT, A.S. *see* CLOSE, S.P., 85, 320
 MARRIOTT, J.F. An investigation of the actions of diltiazem on rat aorta exposed to acute hypoxia followed by re-oxygenation, 92, 451
 MARSDEN, C.A. & MARTIN, K.F. Involvement of $5-HT_{1A}$ - and α_2 -receptors in the decreased 5-hydroxytryptamine release and metabolism in rat supra-chiasmatic nucleus after intravenous 8-hydroxy-2-(*n*-dipropylamino) tetralin, 89, 277
 MARSDEN, C.A. *see* BENNETT, G.W., 88, 129
 MARSDEN, C.A. *see* BRAZELL, M.P., 86, 209
 MARSDEN, C.D. *see* CHIVERS, J., 90, 467
 MARSDEN, C.D. *see* DAVIS, A.S., 87, 129
 MARSHALL, G.R. *see* KEMP, J.A., 87, 677
 —, 91, 601
 MARSHALL, I.G. *see* DEMSTER, J., 90, 299
 MARSHALL, I.G. *see* GIBB, A.J., 89, 619
 —, 90, 511
 MARSHALL, I.G. *see* HENDERSON, F., 81, 61
 MARSHALL, I. *see* AL-KAZWINI, S.J., 88, 173
 MARSHALL, K. & SENIOR, J. A study of the effect of a single dose of tamoxifen on uterine hyperaemia and growth in the rat, 92, 429
 —, The effect of mepyrmine and ranitidine on the oestrogen and anti-oestrogen stimulated rat uterus, 89, 251
 MARSHALL, R.J. *see* BARRON, E., 89, 603
 MARSHALL, R.J. *see* BROWN, J., 86, 7
 MARSHALL, R.J. *see* MACKENZIE, J.E., 89, 313
 MARTI-BONMATI, E. *see* BRAGE, R., 89, 627
 MARTIN, G.R. *see* BARRETT, V.J., 87, 487
 MARTIN, G.R. *see* LEFF, P., 85, 655
 —, 88, 585
 —, 89, 493
 —, 91, 321
 MARTIN, K.F. *see* MARSDEN, C.A., 89, 277
 MARTIN, K.J. & VYAS, S. Increase in acetylcholine concentrations in the brain of 'old' rats following treatment with the pyridoxin (Encephabol) 90, 561
 MARTIN, R.J. γ -Aminobutyric acid- and piperazine-activated single-channel from *Ascaris suum* body muscle, 84, 445
 MARTIN, R.J. *see* CULLEN, K.D., 82, 659
 MARTIN, T.J. *see* GRACE, G.C., 91, 729
 MARTIN, W., MORGAN, R.O., SMITH, J.A. & WHITE, D.G. Atropine II-induced relaxation of rabbit aorta is potentiated by M&B 22, 948 but not blocked by haemoglobin, 89, 557
 MARTIN, W., SMITH, J.A. & WHITE, D.G. The mechanisms by which haemoglobin inhibits the relaxation of rabbit aorta induced by nitrovasodilators, nitric oxide, or bovine retractor penis inhibitory factor, 89, 563
 MARTORANA, M. *see* BARRON, E., 89, 603
 MASAKI, M. & SHINOZAKI, H. A new class of potent centrally acting muscle relaxants: pharmacology of oxazolindones in rat decerebrate rigidity, 89, 219
 MASCOLO, N. *see* AUTORE, G., 81, 347
 MASINI, E. *see* BLANDINI, P., 90, 459
 MASON, D.F.J., MEDBANK, S., REES, L.H. Circulating $[Me]$ enkephalin and catecholamine responses to acute hypotension in anaesthetized greyhounds, 91, 103
 MASSINGHAM, R. *see* BOU, J., 88, 95
 MATHERS, D. *see* CHOW, P., 88, 541
 MATHIE, A. *see* BLAKELEY, A.G.H., 88, 807
 MATHY, M.J., THOOLEN, M.J.C., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Sgd 101/75 cardiovascular effects in various animal preparations; interactions with vascular postjunctional α_1 - and α_2 -adrenoceptors, 81, 255
 MATSUI, K. *see* IMAI, S., 82, 533
 MATSUMURA, H. *see* ABIKO, Y., 87, 427
 MATSUO, T. *see* INOUE, M., 84, 833
 —, 84, 843
 —, 86, 515
 MATTHEWS, E.K. & MESLER, D.E. Photodynamic effects of erythrosine on the smooth muscle cells of guinea-pig taenia coli, 83, 555
 MATTHEWS, E.K. & SHOTTON, P.A. Efflux of ^{86}Rb from rat and mouse pancreatic islets: the role of membrane depolarization, 83, 831
 —, The control of ^{86}Rb efflux from rat isolated pancreatic islets by the sulphonylureas tolbutamide and glibenclamide, 82, 689
 MATTHEWS, W.D. *see* GRISTWOOD, R.W., 85, 923
 MATTILA, M.J. & SALONEN, R.O. Modification by betamethasone of the effects of bronchodilator drugs on cholinergic bronchoconstriction in rats, 83, 607
 MATUCCI, R. *see* BACCARO, C., 87, 649
 MAY, C.N. & PEART, W.S. Stimulation and suppression of renin release from incubations of rat renal cortex by factors affecting calcium flux, 89, 173
 MAYER, E. *see* DART, A.M., 81, 475
 MAYER, N. *see* SCHNEIDER, W., 92, 87
 MCAULEY, B.J. *see* BRISTOW, M.R., 82, 309
 MCBURNEY, R.M. *see* KEHL, S.J., 92, 573
 MCCAIG, D.J. Autonomic responses of the isolated, innervated trachea of the guinea-pig: interaction with autonomic drugs, histamine and 5-hydroxytryptamine, 88, 239
 —, Comparison of autonomic responses in the trachea isolated from normal and albumin-sensitive guinea-pigs, 92, 809
 —, Effects of sympathetic stimulation and applied catecholamines on mechanical and electrical response to stimulation of the vagus nerve in guinea-pig isolated trachea, 91, 385
 —, Electrophysiology of neuroeffector transmission in the isolated, innervated trachea of the guinea-pig, 89, 793
 MCCARTHY, P.S. *see* GADIE, B., 83, 707
 MCCORMICK, M.E. *see* AKED, D., 89, 431
 MCCULLOCH, M.W., PAPANICOLAOU, M. & RAND, M.J. Evidence for autoinhibition of stimulation-induced noradrenaline release from *in vivo* deferentia of guinea-pig and rat, 86, 455
 McDONALD, F.M. *see* ADDICKS, K., 90, 247
 McDONALD, F.M. *see* FAGBEMI, O., 83, 299
 McEWAN, J. *see* CROSSMAN, D., 92, 695
 McGRATH, J.C. α -Adrenoceptor antagonism by apoxyhimbine and some observations on the pharmacology of α -adrenoceptors in the rat anococcygeus and vas deferens, 82, 769
 McGRATH, J.C., MACLENNAN, S.J. & STUART-SMITH, K. Characterization of the receptor mediating contraction of human umbilical artery by 3-hydroxytryptamine, 84, 199
 McGRATH, J.C. & O'BRIEN, J.W. Blockade by nifedipine of response to intravenous bolus injection or infusion of α_1 and α_2 -adrenoceptor agonists in the pithed rat, 91, 355
 McGRATH, J.C. *see* BOWMAN, A., 85, 869
 McGRATH, J.C. *see* BULLOCH, J.M., 91, 457
 McGRATH, J.C. *see* DOCHERTY, J.R., 82, 9
 McGRATH, J.C. *see* FLAVAHAN, N.A., 86, 265
 McGRATH, J.C. *see* GRANT, T.L., 86, 63
 McGRATH, J.C. *see* McDONALD, A., 82, 25
 McHALE, N.G. *see* BURKE, E.F., 82, 509
 McIntOSH, C. *see* BAKICH, V., 82, 791
 McKEAN, C.E. *see* BULLOCH, J.M., 91, 457
 McKECHNIE, K. *see* FURMAN, B.L., 82, 289
 McKINNIEN, D. *see* GAGE, P.W., 85, 229
 McKNIGHT, A.T. *see* CORBETT, A.D., 85, 665
 McLACHLAN, E.M. *see* CASSELL, J.F., 91, 259
 McLoughlin, J.V. *see* ANWYL, R., 82, 609
 —, 82, 615
 McMICHAEL, R.F. *see* BARBIERI, E.J., 82, 199
 McNEE, M.L. *see* JOHNSON, H.G., 86, 63
 McPHERSON, G.A., MALTA, E., MOLENAAR, P. & RAPER, C. The affinity and efficacy of the selective β_1 -adrenoceptor stimulant Ro 363 at β_1 - and β_2 -adrenoceptor sites, 82, 897
 McPHERSON, G.A. *see* KRSTEW, E., 82, 501
 McQUEEN, D.S. & MIR, A.K. Changes in carotid body amine levels and effects of dopamine on respiration in rats treated neonatally with capsaicin, 83, 909
 McQUEEN, D.S. & RIBEIRO, J.A. Pharmacological characterization of the receptor involved in chemoreexcitation induced by adenosine, 88, 615
 McQUEEN, D.S. *see* KIRBY, D.S., 83, 259
 McQUEEN, D.S. *see* KIRBY, G.C., 88, 889
 McVICAR, A.J. *see* LOTE, C.J., 85, 7
 MEDBANK, S. *see* MASON, D.F.J., 91, 103
 MEDEIROS, Y.S. *see* BALLEJO, G., 89, 515
 MEDGETT, I.C. & RANJANAYAGAM, M.A.S. Effects of reduced calcium ion concentration and of diltiazem on vasoconstrictor responses to noradrenaline and sympathetic nerve stimulation in rat isolated tail artery, 83, 889
 MEECHAM, K.G. *see* LEIGHTON, G.E., 92, 915
 MELAMED, E. & YODIM, M.B.H. Prevention of dopaminergic toxicity of MPTP in mice by phenylethylamine, a specific substrate of type B monoamine oxidase, 86, 529
 MELDRUM, L.A. *see* BURNSTOCK, G., 82, 369
 —, 84, 431
 MELHUISH, P.B. *see* BENNETT, A., 91, 229
 MELI, A. *see* GUILIANI, S., 88, 659

- MELL, A. *see* MAGGI, C.A., 90, 651
 MELUISH, P.B. *see* BENNETT, A., 86, 693
 MENNINI, T. *see* CECI, A., 88, 269
 MESLER, D.E. *see* MATTHEWS, E.K., 83, 555
 METZ, A. *see* GREEN, A.R., 92, 5
 MEYER, D.K. *see* CONZELMANN, U., 89, 845
 MEYNIEL, G. *see* BOURUT, C., 89, 539
 MIAN, M.A. *see* MALTA, E., 85, 179
 MIASIRO, N., PAIVA, T.B., PEREIRA, C.C. & SHUMUTA, S. Reactivity to bradykinin and potassium of the isolated duodenum from rats with genetic and renal hypertension, 85, 639
 MICHEL, A.D. *see* EGLEN, R.M., 90, 693
 MICHEL, A.D. & WHITING, R.L. Direct binding studies on ileal and cardiac muscarinic receptors, 92, 755
 MICHEL-DAMASE, C. *see* ANGLADE, F., 91, 481
 MIDDLETON, B. *see* BELL, G.D., 81, 183
 MIETTO, L. *see* BATTISTELLA, A., 88, 457
 MIHALIDOU, A.S. *see* EINSTEIN, R., 92, 445
 MIHARA, S. & NORTH, R.A. Opioids increase potassium conductance in submucous neurones of guinea-pig caecum by activating δ -receptors, 88, 315
 MIKE, P. *see* CHIDECKEL, E.W., 89, 27
 —, 92, 609
 MIKKELSEN, E. Comparison of effects of a new dihydropyridine, Bay K 8644, and nifedipine on spontaneous mechanical activity in rat portal vein, 85, 383
 MIKULISHKI, A. *see* MAJCHERCZYK, S., 91, 711
 MILLER, J.A. & RICHTER, J.A. Effects of anticonvulsants *in vivo* on high affinity choline uptake *in vitro* in mouse hippocampal synaptosomes, 84, 19
 MILLER, K.W. *see* BRASWELL, L.M., 83, 305
 MILLER, L., SHAW, J.S. & WHITING, E.M. The contribution of intrinsic activity to the actions of opioids *in vitro*, 87, 595
 MILLER, R.C., MONY, M., SCHINI, V., SCHOEFFTER, P. & STOCLET, J.C. Endothelial mediated inhibition of contraction and increase in cyclic GMP levels evoked by the α -adrenoceptor agonist B-HT 920 in rat isolated aorta, 83, 903
 MILLER, R.C., SCHOEFFTER, P. & STOCLET, J.C. Insensitivity of calcium-dependent endothelial stimulation in rat isolated aorta to the calcium entry blocker, flunarizine, 85, 481
 MILLER, R.C. *see* EGLÈME, C., 81, 16
 MILLER, R.C. & STOCLET, J.-C. Modulation by endothelium of contractile responses in rat aorta in absence and presence of flunarizine, 86, 655
 MILLER, R.J. *see* FRIEL, D.D., 88, 425
 MILLER, R.J. *see* KAMP, T.J., 85, 523
 MILL, J.G. & NETO, F.R. Electrophysiological effects of labetalol on canine atrial, cardiac Purkinje fibres and ventricular muscle, 92, 627
 MINCHIN, M.C.W. *see* GREEN, A.R., 92, 5
 —, 92, 13
 MINER, W.D. & SANGER, G.J. Inhibition of cisplatin-induced vomiting by 5-hydroxytryptamine M-receptor antagonism, 88, 497
 MINOBE, W. *see* BRISTOW, M.R., 82, 309
 MINOR, B.G. *see* ARCHER, T., 89, 277
 MINUTI, P. *see* BACCARO, C., 87, 649
 MIR, A.K. *see* McQUEEN, D.S., 83, 909
 MIR, A.K. *see* SPEDDING, M., 92, 457
 MIRONNEAU, C., MIRONNEAU, J. & SAVINEAU, J.P. Maintained contractions of rat uterine smooth muscle incubated in a Ca^{2+} -free solution, 82, 735
 MIRONNEAU, C. *see* AMÉDÉE, T., 88, 873
 MIRONNEAU, C. *see* LALANNE, C., 81, 317
 MIRONNEAU, J. *see* AMÉDÉE, T., 88, 873
 MIRONNEAU, J. *see* HOLLINGSWORTH, M., 91, 803
 MIRONNEAU, J. *see* MIRONNEAU, C., 82, 735
 MIRONNEAU, C. *see* DACQUET, C., 92, 203
 —, 92, 535
 MIRONNEAU, J. *see* DACQUET, C., 92, 203
 —, 92, 535
 MISHIMA, S., MIYAHARA, H. & SUZUKI, H. Transmitter release modulated by α -adrenoceptor antagonists in the rabbit mesenteric artery: a comparison between noradrenaline outflow and electrical activity, 83, 537
 MISHIMURA, E. *see* BAKICH, V., 82, 791
 MISRA, A.L., PONTANI, R.B. & VADLAMANI, L. Potentiation of morphine analgesia by caffeine, 84, 789
 MISU, Y. *see* GOSHIMA, Y., 89, 229
 MITCHELL, H.W. Pharmacological studies into cyclo-oxygenase, lipoxygenase and phospholipase in smooth muscle contraction in the isolated trachea, 82, 549
 MITCHELL, J.F. The British Pharmacological Society and its Journals, 82, 545
 MITCHELL, J.W. *see* NAYLER, R.A., 92, 173
 MITCHELL, M.R., POWELL, T., TERRAR, D.A. & TWIST, V.W. Ryanodine prolongs Ca-currents while suppressing contraction in rat ventricular muscle cells, 81, 13
 —, Strontium, nifedipine and 4-aminopyridine modify the time course of the action potential in cells from rat ventricular muscle, 81, 551
 —, The effects of ryanodine, EGTA and low-sodium on action potentials in rat and guinea-pig ventricular myocytes: evidence for two inward currents during the plateau, 81, 543
 MITCHELL, P.D., SMITH, G.W., WELLS, E. & WEST, P.A. Inhibition of Uptake₁ by doxepamine hydrochloride *in vitro*, 92, 265
 MITCHELL, W. *see* BROWN, F., 84, 853
 MITCHELSON, F. *see* CHOO, L.K., 87, 733
 MITCHELSON, F. & ZIEGLER, A. The effect of gallamine, gallopamil and nifedipine on responses to acetylcholine and carbachol in the taenia of the guinea-pig caecum, 83, 145
 MITOLO-CHIEPPA, D. *see* BENOIT, E., 87, 291
 —, 90, 7
 MITSUHASHI, H. *see* HASHIMOTO, K., 88, 915
 MIWA, K. & TODA, N. Regional differences in the response to vasoconstrictor agents of dog and monkey isolated coronary arteries, 82, 295
 MIYAHARA, H. *see* FUJII, K., 84, 675
 MIYAHARA, H. *see* MISHIMA, S., 83, 537
 MIYAHARA, H. & SUZUKI, H. Effects of tyramine on noradrenaline outflow and electrical responses induced by field stimulation in the perfused rabbit ear artery, 86, 405
 MIYAZAKI, M. *see* AKIBA, T., 89, 703
 MOALLI, R. *see* CHEN, X., 82, 485
 MOALLI, R. *see* GILLIS, C.N., 91, 721
 MOHRINGE, B. *see* ARCHER, T., 85, 581
 MOHR, K. *see* HERZIG, S., 82, 135
 —, 84, 685
 MOHR, K. *see* LÜLMANN, H., 90, 567
 MOLENAAR, J.P. *see* BUXTON, B.F., 92, 299
 MOLENAAR, P. *see* KRSTEW, E., 82, 501
 MOLENAAR, P. *see* McPHERSON, G.A., 82, 897
 MOLYDAS, P.-A. & SPERELAKIS, N. Effects of calcium antagonistic drugs on the electrical activity of rabbit sinoatrial node, 88, 249
 MONCADA, S. *see* BAKHLE, Y.S., 86, 55
 MONCADA, S. *see* FITZGERALD, M.F., 88, 149
 MONCADA, S. *see* GRYGLEWSKI, R.J., 87, 685
 MONCADA, S. *see* RADOMSKI, M.W., 92, 181
 —, 92, 639
 MONTAGNA, E. *see* GIACHETTI, A., 89, 83
 MONTASTRUC, J.-L. *see* GUIOL, C., 81, 85
 MONTASTRUC, P. *see* ANGLADE, F., 91, 481
 MONTASTRUC, P. *see* GUIOL, C., 81, 85
 MONTGOMERY, W.W. *see* EGLEN, R.M., 91, 6
 MONTIEL, C. *see* ALMAZAN, G., 81, 599
 MONTIEL, C. *see* CENA, V., 81, 119
 MONTESTRUC, J.L. *see* ANGLADE, F., 91, 481
 MONY, M. *see* MILLER, R.C., 83, 903
 MOOCHHALA, S.M. & SAWYOK, J. Hyperalgesia produced by intrathecal substance P and related peptides: desensitization and cross desensitization, 82, 381
 MOORE, P.K. *see* BERRY, C.N., 87, 327
 MORALES-OLIVAS, F.J. *see* AGUILAR, M.-J., 88, 501
 MORATINOS, J., OLMEDILLA, B., PABLOS, I. DE & VIGUERAS, M.D. α -Adrenoceptor involvement in catecholamine-induced hyperglycaemia in conscious fasted rabbits, 89, 55
 MORCILLO, E.J. *see* CORTIJO, J., 83, 161
 —, 83, 161
 MORCILLO-SANCHEZ, E.J. *see* KANE, K.A., 84, 139
 MOREAN, D. *see* BRALET, J., 84, 9
 MORGAN, G.F. *see* ALLEN, S.L., 88, 473
 MORGAN, G.P. *see* ALLEN, S.L., 86, 843
 —, 87, 109
 —, 89, 395
 MORGAN, G.P. *see* BOYLE, J.P., 90, 733
 MORGAN, G.P. *see* KELLY, S.S., 89, 47
 MORGAN, J.P. *see* GWATHMEY, J.K., 85, 97
 MORGAN, R.O. *see* MARTIN, W., 89, 557
 MORICE, A.H. *see* JANSEN, T.L. TH. A., 91, 687
 MORIO, Y. *see* ENOMOTO, Y., 88, 259
 MORITA, K. *see* CHERUBINI, E., 81, 617
 —, 85, 805
 MORITOKI, H., IWAMOTO, T., KANAYA, J., ISHIDA, Y., ANDO, K. & KITAGAWA, K. Capsaicin enhances the non-adrenergic twitch response of rat vas deferens, 92, 469
 MORITOKI, H. *see* FUKUDA, H., 86, 539
 MORL, C.J. *see* GRISTWOOD, R.W., 85, 923
 MORLEY, J. *see* ARCHER, C.B., 85, 109
 MORONI, F. *see* BONGIANNI, F., 88, 561
 MORRE, M. *see* CRESPI, F., 87, 279
 MORRIS, B. *see* LIVINGSTON, A., 81, 189
 MORRISON, K.E. *see* ACEVES, J., 84, 417
 MORSE, J.M. *see* LEFF, P., 85, 655
 —, 89, 493
 —, 91, 321
 MORTON, A.J. An investigation of the role of adrenergic innervation in the regulation of the extraneuronal uptake of [3 H]-isoprenaline into the rat vasa deferentia and atria, 91, 333
 —, A role for corticosterone in the *in vivo* regulation for the extraneuronal uptake of [3 H]-isoprenaline into rat atria, 91, 347
 —, The effect of reserpine treatment on the extraneuronal uptake of [3 H]-isoprenaline into rat atria, 86, 287
 MORTON, I.K.M. *see* BAILEY, S.J., 87, 79
 MORTON, I.K.M. *see* BAKHLE, Y.S., 87, 463
 MORTON, I.K.M. *see* FEATHERSTONE, R.L., 87, 73
 MOSES, M.A. & SNELL, C.R. The regulation of γ -opioid receptor density on 108CC15 neuroblastoma $\times$ glioma hybrid cells, 81, 169
 MOUNDANGA, J.L. *see* BOUCHER, M., 89, 119
 MOUNTFORD, J.A. *see* JOHNSON, P., 84, 337
 MUCCITELLI, R.M. *see* HAY, D.W.P., 92, 381
 MUGABO, P. *see* BELPAIRE, F.M., 88, 697
 MUGELLI, A. *see* AMERINI, A., 85, 89
 MUIR, T.C. *see* BEATTIE, D.T., 89, 235
 MUIR, T.C. *see* BYRNE, N.G., 85, 149
 MUIR, T.C. *see* CUNNANE, T.C., 92, 39
 MUIR, T.C. *see* LIM, S.P., 86, 427
 MUKHOPADHYAY, A. *see* DOUGLAS, J.S., 83, 697
 MULAY, S. & VARMA, D.R. Influence of streptozotocin-diabetes on the pharmacokinetics, placental transfer and tissue localization of dexamethasone in rats, 83, 139
 MULDERY, P.K. *see* PALMER, J.B.D., 91, 95
 MÜLLER, H.F. *see* LEFER, A.M., 83, 125
 MULVANY, M.J. *see* AALKJAER, C., 86, 447
 MUNDAY, K.A. *see* COX, H.M., 82, 891
 —, 87, 201
 —, 90, 393
 MURAKAMI, K. *see* KARAKI, H., 81, 387
 MURAKOSHI, T., SUZUE, T. & TAMAI, S. A pharmacological study on respiratory rhythm in the isolated brainstem-spinal cord preparation of the newborn rat, 86, 85
 MURAMATSU, I. Evidence for sympathetic, purinergic transmission in the mesenteric artery of the dog, 87, 478
 —, The effect of reserpine on sympathetic, purinergic neurotransmission in the isolated mesenteric artery of the dog, a pharmacological study, 91, 467
 MURAMATSU, I. & KIGOSHI, S. Purinergic and non-purinergic innervation in the cerebral arteries of the dog, 92, 901
 MURAYAMA, M. *see* HIKINO, H., 85, 575
 MURPHY, D.L. *see* AULAKH, C.S., 91, 747
 MURPHY, R.L.W. & SMITH, M.E. Effects of diacylglycerol and phorbol ester on acetylcholine release and action at the neuromuscular junction in mice, 90, 327
 MUSCHOLL, E. *see* FUDER, H., 86, 905
 MUSGRAVE, I.F. *see* JOHNSTON, H., 91, 773
 MUSTAFA, M.B.H. *see* O'DONNELL, S.R., 92, 221
 MYLECHARANE, E.J. *see* DUNCKER, D.J., 89, 35
 NAFTALIN, R.J. *see* AHSAN, M.A., 92, 743

- NAGAO, T. see ISHIKAWA, S., 86, 789
 NAGASE, H. see KARAKI, H., 89, 423
 NAHORSKI, S.R. see BOJANIC, D., 84, 131
 NAHORSKI, S.R. see COOK, N., 92, 587
 NAJAZAWA, M. see IMAI, S., 92, 55
 NAKAGAWA, H. see HARAKI, H., 85, 223
 NAKAGAWA, H. see KARAKI, H., 81, 387
 —, 81, 393
 NAKAJIMA, M. see AZUMA, T., 88, 549
 NAKAJIMA, T., NOMOTO, K., OHFUNE, Y., SHIRATORI, Y., TAKEMOTO, T., TAKEUCHI, H. & WATANABE, K. Effects of glutamic acid analogues on identifiable giant neurones, sensitive to β -hydroxy-L-glutamic acid, of an African giant snail (*Achatina fulica* Ferussac) 86, 645
 NAKAMOTO, M., TANAKA, C. & TANIYAMA, K. Release of γ -aminobutyric acid and acetylcholine by neurotensin in guinea-pig ileum, 90, 545
 NAKAO, Y. see HATTORI, Y., 87, 299
 NAKAYA, H. & TOHSE, N. Electrophysiological effects of acetyl glyceryl ether phosphorylcholine on cardiac tissues: comparison with lysophosphatidylcholine and long chain acyl carnitine, 89, 749
 NAKAZAWA, M. see IMAI, S., 82, 533
 NAKOA, K. see TERADA, K., 92, 615
 NALINE, E. see ADVENIER, C., 88, 33
 NANJO, T. Effects of noradrenaline and acetylcholine on electromechanical properties of the guinea-pig portal vein, 81, 427
 NARAHASHI, T. see ATCHISON, W.D., 82, 667
 —, 89, 731
 NARUMIYAMA, S., OKUMA, M. & USHIKUBI, F. Binding of radioiodinated 13-azapine thromboxane antagonist to platelets: correlation with antiaggregatory activity in different species, 88, 323
 NARUMIYA, S. & TODA, N. Different responsiveness of prostaglandin D₂-sensitive systems to prostaglandin D₂ and its analogues, 85, 367
 NARUSE, S. see MAGEE, D.F., 84, 347
 NÄSSBERGER, L. see JOHANSSON, P., 83, 615
 NASSER, N. see BEST, R., 82, 107
 NATHANSON, J.A. ICI 118,551: an effective ocular hypotensive agent with selectivity for the ciliary process β -adrenoceptor and with minimal cardiac side effects, 83, 821
 NAWRATH, H., SACK, U. & ZONG, X.-G. Antimuscarinic action of quinidine on the heart? A study in myocardial preparations from cat hearts, 81, 103
 NAYLER, R.A. & MITCHELL, H.W. Airway hyperreactivity and bronchoconstriction induced by vanadate in the guinea-pig, 92, 173
 NAYLER, W.G. see DILLON, J.S., 90, 99
 NAYLOR, R.J. see COSTALL, B., 83, 733
 —, 85, 943
 —, 91, 263
 —, 92, 881
 NELSON, W.T. see COX, B.M., 83, 49
 NETO, F.R. see MILL, J.G., 92, 627
 NEUFANG, B. see FEUERSTEIN, T.J., 88, 677
 NEUFANG, B. see FÖRSTERMANN, U., 82, 765
 NEUFANG, B. see FÖRSTERMANN, U., 87, 521
 NEUFANG, B. see FÖRSTERMANN, U., 81, 623
 NEWBERRY, N.R. & PRIESTLEY, T. Pharmacological differences between two muscarinic responses of the rat superior cervical ganglion *in vitro*, 92, 817
 NEWGREEN, D.T. see BRAY, K.M., 91, 421
 NEYLON, C.B. & SUMMERS, R.J. [3 H]-rauwolscine binding to β_2 -adrenoceptors in the mammalian kidney: apparent receptor heterogeneity between species, 85, 349
 —, Stimulation of α_1 -adrenoceptors in rat kidney mediates increased inositol phospholipid hydrolysis, 91, 367
 NGUYEN, B.T. & STADTSBAEDER, S. Comparative effects of cotrimoxazole (trimethoprim-sulphamethoxazole) and spiramycin mice infected with *Toxoplasma gondii* (Beverly strain), 85, 713
 NGUYEN, T.T. see MAGYAR, K., 87, 63
 NIALS, A.T. see HILLYARD, P.A., 83, 337
 NICHOLAS, G.P. see ALMAZAN, G., 81, 599
 NICHOLLS, J. see ATTERWILL, C.K., 83, 89
 NICHOLS, A.J. see HILEY, C.R., 89, 779
 NICOLAU, M. see CALIXTO, J.B., 85, 729
 —, 91, 199
 NICOSIA, S. see CORSINI, A., 90, 255
 NIELSON, C.P. see MACK, J.A., 88, 417
 NIMGOANKAR, V.L. see JOHNSON, P., 84, 337
 NISBET, A.P. see BRAZELL, M.P., 86, 209
 NISHIMURA, T. see ABIKO, Y., 409 81, 409
 NISTICO, G. see DE SARRO, G.B., 90, 675
 NISTRI, A. see CORRADETTI, R., 86, 19
 NISTRI, A. & SIVILLOTTI, L. An unusual effect of γ -aminobutyric acid on synaptic transmission of frog tectal neurones *in vitro*, 85, 917
 NIWA, H. see KUDO, Y., 81, 373
 NOE, M.A. see CORSINI, A., 90, 255
 NOGUCHI, K. & SAKANASHI, M. Effects of nifradilol on myocardial ischaemia produced by coronary stenosis in dogs, 91, 411
 NOHMI, M. see KUBI, K., 91, 671
 NOLAN, A., LIVINGSTON, A. & WATERMAN, A.E., 92
 —, Investigation of the antinociceptive activity of buprenorphine in sheep, 92, 527
 NOMOTO, K. see NAKAJIMA, T., 86, 645
 NOMURA, S. see FUJII, Y., 88, 531
 NORLUND, L. & SEHLIN, J. Effect of tetracaine and glibenclamide on $^{45}\text{Ca}^{2+}$ handling by isolated pancreatic islets, 85, 127
 NORRIS, D.B. see FOREMAN, J.C., 86, 475
 —, 87, 37
 NORTHOVER, B.J. A comparison of the effects of bethanidine, mebeentine, and quinidine on the electrical activity of rat hearts *in vivo* and *in vitro*, 84, 755
 —, A protective effect of sulphinpyrazone against coronary occlusion-induced shortening of myocardial refractory periods in the rat, 88, 141
 —, Electrical changes produced by injury to the rat myocardium *in vitro* and the protective effects of certain antiarrhythmic drugs, 90, 131
 NORTHOVER, B.J. Alterations to the electrical activity of atrial muscle isolated from the rat heart, produced by exposure *in vitro* to amiodarone, 82, 191
 NORTH, R.A. see CHERUBINI, E., 81, 617
 —, 82, 101
 —, 83, 3
 —, 85, 805
 NORTH, R.A. see EAGAN, T.M., 85, 733
 NORTH, R.A. see MIHARA, S., 88, 315
 NORTH, R.A. & TOKIMASA, T. The time course of muscarinic depolarization of guinea-pig myenteric neurones, 82, 85
 NOURSHARGH, S. & HOULT, J.R.S. Divergent effects of co-carcinogenic phorbol esters and synthetic diacylglycerol on human neutrophil chemokinesis and granular enzyme secretion, 91, 557
 NOURSHARGH, S. see HOULT, J.R.S., 86, 533
 NUHU, S.Z. see FOY, J.M., 82, 165
 NUNAN, L. see DRAY, A., 85, 717
 NUTT, D.J. see LITTLE, H.J., 83, 951
 —, 88, 507
 NYBORG, N.C.B. see AALKJAER, C., 86, 447
- O
- OATES, N.S. see CALVETE, J.A., 83, 723
 O'BRIEN, J.W. see GRANT, T.L., 86, 63
 O'BRIEN, J.W. see McGRATH, J.C., 91, 355
 OCCHIPINTI, G. see DESARMENIEN, M., 81, 327
 OCHI, R. see KOBAYASHI, M., 92, 665
 OCHUCHO, K. see HIRASAWA, N., 87, 751
 O'CONNOR, S.E. see BROWN, R.A., 85, 599
 O'DONNELL, J.M. see CHOUDHURY, L., 85, 635
 O'DONNELL, S.R. see BRYAN, L.J., 82, 757
 —, 87, 337
 O'DONNELL, S.R. & WANSTALL, J.C. Responses to the β_2 -selective agonist procaterol for vascular and atrial preparations with different functional β_2 -adrenoceptor populations, 84, 227
 —, The classification of α -adrenoceptors in isolated ring preparations of coronary arteries, 81, 637
 —, Thyroxine treatment of aged or young rats demonstrates that vascular responses mediated by β -adrenoceptor subtypes can be differentially regulated, 88, 41
 O'DONNELL, S.R., WANSTALL, J.C. & MUSTAFA, M.B.H. Influence of thyroid status on responses of rat isolated pulmonary artery, vas deferens and trachea to smooth muscle relaxant drugs, 92, 221
- OGATA, N. see INOUE, M., 84, 833
 —, 86, 515
 OGATO, N. see INOUE, M., 84, 843
 OGILVIE, R.I. see BENFEY, B.G., 82, 717
 OGLE, C.W. see CHO, C.H., 87, 371
 —, 92, 31
 OGURA, A. see KUDO, Y., 89, 191
 OHASHI, H. see KOMORI, S., 82, 73
 —, 90, 121
 OHFUNE, Y. see NAKAJIMA, T., 86, 645
 OHIZUMI, Y. see KOBAYASHI, M., 86, 385
 —, 92, 665
 OHLSTEIN, E.H. see SHIKANO, K., 92, 483
 OHTA, H. see IMAI, S., 92, 55
 OKABE, K. see TERADA, K., 92, 615
 OKPAKO, D.T. & TAIWO, Y.O.O. Cyclo-oxygenase inhibitors antagonize indirectly evoked contractions of the guinea-pig isolated ileum by inhibiting acetylcholine release, 82, 577
 OKPALUGO, B.I. see FOSTER, R.W., 81, 499
 OKUMA, M. see NARUMIYAMA, S., 88, 323
 OKUMURA, K. see HASHIMOTO, Y., 88, 71
 OLCOTT, B.M. see BREEZE, R.G., 82, 809
 OLIVA, D. see CORSINI, A., 90, 255
 OLIVER, P.L. see ALLAN, G., 85, 547
 OLLERENSHAW, J.D. see HEAGERTY, A.M., 89, 803
 OLLEY, J.E. see ABRAHAMS, J.M., 89, 759
 OLPE, H.-R. see JONES, R.S.G., 81, 659
 OLSON, L.G. & SAUNDERS, N.A. Ventilatory stimulation by dopamine-receptor antagonists in the mouse, 85, 133
 O'NEIL, M.B. see ALBERT, J., 87, 771
 ONG, J. Uptake inhibitors potentiate γ -aminobutyric acid-induced contractile responses in the isolated ileum of the guinea-pig, 91, 9
 ONG, J. see KERR, D.I.B., 83, 169
 —, 90, 763
 ONNEN, I. Non-specific, time-dependent desensitization of the vas deferens and anococcygeus preparations of the rat to α_1 -adrenoceptor antagonists and atropine, 83, 7
 ONO, H. & SUZUKI, H. Effects of histamine on the guinea-pig stomach, excitation of smooth muscle and inhibition of transmitter release, 91, 839
 OPIE, L.H. see BRALET, J., 84, 9
 ORELLANA, C. see ORTS, A., 92, 795
 ORR, T.S.C. see EADY, R.P., 85, 323
 ORTS, A., ORELLANA, C., CANTO, T., CEÑA, V., GONZÁLEZ-GARCÍA, C. & GARCÍA, A.G. Inhibition of adrenomedullary catecholamine release by propranolol isomers and clonidine involving mechanisms unrelated to adrenoceptors, 92, 795
 OSHITA, Y. see FUJII, S., 88, 531
 OSTERRIEDER, W. 9-Amino-1,2,3,4-tetrahydroacridine (THA) is a potent blocker of cardiac potassium channels, 92, 521
 OSTERRIEDER, W. see HOLCK, M., 91, 61
 OTSUKA, M. see AKAGI, H., 84, 663
 OTTENHOF, M., UFKES, J.G.R. & VAN ROOIJ, H.H. The effect of prednisolone and ketotifen on the antigen-induced bronchoconstriction and mediator release in rat isolated lungs, 86, 627
 OWEN, D.A.A. see BROWN, E.A., 87, 569
 OWEN, D.A.A. see ENGLISH, T.A.H., 89, 327
 OWEN, D.A.A. see GRISTWOOD, R.W., 85, 923
 OWEN, D.A.A. see HARVEY, C.A., 83, 427
 OWMAN, Ch. see KANNISTO, P., 92, 487
 OYEBOLA, D.D.O. see GRAYSON, J., 85, 797
 OYEKAN, A.O. see BEIJER, L., 92, 803
 OZAKI, H. see KARAKI, H., 89, 367
 —, 89, 423
 OZ, N. see ABRAHAMS, S., 92, 603
- P
- PACAUD, P. see DACQUET, C., 92, 535
 PACIOREK, P.M., PIERCE, V., SHEPPERSON, N.B. & WATERFALL, J.F. An investigation into the selectivity of a novel series of benzoinquinolines for α_1 -adrenoceptors *in vivo*, 82, 127
 PACIOREK, P.M. see CHANCE, E., 86, 43
 PACIOREK, P.M., TODD, M.H. & WATERFALL, J.F. The effects of meptazinol in comparison with pentazocine, morphine and naloxone in a rat model of anaphylactic shock, 84, 469
 PAGE, C.P. see ARCHER, C.B., 85, 109
 PAGE, C.P. see BARNES, P.J., 90, 709
 PAGE, C.P. see BEIJER, L., 92, 803

- PAGE, C.P. *see* ROBERTSON, D.N., 92, 105
 PAGE, K.R. *see* ABRAMOVICH, D.R., 81, 16
 PAIVA, A.C.M. *see* BOSCHCOV, P., 83, 591
 PAIVA, M.Q. *see* GUIMARÃES, S., 92, 505
 PAIVA, T.B. *see* BOSCHCOV, P., 83, 591
 PAIVA, T.B. *see* MIASIRO, N., 85, 639
 PALATINE, P. *see* BATTISTELLA, A., 88, 457
 PALFREYMAN, M.G. *see* FOZARD, J.R., 87, 257
 PALLANDI, R.T. & CAMPBELL, T.J. Resting, and rate-dependent depression of V_{max} of guinea-pig ventricular action potentials by amiodarone and desmethyldiamidone, 92, 97
 PALMER, J.B.D., CUSS, F.M.C., MULDER, P.K., GHATEI, M.A., SPRINGALL, D.R., CADIEUX, A., BLOOM, S.R., POLAK, J.M. & BARNES, P.J. Calcitonin gene-related peptide is localized to human airway nerves and potentially constricts human airway smooth muscle, 91, 95
 PALMER, J.B. *see* BARNES, P.J., 86, 691
 PALMER, R.M.J. *see* GRYGLEWSKI, R.J., 87, 685
 PALMER, R.M.J. *see* RADOMSKI, M.W., 92, 181
 —, 92, 639
 PANG, C.C.Y. *see* KING, K.A., 90, 531
 PANKHANIA, J.J. *see* BAKHLE, Y.S., 92, 189
 PANZENBECK, M.J. *see* HINZE, T.H., 82, 117
 PAPADIMITRIOU, J.M. *see* GOLDIE, R.G., 87, 5
 —, 88, 621
 PAPANICOLAOU, M. *see* McCULLOCH, M.W., 86, 455
 PAP, A. *see* MAGEE, D.F., 84, 347
 PARDOWITZ, I. *see* KLOCKGETHER, T., 86, 357
 PARENTE, L. *see* FITZGERALD, M.F., 88, 149
 PARENTE, L. *see* FLOWER, R.J., 87, 57
 PARKIN, A.M.L. *see* ABRAMOVICH, D.R., 81, 16
 PARNHAM, M.J. *see* LAMBRECHT, G., 87, 28
 PARRATT, J.R., SALEH, S. & WATON, N.G. Feline endotoxin shock: effects on tissue histamine and histidine decarboxylase activity, 89, 635
 PARRATT, J.R. *see* BULLOCK, G.R., 86, 235
 PARRATT, J.R. *see* COKER, S.J., 81, 675
 —, 86, 259
 PARRATT, J.R. *see* FAGBEMI, O., 83, 299
 PARRATT, J.R. *see* FURMAN, B.L., 82, 289
 PARRATT, J.R. *see* HUGHES, B., 86, 399
 PARRATT, J.R. *see* KANE, K.A., 82, 349
 —, 84, 139
 PARRATT, J.R. *see* LEPRÁN, I., 86, 229
 PARRATT, J.R. *see* MACKENZIE, J.E., 89, 313
 PARRATT, J.R., SHARMA, M. & ZEITLIN, I.J. Prostaglandins and thromboxane in the delayed phase of shock induced by *Serratia marcescens* endotoxin, 82, 281
 PARRATT, J.R. & SITSAPESAN, R. Stereospecific antiarrhythmic effect of opioid receptor antagonists in myocardial ischaemia, 87, 621
 PARRATT, J.R. & WAINWRIGHT, C.L. Failure of allopurinol and a spin trapping agent N-t-butyl- γ -phenyl nitron to modify significantly ischaemia and reperfusion-induced arrhythmias, 91, 49
 PARSONS, R.L. *see* CONNOR, E.A., 83, 31
 PART, N.J. *see* FARUQHAR, R., 88, 79
 PART, N.J. *see* LESLIE, G.C., 81, 351
 PATERSON, I.A. *see* HINDLEY, S.W., 86, 753
 PATERSON, J.W. *see* GOLDIE, R.G., 81, 611
 —, 87, 5
 —, 88, 621
 PATERSON, J.W. *see* HENRY, P.J., 86, 131
 PATERSON, S.J. *see* CORBETT, A.D., 85, 665
 PATERSON, S.J. *see* COTTON, R., 84, 927
 PATERSON, S.J. *see* KOSTERLITZ, H.W., 91, 431
 PATON, C.J. *see* KERRY, P.J., 81, 125
 PATON, D.M. *see* BROADLEY, K.J., 84, 407
 PAUL, W. *see* ARCHER, C.B., 85, 109
 PAVIA, A.C.M. *see* ABOULAFIA, J., 90, 347
 PAVIA, T.B. *see* ABOULAFIA, J., 90, 347
 PAYNE, A.N. *see* DAFFONCHIO, L., 91, 701
 PAY, S. *see* BHOOLA, K.D., 89, 99
 PAY, S. *see* CLOSE, S.P., 85, 320
 PEARCE, F.L. *see* ALI, H., 85, 705
 PEARCE, F.L. *see* BAIRD, A.W., 85, 787
 PEARCE, F.L. *see* LEUNG, K.B.P., 81, 693
 PEARSON, J.D. *see* HELLEWELL, P.G., 83, 457
 PEART, W.S. *see* CALAM, J., 91, 307
 PEART, W.S. *see* MAY, C.N., 89, 173
 PEDATA, F., PEPEU, G. & SPIGNOLI, G. Biphasic effect of methylxanthines on acetylcholine release from electrically-stimulated brain slices, 83, 69
 PEDATA, F. *see* CORRADETTI, R., 88, 671
 PEESAPATI, V. *see* ARMSTRONG, R.A., 84, 595
 PELLEGRINI-GIAMPIETRO, D.E. *see* BONGIANNI, F., 88, 561
 PELLOW, S. *see* FILE, S.E., 86, 729
 PENEK, R.L. *see* HEAD, R.J., 91, 275
 PENFIELD, A. & DALE, M.M. Comparison of the effects of indomethacin, RHC80267 and R59022 on superoxide production by 1, oleoyl-2, acetyl glycerol and A23187 in human neutrophils, 92, 63
 PENNEFATHER, J.N. *see* HARTLEY, M.L., 84, 463
 PENNER, S.B. *see* JONES, D.R., 86, 889
 PEPEU, G. *see* CORRADETTI, R., 88, 671
 PEPEU, G. *see* PEDATA, F., 83, 69
 PEPEU, P.V. *see* HURST, P.R., 89, 199
 PERCY, W.H. *see* CHRISTENSEN, J., 83, 329
 —, 85, 565
 PEREIRA, C.C. *see* MIASIRO, N., 85, 639
 PERIO, A. *see* BIZIERE, K., 90, 183
 PERPIÑA, M. *see* CORTUJO, J., 83, 161
 PERREN, M.J. *see* CONNOR, H.E., 87, 417
 —, 87, 417
 PERREN, M.J. *see* FENIUK, W., 86, 697
 PERSICO, P. *see* FLOWER, R.J., 87, 57
 PERSSON, C.G.A. *see* FINNEY, M.J.B., 85, 29
 PERT, D.W. *see* CLARKE, P.B.S., 85, 827
 PESKAR, B.A. *see* JUAN, P., 90, 315
 PETERS, B.J. *see* HARVEY, J., 86, 417
 PETERS, C.J. *see* ALABASTER, V.A., 88, 607
 PETERSEN, S.A. *see* BLAKELY, A.G.H., 88, 807
 PETERS, J.A. *see* COTTRELL, G.A., 90, 491
 PETHÖ, G. *see* BATHÖ, L., 86, 315
 PETIT, P. *see* CHAPAL, J., 86, 565
 PETROVIĆ, J. *see* KIDRIĆ, M., 83, 687
 PFEUFFER-FRIEDERICH, I. *see* KILBINGER, H., 85, 529
 PHAN, S.H. *see* DUQUE, R.E., 88, 463
 PHILLIPS, J.A. *see* HOULT, J.R.S., 88, 3
 PHILLIS, J.W. Potentiation of the action of adenosine on cerebral cortical neurones by tricyclic antidepressants, 83, 567
 —, Potentiation of the depression by adenosine or rat cerebral cortical neurones by progestational agents, 89, 693
 PIERCE, V. *see* PACIOREK, P.M., 82, 137
 PIERCE, V., SHEPPERSON, N.B., TODD, M.H. & WATERFALL, J.F. Investigation into the cardioregulatory properties of the α_1 -adrenoceptor blocker indoramin, 87, 433
 PIGINI, M. *see* ANGELI, P., 85, 783
 PIKE, N.B. *see* KENAKIN, T.P., 90, 373
 PILLAR, J. *see* CHAND, N., 83, 899
 PINI, A. *see* BARANOWSKI, R., 89, 267
 PINNOCK, R.D. The actions of antipsychotic drugs on dopamine receptors in rat substantia nigra, 81, 631
 PIOTROWSKI, W. *see* ALI, H., 85, 705
 PIPER, P.J. *see* GALTON, S.A., 90, 617
 PIPER, P.J. & STEWART, A.G. Coronary vasoconstriction in the rat, isolated perfused heart induced by platelet-activating factor is mediated by leukotriene C₄, 88, 595
 PIPIER, P.J. & STEWART, A.G. Antagonism of vasoconstriction induced by platelet-activating factor in guinea-pig perfused hearts by selective platelet-activating factor receptor antagonists, 90, 771
 PIZZOLATTI, M.G. *see* CALIXTO, J.B., 91, 199
 PLETSCHER, A. *see* ERNE, P., 84, 545
 POAT, J.A. *see* COX, H.M., 82, 891
 —, 87, 201
 POAT, J. *see* BEER, M., 92, 827
 POCOCCO, G. & RICHARDS, C.D. The action of pentobarbitone on stimulus-secretion coupling in adrenal chromaffin cells, 90, 71
 POHORECKY, L.A. *see* DeTURCK, K.H., 88, 397
 POJA, R. *see* CAPARROTTA, L., 90, 23
 POJE, M. *see* ASHCROFT, S.J.H., 89, 469
 POLAK, J.M. *see* BARNES, P.J., 89, 157
 POLAK, J.M. *see* PALMER, J.B.D., 91, 95
 POLLARD, S.L. *see* HARRIS, J.B., 84, 6
 POLLARD, S.L. *see* HARRIS, J.B., 86, 275
 POLWIN, W. *see* ADDICKS, K., 90, 247
 PONTANI, R.B. *see* MISRA, A.L., 84, 789
 POOK, P.C. *see* EVANS, R.H., 91, 531
 PORZIG, H. *see* BECKER, C., 82, 745
 POST, C. *see* ARCHER, T., 89, 277
 POSTIUS, S., RUOFF, H.-J. & SZELENYI, I. Prostaglandin formation by isolated gastric parietal and non-parietal cells of the rat, 84, 871
 POTTS, H.C. *see* AKED, D., 89, 431
 POWELL, T. *see* MITCHELL, M.R., 81, 13
 —, 81, 543
 —, 81, 551
 POWIS, D.A. α_2 -Adrenoceptor blockade prevents cardiac glycoside-evoked neurotransmitter release from sympathetic nerves in dog saphenous vein, 92, 213
 PRADO, W.A. & ROBERTS, M.H.T. Antinociception from a stereospecific action of morphine microinjected into the brainstem: a local or distant site of action? 82, 877
 PRADO, W.A. *see* REES, H., 92, 769
 PREVOST, M.-C. *see* COEFFIER, E., 92, 393
 PREZIOSI, P. *see* BENOIT, E., 90, 7
 PRICE, N. *see* FERGUSON, D.R., 84, 879
 PRIESTLEY, T. *see* NEWBERRY, N.R., 92, 817
 PRIMOR, N. Pardaxin produces postjunctional muscle contractions in guinea-pig intestinal smooth muscle, 82, 43
 PRINCE, A. *see* ATTERWILL, C.K., 83, 89
 PROCTOR, W.R. *see* DUNWIDDIE, T.V., 91, 523
 PROSTRAN, M. & VARAGHI, V.M. The effect of forskolin on the isometric contraction of the isolated hemidiaphragm of the rat, 88, 791
 PUDDU, E. *see* CANO, J.-P., 88, 779
 PUURUNEN, J. Role of putative neurotransmitters in the central gastric antisecretory effect of prostaglandin E₂ in rats, 85, 213
 PUURUNEN, J. & SCHWABE, U. Effect of gastric secretagogues on the formation of inositol phosphates in isolated gastric cells of the rat, 90, 479

Q

- QUASTEL, D.M.J. & SAINT, D.A. Modification of motor nerve terminal excitability by alkanols and volatile anaesthetics, 88, 747
 QUAST, U., Effect of the K⁺ efflux stimulating vasodilator BRL 34915 on α RB⁺ efflux and spontaneous activity in guinea-pig portal vein, 91, 569
 QUIK, M. *see* COLLIER, B., 82, 827
 QUILLAN, M. *see* KALSNER, S., 82, 515
 QUINN, M.J. *see* CONOLAN, S., 89, 129
 QUIRON, R. *see* ALTURA, B.T., 82, 459
 QUIRK, G.J. *see* CERVONI, P., 83, 511

R

- RABERGER, G. *see* SCHNEIDER, W., 92, 87
 RADOMSKI, M.W. PALMER, R.M.J. & MONCADA, S. Comparative pharmacology of endothelium-derived relaxing factor, nitric oxide and prostacyclin in platelets, 92, 181
 RADOMSKI, M.W., PALMER, R.M.J. & MONCADA, S. The anti-aggregating properties of vascular endothelium: interactions between prostacyclin and nitric oxide, 92, 639
 RAEBURN, D. & RODGER, I.W. Lack of effect of leukotriene D₄ on Ca²⁺-uptake in airway smooth muscle, 83, 499
 RAEBURN, D. *see* FARMER, S.G., 89, 407
 —, 92, 231
 RAEBURN, D. *see* HAY, D.W.P., 92, 381
 RAFFESTIN, B. *see* BAYOL, A., 85, 569
 RAFUSE, P.E. & SMITH, P.A. α -Adrenergic hyperpolarization is not involved in slow synaptic inhibition in amphibian sympathetic ganglia, 87, 409
 RAITERI, M. *see* BONANNO, G., 91, 237
 RAMPART, M. *see* BULT, H., 84, 317
 —, 84, 329
 RAMWELL, P. *see* ALARCAO, M. D., 91, 627
 RAMWELL, P.W. *see* FEUERSTEIN, N., 83, 759
 RANA, H. *see* BINDER, R.R., 88, 569
 RANCE, M.J. *see* BLACKBURN, T.P., 89, 593
 RANCE, M.J. *see* COTTON, R., 84, 927
 RANDALL, K. *see* BROWN, F., 84, 853
 RAND, M.J. *see* LOIACONO, R.E., 84, 697
 RAND, M.J. *see* McCULLOCH, M.W., 86, 455
 RANDOM, J., LEFORT, J. & VARGAFTIG, B.B. Blockade by methylation inhibitors of the anaphylactic response of guinea-pig lung strips, 92, 683
 RANDO, S. *see* ANTONELLI, T., 89, 853

RANG, H.P. & RYLETT, R.J. The interaction between hexamethonium and tubocurarine on the rat neuromuscular junction, **81**, 519
 RANG, H.P. see GURNEY, A.M., **82**, 623
 RANJANAYAGAM, M.A.S. see MEDGETT, I.C., **83**, 889
 RAO, T.S. see BAKER, G.B., **92**, 243
 RAPER, C. see KRSTEW, E., **82**, 501
 RAPER, C. see MALTA, E., **85**, 179
 RAPER, C. see McPHERSON, G.A., **82**, 897
 RATERI, D.L. see DAUGHERTY, A., **91**, 113
 RAWLINGS, S. see REES, H., **92**, 769
 REAVILL, C. see KUMAR, R., **90**, 239
 REDFERN, W.S. see DAUGHERTY, A., **87**, 265
 REES, H., PRADO, W.A. RAWLINGS, S. & ROBERTS, M.H.T. The effects of intraperitoneal administration of antagonists and development of morphine tolerance on the antinociception induced by stimulating the anterior pretectal nucleus of the rat, **92**, 769
 REES, L.H. see MASON, D.F.J., **91**, 103
 REEVES, J.J. see BRITAIN, R.T., **85**, 843
 REEVES, J.J. & STABLES, R. Effects of indomethacin, piroxicam and selected prostanooids on gastric acid secretion by rat isolated gastric mucosa, **86**, 677
 REIBALDI, A. see LOGRANO, M., **87**, 379
 REID, J.L. see HAMILTON, C.A., **86**, 79
 REITER, M. see BACHMAIER, A., **85**, 755
 RENIER, A. see ADVENIER, C., **82**, 727
 —, **88**, 33
 RENYI, L. The effects of monoamine oxidase inhibitors on the ejaculatory response induced by 5-methoxy-N,N-dimethyl tryptamine in the rat, **88**, 827
 RENYI, L. The effect of selective 5-hydroxytryptamine uptake inhibitors on 5-methoxy-N,N-dimethyltryptamine-induced ejaculation in the rat, **87**, 639
 RENYI-PALASSE, V. & RIPS, R. Potentiation by TRH of the effect of imipramine on forced swimming test, **85**, 463
 RESCHMAIER, J. see GRAY, D.A., **82**, 329
 REUSE, J. see FONTAINE, J., **81**, 231
 —, **85**, 861
 REYNOLDS, J.A. see BENTLEY, G.A., **88**, 161
 REYNOLDS, R.D. see BROWN, B.S., **87**, 87
 RHEE, H.M. see EULIE, P.J., **83**, 783
 RHODEN, K.J. see BARNES, P.J., **90**, 709
 RHODEN, K. see BARNES, P.J., **89**, 157
 RHODEN, K. see GREENBERG, B., **92**, 789
 RIBEIRO, J.A. & SEBASTIAO, A.M. Enhancement of tetrodotoxin-induced axonal blockade by adenosine, adenosine analogues, dibutyryl cyclic AMP and methylxanthines in frog sciatic nerve, **83**, 485
 —, Inhibitory effects of forskolin and papaverine on nerve conduction partially blocked by tetrodotoxin in the frog sciatic nerve, **85**, 309
 —, On the type of receptor involved in the inhibitory action of adenosine at the neuromuscular junction, **84**, 897
 RIBEIRO, J.A. & SEBASTIAO, A.M. Antagonism of tetrodotoxin- and procaine-induced axonal blockade by adenine nucleotides in the frog sciatic nerve, **81**, 277
 RIBEIRO, J.M.C. see CARLINI, C.R., **84**, 551
 RIBERO, J.A. see McQUEEN, D.S., **88**, 615
 RICCIOPPO NETO, F. & SPERELAKIS, N. Effects of lidocaine, procaine, procainamide and quinidine on electrophysiological properties of cultured embryonic chick hearts, **86**, 817
 RICE, W.R. & SINGLETON, F.M. P₂-purinoceptors regulate surfactant secretion from rat isolated alveolar Type II cells, **89**, 485
 —, P₂-purinoceptor regulation of surfactant secretion from rat isolated alveolar type II cells is associated with mobilization of intracellular calcium, **91**, 833
 RICHARDS, C.D. see BRADLEY, D.J., **81**, 161
 RICHARDS, C.D. see POCKOCK, G., **90**, 71
 RICHARDS, C.D. & STRUPINSKI, K. An analysis of the action of pentobarbitone on the excitatory postsynaptic potentials and membrane properties of neurones in the guinea-pig olfactory cortex, **89**, 321
 RICHARDS, D.E. see KAUMANN, A.J., **91**, 3
 RICHARDSON, D.P. see EINSTEIN, R., **92**, 445
 RICHARDSON, P.J. see BARRETT, V.J., **87**, 487
 RICHTER, J.A. see MILLER, J.A., **84**, 19
 RICKABY, D.A. see DAWSON, C.A., **81**, 449

RIEDEL, R. see BEIL, W., **88**, 389
 RIEMERSMA, R.A. see DART, A., **90**, 43
 RIGBY, P.J. see GOLDIE, R.G., **87**, 5
 —, **88**, 621
 RINGDAHL, B. Dissociation constants and relative efficacies of acetylcholine, (-) and (+) methacholine at muscarinic receptors in the guinea-pig ileum, **89**, 7
 —, Muscarinic receptor occupation and receptor activation in the guinea-pig ileum by some acetamides related to oxotremorine **82**, 269
 RIPS, R. see BOSCHI, G., **90**, 745
 RISING, T.J. see BOTTOMLEY, K.M.K., **81**, 195
 RISING, T.J. see FOREMAN, J.C., **86**, 465
 —, **86**, 475
 —, **87**, 37
 RISING, T.J. & STEWARD, A. The determination of receptor constants for histamine H₂-agonists in the guinea-pig isolated right atrium using an irreversible H₂-antagonists, **87**, 211
 RITTER, J.M. Prostanoid synthesis by aortic rings in human blood: selective increase of prostacyclin mediated by a serum factor, **83**, 409
 RITTER, J.M., AKSOY, A., CRAGOE, E.J.Jr. & TAYLOR, G.W. Actions of amiloride analogues on prostacyclin synthesis by aortic rings **92**, 857
 RITTER, J.M., FRAZER, C.E. & TAYLOR, G.W. pH-dependent stimulation by Ca²⁺ of prostacyclin synthesis in rat aortic rings: effects of drugs and inorganic ions, **91**, 439
 RITTER, J.M. see BARROW, S.E., **87**, 243
 —, **91**, 245
 RITTER, J.M. see FRAZER, C.E., **91**, 251
 RITTER, J.M. see WARREN, J.B., **92**, 895
 ROACH, A.G. see BERRIDGE, T.L., **88**, 345
 ROACH, A.G. see DOXEY, J.C., **83**, 713
 ROBBERECHT, P. see CHRISTOPHE, J., **88**, 63
 ROBERTS, G.C.K. see ANTONJUK, D.J., **81**, 309
 ROBERTS, M.H.T. see HINDLEY, S.W., **86**, 753
 ROBERTS, M.H.T. see PRADO, W.A., **82**, 877
 ROBERTS, M.H.T. see REES, H., **92**, 769
 ROBERTSON, B. see GAGE, P.W., **85**, 675
 ROBERTSON, B. & TAYLOR, W.R. Effects of γ -aminobutyric acid and (-)-baclofen on calcium and potassium currents in cat dorsal root ganglion neurones *in vitro*, **89**, 661
 ROBERTSON, D.N. & PAGE, C.P. Effect of platelet agonists on airway reactivity and intrathoracic platelet accumulation, **92**, 105
 ROBERTSON, D.N. see BARNES, P.J., **90**, 709
 ROBERTSON, J. see BARASI, S., **90**, 15
 ROBIN, M. see FOZARD, J.R., **87**, 257
 ROBINSON, C. see BENYON, R.C., **92**, 635
 ROBINSON, C. see HARDY, C.C., **87**, 563
 ROBINSON, C. see HARVEY, J., **86**, 417
 ROBINSON, C. see HOLGATE, S.T., **83**, 603
 ROBOTHAM, K.H. see DANIEL, E.E., **88**, 707
 ROBSON, A. see EDWARDS, D., **88**, 899
 ROBSON, L.E. see COBETT, A.D., **85**, 665
 ROBSON, L.E. see KOSTERLITZ, H.W., **91**, 431
 ROCHETTE, L. see BRALET, J., **84**, 9
 ROCIC, B. see ASHCROFT, S.J.H., **89**, 469
 RODGER, I.W. see BOWMAN, W.C., **84**, 259
 RODGER, I.W. see BRYSON, S.E., **92**, 673
 RODGER, I.W. see KANE, K.A., **84**, 139
 RODGER, I.W. see RAEBURN, D., **83**, 499
 RODGER, I.W. & SHAHID, M. Forskolin, cyclic nucleotides and positive inotropism in isolated papillary muscle of the rabbit, **81**, 151
 RODRIHUEZ, C. see BRAGE, R., **89**, 627
 ROERIG, D.L. see DAWSON, C.A., **81**,
 ROESLER, J. see DAMERAU, B., **84**, 47
 —, **84**, 55
 —, **84**, 63
 ROKACH, J. see CARRIER, R., **82**, 389
 ROLLAND, P.-H. see CANO, J.-P., **88**, 779
 ROMANDINI, S. & SAMANIN, R. Muscimol injections in the nucleus raphe dorsalis block the antinociceptive effect of morphine in rats, apparent lack of 5-hydroxytryptamine involvement in muscimol's effects, **25**, 81
 ROME, A.C. see BELL, C., **82**, 801
 RONAI, Z. see BARTHO, L., **86**, 315
 ROONEY, K.F. see BARASI, S., **90**, 15
 ROQUEBERT, J. see DEMICHEL, P., **83**, 505
 ROSSEEL, M.T. see BELPAIRE, F.M., **88**, 697
 ROSS, S.B. see ASK, A.-L., **85**, 683
 ROSS, S.V. see ARCHER, T., **82**, 249
 ROSTIN, M. see ANGLADE, F., **91**, 481
 ROTH, A.L. see FAGBEMI, O., **83**, 299
 ROTH, R.A. see HILLIKER, K.S., **82**, 375
 ROTHWELL, N.J., STOCK, M.J. & SUDERA,

D.K. Changes in tissue blood flow and β -receptor density of skeletal muscle in rats treated with the β_1 -adrenoceptor agonist clenbuterol, **90**, 601
 ROTILIO, D. see CARMO, L.G., **85**, 849
 ROTILIO, D. see LEFORT, J., **82**, 565
 ROULER, M.J. see GARNIER, D., **84**, 517
 ROUND, A. & WALLIS, D.I. The depolarizing action of 5-hydroxytryptamine on rabbit vagal afferent and sympathetic neurones *in vitro* and its selective blockade by ICS 205-930, **88**, 485
 ROUSHDY, H. see EL-GHAZALY, M., **85**, 45
 ROUTLEDGE, C. see BRAZELL, M.P., **86**, 209
 ROVIRA, C. see CORRADETTI, R., **86**, 19
 ROWAN, M.J. see ANWYL, R., **86**, 201
 ROYE, M. see BERTRAND, G., **91**, 783
 ROYE, M. see CHAPAL, J., **83**, 927
 —, **86**, 565
 RUBIO, E. see AGUILAR, M.-J., **88**, 501
 RUCKER, W. see GALLENAKAMPER, W., **81**, 575
 RUOFF, H.-J. see POSTIUS, S., **84**, 871
 RUSH, B.D. & RUWART, M.J. Prazosin inhibits small intestinal transit in the rat, **82**, 547
 —, The role of accelerated colonic transit in prostaglandin-induced diarrhoea and its inhibition by prostacyclin, **83**, 157
 RUSSELL, D.A. see KAUMANN, A.J., **91**, 3
 RUTLEDGE, A., SWAMY, V.C. & TRIGGLE, D.J. Calcium-dependence and antagonism of responses to α_1 - and α_2 -adrenoceptor agonists in vascular tissues from hypertensive and normotensive rats, **83**, 103
 RUWART, M.J. see RUSH, B.D., **82**, 547
 —, **83**, 157
 RYLANDER, R. see BEIJER, L., **92**, 803
 RYLETT, R.J. see RANG, H.P., **81**, 519

S

SAAD, M.H. see BURKA, J.F., **81**, 475
 —, **83**, 645
 SAAD, M., STRNAD, C.F. & WONG, K. Dual regulation of neutrophil adenylate cyclase by fluoride and its relation to cellular activation, **91**, 715
 SACK, U. see NAWRATH, H., **81**, 103
 SAHA, J.K. see KOLEY, B., **83**, 347
 SAINT, D.A. see QUASTEL, D.M.J., **88**, 747
 SAKAI, K. see ABIKO, Y., **81**, 409
 SAKANASHI, M. see NOGUCHI, K., **91**, 411
 SAKATA, K. see KARAKI, H., **89**, 367
 SAKURADA, S. see FURUTA, S., **83**, 43
 SAKURADA, S. see KISARA, K., **87**, 183
 SAKURADA, T. see FURUTA, S., **83**, 43
 SAKURAI, J. see FUJII, S., **88**, 531
 SALAIRES, M. see KHOYI, M.A., **85**, 691
 SALAMA, A.I. see KEITH, R.A., **92**, 133
 SALEH, S. see EL-GHAZALY, M., **85**, 45
 SALEH, S. see PARRATT, J., **89**, 635
 SALMON, J.A. see BAKHLE, Y.S., **86**, 55
 SALMON, J.A. see FLOWER, R.J., **87**, 57
 SALONEN, R.O. see MATTILA, M.J., **83**, 607
 SAMANIN, R. see ROMANDINI, S., **81**, 25
 SAM, L.M. see SMITH, R.J., **91**, 641
 SANCHEZ-GARCIA, P. see ABAJO, F.J., **91**, 539
 SANCHEZ-GARCIA, P. see ALMAZAN, G., **81**, 599
 SANCHEZ-GARCIA, P. see CEÑA, V., **81**, 119
 SANDBERG, G. see DUNWIDDIE, T.V., **84**, 625
 SANDSTRÖM, P.-E. Probenecid potentiates the hyperglycaemic effect but reduces the diuretic effect of frusemide in mice, **89**, 307
 SANDU, B.K. see AHSAN, M.A., **92**, 743
 SANGER, G.J. Increased gut cholinergic activity and antagonism of 5-hydroxytryptamine M-receptors by BRL 24924: potential clinical importance of BRL 24924, **91**, 77
 SANGER, G.J. see MINER, W.D., **88**, 497
 SANGUINETTI, M.C. see KAMP, T.J., **85**, 523
 SANJAR, S. see ARCHER, C.B., **85**, 109
 SANTANGELO, F. see DESARMENIEN, M., **81**, 327
 SANTICIOLI, P. see MAGGI, C.A., **90**, 651
 SARAU, H.M. see LONG, C.J., **92**, 843
 SARIA, A. Substance P in sensory nerve fibres contributes to the development of oedema in the rat hind paw after thermal injury, **82**, 217
 SARLES, H. see DEVAUX, M.A., **88**, 189
 SASAGURI, T. see ITOH, T., **84**, 393
 SAKAI, Y. see FURUTA, S., **83**, 43

- SASAKI, Y. *see* KISARA, K., 87, 183
 SATAKE, N. *see* HESTER, R.K., 87, 387
 SATAKE, N. *see* KARAKI, H., 88, 821
 SATAKE, N., SHIBATA, S. & UEDA, S. Phenolamine-induced rhythmic contractions in bladder detrusor muscle of guinea-pig, 83, 965
 SATAKE, T. *see* BABA, K., 84, 203
 —, 88, 441
 SATAKE, T. *see* HONDA, K., 87, 665
 SATCHELL, D.G. Adenosine deaminase antagonizes inhibitory responses to adenosine and non-adrenergic, non-cholinergic inhibitory nerve stimulation in isolated preparations of guinea-pig trachea, 83, 323
 SATOH, A. *see* AZUMA, T., 88, 549
 SATOH, K. *see* ANGUS, J.A., 88, 767
 SATOH, K. *see* GOTO, T., 85, 913
 SATOH, M. *see* FOONG, F.-W., 83, 493
 SATO, T. *see* KISARA, K., 87, 183
 SATO, Y. *see* ISHII, K., 88, 369
 SAUNDERS, N.A. *see* OLSEN, L.G., 85, 133
 SAUNDERS, W.S. & THORNHILL, J.A. No inotropic action of enkephalins or enkephalin derivatives on electrically-stimulated atria isolated from lean and obese rats, 85, 513
 SAUTEBIN, L. *see* CARNUCCIO, R., 90, 443
 SAUTER, J.-F. *see* BRASWELL, L.M., 83, 305
 SAUVIAT, M.-P. *see* GAUTIER, P., 90, 717
 SAVINEAU, J.P. *see* HOLLINGSWORTH, M., 91, 803
 SAVINEAU, J.P. *see* MIRRONEAU, C., 82, 735
 SAWYER, D.A. *see* ALLAN, G., 88, 333
 SAWYNOK, J. *see* MOOCHHALA, S.M., 82, 381
 SAWYNOK, J., SWEENEY, M.I. & WHITE, T.D. Classification of adenosine receptors mediating antinociception in rat spinal cord, 88, 923
 SAXENA, P.R. *see* DUNCKER, D.J., 89, 35
 SAXENA, P.R. & VERDOUW, P.D. 5-Carboxamide tryptamine, a compound with high affinity for 5-hydroxytryptamine, binding sites, dilates arterioles and constricts arteriovenous anastomoses, 84, 533
 —, Effects of methysergide and 5-hydroxytryptamine (5-HT) on carotid blood flow distribution in pigs: further evidence for the presence of atypical 5-HT receptors, 82, 817
 SAXON, M. *see* KOBINSKY, E., 92, 499
 SCARPIGNATO, C. *see* ADVENIER, C., 90, 523
 SCARPIGNATO, C., TRAMACERE, R. & ZAPPIA, L. Antisecretory and antitumor effect of the H₂-receptor antagonist famotidine in the rat: comparison with ranitidine, 92, 153
 SCHACHTER, M., UCHIDA, Y., LONGRIDGE, D.J., LABEDZ, T., WHALLEY, E.T., VAVREK, R.J. & STEWART, J.M. New synthetic antagonists of bradykinin, 92, 851
 SCHEURER, U. *see* BAUMGARTNER, A., 86, 89
 SCHINI, V. *see* MILLER, R.C., 83, 903
 SCHLICHTER, R. *see* DESARMENIEN, M., 81, 327
 SCHMIDT, G. *see* KANNISTO, P., 92, 487
 SCHNEIDER, W., KRUMPL, G., MAYER, N. & RABERGER, G. The effects of nitroglycerin on exercise-induced regional myocardial contractile dysfunction are not diminished by pretreatment with dihydroergotamine, 92, 87
 SCHOEFFTER, P. *see* MILLER, R.C., 83, 903
 —, 85, 481
 SCHOLFIELD, C.N. *see* BROWN, D.A., 83, 195
 SCHOLTYSIK, G. & WILLIAMS, F.M. Antiarrhythmic effects of DPI 201-106, 89, 287
 SCHOLZ, H. *see* BRÜCKNER, R., 82, 223
 SCHÖMIG, A. *see* DART, A.M., 81, 475
 —, 90, 43
 SCHONFELD, G. *see* DAUGHERTY, A., 91, 113
 SCHOUTSEN, B. *see* GIENSEN, W.J. VAN DER, 87, 23
 SCHRÖR, K. *see* GALLENKÄMPER, W., 81, 575
 SCHRÖR, K. & THIERMERMAN, C. Treatment of acute myocardial ischaemia with a selective antagonist of thromboxane receptors (BM 13.177), 87, 631
 SCHUDT, C. *see* BEIL, W., 88, 389
 SCHWABE, U. *see* PUURUNEN, J., 90, 479
 SCHWARTZ, J. *see* GRIMA, M., 86, 125
 —, 89, 641
 SCHWARTZ, J. & VELLY, J. Interference of sodium with [PH]-nitrendipine binding to cardiac membranes, 84, 511
 SCHWARZ, B. *see* LÜLLMANN, H., 86, 799
 SCHWARZ, M. *see* KLOCKGETHER, T., 86, 357
 SCIVOLETTO, R. *see* FORTES, Z.B., 83, 635
 SCOTT, A.K. *see* BRECKENRIDGE, A.M., 84, 81
 SCOTT, R.H. *see* DOLPHIN, A.C., 88, 213
 SCOTT, R.H. *see* DUCE, I.R., 85, 395
 SCRUTTON, M.C. *see* CLARE, K.A., 82, 467
 SCRUTTON, M.C. *see* KERRY, R., 81, 91
 SEBASTIAO, A.M. *see* RIBEIRO, J.A., 83, 485
 SEBASTIAO, A.M. *see* RIBEIRO, J.A., 84, 897
 SEBASTIAO, A.M. *see* RIBEIRO, J.A., 85, 309
 SEBASTIAO, A.M. *see* RIBEIRO, J.A., 81, 277
 SEHLIN, J. *see* NORLUND, L., 85, 127
 SEITZ, H. *see* HOLZER-PETSCHKE, U., 90, 273
 SEKIZAKI, S. *see* AZUMA, H., 88, 411
 SEKIZAKI, S. *see* KIBI, T., 88, 549
 SELF, H.M. *see* GOLDIE, R.G., 87, 5
 SENARATNE, M.P.J. *see* JAYAKODY, R.L., 91, 155
 SENIOR, J. *see* MARSHALL, K., 89, 251
 —, 92, 429
 SERRADIMIGNI, A. *see* CANO, J.-P., 88, 779
 SETNIKAR, I. *see* BARTHO, L., 90, 753
 SEVILLA, E.L. *see* CHO, C.H., 92, 31
 SEWELL, R.D.E. *see* BARASI, S., 90, 15
 SEWELL, R.D.E. *see* JACKSON, H.C., 88, 689
 SEWING, K.-FR. *see* BEIL, W., 82, 651
 SEWING, K.-FR. *see* BEIL, W., 88, 19
 —, 88, 389
 SEWING, K.-FR. *see* HELL, M., 91, 69
 SHAHID, M. *see* BOWMAN, W.C., 84, 259
 SHANKLEY, N.P. *see* BLACK, J.W., 84, 561
 —, 84, 779
 —, 86, 571
 —, 86, 581
 —, 86, 589
 —, 86, 601
 —, 86, 609
 —, 88, 291
 —, 89, 547
 SHAPIRO, B.H. & SZCZOTKA, S.M. Androgenic repression of hexobarbitone metabolism and action in Crl : CD1 (ICR) BR mice, 81, 49
 SHARE, N.N. *see* CARRIER, R., 82, 389
 SHARKEY, J. *see* EDVINSSON, L., 85, 403
 SHARMA, N. *see* PARRATT, J.R., 82, 281
 SHAW, J.S. *see* MILLER, L., 87, 595
 SHEEHAN, M.J. *see* HAYES, A.G., 86, 899
 SHEEHAN, M.J. *see* HAYES, A.G., 91, 823
 SHEPHERD, M.K. *see* BARLOW, R.B., 85, 427
 —, 89, 837
 SHEPPERSON, N.B. α_2 -Adrenoceptor agonists potentiate responses mediated by α_1 -adrenoceptors in the cat nictitating membrane, 83, 463
 SHEPPERSON, N.B. *see* COWLRICK, I.S., 85, 205
 SHEPPERSON, N.B. *see* PACIOREK, P.M., 82, 127
 SHEPPERSON, N.B. *see* PIERCE, V., 87, 433
 SHERIDAN, R.D. *see* BRADSHAW, C.M., 82, 453
 —, 86, 483
 SHIBATA, S. *see* ANNO, T., 88, 277
 SHIBATA, S. *see* HESTER, R.K., 87, 387
 SHIBATA, S. *see* KARAKI, H., 88, 821
 SHIBATA, S. *see* KUDO, Y., 83, 813
 SHIBATA, S. *see* SATAKE, N., 83, 965
 SHIKANO, K., OHLSTEIN, E.H. & BERKOWITZ, B.A. Differential selectivity of endothelium-derived relaxing factor and nitric oxide in smooth muscle, 92, 483
 SHIMADA, S.G. & STITT, J.T. An analysis of the putative component of active muscle vasodilatation obtained by electrical stimulation of the hypothalamus in rabbits, 83, 577
 SHIMIZU, I. & TODA, N. Alterations with age of the response to vasodilator agents in isolated mesenteric arteries of the beagle, 89, 769
 SHIMO, Y. *see* FUJIMURA, S., 86, 619
 SHIMO, Y. *see* KAMIKAWA, Y., 81, 143
 SHIMUTA, S.I. *see* BOSCHCOV, P., 83, 591
 SHIMUTA, S. *see* MIASIRO, N., 85, 639
 SHINOZAKI, H. *see* ISHIDA, M., 86, 105
 SHINOZAKI, H. *see* SHIDA, M., 82, 523
 SHINOZAKI, H. *see* MASAKI, M., 89, 219
 SHINOZUKA, K. *see* HAYASHI, E., 84, 765
 SHIRAKAWA, O. & TANAKA, C. Molecular characterization of mucaric receptor subtypes in bovine cerebral cortex by radiation inactivation and molecular exclusion h.p.l.c., 86, 375
 SHIRATORI, Y. *see* NAKAJIMA, T., 86, 645
 SHIRLEY, D.G. & SKINNER, J. & WALTER, S.J. The influence of dietary potassium on the renal tubular effect of hydrochlorothiazide in the rat, 91, 693
 SHÖNESHÖFER, M. *see* FRISTSCHKA, E., 81, 245
 SHOTTON, P.A. *see* MATTHEWS, E.K., 82, 689
 —, 83, 831
 SHREEVE, S.M. *see* HEMSWORTH, B.A., 81, 685
 —, 82, 477
 SHUNTOH, H. *see* FUJIWARA, H., 91, 287
 SILINSKY, E.M. & VOGEL, S.M. The effects of an adenylate cyclase inhibitor on the electrophysiological correlates of neuromuscular transmission in the frog, 88, 799
 SIM, J.A. *see* CONSTANT, A., 90, 3
 SIM, J.A. *see* LARGE, W.A., 89, 583
 SIM, J.A. *see* LARGE, W.A., 89, 583
 SIMMET, Th. *see* PESKAR, B.A., 90, 315
 SIM, M.K. & SINGH, M. Decreased responsiveness of the aortae of hypertensive rats to acetylcholine, histamine and noradrenaline, 90, 147
 SIMMONDS, M.A. *see* HARRISON, N.L., 84, 381
 SIMMONDS, M.A. *see* LINDGREN, S., 91, 617
 SIMMONDS, M.A. & TURNER, J.P. Antagonism of inhibitory amino acids by the steroid derivative RU5135, 84, 631
 SIMOM, A. *see* BEIL, W., 88, 389
 SIMONATO, M. *see* ANTONELLI, T., 89, 853
 SIMON, E. *see* GRAY, D.A., 82, 329
 SIMPSON, W.T. *see* BROWN, R.A., 85, 599
 SINGER, E.A. *see* KITABGI, P., 81, 227
 SINGH, L. *see* HANDLEY, S.L., 86, 287
 SINGH, M. *see* SIM, M.K., 90, 147
 SINGLETON, F.M. *see* RICE, W.R., 89, 485
 —, 91, 833
 SITAR, D.S. *see* BURCZYNSKI, F.J., 91, 655
 SITSAPESAN, R. *see* PARRATT, J.R., 87, 621
 SIVILLOTTI, L. *see* CORRADETTI, R., 86, 19
 SIVILLOTTI, L. *see* NISTRÌ, A., 85, 917
 SJÖBERG, N.-O. *see* KANNISTO, P., 92, 487
 SJÖGREN, C. *see* ANDERSSON, K.E., 81, 293
 SJÖLANDER, M. *see* MAJCHERCZYK, S., 91, 711
 SKIDMORE, I.F. *see* HILLIARD, P.A., 83, 337
 SKINGLE, M. *see* HAYES, A.G., 88, 867
 SKINNER, J. *see* SHIRLEY, D.G., 91, 693
 SKIRBOLL, L.R. *see* CLARKE, P.B.S., 85, 827
 SKOFITCH, G. *see* HOLZER, P., 81, 381
 SKOLNICK, P. *see* BOLGER, G.T., 88, 857
 SKOLNICK, P., WEISSMAN, B.A. & YODIM, M.B. Monoaminergic involvement in the pharmacological actions of bupirone, 86, 637
 SLATER, P. *see* GRIFFITHS, E.C., 88, 653
 SLOAN, T.P. *see* CALVETE, J.A., 83, 723
 SMALL, R.C. *see* AHMED, F., 83, 227
 —, 84, 861
 SMALL, R.C. *see* ALLEN, S.L., 86, 171
 —, 86, 843
 —, 87, 109
 —, 88, 473
 —, 89, 395
 SMALL, R.C. *see* BOYLE, J.P., 90, 733
 SMALL, R.C. *see* BRAY, K.M., 91, 421
 SMALL, R.C. *see* EDWARDS, D., 88, 899
 SMALL, R.C. *see* FOSTER, R.W., 81, 499
 SMALL, R.C. *see* HOLLINGSWORTH, M., 91, 803
 SMITH, A.J. *see* GERKENS, J.F., 83, 363
 SMITH, G.M. *see* MALLARKEY, G., 81, 31
 —, 84, 425
 SMITH, G.W. *see* BROWN, R.A., 85, 599
 —, 85, 609
 SMITH, G.W. *see* MITCHELL, P.D., 92, 265
 SMITH, J.A. *see* FURLONG, B., 90, 687
 SMITH, J.A. *see* MARTIN, W., 89, 557
 —, 89, 563
 SMITH, J.B. *see* DARIUS, H., 84, 735
 SMITH, J.R. *see* AMBLER, J., 86, 497
 SMITH, J.W. *see* KELLY, J.W., 89, 47
 SMITH, M.E. *see* MURPHY, R.L.W., 90, 327
 SMITH, P.A. *see* RAFUSE, P.E., 87, 409
 SMITH, P.A. & ZIDICHOUKI, J.A. Muscarine and luteinizing hormone releasing hormone attenuate adrenaline-induced hyperpolarization in amphibian sympathetic ganglia, 84, 221
 SMITH, P.M. *see* AHSAN, M.A., 92, 743
 SMITH, R.J., SAM, L.M., JUSTEN, J.M., LEACH, K.L. & EPPS, D.E. Human polymorphonuclear neutrophil activation with arachidonic acid, 91, 641
 SMITH, T.W. *see* BARRY, W.H., 85, 51
 SMYTH, D.D. *see* JONES, D.R., 86, 889
 SNELL, C.R. *see* MOSES, M.A., 81, 169
 SNELL, C.R. & SNELL, P.H. Benzodiazepines

- modulate the A₂ adenosine binding sites on 108CC15 neuroblastoma X glioma hybrid cells, 83, 791
- SNELL, P.H. *see* SNELL, C.R., 83, 791
- SOARES-DA-SILVA, P. A comparison between the pattern of dopamine and noradrenaline release from sympathetic neurones of the dog mesenteric artery, 90, 91
- , Dopamine released from nerve terminals activates prejunctional dopamine receptors in dog mesenteric arterial vessels, 91, 591
- SOARES-DA-SILVA, P. *see* CARAMONA, M.M., 86, 351
- SOBEL, B.E. *see* DAUGHERTY, A., 91, 113
- SÖDERBERG, U. *see* ARCHER, T., 85, 581
- SOFIA, R.D. *see* CHAND, N., 83, 899
- , 87, 443
- , 91, 17
- ŠOKIC, V. *see* KIDRIČ, M., 83, 687
- SONTAG, K.H. *see* KLOCKGATHER, T., 86, 357
- SOUTHERTON, J.S. *see* BRAY, K.M., 91, 421
- SPACH, M.-O. *see* GRIMA, M., 86, 125
- SPACH, M.O. *see* GRIMA, M., 89, 641
- SPAGNESI, S. *see* GIOTTI, A., 84, 883
- SPANJER, W. *see* LEEUWIN, R.S., 82, 339
- SPANSWICK, G. *see* BODEN, R., 82, 151
- SPAYNE, J.A. *see* CUTHBERT, A.W., 82, 587
- , 82, 597
- SPEDDING, M. Changing surface charge with salicylate differentiates between subgroups of calcium-antagonists, 83, 211
- , Interaction of phorbol esters with Ca²⁺ channels in smooth muscle, 91, 377
- SPEDDING, M. & MIR, A.K. Direct activation of Ca²⁺ channels by palmitoyl carnitine, a putative endogenous ligand, 92, 457
- SPERELAKIS, N. *see* MOLYVDAS, P.-A., 88, 249
- SPERELAKIS, N. *see* RICCIOPPO NETO, F., 86, 817
- SPEK, G. *see* CONZELMANN, U., 89, 845
- SPIGNOLI, G. *see* PEDATA, F., 83, 69
- SPINA, D. *see* GOLDIE, R.G., 81, 611
- , 87, 5
- , 88, 621
- SPÖRRI, S. *see* LINDENMEYER, M., 82, 275
- SPRINGWALL, D.R. *see* PALMER, J.B.D., 91, 95
- SREEHAR, N. *see* JAYAJODY, R.L., 91, 155
- STABLES, R. *see* BRITTAIN, R.T., 85, 843
- STABLES, R. *see* REEVES, J.J., 86, 677
- STADTSBAEDER, S. *see* NGUYEN, B.T., 85, 713
- STAHL, S.M. *see* BEER, M., 92, 827
- STAMFORD, I.F. *see* BENNETT, A., 86, 693
- , 91, 229
- STARKE, K. *see* HEEPE, P., 84, 147
- STARLINGER, M. *see* BINDER, R.R., 88, 569
- STARR, J. *see* BENTLEY, G.A., 88, 515
- STÄUBLI, M. *see* BRAUNSCHWIG, J., 92, 553
- STÄUBLI, M. *see* LINDENMEYER, M., 82, 275
- STÄUBLI, M. & STUDER, H. The effects of amiodarone on the electrocardiogram of the guinea-pig are not explained by interaction with thyroid hormone metabolism alone, 88, 405
- STEEL, G., WALLACE, J.L. & WHITTLE, B.J.R. Failure of prostaglandin E₂ and its 16, 16-dimethyl analogue to prevent the gastric mucosal damage induced by Paf, 90, 365
- STERIN-BORDA, E.S. *see* BORDA, E.S., 82, 863
- STERIN-BORDA, L. *see* BORDA, E.S., 81, 75
- STERIN-BORDA, L. *see* CANGA, L., 87, 147
- STEVENS, D.L. *see* MACK, J.A., 88, 417
- STEWART, A. *see* BOTTOMLEY, K.M.K., 81, 195
- STEWART, A. *see* RISING, T.J., 87, 211
- STEWART, A.G. *see* FENNESSY, M.R., 87, 741
- STEWART, A.G. *see* PIPER, P.J., 90, 771
- STEWART, A.G. *see* PIPER, P.J.L., 88, 595
- STEWART, J.M. *see* SCHACHTER, M., 92, 851
- STIIT, J.T. *see* SHIMADA, S.G., 83, 577
- STITZEL, R.E. *see* HEAD, R.J., 91, 275
- STOCK, M.L. *see* ROTHWELL, N.J., 90, 601
- STOCKTON, J.M. *see* BERRIE, C.P., 82, 839
- , 85, 677
- STOCLET, J.C. *see* MILLER, R.C., 83, 903
- , 85, 481
- STOCLET, J.-C. *see* MILLER, R.C., 86, 655
- STOJANOVIC, V. *see* VARAGIC, V.M., 92, 197
- STOLERMAN, I.P. *see* REAVILL, C., 90, 239
- STONE, C.A. *see* LINDENMEYER, M., 82, 275
- STONE, M.A. *see* DOWNES, C.P., 88, 231
- STONE, T.W. Excitant activity of methyl derivatives of quolinic acid on rat cortical neurones, 81, 175
- , The activity of phosphorothioate analogues of ATP in various smooth muscle systems, 84, 165
- STORY, D.F. *see* LOIACONO, R.E., 84, 697
- STORY, D.F. & ZIOGAS, J. Role of the endothelium on the facilitatory effects of angiotensin I and angiotensin II on noradrenergic transmission in the caudal artery of the rat, 87, 249
- STRACHAN, A.C. *see* CLAGUE, R.U., 86, 163
- STRACHAN, D.A. *see* DOXEY, J.C., 83, 713
- STRASSER, R. *see* DART, A.M., 81, 475
- STRAUGHAN, D.W. *see* BAKHLE, Y.S., 87, 463
- STRAUGHAN, D.W. *see* IRELAND, S.J., 90, 151
- STREET, J.A. *see* BRIGHT, P.S., 84, 499
- STRNAD, C.F. *see* SAAD, M., 91, 715
- STRUPINSKI, K. *see* RICHARDS, C.D., 89, 803
- STUART-SMITH, K. *see* McGRATH, J.C., 84, 199
- STUDER, A. *see* LINDENMEYER, M., 82, 275
- STUDER, H. *see* BRAUNSCHWIG, J., 92, 553
- STUDER, H. *see* LINDENMEYER, M., 82, 275
- STUDER, H. *see* STÄUBLI, M., 88, 405
- SUBISSI, A. *see* CRISCUOLI, M., 90, 203
- SUDERA, D.K. *see* ROTHWELL, N.J., 90, 601
- SUGIO, K. *see* HIRASAWA, N., 87, 751
- SUGRUE, M.F. Antagonism of fenfluramine-induced hyperthermia in rats by some, but not all, selective inhibitors of 5-hydroxytryptamine uptake, 81, 651
- SUMAN-CHAUHAN, N. *see* BRISTOW, D.R., 90, 211
- SUMMERS, R.J. *see* BUXTON, B.F., 92, 299
- SUMMERS, R.J. *see* LEW, R., 85, 341
- SUMMERS, R.J. *see* LIPE, S., 87, 595
- SUMMERS, R.J. *see* NEYLON, C.B., 85, 349
- SUMMERS, R.J. *see* NEYLON, C.B., 91, 367
- SUNDLER, F. *see* EKBLAD, E., 86, 241
- SUNTER, D.C. *see* EVANS, R.H., 91, 531
- SUPRENANT, A. *see* CHERUBINI, E., 83, 3
- SUPRENANT, A. *see* CRIST, J., 92, 341
- SUTCLIFFE, F. *see* BACK, D.J., 81, 557
- SUZUE, T. *see* MURAKOSHI, T., 86, 95
- SUZUKI, H. Adrenergic transmission in the dog mesenteric vein and its modulation by α -adrenoceptor antagonists, 81, 479
- SUZUKI, H. *see* FUJIKI, K., 84, 675
- SUZUKI, H. *see* FUJIOKA, M., 84, 489
- SUZUKI, H. *see* IBENGWE, J.K., 87, 395
- SUZUKI, H. *see* ISHIKAWA, S., 86, 789
- SUZUKI, H. *see* ITOH, T., 83, 243
- SUZUKI, H. *see* KOMORI, K., 92, 657
- SUZUKI, H. *see* MISHIMA, S., 83, 537
- SUZUKI, H. *see* MIYAHARA, H., 86, 405
- SUZUKI, H. *see* ONO, H., 91, 839
- SUZUKI, K. *see* FURUTA, S., 83, 43
- SUZUKI, K. *see* KISARA, K., 87, 183
- SVOLMANIS, A.P. *see* BOURA, A.L.A., 82, 3
- SWALES, J.D. *see* HEAGERTY, A.M., 89, 803
- SWAMY, V.C. *see* RUTLEDGE, A., 83, 103
- SWEENEY, M.I. *see* SAWYONOK, J., 88, 923
- SZABADI, E. *see* BRADSHAW, C.M., 82, 453
- , 86, 483
- SZCZOTKA, S.M. *see* SHAPIRO, B.H., 81, 49
- SZEKERES, L. *see* BULLOCK, G.R., 86, 235
- SZEKERES, L. *see* LEPRAN, I., 86, 229
- SZEKERES, L., UDVARY, É. & VÉGH, A. Importance of myocardial blood flow changes in the protective action of diltiazem in a new model of myocardial ischaemia, 86, 341
- SZEKERES, L., UDVARY, E. & VEGH, A. Nifedipine effects in severe myocardial ischaemia in the dog due to left anterior descending coronary occlusion with left circumflex artery constriction, 91, 127
- SZELENYI, I. *see* POSTIUS, S., 84, 871

T

- TAIRA, N. *see* GOTO, T., 85, 913
- TAIRA, N. *see* ISHII, K., 84, 577
- , 88, 369
- TAIWO, Y.O.O. *see* OKPAKO, D.T., 82, 577
- TAKAGI, K. *see* BABA, K., 88, 441
- TAKAGI, K. *see* HONDA, K., 87, 665
- TAKAI, A. *see* ASHOORI, F., 84, 175
- TAKATA, Y. *see* KATO, H., 90, 191
- TAKATSUKI, N. *see* IMAI, S., 82, 533
- TAKEDA, K. *see* IMAI, S., 82, 533
- TAKEMOTO, T. *see* NAKAJIMA, T., 86, 645
- TAKEUCHI, H. *see* NAKAJIMA, T., 86, 645
- TAL, A. *see* FINBERG, J.P.M., 84, 609
- TAMAI, S. *see* MURAKOSHI, T., 86, 95
- TAMARGO, J. *see* BARRIGÓN, S., 87, 763
- TAMARGO, J. *see* DELGADO, C., 86, 765
- , 87, 317
- , 90, 575
- TAMARGO, J. *see* DIEZ, J., 86, 547
- , 90, 309
- TAMATSU, H. *see* IMAI, S., 82, 533
- TAMMISO, R. *see* MANTEGAZZA, P., 83, 883
- TANAKA, A. *see* KUDO, Y., 81, 373
- TANAKA, C. *see* FUJIIWARA, H., 91, 287
- TANAKA, C. *see* HASHIMOTO, S., 89, 787
- TANAKA, C. *see* NAKAMOTO, M., 90, 545
- TANAKA, C. *see* SHIRAKAWA, O., 86, 375
- TANGANELLI, S. *see* ANTONELLI, T., 89, 853
- TANIYAMA, K. *see* HASHIMOTO, S., 89, 787
- TANIYAMA, K. *see* NAKAMOTO, M., 90, 545
- TASAKA, K. *see* KATAYANA, S., 85, 747
- TAYLOR, D.A. *see* CONOLAN, S., 89, 129
- TAYLOR, G.W. *see* BERRY, C.N., 87, 327
- TAYLOR, G.W. *see* RITTER, J.M., 91, 439
- , 92, 857
- TAYLOR, S.A. *see* CALAM, J., 91, 307
- TAYLOR, S.C. *see* LITTLE, H.J., 83, 951
- , 88, 507
- TAYLOR, S.G. *see* BRAY, K.M., 91, 421
- TAYLOR, S.G. *see* BULLOCK, G.R., 89, 819
- TAYLOR, S.M. *see* DOWNES, H., 87, 579
- TAYLOR, W.R. *see* ROBERTSON, B., 89, 661
- TEBIB, S. *see* BIZIERE, K., 90, 183
- TEJERINA, T. *see* DELGADO, C., 86, 765
- , 90, 575
- TEMMA, K. *see* KITAZAWA, T., 89, 259
- TERADA, K., NAKAO, K., OKABE, K., KITAMURA, K. & KURIYAMA, H. Action of the 1,4-dihydropyridine derivative, KW-3049, on the smooth muscle membrane of the rabbit mesenteric artery, 92, 615
- TERARR, D.A. *see* MITCHELL, M.R., 81, 13
- , 81, 54
- , 81, 551
- TESSERAUX, I. *see* HARRIS, J.B., 81, 573
- , 86, 275
- TEITZLOFF, G. *see* BARNETT, A., 83, 75
- THASTRUP, O. *see* ALI, H., 85, 705
- THEWLES, A. *see* LOTE, C.J., 85, 7
- THIEMERMANN, C. *see* SCHÖRR, K., 87, 631
- THOMAS, D.V. *see* GARCHA, G., 86, 877
- THOMAS, G.P. & TRIPATHI, R.M. Effect of α -adrenoceptor agonists and antagonists on ouabain-induced arrhythmias and cardiac arrest in guinea-pig, 89, 385
- THOMAS, G.R. *see* HILEY, C.R., 89, 779
- , 90, 61
- THOMPSON, C.S. *see* DEBNAM, E.S., 82, 673
- THOMPSON, D.C. *see* FENNESSY, M.R., 87, 741
- THOMPSON, N.T. *see* CLARE, K.A., 82, 467
- THOREN, P. *see* MAJCHERCZYK, S., 91, 711
- THORNHILL, J.A. *see* SAUNDERS, W.S., 85, 513
- THUILLEZ, C. *see* BERDEAUX, A., 83, 203
- TIJSEN, J.G.P. *see* DE JONG, J.W., 83, 943
- TIJSEN, J.G.P. *see* GIESSEN, W.J. VANDER, 87, 23
- TJIA, J.F. *see* BACK, D.J., 81, 557
- , 85, 121
- TODA, N. Endothelium-dependent relaxation induced by angiotensin II and histamine in isolated arteries of dog, 81, 301
- , Responses of human, monkey and dog coronary arteries *in vitro* to carbocyclic thromboxane A₂ and vasodilators, 83, 399
- TODA, N. *see* MIWA, K., 82, 295
- TODA, N. *see* MIYAZAKI, M., 89, 703
- TODA, N. *see* NARUMIYA, S., 85, 367
- TODD, M.H. *see* CHANGE, E., 86, 43
- TODD, M.H. *see* PACIOREK, P.M., 84, 469
- TODD, M.H. *see* PIERCE, W., 87, 433
- TOHSE, N. *see* NAKAYA, H., 89, 749
- TOKIMASA, T. *see* NORTH, R.A., 82, 85
- TOKOLA, O. Effects of repeated intravenous administration of haem arginate upon hepatic metabolism of foreign compounds in rats and dogs, 90, 661
- TOMITA, T. *see* ASHOORI, F., 84, 175
- , 87, 15
- TOMITA, T. *see* BABA, K., 84, 203
- , 88, 441
- TOMITA, T. *see* CHIHARA, S., 91, 789
- TOMITA, T. *see* HONDA, K., 87, 665
- TOMKINS, D.M. *see* COLLIS, M.G., 92, 69
- TÖRÖK, T. *see* BURNSTOCK, G., 82, 359
- TÖRÖK, T.L. *see* MAGYAR, K., 87, 63
- TORR, S.R. *see* COLLIS, M.G., 81, 401
- TOTH, P.T. *see* MAGYAR, K., 87, 63
- TOWART, R. *see* ALLEN, S.L., 86, 171

- TOYAMA, J. *see* ANNO, T., 81, 41
 —, 81, 589
 —, 88, 227
 TRAJKOVIC, D. *see* KIDRIC, M., 83, 687
 TRAMACERE, R. *see* SCARPIGNATO, C., 92, 153
 TRAN, L.D. *see* ANGLADE, F., 91, 481
 TRAN, M.A. *see* ANGLADE, F., 91, 481
 TRAYNOR, J.R. *see* COTTON, R., 84, 927
 TRAYNOR, J.R. *see* KOSTERLITZ, H.W., 91, 431
 TRIGGLE, C. *see* BIEGER, D., 84, 93
 TRIGGLE, D.J. *see* RUTLEDGE, A., 83, 103
 TRIPATHI, R.M. *see* THOMAS, G.P., 89, 385
 TROUT, S.J. *see* HAYES, A.G., 88, 867
 TRZECIAKOWSKI, J.P. Synergistic interaction between histamine and ouabain on ventricular fibrillation threshold, 85, 21
 TSAI, M.C. Effect of neomycin on post-tetanic twitch of the mouse diaphragm preparation, 90, 625
 TSURUFUJI, S. *see* HIRASAWA, N., 87, 751
 TUCEK, S. *see* DOLEZAL, V., 91, 475
 TUCHEK, J.M. *see* GARNETT, M.E., 83, 15
 TUCKER, J.F. Effect of pertussis toxin on normorphine-dependence and acute inhibitory effects of normorphine and clonidine in guinea-pig isolated ileum, 83, 326
 TUFFIN, D.P. *see* BANERJEE, A.K., 84, 71
 TULLOCH, I.F. *see* GADIE, B., 83, 707
 TUNNEY, A.M. *see* BARDEN, A.E., 82, 493
 TURNER, J.P. *see* SIMMONDS, M.A., 84, 631
 TURSKI, L. *see* KLOCKGETHER, T., 86, 357
 TWIST, V.W. *see* MITCHELL, M.R., 81, 13
 —, 81, 543
 —, 81, 551
 TYERS, M.B. *see* COSTALL, B., 91, 263
 —, 92, 881
 TYERS, M.B. *see* HAYES, A.G., 86, 899
 —, 91, 823
 TYERS, M.B. *see* IRELAND, S.J., 90, 151
 TYERS, M.B. *see* IRELAND, S.J., 90, 229

U

- UCHIDA, M.K. *see* HISHINUMA, S., 92, 733
 UCHIDA, Y. *see* SCHACHTER, M., 92, 851
 UDVARY, E. *see* SZEDERES, L., 91, 127
 UDVARY, E. *see* SZEKERES, L., 86, 341
 UEDA, S. *see* HESTER, R.K., 87, 387
 UEDA, S. *see* SATAKE, N., 83, 965
 UFKES, J.G.R. *see* OTTENHOF, M., 86, 627
 UMENO, H. *see* KARAKI, H., 89, 367
 UNGAR, A. *see* ALLEY, M.C., 86, 393
 UNGAR, A. *see* DART, A.M., 90, 43
 UNWIN, R.J. *see* CALAM, J., 91, 307
 UOTILA, P. *see* ALARCAO, M.D., 91, 627
 URAKAWA, N. *see* KARAKI, H., 81, 393
 —, 85, 223
 —, 89, 367
 —, 89, 423
 USHIKUBI, F. *see* NARUMIYAMA, S., 88, 323
 USUI, H. *see* FUJII, K., 90, 355

V

- VACCARDI, A. *see* BIASSONI, R., 85, 447
 VACCARI, A. Effects of neonatal antithyroid treatment on brain [PH]-imipramine binding sites, 84, 773
 —, High affinity binding of [PH]-tyramine in the central nervous system, 89, 15
 VADLAMANI, N.L. *see* MISRA, A.L., 84, 789
 VALE, A.L. *see* BALFOUR, D.J.K., 89, 341
 VALENZUELA, C. *see* DELGADO, C., 87, 317
 —, 90, 575
 VALENZUELA, C. *see* DIEZ, J., 86, 547
 VAN BREEMAN, C. *see* LEIJTEN, P.A.A., 89, 739
 VANDERNIEPEN, P. *see* DUPONT, A.G., 91, 493
 VANDONGEN, R. *see* BARDEN, A.E., 82, 493
 VAN HARDEVELD, C. *see* EVERTS, M.E., 92, 47
 VANNUCCHI, M.G. *see* CORRADETTI, R., 88, 671
 VAN REEMPTS, J. *see* GOOSSENS, J., 91, 165
 VAN ROOIJ, J. *see* OTTENHOF, M., 86, 627
 VAN WAUWE, J.P. *see* GOOSSENS, J., 91, 165
 VAN WAY, C.W. *see* ALLAN, G., 89, 149
 VARAGIC, V.M. *see* PROSTRAN, M., 88, 791
 VARAGIC, V.M. & STOJANOVIC, V. The effect

- of enkephalins and of β -endorphin on the hypertensive response to physostigmine in the rat, 92, 197
 VARDEY, C.J. *see* HILLYARD, P.A., 83, 337
 VARGAFTIG, B.B. *see* BOUKILI, M.A., 89, 349
 VARGAFTIG, B.B. *see* CARMO, L.G., 85, 849
 VARGAFTIG, B.B. *see* COEFFIER, E., 92, 393
 VARGAFTIG, B.B. *see* DESOULI, A., 84, 801
 VARGAFTIG, B.B. *see* LEFORT, J., 82, 565
 VARGAFTIG, B.B. *see* RANDOM, J., 92, 683
 VARGAS, R. *see* ALARCAO, M.D., 91, 627
 VARGAFTIG, B.B. *see* FOUQUE, F., 83, 625
 VARLEY, J.G. *see* EVANS, S.F., 83, 433
 VARMA, D.R. Investigation of the maternal to foetal serum concentration gradient of dexamethasone in the rat, 88, 807
 VARMA, D.R. *see* BENFEY, B.G., 82, 717
 VARMA, D.R. *see* MULAY, S., 83, 139
 VARMA, D.R. & YUE, T.L. Adrenoceptor blocking properties of atropine-like agents anisodamine and anisodine on brain and cardiovascular tissues of rats, 87, 587
 —, Influence of age, sex, pregnancy and protein-calorie malnutrition on the pharmacokinetics of salicylate in rats, 82, 241
 —, Influence of protein-calorie malnutrition on the pharmacokinetics, placental transfer and tissue localization of dexamethasone in rats, 83, 131
 VAUGHAN WILLIAMS, E.M. *see* DENNIS, P.D., 85, 11
 VAUGHAN WILLIAMS, E.M. *see* DUKES, I.D., 83, 419
 —, 84, 365
 VAVREK, R.J. *see* SCHACHTER, M., 92, 851
 VÉGH, A. *see* SZEKERES, L., 86, 341
 VEITCH, G.B.A. *see* HEMSWORTH, B.A., 81, 685
 —, 82, 477
 VELLY, J. *see* GRIMA, M., 86, 125
 —, 89, 641
 VERDOUW, P.D. *see* DUNCKER, D.J., 89, 35
 —, 91, 609
 VERDOUW, P.D. *see* GIESSEN, W.J. VAN DER, 87, 23
 VERDOUW, P.D. *see* SAXENA, P.R., 82, 817
 —, 84, 533
 VESTAL, R.E. *see* MACK, J.A., 88, 417
 VIAL, J. *see* BARROW, S.E., 87, 243
 VINCENT, J. *see* HAMILTON, C.A., 86, 79
 VINCENT, N.D. *see* GREEN, A.R., 92, 5
 —, 92, 13
 —, 92, 19
 —, 92, 25
 VIRDEE, N.K. *see* DOXEY, J.C., 83, 713
 VIZI, E.S. *see* HARSING, L.G. JR., 83, 741
 VOGEL, S.M. *see* ATCHISON, W.D., 82, 667
 —, 89, 731
 VOGEL, S.M. *see* SILINSKY, E.M., 88, 799
 VOGT, W. *see* DAMERAU, B., 84, 47
 —, 84, 55
 —, 84, 63
 VONG, Y.M. *see* CHOO, L.K., 87, 733
 VYAS, S. *see* MARTIN, K.J., 90, 561

W

- WACHTEL, R.E. Aliphatic alcohols increase the decay rate of glutamate-activated currents at the crayfish neuromuscular junction, 83, 393
 —, Effects of diltiazem and verapamil on responses to acetylcholine, 92, 561
 —, Effects of some depressant drugs on synaptic responses to glutamate at the crayfish neuromuscular junction, 83, 387
 WADA, H. *see* IMAMURA, I., 82, 701
 WADA, K. *see* FUJIMOTO, Y., 92, 479
 WADE, D.N. *see* DOUGAN, D.F.H., 88, 285
 WADSWORTH, R.M. *see* DONG, Y.J., 87, 139
 WADSWORTH, R.M. *see* HAY, D.W.P., 81, 441
 WAELBROECK, M. *see* CRISTOPHE, J., 88, 63
 WAHLESTEDT, C. *see* EDVINSSON, L., 83, 519
 WAHLESTEDT, C. *see* EKBLAD, E., 86, 241
 WAINWRIGHT, C.L. *see* BULLOCK, G.R., 86, 235
 WAINWRIGHT, C.L. *see* LEPRAN, I., 86, 229
 WAINWRIGHT, C.L. *see* PARRATT, J.R., 91, 49
 WAKITA, Y. *see* AKAIKE, N., 88, 873
 WALE, J.L. *see* GOLDIE, R.G., 81, 611
 WALKER, J.L. *see* BANERJEE, A.K., 84, 71
 WALKER, J.R. *see* HARVEY, J., 86, 417
 WALKER, M.J.A. *see* CURTIS, M.J., 83, 373

- , 86, 663
 —, 88, 355
 —, 89, 137
 WALKER, M.W. *see* FRIEL, D.D., 88, 425
 WALKER, R.J. *see* BOLD, J.M., 84, 689
 WALLACE, C.P. *see* BROUGHTON PIPKIN, F., 87, 533
 WALLACE, J.L. *see* STEEL, G., 90, 365
 —, 90, 365
 WALLACE, J.L. *see* WHITTLE, B.J.R., 92, 3
 WALLACE, J.L. & WHITTLE, B.J.R. Acceleration of recovery of gastric epithelial integrity by 16,16-dimethyl prostaglandin E₂, 86, 837
 —, Effects of inhibitors of arachidonic acid metabolism on Paf-induced gastric mucosal necrosis and haemoconcentration, 89, 415
 WALLIS, D.I. *see* ROUND, A., 88, 485
 WALLIS, R.B. *see* AMBLER, J., 86, 497
 WALLIS, R.B. *see* KERRY, R., 81, 91
 WALLWORK, J. *see* ENGLISH, T.A.H., 89, 335
 WALTER, D.S. *see* GADIE, B., 83, 707
 WALTER, S.J. *see* SHIRLEY, D.G., 91, 693
 WALTERS, W.A.W. *see* BOURA, A.L.A., 88, 301
 WAL, VAN DER, J.K. *see* LEEUWIN, R.S., 82, 339
 WAMBEBE, C. Influence of some agents that affect 5-hydroxytryptamine metabolism and receptors on nitrazepam-induced sleep in mice, 84, 185
 WANG, C.M. *see* AULT, B., 87, 685
 —, 92, 319
 WANSTALL, J.C. *see* O'DONNELL, S.R., 81, 637
 —, 84, 227
 —, 88, 41
 —, 92, 221
 WARDLE, K.A. *see* CUNNANE, T.C., 92, 39
 WARDLEY-SMITH, B. *see* HALSEY, M.J., 89, 299
 WARLAND, J.J.I. & BURNSTOCK, G. Effects of reserpine and 6-hydroxydopamine on adrenergic and purinergic components of sympathetic nerve responses of rabbit saphenous artery, 92, 871
 WARLAND, J.J.I. *see* BURNSTOCK, G., 90, 383
 WARLAND, J.J.I. *see* BURNSTOCK, G., 90, 111
 —, 90, 111
 —, 90, 383
 WARNOCK, P. *see* DOCHERTY, J.R., 86, 327
 WARREN, J.B., RITTER, J.M., HICKLING, N.E. & BARROW, S.E. Bradykinin-stimulated prostaglandin synthesis in conscious rabbits, 92, 895
 WATANABE, H. *see* KISARA, K., 87, 183
 WATANABE, H. *see* NAKAJIMA, T., 86, 645
 WATANABE, M. *see* BANNO, H., 85, 905
 WATANABE, M. *see* HIRASAWA, N., 87, 751
 WATANABE, M. *see* KAWAI, T., 87, 225
 WATANABE, T. *see* IMAMURA, I., 82, 701
 WATERFALL, J.F. *see* CHANCE, E., 86, 43
 WATERFALL, J.F. *see* PACIOREK, P.M., 82, 127
 —, 84, 469
 WATERFALL, J.F. *see* PIERCE, V., 87, 433
 WATERMAN, A.E. *see* NOLAN, A., 92, 527
 WATLING, K.J. *see* BRISTOW, D.R., 90, 211
 —, 90, 211
 WATON, N.G. *see* PARRATT, J.R., 89, 635
 WATTS, A.D. *see* FENIUK, W., 86, 697
 WEAL, H.V. *see* ASHWOOD, T.J., 81, 815
 WEBBER, S.E. *see* FOREMAN, J.C., 86, 465
 —, 86, 475
 —, 87, 37
 WEBBER, S.E. & WIDDICOMBE, J.G. The effect of vasoactive intestinal peptide on smooth muscle tone and mucus secretion from the ferret trachea, 91, 139
 WEBB, J.G. *see* BRIGHT, P.S., 84, 499
 WEBER, K.H. *see* CASALS-STENZEL, J., 90, 139
 —, 90, 139
 WEBSTER, R.A. *see* BAKHLE, Y.S., 87, 463
 WEIGHT, F.F. *see* CORDINGLY, G.E., 88, 847
 WEIR, S.W. *see* BRAY, K.M., 91, 421
 WEIR, S.W. *see* HAMILTON, T.C., 88, 103
 WEIR, S.W. & WESTON, A.H. Effect of apamin on responses to BRL 34915, nicorandil and other relaxants in guinea-pig taenia caeci, 88, 113
 WEISS, G.B. *see* KARAKI, H., 89, 423
 WEISSMAN, B.A. *see* ABRAHAM, S., 92, 603
 WEISSMAN, B.A. *see* SKOLNICK, P., 86, 637
 WELFORD, L.A. *see* CUSACK, N.J., 90, 791
 —, 90, 791
 WELLS, E. *see* EADY, R.P., 85, 323
 WELLS, E. *see* MITCHELL, P.D., 92, 265
 WELNER, S. *see* COLLIER, B., 82, 827
 WENNMALM, A. *see* ALSTER, P., 81, 55
 WENNMALM, A. *see* CIABATTONI, G., 85, 557
 WERMUTH, C.G. *see* BIZIERE, K., 90, 183

- , 90, 183
 WESTON, A.H. *see* AHMED, F., 83, 227
 WESTON, A.H. *see* ALLEN, S.L., 88, 473
 WESTON, A.H. *see* BRAY, K.M., 91, 421
 WESTON, A.H. *see* BULLOCK, G.R., 89, 819
 WESTON, A.H. *see* EDWARDS, D., 88, 899
 WESTON, A.H. *see* GRANGER, S.E., 85, 255
 —, 87, 147
 WESTON, A.H. *see* HAMILTON, T.C., 88, 103
 WESTON, A.H. *see* HOLLINGSWORTH, M., 91, 803
 WESTON, A.H. *see* WEIR, S.W., 88, 113
 WESTON-SMITH, P. *see* BARLOW, R.B., 85, 437
 WEST, P.A. *see* MITCHELL, P.D., 92, 268
 WHALLEY, E.T. *see* SCHACHTER, M., 92, 851
 WHITE, D.A. *see* BELL, G.D., 81, 183
 WHITE, D.G. *see* MARTIN, W., 89, 557
 —, 89, 563
 WHITE, E.J. *see* BRADFORD, H.F., 88, 87
 WHITE, R.D. *see* BEDDELL, C.R., 82, 397
 WHITE, T.D. *see* AL-HUMAYYD, M., 84, 27
 WHITE, T.D. *see* LEW, M.J., 92, 349
 WHITE, T.D. *see* SAWYONOK, J., 88, 923
 WHITING, M.V. *see* ALLAN, G., 89, 149
 WHITING, R.L. *see* CLAGUE, 86, 183
 WHITING, R.L. *see* EGLEN, R.M., 84, 3
 —, 90, 693
 —, 90, 701
 —, 90, 693
 —, 90, 701
 —, 91, 6
 WHITING, R.L. *see* MICHEL, A.D., 92, 755
 WHITTLE, B.J.R., BROUGHTON-SMITH, N.K., HUTCHESON, I.R., ESPLUGUES, J.V. & WALLACE, J.L. Increased intestinal formation of Paf in endotoxin-induced damage in the rat, 92, 3
 WHITTLE, B.J.R. *see* ALLAN, G., 85, 547
 WHITTLE, B.J.R. *see* BROUGHTON-SMITH, N.K., 86, 439
 WHITTLE, B.J.R. *see* HAMID-BLOOMFIELD, S., 88, 931
 WHITTLE, B.J.R. *see* HAMID, S., 85, 285
 WHITTLE, B.J.R. *see* STEEL, G., 90, 365
 —, 90, 365
 WHITTLE, B.J.R. *see* WALLACE, J.L., 86, 837
 WHITTLE, B.J.R. *see* WALLACE, J.L., 89, 415
 WHITTLE, J.R. *see* DAFFONCHIO, L., 91, 701
 WIBO, M. *see* GODFRAIND, T., 85, 335
 WIDDICOMBE, J.G. *see* LAITINEN, L.A., 92, 703
 WIDDICOMBE, J.G. *see* WEBBER, S.E., 91, 139
 WIDDOP, R.E. *see* BENTLEY, G.A., 88, 161
 —, 92, 121
 WIDDOWSON, P.S. *see* GRIFFITHS, E.C., 88, 653
 WIKLUND, N.P. *see* GUSTAFSSON, L.E., 88, 197
 WILKINS, A.J. *see* EDWARDS, R.J., 90, 501
 —, 90, 501
 WILKINSON, S. *see* BEDDELL, C.R., 82, 397
 WILLIAMS, A.M. *see* BRYAN L.J., 87, 337
 WILLIAMS, B.J. *see* BRISTOW, D.R., 90, 211
 —, 90, 211
 WILLIAMS, F.M. *see* KANE, K.A., 82, 349
 WILLIAMS, F.M. *see* SCHOLTYSIK, G., 89, 287
 WILLIAMSON, I.H.M. *see* BAKER, J.R.J., 84, 107
 WILLIAMS, R.H. *see* BRADLEY, P.B., 84, 919
 WILLIAMS, R.H. *see* BRADLEY, P.B., 87, 3
 WILLIAMS, T.J. *see* BRAIN, S.D., 86, 855
 WILLIAMS, T.J. *see* FORREST, M.J., 89, 719
 WILL, S.G. *see* ARMSTRONG, R.A., 84, 595
 WILSON, H. *see* FONE, K.C.F., 89, 67
 WILSON, J.X. Conjugated catecholamines and pressor responses to angiotensin, luteinizing hormone-releasing hormone and prazosin in conscious toads, 85, 647
 WILSON, K.A. *see* HAY, D.W.P., 92, 381
 WILSON, N.H. *see* ARMSTRONG, R.A., 84, 595
 WILSON, N.H. *see* DONG, Y.L., 87, 97
 WINSLOW, E. *see* BROWN, J., 86, 7
 WIRE, W. *see* DRAY, A., 85, 717
 WISE, W.C. *see* CUTHBERT, A.W., 83, 549
 WITHRINGTON, P.G. *see* CORDER, R., 90, 785
 —, 90, 785
 WOLCHINSKY, C. & ZSOTÉR, T.T. The effect of diltiazem on noradrenaline release, 85, 387
 WOLF, K. *see* FUDER, H., 86, 905
 WOLF, W.A. *see* KUHN, D.M., 84, 121
 WOLSTENCRAFT, J.H. *see* HORTON, R.C., 85, 37
 WONG, A.C. *see* FOSTER, A.C., 91, 403
 WONG, E.H.F. *see* KEMP, J.A., 91, 601
 WONG, K. *see* SAAD, M., 91, 715
 WONG, T.M. *see* HUANG, X.D., 87, 475
 WOOD, J. *see* BLACK, J.W., 84, 561
 WOODRUFF, G.N. *see* KEMP, J.A., 87, 677
 —, 91, 601
 WOODS, K.L. *see* ANDREWS, P.L.R., 89, 453
 WOOD, S. *see* HALSEY, M.J., 89, 299
 WOODWARD, B. *see* DAUGHERTY, A., 85, 621
 —, 87, 265
 WOOTTON, R. *see* BEDDELL, C.R., 82, 397
 WRAY, D. *see* GWILT, M., 88, 25
 WRIGHT, D.M. *see* CLARKE, G., 83, 799
 WROBLESKA, B. *see* ALARCAO, M.D., 91, 627
 WURM, G. *see* BAUMANN, I., 83, 954
- ## Y
- YAMADA, K. *see* ANNO, T., 81, 41
 —, 81, 589
 —, 88, 277
 YAMADA, K. *see* KUDO, Y., 81, 373
 YAMAHARA, J. *see* HESTER, R.K., 87, 387
 YAMASAKI, Y. *see* ENOMOTO, Y., 88, 259
 YANAGISAWA, M. *see* AKAGI, H., 84, 663
 —, 91, 189
 YANAGISAWA, T. *see* ISHII, K., 84, 577
 YASUHARA, M. *see* HASHIMOTO, Y., 88, 71
 YASUMOTO, T. *see* KOBAYASHI, M., 86, 385
 YATES, M.S. *see* BOWMER, C.J., 81, 69
 —, 83, 773
 —, 88, 205
 YAWN, B.C. *see* AULT, 92, 319
 YOSHIDA, Y. *see* IMAI, S., 92, 55
 YOSHINO, S. *see* HIRASAWA, N., 87, 751
 YOSHITOMI, T. *see* ITO, Y., 88, 629
 YOSHIZAWA, M. *see* FRÖLICH, J.C., 92, 311
 YODIM, M.B.H. *see* FINBERG, J.P.M., 85, 541
 YODIM, M.B.H. *see* KUHN, D.M., 84, 121
 YODIM, M.B.H. *see* MELAMED, E., 86, 529
 YODIM, M.B.H. *see* SKOLNICK, P., 86, 637
 YOUNG, J.M. *see* ACEVES, J., 84, 417
 YOUNG, J.M. *see* CARSWELL, H., 89, 809
 —, 90, 175
 YTTERBORN, S. *see* ASK, A.-L., 85, 683
 YUE, T.L. *see* VARMA, D.R., 82, 241
 —, 83, 131
 YUNES, R.A. *see* CALIXTO, J.B., 85, 729
 —, 88, 937
 YUO, T.L. *see* VARMA, D.R., 87, 587
 YUSKO, P. *see* CARRIER, R., 82, 389
 YUSWACK, T. *see* CURTIS, M.J., 88, 355
- ## Z
- ZAAGSMA, J. *see* BOJANIC, D., 84, 131
 ZAMBOTTI, F. *see* MANTGAZZA, P., 83, 883
 ZAPPAL, L. *see* SCARPIGNATO, C., 92, 153
 ZEITLIN, I.J. *see* PARRATT, J.R., 82, 281
 ZERBIB, A. *see* CHAPAL, J., 83, 927
 ZHAN, C.Y. *see* HUANG, X.D., 87, 475
 ZHEGU, Z. *see* BINDER, R.R., 88, 569
 ZHOA, Y.Y. *see* HUANG, X.D., 87, 475
 ZIDICHOUSKI, J.A. *see* SMITH, P.A., 84, 221
 ZIEGLER, A. *see* MITCHELSON, F., 83, 145
 ZILLETTI, L. *see* GIOTTI, A., 84, 883
 ZIOGAS, J. *see* STORY, D.F., 87, 249
 ZOHAR, J. *see* AULAKH, C.S., 91, 747
 ZONG, X.-G. *see* NAWRATH, H., 81, 103
 ZONTA, N. *see* MANTEGAZZA, P., 83, 883
 ZREIKA, M. *see* FOZARD, J.R., 87, 257
 ZSOTÉR, T.T. *see* WOLCHINSKY, C., 85, 387
 ZUBIETA, J.K. *see* GARCIA-SEVILLA, J.A., 89, 673
 ZUCCHI, P.L. *see* BARTOLINI, A., 92, 711