

VOLUME 95

DECEMBER 1988

British Journal of Pharmacology

PROCEEDINGS SUPPLEMENT

PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY

UNIVERSITY OF NOTTINGHAM

7th–9th September 1988

INDEX TO PROCEEDINGS SUPPLEMENTS TO VOLUMES 93, 94 and 95

AUTHOR INDEX

- ABILA, B., FRANCIS, P. & LACHE, F.
Preliminary screening of a single-dose
native antiepileptic preparation used
in Nigeria, 95, 480P
- ABRAHAMSEN, J. & NEDERGAARD, O.A.
Modulation of stimulation-evoked [3 H]-
noradrenaline release from rabbit
isolated ear artery, 94, 328P
- ACTON, L., DASCOMBE, M.J., HOLLINGSWORTH,
M. & PRICE, D. Ergometrine displace-
ment of [3 H]-5-hydroxytryptamine
binding in rat brain and myometrium,
96, 847P
- ADAMS, D.J. see SEABROOK, G.R., 96,
854P
- ADAMSON, P. see MANTZOURIDIS, T., 95,
645P
- - - see XIANG, J-Z., 95, 597P
- ADAMSON, P., BRAMMER, M.J. & CAMPBELL, I.
C. Cyclic AMP analogues block clonidine
but not dynorphin A (1-13) induced
reductions in intrasynaptosomal free
[Ca $^{2+}$]_i, 93, 169P
- ADHAM, N., EGLE, R.M. & WHITING, R.L.
Desensitisation of ileal muscarinic
receptors in vitro, 95, 628P
- ADIO, R.A. see LANCASTER, D.L., 94,
342P
- AGIUS, R.M., ROBINSON, C., CHURCH, M.D. &
HOLGATE, S.T. Prostaglandin (PG) D₂
synthesis by human bronchoalveolar mast
cells, 93, 51P
- AHIERS, R.G. see PRICE, G.W., 95, 485P
- AHLUWALIA, A., HEAD, S.A., SHELDRIK, R.L.
G. & COLEMAN, R.A. Prostanoid receptors
mediating contraction of rabbit renal
artery, 96, 721P
- AHMAD, B. & NICHOLLS, P.J. Interaction
of aminoglutethimide and SK&F 525-A
in the mouse, 94, 442P
- - - Tolerance to the sedative effect
of aminoglutethimide in rats, 95, 611P
- - - Further evidence of tolerance to
the CNS effects of aminoglutethimide
in mice, 96, 829P
- AHMAD, B., NICHOLLS, P.J., SMITH, H.J. &
POURGHOLAMI, M.H. Tissue distribution
of aminoglutethimide in the female rat,
93, 215P
- AHMADI, M. see POURGHOLAMI, M.H.,
95, 591P
- ALABASTER, V.A. see GATER, P.R.,
93, 242P
- - - see MOORE, B.A., 96, 797P
- ALAMANNI, F. see MONOPOLI, A., 96,
810P
- ALBINO TEIXEIRA, A. see SARMENTO, A.,
96, 838P
- ALBINO TEIXEIRA, A., AZEVEDO, I.,
OSSWALD, W. Prevention by purines
of the structural changes caused at
the extraneuronal level by surgical
and chemical denervation, 96, 785P
- ALI, I.M., HILL, S.S., MCCURRIE, J.R.,
WATKINS, R.J. & WOOD, D. Comparat-
ive effects of loperamide and verap-
amil on contractions of guinea-pig
ileum, 95, 605P
- AL-LAITH, M. & PEARCE, F.L. Histamine
secretion from mast cells stimulated
with sodium orthovanadate, 93, 34P
- ALLCOCK, A.A., FRODSHAM, G. & SIM, M.
F. Effects of flosequinan, a novel
arteriovenous dilating agent, on
cGMP levels in rat isolated aortic
strips, 94, 430P
- ALLELY, M.C. & ALPS, B.J. The effects
of the novel anti-anginal agent
ranolazine (i.d.) in a canine model
of transient myocardial ischaemia,
93, 246P
- ALLELY, M.C. & BROWN, C.M. The effects
of POCA and TGDA on the ischaemia-
induced increase in α_1 -adrenoceptor
density in the rat left ventricle,
95, 705P
- ALLEN, J.D. see HARRON, D.W.G., 95,
706P
- ALLEN, J.M., ARNOTT, M., CAMPBELL, C.,
MCCARRON, J.G. & THORNBURY, K.D.
Postjunctional α_2 -adrenoceptors in
bovine lymphatic smooth muscle, 95,
569P
- ALLEN, S.J. see DAWBARN, D., 93,
167P
- ALMEIDA, L. see TEIXEIRA, F., 96,
787P
- ALPS, B.J. see ALLELY, M.C., 93,
246P

- ALTINEL, A. see MAKINDE, V., 93, 210P
 - - - see WALI, F.A., 93, 236P
 - - - see WALI, F.A., 94, 469P
- ALTINEL, A., SUER, A.H., TUGWELL, A.C. & WALI, F.A. Tetanic fade and recovery profile of atracurium-induced neuromuscular blockade in the rat diaphragm preparation, 94, 468P
- ALYAMI, A.M. & WOOD, D. Calcium antagonism by benzodiazepines in guinea pig ileum, 94, 467P
- AL-ZADJALI, K.H. see BOYLE, F.C., 95, 691P
- AMATYA, M.P., KANE, K.A., WADSWORTH, R.M. & ZEITLIN, I.J. The role of prostacyclin in hypoxic vasoconstriction in the sheep isolated coronary artery, 95, 692P
- ANDERSON, S.M.P., GODFREY, P.P. & GRAHAME-SMITH, D.G. The effects of phorbol esters and lithium on 5-HT release in rat hippocampal slices, 93, 96P
- ANDREWS, H.E., BRUCKDORFER, K.R., PLANE, F., TURNER, M. & JACOBS, M. Low-density lipoproteins attenuate the contractile response in rabbit aorta evoked by noradrenaline, 95, 697P
- ANDREWS, K.L., BATES, R.F.L. & BUCKLEY, G.A. Interaction between calcitonin and pirenzepine in indomethacin-induced gastric erosions in the rat, 93, 213P
- ANDREWS, P.L.R. see BINGHAM, S., 95, 624P
- ANGEL, I., BIDET, S., DUVAL, N. & LANGER, S.Z. Hyperglycaemia induced by α_2 -adrenoceptor stimulation: pharmacological characterization, 93, 20P
- ANGEL, I., TARANGER, M-A., SCATTON, B. & LANGER, S.Z. Mechanisms of anorectic activity of serotonin uptake inhibitors, 93, 11P
- ANGELINI, G.D. see CHRISTIE, M.I., 95, 682P
- ANSCHUTZ, S. see WESSLER, I., 93, 28P
- ANSON, J. see COLLINS, G.G.S., 93, 181P
- ANTUNES, E. see D'ORLEANS-JUSTE, P., 96, 809P
- ANTUNES, E., LIDBURY, P.S., DE NUCCI, G. & VANE, J.R. Lack of synergism of iloprost and sodium nitroprusside on rabbit vascular smooth muscle, 95, 516P
- ANWYL, R. see CULLEN, W.K., 95, 663P
 - - - see O'CONNOR, J.J., 93, 148P
 - - - see O'CONNOR, J.J., 95, 503P
 - - - see ROWAN, M.J., 93, 91P
 - - - see ROWAN, M.J., 95, 662P
- AOKI, S., BOUBEKEUR, K., KRISTERSSON, A., MORLEY, J. & SANJAR, S. Is allergic airway hyperreactivity of the guinea-pig dependent on eosinophil accumulation in the lung? 94, 365P
- AOKI, S., BOUBEKEUR, K. & SANJAR, S. The effect of AH 21-132 and other anti-asthma drugs on PAF-induced eosinophilia in the guinea-pig, 93, 54P
- ARAM, J.A., ZEMAN, S. & LODGE, D. Effects of acid/base changes induced by bicarbonate on NMDA-receptor mediated depolarisations in rat cortical wedges, 93, 161P
- ARAUJO, A. see BRANDAO, F., 96, 845P
- ARAUJO, D. see CARAMONA, M.M., 96, 753P
- ARBILLA, S. see CARTER, C.J., 93, 88P
- ARCH, J.R.S., BUCKLE, D.R., BUMSTEAD, J. & TAYLOR, J.F. Comparison of the effects of cromakalim (BRL 34915) and pinacidil in guinea-pig models of bronchoconstriction, 96, 794P
- ARENDT, R.M. see DHUME, V.G., 93, 261P
- ARENSON, M.S. & LOCKER, K.J. An electrophysiological study of muscarinic inhibition of acetylcholine release in the MG²⁺-blocked frog sartorius muscle, 93, 299P
- ARMAH, B.I. & RAVENS, U. Inhibition of the inotropic effects of DPI 201-106 by its methyl-indole derivative (BDF 8784) at the sodium-channels, 94, 354P
- ARMAH, B.I., BEUTTLER, T. & RAVENS, U. Antagonism of the positive inotropic effect of DPI 201-106 by its methyl-indole derivative (BDF 8784), 94, 474P
- ARMAH, B.I., HOFFERBER, E. & STENZEL, W. Saterinone (BDF 8634): a positive inotropic vasodilator with potent PDE type III and α_1 -adrenoceptor inhibitory activities, 95, 490P
- ARMSTRONG, F.H. & LOWE, K.C. Effects of perfluorochemical emulsion components on rat liver cytochromes P-450, 95, 610P
- ARMSTRONG, J.M. see DUMEZ, D., 93, 201P
 - - - see FERRANDON, P., 93, 247P
 - - - see HICKS, P.E., 94, 439P
- ARMSTRONG, P. see FORSTER, C., 93, 115P
- ARMSTRONG, R., BENNETT-RICHARDS, P. & CAAN, A.W. The benzodiazepine antagonist flumazenil has longlasting

- effects on alcoholic rats, 96, 881P
- ARMSTRONG, R.A. & JONES, R.L. Potentiation by AH6809 of iloprost-induced rises in platelet cyclic AMP levels, 94, 404P
- ARNOTT, M. see ALLEN, J.M., 95, 569P
- ARVIN, B. see PAN, J., 96, 889P
- ASHFORD, K.L.J. see KOZLOWSKI, R.Z., 93, 296P
- ASSIE, M.B. & BRILEY, M. Effects of α_2 -agonists and antagonists on pupil diameter are correlated with 3H-idazoxan binding *in vivo* in mouse brain, 96, 780P
- ATKINSON, J. see EL BOUHTOURY, F., 93, 255P
- - - see MARTIN, K.F., 96, 896P
- - - see NEEDHAM, P.L., 96, 897P
- - - see OSTER, L., 93, 72P
- ATTERWILL, C.K. see CUNNINGHAM, J., 93, 165P
- - - see JONES, C.A., 93, 35P
- ATTERWILL, C.K., BROWN, C.G., FOWLER, K. L., NICHOLLS, P.J. & SMITH, H.J. *In vitro* antithyroid activity of aminoglutethimide and three related aromatase inhibitors, 96, 830P
- ATTERWILL, C.K. & COLLINS, P. Investigation of aluminium neurotoxicity using rat brain reaggregate cultures, 94, 441P
- ATTERWILL, C.K., COLLINS, P., PILLAR, A. & PRINCE, A.K. EMCA-induced cholinergic lesions in serum-free brain reaggregate cultures: studies with neurotrophic factors, 93, 304P
- ATTERWILL, C.K., FOWLER, K., BROWN, C.G. & COLLINS, P. Thyroid stimulating hormone (TSH) activates Na^+K^+ -ATPASE and iodide accumulation in the rat FRTL-5 thyroid cell line, 96, 837P
- AUBRY, M.L., DAVEY, M.J. & PETCH, B. UK-52,046 a novel α_1 -adrenoceptor antagonist with antidysrhythmic activity, 96, 752P
- AUERBACH, S.B. see WILKINSON, L.O., 96, 872P
- AUGUET, M. see HELLEGOUARCH, A., 93, 78P
- AUSTIN, C.E., KITTERINGHAM, N.R. & CHESSE-WILLIAMS, R. The effect of oestrous cycle on vascular postsynaptic α_1 - and α_2 -adrenoceptor responsiveness in the pithed rat, 95, 701P
- AZEVEDO, I. see ALBINO TEIXEIRA, A., 96, 785P
- - - see SARMENTO, A., 96, 838P
- BACK, D.J. see BALL, S.E., 94, 449P
- BACKUS, L.I., SHARP, T., BRAMWELL, S. R. & GRAHAME-SMITH, D.G. Ipsapirone and gepirone inhibit 8-OH-DPAT-induced rotation in rats with unilateral 5-HT lesions, 96, 873P
- BACON, A. see BUTLER, J.M., 94, 459P
- BAIRD, J.G. & NAHORSKI, S.R. A selective role of muscarinic receptors in K^+ -evoked inositol tetrakisphosphate accumulation in cerebral cortex, 94, 395P
- BAJKA, E. see JACKSON, S., 94, 473P
- BAJKA, E., CRUZ, E. & WILLIS, A.L. Effects of intravenous and oral administration of the prostacyclin-mimetic RS93427 in baboons, 94, 415P
- BAKER, A.J. & FULLER, R.W. Control of human alveolar macrophage: role of adenylate cyclase, 95, 527P
- BAKER, J.B.E. see GREENE, J.R.T., 93, 61P
- BAKER, S.R. see THOMAS, K., 94, 411P
- BAKHLE, Y.S. see PANKHANIA, J.J., 95, 684P
- BAKHLE, Y.S., MANN, R. & BELL, C. Are there dopaminergic nerves in guinea-pig lung? 94, 367P
- BAKHLE, Y.S. & STUART, E.F. Oral N-acetylcysteine (NAC) prevents lung injury induced by α -naphthylthiourea (ANTU) in rats, 96, 768P
- BAKHLE, Y.S. & YEATS, D.A. Cationic factors affecting phospholipase A_2 activities in extracts of human lung, 93, 46P
- BALDWIN, H.A., CURLE, P.F. & FILE, S. E. A comparison of the effects of three tests of anxiety on plasma corticosterone concentrations in the rat, 96, 880P
- BALDWIN, H.A. & FILE, S.E. An investigation of the neurochemical mechanism of caffeine-induced anxiety in the rat, 96, 879P
- BALDWIN, H.A., KILPATRICK, G.J., JONES, B.J. & FILE, S.E. Brain uptake of 2-[^{14}C]-deoxyglucose after chronic treatment with chlordiazepoxide, 94, 397P
- BALFOUR, D.J.K. see GRAHAM, C.A., 94, 374P
- - - see VALE, A.L., 94, 373P
- - - see WINCH, G.J.B., 94, 350P
- - - see YAU, J.L.W., 93, 178P

- BALL, M.T., BUNCE, K.T. & GUNNING, S.J. Investigation of the 5HT receptor type mediating secretion in rat colon, 94, 466P
- BALL, M.T., BUNCE, K.T. & SPRAGGS, C.F. Neuronal and non-neuronal 5HT receptors control electrolyte secretion in rat isolated ileal mucosa, 94, 465P
- BALL, S.G. see RAMAGE, A.G., 94, 358P
- BALL, S.E., FORRESTER, L., WOLF, C.R. & BACK, D.J. Characterization of the form(s) of cytochrome P-450 involved in oestrogen 2-hydroxylation, 94, 449P
- BANERJEE, A.K., DIOCEE, B.K., JORDAN, R., SOUNESS, J.E. & WITHNALL, M.T. Potentiation of the diuretic and natriuretic effects of atrial natriuretic factor (ANF) by M&B 22948, 93, 289P
- BARNES, J.M., BARNES, N.M., COSTALL, B., COUGHLAN, J. & KELLY, M.E. Performance of hooded Lister and Sprague-Dawley rats on a T-maze food reinforced alternation task, 93, 170P
- BARNES, J.M., COSTALL, B. & NAYLOR, R.J. The neurotoxicity of MPTP and MPP⁺ in marmoset cell cultures, 94, 399P
- - - Antagonism by mazindol of MPTP induced neurotoxicity in rat cell cultures, 94, 400P
- BARNES, N.C. see ZAKRZEWSKI, J.T., 93, 108P
- BARNES, N.M. see BARNES, J.M., 93, 170P
- BARNES, N.M., BARRY, J.M., COSTALL, B., NAYLOR, R.J. & TATTERSALL, F.D. Antagonism by fenfluramine of cisplatin-induced emesis in the ferret, 93, 310P
- BARNES, N.M., COSTALL, B. & NAYLOR, R.J. ³H zacopride identifies 5-HT₃ binding sites in rat entorhinal cortex, 94, 391P
- BARNES, P.J. see BELVISI, M.G., 96, 776P
- - - see CHILVERS, E.R., 96, 778P
- - - see MAK, J.C.W., 93, 301P
- - - see MAK, J.C.W., 96, 777P
- - - see MCCUSKER, M., 93, 217P
- BARNETT, D.B. see LU, X., 96, 820P
- BARNETT, K. The isolation of mast cell granules in mastocytoma cells, 95, 537P
- BARR, S.M. see NIXON, G.F., 94, 357P
- BARRADAS, M.A. see JEREMY, J.Y., 95, 690P
- BARRAND, M.A. see JONES, R., 93, 79P
- BARRAS, M. see HICKS, P.E., 94, 439P
- BARRETT, M. see DESA, F.M., 95, 678P
- BARRETT, M.L., WILLIS, A.L. & VANE, J.R. Anti-atherosclerotic potential of nitric oxide (EDRF) via inhibition of platelet mitogen release, 95, 689P
- BARRY, J.M. see BARNES, N.M., 93, 310P
- BARRY, M., MULCAHY, F., MOLLOY, T. & FEELY, J. Azidothymidine (AZT) and hepatic drug metabolism, 95, 614P
- BARTH, T.M. see MORATALIA, R., 93, 5P
- BARTON, H. see WALKER, J.R., 96, 801P
- BARTRUP, J.T. & STONE, T.W. Adenosine inhibition of rat hippocampal population potentials is magnesium dependent, 94, 376P
- BARWELL, C.J., CANHAM, C.A. & WILLIAMS, C. Comparison of benzylamine, N,N-dimethylphenethylamine and N,N-dimethyltyramine as substrates for monoamine oxidase B, 93, 190P
- BASARAB-HORWATH, I., BROWN, G.J., DEWHURST, D.G. & HALL, J. Automated analysis of drug-induced convulsions, 94, 471P
- BATES, R.F.L. see ANDREWS, K.L., 93, 213P
- BATY, J.D. see LINDSAY, R.M., 94, 454P
- - - see LINDSAY, R.M., 94, 455P
- BAX, N.D.S. see BURNS, E., 93, 114P
- - - see BURNS, E., 95, 700P
- BAXTER, G.S., CLAYTON, J.K., MARSHALL, K. & SENIOR, J. Evidence that the inhibitory response to PGE₂ in the human myometrium *in vitro* is mediated via the EP₂-receptor subtype, 93, 221P
- - - The response of human myometrium and uterine artery to PGE₂ *in vitro*, 96, 808P
- BAYDOUN, A.R., CIRINO, G. & WOODWARD, B. Coronary effects of bradykinin before and after phospholipase C treatment in the isolated rat heart, 95, 549P
- BAYDOUN, A.R., MARKHAM, A., MORGAN, R. M. & SWEETMAN, A.J. BAY K8644 a modifier of respiration and total calcium uptake associated with rat heart mitochondria, 95, 694P
- BAYS, D.E. see HUMPHRAY, J.M., 96, 749P
- BEARPARK, T. see DE NUCCI, G., 95, 547P
- - - see GRYGLEWSKI, R., 93, 106P
- - - see SNEDDON, J.M., 93, 100P
- BEART, P.M. see LODGE, D., 93, 89P
- BECK, E. see SCHNEIDER, J., 93, 272P

- BECKER, D.R. & PLEECE, S.A. The effects of clomipramine and fluoxetine on the 5HTP-induced head twitch in the mouse, 95, 664P
- BECKERINGH, J.J. Normetanephrine is a highly selective α_1 -adrenoceptor agonist, 93, 119P
- BECKERINGH, J.J. & BRODDE, O.-E. Responsiveness of α_1 -adrenoceptor agonist induced contraction in endothelium-intact rings of rat aorta is related to turnover of PI, 93, 252P
- BEDWELL, S., SHELL, D.J., HOLGATE, S.T. & ROBINSON, C. Observations on the metabolism of prostaglandin D₂ and 9 α 11 β -prostaglandin F₂ in human lung, 94, 413P
- BELL, C. see BAKHLE, Y.S., 94, 367P
- BELVISI, M.G., ICHINOSE, M. & BARNES, P.J. Evidence for GABA_B receptors on non-adrenergic non-cholinergic nerves in guinea-pig airways, 96, 776P
- BENAVIDES, J. see CARTER, C.J., 93, 88P
- - - see SCATTON, B., 93, 4P
- BENAVIDES, J., RIVY, J.P. & SCATTON, B. Differential modulation by glycine and L-glutamate of [³H]-TCP binding to the NMDA receptor, 93, 87P
- BENNETT, G.W. see BRISTOW, L.J., 93, 9P
- - - see BRISTOW, L.J., 94, 319P
- - - see BRISTOW, L.J., 96, 886P
- - - see FONE, K.C.F., 93, 8P
- - - see FONE, K.C.F., 94, 313P
- - - see FONE, K.C.F., 94, 401P
- - - see FONE, K.C.F., 95, 555P
- - - see FONE, K.C.F., 96, 782P
- - - see JOHNSON, J.V., 95, 556P
- - - see JOHNSON, J.V., 96, 903P
- BENNETT, T. see GARDINER, S.M., 94, 359P
- - - see GARDINER, S.M., 96, 718P
- - - see HARLAND, D., 94, 360P
- BENNETT-RICHARDS, P. see ARMSTRONG, R., 96, 881P
- BENONI, G. see FRACASSO, M.E., 95, 589P
- BENTLEY, P.K., GATES, R.M.C., LOWE, K.C., DE POMERAI, D.I. & WALKER, J.A.L. *In vitro* cellular responses to a non-ionic surfactant, pluronic F-68, 96, 827P
- BERKOWITZ, B.A. see LONG, C.J., 93, 99P
- BERRY, C.N. see LLOYD, K.G., 93, 285P
- BERRY, C.N., CHASTAGNOL-HERMANN, D.C. & LLOYD, K.G. 5-Lipoxygenase inhibition: a mechanism for the antigastric ulcer actions of sulphasalazine and PhCL28? 93, 140P
- - - Inhibition of 5-Lipoxygenase *in vitro* by sulphasalazine (ZP), PhCL28A and carbenoxolone (CBX), 93, 141P
- BERRY, L.A. see SKETT, P., 94, 345P
- BERTHOLD, H., FOZARD, J.R., ENGEL, G. & FLUCKIGER, E. Mechanism of the attenuation of naloxone-induced jumping behaviour in morphine-dependent mice by 5-HT₁ receptor agonists, 96, 869P
- BERTIE, K., DAVIS, J.A., ROACH, A.G., ROWLAND, P. & SMITH, C.F.C. SK&F 104078 does not selectively antagonise α_2 -adrenoceptors in the rat, 94, 433P
- BETTANEY, J., DRAY, A. & PERKINS, M. N. Bradykinin but not capsaicin stimulation of afferent fibres in rat tail involves protein kinase C activation, 93, 276P
- BEUSENBERG, F.D., GONZALEZ, R., LINNENBANK, R., ZEEGERS, A. & LEEUWIN, R.S. Cardiac and respiratory effects of benzodiazepine derivatives in rats, 95, 606P
- BEUTTLER, T. see ARMAH, B.I., 94, 474P
- BEVAN, K.A., PATTERSON, J.C. & TEMPLETON, W.W. Classification of muscarinic receptor subtypes in the conscious mouse, 93, 174P
- BEVAN, P. see WOUTERS, W., 95, 495P
- BEVILACQUA, M. see MONOPOLI, A., 96, 810P
- BEWLEY, J.S. & CHAPMAN, I.D. AH 21-132 a novel relaxant of airway smooth muscle, 93, 52P
- BHARDWAJ, R. see HUSSAINI, I., 94, 421P
- BHARDWAJ, R. & MOORE, P.K. Enhanced vasodilator and vasoconstrictor effect of drugs in perfused rat kidney of streptozotocin diabetic rats, 95, 593P
- BHARDWAJ, R., RAGE, C.P. & MOORE, P. K. EDRF inhibits platelet aggregation *in vivo* and leucocyte aggregation *in vitro*, 93, 224P
- BHATTACHARYA, S.K., CLOW, A., GLOVER, V. & SANDLER, M. Anxiogenic agents increase tribulin concentrations in rat brain and heart, 93, 1P
- BICHARD, V. see MARSHALL, R.W., 93, 309P
- BIDET, S. see ANGEL, I., 93, 20P

- BIGAUD, M., WAINWRIGHT, C.L., PARRATT, J.R. & STOCLET, J.C. Studies on the behaviour of platelets during acute myocardial ischaemia and reperfusion, 93, 257P
- BIGLIOLI, P. see MONOPOLI, A., 96, 810P
- BIGOT, D., CANTON, H. & DOBLE, A. Compounds active at σ -opiate receptors inhibit NMDA stimulated guanylate cyclase activity, 95, 654P
- BILL, D.J. see FLETCHER, A., 94, 384P
- BILL, D.J. & FLETCHER, A. The attenuation of 8-OH-DPAT-induced hypothermia in the mouse by selective inhibitors of 5-HT uptake, 93, 198P
- BILLINGSLEY, A.J. see FLETCHER, A., 94, 384P
- BILSKI, A.J., HATTON, R., MOORS, J., NUTTALL, A. & SHAW, G. The chronotropic properties of epanolol in the anaesthetised dog, 94, 426P
- BINGHAM, S. & ANDREWS, P.L.R. *In vivo* evidence for cholinergic and serotonergic components of the effects of cisapride on gastric motility, 95, 624P
- BINNS, K.E., FREEDMAN, S.B. & NEWBERRY, N. R. Pharmacological differences between cholinesterases in the rat superior cervical ganglion (SCG) and cerebral cortex, 93, 177P
- BIRCH, B.J., GROSSMAN, C.J. & HAYES, A.G. Pharmacology of excitatory amino acid receptors in the rat hemisectioned spinal cord, 94, 473P
- BIRCH, N.J. see PHILLIPS, J.D., 96, 836P
- BIRCH, P.J., GROSSMAN, C.J. & HAYES, A.G. FG9065 and FG9041 antagonise responses to NMDA via an action at the strychnine-insensitive glycine receptor, 96, 758P
- BIRCH, P.J. & HAYES, A.G. κ -opioid-induced diuresis: involvement of an α -adrenergic mechanism, 93, 282P
- BIRMINGHAM, A.T. see IACOVOU, J.W., 96, 848P
- BLACK, S.C. see VOHRA, M.M., 95, 608P
- BLACKBURN, T.P. see COX, B., 94, 473P
- - - see GROWCOTT, J.W., 93, 264P
- - - see SLATER, P., 93, 192P
- - - see TORTELLA, F.C., 93, 196P
- - - see TORTELLA, F.C., 94, 473P
- BLACKBURN, T.P., COX, B., PEARCE, R.J. & THORNER, C.W. *In vitro* pharmacology of ICI 170,809 - a new 5-HT₂ antagonist, 94, 473P
- BLACKHAM, A. see GRIFFITHS, R.J., 95, 535P
- - - see WOOD, B.E., 94, 416P
- BLACKHAM, A., GRIFFITHS, R.J., NORRIS, A. A., WOOD, B.E., LI, S.W., HALLAM, C., MITCHELL, P.D. & MANN, J. FPL 62064: a novel dual inhibitor of arachidonic acid metabolism in skin, 95, 536P
- BLAKE, J.F., EVANS, R.H. & LENTON, M. The source of agonist-induced D.C. shifts recorded in brain slice preparations, 93, 310P
- BLAVET, N. see SPINNEWYN, B., 93, 75P
- BLIER, P. see GALZIN, A-M., 93, 14P
- BLOOM, S.R. see SPOKES, R.A., 95, 577P
- BLUE, D.R. see BOND, R.A., 93, 21P
- BLUE, D.R., BOND, R.A. & CLARKE, D.E. Blockade of putative adrenoceptor in guinea-pig ileum by alprenolol, 95, 541P
- BOAR, B.R. see HUNTER, A.J., 96, 763P
- - - see ROBINSON, T.N., 96, 762P
- BOARDER, M.R. see OWEN, P.J., 95, 524P
- - - see PLEVIN, R., 93, 36P
- - - see PLEVIN, R., 96, 746P
- BOARDER, M.R., MARRIOTT, D.B., OWEN, P.J. & PLEVIN, R. Prostaglandin stimulation of release from bovine adrenal chromaffin cells, 95, 523P
- BOARDER, M.R. & OWEN, P.J. Evidence for a dihydropyridine sensitive and comotoxin insensitive voltage-dependent calcium channel in a neurone-like cell, 96, 745P
- BOARDER, M.R., PLEVIN, R. & MARRIOTT, D. Angiotensin 11 and histamine enhance cyclic AMP accumulation in intact cells but not adenylate cyclase in permeabilised cells, 93, 37P
- BODDEKE, H.W.G.M. see HUGTENBURG, J. G., 93, 66P
- - - see HUGTENBURG, J.G., 93, 259P
- - - see JAP, T.J.W., 93, 258P
- BODDEKE, H.W.G.M., WILLFERT, B., JAP, T.J.W., HUGTENBURG, J.G., VELDSEMA-CURRIE, R. & VAN ZWIETEN, P.A. Differential anti-ischaemic effects of nifedipine and R 58735 in the guinea-pig heart-lung preparation, 93, 65P
- BODEN, P. see PINNOCK, R.D., 96, 779P
- BOHM, M., KEMKES, B., PIESKE, B., SCHNABEL, P. & ERDMANN, E. The β_2 -adrenoceptor-mediated positive inotropic effect of dopexamine in the failing human heart, 95, 491P
- BOHME, E. see SCHMIDT, H.H.H.W., 95, 677P

- BOLLANDS, A.D. see CUMING, R., 93, 293P
 - - - see LOWE, K.C., 96, 826P
 - - - see RAVEN, P.D., 93, 292P
 BOLLANDS, A.D. & LOWE, K.C. Effects of emulsified perfluorochemicals on circulating enzyme concentrations, 95, 609P
 BOLOFO, M.L. see GILES, H., 95, 522P
 BOLTON, J.B., JOHN, R.A. & RICHENS, A. Purification and some properties of human liver aminobutyrate aminotransferase, 95, 619P
 BOM, A.H., HEILIGERS, J., SAXENA, P.R. & VERDOUW, P.D. Ergotamine-induced reduction in arteriovenous shunting is not mediated by 5HT₁-like or 5HT₂ receptors, 96, 789P
 BOM, A.H., SAXENA, P.R. & VERDOUW, P.D. Further characterization of the 5HT₁-like receptors in the carotid circulation of the pig, 94, 327P
 BOND, R.A. see BLUE, D.R., 95, 541P
 BOND, R.A., BLUE, D.R. & CLARKE, D.E. An adrenoceptor with distinct characteristics from the α - and β -subtypes, 93, 21P
 BOOBIS, A.R. see SESARDIC, D., 93, 214P
 BOOT, J.R. see THOMAS, K., 94, 411P
 BOOTH, R.F.G. see LAD, N., 93, 232P
 BORTON, M & DOCHERTY, J.R. Actions of agonists at 5-hydroxytryptamine receptors in the human saphenous vein, 93, 266P
 BORTON, M., WALSH, T. & DOCHERTY, J.R. Actions of 8-hydroxy-2-(n-dipropylamino) tetralin at α_2 -adrenoceptors, 95, 502P
 BOUBEKEUR, K. see AOKI, S., 93, 54P
 - - - see AOKI, S., 94, 365P
 BOUGHTON-SMITH, N.K. see MCCALL, T., 95, 517P
 BOUGHTON-SMITH, N.K., DEAKIN, A.M. & WHITTLE, B.J.R. Effects of the selective 5-lipoxygenase inhibitors BW A4C and BW A137C, on the rat gastric mucosa, 93, 109P
 BOULTON, C.L., GRIFFITHS, E.C. & O'SHAUGHNESSY, C.T. A comparison of the effects of two thyrotrophin-releasing hormone (TRH) analogues on epileptiform activity *in vitro*, 95, 482P
 BOULTON, C.L. & O'SHAUGHNESSY, C.T. Effects of forskolin on epileptiform activity in rat cortical slices, 95, 481P
 BOWERY, N.G. see MORATALIA, R., 93, 5P
 - - - see MORATALIA, R., 95, 476P
 BOWMER, C.J. see PANJESHAHIN, M.R., 93, 287P
 BOYLAND, P. see COX, A., 95, 667P
 BOYLE, F.C. & AL-ZADJALI, K.H. Involvement of prostaglandins in uterine inhibitory responses to adrenoceptor agonists in pregnant and post-partum rats, 95, 691P
 BOYLE, J.P., CORTIJO, J., DAVIES, J. M., FOSTER, R.W., HOFER, P. & SMALL, R.C. The relaxant and the spasmogenic effects of some xanthine derivatives in guinea-pig isolated trachealis, 93, 15P
 BOYLE, S.J. & POLLOCK, D. Interactions between cholinergic and noradrenergic nerves in the rat isolated atria, 93, 25P
 - - - Involvement of guanylate cyclase in overflow of radioactivity in rat atria incubated in (³H)-noradrenaline and (¹⁴C)-choline, 94, 438P
 - - - Effects of sodium nitroprusside on responses of the heart to nerve stimulation in anaesthetised and pithed rats, 95, 710P
 BRADSHAW, D. see WILSON, S.E., 94, 448P
 BRAIN, A.I. & WALI, F.A. Inhibition of nerve conduction in frog isolated sciatic nerve-gastrocnemius muscle by alternating magnetic field, 96, 843P
 BRAIN, S.D. see CLARKE, E.J., 93, 81P
 - - - see YARWOOD, H., 96, 726P
 BRAIN, S.D. & WILLIAMS, T.J. Interactions between the tachykinins and calcitonin gene-related peptide (CGRP) on the microvasculature, 96, 717P
 BRAMLEY, A.M., SAMHOUN, M.N. & PIPER, P.J. Modulation of bradykinin-induced responses by indomethacin and removal of the epithelium in guinea-pig trachea *in vitro*, 96, 774P
 BRAMMER, M.J. see ADAMSON, P., 93, 169P
 BRAMMER, M.J. see MANTZOURIDIS, T., 95, 645P
 - - - see XIANG, J-Z., 95, 597P
 BRAMWELL, S.R. see BACKUS, L.I., 96, 873P
 - - - see SHARP, T., 93, 94P
 - - - see SHARP, T., 96, 865P
 BRANCO, D. see CARAMONA, M.M., 96, 753P
 BRANDAO, F., ARAUJO, D., VAZ DA SILVA, M. Influence of neuronal re-uptake on the release of ³H-noradrenaline (3H-NA) evoked by electrical stimulation (ST), 96, 845P
 BRAQUET, P. see DOMINGO, M.T., 93, 77P

- - - see HELLEGOUARCH, A., 93, 78P
- - - see HOWAT, D.W., 96, 799P
- - - see ROUBERT, P., 93, 291P
- - - see SPINNEWYN, B., 93, 75P
- - - see TOUVAY, C., 93, 231P
- BRAQUET, P., POISSON, V., CARRE, C., SPINNEWYN, B., MOREAU, J.P., MENCIA-HUERTA, N.M. & TOUVAY, C. Effect of the somatostatin analogue, BIM 23014 and the PAF antagonist, BN52021 on PAF-induced bronchoconstriction in guinea-pigs, 93, 73P
- BRAUNWALDER, A.F. see SILLS, M.A., 93, 154P
- BRAY, K.M. see NEWGREEN, D.T., 93, 17P
- BRAY, K.M., BROWN, B.S., DUTY, S., KAY, P.B., LONGMORE, J., MCHARG, A.D., NEWGREEN, D.T., SOUTHERTON, J.S., WATERFALL, J.F. & WESTON, A.H. Studies on the mode of action of minoxidil sulphate and diazoxide: a comparison with cromakalim, 96, 733P
- BRAY, K.M., WESTON, A.H., MCHARG, A.D., NEWGREEN, D.T. & SOUTHERTON, J.S. Comparison of the inhibitory effects of BRL 34915 and nifedipine on noradrenaline and KCl-induced contractions in rabbit aorta, 93, 205P
- - - Analysis of the inhibitory action of BRL 34915 on responses to noradrenaline in rabbit aorta, 93, 206P
- BRAZELL, C., MCCLUE, S.J. & STAHL, S.M. Correlation of ¹²⁵I-LSD binding and 5-HT induced shape change in human platelets, 93, 189P
- BRECKENRIDGE, A. see WINSTANLEY, P., 93, 310P
- BRILEY, M. see ASSIE, M.B., 96, 780P
- - - see BROADHURST, G., 93, 13P
- - - see VIGE, X., 94, 381P
- BRISTOW, L.J. & BENNETT, G.W. Chronic TRH analogue (CG 3509) injection alters the behavioural response to intra-accumbens histamine administration in the rat, 93, 9P
- - - A role for histamine H₃ receptors in histamine-induced hypoactivity in the rat, 94, 319P
- - - Behavioural and biochemical evidence for TRH modulation of histamine H₁ receptor function in rat brain, 96, 886P
- BRITTAIN, R.T. see HUMPHRAY, J.M., 96, 749P
- BROADHEAD, G.D. see LANCASTER, D.L., 94, 342P
- BROADHEAD, T.M. see BURNS, E., 93, 114P
- - - see BURNS, E., 95, 700P
- BROADHURST, G., BROWN, G.W., MORET, C. & BRILEY, M. A comparison of electrical and potassium-evoked tritium and tritiated serotonin release from rat hypothalamus slices, 93, 13P
- BROADLEY, K.J. see HEREPATH, M.L., 93, 277P
- - - see HEREPATH, M.L., 93, 298P
- - - see HEREPATH, M.L., 94, 324P
- - - see HEREPATH, M.L., 95, 634P
- - - see THORNE, J., 96, 796P
- - - see URQUHART, R.A., 94, 436P
- - - see URQUHART, R.A., 95, 635P
- - - see WILSON, A.N.A., 94, 435P
- BROADLEY, K.J., MAJEWSKI, H., STORY, D.F. & RAND, M.J. Are pre-junctional β -adrenoceptors desensitized by *in vitro* exposure of isolated guinea-pig atria to isoprenaline? 93, 118P
- BROCK, J.A. & CUNNANE, T.C. Effects of clonidine and noradrenaline on the nerve terminal impulse in post-ganglionic sympathetic nerves, 95, 543P
- BRODDE, O.-E. see BECKERINGH, J.J., 93, 252P
- BRODDE, O.-E., MICHEL, M.C., NOHLEN, N., WANG, X.L. & ZERKOWSKI, H.-R. The relevance of determination of the lymphocyte β_2 -adrenoceptors as index for β -adrenoceptors in other human tissue, 93, 27P
- BROWN, A.M. see DONALDSON, J., 95, 554P
- BROWN, B.S. see BRAY, K.M., 96, 733P
- BROWN, C.G. see ATTERWILL, C.K., 96, 830P
- - - see ATTERWILL, C.K., 96, 837P
- BROWN, C.M. see ALLELY, M.C., 95, 705P
- BROWN, C.M., CLARKE, B., DYE, A., FRASER, S., KENNY, B.A., KILPATRICK, A.T., PATMORE, L., SPEDDING, M. & WHITING, R.L. Pharmacological profile of ranolazine, a metabolic modulator active in ischaemia, 93, 248P
- BROWN, G.J. see BASARAB-HORWATH, I., 94, 471P
- BROWN, G.J., COLLINS, G.G.S. & DEWHURST, D.G. A computer-assisted learning program for teaching neuromuscular pharmacology to undergraduates, 94, 472P
- BROWN, G.J. & DEWHURST, D.G. A computer-assisted learning program for teaching the electrocardiogram

- to science undergraduates, 94, 470P
- BROWN, G.W. see BROADHURST, G., 93, 13P
- BROWN, J.M.C., SIAREY, R.J., WHITTINGTON, M.A. & LITTLE, H.J. Effectiveness of concurrently administered dihydropyridines in preventing the withdrawal syndrome from barbital, 95, 479P
- BROWN, L., NAEBAUER, M., LORENZ, B. & ERDMANN, E. Correlation of positive inotropic responses in human isolated myocardium with pre-operative cardiac function, 93, 60P
- BROWN, M.J. see HALL, J.A., 93, 116P
- - - see KAUMANN, A.J., 95, 565P
- BROWN, Z., NEILD, G.H., PILLING, S.A. & LEWIS, G.P. Cyclosporin mediated changes in arachidonic acid release from membrane phospholipids in human umbilical vein endothelial cells, 95, 520P
- BRUCKDORFER, K.R. see ANDREWS, H.E., 95, 697P
- - - see JACOBS, M., 94, 331P
- BRUCKFORFER, K.R., DUNN, R.C. & JACOBS, M. Endothelium-dependent relaxation and low-density lipoproteins: the importance of receptor-mediated endocytosis & oxidation? 94, 410P
- BRUIN, J. see MARSHALL, R.J., 95, 489P
- BRUIN, J.C. see SHAHID, M., 95, 488P
- BRYAN, L.J., O'DONNELL, S.R. & WESTWOOD, N.N. The uptake process for catecholamines in endothelial cells in rat perfused lungs is the same as uptake in noradrenergic neurones, 95, 539P
- BRYANT, A. see CHRISTIE, M.I., 95, 682P
- BRYSON, S.J., CUTLER, M.G. & MOORE, M.R. PicROTOXIN antagonizes responses to δ -aminolaevulinic acid in rat jejunum and uterus, 96, 736P
- BUCKETT, W.R. see CRESPI, F., 96m 767P
- - - see HEAL, D.J., 93, 133P
- - - see HEAL, D.J., 93, 168P
- - - see HEAL, D.J., 94, 317P
- - - see HEAL, D.J., 94, 379P
- - - see HEAL, D.J., 95, 657P
- - - see HEAL, D.J., 96, 781P
- - - see HEAL, D.J., 96, 895P
- - - see LUSCOMBE, G.P., 94, 378P
- - - see LUSCOMBE, G.P., 96, 784P
- - - see MARTIN, K.F., 95, 656P
- - - see MARTIN, K.F., 96, 896P
- - - see NEEDHAM, P.L., 96, 897P
- BUCKINGHAM, J.C. see LEPOSAVIC, G., 96, 862P
- BUCKINGHAM, R.E. see WILSON, C., 93, 126P
- BUCKINGHAM, R.E. & PARROTT, L.S. Cromakalim (BRL 34915) inhibits noradrenaline-evoked vasomotion in SHR isolated mesenteric vascular bed, 94, 355P
- BUCKLE, D.R. see ARCH, J.R.S., 96, 794P
- BUCKLEY, G.A. see ANDREWS, K.L., 93, 213P
- BULL, D.R. see PALIJ, P., 94, 347P
- BULLOCH, J.M., DALY, C.J., MACDONALD, A., MCGRATH, J.C. & WILSON, V.G. The effect of nifedipine on nerve-mediated responses of blood vessels in vitro and in vivo, 95, 563P
- BULT, H., FRET, H., HEIREMANS, J.J. & HERGMAN, A.G. Dual effect of 12-hydroxyeicosatetraenoic acid (12HETE) on rabbit platelet aggregation, 93, 226P
- BULT, H., FRET, H., HERMAN, A.G., & VAN DEN BOSSCHE, R. Release of endothelium derived relaxing factor and platelet inhibitory activity by the perfused rabbit aorta, 93, 102P
- BUMSTEAD, J. see ARCH, J.R.S., 96, 794P
- - - see TAYLOR, S.G., 96, 795P
- BUNCE, K.T. see BALL, M.T., 94, 465P
- - - see BALL, M.T., 94, 466P
- - - see CLAYTON, N.M., 96, 725P
- - - see GUNNING, S.J., 93, 238P
- - - see HIGGINS, G.A., 95, 504P
- - - see REEVES, J.J., 96, 805P
- BUNCE, N. see NISTRI, A., 96, 891P
- BURDEN, D.T., BURKE, Y.M. & WATERFALL, J.F. Effects of the ACE inhibitor cilazapril and other antihypertensive agents on exercise tachycardia and pressor responses in cats, 93, 254P
- BURGESS, A.M.C. & VERE, D.W. Xenopus embryo teratogenesis with calcium ion channel blocking drugs, 93, 280P
- BURKE, Y.M. see BURDEN, D.T., 93, 254P
- BURLEIGH, D.E. Loperamide reduces cholinergic nerve activity in human isolated colon by opioid and non-opioid mechanisms, 93, 302P
- BURNS, E., BROADHEAD, T.M., HELLIWELL, P.A. & BAX, N.D.S. The effect of propranolol and salbutamol on portal venous pressure in a perfused rat liver with noradrenaline pretreatment, 95, 700P
- BURNS, E., BROADHEAD, T.M., HOFFIG, M. & BAX, N.D.S. The effect of propranolol and isoprenaline on

- portal venous pressure in the rat, 93, 114P
- BURTON, G.A., HAYLOR, J.L. & DE JONGE, A. Effect of gossypol on acetylcholine and sodium nitroprusside induced vasodilatation in the isolated rat kidney, 96, 802P
- BURTON, N.R. see SMITH, D.A.S., 93, 159P
- BUTLER, J.M. & BACON, A. Dopamine suppresses the non-cholinergic contraction of electrically stimulated bovine iris sphincter muscle, 94, 459P
- BUTTERFIELD, L.J. see CAMBRIDGE, D., 95, 708P
- - - see CAMBRIDGE, D., 95, 709P
- - - see CAMBRIDGE, D., 96, 715P
- BYWATER, R.A.R., SMALL, R.C. & TAYLOR, G.S. Neurogenic electrical slow waves recorded from circular smooth muscle cells of mouse colon, 93, 16P
- CAAN, A.W. see ARMSTRONG, R., 96, 881P
- CABRITA, S. see TEIXEIRA, F., 96, 787P
- CAHILL, P.A., FALLER, D. & KEENAN, A.K. Receptor binding and internalisation of atrial natriuretic factor in cultured vascular smooth muscle cells, 95, 638P
- CAILLARD, C.G. see MONDOT, S., 96, 813P
- CAIN, C. & NICHOLSON, C.D. A comparison of the effects of BRL 34915 on basilar, coronary and mesenteric arteries, 93, 208P
- CAIRNS, H.S., FAIRBANKS, L., NEILD, G.H. & WESTWICK, J. Cyclosporin and the vascular reactivity of isolated perfused rabbit kidneys, 95, 573P
- CALDWELL, J. see D'SOUZA, G.A., 95, 581P
- - - see HOTCHKISS, S.A., 95, 580P
- - - see VISWALINGAM, A., 93, 32P
- CALLACHAN, H., HALLIWELL, R.F., HATHER, N.Y., LAMBERT, J.J. & PETERS, J.A. The specificity of action of MK-801, 93, 155P
- CALLINGHAM, B.A. see ELLIOTT, J., 95, 576P
- - - see JONES, R., 93, 79P
- CAMBRIDGE, D. & BUTTERFIELD, L.J. Acute antihypertensive effects of BW B385C in the conscious hypertensive rat, 95, 709P
- CAMBRIDGE, D., GILES, H., HAMID-BLOOMFIELD, S., BUTTERFIELD, L.J. & WHITTLE, B.J.R. Antagonism of the cardiovascular effects of PGD₂ by BW A868C in the rat *in vivo*, 95, 708P
- CAMBRIDGE, D., WHITING, M.V., CHAPPIE, D. J. & BUTTERFIELD, L.J. The effects of BW B385C upon the cardiovascular responses to autonomic nervous stimulation, 96, 715P
- CAMPBELL, A.M. & ROBINSON, C. Further studies on IgE-mediated eicosanoid release from human dispersed lung cells, 95, 674P
- CAMPBELL, A.M., HARPER, S.T., HALLAM, C., WELLS, E., MANN, J. & ROBINSON, C. Granulocyte-dependent enhancement of leukotriene release in primate bronchoalveolar macrophages, 93, 50P
- CAMPBELL, C. see ALLEN, J.M., 95, 569P
- CAMPBELL, I.C. see ADAMSON, P., 93, 169P
- - - see MANTZOURIDIS, T., 95, 645P
- - - see XIANG, J-Z., 95, 597P
- CANHAM, C.A. see BARWELL, C.J., 93, 190P
- CANTON, H. see BIGOT, D., 95, 654P
- CANTRELL, D. see WARD, S.G., 95, 529P
- CAPDEVILLE, C. see EL BOUHTOURY, F., 93, 255P
- CARAMONA, M.M., ARAUJO, D., BRANCO, D. & OSSWALD, W. The role of MAO type B in noradrenaline metabolism in the human saphenous vein, 96, 753P
- CAREY, F. see HAWORTH, D., 93, 145P
- - - see HAWORTH, D., 93, 219P
- - - see HAWORTH, D., 96, 803P
- CARIUK, P. see RICH, D.A., 93, 179P
- CARR, R.D., COOPER, A.E., HUTCHINSON, R., MANN, J., O'CONNOR, S.E. & WELLS, E. FPL 63547 - an inhibitor of angiotensin-converting enzyme which demonstrates preferential biliary excretion, 95, 592P
- CARR, R.D., HIGGS, L., KILLINGBACK, P.G., O'CONNOR, S.E., ROBSON, A. & WELLS, E. FPL 63547 - a potent and long-acting inhibitor of angiotensin-converting enzyme, 95, 487P
- CARRE, C. see BRAQUET, P., 93, 73P
- CARROLL, J.A. & SHAW, J.S. κ -receptor binding in the guinea-pig cerebellum: the presence of a dynorphin-resistant binding site that is μ or δ , 96, 904P

- CARSON, R.J. see LAISHLEY, R.S., 95, 613P
- CARSON, R.J. & REYNOLDS, F. Placental transfer of meptazinol in the rabbit, 95, 582P
- CARTER, C.J., L'HEUREUX, R., & SCATTON, B. N-methyl-D-aspartate and kainate-mediated control of striatal dopamine release (dialysis) in vivo, 93, 157P
- CARTER, C.J., NOEL, F., BENAVIDES, J., RIVY, J.P., THURET, F., LLOYD, K.G., ARBILLA, S., LANGER, S.Z., ZIVKOVIC, B. & SCATTON, B. Ifenprodil, a potent non-competitive NMDA antagonist with a novel mechanism of action, 93, 88P
- CARTER, D.V. & HALLIDAY, J. NPY potentiation of α -mediated contractile actions in portal vein - true synergism or additive excitatory effects? 93, 269P
- CARVALHO, F. see GONCALVES, J., 96, 750P
- CASEY, B.A., MCAULIFFE, C.A., PRATT, I., RYAN, M.P., SHARMA, H.L. & TINKER, N. D. Uptake of [^{195}mPt] cisplatin into LLCPK1 and MDCK renal epithelial cell lines, 95, 583P
- CASSON, H.C.R. see YATES, D.B., 96, 818P
- CASTRO, M. see GIAO, J.M., 96, 804P
- CASTRO, S. see WONG, E.H.F., 94, 322P
- CAUVIN, C. see LATEGAN, T.W., 94, 418P
- CAVERO, I. see ESCANDE, D., 96, 814P
- - - see LAWSON, A., 93, 76P
- - - see LAWSON, K., 93, 124P
- - - see MESTRE, M., 95, 571P
- - - see MONDOT, S., 96, 813P
- CAVERO, I., MONDOT, S., MESTRE, M. & ESCANDE, D. Hemodynamic and pharmacological mechanisms of the hypotensive effects of cromakalim in rats: blockade by glibenclamide, 95, 643P
- CAWTHORNE, M.A. see WILSON, C., 93, 126P
- CHABRIER, P.E. see DOMINGO, M.T., 93, 77P
- - - see ROUBERT, P., 93, 291P
- CHAIN, B.M. see OBEN, J.A., 95, 534P
- CHAKDER, S.K. & ZEITLIN, I.J. Effect of bile acid on the release of vasoactive intestinal polypeptide (VIP) from the rat gastrointestinal tract, 95, 601P
- CHALLISS, R.A.J. & NICHOLSON, C.D., 95, 553P
- CHALMERS, D. see HORSBURGH, K., 96, 902P
- CHALMERS, D.T. & MCCULLOCH, J. L- ^{3}H -Glutamic acid binding in the visual system of the rat after orbital enucleation, 93, 162P
- CHAMBERS, J.K., FELEK, C., EMSON, P.C. & IVERSEN, L.L. Tachykinin receptor subtypes in the rat forebrain, 94, 323P
- CHAN, K., TEOH, R., WONG, C.L. & WOO, J. The influence of single dose rifampicin on pyrazinamide kinetics in rabbits, 95, 587P
- CHAND, N. see HOWAT, D.W., 95, 679P
- CHANDER, C.L. see DESA, F.M., 95, 678P
- - - see HOWAT, D.W., 95, 679P
- CHANDER, C., CRAIG, D., NAYLOR, I.L. & TURNER, R.L. Isolated strips of human endocervical mucosa - a tissue for investigating myofibroblast drug sensitivity, 94, 456P
- CHANDLER, J. see HAMBLETON, P., 93, 216P
- CHAPMAN, B.J. see SPEAKMAN, E.A., 95, 696P
- CHAPMAN, I.D. see BEWLEY, J.S., 93, 52P
- CHAPPIE, D.J. see CAMBRIDGE, D., 96, 715P
- CHASTAGNOL-HERMANN, D.C. see BERRY, C.N., 93, 140P
- - - see BERRY, C.N., 93, 141P
- CHEETHAM, S.C., CROMPTON, M.R., CZUDEK, C., HORTON, R.W., KATONA, C.L.E. & REYNOLDS, G.P. Brain 5-HT and 5-HIAA concentrations in depressed suicides, 96, 868P
- CHERQUI, C. see HAMON, G., 93, 265P
- CHESS-WILLIAMS, R. see AUSTIN, C.E., 95, 701P
- - - see COKER, S.J., 94, 329P
- CHESS-WILLIAMS, R. & WINN, M.J. Effect of chronic treatment with atenolol on depressor responses to prazosin in the anaesthetized rat, 94, 432P
- CHILLON, J.M. see OSTER, L., 93, 72P
- CHILVERS, E.R., BARNES, P.J. & NAHORSKI, S.R. Muscarinic receptor stimulated turnover of polyphosphoinositides and inositol polyphosphates in bovine tracheal smooth muscle, 96, 778P
- CHODKIEWICZ, J.P. see GALZIN, A-M., 93, 14P
- CHOHAN, K.R. see KRISHNAMURTHI, S., 96, 729P
- CHOLERTON, S., WINN, M.J. & PARK, B.K. The disposition of vitamin K1 in the rabbit, 93, 30P
- CHONG, P.N. see TEMLETT, J.A., 93, 131P
- CHOW, P.S. see JAMIESON, M.J., 93, 308P

- CHRISTIE, G., KITTINGHAM, N.R. & PARK, B.K. The effect of probenecid on the disposition and immunogenicity of benzylpenicillin in the rat, 96, 832P
- CHRISTIE, M.I., ANGELINI, G.D., BRYANT, A. & LEWIS, M.J. Surgical preparation of human saphenous vein autografts reduces the release of endothelium derived relaxing factor, 95, 682P
- CHUMBLEY, C. see CONNICK, J.H., 95, 651P
- CHUNG, K.F. see MCCUSKER, M., 93, 217P
- CHURCH, M.D. see AGIUS, R.M., 93, 51P
- CHURCH, M.K. see FEATHERSTONE, R.L., 94, 336P
- - - see HUTSON, P.A., 93, 243P
- - - see HUTSON, P.A., 96, 770P
- CINCOTTA, M. see LODGE, D., 93, 89P
- CIRINO, G. see BAYDOUN, A.R., 95, 549P
- CLAPHAM, J.C. Renal haemodynamic effects of cromakalim, nifedipine and pinacidil in the conscious cat, 96, 793P
- CLAPHAM, J.C. & COOPER, S.M. Effect of cromakalim (BRL 34915) and pinacidil on baroreceptor sensitivity in the anaesthetised cat, 93, 200P
- CLARK, D. see SHARP, T., 96, 865P
- CLARK, K.L. see HILDITCH, A., 96, 858P
- CLARK, M.L., DOURISH, C.T., FLETCHER, A. & IVERSEN, S.D. Blockade of post-synaptic 5-HT₁ receptors elicits feeding in satiated rats, 94, 316P
- CLARK, M.L., DOURISH, C.T. & IVERSEN, S.D. Low doses of the 5-HT₁ agonist RU 24969 induce sedation in the mouse: evidence for mediation by 5-HT_{1B} auto-receptors, 95, 499P
- CLARKE, B. see BROWN, C.M., 93, 248P
- CLARKE, B., DOYLE, C.A., PATMORE, L. & SPEDDING, M. Differential effects of calcium-antagonists on insulin secretion, 94, 464P
- CLARKE, C.E. see GRAHAM, W.C., 95, 557P
- CLARKE, D.E. see BLUE, D.R., 95, 541P
- - - see BOND, R.A., 93, 21P
- CLARKE, E.J., BRAIN, S.D. & WILLIAMS, T.J. The importance of kininase 11 in the inactivation of bradykinin in the rabbit, 93, 81P
- CLARKE, J. see TIPPINS, J.R., 94, 422P
- CLARKSON, P.N. see GROWCOTT, J.W., 93, 264P
- CLAUSTRE, Y., ROUQUIER, L. & SCATTON, B. Serotonin-stimulated phosphatidylinositol metabolism in the immature rat brain: pharmacological characterization, 93, 193P
- CLAYTON, K.J.K. see BAXTER, G.S., 93, 221P
- - - see BAXTER, G.S., 96, 808P
- CLAYTON, N.M., BUNCE, K.T. & STABLES, R. Mechanism of stimulation of colonic secretion in the rat by prostanoid, enprostil, 96, 725P
- CLOW, A. see BHATTACHARYA, S.K., 93, 1P
- - - see GLOVER, V., 94, 320P
- COATES, J., DREW, G.M., KELLERMAN, S. & SULLIVAN, A.T. Do cardiac α -adrenoceptors play a role in the inotropic actions of (-)-dobutamine? 95, 492P
- COBBOLD, P.H. see SOULIOTI, A.M. A., 93, 212P
- COHEN, D.L. see PURCELL, W.M., 94, 370P
- - - see PURCELL, W.M., 95, 673P
- COKER, S.J. & CHESS-WILLIAMS, R. Effects of hypothyroidism on ischaemia and reperfusion induced arrhythmias and adrenoceptor responses in rats, 94, 329P
- COKER, S.J. see ELLIS, A.M., 95, 493P
- COLDWELL, M.C. Interaction between cromakalim (BRL 34915) and protein kinase C activation in rabbit mesenteric artery, 93, 207P
- COLEMAN, C.S. & WALLACE, H.M. Resistance of human colorectal cancer cells to the antimetabolite methylglyoxal BIS(guanylhdyrazole), 94, 452P
- COLEMAN, R.A. see AHLUWALIA, A., 96, 721P
- - - see NIALS, A.T., 95, 540P
- - - see POLL, G., 94, 332P
- - - see POLL, C., 96, 806P
- - - see SHELDRICK, R.L.G., 94, 334P
- COLEMAN, R.A., HUMPHRAY, J.M., SHELDRICK, R.L.G. & WHITE, B.P. Gastric antisecretory prostanoids actions at different prostanoid receptors, 96, 724P
- COLLIE, I.T. & MCCARTHY, P.S. A new approach to the pharmacological evaluation of opioids in vivo, 95, 506P
- COLLINS, G.G.S. see BROWN, G.J., 94, 472P
- COLLINS, G.G.S. & ANSON, J. 2, 6-Diisopropylphenol potentiates GABA-mediated transmission in the olfactory cortex, 93, 181P
- COLLINS, P. see ATTERWILL, C.K., 93, 304P
- - - see ATTERWILL, C.K., 94, 441P

- - - see ATTERWILL, C.K., 96, 837P
- - - see MOORE, U., 95, 604P
- COLLINS, P.D., WILLIAMS, F.M., TANNIERE, M. & WILLIAMS, T.J. Investigation of the role of neutrophils and PAF in oedema formation induced by acute ischaemia of the rabbit myocardium, 94, 409P
- COLLIS, M.G., CULVER, J.C. & HOLMES, S. Comparison of affinity of 8-substituted xanthenes for adenosine receptors in atria from rats and guinea-pigs, 94, 423P
- COMPTON, A.M. see GARDINER, S.M., 94, 359P
- - - see GARDINER, S.M., 96, 718P
- CONLON, D.B., KILFEATHER, S.A. & O'MALLEY K. β -adrenoceptor desensitization in cultured fibroblasts from young and old donors, 95, 637P
- CONNAUGHTON, S., MOORE, D., SUGRUE, M. & DOCHERTY, J.R. Evidence that SK&F 104078 does not differentiate between pre- and postjunctional α_2 -adrenoceptors, 95, 702P
- CONNELL, L.A. & WALLIS, D.I. Responses of motoneurons to 5-hydroxytryptamine and 5-HT receptor agonists in the hemisectioned spinal cord of the neonate rat, 93, 92P
- CONNICK, J.H. & STONE, T.W. Excitatory amino acid evoked efflux of endogenous aspartate and glutamate in vivo, 93, 160P
- CONNICK, J.H., CHUMBLEY, C. & STONE, T.W. Protection by purines against quinolinic acid neurotoxicity, 95, 651P
- CONNOLLY, G.P. & STONE, T.W. Purine receptors in rat isolated superior cervical ganglia, 96, 840P
- - - Adenosine antagonises depolarization to muscarine but not GABA on rat superior cervical ganglia, 96, 841P
- CONNOR, H.E. & FENIUK, W. Endothelium removal augments reactivity of canine basilar artery to 5-HT and selective 5-HT agonists, 93, 267P
- CONROY, D.M., SAMHOUN, M.N. & PIPER, P.J. Inhibition by vasoactive intestinal peptide of action of leukotriene D₄ in guinea-pig perfused lung in vitro, 93, 110P
- - - Action of bradykinin is inhibited by vasoactive intestinal peptide in guinea-pig lung in vitro, 95, 545P
- CONTI, A. see MONOPOLI, A., 96, 810P
- CONYBEARE, G. see JONES, C.A., 93, 35P
- COOK, N.S. Further studies of the anti-vasoconstrictor effect of the K⁺ channel opener BRL 34915 on the rabbit aorta, 93, 203P
- COOK, N.S. see QUAST, U., 93, 204P
- - - see SCHOLTYSIK, G., 93, 125P
- COOKE, A.M. see NAHORSKI, S.R., 94, 363P
- COOKSEY, J. see SAGGU, H., 94, 352P
- COOPER, A.E. see CARR, R.D., 95, 592P
- COOPER, S.J. see NEILL, J.C., 95, 660P
- COOPER, S.M. see CLAPHAM, J.C., 93, 200P
- CORMIER, E.M. see ROBINSON, S.P., 96, 737P
- CORNETT, C.M. see EGLEN, R.M., 95, 511P
- CORRY, D.G. see DESA, F.M., 95, 678P
- CORTIJO, J. see BOYLE, J.P., 93, 15P
- COSTALL, B. see BARNES, J.M., 93, 170P
- - - see BARNES, N.M., 94, 391P
- - - see BARNES, J.M., 94, 399P
- - - see BARNES, J.M., 94, 400P
- - - see BARNES, N.M., 93, 310P
- - - see OAKLEY, N.R., 96, 870P
- COSTALL, B., COUGHLAN, J. & KELLY, M.E. Effects of training in a water maze on performance in a test box divided into black and white compartments, 95, 669P
- COSTALL, B., DOMENEY, A.M., GERRARD, P.A. & NAYLOR, R.J. A primate model for the assessment of anxiolytic drug action, 95, 475P
- COSTALL, B., DOMENEY, A.M., JONES, D.N.C. & NAYLOR, R.J. Assessment of behavioural parameters associated with anxiogenesis in the common marmoset (*Callithrix jacchus*), 95, 670P
- COSTALL, B., DOMENEY, A.M., JONES, B.J., KELLY, M.E., GERRARD, P.A., NAYLOR, R.J. & TYERS, M.B. Influence of GR38032F on the behavioural consequences of ceasing sub-chronic treatment with drugs of abuse, 96, 905P
- COSTALL, B., DOMENEY, A.M., KELLY, M.E., NAYLOR, R.J. & TYERS, M.B. Effects of the 5-HT₃ receptor antagonists GR38032F, ICS205-930 and BRL43694 in tests for anxiolytic activity, 93, 195P
- COSTALL, B., DOMENEY, A.M., NAYLOR, R.J. & TYERS, M.B. Inhibition by 5-HT₃ antagonists of hyperactivity caused by dopamine infusion into rat nucleus accumbens, 93, 194P

- COSTALL, B., HOROVITZ, Z.P., KELLY, M.E., NAYLOR, R.J. & TOMKINS, D.M. Captopril improves basic performance and antagonises scopolamine impairment in a mouse habituation test, 96, 882P
- COSTALL, B., NAYLOR, R.J. & TATTERSALL, F.D. The antiemetic actions of 5-HT₃ receptor antagonists are enhanced by fenfluramine, 94, 390P
- - - Tranylcyproamine and 5-hydroxy-L-tryptophan antagonise cisplatin-induced emesis in the ferret, 96, 866P
- COSTELLO, J.F. see ZAKRZEWSKI, J.T., 93, 108P
- COTRIM, D. see FONTES RIBEIRO, C.A., 96, 790P
- - - see MACEDO, T.R.A., 96, 719P
- COTTNEY, J. see MARSHALL, R.J., 95, 489P
- - - see SHAHID, M., 95, 488P
- COUGHLAN, J. see BARNES, J.M., 93, 170P
- - - see COSTALL, B., 95, 669P
- COURT, E.N. & KINGSTON, W.P. The responsiveness of lungs from oxygen treated rats to PAF-acether, 96, 771P
- - - The actions of platelet-activating factor on rat isolated perfused lungs, 96, 807P
- COURTEIX, J. see ESCANDE, D., 96, 814P
- COVER, P.O. see LEPOSAVIC, G., 96, 862P
- COWAN, A. see MARTIN, K.F., 96, 896P
- COWAN, D.A. see HART, S.L., 94, 402P
- COWLRICK, I.S., PACIOREK, P.M. & WATERFALL, J.F. Cromakalim and calcium movements in vascular smooth muscle, 95, 640P
- COX, A., BOYLAND, P., GENT, J.P. & FEELY, M. An investigation of anticonvulsant tolerance to zolpidem in mice, 95, 667P
- COX, B. see BLACKBURN, T.P., 94, 473P
- - - see GROWCOTT, J.W., 93, 264P
- - - see TORTELLA, F.C., 93, 196P
- - - see TORTELLA, F.C., 94, 473P
- COX, B., PEARCE, R.J., THORNBUR, C.W. & BLACKBURN, T.P. In vivo pharmacology of ICI 170,809 - a new 5-HT₂ antagonist, 94, 473P
- COX, C.M. see MASON, R., 96, 884P
- CRAGOE, E.J.Jr. see RITTER, J.M., 93, 129P
- CRAIG, D. see CHANDER, C., 94, 456P
- - - see CROSS, S.E., 96, 831P
- CRAIG, R.K. see LEWANSKI, C.R., 93, 290P
- - - see MCGRATH, C.S., 93, 69P
- CRAWFORD, M.L.A. & YOUNG, J.M. GABA potentiates noradrenaline-stimulated inositol phosphate formation in rat cerebral cortex, 96, 761P
- CRAWFORD, M., ROBERTS, P.J. & WATKINS, J.C. HA-966 antagonises enhancement of rat striatal 3H dopamine release by N-methyl-DL-aspartate, 96, 894P
- CREBA, J.A., LEWIS, P.E., MCPAKE, V.M. & FREARSON, J. The effect of lithium on inositol phosphate metabolism in HL60 cells, 93, 294P
- CRESPI, F. see GARRATT, J.C., 96, 874P
- - - see SELF, T.J., 96, 864P
- CRESPI, F., MARSDEN, C.A. & SANGERA, M.K. In vivo voltammetric evidence that BALB/CJ mice release more striatal dopamine than CBA/J mice, 95, 561P
- CRESPI, F., MARTIN, K.F., HEAL, D.J., MARSDEN, C.A., BUCKETT, W.R. & SANGHERA, M.K. In vivo voltammetric detection of 3methoxytyramine (3-MT) in pargyline-treated mice, 96, 767P
- CRESPI, F., MARTIN, K.F. & MARSDEN, C.A. Changes in extracellular DOPAC and 5-HIAA after electrical stimulation of the rat dorsal raphe or substantia nigra, 93, 191P
- CRESPI, F., SLEIGHT, A.J., MARTIN, K.F. & MARSDEN, C.A. Further evidence that nafion coated carbon fibre electrodes measure extracellular 5HT in vivo, 94, 392P
- CREWE, H.K. see MORRIS, C.Q., 95, 586P
- CRIPPS, H.E. see POAT, J.A., 95, 483P
- CRITCHLEY, M.A.E., NJUNG'E, K. & HANDLEY, S.L. Prevention of 8-OH-DPAT anxiogenic effect by ipsapirone and by 5-HT₁ antagonist β blockers, 94, 389P
- CROMPTON, M.R. see CHEETHAM, S.C., 96, 868P
- CROSS, A.J. see HUNTER, A.J., 93, 175P
- - - see HUNTER, A.J., 94, 318P
- - - see JONES, J.A., 94, 383P
- - - see ROBINSON, T.N., 96, 762P
- - - see SIMPSON, M.D.C., 93, 158P
- CROSS, A.J., OSBORNE, J.M. & GREEN, A.R. Interaction of chlormethiazole with ligand binding sites associated with the γ -aminobutyric acid A receptor complex, 95, 478P

- CROSS, S.E., CRAIG, D., NAYLOR, I.L. & TURNER, R.L. Wharton's jelly: a suitable tissue for investigating myofibroblast contractility? 96, 831P
- CROSS, S.E. & NAYLOR, I.L. Human placental strips - an 'in vitro' model for the study of myofibroblast contractility, 95, 632P
- CROSSMAN, A.R. see GRAHAM, W.C., 95, 557P
- CRUZ, E. see BAJKA, E., 94, 415P
- CULLEN, W.K., ROWAN, M.J., MOULTON, B. & ANWYL, R. Buspirone reduced performance of passive avoidance and spatial learning tasks in the rat, 95, 663P
- CULVER, J.C. see COLLIS, M.G., 94, 423P
- CUMING, R., BOLLANDS, A.D., SHARMA, S.K. & LOWE, K.C. Effects of emulsified perfluorochemicals on reticuloendothelial system clearance function in rats, 93, 293P
- CUNNANE, T.C. see BROCK, J.A., 95, 543P
- CUNNANE, T.C. & EVANS, R.J. Effects of morphine on electric activity in sympathetic nerve terminals of the mouse vas deferens, 95, 544P
- CUNNINGHAM, J., NEAL, M.J., PILLAR, A. & ATTERWILL, C.K. Actions of ECMA on cholinergic neurones in the rabbit retina, 93, 165P
- CURLE, P.F. see BALDWIN, H.A., 96, 880P
- CURTIS, C. see WINSTANLEY, P., 93, 310P
- CURZON, G. see HUTSON, P.H., 94, 387P
- - - see KENNETT, G.A., 94, 315P
- CUTLER, M.G. see BRYSON, S.J., 96, 736P
- CUTLER, M.G. & DIXON, A.K. Effects of ipsapirone on behaviour of mice during social encounters, 94, 312P
- CUZZOLIN, L. see FRACASSO, M.E., 95, 589P
- CZUDEK, C. & REYNOLDS, G.P. Binding of [³H]-SCH 23390 to postmortem brain tissue in schizophrenia, 93, 166P
- - - (³H)GBR 12935 binding to dopamine uptake sites in schizophrenia, 96, 765P
- CYNK, E. see SALVEMINI, D., 96, 728P
- CZUDEK, C. see CHEETHAM, S.C., 96, 868P
- CZUDEK, C. & REYNOLDS, G.P. (³H) nipecotnic acid binding to GABA uptake sites in the amygdala in schizophrenia, 96, 899P
- DAINTY, I.A., EGLEN, R.M., MCGRATH, J. C. & WHITING, R.L. Analysis of the muscarinic receptor on the rat aortic endothelium, 93, 240P
- DAINTY, I.A., MCGRATH, J.C., MILLER, D.J. & SPEDDING, M. Further observations on the effect of Ca²⁺ re-addition in the presence of phenylephrine and 5HT in rat aortic rings, 95, 693P
- DALY, C.J. see BULLOCH, J.M., 95, 563P
- DALY, C.J., DUNN, W.R., MCGRATH, J.C. & WILSON, V.G. Effect of angiotensin II on responses to noradrenaline mediated via post-junctional α_1 and α_2 -adrenoceptors in isolated rabbit blood vessels, 95, 699P
- DALZIEL, H.H., MACHALY, M & SNEDDON, P. Comparison of the purinergic contribution to sympathetic vasoconstriction in SHR and WKY rat isolated tail arteries, 95, 713P
- DANDONA, P. see JEREMY, J.Y., 95, 690P
- DARAMANI, N.A., SEWELL, R.D.E. & NICHOLLS, P.J. Differing effects of subchronic and chronic dosing of B-HT 920 on apomorphine-induced stereotypy and motor activity in rats, 93, 150P
- DARK, C.H. see WALI, F.A., 94, 469P
- DAS, A.M. see HAWORTH, D., 96, 803P
- DASCOMBE, M.J. see ACTON, L., 96, 847P
- DASHWOOD, M.R. see MAY, C.N., 93, 58P
- DASHWOOD, M.R., GILBEY, M.P., JORDAN, D. & RAMAGE, A.G. Autoradiographic localisation of 5-HT_{1A} binding sites in the brainstem of the cat, 94, 386P
- DASHWOOD, M.R., GILBEY, M.P. & RAMAGE, A.G. Autoradiographic localisation of 5-HT₂ binding sites in the inter-mediolateral cell column of the cat, 93, 197P
- DAUGHERTY, A., ZWEIFEL, B.S., SOBEL, B.E. & SCHONFELD, G. Probuco reduces the extent of aortic atherosclerosis in cholesterol-fed rabbits, 96, 786P
- DAVEY, M.J. see AUBRY, M.L., 96, 752P
- DAVIDESKO, D. see VAN CHARLDORP, K. J., 93, 241P
- DAVIE, R.J. see PHILLIPS, J.D., 96, 836P

- DAVIES, D.S. see SESARDIC, D., 93, 214P
- DAVIES, G. & PETERSON, D.W. Hourly kainic acid has been found not to be an agent of kindling at the rat hippocampus, 93, 164P
- DAVIES, J.M. see BOYLE, J.P., 93, 15P
- DAVIS, J.A. see BERTIE, K., 94, 433P
- DAVIS, W.G. see SMYTH, B.J., 95, 600P
- DAWBARN, D., ALLEN, S.J. & SEMENEKOL, F. Immunohistochemical distribution of β -NGF receptors in the forebrain of the rat, 93, 167P
- DEAKIN, A.M. see BOUGHTON-SMITH, N.K., 93, 109P
- DEAKIN, J.F.W., SIMPSON, M.D.C., GILCHRIST, A.C., SKAN, W.J., ROYSTON, M.C. & SLATER, P. Changes in [3 H]D-aspartate and [3 H]kainate binding in schizophrenic post mortem brains, 95, 484P
- DEARDEN, J.C. see O'NEILL, H.C., 94, 380P
- DEBETS, J.J.M. see SCHOEMAKER, R.G., 96, 716P
- DE BRITO, F.B. see DESA, F.M., 95, 678P
- DEGEORGE, F. see JOHN, G.W., 96, 720P
- DE HAAN, N. see HUGTENBURG, J.G., 93, 66P
- - - see HUGTENBURG, J.G., 93, 259P
- DE JONGE, A. see BURTON, G.A., 96, 802P
- - - see VAN CHARLDORP, K.J., 93, 241P
- DELPON, E. see VALENZUELA, C., 96, 822P
- DELPON, E., VALENZUELA, C., TAMARGO, J. Electrophysiological effects of E-3753 in guinea-pig atrial and ventricular muscle fibres, 96, 823P
- DEL SOLDATO, P. see FRACASSO, M.E., 95, 589P
- DEMUS, J.F. see TROUVE, R., 93, 211P
- DE NUCCI, G. see ANTUNES, E., 95, 516P
- - - see D'ORLEANS-JUSTE, P., 95, 546P
- - - see D'ORLEANS-JUSTE, P., 96, 809P
- - - see GRYGLEWSKI, R., 93, 106P
- - - see WARNER, T.D., 94, 335P
- - - see WARNER, T., 96, 723P
- DE NUCCI, G., WARNER, T. & VANE, J.R. Effect of captopril on the release of prostacyclin induced by bradykinin (BK) from guinea-pig lungs or endothelial cells, 93, 105P
- DE NUCCI, G., WARNER, T., GRYGLEWSKI, R. & VANE, J.R. The effect of superoxide dismutase (SOD) on the breakdown of nitric oxide (NO), 93, 306P
- DE NUCCI, G., MITCHELL, J.A., WARNER, T.D., BEARPARK, T. & VANE, J.R. Release of EDRF and PG12 from BAEC induced by infusions of ADP, bradykinin, arachidonic acid, L-arginine and alkaline buffers, 95, 547P
- DE POMERAI, D.I. see BENTLEY, P.K., 96, 827P
- DESA, F.M. see HOWAT, D.W., 96, 799P
- DESA, F.M., CHANDER, C.L., CORRY, D. G., DE BRITO, F.B., MOORE, A.R., BARRETT, M. & WILLOUGHBY, D.A. The effects of indomethacin on rat cartilage breakdown in vivo and in vitro: potentiation with interleukin-1 in vitro, 95, 678P
- DE SMET, W. see RAMPART, M., 93, 147P
- DESTA, S. see JAP, T.J.W., 93, 258P
- DE WHALLEY, C.V. & LEAKE, D.S. Glucocorticoids inhibit acetylated low density lipoprotein uptake by mouse peritoneal macrophages, 93, 297P
- DEWHURST, D.G. see BASARAB-HORWATH, I., 94, 471P
- - - see BROWN, G.J., 94, 470P
- - - see BROWN, G.J., 94, 472P
- DEWHURST, D.G. & FAIRCLOUGH, A. Regional brain concentrations of putative amino acid neurotransmitters during catechol-induced seizures, 94, 377P
- DEWHURST, D.G., MEEHAN, A.S. & MEEHAN, M.J. A low cost, BBC microcomputer-based system for recording the electrocardiogram, 96, 906P
- DEXTER, D. see SAGGU, H., 94, 352P
- DHUME, V.G., GERBES, A.L., ARENDT, R. M. & WITHRINGTON, P.G. The effects of human atrial natriuretic peptide on hepatic haemodynamics in the anaesthetised dog, 93, 261P
- DIAMOND, J. see GIEMBYCZ, M.A., 93, 39P
- - - see GIEMBYCZ, M.A., 95, 513P
- DIOCEE, B.K. see BANERJEE, A.K., 93, 289P
- DISSANAYAKE, V.U.K., HUNTER, J.C., HILL, R.G. & HUGHES, J. Characterisation of κ -opioid receptors in the guinea-pig longitudinal muscle-myenteric plexus preparation, 94, 361P
- DIXON, A.K. see CUTLER, M.G., 94, 312P

- DIXON, E.J.A., WILSONCROFT, P., ROBERTSON, D.N. & PAGE, C.P. PAF does not contribute to bronchial hyper-reactivity induced by indomethacin or propranolol, 93, 218P
- DOBLE, A. see BIGOT, D., 95, 654P
- DOCHERTY, J.R. Pertussis toxin and prejunctional α_2 -adrenoceptors in rat heart and vas deferens, 93, 274P
- DOCHERTY, J.R. see BORTON, M., 93, 266P
- - - see BORTON, M., 95, 502P
- - - see CONNAUGHTON, S., 95, 702P
- DOCHERTY, J.R. & RUFFOLO, R.R. Evidence that the dog pulmonary artery contains a homogenous population of α_1 -adrenoceptors, 93, 22P
- DOGGRELL, S.A. Relaxant and β_2 -adrenoceptor blocking activities of labetalol, dilevalol, amosulalol and KF-4317 on the rat isolated aorta, 96, 817P
- DOKTOR, H.S. see RITTER, J.M., 93, 129P
- DOLIN, S.J. & LITTLE, H.J. Differential interactions between benzodiazepines and dihydropyridines, 93, 7P
- DOLIN, S.J., PATCH, T., WHITTINGTON, M.A., SIAREY, R.J. & LITTLE, H.J. Evidence for the importance of dihydropyridine-sensitive calcium channels in ethanol tolerance and dependence, 96, 877P
- DOMENEY, A.M. see COSTALL, B., 93, 194P
- - - see COSTALL, B., 93, 195P
- - - see COSTALL, B., 95, 475P
- - - see COSTALL, B., 95, 670P
- - - see COSTALL, B., 96, 905P
- - - see OAKLEY, N.R., 96, 870P
- DOMINGO, M.T., VAN DELFT, J.L., VERBEY, N.L.J., VAN HAERINGEN, N.J., CHABRIER, P.E. & BRAQUET, P. Specific binding sites of PAF in iris and ciliary body in pigmented rabbit eyes, 93, 77P
- DONALD, A.E., TRIDGETT, R. & FOSTER, A.C. Characterization of [3 H]-glycine binding to a modulatory site within the N-methyl-D-aspartate receptor complex from rat brain, 96, 892P
- DONALDSON, J. see HALL, I.P., 96, 748P
- DONALDSON, J., BROWN, A.M. & HILL, S.J. Temporal changes in the calcium-dependence of the potentiation of cyclic AMP accumulation produced by histamine in guinea-pig brain, 95, 554P
- D'ORLEANS-JUSTE, P., ANTUNES, E., DE NUCCI, G. & VANE, J.R. A profile of endothelin on isolated vascular and other smooth muscle preparations, 96, 809P
- D'ORLEANS-JUSTE, P., DE NUCCI, G., REGOLI, D. & VANE, J.R. Characterization of kinin receptors on bovine aortic endothelial cells, 95, 546P
- DOUGALL, I.G. see LEFF, P., 96, 742P
- DOUGLAS, G.J., WILLIAMS, K.I. & FLOWER, R.J. What is gaddum's "substance R"? 94, 371P
- DOUGALL, I. see MARTIN, G.R., 95, 626P
- DOURISH, C.T. see CLARK, M.L., 94, 316P
- - - see CLARK, M.L., 95, 499P
- - - see O'NEILL, M.F., 95, 505P
- DOURISH, C.T., HERBERT, E.N. & IVERSEN, S.D. Blockade of apomorphine-induced yawning in rats by the selective dopamine autoreceptor antagonist (+)-AJ 76, 95, 498P
- DOWIE, L.J., SMITH, J.E., MACGILCHRIST, A.J., FRASER, R., HONOUR, J.W. & KENYON, C.J. *In vivo* and *in vitro* studies of the site of inhibitory action of omeprazole on adrenocortical steroidogenesis, 93, 288P
- DOWNING, O.A. see STUBBS, D., 94, 364P
- - - see STUBBS, D., 94, 424P
- - - see STUBBS, D., 95, 564P
- - - see STUBBS, D., 95, 595P
- - - see URQUHART, C.J., 94, 440P
- - - see WATERS, C.M., 94, 356P
- DOWNING, S.J., HOLLINGSWORTH, M. & MILLER, M. Cromakalim and the rat uterus *in vivo*, 96, 732P
- DOYLE, C.A. see CLARKE, B., 94, 464P
- DRAKE, M.E. & PETERSEN, S.A. Concentration dependent inhibition by adenosine analogues of ATP release from the isolated mouse vas deferens, 96, 734P
- DRAPER, A.J. see KINGSBURY, M.P., 94, 419P
- - - see KINGSBURY, M.P., 94, 420P
- - - see KINGSBURY, M.P., 95, 703P
- DRASDO, A.L. see STEVENS, T.R.J., 93, 139P
- DRAY, A. see BETTANEY, J., 93, 276P
- DRETELER, G.H. see WOUTERS, W., 95, 495P

- DRETELER, G.H., WOUTERS, W. & SAXENA, P. R. Systemic and regional haemodynamic effects of the putative 5-HT_{1A} agonists 8-OH-DPAT and flesinoxan, 95, 494P
- DREW, G.M. see COATES, J., 95, 492P
- - - see HILDITCH, A., 96, 858P
- DRIJVER, A.A. see ENGELS, F., 93, 47P
- D'SOUZA, G.A., CALDWELL, J., SMITH, R.L., HORNER, M. & MOSS, M.S. The effect of frusemide on the disposition of salicylic acid in the horse, 95, 581P
- DUBOIS, A. see SCATTON, B., 93, 4P
- DUFF, H.J. see HILL, R.J., 93, 256P
- DUMÉZ, D., ZAZZI-SUDRIEZ, E., PAUTREL, C., ARMSTRONG, J.M. & HICKS, P.E. Comparison of the cardiovascular and renal effects of BRL 34915 with those of nitrendipine in dogs and SHR, 93, 201P
- DUNCAN, G.P. see PATMORE, L., 93, 71P
- DUNN, C.J. see RICHARDS, I.M., 96, 769P
- DUNN, R.C. see BRUCKDORFER, K.R., 94, 410P
- - - see JACOBS, M., 94, 331P
- DUNN, W.R. see DALY, C.J., 95, 699P
- DUSTING, G.J., READ, M.A. & STEWART, A. G. Differential bioassay of endothelium-derived relaxing factor and nitric oxide on rabbit aorta and guinea-pig trachea, 93, 101P
- DUTHIE, S.J. & GRANT, M.H. Toxicity of menadione and mitozantrone in human Hep G2 hepatoma cells, 94, 445P
- DUTY, S. see BRAY, K.M., 96, 733P
- DUVAL, N. see ANGEL, I., 93, 20P
- DYE, A. see BROWN, C.M., 93, 248P
- EBENEZER, I.S. The effect of vasopressin on the electroencephalogram of rats is mediated by the vasopressin V₁ receptor sub-type, 95, 633P
- EDEN, R.J., HARVEY, C.A., OWEN, D.A.A. & PARKER, S.G. Tolerance to the cardiovascular effects of SK&F 101468-A, a dopamine DA₂-receptor agonist, in spontaneously hypertensive rats, 96, 791P
- EDEN, R.J., OWEN, D.A.A., PARKER, S.G. & WRIGHT, A. The DA₂ agonist, SK&F 101468-A is hypotensive in spontaneously hypertensive rats, 93, 128P
- EDEN, R.J., PATEL, B. & WOOD, L.M. Peripheral effects of SK&F 101468-A are reversed by domperidone, 96, 859P
- EDWARDS, D. see HOLLINGSWORTH, M., 93, 199P
- - - see HOLLINGSWORTH, M., 94, 362P
- EDWARDS, G. see WINSTANLEY, P., 93, 310P
- EDWARDS, J.C.W. see PETTIPHER, E.R., 94, 341P
- EDWARDSON, J.M. see NADIN, C.Y., 96, 735P
- EGLÉN, R.M. see ADHAM, N., 95, 628P
- - - see DAINTY, I.A., 93, 240P
- - - see MONTGOMERY, W.W., 95, 627P
- EGLÉN, R.M., MICHEL, A.D., KUNYSZ, E. A., CORNETT, C.M. & WHITING, R.L. Analysis of the interaction of hexamethonium with muscarinic receptors *in vitro*, 95, 511P
- EKSTROM, P. & TOMLINSON, D.R. Ganglio-treatment attenuates impaired nerve regeneration in streptozotocin-diabetic rats, 96, 849P
- EL BOUHTOURY, F., CAPDEVILLE, C., PARACHE, R.M. & ATKINSON, J. Captopril (CAP) reduces the consequences of cerebral ischaemia in renovascular hypertensive rats, 93, 255P
- ELFELLAH, M.S. & REID, J.L. Effect of chronic *in vivo* treatment of guinea-pigs with various β -adrenoceptor blockers on β_1 and β_2 -adrenoceptors, 93, 260P
- - - Regulation of and relationship between β -adrenoceptors, Na-K-ATPase and plasma potassium, 94, 325P
- ELLIOTT, J.M. [¹²⁵I]-IodoLSD labels a 5-HT₂ receptor in human platelet membranes similar to that in frontal cortex, 93, 188P
- ELLIOTT, J.M. see KAY, G., 96, 740P
- ELLIOTT, J. & CALLINGHAM, B.A. Amine metabolism in isolated perfused mesenteric arteries of the rat, 95, 576P
- ELLIOTT, P. & WALLIS, D.I. 5-HT depolarizations of rabbit cervical sympathetic axons: mediation by 5-HT_{3B} receptors? 93, 93P
- ELLIOTT, P.N.C. & ROSTRON, C. The anti-inflammatory activity and distribution of indomethacin following oral and topical administration, 94, 446P
- ELLIS, A.M., COKER, S.J., MAXWELL, M. P., FORD, A. & HUGHES, B. Potential role of 5-HT₁-like receptors in myocardial infarction and blood flow in a beagle dog model, 95, 493P
- ELLIS, J.L. see FARMER, S.G., 95, 509P
- ELLIS, J.L. & FARMER, S.G. Effects of VIP antagonists, and VIP and PHI antisera on non-adrenergic, non-cholinergic tracheal relaxation, 95, 508P

- ELLIS, P., HENDERSON, C.G., KIDD, T.L. & SAMUELS, G.M.R. Beneficial haemodynamic profile of UK-61,260 in an anaesthetised dog heart failure model, 95, 695P
- EL-MAS, M., GOODALL, J. & HUGHES, I.E. Meptazinol potentiates non-adrenergic non-cholinergic responses of mouse vas deferens to electrical stimulation, 96, 852P
- EMSON, P.C. see CHAMBERS, J.K., 94, 323P
- ENGEL, G. see BERTHOLD, H., 96, 869P
- ENGELS, F. see FOLKERTS, G., 93, 49P
- - - see HENRICKS, P.A.J., 93, 48P
- ENGELS, F., DRIJVER, A.A. & NIJKAMP, F.P. On the formation of 9-hydroxylinoteic acid by guinea-pig pulmonary macrophages, 93, 47P
- ENTWISTLE, D. see NORRIS, A.A., 93, 44P
- ENTWISTLE, N. see WOOD, B.E., 94, 416P
- ERDMANN, E. see BOHM, M., 95, 491P
- - - see BROWN, L., 93, 60P
- ESCANDE, D. see CAVERO, I., 95, 643P
- - - see MESTRE, M., 95, 571P
- ESCANDE, D., THURINGER, D., LAVILLE, M., COURTEIX, J. & CAVERO, I. RP 49356 is a potent opener of ATP-modulated potassium channels in cardiac myocytes, 96, 814P
- ESCHEVARIA, E. see TORTELLA, F.C., 93, 196P
- - - see TORTELLA, F.C., 94, 473P
- ESPLUGUES, J.V. & WHITTLE, B.J.R. Local intravascular administration of oxygen metabolites induced rat gastric lesions, 95, 533P
- EVANS, C.A. see MAHONY, M.T., 96, 885P
- EVANS, J.M. see ZAKRZEWSKI, J.T., 93, 108P
- EVANS, R.H. see BLAKE, J.F., 93, 310P
- EVANS, R.J. see CUNNANE, T.C., 95, 544P
- FACCHINI, V. & JONES, M. The biotransformation of a synthetic prostaglandin derivative by rat whole blood, 93, 225P
- FAIRBANKS, L. see CAIRNS, H.S., 95, 573P
- FAIRCLOUGH, A. see DEWHURST, D.G., 94, 377P
- FALLER, D. see CAHILL, P.A., 95, 638P
- FARMER, S.G. see ELLIS, J.L., 95, 508P
- FARMER, S.G. & ELLIS, J.L. Effects of peptidases on non-adrenergic, non-cholinergic inhibitory responses of guinea-pig tracheal smooth muscle, 95, 509P
- FEATHERSTONE, R.L., ROBINSON, C., HOLGATE, S.T. & CHURCH, M.K. Observations on thromboxane receptor-mediated contraction of guinea-pig and human airways by other prostanoids, 94, 336P
- FEELY, J. see BARRY, M., 95, 614P
- FEELY, M. see COX, A., 95, 667P
- - - see GARRATT, J.C., 93, 180P
- FELER, C. see CHAMBERS, J.K., 94, 323P
- FENIUK, W. see CONNOR, H.E., 93, 267P
- FERRANDON, P., PASCAL, J.-C. & ARMSTRONG, J.M. Protective effects of the novel anti-oeschaemic agent ranolazine (RS-43285) in reperfused rat hearts, 93, 247P
- FIELD, J.L., FOX, A.J., HALL, J.M., MAGBAGBEOLA, O.D. & MORTON, I.K.M. Multiple bradykinin B₂ receptor subtypes in smooth muscle preparations, 93, 284P
- FILE, S.E. see BALDWIN, H.A., 94, 397P
- - - see BALDWIN, H.A., 96, 879P
- - - see BALDWIN, H.A., 96, 880P
- FILLENZ, M. see ZETTERSTROM, T., 93, 149P
- FITZGERALD, M.F., PARENTE, L., PAYNE, A.N. & WHITTLE, B.J.R. Effect of indomethacin and BW A137C on anaphylactic mediator release from guinea-pig lungs, 93, 220P
- FLETCHER, A. see BILL, D.J., 93, 198P
- - - see CLARK, M.L., 94, 316P
- FLETCHER, A., FORSTER, E.A., BILL, D. J. & BILLINGSLEY, A.J. WY 27587: a novel and highly selective inhibitor of 5-HT uptake in vitro and in vivo, 94, 384P
- FLETCHER, E.J., JONES, M.G. & LODGE, D. Strychnine-resistant effects of glycine on central neurones, 96, 756P
- FLETCHER, J., RIDGWAY, P.E. & SIM, M. F. An improved apparatus for the measurement of rat foot volume by water displacement, 96, 908P
- FLOWER, R.J. see DOUGLAS, G.J., 94, 371P
- - - see PEERS, S.H., 95, 602P
- - - see SMITH, S.F., 96, 772P
- - - see STEVENS, T.R.J., 93, 139P
- FLUCKIGER, E. see BERTHOLD, H., 96, 869P
- FOLKERTS, G., ENGELS, F. & NIJKAMP, F.P. Epithelium-derived PGE₂ may

- play a role in the endotoxin-induced respiratory airway hyper-reactivity of the guinea-pig, 93, 49P
- FOLLENFANT, M.J. see LONGRIDGE, D.J., 95, 707P
- FONE, K.C.F. see JOHNSON, J.V., 95, 556P
- - - see JOHNSON, J.V., 96, 903P
- FONE, K.C.F., JOHNSON, J.V., BENNETT, G. W. & MARSDEN, C.A. Intrathecal proctolin alters TRH analogue (RX77368) induced behaviour and spinal cord 5HT and TRH levels in the rat, 93, 8P
- - - Ritanserin and proctolin alter the behavioural response to intrathecal 5-methoxy-N,N-dimethyltryptamine in rats, 94, 313P
- - - Distribution of calcitonin gene-related peptide in rat and rabbit spinal cords, 94, 401P
- - - Effect of repeated intrathecal thyrotrophin-releasing hormone (TRH) or TRH analogue administration on spinal motoneurons, 95, 555P
- - - Motor behaviours following intrathecal 2,5-dimethoxy 5,4-dimethylbenzene ethamine HCl (DOM); a 5HT₂ agonist, 96, 782P
- FONTES RIBEIRO, C.A. see MACEDO, T.R.A. 96, 719P
- FONTES RIBEIRO, C.A., COTRIM, D., MORGADINHO, T. & MACEDO, T.R.A. Aspects of the physiopathology of migraine: ³H-paroxetine binding to platelets membranes, 96, 790P
- FORD, A. see ELLIS, A.M., 95, 493P
- FORD, A.J. see LONGRIDGE, D.J., 95, 707P
- FOREMAN, J.C. see OBEN, J.A., 95, 534P
- FORLANI, A. see MONOPOLI, A., 96, 810P
- FORRESTER, L. see BALL, S.E., 94, 449P
- FORSBERG, K. see KARLSSON, J.-A., 93, 55P
- - - see KARLSSON, J.-A., 93, 233P
- FORSTER, C., MAIN, J. & ARMSTRONG, P. Experimental congestive heart failure in the dog: vascular responsiveness to α -adrenoceptor agonists, 93, 115P
- FORSTER, E.A. see FLETCHER, A., 94, 384P
- FORSYTH, K.M., POLLOCK, D. & SHAW, A.M. Effects of drugs and field stimulation on inositol phospholipid hydrolysis in mouse vas deferens, 95, 596P
- FOSTER, A.C. see DONALD, A.E., 96, 892P
- - - see TRIDGETT, R., 96, 890P
- FOSTER, R.W. see BOYLE, J.P., 93, 15P
- FOURNEL, S. see VISWALINGHAM, A., 93, 32P
- FOWLER, K.L. see ATTERWILL, C.K., 96, 830P
- - - see ATTERWILL, C.K., 96, 837P
- FOX, A.J. see FIELD, J.L., 93, 284P
- FOX, A.J., HALL, J.M. & MORTON, I.K. M. Evidence for differing bombesin receptor subtypes in guinea-pig vas deferens and rat urinary bladder, 93, 283P
- FOZARD, J.R. see BERTHOLD, H., 96, 869P
- - - see HIBERT, M., 93, 2P
- - - see MIR, A.K., 95, 566P
- - - see MOSER, P., 93, 3P
- FRACASSO, M.E., LEONE, R., DEL SOLDATO, P., CUZZOLIN, L. & BENONI, G. Are indomethacin intestinal and hepatic side effects related to clostridium perfringens toxin in the rat? 95, 589P
- FRAMPTON, J.E. see GRISTWOOD, R.W., 93, 62P
- - - see GRISTWOOD, R.W., 95, 644P
- FRANCIS, P. see ABILA, B., 95, 480P
- FRANKLAND, A.T.J. see HEAL, D.J., 96, 895P
- FRANKLIN, T.G. & TRAYNOR, J.R. Action of B-funaltrexamine at μ -opioid binding sites in guinea-pig ileum, 96, 861P
- FRASER, R. see DOWIE, L.J., 93, 288P
- - - see POLONIA, J.J., 96, 824P
- FRASER, S. see BROWN, C.M., 93, 248P
- - - see HOTCHKISS, S.A., 95, 580P
- FRASER, S., KENNY, B.A., KILPATRICK, A.T. & SPEDDING, M. Is fluspirilene a potential ligand for the site of action of class III calcium-antagonists? 94, 463P
- FREARSON, J. see CREBA, J.A., 93, 294P
- FREDHOLM, B.B., VAN DER PLOEG, I. & NORDSTEDT, C. Phorbol ester treatment unmasks a prostaglandin receptor inhibiting cyclic AMP formation in T cells, 93, 107P
- FREEDMAN, S.B. see BINNS, K.E., 93, 177P
- FREEDMAN, S.B. & HARLEY, E.A. Down-regulation of muscarinic binding sites in NG108-15 cells following chronic treatment with agonists, 93, 138P

- FRET, H. see BULT, H., 93, 102P
 - - - see BULT, H., 93, 226P
 FREUND, P., KLING, K., MULLER-BECKMANN, B., SPONER, G. & STREIN, K. Profile of adibendan, a new positive inotropic and vasodilating agent, 93, 127P
 FRIEND, S.C. see HART, S.L., 94, 402P
 FRODSHAM, G. see ALLCOCK, A.A., 94, 430P
 FRY, J.R. & GARLE, M.J. Depletion of protein thiols by reactive metabolites in vitro, 96, 739P
 FRY, J.R., GARLE, M.J., HAMMOND, A.H. & HATFIELD, A. Correlation of cytotoxicity in vitro of anti-tumour compounds with acute toxicity, 96, 834P
 FRY, J.R. & HAMMOND, A.H. Influence of donor age on the maintenance of cytochrome P450 related enzyme activities of rat hepatocytes in culture, 96, 833P
 FULKS, J. see LOVEDAY, M., 95, 518P
 - - - see SMITH, D.L., 94, 417P
 FULLER, R.W. see BAKER, A.J., 95, 527P
 - - - see KARLSSON, J.-A., 93, 233P
 FULTON, J.D. see MCDONALD, A., 95, 712P
 - - - see MCLAUGHLIN, D.P., 95, 542P
- GALTON, S.A., SNEDDON, J.M. & VANE, J.R. The formation of 13-hydroxyoctadecadienoic acid (13-HODE) by endothelial cells from different species, 93, 223P
 GALZIN, A.-M., POIRIER, M.-F., LOO, H., SECHTER, D., ZARIFIAN, E. & LANGER, S. Z. [³H]-paroxetine binding to platelets from healthy volunteers, 93, 12P
 GALZIN, A.-M., CHODKIEWICZ, J.P., POIRIER, M.-F., LOO, H., ROUX, F.X., REDONDO, A., LISTA, A., RAMDINE, R., BLIER, P. & LANGER, S.Z. Modulation of the electrically-evoked release of [³H]-5-HT from slices of human frontal cortex, 93, 14P
 GAPINSKI, M. see WALKER, J.R., 96, 801P
 GARD, P.R. see MALHI, J.S., 95, 618P
 GARD, P.R. & TRIGGER, D.J. The protective effect of ethamsylate against indomethacin-induced duodenal ulceration in rats, 95, 686P
 GARDINER, P.J. see MCKENNIFF, M.G., 93P, 56P
 GARDINER, S.M. see HARLAND, D., 93, 59P
 - - - see HARLAND, D., 94, 360P
 GARDINER, S.M., COMPTON, A.M. & BENNETT, T. Rat calcitonin gene-related peptide causes carotid vasodilatation in conscious unrestrained rats, 94, 359P
 - - - Regional haemodynamic responses to calcitonin gene-related peptide or atrial natriuretic peptide in conscious rats, 96, 718P
 GARDNER, C.R. A response to cholecystokinin on suprahypoid muscle twitching partly mediated via opiate receptors, 93, 185P
 GARDNER, C.R. see GUY, A.P., 93, 186P
 GARLE, M.J. see FRY, J.R., 96, 739P
 - - - see FRY, J.R., 96, 834P
 GARRATT, J.C., GENT, J.P., HAIGH, J.R.M. & FEELY, M. Flumazenil (RO 15-1788) reduces single-dose nitrazepam tolerance in mice, 93, 180P
 GARRATT, J.C., MARSDEN, C.A. & CRESPI, F. 8-OHDPAT can decrease 5HT neuronal firing and release but not metabolism, 96, 874P
 GARRETT, M.C. see SOARES-DA-SILVA, P., 96, 766P
 GARRETT, M.C. & SOARES-DA-SILVA, P. A study on the source of dihydroxyphenylacetic acid (DOPAC) in the rat striatum, 96, 898P
 GATER, P.R. see MOORE, B.A., 96, 797P
 GATER, P.R., MOORE, B.A. & ALABASTER, V.A. Selectivity of muscarinic antagonists in the anaesthetised guinea-pig, 93, 242P
 GATES, R.M.C. see BENTLEY, P.K., 96, 827P
 GAW, A.J., HUMPHREY, P.P.A. & WADSWORTH, R.M. 5HT receptors and contractile responses to nerve stimulation in sheep middle cerebral arteries, 94, 326P
 GENT, J.P. see COX, A., 95, 667P
 - - - see GARRATT, J.C., 93, 180P
 GERAGHTY, I. see HILL, H., 94, 460P
 GERBES, A.L. see DHUME, V.G., 93, 261P
 GERRARD, P.A. see COSTALL, B., 95, 475P
 - - - see COSTALL, B., 96, 905P
 GETTINS, D. see STANFORD, S.C., 93, 183P
 GETTINS, D., GOLDSACK, N., IBEGBUNA, V. & STANFORD, S.C. A single injection of pentylene-tetrazol or picrotoxin modifies noradrenaline stores and

- β -adrenoceptors in mouse cerebral cortex, 96, 887P
- GIAO, J.M.-RICO, T. see MACARA, B., 96, 853P
- GIAO, J.M., RICO, T., VALE, F., CASTRO, M. A possible relationship between the adrenergic β -receptor and prostacyclin synthesis, 96, 804P
- GIBB, A.J. L-glutamate-activated single ion channels in cells acutely dissociated from adult rat hippocampus, 93, 86P
- GIBSON, A. N-methyl-hydroxylamine, a guanylate cyclase inhibitor, blocks NANC relaxations of the mouse anococcygeus, 93, 26P
- - - A comparison of relaxations induced by NANC stimulation and by nitrovasodilators in the mouse anococcygeus, 93, 300P
- GIBSON, A. see HART, S.L., 94, 402P
- GIBSON, A. & SHAW, C.R. The calcium pool mobilised by oxytocin in the mouse anococcygeus, 95, 599P
- GIBSON, A., MIRZAZADEH, S., TUCKER, J.F. & WILSEY, C. The cGMP-phosphodiesterase inhibitor M&B 22948 potentiates NANC relaxations of the mouse anococcygeus, 95, 507P
- GIEMBYCZ, M.A. & DIAMOND, J. Cytosol to membrane translocation of cyclic AMP-dependent protein kinase as a mechanism of action of β -adrenoceptor agonists, 93, 39P
- - - Evidence against the hypothesis that β -adrenoceptor agonists promote the translocation of cyclic AMP-dependent protein kinase in vivo, 95, 513P
- GILANI, ANWAR-UL-HASSAM. Interaction of himbacine with acetylcholine at muscarinic receptors of rabbit aorta, 94, 427P
- GILBERT, M. see NEWBERRY, N., 94, 321P
- GILBERT, M.J. & NEWBERRY, N.R. The potency of (+) muscarine on two muscarinic responses on the isolated superior cervical ganglion of the rat, 93, 176P
- GILBEY, M.P. see DASHWOOD, M.R., 93, 197P
- - - see DASHWOOD, M.R., 94, 386P
- GILCHRIST, A.C. see DEAKIN, J.F.W., 95, 484P
- GILES, H. see CAMBRIDGE, D., 95, 708P
- GILES, H., LEFF, P., BOLOFO, M.L., KELLY, M.G. & ROBERTSON, A.D. BW A868C: a novel, highly potent and selective DP-receptor antagonist, 95, 522P
- GILLESPIE, J.S. & SHENG, H. The relationship between the EDRF, the smooth muscle inhibitory factor from the BRP and nitric oxide, 94, 338P
- GILLESPIE, P. see JAMIESON, M.J., 93, 279P
- - - see JAMIESON, M.J., 93, 308P
- GILLETT, J.L. see MELARANGE, R., 94, 407P
- - - see MELARANGE, R., 96, 798P
- GIN, L.S., PAGE, C.P. & SCHACHTER, M. Bradykinin-induced bronchoconstriction in the guinea-pig via a B_2 receptor population, 96, 773P
- GLOVER, V. see BHATTACHARYA, S.K., 93, 1P
- GLOVER, V., CLOW, A., OXENKRUG, G.F. & SANDLER, M. Stress can reduce the effect of an irreversible MAO inhibitor in vivo, 94, 320P
- GODFRAIND, T. & KAZDA, S. Influence of chronic treatment by the calcium entry blocker nisoldipine on arteries of spontaneously hypertensive rats, 93, 70P
- GODFREY, P.P. see ANDERSON, S.M.P., 93, 96P
- - - see TYLER, W., 93, 152P
- - - see WILKINS, C.J., 93, 153P
- GODFREY, P.P., TAGHAVI, Z., POWELL, T. & GRAHAME-SMITH, D.G. Lithium and high K^+ alter agonist-stimulated inositol polyphosphate formation in rat cortex, 93, 151P
- GODSON, C. & RYAN, M.P. Investigation of gentamicin, verapamil and magnesium interactions on calcium transport in rat renal brush border membrane vesicles, 95, 578P
- GOLDSACK, N. see GETTINS, D., 96, 887P
- GONCALVES, J. see GUIMARAES, S., 96, 856P
- GONCALVES, J., CARVALHO, F. & GUIMARAES, S. Uptake inhibitors do not change the effect of imidazoline α_2 -agonist on noradrenaline release evoked by single pulse stimulation, 96, 750P
- GONCALVES, M.L. Antagonism by xanthine amine congeners of 2-chloroadenosine-induced calcium uptake inhibition in rat brain synaptosomes, 96, 878P
- GONZALEZ, R. see BEUSENBERG, F.D., 95, 606P
- GOODALL, J. see EL-MAS, M., 96, 852P
- GORMAN, R.R. see RICHARDS, I.M., 96, 769P

- GOSDEN, J. see LUSCOMBE, G.P., 96, 784P
- GOWER, A.J. see LAMBERTY, Y., 94, 382P
- GRAHAM, C.A. & BALFOUR, D.J.K. The influence of environmental stimuli on the psychopharmacological response to diazepam, 94, 374P
- GRAHAM, W.C., CLARKE, C.E., CROSSMAN, A. R. & WOODRUFF, G.N. Dopamine D₂ receptors and dopamine uptake sites visualized autoradiographically in hemi-parkinsonian monkeys, 95, 557P
- GRAHAME-SMITH, D.G. see ANDERSON, S. M.P., 93, 96P
- - - see BACKUS, L.I., 96, 873P
- - - see GODFREY, P.P., 93, 151P
- - - see KINGSTON, J., 94, 372P
- - - see SHARP, T., 93, 94P
- - - see SHARP, T., 96, 865P
- GRANT, M.H. see DUTHIE, S.J., 94, 445P
- GRAY, J.A. see JOSEPH, M.H., 95, 558P
- GREEN, A.R. see CROSS, A.J., 95, 478P
- - - see HUNTER, A.J., 93, 175P
- - - see HUNTER, A.J., 94, 318P
- - - see HUNTER, A.J., 96, 763P
- - - see ROBINSON, T.N., 96, 762P
- GREENE, J.R.T. & BAKER, J.B.E. Protection of the globally ischaemic isolated heart (rabbit) with sodium nitroprusside, 93, 61P
- GREENIDGE, E. see HAYTER, A.P., 93, 237P
- GREENIDGE, E. & WALI, F.A. Actions and interactions of verapamil and D-600 with potassium in the smooth muscle of rat isolated seminal vesicle, 95, 622P
- - - Effect of verapamil on responses produced by noradrenaline, acetylcholine and potassium chloride in rat seminal vesicle *in vitro*, 96, 844P
- GRIFFITHS, E.C. see BOULTON, C.L., 95, 482P
- GRIFFITHS, R.J. & BLACKHAM, A. The effects of dexamethasone on inflammatory responses in rabbit skin, 95, 535P
- - - see BLACKHAM, A., 95, 536P
- - - see WOOD, B.E., 94, 416P
- GRIFFITHS-JOHNSON, D.A. & NICHOLLS, P. J. Leukotrienes - a role in the pathogenesis of byssinosis? 93, 228P
- GRISTWOOD, R.W., ROTHUL, A.L. & FRAMPTON, J.E. Effects of U46619 on 'mildly ischaemic' myocardial tissue *in vitro*, 93, 62P
- - - Effects of dopamine on human cardiac action potential characteristics, 95, 644P
- GRISTWOOD, R.W., ROTHUL, A.L. & WOOD, L.M. The anti-fibrillatory action of SK&F 94836, 93, 63P
- GRIX, S. see POLL, G., 94, 332P
- - - see POLL, C., 96, 806P
- GROSS, G., HANFT, G. 5-methylurapidil - an antagonist which discriminates between α_1 -adrenoceptor subtypes, 95, 568P
- GROSSMAN, C.J. see BIRCH, B.J., 94, 473P
- - - see BIRCH, P.J., 96, 758P
- GROWCOTT, J.W., CLARKSON, P.N., WHITING, E.M., COX, B. & BLACKBURN, T.P. Further characterisation of 5HT₁-like receptors in isolated vascular tissues with ICI 169,369, 93, 264P
- GRYGLEWSKI, R. see DE NUCCI, G., 93, 306P
- GRYGLEWSKI, R., DE NUCCI, G., WARNER, T., BEARPACK, T. & VANE J.R. Phospholipase C releases endothelium derived relaxing factor (EDRF) from bovine aortic endothelial cells, (BAEC), 93, 106P
- GUIMARAES, S. see GONCALVES, J., 96, 750P
- - - see PROENCA, J., 96, 846P
- GUIMARAES, S., GONCALVES, J., PAIVA, M.Q. α_2 -adrenoceptor-mediated effects of selective α_1 -adrenoceptor agonists, after phenoxybenzamine *in vivo*, 96, 856P
- GULATI, O.P. see SHARMA, S.C., 93, 209P
- GUMBLETON, M. see SEWELL, R.D.E., 95, 612P
- GUMBLETON, M., NICHOLLS, P.J. & TAYLOR, G. The influence of some laboratory anaesthetics on renal and hepatosplanchnic blood flow in the rat: a microsphere study, 94, 450P
- - - Glomerular filtration rate in anaesthetised and conscious rats: significance to laboratory pharmacokinetic studies, 96, 825P
- GUNNING, S.J. see BALL, M.T., 94, 466P
- GUNNING, S.J., BUNCE, K.T. & HUMPHREY, P.P.A. Methysergide contracts guinea-pig ileum via histamine H₁ receptors, 93, 238P
- GUY, A.P. & GARDNER, C.R. Agents enhancing GABA coupled chloride ionophore function: effects in a social interaction model of anxiety, 93, 186P

- GUZ, A. see SMITH, S.F., 96, 772P
- HAGAN, R.M., JONES, B.J., JORDAN, C.C. & TYERS, M.B. Effects of the 5HT₃ receptor antagonist, GR38032F, on the synthesis and metabolism of 5HT and dopamine in rat forebrain, 96, 867P
- HAIGH, J.R.M. see GARRATT, J.C., 93, 180P
- HAIR, W.M. see HUGHES, A.D., 96, 722P
- HAIR, W.M., HUGHES, A., SCHACHTER, M. & SEVER, P. Neuropeptide Y-induced contraction in human saphenous vein: effect of calcium antagonists, 93, 275P
- HAIR, W.M., HUGHES, A.D., SEVER, P.S. Phenylephrine - is it a selective α_1 -adrenoceptor, 96, 860P
- HAJIMOHAMMADREZA, I. see MONTZOURIDIS, T., 95, 645P
- - - see XIANG, J-Z., 95, 597P
- HALES, C.N. see KOZŁOWSKI, R.Z., 93, 296P
- HALES, T.G. & LAMBERT, J.J. Modulation of the GABA_A receptor by propofol, 93, 84P
- HALES, T.G., LAMBERT, J.J. & PETERS, J.A. 5HT-induced currents in NCB-20 neuroblastoma hybrid cells and their blockade by a 5-HT₃ receptor antagonist, 94, 393P
- HALL, A.K. & MACLAGAN, J. Effect of cromakalim on cholinergic neurotransmission in the guinea-pig trachea, 96, 792P
- HALL, I.P., DONALDSON, J. & HILL, S.J. Cyclic AMP-mediated inhibition of histamine-induced inositol phospholipid hydrolysis in bovine tracheal smooth muscle, 96, 748P
- HALL, I.P. & HILL, S.J. Noradrenaline and salbutamol inhibit histamine-induced inositol phospholipid hydrolysis in bovine tracheal smooth muscle, 94, 366P
- - - Histamine and carbachol stimulate [³H]-inositol phosphate accumulation in bovine lung parenchyma tissue, 95, 598P
- HALL, I. & HUGHES, I.E. Effect of meptazinol on responses to sympathetic nerve stimulation in rat vas deferens, 95, 594P
- HALL, J. see BASARAB-HORWATH, I., 94, 471P
- HALL, J.A. see KAUMANN, A.J., 95, 565P
- HALL, J.A., KAUMANN, A.J., WELLS, F.C. & BROWN, M.J. β_2 -adrenoceptor mediated inotropic responses of human atria: receptor subtype regulation by atenolol, 93, 116P
- HALL, J.M. see FIELD, J.L., 93, 284P
- - - see FOX, A.J., 93, 283P
- - - see NAHONY, M.T., 96, 885P
- HALL, M.D. see HUGHES, J., 93, 310P
- HALL, N.D. see STEVENS, T.R.J., 93, 139P
- HALLAM, C. see BLACKHAM, A., 95, 536P
- - - see CAMPBELL, A.M., 93, 50P
- HALLAM, T.J. see MERRITT, J.E., 94, 339P
- - - see SIMPSON, A.W., 96, 731P
- HALLAM, T.J., JACOB, R. & MERRITT, J.E. Stimulated influx of divalent cations into the cytoplasm of human endothelial cells can be independent of receptor occupation, 94, 340P
- HALLIDAY, C.A., JONES, B.J., SKINGLE, M., STRAUGHAN, D.W., TYERS, M.B., WALSH, D.W. & WISE, H. Additional studies on the pharmacological actions of GR50360A, an α_2 -adrenoceptor antagonist, 96, 857P
- HALLIDAY, C.A., JONES, B.J., STRAUGHAN, D.W., TYERS, M.B., WALSH, D.M. & WISE, H. GR50360A, a novel and highly selective α_2 -adrenoceptor antagonist, 96, 751P
- HALLIDAY, J. see CARTER, D.V., 93, 269P
- HALLIWELL, R.F. see CALLACHAN, H., 93, 155P
- HAMBLETON, P., CHANDLER, J. & MILLER, P. Comparison of exudation, vascular permeability changes and clearance properties in two models of acute inflammation in rat, 93, 216P
- HAMID-BLOOMFIELD, S. see CAMBRIDGE, D., 95, 708P
- HAMILTON, C.A. see NIXON, G.F., 94, 357P
- - - see YAKUBU, M.A., 95, 655P
- HAMILTON, T.C. see WILSON, C., 93, 126P
- HAMMOND, A.H. see FRY, J.R., 96, 833P
- - - see FRY, J.R., 96, 834P
- HAMON, G., CHERQUI, C. & WORCEL, M. RU 24969, a 5-HT₁ reference compound which behaves as a potent 5-HT₂ agonist on blood vessels, 93, 265P

- HAN, X. & VOHRA, M.M. A sensitive electrochemical method for simultaneous determination of histamine and noradrenaline by (HPLC/EC), 95, 590P
- HANAHOE, T.H.P. see PURCELL, W.M., 94, 370P
- - - see PURCELL, W.M., 95, 673P
- HANDLEY, S.L. see CRITCHLEY, M.A.E., 94, 389P
- - - see HEATON, J.C.P., 94, 388P
- HANFT, G. see GROSS, G., 95, 568P
- HANLON, G.W. see MALHI, J.S., 95, 618P
- HARDY, C.C. see ROBINSON, C., 94, 412P
- HARLAN, J.M. see NOURSHARGH, S., 93, 142P
- - - see RAMPART, M., 93, 147P
- HARLAND, D. α -adrenoceptor-mediated cardiovascular effects of noradrenaline in the paraventricular nucleus of conscious rats, 96, 754P
- HARLAND, D. & GARDINER, S.M. Evidence for a vasopressin-mediated pressor response to paraventricular nucleus injections of noradrenaline in conscious rats, 93, 59P
- HARLAND, D., GARDINER, S.M. & BENNETT, T. Brattleboro rats have normal cardiac baroreflex sensitivities that are unaffected by centrally administered vasopressin, 94, 360P
- HARLEY, E.A. see FREEDMAN, S.B., 93, 138P
- HARLOW, J. see MORRIS, C.Q., 95, 586P
- HARPER, S.T. see CAMPBELL, A.M., 93, 50P
- HARPUR, E.S. see LAZENBY, C.M., 93, 305P
- HARRON, D.W.G. see SPIERS, J.P., 95, 698P
- HARRON, D.W.G., UPRICHARD, A.C.G., WILSON, R. & ALLEN, J.D. Effects of time upon stimulus-induced arrhythmias and infarct size in a chronic canine model, 95, 706P
- HART, S.L., FRIEND, S.C., GIBSON, A. & COWAN, D.A. The effect of an anabolic steroid and chronic exercise on nociception and plasma corticosterone levels in rats, 94, 402P
- HARVEY, C.A. see EDEN, R.J., 96, 791P
- HATFIELD, A. see FRY, J.R., 96, 834P
- HATHER, N.Y. see CALLACHAN, H., 93, 155P
- HATTON, R. see BILSKI, A.J., 94, 426P
- HAWCOCK, A.B. see ROBERTS, F.F., 93, 134P
- HAWKES, J.E. see WILSON, S.E., 94, 448P
- HAWKSWORTH, G.M. see PENNINGTON, J., 94, 343P
- - - see PRITCHARD, M.P., 94, 444P
- HAWORTH, D. & CAREY, F. Platelet activating factor does not cause hyperalgesia after subplantar injection in rats, 93, 219P
- HAWORTH, D., DAS, A.M., HERON, J.R.M. & CAREY, F. Prostaglandins and the inflammatory responses to carrageenan and yeast in rat paws, 96, 803P
- HAWORTH, D., HERON, J.R.M. & CAREY, F. Rat paw hyperalgesia and oedema in response to *Naja naja* phospholipase A₂, 93, 145P
- HAYES, A.G. see BIRCH, P.J., 93, 282P
- - - see BIRCH, B.J., 94, 473P
- - - see BIRCH, P.J., 96, 758P
- HAYES, A.G. & HAYWARD, N.J. Can the mouse abdominal constriction test be used as a model for peripheral opioid antinociceptive activity? 93, 173P
- HAYES, R.J., MITCHELL, S.C. & SMITH, R.L. Cholinergic action of trimethylamine and its metabolites, 95, 615P
- HAYLOR, J.L. see BURTON, G.A., 96, 802P
- HAYTER, A.P., WALI, F.A., TUGWELL, A. C. & GREENIDGE, E. Effect of ethanol on neuromuscular transmission in the rat isolated phrenic nerve-diaphragm preparation, 93, 237P
- HAYWARD, N.J. see HAYES, A.G., 93, 173P
- HEAD, S.A. see AHLUWALIA, A., 96, 721P
- HEAL, D.J. Centrally injected noradrenaline, adrenaline or cirazoline does not induce specific α_1 -adrenoceptor mediated locomotor activity, 96, 883P
- HEAL, D.J. see CRESPI, F., 96, 767P
- - - see MARTIN, K.F., 95, 656P
- - - see MARTIN, K.F., 96, 896P
- HEAL, D.J., FRANKLAND, A.T.J. & BUCKETT, W.R. A highly sensitive method for measuring endogenous 3-methoxytyramine concentrations in brain by HPLC-ECD, 96, 895P
- HEAL, D.J., HURST, E.M. & BUCKETT, W. R. Lesioning of central 5-HT neurones does not prevent the attenuation of clonidine sedation in mice by repeated ECS, 95, 657P

- HEAL, D.J., JONES, S.A. & BUCKETT, W.R. Administration of sibutramine HCl and other antidepressants including ECS decreases cortical β_1 - but not β_2 -adrenoceptors, 94, 379P
- HEAL, D.J., PROW, M.R. & BUCKETT, W.R. An investigation of clonidine-induced mydriasis in conscious mice as a model of central α_2 -adrenoceptor function, 93, 133P
- - Development of a method for measurement of free MHPG on brain tissues using HPLC with electrochemical detection, 93, 168P
 - - Measurement of brain MHPG levels suggests that clonidine induces hypoactivity and mydriasis via presynaptic α_2 -adrenoceptors, 94, 317P
 - - Clear evidence that clonidine hypoactivity and mydriasis are mediated by pre- and postsynaptic α_2 -adrenoceptors respectively, 96, 781P
- HEATON, J.C.P., NJUNG'E, K. & HANDLEY, S. L. Behavioural profile of 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane (DOI), a selective 5-HT₂ agonist, 94, 388P
- HEDLEY, L. see LOVEDAY, M., 95, 518P
- HEERS, C., SCHEUFELER, E., WILHELM, D., WERMELSKIRCHEN, D., WILFFERT, B. & PETERS, T. The antiarrhythmic effects of R 56865 in cardiac glycoside toxicity are not caused by inhibition of receptor binding, 93, 273P
- HEILIGERS, J. see BOM, A.H., 96, 789P
- HEIREMANS, J.J. see BULT, H., 93, 226P
- HELLEGOUARCH, A., AUGUET, M., MOREAU, J. P., PIROTZKY, E. & BRAQUET, P. Inhibition of PAF-induced effects in the guinea-pig right atrium by BN 52021 and somatostatin, 93, 78P
- HELLEWELL, P.G. see NOURSHARGH, S., 93, 142P
- HELLEWELL, P.G., JOSE, P.J. & WILLIAMS, T.J. Effect of anti-C5A antibodies on oedema formation and PMN leukocyte accumulation in allergic inflammation in the rabbit, 95, 531P
- HELLIWELL, P.A. see BURNS, E., 95, 700P
- HENDERSON, A.H. see HOGAN, J.C., 93, 103P
- - see HOGAN, J.C., 95, 681P
- HENDERSON, B. see PETTIPHER, E.R., 93, 230P
- - see PETTIPHER, E.R., 94, 341P
- HENDERSON, C.G. see ELLIS, P., 95, 695P
- HENDRIE, C.A. Hyperalgesia follows morphine-induced analgesia: evidence to suggest opiate receptor involvement, 93, 172P
- HENRICKS, P.A.J., ENGELS, F., VAN DER VLIET, H. & NIJKAMP, F.P. Effects of 9-hydroxy-linoleic acid on guinea-pig pulmonary macrophage activity, 93, 48P
- HERBERT, E.N. see DOURISH, C.T., 95, 498P
- HERDON, H. Regulation of endogenous dopamine release from rat striatal slices by D-2 autoreceptors : effects of forskolin and N-ethylmaleimide, 94, 351P
- HEREPATH, M.L. & BROADLEY, K.J. Cross-desensitization of cardiac β -adrenoceptors and its application to the calculation of agonist affinities, 93, 277P
- - Differences in desensitization of cardiac β_1 and β_2 -adrenoceptors of kitten atria in vitro, 94, 324P
 - - Calculation of dissociation constants of agonists at cardiac β -adrenoceptors by use of in vitro desensitization, 95, 634P
- HEREPATH, M.L., SHAW, M.A. & BROADLEY, K.J. Elevation of guinea-pig plasma cortisol levels induced by travel stress, 93, 298P
- HERGMAN, A.G. see BULT, H., 93, 226P
- HERMAN, A.G. see BULT, H., 93, 102P
- - see RAMPART, M., 93, 147P
 - - see VAN DIEST, M.J., 93, 112P
 - - see VERBEUREN, T.J., 93, 104P
 - - see VERBEUREN, T.J., 95, 572P
- HERNANDEZ, T.D. see JONES, G.H., 94, 349P
- HERON, J.R.M. see HAWORTH, D., 93, 145P
- - see HAWORTH, D., 96, 803P
- HEWICK, D.S. see JOHNSTON, P.C., 95, 579P
- HEWSON, G. see LEIGHTON, G.E., 93, 187P
- - see MARSHALL, R.W., 93, 309P
- HEWSON, G., LEIGHTON, G.E., HILL, R. G. & HUGHES, J. 5HT₂ receptors are involved in quipazine-induced anorexia in the rat, 94, 473P
- HEWSON, G., TURNER, W.D., LEIGHTON, G.E., HILL, R.G. & HUGHES, J. Lack of tolerance to the anorectic

- effects of opioid antagonists in the rat, 93, 10P
- HIBERT, M. see MOSER, P., 93, 3P
- HIBERT, M., MIR, A.K., MAGHIOROS, G., MOSER, P., MIDDLEMISS, D.N., TRICKLEBANK, M.D. & FOZARD, J.R. The pharmacological properties of MDL 73005EF: a potent and selective ligand at 5-HT_{1A} receptors, 93, 2P
- HICKS, G.R. see YATES, D.B., 95, 711P
- HICKS, P.E. see DUMEZ, D., 93, 201P
- HICKS, P.E., BARRAS, M., MINARD, M.A. & ARMSTRONG, J.M. Influence of α -adrenoceptor reserve and K⁺ on the inhibitory effects of cromakalim and nitrendipine in dog saphenous vein, 94, 439P
- HIGGINS, G.A., KILPATRICK, G.J., BUNCE, K.T., JONES, B.J. & TYERS, M.B. 5HT₃ receptors in the area postrema may mediate the anti-emetic effects of 5-HT₃ antagonists in the ferret, 95, 504P
- HIGGS, G.A. see PETTIPHER, E.R., 93, 230P
- - - see PETTIPHER, E.R., 94, 341P
- HIGGS, L. see CARR, R.D., 95, 487P
- HILDITCH, A., CLARK, K.L., ROBERTSON, M. J. & DREW, G.M. Effects of the selective dopamine DA₁ receptor agonist fenoldopam on renal function in the anaesthetised dog, 96, 858P
- HILEY, C.R. see MACLEAN, M.R., 94, 429P
- - - see MACLEAN, M.R., 96, 815P
- - - see RANDALL, M.D., 94, 428P
- - - see RANDALL, M.D., 96, 816P
- HILEY, C.R. & MACLEAN, M.R. Effects of enalapril on the pressor and cardiac output responses to xylazine in the pithed rat, 93, 245P
- HILL, H., GERAGHTY, I., SCHACHTER, M., HUGHES, A. & SEVER, P. 5-HT induced relaxation in isolated human bronchus, 94, 460P
- HILL, J.M. & SPRAGGS, C.F. Prostaglandin E₂ and PGD₂ have opposing actions on short circuit current in rat isolated colonic mucosa, 94, 408P
- HILL, R.G. see DISSANAYAKE, V.U.K., 94, 361P
- - - see HEWSON, G., 93, 10P
- - - see HEWSON, G., 94, 473P
- - - see HUGHES, J., 93, 310P
- - - see LEIGHTON, G.E., 93, 171P
- - - see LEIGHTON, G.E., 93, 187P
- - - see MARSHALL, R.W., 93, 309P
- - - see PINNOCK, R.D., 96, 779P
- - - see TRAYNOR, J.R., 94, 375P
- HILL, R.J., DUFF, H.J. & SHELDON, R.S. Type 1 antiarrhythmic drugs bind stereospecifically to a receptor associated with the cardiac sodium channel, 93, 256P
- HILL, S.J. see DONALDSON, J., 95, 554P
- - - see HALL, I.P., 94, 366P
- - - see HALL, I.P., 95, 598P
- - - see HALL, I.P., 96, 748P
- - - see KENDALL, D.A., 96, 900P
- - - see IACOVU, J.W., 96, 848P
- HILL, S.J. & YOUNG, C.S. Noradrenaline and R(α)-methylhistamine inhibit the release of [³H]-histamine from rat cerebral cortical slices, 93, 90P
- HILL, S.S. see ALI, I.M., 95, 605P
- HILLE, C., O'SHAUGHNESSY, C.T. & SHREWSBURY-GEE, J. The TRH analogue, RX77368, has no effect on oedema formation in an *in vivo* model of cerebral ischaemia in the rat, 96, 888P
- HODGES, H. see JOSEPH, M.H., 95, 558P
- HOFER, P. see BOYLE, J.P., 93, 15P
- HOFFERBER, E. see ARMAH, B.I., 95, 490P
- HOFFIG, M. see BURNS, E., 93, 114P
- HOGAN, J.C., LEWIS, M.J. & HENDERSON, A.H. *In vivo* endothelium-derived relaxing factor inhibition of platelet aggregability, 93, 103P
- - - Effect of atrial natriuretic peptide (ANP) on EDRF-induced inhibition of platelet aggregation, 95, 681P
- HOLDEN-DYE, L., WALKER, R.J., NIELSEN, L. & KROGSGAARD-LARSEN, P. Stereoselectivity of a bicuculline-insensitive GABA receptor in ascaris suum, 96, 760P
- HOLGATE, S.T. see AGIUS, R.M., 93, 51P
- - - see BEDWELL, S., 94, 413P
- - - see FEATHERSTONE, R.L., 94, 336P
- - - see HUTSON, P.A., 93, 243P
- - - see HUTSON, P.A., 96, 770P
- - - see ROBINSON, C., 94, 412P
- HOLLINGSWORTH, M. see ACTON, L., 96, 847P
- - - see DOWNING, S.J., 96, 732P
- HOLLINGSWORTH, M., EDWARDS, D. & MILLER, M. Effects of ergometrine in rat uterus and involvement of 5-HT receptors, 94, 362P
- HOLLINGSWORTH, M., EDWARDS, D., RANKIN, J.R. & WESTON, A.H.

- BRL34915 and relaxation of rat uterus - role of K^+ channels, 93, 199P
- HOLLY, J. & TAHIR, J. Transmitter release from the basilar artery, 93, 122P
- HOLMES, J.R. see YATES, D.B., 96, 819P
- HOLMES, S. see COLLIS, M.G., 94, 423P
- HONEY, A.C. see LAD, N., 93, 232P
- HONOUR, J.W. see DOWIE, L.J., 93, 288P
- HOOKE, R.E. see MAY, S.A., 93, 222P
- - - see MAY, S.A., 93, 281P
- HORNE, A.L., WOODRUFF, G.N. & KEMP, J.A. Evidence for synaptically activated excitatory amino acid receptors in slices of rat nucleus accumbens, 96, 757P
- HORNER, M. see D'SOUZA, G.A., 95, 581P
- HOROVITZ, Z.P. see COSTALL, B., 96, 882P
- HORSBURGH, K., CHALMERS, D. & MCCULLOCH, J. (3H)-forskolin binding in the visual system of the rat after unilateral orbital enucleation, 96, 902P
- HORTON, R.W. see CHEETHAM, S.C., 96, 868P
- - - see RICH, D.A., 93, 179P
- HOTCHKISS, S.A., FRASER, S., MILLER, J. M. & CALDWELL, J. The percutaneous absorption of benzyl acetate through rat skin in vitro, 95, 580P
- HOULT, J.R.S. see PHILLIPS, J.A., 93, 227P
- - - see RANKIN, S.M., 96, 727P
- HOWAT, D.W., CHAND, N., MOORE, A.R., CHANDER, C.L. & WILLOUGHBY, D.A. Platelet-activating factor: a possible mediator of experimental allergic encephalomyelitis, 95, 679P
- HOWAT, D.W., DESA, F.M., MOORE, A.R., BRAQUET, P. & WILLOUGHBY, D.A. Platelet activating factor induced changes in vascular permeability: the effect of mast cell depletion, 96, 799P
- HOYER, D. & NEIJT, H.C. Identification of 5-HT₃ recognition sites in N1E-115 neuroblastoma cells with [3H]-ICS 205-930, 93, 97P
- HUDSON, A.L. & WOODRUFF, G.N. Comparative autoradiography of [3H]-(+)-MK-801 and [3H]-glycine in the mammalian CNS, 95, 486P
- HUGHES, A. see HAIR, W.M., 93, 275P
- - - see HAIR, W.M., 96, 860P
- - - see HILL, H., 94, 460P
- - - see SEVER, P.S., 93, 262P
- HUGHES, A., INKPEN, P. & SEVER, P. Identification of binding sites for [^{125}I] SCH 23982, a selective D-1 dopamine receptor ligand in human renal cortex, 93, 239P
- HUGHES, A.D., SCHACHTER, M., HAIR, W. M. & SEVER, P.S. Endothelin is a potent constrictor of isolated human resistance arteries, 96, 722P
- HUGHES, B. see ELLIS, A.M., 95, 493P
- - - see LONGRIDGE, D.J., 95, 707P
- HUGHES, I.E. A computer-simulated tibialis anterior - sciatic nerve preparation (in vivo) for teaching neuro-muscular pharmacology, 93, 307P
- - - see EL-MAS, M., 96, 852P
- - - see HALL, I., 95, 594P
- HUGHES, J. see DISSANAYAKE, V.U.K., 94, 361P
- - - see HEWSON, G., 93, 10P
- - - see HEWSON, G., 94, 473P
- - - see LEIGHTON, G.E., 93, 171P
- - - see LEIGHTON, G.E., 93, 187P
- - - see TRAYNOR, J.R., 94, 375P
- HUGHES, J., SMITH, J.A.M., HALL, M.D., HUNTER, J.C., SHARIF, N.A. & HILL, R.G. Heterogeneity of opioid receptor binding sites under κ -selective conditions, 93, 310P
- HUGTENBURG, J.G. see BODDEKE, H.W. G.M., 93, 65P
- - - see JAP, T.J.W., 93, 258P
- HUGTENBURG, J.G., DE HAAN, N., MATHY, M-J., BODDEKE, H.W.G.M., SPANJER, W. & VAN ZWIETEN, P.A. Comparison of anti-ischaemic effects of nifedipine, lidoflazine and mioflazine upon global ischaemia in the rat working heart, 93, 259P
- HUGTENBURG, J.G., VELDSEMA-CURRIE, R., MATHY, M-J., BODDEKE, H.W.G.M., DE HAAN, N., SPANJER, W. & VAN ZWIETEN, P.A. The anti-ischaemic action of nifedipine, diltiazem, lidoflazine and mioflazine in the isolated working heart of the guinea-pig, 93, 66P
- HULDI, M., RICHARDS, J.G. & SEQUIER, J.M. In vitro binding characteristics of benzodiazepine receptor ligands in microscopic regions of rat brain and cat spinal cord, 93, 310P
- HUMPHRAY, J.M. see COLEMAN, R.A., 96, 724P
- HUMPHRAY, J.M., BAYS, D.E., BRITTAİN, R.T., REEVES, J.J. & STABLES, R.

- Sufotidine, a competitive and long-acting H_2 -receptor antagonist, 96, 749P
- HUMPHREY, P.P.A. see GAW, A.J., 94, 326P
- - - see GUNNING, S.J., 93, 238P
- - - see LIMLEY, P., 93, 43P
- - - see PALIJ, P., 94, 347P
- - - see SUMNER, M.J., 96, 788P
- HUNTER, A.J. see JONES, J.A., 94, 383P
- HUNTER, A.J., MURRAY, T.K., TOCZEK, J.M., BOAR, B.R. & GREEN, A.R. The effects of the putative GABA_B antagonists phaclofen and δ -aminovaleric acid on GABA_B function in vivo, 96, 763P
- HUNTER, A.J. & ROBERTS, F.F. The effect of muscarinic antagonists on spontaneous alternation in mice, 93, 136P
- HUNTER, A.J., MURRAY, T.K., CROSS, A.J., OSBORNE, J.M. & GREEN, A.R. Behavioural and biochemical actions of the cholinesterase inhibitor, tetrahydroaminoacridine, 93, 175P
- - - The effects of chronic administration of oxotremorine and tetrahydroaminoacridine on cholinergic function in the rat, 94, 318P
- HUNTER, J. see KOCH, P., 93, 123P
- HUNTER, J.C. see DISSANAYAKE, V.U.K., 94, 361P
- - - see HUGHES, J., 93, 310P
- - - see TRAYNOR, J.R., 94, 375P
- HURST, E.M. see HEAL, D.J., 95, 657P
- HURT, S. see MURPHY, D.E., 93, 156P
- HUSSAINI, I., BHARDWAJ, R. & MOORE, P.K. Effect of fibrinopeptides A and B on human and rat platelet aggregation, 94, 421P
- HUTCHINS, L.J. see LUSCOMBE, G.P., 96, 784P
- HUTCHISON, A.J. see MURPHY, D.E., 93, 156P
- HUTCHINSON, R. see CARR, R.D., 95, 592P
- HUTSON, P.A., HOLGATE, S.T., & CHURCH, M. K. Nedocromil inhibits early and late bronchoconstriction responses to ovalbumin in the guinea-pig, 93, 243P
- - - Effect of WEB 2086 on early and late airways responses to ovalbumin challenge in conscious guinea-pigs, 96, 770P
- HUTSON, P.H. see JONES, J.A., 94, 383P
- HUTSON, P.H., SARNA, G.S., O'CONNELL, M. T. & CURZON, G. Decrease of hippocampal 5-HT release following infusion of 8-OH-DPAT into the dorsal raphe, 94, 387P
- IACOVOU, J.W., HILL, S.J. & BIRMINGHAM, A.T. Involvement of extracellular calcium in agonist-induced contraction of guinea-pig detrusor, 96, 848P
- IBEBUNA, V. see GETTINS, D., 96, 887P
- ICHINOSE, M. see BELVISI, M.G., 96, 776P
- INGLES, G. see POLONIA, J.J., 96, 824P
- INKPEN, P. see HUGHES, A., 93, 239P
- IRAVANI, M.M. & ZAR, M.A. The effect of neuropeptide Y (NPY) on the adrenergic neurotransmission in isolated rat seminal vesicle, 93, 286P
- IRELAND, S.J., JORDAN, C.C. & WRIGHT, I.K. Neurokinin receptor agonists may depolarize spinal motoneurons via two distinct mechanisms, 93, 85P
- IVERSEN, L.L. see CHAMBERS, J.K., 94, 323P
- - - see POAT, J.A., 95, 483P
- IVERSEN, S.D. see CLARK, M.L., 94, 316P
- - - see CLARK, M.L., 95, 499P
- - - see DOURISH, C.T., 95, 498P
- - - see O'NEILL, M.F., 95, 505P
- JACKSON, D.M. see NORRIS, A.A., 93, 44P
- JACKSON, D.M., NORRIS, A.A. & SAFRANY, S.T. Studies on the relaxant effects of phorbol diacetate on guinea-pig airways smooth muscle, 94, 458P
- JACKSON, E.A., JENNER, P. & MARSDEN, C.D. GM-1 ganglioside treatment of rats with a unilateral 6-hydroxydopamine-induced nigrostriatal lesion, 95, 658P
- JACKSON, H.C. & KITCHEN, I. Bombesin: effects on behaviour and food intake in neonatal rats, 94, 396P
- - - Differential development of opioid and non-opioid stress-induced antinociception in infant rats, 95, 666P
- - - Food intake, behavioural and thermoregulatory effects of 8-OH-DPAT in preweaning rats, 96, 876P
- JACKSON, S., BAJKA, E., LOVEDAY, M. & WILLIS, A.L. Automated acquisition and transformation of platelet aggregation data, using commercial software and a portable computer, 94, 473P

- JACOB, R. see HALLAM, T.J., 94, 340P
 - - - see MERRITT, J.E., 94, 339P
 JACOBS, B.L. see WILKINSON, L.O., 96, 872P
 JACOBS, M. see ANDREWS, H.E., 95, 697P
 - - - see BRUCKDORFER, K.R., 94, 410P
 JACOBS, M., DUNN, R.C. & BRUCKDORFER, K. R. Low-density lipoproteins but not high-density lipoproteins inhibit EDRF & nitric oxide mediated relaxation of rabbit aorta, 94, 331P
 JAHN, U. see PATEL, M., 95, 704P
 JAMIESON, M.J., CHOW, P.S. & GILLESPIE, P. Standardisation of resting dimensions in large arterial ring preparations, 93, 308P
 JAMIESON, M.J., GILLESPIE, P. & SELBIE, R.D. How much current traverses electrically-stimulated tissues? 93, 279P
 JAMIESON, M.J. & SELBIE, R.D. Constant current bipolar stimulation in tissue baths, 96, 842P
 JAP, T.J.W. see BODDEKE, H.W.G.M., 93, 65P
 JAP, T.J.W., BODDEKE, H.W.G.M., HUGTENBURG, J.G., DESTA, S., VELDSEMA-CURRIE, R. & VAN ZWIETEN, P.A. The effect of nifedipine and lidoflazine pretreatment in experimental cardioplegia, 93, 258P
 JARROTT, B. see LODGE, D., 93, 89P
 JENNER, P. see JACKSON, E.A., 95, 658P
 - - - see SAGGU, H., 94, 352P
 - - - see SCOTCHER, K.P., 95, 646P
 - - - see TEMLETT, J.A., 93, 131P
 JEREMY, J.Y., BARRADAS, M.A., KONTOGHIOGHES, G. & DANDONA, P. The iron chelators desferrioxamine and 1,2-dimethyl-3-hydroxypyridone inhibit human platelet cyclooxygenase and lipoxygenase activity, 95, 690P
 JESSUP, C.L., JESSUP, R., & WAYNE, M. ICI 192,605: a potent, selective thromboxane A₂ receptor antagonist on smooth muscle, 95, 675P
 - - - The effects of ICI 192,605, a selective thromboxane A₂ receptor antagonist, on platelets, 95, 676P
 JESSUP, R. see JESSUP, C.L., 95, 675P
 - - - see JESSUP, C.L., 95, 676P
 JOHANSEN, T. Estimation of the ATP utilization of rat mast cells during and after anaphylactic histamine secretion, 95, 538P
 JOHANSEN, T. see KNUDSEN, T., 95, 620P
 JOHN, G.W., DEGEORGE, F. & MASSINGHAM, R. Effect of preload and agonist-induced tone on acetylcholine-induced relaxations of rabbit blood vessels: influence of endothelium, 96, 720P
 JOHN, R.A. see BOLTON, J.B., 95, 619P
 JOHNS, E.J. & RUTKOWSKI, B. The actions of atriopeptin lll in models of chronic renal failure, 94, 457P
 JOHNSON, A. see MOORE, U., 95, 604P
 JOHNSON, J.V. see FONE, K.C.F., 93, 8P
 - - - see FONE, K.C.F., 94, 313P
 - - - see FONE, K.C.F., 94, 401P
 - - - see FONE, K.C.F., 95, 555P
 - - - see FONE, K.C.F., 96, 782P
 JOHNSON, J.V., FONE, K.C.F., BENNETT, G.W. & MARSDEN, C.A. Effect of idazoxan and a TRH analogue (RX 77368) on endogenous noradrenaline release from rat spinal cord in vitro, 95, 556P
 JOHNSON, J.V., FONE, K.C.F., MARSDEN, C.A. & BENNETT, G.W. Interaction between a TRH analogue (RX 77368), substance P and proctolin on rat spinal cord noradrenaline release in vitro, 96, 903P
 JOHNSTON, P.C., STEVENSON, I.H., HEWICK, D.S. The disposition of digoxin-specific antibodies/fragments in the rat, 95, 579P
 JOLICOEUR, F.B. see RIVEST, R., 96, 893P
 JONES, B.J. see BALDWIN, H.A., 94, 397P
 - - - see COSTALL, B., 96, 905P
 - - - see HAGAN, R.M., 96, 867P
 - - - see HALLIDAY, C.A., 96, 751P
 - - - see HALLIDAY, C.A., 96, 857P
 - - - see HIGGINS, G.A., 95, 504P
 - - - see KILPATRICK, G.J., 93, 310P
 - - - see KILPATRICK, G.J., 96, 871P
 - - - see OAKLEY, N.R., 96, 764P
 - - - see OAKLEY, N.R., 96, 870P
 JONES, C.A., CONYBEARE, G., MORTENSON, A. & ATTERWILL, C.K. SK&F 93574, a histamine H₂ receptor antagonist, releases histamine in the dog, 93, 35P
 JONES, C.J. see WALI, F.A., 94, 469P
 JONES, D.N.C. see COSTALL, B., 95, 670P

- JONES, G.H., HERNANDEZ, T.D., ROBBINS, T. W. & MARSDEN, C.A. Enhanced striatal response to D-amphetamine as revealed by intracerebral dialysis following social isolation in rats, 94, 349P
- JONES, J.A., HUNTER, A.J., HUTSON, P.H. & CROSS, A.J. The effects of 4-aminopyridine on acetylcholine release in vivo and in vitro, 94, 383P
- JONES, M. see FACCHINI, V., 93, 225P
- JONES, M.G. see FLETCHER, E.J., 96, 756P
- JONES, R., BARRAND, M.A. & CALLINGHAM, B. A. Effects of agents modifying endocytosis on intestinal iron uptake from permeant and non-permeant iron complexes in the rat, 93, 79P
- JONES, R.L. see ARMSTRONG, R.A., 94, 404P
- - - see LAWRENCE, R.A., 94, 403P
- - - see LAWRENCE, R.A., 95, 680P
- JONES, R.L. & WILSON, N.H. Some observations on the specificity of the potent thromboxane receptor agonist EP171, 93, 45P
- JONES, S.A. see HEAL, D.J., 94, 379P
- JORDAENS, F.H. see VERBEUREN, T.J., 93, 104P
- JORDAN, C.C. see HAGAN, R.M., 96, 867P
- - - see IRELAND, S.J., 93, 85P
- JORDAN, D. see DASHWOOD, M.R., 94, 386P
- JORDAN, R. see BANERJEE, A.K., 93, 289P
- JORDAN, V.C. see ROBINSON, S.P., 96, 737P
- JORDAN, V.C., MCCAGUE, R. & MURPHY, C.S. Structure-activity relationships of derivatives of triphenylethylene to control replication of breast cancer cells in vitro, 93, 80P
- JORDAN, V.C., LANGAN, S. & ROBINSON, S.P. Metabolism of tamoxifen in rats and mice: a comparison with patients undergoing breast cancer therapy, 94, 344P
- JOSE, P.J. see HELLEWELL, P.G., 95, 531P
- - - see NOURSHARGH, S., 93, 142P
- JOSEPH, M.H., HODGES, H. & GRAY, J.A. In vivo voltammetric evidence that schedule controlled behaviour increases dopamine metabolism in rat caudate, 95, 558P
- JUNG, M., PERIO, A., WORMS, P. & SOUBRIE, P. Characterization of the physostigmine stimulus in rats, 95, 671P
- KAKKAR, V.V. see KRISHNAMURTHI, S., 93, 41P
- - - see KRISHNAMURTHI, S., 93, 229P
- - - see KRISHNAMURTHI, S., 96, 729P
- - - see KRISHNAMURTHI, S., 96, 730P
- KALKMAN, H.O. Is the 5-HT₁ receptor agonist-induced rotation in rats lesioned unilaterally in the dorsal raphe mediated by 5-HT_{1A} receptors? 95, 501P
- KANE, K.A. see AMATYA, M.P., 95, 692P
- - - see KWAN, Y.W., 93, 270P
- - - see KWAN, Y.W., 94, 353P
- - - see PACINI, D.J., 93, 64P
- KANEKO, S. see PINNOCK, R.D., 96, 779P
- KARDASZ, A.M. see LANGLANDS, J.M., 95, 510P
- KARLSSON, J.-A., ZACKRISSON, C. & FORSBERG, K. Hyper-responsiveness to irritant induced cough but not bronchoconstriction in guinea-pigs exposed to cigarette smoke for 2 weeks, 93, 55P
- KARLSSON, J.-A., LANNER, A.-S., FORSBERG, K., FULLER, R.W. & PERSSON, C.G.A. Inhibition of cough and bronchoconstriction in the guinea-pig by opiates: evidence for a peripheral action, 93, 233P
- KAUMANN, A.J. see HALL, J.A., 93, 116P
- - - see SAMPFORD, K.A., 96, 775P
- KAUMANN, A.J., MURRAY, K.J., HALL, J. A., WELLS, F.C., BROWN, M.J. Stimulation of cAMP-dependent protein kinase through both β_1 - and β_2 -adrenoceptors in human atrial myocardium, 95, 565P
- KAY, G. & ELLIOTT, J.M. Down-regulation of β -adrenoceptors by isoprenaline in cultured human lymphoblast cells, 96, 740P
- KAY, P.B. see BRAY, K.M., 96, 733P
- KAZDA, S. see GODFRAIND, T., 93, 70P
- KAZUHISA, S. see LONG, C.J., 93, 99P
- KEEN, M. see KELLY, E., 95, 515P
- KEEN, M. & NAHORSKI, S.R. Relative efficacies of muscarinic agonists for inhibition of adenylyate cyclase activity in rat striatal and myocardial membranes, 93, 135P

- KEEN, M., KELLY, E., NOBBS, P. & MACDERMOT, J. Homologous desensitization of adenosine A₂ receptors on NG108-15 cells is not due to loss of [³H]-NECA binding sites, 95, 514P
- KEENAN, A.K. see CAHILL, P.A., 95, 638P
- KELLERMAN, S. see COATES, J., 95, 492P
- KELLY, E. see KEEN, M., 95, 514P
- KELLY, E., KEEN, M., NOBBS, P. & MACDERMOT, J. Exposure of NG108-15 cells to iloprost alters responsiveness to stimulators and inhibitors of adenylate cyclase, 95, 515P
- KELLY, J.S., LARKMAN, P.M. & RAINNIE, D.G. Hyperpolarising and depolarising responses to 5-HT in the rat brain stem *in vitro*, 95, 500P
- KELLY, M.E. see BARNES, J.M., 93, 170P
- - - see COSTALL, B., 93, 195P
- - - see COSTALL, B., 95, 669P
- - - see COSTALL, B., 96, 882P
- - - see COSTALL, B., 96, 905P
- KELLY, M.G. see GILES, H., 95, 522P
- KEMKES, B. see BOHM, M., 95, 491P
- KEMP, J.A. see HORNE, A.L., 96, 757P
- KEMP, J.A., PRIESTLEY, T. & WOODRUFF, G.N. Differences in the N-methyl-D-aspartate antagonist profiles of two compounds acting at the glycine modulatory site, 96, 759P
- KENDALL, D.A. see ROBINSON, J.P., 93, 42P
- - - see ROBINSON, J.P., 95, 552P
- - - see ROBINSON, J.P., 96, 901P
- - - see WHITWORTH, P., 95, 550P
- KENDALL, D.A., STRAW, R.M. & HILL, S.J. Effects of dimethylsulphoxide on cyclic AMP production and inositol phospholipid breakdown in guinea-pig brain slices, 96, 900P
- KENNETT, G.A. & CURZON, G. Evidence that mCPP and FMPP-induced hypophagia is mediated by selective activation of 5-HT_{1C} receptors, 94, 315P
- KENNY, B.A. see BROWN, C.M., 93, 248P
- - - see FRASER, S., 94, 463P
- KENYON, C.J. see DOWIE, L.J., 93, 288P
- KERR, M.B. & SENIOR, J. Effect of time after ovariectomy on uterine responses and oestrogen receptor status in the rat, 95, 631P
- KIDD, T.L. see ELLIS, P., 95, 695P
- KILBINGER, H. see SCHWORER, H., 93, 268P
- KILFEATHER, S.A. see CONLON, D.B., 95, 637P
- KILFEATHER, S.A., STEIN, M. & O'MALLEY, K. Effect of phobol ester on human neutrophil β -adrenoceptor responsiveness and cell surface receptor density, 95, 525P
- KILLINGBACK, P.G. see CARR, R.D., 95, 487P
- KILPATRICK, A.T. see BROWN, C.M., 93, 248P
- - - see FRASER, S., 94, 463P
- KILPATRICK, G.J. see BALDWIN, H.A., 94, 397P
- - - see HIGGINS, G.A., 95, 504P
- KILPATRICK, G.J., JONES, B.J. & TYERS, M.B. Direct labelling of 5-HT₃ receptors in rat brain using [³H]-GR65630: characterisation and distribution, 93, 310P
- - - Characterisation of [³H]-GR65630 binding to 5HT₃ receptors in homogenates rat area postrema and vagus nerve, 96, 871P
- KINGSBURY, M.P., DRAPER, A.J., REDFERN, P.H. & TODD, M.H. Chronic effects of atenolol in spontaneously hypertensive rats. 94, 419P
- - - Chronic effects of atenolol in Wistar rats, 94, 420P
- - - Chronic effects of atenolol on mesenteric vascular responses in dogs, 95, 703P
- KINGSTON, J., SHARP, T. & GRAHAME-SMITH, D.G. Repeated ECS enhances dopamine D-1 but not D-2 agonist-induced behavioural responses in rats, 94, 372P
- KINGSTON, W.P. see COURT, E.N., 96, 771P
- - - see COURT, E.N., 96, 807P
- KITCHEN, I. see JACKSON, H.C., 94, 396P
- - - see JACKSON, H.C., 95, 666P
- - - see JACKSON, H.C., 96, 876P
- - - see YEADON, M., 93, 82P
- KITTERINGHAM, N.R. see AUSTIN, C. E., 95, 701P
- - - see CHRISTIE, G., 96, 832P
- KLING, K. see FREUND, P., 93, 127P
- KNUDSEN, T & JOHANSEN, T. Ouabain-sensitive potassium uptake by intact rat peritoneal mast cells, 95, 620P
- KOCH, P., WILHELM, D., WERMELSKIRCH-EN, D., NEBEL, U., WILFFERT, B. & PETERS, T. The antagonistic effect of R 56865 on α_1 -adrenoceptor-mediated contraction in isolated rat and guinea-pig aorta, 93, 271P
- KOCH, P., WILHELM, D., WERMELSKIRCH-EN, D., PEGRAM, B.L., HUNTER, J., NEBEL, U., WILFFERT, B. & PETERS, T. A comparison of the effects

- of R 56865 on K^+ -induced contraction and increase in slowly exchanging ^{45}Ca in the rat aorta, 93, 123P
- KOENIG-BERARD, E. see VERBEUREN, T.J., 95, 572P
- KOENIG-BERARD, E., MONTASTRUC, J.L. & VALET, P. Effects of rilmenidine (S 3341) on the sympathetic nervous system in neurogenic hypertensive dogs, 93, 249P
- KONDO, K. see SALVEMINI, D., 96, 728P
- KONTOGHIOGHES, G. see JEREMY, J.Y., 95, 690P
- KOZAK, W., MILTON, A.S. & ROTONDO, D. Pyrogenic immunomodulators increase the accumulation of inositol phosphates in monocytes, 94, 337P
- KOZLOWSKI, R.Z., STURGESS, N.C., HALES, C.N. & ASHFORD, K.L.J. Inhibition of the $ATP-K^+$ channel by glibenclamide analogues in a rat insulinoma cell line, 93, 296P
- KRISHNAMURTHI, S., CHOCHAN, K.R., MORGAN, W. & KAKKAR, V.V. Extracellular sodium inhibits human platelet aggregation and arachidonate release, 96, 729P
- KRISHNAMURTHI, S. & KAKKAR, V.V. Inhibition of agonist-induced activation responses by GDBS and GDP in intact platelets by a G protein-GTP unrelated mechanism, 93, 41P
- KRISHNAMURTHI, S., PATEL, Y. & KAKKAE, V. V. Role of thromboxane A_2 in the effects of adrenaline on thrombin and collagen-induced platelet responses, 93, 229P
- - - Weak inhibition of protein kinase C and non-specific effects make sphingosine an unsuitable tool in platelet studies, 96, 730P
- KRISTERSSON, A. see AOKI, S., 94, 365P
- KRISTERSSON, A., MORLEY, J. & SCHAEUBLIN, E. Properties of AH 21-132 that could contribute to prophylactic activity in asthma, 93, 53P
- KROGSGAARD-LARSEN, P. see HOLDEN-DYE, L., 96, 760P
- KRUK, Z.L. see PALIJ, P., 94, 347P
- - - see STAMFORD, J.A., 94, 348P
- - - see STAMFORD, J.A., 95, 659P
- KUNYSZ, E.A. see EGLIN, R.M., 95, 511P
- KUNYSZ, E.A., MICHEL, A.D. & WHITING, R. L. Interaction of tacrine with muscarinic receptors, 95, 629P
- KURUMAJI, A. & MCCULLOCH, J. The effects of MK-801 upon local cerebral glucose utilisation in conscious and in halothane-anaesthetised rats, 95, 653P
- KURUMAJI, A., NEHLS, D., PARK, C. & MCCULLOCH, J. Comparative study of competitive and non-competitive N-methyl-D-aspartate receptor antagonists and cerebral glucose use, 93, 163P
- KWAN, Y.W., WADSWORTH, R.M. & KANE, K. A. Effect of hypoxia on the pharmacological responsiveness of sheep circumflex coronary artery rings, 93, 270P
- - - Hypoxia and endothelium-mediated changes in the pharmacological responsiveness of sheep circumflex coronary arteries, 94, 353P
- LACHE, F. see ABILA, B., 95, 480P
- LAD, N. & MANNING, A.S. Benoxaprofen effect on reperfusion-induced tissue necrosis and myeloperoxidase activity in anaesthetised rats, 95, 496P
- LAD, N., HONEY, A.C., BOOTH, R.F.G. & TUFFIN, D.P. Effect of EP 092 on whole blood aggregatory responses ex vivo and in vivo, 93, 232P
- LADWEIN, E. see WESSLER, I., 93, 28P
- LAFI, M.A.K. & LEAKE, L.D. ATP receptors in the rat vas deferens, 93, 29P
- LAISHLEY, R.S., CARSON, R.J. & REYNOLDS, F. Placental transfer and fetal uptake of bupivacaine in the rabbit: effect of adrenaline, 95, 613P
- LALIES, M., MIDDLEMISS, D.N. & RANSOM, R. MK-801 is a potent antagonist of NMDA-stimulated noradrenaline release from rat hippocampal slices, 94, 398P
- LAMBERT, J.J. see CALLACHAN, H., 93, 155P
- - - see HALES, T.G., 93, 84P
- - - see HALES, T.G., 94, 393P
- LAMBERT, M.B., MCKENNA, B. & POWER, J. D. The evaluation of extubeTM extraction columns for urine screening of basic and acidic drugs at pH7, 95, 616P
- LAMBERTY, Y. & GOWER, A.J. Antagonism of scopolamine-induced impairment of swimming maze learning in mice, 94, 382P
- LANCASTER, D.L., LENNARD, M.S., TUCKER, G.T., ADIO, R.A., TAI, K.K., BROADHEAD, G.D. & WOODS, H.F. Inhibition of metoprolol metabolism by chloroquine and other antimalarials, 94, 342P

- LANE, A.C. see O'NEILL, H.C., 94, 380P
- LANG, D. & LEWIS, M.J. Endothelium-derived relaxing factor (EDRF) inhibits inositol trisphosphate (IP₃) formation in rabbit aorta, 95, 683P
- LANGAN, S. see JORDAN, V.C., 94, 344P
- LANGER, S.Z. see ANGEL, I., 93, 11P
- - - see ANGEL, I., 93, 20P
- - - see CARTER, C.J., 93, 88P
- - - see GALZIN, A-M., 93, 12P
- - - see GALZIN, A-M., 93, 14P
- - - see SCHOEMAKER, H., 93, 6P
- LANGLANDS, J.M., KARDASZ, A.M., WATSON, J. & RODGER, I.W. Effects of histamine on cAMP, cAMP-dependent protein kinase activity, cGMP and inositol trisphosphate in airway smooth muscle, 95, 510P
- LANNER, A.-S. see KARLSSON, J.-A., 93, 233P
- LARKIN, S. see TIPPINS, J.R., 94, 422P
- LARKMAN, P.M. see KELLY, J.S., 95, 500P
- LATEGAN, T.W., CAUVIN, C., WALLNOFER, A. & RUEGG, U.T. SMS 201-995 (Sandostatin) may activate the K⁺ channels of vascular smooth muscle, 94, 418P
- LATOUR, C. see TROUVE, R., 93, 211P
- LAURIE, D.J. see PRATT, J.A., 93, 184P
- LAURIE, D.J. & PRATT, J.A. Local cerebral glucose utilization after tolerance to the sedative and anxiolytic actions of diazepam, 95, 668P
- LAVILLE, M. see ESCANDE, D., 96, 814P
- LAWRENCE, R.A. & JONES, R.L. Prostacyclin analogues contract guinea-pig ileum longitudinal smooth muscle by more than one mechanism, 94, 403P
- LAWRENCE, R.A., JONES, R.L., WILSON, N. H. & LUMLEY, P. Thromboxane receptor agonists and antagonists radioligand displacement and pharmacological activity on human platelets, 95, 680P
- LAWSON, A. & CAVERO, I. Characterization of PAF-induced hyperresponsiveness of the guinea-pig trachea to potassium, 93, 76P
- LAWSON, K. & CAVERO, I. Pharmacological characterisation of K⁺-induced contractile responses in rat aortic rings, 93, 124P
- LAZARENO, S. & ROBERTS, F. Characterization of some subtype-selective muscarinic antagonists in functional and binding assays, 96, 743P
- - - Muscarinic binding site subtypes in rat brainstem and ileum muscle, 96, 851P
- LAZENBY, C.M. & HARPUR, E.S. Effect of gentamicin on Ca²⁺-activated K⁺ transport into one step inside-out membrane vesicles prepared from human red blood cells, 93, 305P
- LEAKE, D.S. see DE WHALLEY, C.V., 93, 297P
- - - see RANKIN, S.M., 96, 727P
- LEAKE, L.D. see LAFI, M.A.K., 93, 29P
- LECHAIRE, J. see LEFEVRE-BORG, F., 93, 244P
- LECKIE, B. see POLONIA, J.J., 96, 824P
- LEE, A.I. see NAHONY, M.T., 96, 886P
- LEE, G.H. see LOVEDAY, M., 95, 518P
- LEE, Y.C. see SPOKES, R.A., 95, 577P
- LEES, A.L., ORCHARD, C.H. & ORCHARD, M.A. Investigation into the relationship between intracellular calcium concentration ([Ca²⁺]_i) and aggregation in platelets, 93, 40P
- LEES, G., PEARSON, H.A. & -WRAY, D.W. Effects of calcium channel antagonists and ryanodine on action potentials in insect muscle fibres, 96, 744P
- LEES, P. see MAY, S.A., 93, 222P
- - - see MAY, S.A., 93, 281P
- LEEUWIN, R.S. see BEUSENBERG, F. D., 95, 606P
- - - see VAN OEIJEN, E., 95, 607P
- LEFEVRE-BORG, F. & LECHAIRE, J. Systemic and regional hemodynamic effects of kiltazem, nifedipine and verapamil, in anaesthetized rats, 93, 244P
- LEFF, P. see GILES, H., 95, 522P
- - - see MACLENNAN, S.J., 95, 574P
- - - see MARTIN, G.R., 94, 473P
- - - see MARTIN, G.R., 95, 626P
- LEFF, P. & DOUGALL, I.G. Pharmacological analysis of κ-opioid receptor agonists the guinea-pig ileum, 96, 742P
- LEHMANN, J. see SILLS, M.A., 93, 154P
- LEIGHTON, G.E. see HEWSON, G., 93, 10P
- - - see HEWSON, G., 94, 473P
- - - see MARSHALL, R.W., 93, 309P

- LEIGHTON, G.E., HILL, R.G. & HUGHES, J. Blockade of α_1 -adrenoceptors potentiates the suppression of locomotor activity by κ -opioid agonists, 93, 171P
- LEIGHTON, G.E., MARSHALL, R.W., HEWSON, G., HILL, R.G. & HUGHES, J. Use of a computer assisted method to compare the patterns of behaviour produced by the anorectic drugs amphetamine and fenfluramine, 93, 187P
- LENNARD, M.S. see LANCASTER, D.L., 94, 342P
- - - see MORRIS, C.Q., 95, 586P
- LENTON, M. see BLAKE, J.F. 93, 310P
- LEONE, R. see FRACASSO, M.E., 95, 589P
- LEPOSAVIC, G., COVER, P.O. & BUCKINGHAM, J.C. Effects of selective opioid receptor blockade on hypothalamo-pituitary gonadal function in the male rat, 96, 862P
- LESLIE, P.A. see WILSON, C.G., 96, 909P
- LEWANSKI, C.R. see MCGRATH, C.S., 93, 69P
- LEWANSKI, C.R., MCGRATH, C.S., CRAIG, R. K. & MARSHALL, I. Comparison of human α -CGRP, acetylcholine, sodium nitroprusside forskolin and M&B 22948 on rat mesenteric vasculature, 93, 290P
- LEWIS, D.A. see MATTHEWS, N.C., 96, 800P
- LEWIS, G.P. see BROWN, Z., 95, 520P
- - - see O'NEILL, L.A.J., 93, 143P
- - - see O'NEILL, L.A.J., 95, 528P
- - - see WATSON, M.L., 93, 144P
- LEWIS, M.J. see CHRISTIE, M.I., 95, 682P
- - - see HOGAN, J.C., 93, 103P
- - - see HOGAN, J.C., 95, 681P
- - - see LANG, D., 95, 683P
- LEWIS, P.E. see CREBA, J.A., 93, 294P
- LEWIS, S.J. see LODGE, D., 93, 89P
- LEY, S.J., LIVINGSTON, A., WATERMAN, A.E. Changes in plasma cortisol, catecholamines and pain thresholds in sheep with a chronically painful clinical condition, 94, 369P
- LEYS, K., SCHACHTER, M., THOM, S., SEVER, P.S. Phosphoinositide (PI) metabolism in primary culture of human umbilical vein endothelial cells, 93, 295P
- L'HEUREUX, R. see CARTER, C.J., 93, 157P
- LI, S.W. see BLACKHAM, A., 95, 536P
- - - see WOOD, B.E., 94, 416P
- LIDBURY, P.S. see ANTUNES, E., 95, 516P
- LIMBERGER, N. see MAYER, A., 95, 649P
- LIN, A.H. see RICHARDS, I.M., 96, 769P
- LINDSAY, C.K., MILTON, A.S. & ROTONDO, D. Thermoregulatory responses of endotoxin-resistant mice to poly 1: C and endotoxin, 94, 414P
- LINDSAY, R.M. & BATY, J.D. The effect of streptozotocin-induced diabetes on the *in vitro* blood N-acetyltransferase activity of the adult male Sprague-Dawley rat, 94, 454P
- - - The effect of streptozotocin-induced diabetes on the *in vivo* acetylation capacity of the adult male Sprague-Dawley rat, 94, 455P
- LINNENBANK, R. see BEUSENBERG, F.D. 95, 606P
- LISTA, A. see GALZIN, A-M., 93, 14P
- LITTLE, H.J. see BROWN, J.M.C., 95, 479P
- - - see DOLIN, S.J., 93, 7P
- - - see DOLIN, S.J., 96, 877P
- - - see STANFORD, S.C., 93, 183P
- - - see WHITTINGTON, M.A., 94, 385P
- LIVINGSTON, A. see LEY, S.J., 94, 369P
- LIVINGSTON, S.J., SEWELL, R.D.E. & SMITH, H.J. The effects of the enkephalinase inhibitor acetorphan on spontaneous locomotor activity, 95, 665P
- LLOYD, K.G. see BERRY, C.N., 93, 140P
- - - see BERRY, C.N., 93, 141P
- - - see CARTER, C.J., 93, 88P
- LLOYD, K.G., NOEL, F. & BERRY, C.N. *Ex vivo* activation of sialyl transferase by S-methyl-carbocystein in sulphur-dioxide-induced bronchitis in the rat, 93, 285P
- LOCKER, K.J. see ARENSON, M.S., 93, 299P
- LODGE, D. see ARAM, J.A., 93, 161P
- - - see FLETCHER, E.J., 96, 756P
- LODGE, D., CINCOTTA, M., LEWIS, S.J., VERBERNE, A.J.M., JARROTT, B., SUMMERS, R.J. & BEART, P.M. Receptor autoradiography with [3 H]-glutamate reveals the axonal transport of glutamate receptors in rat vagal afferent neurones, 93, 89P
- LONG, C.J., KAZUHISA, S. & BERKOWITZ, B.A. Differences in the interaction of EDRF and nitric oxide with ion exchange resins, 93, 99P
- LONGHAMPT, M.O. see ROUBERT, P., 93, 291P

- LONGMORE, J. see BRAY, K.M., 96, 733P
 LONGRIDGE, D.J., FOLLENFANT, M.J.,
 MAXWELL, M.P., FORD, A.J. & HUGHES, B.
 Reduction in myocardial infarct size by
 coronary reperfusion with t-PA, 95,
 707P
- LOO, H. see GALZIN, A-M., 93, 12P
 - - - see GALZIN, A-M., 93, 14P
 LOO, P.S. see SILLS, M.A., 93, 154P
 LORD, J.A.H. see URQUHART, C.J., 94,
 440P
- LORENZ, B. see BROWN, L., 93, 60P
 LOVEDAY, M. see JACKSON, S., 94, 473P
 LOVEDAY, M., SMITH, D.L., FULKS, J., LEE,
 C.H., HEDLEY, L., VAN ANTWERP, D. &
 WILLIS, A.L. Selective anti-platelet
 synergism between nitrodilators and the
 prostacyclin mimetic RS93427, 95, 518P
 LOWE, K.C. see ARMSTRONG, F.H., 95,
 610P
 - - - see BENTLEY, P.K., 96, 827P
 - - - see BOLLANDS, A.D., 95, 609P
 - - - see CUMING, R., 93, 293P
 - - - see RAVEN, P.D., 93, 292P
 LOWE, K.C. & BOLLANDS, A.D. Lymphoid
 tissue responses to emulsified perfluor-
 ochemicals in mice: time course effects
 relative to immune challenge, 96,
 826P
- LU, X. & BARNETT, D.B. Differential
 regulation of β_1 and β_2 -adrenoceptors
 in rat myocardium following isoprenal-
 ine infusion, 96, 820P
- LUGNIER, C. & SCHINI, V. Characterization
 of cyclic nucleotide phosphodiesterases
 in cultured bovine aortic endothelial
 cells, 94, 406P
- LUMLEY, P. see LAWRENCE, R.A., 95, 680P
 - - - see SHELDRIK, R.L.G., 94, 334P
 LUMLEY, P., HUMPHREY, P.P.A. & WHITE, B.
 P. GR 32191, a novel thromboxane
 receptor blocking drug; effects upon
 platelets and vascular and airways
 smooth muscle in vivo, 93, 43P
- LUMLEY, P., SEAGER, K. & WHITE, B. The
 TP-receptor blocking drugs GR32191
 and BM13.177 have a differential
 profile of action on vascular smooth
 muscle, 95, 685P
- LUSCOMBE, G.P., MARTIN, K.F., HUTCHINS,
 L.J., GOSDEN, J. & BUCKETT, W.R.
 Involvement of 5HT-1A receptors in the
 antidepressant-like effect of 8-OHDPAT
 in a putative model of depression in
 mice, 96, 784P
- LUSCOMBE, G.P., SLATER, N.A., WYNNE, R.D.,
 LYONS, M.B. & BUCKETT, W.R. Inhibition
 of in vitro [3 H]-monoamine uptake by
 plasma taken from volunteers dosed with
 the putative antidepressant sibutramine
 HCL, 94, 378P
- LYLES, G.A. see TANEJA, D.T., 93,
 253P
- LYONS, M.B. see LUSCOMBE, G.P.,
94, 378P
- MACARA, B. & GIAO, J.M.-RICO, T.
 The effects of extracellular
 calcium and D600 on the ionophore
 A23187 and acetylcholine dose-
 effect curves, 96, 853P
- MACDERMOT, J. see KEEN, M., 95,
 514P
 - - - see KELLY, E., 95, 515P
 - - - see MCEWAN, J.R., 93, 68P
- MACDONALD, A. see BULLOCH, J.M.,
95, 563P
 - - - see MCLAUGHLIN, D.P., 95,
 542P
- MACDONALD, E. see MCDONALD, A.,
95, 712P
 - - - see MCLAUGHLIN, D.P., 95,
 542P
- MACEO, T.R.A. see FONTES RIBEIRO,
 C.A., 96, 790P
- MACEO, T.R.A., FONTES RIBEIRO, C.
 A., PORFIRIO, M.H. & COTRIM, D.
 Endothelium-dependent relaxing
 effect of apomorphine in the
 human uterine artery, 96, 719P
- MACGILCHRIST, A.J. see DOWIE, L.
 J., 93, 288P
- MACHALY, M. see DALZIEL, H.H.,
95, 713P
- MACLAGAN, J. see HALL, A.K., 96,
 792P
- MACLEAN, M.R. see HILEY, C.R.,
93, 245P
- MACLEAN, M.R. & HILEY, C.R. Effects
 of enalapril on changes in cardiac
 output and its distribution in
 pithed rats with hypoxia and
 hypercapnia, 94, 429P
- MACLEAN, M.R., THOMSON, M. & HILEY,
 C.R. Haemodynamics of pressor
 responses to azepexole (B-HT 933)
 in anaesthetised rats, 96, 815P
- MACLENNAN, S.J. see MARTIN, G.R.,
95, 626P
- MACLENNAN, S.J., MARTIN, G.R. &
 LEFF, P. Ergometrine: a potent
 agonist at 5-HT₁ - but not 5-HT₂-
 receptors mediating vascular
 contraction, 95, 574P
- MACRAE, I.M. see MCAULEY, M.A.,
94, 434P
- MAGBAGBEOLA, A.O., PATTERSON, G. &
 MORTON, I.K.M. Tachykinin recept-
 or subtypes in the iris sphincter
 pupillae of the rabbit and sheep,
96, 850P

- MAGBAGBEOLA, O.D. see FIELD, J.L., 93, 284P
- MAGHIOROS, G., see HIBERT, M., 93, 2P
- MAGUIRE, J. see SIMPSON, A.W., 96, 731P
- MAHONY, M.T., EVANS, C.A., HALL, J.M., LEE, A.I., SUTCLIFFE, P.J.C. & MASON, R. The effects of sibutramine on acetylcholine- and carbachol-evoked responses in the rat hippocampus and guinea-pig ileum, 96, 885P
- MAIN, J. see FORSTER, C., 93, 115P
- MAJEWSKI, H. see BROADLEY, K.J., 93, 118P
- MAK, J.C.W. & BARNES, P.J. Autoradiographic localization of calcitonin gene-related peptide binding sites in guinea-pig and human lung, 93, 301P
- - - Muscarinic receptor subtypes in guinea-pig and human lung, 96, 777P
- MAKINDE, V. see WALI, F.A., 93, 236P
- MAKINDE, V., SUER, A.H., ALTINEL, A. & WALI, F.A. Toxicity testing of atracurium in the rat *in vitro*, 93, 210P
- MALHI, J.S., GARD, P.R., HANLON, G.W. & MARRIOTT, C. The effects of exogenous steroid hormones on defence against uterine infection, 95, 618P
- MALLARD, N.J., MARSHALL, R.W. & SPRIGGS, T.L.B. Effects of nifedipine and α -adrenoceptor antagonists on responses of rat vas deferens to twin pulse field stimulation, 93, 234P
- - - Role of pre-synaptic α_2 -adrenoceptors and PI purinoceptors in transmission in rat vas deferens, 95, 639P
- MALLETT, B. see WALKER, J.R., 96, 801P
- MANN, J. see BLACKHAM, A., 95, 536P
- - - see CAMPBELL, A.M., 93, 50P
- - - see CARR, R.D., 95, 592P
- MANN, R. see BAKHLE, Y.S., 94, 367P
- MANNING, A.S. see LAD, N., 95, 496P
- MANTZOURIDIS, T. see XIANG, J-Z., 95, 597P
- MANTZOURIDIS, T., XIANG, J-Z., ADAMSON, P., HAJIMOHAMMADREZA, I., BRAMMER, M.J. & CAMPBELL, I.C. P_1 -purinergic, α_2 -adrenergic and κ -opiate receptor agonists show a mutual antagonism on receptor mediated decreases in $[Ca^{2+}]_i$, 95, 645P
- MARKHAM, A. see BAYDOUN, A.R., 95, 694P
- MARRIOTT, C. see MALHI, J.S., 95, 618P
- MARRIOTT, D. see BOARDER, M.R., 93, 37P
- - - see BOARDER, M.R., 95, 523P
- - - see PLEVIN, R., 96, 746P
- MARRIOTT, J.F. & MARSHALL, J.M. The effect of verapamil on contraction induced in rabbit isolated coronary artery in normoxia and hypoxia, 93, 263P
- - - The influence of hypoxia on acetylcholine-induced relaxation in a range of rabbit arteries, 94, 425P
- - - Comparisons between the effects of hypoxia upon noradrenaline-induced contractions of arteries from the rat and rabbit, 96, 821P
- MARSDEN, C.A. see CRESPI, F., 93, 191P
- - - see CRESPI, F., 94, 392P
- - - see CRESPI, F., 95, 561P
- - - see CRESPI, F., 96, 767P
- - - see FONE, K.C.F., 94, 313P
- - - see FONE, K.C.F., 93, 8P
- - - see FONE, K.C.F., 94, 401P
- - - see FONE, K.C.F., 95, 555P
- - - see FONE, K.C.F., 96, 782P
- - - see GARRATT, J.C., 96, 874P
- - - see JOHNSON, J.V., 95, 556P
- - - see JOHNSON, J.V., 96, 903P
- - - see JONES, G.H., 94, 349P
- - - see SELF, T.J., 96, 864P
- - - see SLEIGHT, A.J., 93, 95P
- - - see SLEIGHT, A.J., 96, 783P
- - - see SLEIGHT, A.J., 96, 875P
- - - see WILKINSON, L.O., 96, 872P
- MARSDEN, C.D. see JACKSON, E.A., 95, 658P
- - - see SAGGU, H., 94, 352P
- - - see SCOTCHER, K.P., 95, 646P
- - - see TEMLETT, J.A., 93, 131P
- MARSHALL, I. see LEWANSKI, C.R., 93, 290P
- - - see MCGRATH, C.S., 93, 69P
- - - see PRIOR, C., 93, 24P
- MARSHALL, J.M. see MARRIOTT, J.F., 93, 263P
- - - see MARRIOTT, J.F., 94, 425P
- - - see MARRIOTT, J.F., 96, 821P
- MARSHALL, K. see BAXTER, G.S., 93, 221P
- - - see BAXTER, G.S., 96, 808P
- MARSHALL, R.J. see SHAHID, M., 95, 488P
- MARSHALL, R.J., SHAHID, M., COTTNEY, J., BRUIN, & MCINDEWAR, I. ORG10325 a new cardiotonic agent: cardiovascular effects in anaesthetized animals, 95, 489P
- MARSHALL, R.W. see LEIGHTON, G.E., 93, 187P
- MARSHALL, R.W., LEIGHTON, G.E., HEWSON, G., MCGARRIGLE, P., BICHARD,

- V. & HILL, R.G. A microcomputer system to monitor and analyse locomotion, feeding and drinking behaviours, 93, 309P
- MARSHALL, R.W. see MALLARD, N.J., 93, 234P
- - - see MALLARD, N.J., 95, 639P
- MARTIN, D.A. see SLATER, P., 93, 192P
- MARTIN, G., THOM, S. & SEVER, P. Purine mediated relaxation and contraction of isolated human resistance arteries, 96, 863P
- MARTIN, G.R. see MACLENNAN, S.J., 95, 574P
- MARTIN, G.R. & LEFF, P. Non-surmountable antagonist behaviour at 5-HT₂ receptors: allosterism or hemi-equilibrium? 94, 473P
- MARTIN, G.R., LEFF, P., MACLENNAN, S.J. & DOUGALL, I. Three types of 5HT₁-like receptor recognised by tryptamine affinity and efficacy 'fingerprints', 95, 626P
- MARTIN, K.F. see CRESPI, F., 93, 191P
- - - see CRESPI, F., 94, 392P
- - - see CRESPI, F., 96, 767P
- - - see LUSCOMBE, G.P., 96, 784P
- - - see WILKINSON, L.O., 96, 872P
- MARTIN, K.F., NEEDHAM, P.L., ATKINSON, J., COWAN, A., HEAL, D.J. & BUCKETT, W.R. Rat striatal and mesolimbic D₁ receptor binding is not altered by antidepressant treatments including RCS and sibutramine HCl, 96, 896P
- MARTIN, K.F., PHILLIPS, I., HEAL, D.J., BUCKETT, W.R. Antidepressant drugs, including sibutramine HCL, and ECS do not alter α_1 -adrenoceptor binding in rat cortical membranes, 95, 656P
- MARTORANA, M.G. see SHAHID, M., 95, 488P
- MARZO, V.Di. see TIPPINS, J.R., 94, 405P
- MASERI, A. see TIPPINS, J.R., 94, 422P
- MASKELL, L. see SHARP, T., 93, 94P
- MASON, R. see NAHONY, M.T., 96, 885P
- MASON, R. & COX, C.M. A protocol for the assessment of neuronal sensitivity using the 'high-low' current threshold and I.T50 methods simultaneously, 96, 884P
- MASSINGHAM, R. see JOHN, G.W., 96, 720P
- MATHIAS, C.J. see MAY, C.N., 93, 58P
- MATHY, M-J., see HUGTENBURG, J.G., 93, 66P
- - - see HUGTENBURG, J.G., 93, 259P
- MATOS BEJA, M. see TEIXEIRA, F., 96, 787P
- MATTHEWS, N.C. & LEWIS, D.A. S-adenosyl-L-methionine inhibits rat polymorphonuclear leukocyte phagocytosis and oxidative metabolism in vitro, 96, 800P
- MAXWELL, M.P. see ELLIS, A.M., 95, 493P
- - - see LONGRIDGE, D.J., 95, 707P
- MAY, C.N., WHITEHEAD, C.J., DASHWOOD, M.R. & MATHIAS, C.J. Intra-cerebro-ventricular D-Pen^{2,5}-enkephalin, a δ -opioid agonist, causes hypertension and tachycardia in conscious rabbits, 93, 58P
- MAY, S.A., HOOKE, R.E. & LEES, P. The production of the inflammatory mediator prostaglandin E₂ by equine synovial cells in response to bone fragments and silica, 93, 222P
- - - The effect of various drugs used in the treatment of equine degenerative joint disease on equine stromelysin (proteoglycanase), 93, 281P
- MAYER, A., LIMBERGER, N. & STARKE, K. Single pulse-evoked release of neurotransmitters from rabbit brain is not subject to autoinhibition, 95, 649P
- MAZZONI, L. & RICHARDSON, B.P. ICS 205-930 inhibits cardio-pulmonary reflexes that result from i.v. injection of dextran in the rabbit, 93, 120P
- MCADAMS, R.P. & RHODES, K.F. Rabbit isolated spontaneously beating atria as a preparation for the study of 5HT₂ receptor mediated responses, 95, 625P
- MCALPINE, L.G., MCGRATH, J.C., THOMSON, N.C. & WILSON, E.P. Physiologically antagonistic H₁ and H₂ receptor subtypes in rabbit secondary bronchi smooth muscle, 94, 461P
- - - Calcium dependency of the histamine-induced contraction in rabbit secondary bronchi smooth muscle, 94, 462P
- - - Effect of activated human neutrophils on histamine response of rabbit secondary bronchi smooth muscle in vitro, 95, 526P
- MCAULEY, M.A., MACRAE, I.M. & REID, J.L. Central cardiovascular effects of neuropeptide Y and clonidine in the rat, 94, 434P
- MCAULIFFE, C.A. see CASEY, B.A., 95, 583P

- MCBEAN, G.J. Toxicity of DL α -amino-adipate to striatal cells in vitro and in vivo, 95, 652P
- MCCAGUE, R. see JORDAN, V.C., 93, 80P
- MCCALL, T., WHITTLE, B.J.R., BOUGHTON-SMITH, N.K. & MONCADA, S. Inhibition of FMLP-induced aggregation of rabbit neutrophils by nitric oxide, 95, 517P
- MCCARRON, J.G. see ALLEN, J.M., 95, 569P
- MCCARTHY, P.S. see COLLIE, I.T., 95, 506P
- MCCLUE, S.J. see BRAZELL, C., 93, 189P
- MCCULLOCH, J. see CHALMERS, D.T., 93, 162P
- - - see HORSBURGH, K., 96, 902P
- - - see KURUMAJI, A., 93, 163P
- - - see KURUMAJI, A., 95, 653P
- MCCURRIE, J.R. see ALI, I.M., 95, 605P
- MCCUSKER, M., CHUNG, K.F., ROBERTS, N.M. & BARNES, P.J. Effect of sensory neuropeptides on cutaneous responses to inflammatory mediators in man, 93, 217P
- MCDONALD, A., WADSWORTH, R.M., SCOTT, P. J.W., MACDONALD, E. & FULTON, J.D. A comparison of the responses to vasodilator drugs in human isolated mesenteric arteries, 95, 712P
- MCEWAN, J.R. & MACDERMOT, J. [Tyr^o]-hCGRP is a partial agonist at hCGRP receptors on bovine aortic endothelial cells, 93, 68P
- MCGARRIGLE, P. see MARSHALL, R.W., 93, 309P
- MCGLYNN, H., RYAN, M.P. & STUART, E. Effects of streptozotocin-induced diabetes on gentamicin nephrotoxicity, 95, 585P
- MCGRATH, C.S. see LEWANSKI, C.R., 93, 290P
- MCGRATH, C.S., LEWANSKI, C.R., CRAIG, R. K. & MARSHALL, I. Two vascular mechanisms of action for the human α -calcitonin gene-related peptide (h CGRP), 93, 69P
- MCGRATH, J.C. see BULLOCH, J.M., 95, 563P
- - - see DAINITY, I.A., 93, 240P
- - - see DAINITY, I.A., 95, 693P
- - - see DALY, C.J., 95, 699P
- - - see MCALPINE, L.G., 94, 461P
- - - see MCALPINE, L.G., 94, 462P
- - - see MCALPINE, L.G., 95, 526P
- MCGRATH, J.C., TEMPLETON, A. & WHITTLE, M.J. The lack of influence of the endothelium on responses to 5HT and oxygen in the human umbilical cord blood vessels, 95, 687P
- MCHARG, A.D. see BRAY, K.M., 93, 205P
- - - see BRAY, K.M., 93, 206P
- - - see BRAY, K.M., 96, 733P
- MCHARG, A.D., SOUTHERTON, J.S. & WESTON, A.H. An investigation into the inhibitory action of cromakalim in rabbit isolated mesenteric artery, 95, 642P
- MCINDEWAR, I. see MARSHALL, R.J., 95, 489P
- - - see SHAHID, M., 95, 488P
- MCKENNA, B. see LAMBERT, M.B., 95, 616P
- MCKENNIFF, M.G., GARDINER, P.J., NORMAN, P. & RODGER, I.W. Is there a novel contractile prostanoid receptor in human large airways? 93, 56P
- MCKERNAN, R.M. see WONG, E.H.F., 94, 322P
- MCLAUGHLIN, D.P., FULTON, J.D., MACDONALD, A., MACDONALD, E. & SCOTT, P.J.W. Effects of catecholamines on human colonic circular smooth muscle, 95, 542P
- MCLAUGHLIN, N.J., RASHID, S. & SWEETMAN, A.J. Characterisation of [³H]-ketanserin binding to human platelet membranes, 95, 636P
- MCLEAN, W.G. Inhibition of fast axonal transport by nerve compression in the galactose-fed rabbit is prevented by ICI 128436 (statil), 94, 453P
- MCPAKE, V.M. see CREBA, J.A., 93, 294P
- MCQUEEN, D.S. & RITCHIE, I.M. Contribution of arterial chemoreceptors to salicylate - induced hyperventilation in anaesthetized rats, 447P
- MEEHAN, A.S. see DEWHURST, D.G., 96, 906P
- MEEHAN, M.J. see DEWHURST, D.G., 96, 906P
- MELARANGE, R. & GILLET, L. The relationship between endogenous glucocorticoids and eicosanoid formation in alterations to gastric mucosal integrity, 94, 407P
- - - Indomethacin-induced gastric mucosal erosion formation is prevented by putative phospholipase A₂ (PLA₂) inhibitors, 96, 798P
- MENCIA-HUERTA, J.M. see TOUVAY, C., 93, 231P
- MENCIA-HUERTA, N.M. see BRAQUET, P., 93, 73P

- MERRITT, J.E. see HALLAM, T.J., 94, 340P
- MERRITT, J.E., JACOB, R. & HALLAM, T.J. Divalent cation influx in human neutrophils is stimulated by F-MET-LEU-PHE, PAF and leukotriene B₄, 94, 339P
- MESTRE, M. see CAVERO, I., 95, 643P
- - - see MONDOT, S., 96, 813P
- MESTRE, M., ESCANDE, D. & CAVERO, I. Glibenclamide blocks the transmembrane action potential shortening evoked by cromakalim in guinea-pig papillary muscle, 95, 571P
- MICHEL, A.D. see EGLEN, R.M., 95, 511P
- - - see KUNYSZ, E.A., 95, 629P
- MICHEL, A.D., STEFANICH, E. & WHITING, R.L. PC12 pheochromocytoma cells contain an atypical muscarinic receptor, 95, 512P
- MICHEL, M.C. see BRODDE, O.-E., 93, 27P
- MIDDLEMISS, D.N. see HIBERT, M., 93, 2P
- - - see LALIES, M., 94, 398P
- - - see MOSER, P., 93, 3P
- - - see PRICE, G.W., 95, 485P
- MILLAR, J. see PALIJ, P., 94, 347P
- - - see STAMFORD, J.A., 94, 348P
- - - see STAMFORD, J.A., 95, 659P
- MILLER, D.J. see DAINITY, I.A., 95, 693P
- MILLER, J.M. see HOTCHKISS, S.A., 95, 580P
- MILLER, M. see DOWNING, S.J., 96, 732P
- - - see HOLLINGSWORTH, M., 94, 362P
- MILLER, P. see HAMBLETON, P., 93, 216P
- MILTON, A.S. see KOZAK, W., 94, 337P
- - - see LINDSAY, C.K., 94, 414P
- MINARD, M.A. see HICKS, P.E., 94, 439P
- MIR, A.K. see HIBERT, M., 93, 2P
- - - see MOSER, P., 93, 3P
- MIR, A.K. & FOZARD, J.R. Characteristics of α_1 -adrenoceptors in vascular and non-vascular smooth muscle, 95, 566P
- MIRZAZADEH, S. see GIBSON, A., 95, 507P
- MITCHELL, J.A. see DE NUCCI, G., 95, 547P
- MITCHELL, P.D. see BLACKHAM, A., 95, 536P
- MITCHELL, S.C. see HAYES, R.J., 95, 615P
- MOLLOY, T. see BARRY, M., 95, 614P
- MONCADA, S. see MCCALL, T., 95, 517P
- - - see RADOMSKI, M.W., 93, 98P
- MONDOT, see CAVERO, I., 95, 643P
- MONDOT, S., MESTRE, M., CAILLARD, C. G. & CAVERO, I. RP 49356 : a vasorelaxant agent with potassium channel activating properties, 96, 813P
- MONOPOLI, A., FORLANI, A., CONTI, A., BEVILACQUA, M., VAGO, T., BIGLIOLI, P., ALAMANNI, F. & ONGINI, E. Interaction of selected vasodilating β -blockers with adrenergic receptors in human cardiovascular tissues, 96, 810P
- MONTASTRUC, J.L. see KOENING-BERARD, E., 93, 249P
- MONTEIRO, E.C. & RIBEIRO, J.A. Modification by 1,3-dipropyl-8 (p-sulfophenyl)xanthine of the respiratory responses induced by common carotid occlusion in rats, 96, 812P
- MONTGOMERY, W.W., EGLEN, R.M. & WHITING, R.L. Comparison of dissociation constants estimated by β -adrenoceptor inactivation and desensitisation *in vitro*, 95, 627P
- MONTORSI, P. see POLONIA, J.J., 96, 824P
- MOORE, A.R. see DESA, F.M. 95, 678P
- - - see HOWAT, D.W., 95, 679P
- - - see HOWAT, D.W., 96, 799P
- MOORE, B.A. see GATER, P.R., 93, 242P
- MOORE, B.A., GATER, P.R. & ALABASTER, V.A. Characterization of the muscarinic receptor subtype involved in contraction of bovine tracheal smooth muscle, 96, 797P
- MOORE, D. see CONNAUGHTON, S., 95, 702P
- MOORE, J., NAHORSKI, S.R. & STRUPISH, J. Characterisation of dopamine D₂ receptors regulating tyrosine hydroxylase in striatal slices, 94, 394P
- MOORE, M.R. see BRYSON, S.J., 96, 736P
- MOORE, P.K. see BHARDWAJ, R., 93, 224P
- - - see BHARDWAJ, R., 95, 593P
- - - see HUSSAINI, I., 94, 421P
- MOORE, U., COLLINS, P., JOHNSON, A. & TOMKIN, G. The *in vitro* effects of mevinolin and metformin on cholesterologenesis in rat intestinal cells, 95, 604P
- MOORS, J. see BILSKI, A.J., 94, 426P
- MOOTOO, S. see WILSON, C., 93, 126P

- MORATALIA, R., BARTH, T.M. & BOWERY, N.G. Autoradiographic analysis of benzo-diazepine receptor binding in rat striatum after decortication plus diazepam administration, 93, 5P
- MORATALIA, R. & BOWERY, N.G. Autoradiographic measurement of γ -aminobutyric acid_A and γ -aminobutyric acid_B binding sites in rat caudate putamen after denervation of neuronal inputs, 95, 476P
- MOREAU, J.P. see BRAQUET, P., 93, 73P
- - - see HELLEGOUARCH, A., 93, 78P
- - - see SPINNEWYN, B., 93, 75P
- MOREL, E. see SCATTON, B., 93, 4P
- MORET, C. see BROADHURST, G., 93, 13P
- MORGADINHO, M.T. see TEIXEIRA, F., 96, 787P
- MORGADINHO, T. see FONTES RIBEIRO, C. A., 96, 790P
- MORGAN, R.M. see BAYDOUN, A.R., 95, 694P
- MORGAN, W. see KRISHNAMURTHI, S., 96, 729P
- MORINAN, A. Effects of 5-HT_{1A} receptor ligands on exploratory behaviour in socially isolated rats, 95, 661P
- MORINAN, A. see RICH, D.A., 93, 179P
- MORLEY, J. see AOKI, S., 94, 365P
- - - see KRISTERSSON, A., 93, 53P
- MORRIS, C.Q., CREWE, H.K., HARLOW, J., TUCKER, G.T., WOODS, H.F. & LENNARD, M. S. Histamine as an inhibitor of cytochrome P-450-catalysed drug metabolism - metabolic and spectral studies, 95, 586P
- MORRIS, H.R. see TIPPINS, J.R., 94, 405P
- MORRIS, J. see RICHARDS, I.M., 96, 769P
- MORRIS, J.E.J. see TAYLOR, S.G., 96, 795P
- MORRISON, K.J. & POLLOCK, D. Correlation of changes in cGMP levels with relaxations of rat isolated aortic rings, 93, 23P
- - - Effects of vasodilators on tone, cyclic guanosine monophosphate levels and phosphatidylinositol hydrolysis in rat aortic rings, 94, 437P
- - - Effects of acetylcholine and nitric oxide on coupling mechanisms underlying contraction and relaxation in rat isolated aortic rings, 95, 519P
- MORTENSON, A. see JONES, C.A., 93, 35P
- MORTON, I.K.M. see FIELD, J.L., 93, 284P
- - - see FOX, A.J., 93, 283P
- - - see MAGBAGBEOLA, A.O., 96, 850P
- MOSER, P. see HIBERT, M., 93, 2P
- MOSER, P., HIBERT, M., MIDDLEMISS, D. N., MIR, A.K., TRICKLEBANK, M.D. & FOZARD, J.R. Effects of MDL 73005EF in animal models predictive of anxiolytic activity, 93, 3P
- MOSS, M.S. see D'SOUZA, G.A., 95, 581P
- MOTTRAM, D.R. see O'NEILL, H.C., 94, 380P
- MOULTON, B. see CULLEN, W.K., 95, 663P
- MOURA, D. see VAZ DA SILVA, M.J., 96, 855P
- MUIR, T.C. & STIRRAT, A.A. Smooth muscle relaxation and membrane hyperpolarisation in the guinea-pig internal anal sphincter, 95, 623P
- MULCAHY, F. see BARRY, M., 95, 614P
- MULLER-BECKMANN, B. see FREUND, P., 93, 127P
- MURPHY, C.S. see JORDAN, V.C., 93, 80P
- MUNBY, J. see PATEL, M., 95, 704P
- MURPHY, D.E., HUTCHISON, A.J., HURT, S., WILLIAMS, M. & SILLS, M.A. Characterization of the binding of [³H]-CGS 19755, a new, high affinity ligand for N-methyl-D-aspartate (NMDA) receptors, 93, 156P
- MURRAY, A.M. & WADDINGTON, J.L. A re-evaluation of the topography of behaviour induced by selective D-2 dopamine receptor stimulation: studies with LY 163502, 93, 130P
- - - Grooming behaviour induced by the new putative D-1 dopamine receptor agonist CY 208-243, 95, 562P
- MURRAY, K.J. see KAUMANN, A.J., 95, 565P
- MURRAY, T.K. see HUNTER, A.J., 93, 175P
- - - see HUNTER, A.J., 94, 318P
- - - see HUNTER, A.J., 96, 763P
- NADIN, C.Y., ROGERS, J. & EDWARDSON, J.M. Reconstitution of regulated exocytosis in a cell-free system, 96, 735P
- NAEBAUER, M. see BROWN, L., 93, 60P
- NAHAS, G. see TROUVE, R., 93, 211P
- NAHORSKI, S.R. see BAIRD, J.G., 94, 395P
- - - see CHILVERS, E.R., 96, 778P
- - - see KEEN, M., 93, 135P

- - - see MOORE, J., 94, 394P
- - - see ROONEY, T.A., 93, 137P
- NAHORSKI, S.R., COOKE, A.M., POTTER, B. V.L., STRUPISH, J. & WILLCOCKS, A.L. Evaluation of myo-inositol (1,4,5) trisphosphorothioate, a novel phosphatase-resistant analogue of myo-inositol(1,4,5)trisphosphate, 94, 363P
- NAKAMURA, M. & SMITH, T.W. Substance P and peripheral inflammatory hyperalgesia, 94, 368P
- NASREEN, R. see SAEED, S.A., 94, 330P
- NAYLOR, I.L. see CHANDER, C., 94, 456P
- - - see CROSS, S.E., 95, 632P
- - - see CROSS, S.E., 96, 831P
- NAYLOR, I.L. & OSMAN, I.A. The effect of calcium, lithium and sodium ions on the contractility of myofibroblasts, 93, 303P
- NAYLOR, R.J. see BARNES, N.M., 93, 310P
- - - see BARNES, N.M., 94, 391P
- - - see BARNES, J.M., 94, 399P
- - - see BARNES, J.M., 94, 400P
- - - see COSTALL, B., 93, 194P
- - - see COSTALL, B., 93, 195P
- - - see COSTALL, B., 94, 390P
- - - see COSTALL, B., 95, 475P
- - - see COSTALL, B., 95, 670P
- - - see COSTALL, B., 96, 866P
- - - see COSTALL, B., 96, 882P
- - - see COSTALL, B., 96, 905P
- NEAL, M.J. see CUNNINGHAM, J., 93, 165P
- NEBEL, U. see KOCH, P., 93, 123P
- - - see KOCH, P., 93, 271P
- NEDERGAARD, O.A. see ABRAHAMSEN, J., 94, 328P
- NEEDHAM, P.L. see MARTIN, K.F., 96, 896P
- NEEDHAM, P.L., ATKINSON, J. & BUCKETT, W.R. Repeated cocaine administration does not induce changes in D₁ receptor number or affinity, 96, 897P
- NEHLS, D. see KURUMAJI, A., 93, 163P
- NEIJT, H.C. see HOYER, D., 93, 97P
- NEILD, G.H. see BROWN, Z., 95, 520P
- - - see CAIRNS, H.S., 95, 573P
- NEILL, J.C. & COOPER, S.J. Effects of selective 5-HT receptor antagonists on the anorectic effect of (+)-fenfluramine, 95, 660P
- NEVILLE, L.F. see PAN, J., 96, 889P
- NEWBERRY, N.R. see BINNS, K.E., 93, 177P
- - - see GILBERT, M.J., 93, 176P
- NEWBERRY, N. & GILBERT, M. Receptor mediated hyperpolarisations of the rat superior cervical ganglion *in vitro* are sensitive to pertussis toxin, 94, 321P
- NEWGREEN, D.T. see BRAY, K.M., 93, 205P
- - - see BRAY, K.M., 93, 206P
- - - see BRAY, K.M., 96, 733P
- NEWGREEN, D.T., BRAY, K.M., SOUTHERTON, J.S. & WESTON, A.H. The action of glyceryl trinitrate and sodium nitroprusside on rat aorta: a comparison with nicorandil and BRL34915, 93, 17P
- NEY, P., REUPERT, B. & SCHROER, K. Different inhibition of leukotriene (LT) B₄ release from human polymorphonuclear cells (PMN) by prostaglandins, 93, 113P
- NGUYEN, N. see SMITH, D.L., 94, 417P
- NIALS, A.T. & COLEMAN, R.A. The interaction between salmeterol and β -adrenoceptor blocking drugs on guinea-pig isolated trachea, 95, 540P
- NICHOLASS, J. see PIPER, D., 94, 314P
- NICHOLLS, P.J. see AHMAD, B., 93, 215P
- - - see AHMAD, B., 94, 442P
- - - see AHMAD, B., 95, 611P
- - - see AHMAD, B., 96, 829P
- - - see ATTERWILL, C.K., 96, 830P
- - - see DARAMANI, N.A., 93, 150P
- - - see GRIFFITHS-JOHNSON, D.A., 93, 228P
- - - see GUMBLETON, M., 94, 450P
- - - see GUMBLETON, M., 96, 825P
- - - see POURGHOLAMI, M.H., 95, 591P
- - - see RAO, S., 93, 311P
- - - see SEWELL, R.D.E., 95, 612P
- - - see SHAW, M.A., 94, 451P
- NICHOLSON, C.D. see CAIN, C., 93, 208P
- - - see CHALLISS, R.A.J., 95, 553P
- NIELSEN, H. see SEVER, P.S., 93, 262P
- NIELSEN, L. see HOLDEN-DYE, L., 96, 760P
- NIJKAMP, F.P. see ENDELS, F., 93, 47P
- - - see FOLKERTS, G., 93, 49P
- - - see HENRICKS, P.A.J., 93, 48P
- NIROOMAND, F. see SCHMIDT, H.H.H.W., 95, 677P
- NISTRI, A., SIVILOTTI, L. & BUNCE, N. Pharmacological block of excitatory synaptic transmission in the frog

- optic tectum *in vitro*, 96, 891P
- NIXON, G.F., BARR, S.M., HAMILTON, C.A. & WADSWORTH, R.M. Is intracellular calcium elevated in dispersed arterial smooth muscle cells from hypertensive rabbits? 94, 357P
- NJUNG'E, K. see CRITCHLEY, M.A.E., 94, 389P
- - - see HEATON, J.C.P., 94, 388P
- NOBBS, P. see KEEN, M., 95, 514P
- - - see KELLY, E., 95, 515P
- NOEL, F. see CARTER, C.J., 93, 88P
- - - see LLOYD, K.G., 93, 285P
- NOHLEN, N. see BRODDE, O.-E., 93, 27P
- NORDSTEDT, C. see FREDHOLM, B.B., 93, 107P
- NORMAN, P. see MCKENNIFF, M.G., 93, 56P
- NORRIS, A.A. see BLACKHAM, A., 95, 536P
- - - see JACKSON, D.M., 94, 458P
- NORRIS, A.A., ENTWISTLE, D., WILKINSON, D. & JACKSON, D.M. Recovery of leukotrienes from isolated rat lungs, 93, 44P
- NOURSHARGH, S. see RAMPART, M., 93, 147P
- - - see YARWOOD, H., 96, 726P
- NOURSHARGH, S., HELLEWELL, P.G., RAMPART, M., JOSE, P.J., HARLAN, J.M. & WILLIAMS, T.J. Accumulation of polymorphonuclear leukocytes in allergic inflammation and inhibition by MoAb 60.3., 93, 142P
- NUTTALL, A. see BILSKI, A.J., 94, 426P
- OAKLEY, N.R., JONES, B.J. & TYERS, M.B. Tolerance and withdrawal studies with diazepam and GR38032F in the rat, 96, 764P
- OAKLEY, N.R., JONES, B.J., TYERS, M.B., COSTALL, B. & DOMENEY, A.M. The effect of GR38032F on alcohol consumption in the marmoset, 96, 870P
- OBEN, J.A., WALLACE, G., CHAIN, B.M. & FOREMAN, J.C. Involvement of glutathione in the stimulation of mitogen-induced interleukin-2 production by anti-rheumatic drugs, 95, 534P
- O'BOYLE, K.M. & WADDINGTON, J.L. Agonist and antagonist properties of 1-phenyl-3-benzazepine analogues at the D-1 dopamine receptor, 93, 132P
- - - CY 208-243: kinetics of binding to D-1 and D-2 dopamine receptors, 95, 560P
- O'CONNELL, M.T. see HUTSON, P.H., 94, 387P
- O'CONNOR, J.J. see ROWAN, M.J., 93, 91P
- - - see ROWAN, M.J., 95, 662P
- O'CONNOR, J.J. ROWAN, M.J. & ANWYL, R. Chronic imipramine treatment inhibits excitatory synaptic transmission in the rat hippocampus *in vivo*, 93, 148P
- - - Comparison of the acute and chronic effects of buspirone on synaptic transmission in the rat hippocampus, 95, 503P
- O'CONNOR, S.E. see CARR, R.D., 95, 487P
- - - see CARR, R.D., 95, 592P
- O'DONNELL, S.R. see BRYAN, L.J., 95, 539P
- OERTEL, W.H. see TEMLETT, J.A., 93, 131P
- OESCH, F. see VISWALINGHAM, A., 93, 32P
- OLDHAM, A.A. see WHALLEY, H., 93, 67P
- O'MALLEY, K. see CONLON, D.B., 95, 637P
- - - see KILFEATHER, S.A., 95, 525P
- O'NEILL, H.C., LANE, A.C., MOTTRAM, D.R. & DEARDEN, J.C. (³H)UK14,304 binding to rat brain membranes in physiological salt solution, 94, 380P
- O'NEILL, L.A.J. & LEWIS, G.P. Effects of voltaren and indomethacin on interleukin-1-mediated changes in PGE₂ and arachidonic acid release in synovial cells, 93, 143P
- - - Induction of PGE₂ formation in human synovial cells by the TNF α , 95, 528P
- O'NEILL, M.F., DOURISH, C.T. & IVERSEN, S.D. Morphine analgesia in the rat paw pressure test is blocked by CCK but potentiated by the CCK antagonist MK-329, 95, 505P
- ONGINI, E. see MONOPOLU, A., 96, 810P
- OOSTVEEN, J.A. see RICHARDS, I.M., 96, 769P
- ORCHARD, C.H. see LEES, A.L., 93, 40P
- ORCHARD, M.A. see LEES, A.L., 93, 40P
- O'REGAN, M.H., PHILLIS, J.W. & WALTER, G.A. Purine release from the hypoxic rat cerebral cortex: effects of the xanthine oxidase inhibitors allopurinol and oxypurinol, 95, 551P
- ORME, M. see WINSTANLEY, P., 93, 310P

- ORMOND, T., PRATT, I. & RYAN, M.P. Reduced nephrotoxicity in vivo and in vitro of cisplatin-methionine complex, 95, 584P
- OSBORNE, J.M. see CROSS, A.J., 95, 478P
- - - see HUNTER, A.J., 93, 175P
- - - see HUNTER, A.J., 94, 318P
- O'SHAUGHNESSY, C.T. see BOULTON, C.L., 95, 481P
- - - see BOULTON, C.L., 95, 482P
- - - see HILLE, C., 96, 887P
- OSMAN, I.A. see NAYLOR, I.L., 93, 303P
- OSSWALD, W. see ALBINO TEIXEIRA, A., 96, 785P
- - - see CARAMONA, M.M., 96, 753P
- OSTER, L., CHILLON, J.M. & ATKINSON, J. Effect of hypertension and age on responses to calcium in rat caudal arteries, 93, 72P
- OWEN, D.A.A. see EDEN, R.J., 93, 128P
- - - see EDEN, R.J., 96, 791P
- OWEN, P.J. see BOARDER, M.R., 95, 523P
- - - see BOARDER, M.R., 96, 745P
- - - see PLEVIN, R., 96, 746P
- OWEN, P.J. & BOARDER, M.R. Bradykinin stimulation of release from chromaffin cells is sensitive to dihydropyridine agonists but not antagonists, 95, 524P
- OXENKRUG, G.F. see GLOVER, V., 94, 320P
- PACINI, D.J. & KANE, K.A. Cardiac electrophysiological effects of anti-arrhythmic drugs on normal and mildly depressed sheep Purkinje fibres, 93, 64P
- PACIOREK, P.M. see COWLRICK, I.S., 95, 640P
- PAGE, C.P. see BHARDWAJ, R., 93, 224P
- - - see DIXON, E.J.A., 93, 218P
- - - see GIN, L.S., 96, 773P
- PAIVA, M.Q. see GUIMARAES, S., 96, 856P
- - - see PROENCA, J., 96, 846P
- PALFREYMAN, M.G. see SLEIGHT, A.J., 93, 95P
- - - see SLEIGHT, A.J., 96, 783P
- - - see SLEIGHT, A.J., 96, 875P
- PALIJ, P., BULL, D.R., SHEEHAN, M.J., HUMPHREY, P.P.A., MILLAR, J., STAMFORD, J.A. & KRUK, Z.L. A new technique for quantitative measurement of stimulated endogenous dopamine release in brain slices using voltammetry, 94, 347P
- PALMER, R.M.J. see RADOMSKI, M.W., 93, 98P
- PAN, J., NEVILLE, L.F., ARVIN, B. & ROBERTS, P.J. Adenosine analogues suppress K⁺- and kainate-induced synaptosomal release of endogenous glutamate, 96, 889P
- PANJESHAHIN, M.R., BOWMER, C.J. & YATES, M.S. Effect of valproic acid and some of its metabolites on the binding of dansylsarcosine and warfarin to human albumin, 93, 287P
- PANKHANIA, J.J. & BAKHLE, Y.S. Treatment in vivo with Ph CL 28A alters prostaglandin metabolism in rat isolated lung, 95, 684P
- PARACHE, R.M. see EL BOUHTOURY, F., 93, 255P
- PARENTE, L. see FITZGERALD, M.F., 93, 220P
- PARK, B.K. see CHOLERTON, S., 93, 30P
- - - see CHRISTIE, G., 96, 832P
- - - see PRATT, S.K., 95, 617P
- - - see PRATT, S.K., 96, 828P
- - - see TINGLE, M.D., 94, 443P
- - - see WINN, M.J., 96, 835P
- PARK, C. see KURUMAJI, A., 93, 163P
- PARKER, S.G. see EDEN, R.J., 93, 128P
- - - see EDEN, R.J., 96, 791P
- PARKER, V., see RICH, D.A., 93, 179P
- PARKINSON, R. see YATES, D.B., 96, 818P
- PARRATT, J.R. see BIGAUD, M., 93, 257P
- PARROTT, L.S. see BUCKINGHAM, R.E., 94, 355P
- - - see WILSON, C., 93, 126P
- PARSONS, M.E. & TAYLOR, E.M. Effect of $\alpha\beta$ methylene ATP on pre-capillary resistance vessels in vivo, 93, 251P
- PARSONS, M.E., PIPKIN, M.A., WRIGHT, P.W. & TAYLOR, E.M. Reversal of ATP-induced vasodilation in the isolated perfused rabbit ear by reactive blue 2, 93, 250P
- PASCAL, J.-C. see FERRANDON, P., 93, 247P
- PASTEL, R.H. see TORTELLA, F.C., 93, 196P
- - - see TORTELLA, F.C., 94, 473P
- PATCH, T. see DOLIN, S.J., 96, 877P
- PATEL, B. see EDEN, R.J., 96, 859P
- PATEL, M., MUNBY, J., WEETMAN, D.F. & JAHN, U. SGD 1/85 is a competi-

- tive antagonist at 5-HT₂ and α_1 -adrenoceptors of the rat, in vitro, 95, 704P
- PATEL, M. & WEETMAN, D.F. Antagonism of 5-HT by methysergide on the rat mesenteric vascular bed in vitro, 95, 575P
- PATEL, Y. see KRISHNAMURTHI, S., 93, 229P
- - - see KRISHNAMURTHI, S., 96, 730P
- PATERSON, G. see MAGBAGBEOLA, A.O., 96, 850P
- PATMORE, L. see BROWN, C.M., 93, 248P
- - - see CLARKE, B., 94, 464P
- PATMORE, L., DUNCAN, G.P. & SPEDDING, M. Inhibition of calcium overload contractions by nicardipine but not by nifedipine or nimodipine in embryonic chick myocytes, 93, 71P
- PATTERSON, J.C. see BEVAN, K.A., 93, 174P
- PAUTREL, C. see DUMEZ, D., 93, 201P
- PAYNE, A.N. see FITZGERALD, M.F., 93, 220P
- PEARCE, F.L. see AL-LAITH, M., 93, 34P
- PEARCE, R.J. see BLACKBURN, T.P., 94, 473P
- - - see COX, B., 94, 473P
- PEARSON, H.A. see LEES, G., 96, 744P
- PEERS, S.H. see STEVENS, T.R.J., 93, 139P
- PEERS, S.H. & FLOWER, R.J. Time dependent inhibition of oedema formation in rabbit skin by dexamethasone, 95, 602P
- PEGRAM, B.L. see KOCH, P., 93, 123P
- PENNINGTON, J., SCOTT, A.K., REID, I.W., & HAWKSWORTH, G.M. Substrate dependence of triiodothyronine-induced changes on rat hepatic UDP-glucuronosyltransferase, 94, 343P
- PENY, B. see SCATTON, B., 93, 4P
- PERIO, A. see JUNG, M., 95, 671P
- PERKINS, M.N. see BETTANEY, J., 93, 276P
- PERKS, S.L., WAN, B.Y.C. & THORNTON, P. C. Antagonism of carbenoxolone gastric protection in rats by potassium-sparing diuretics, spironolactone and amiloride, 93, 83P
- PERRAULT, G. see SCATTON, B., 93, 4P
- PERSSON, C.G.A. see KARLSSON, J.-A., 93, 233P
- PETCH, B. see AUBRY, M.L., 96, 752P
- PETERS, J.A. see CALLACHAN, H., 93, 155P
- - - see HALES, T.G., 94, 393P
- PETERS, T. see HEERS, C., 93, 273P
- - - see KOCH, P., 93, 123P
- - - see KOCH, P., 93, 271P
- - - see SCHNEIDER, J., 93, 272P
- PETERSEN, S.A. see DRAKE, M.E., 96, 734P
- PETERSON, D.W. see DAVIES, G., 93, 164P
- PETTIPHER, E.R., HENDERSON, B., EDWARDS, J.C.W. & HIGGS, G.A. Indomethacin enhances proteoglycan loss from articular cartilage in antigen-induced arthritis, 94, 341P
- PETTIPHER, E.R., HENDERSON, B. & HIGGS, G.A. Inflammatory effects of interleukin-1 and FMLP in rabbit skin, 93, 230P
- PHILLIPS, I. see MARTIN, K.F., 95, 656P
- PHILLIPS, J.D., DAVIE, R.J. & BIRCH, N.J. Low cellular lithium concentrations: a consequence of paracellular transport in acute studies? 96, 836P
- PHILLIPS, J.A. & HOULT, J.R.S. Two sites of action for colonic electrogenic secretagogues, 93, 227P
- PHILLIS, J.W. see O'REGAN, M.H., 95, 551P
- PIERI, L. Ro 19-4603: a benzodiazepine receptor partial inverse agonist with prolonged proconvulsant action in rodents, 95, 477P
- PIESKE, B. see BOHM, M., 95, 491P
- PILLAR, A. see ATTERWILL, C.K., 93, 304P
- - - see CUNNINGHAM, J., 93, 165P
- PILLING, S.A. see BROWN, Z., 95, 520P
- PINNOCK, R.D., KANEKO, S., BODEN, P. & HILL, R.G. Peripheral administration of cholecystokinin and fenfluramine changes the activity of neurones in hypothalamus, 96, 779P
- PIPER, D., UPTON, N., THOMAS, D. & NICHOLASS, J. The effects of the 5-HT₃ receptor antagonists BRL 43694 and GR 38032F in animal behavioural models of anxiety, 94, 314P
- PIPER, P.J. see BRAMLEY, A.M., 96, 774P
- - - see CONROY, D.M., 93, 110P
- - - see CONROY, D.M., 95, 545P
- - - see YAACOB, H.B., 95, 521P
- - - see ZAKRZEWSKI, J.T., 93, 108P

- PIPER, P.J. & YAACOB, H.B. Release of leukotrienes in cardiac anaphylaxis and its inhibition by a lipoxygenase inhibitor CGS 8515, 93, 111P
- PIPKIN, M.A. see PARSONS, M.E., 93, 250P
- PIROTZKY, E. see HELLEGOUARCH, A., 93, 78P
- - - see SPINNEWYN, B., 93, 75P
- PLANE, F. see ANDREWS, H.E., 95, 697P
- PLEASS, R.D. see WARD, S.G., 93, 74P
- - - see WESTWICK, J., 95, 530P
- PLEECE, S.A. see BECKER, D.R., 95, 664P
- PLEVIN, R. see BOARDER, M.R., 93, 37P
- - - see BOARDER, M.R., 95, 523P
- PLEVIN, R. & BOARDER, M.R. Differential inositol phosphate responses to histamine, angiotensin 11 and bradykinin in adrenal medulla cell cultures, 93, 36P
- PLEVIN, R., OWEN, P.J., MARRIOTT, D.B. & BOARDER, M.R. Dissociation between PGE₁ stimulated phosphoinositide turnover and catecholamine release in cultures bovine chromaffin cells, 96, 746P
- POAT, J.A. see WONG, E.H.F., 94, 322P
- POAT, J.A., CRIPPS, H.E. & IVERSEN, L.L. Solubilisation of high affinity forskolin binding sites from rat CNS tissue, 95, 483P
- POIRIER, M-F. see GALZIN, A-M., 93, 12P
- POISSON, V. see BRAQUET, P., 93, 73P
- - - see TOUVAY, C., 93, 231P
- POITIER, M-F. see GALZIN, A-M., 93, 14P
- POLL, G., GRIX, S. & COLEMAN, R.A. Do excitatory neuronal prostanoid receptors exist in the guinea-pig ileum, 94, 332P
- - - Further evidence for the existence of neuronal prostanoid receptors which enhance neuro-transmission in the guinea-pig ileum, 96, 806P
- POLLOCK, D. see BOYLE, S.J., 93, 25P
- - - see BOYLE, S.J., 94, 438P
- - - see BOYLE, S.J., 95, 710P
- - - see FORSYTH, K.M., 95, 596P
- - - see MORRISON, K.J., 93, 23P
- - - see MORRISON, K.J., 94, 437P
- - - see MORRISON, K.J., 95, 519P
- POLONIA, J.J., TREE, M., TONOLO, G., MONTORSI, P., LECKIE, B., FRASER, R., INGLES, G., RICHARDS, A.M. Dopamine receptor blockade attenuates the natriuretic and phosphoretic effects of atrial natriuretic peptide (ANP) infused in dogs, 96, 824P
- PORFIRIO, M.H. see MACEDO, T.R.A., 96, 719P
- POTTER, B.V.L. see NAHORSKI, S.R., 94, 363P
- POURGHOLAMI, M.H. see AHMAD, B., 93, 215P
- POURGHOLAMI, M.H., AHMADI, M., NICHOLLS, P.J. & SMITH, H.J. Pharmacokinetic and metabolic evaluation in the rat of a new pyrrolidine dione aromatase inhibitor, 95, 591P
- POWELL, G. see WINSTANLEY, P., 93, 310P
- POWELL, T. see GODFREY, P.P., 93, 151P
- POWER, J.D. see LAMBERT, M.B., 95, 616P
- PRATT, I. see CASEY, B.A., 95, 583P
- - - see ORMOND, T., 95, 584P
- PRATT, J.A. see LAURIE, D.J., 95, 668P
- PRATT, J.A. & LAURIE, D.J. Local cerebral glucose utilization during anxiety and seizures induced by FG7142P, 93, 184P
- PRATT, S.C. see WILSON, C., 93, 126P
- PRATT, S.K. see WINN, M.J., 96, 835P
- PRATT, S.K., WINN, M.J. & PARK, B. K. Disposition of vitamin K₁, 2, 3-epoxide in the rat, 95, 617P
- - - The intrahepatic disposition of warfarin during steady-state anticoagulation in Wistar rats, 96, 828P
- PRICE, D. see ACTON, L., 96, 847P
- PRICE, G.W., AHMERS, R.G., MIDDLEMISS, D.N. & WONG, E.H.F. In vivo [³H]-MK-801 binding in mouse brain, 95, 485P
- PRIESTLEY, T. see KEMP, J.A., 96, 859P
- PRINCE, A.K. see ATTERWILL, C.K., 93, 304P
- PRIOR, C., SEARL, T. & MARSHALL, I. G. Two populations of miniature endplate currents in snake skeletal muscle, 93, 24P
- PRITCHARD, M.P. & HAWKSWORTH, G.M. Ketoconazole toxicity in rat hepatocyte suspensions, 94, 444P
- PROENCA, J., PAIVA, M.Q. & GUIMARAES, S. Influence of inhibition of extraneuronal uptake and O-methylation on the sensitivity to sympathomimetic

- amines, 96, 846P
- PROW, M.R. see HEAL, D.J., 93, 133P
- - - see HEAL, D.J., 93, 168P
- - - see HEAL, D.J., 94, 317P
- - - see HEAL, D.J., 96, 781P
- PURCELL, W.M., HANAHOE, T.H.P. & COHEN, D.L. Effect of amitriptyline on the secretion and uptake of histamine and 5-hydroxytryptamine from rat peritoneal mast cells, 94, 370P
- - - Histamine and 5HT content and release in rat tissue mast cells, 95, 673P
- QUAST, U. Comparison of ^{86}Rb and $^{42}\text{K}^+$ effluxes stimulated by the K^+ channel opener BRL 34915 in vascular smooth muscle, 93, 19P
- QUAST, U. & COOK, N.S. Potent inhibitors of the effects of the K^+ channel opener BRL34915 in vascular smooth muscle, 93, 204P
- QUITERIA PAIVA, M. Interactions between 5-hydroxytryptamine and adrenergic agonists on the contractile responses of the dog saphenous vein, 96, 811P
- RACKE, K. see SCHWORER, H., 93, 268P
- RADOMSKI, M.W., PALMER, R.M.J., READ, N. G. & MONCADA, S. Isolation and washing of human platelets with nitric oxide, 93, 98P
- RAINNIE, D.G. see KELLY, J.S., 95, 500P
- RAMAGE, A.G. see DASHWOOD, M.R., 93, 197P
- - - see DASHWOOD, M.R., 94, 386P
- RAMAGE, A.G. & BALL, S.G. Why do angiotensin converting enzyme (ACE) inhibitors fail to cause reflex tachycardia? 94, 358P
- RAMAGE, A.G. & WILKINSON, S.J. Evidence for differential sympathoinhibitory actions of 8-OH-DPAT and clonidine in anaesthetised cats, 93, 121P
- - - Comparison of the effects of flesinoxan and urapidil on different regional sympathetic outflows in anaesthetised cats, 95, 567P
- RAMDINE, R. see GALZIN, A-M., 93, 14P
- RAMPART, M. see NOURSHARGH, S., 93, 142P
- RAMPART, M., HERMAN, A.G., DE SMET, W., SMET, E.G., NOURSHARGH, S., WILLIAMS, T.J. & HARLAN, J.M. The effect of two monoclonal antibodies to Mac 1 on polymorphonuclear leukocyte (PMNL) accumulation in vivo, 93, 147P
- RAND, M.J. see BROADLEY, K.J., 93, 118P
- RANDALL, J.I. & RODGERS, R.J. Defeat analgesia is potently inhibited by compounds 'selective' for either neuronal or non-neuronal benzodiazepine binding sites, 93, 182P
- RANDALL, M.D. & HILEY, C.R. Detergent abolishes carbachol vasodilatation and changes pressure/flow relations in situ in rat superior mesenteric arterial bed, 94, 428P
- RANDALL, M.D., SMITH, B.H.E. & HILEY, C.R. Effect of endothelium destruction in vitro and in situ on noradrenaline pressor responses in rat superior mesenteric arterial bed, 96, 816P
- RANKIN, J.R. see HOLLINGSWORTH, M., 93, 199P
- RANKIN, S.M., HOULT, J.R.S. & LEAKE, D.S. Effects of flavonoids on the oxidative modification of low density lipoproteins by macrophages, 96, 727P
- RANSOM, R. see LALIES, M., 94, 398P
- RAO, S. & NICHOLLS, P.J. Aminoglutethimide inhibits both ADP- and arachidonic acid- induced platelet aggregation in rabbit blood, 93, 311P
- RASHID, S. see MCLAUGHLIN, N.J., 95, 636P
- RAVEN, P.D., BOLLANDS, A.D., SHARMA, S.K. & LOWE, K.C. Effects of a novel perfluorochemical emulsion on lymphoid tissues and immunocompetence in rats, 93, 292P
- RAVENS, U. see ARMAH, B.I., 94, 354P
- - - see ARMAH, B.I., 94, 474P
- READ, M.A. see DUSTING, G.J., 93, 101P
- READ, N.G. see RADOMSKI, M.W., 93, 98P
- REDFERN, P.H. see KINGSBURY, M.P., 94, 419P
- - - see KINGSBURY, M.P., 94, 420P
- - - see KINGSBURY, M.P., 95, 703P
- REDONDO, A. see GALZIN, A-M., 93, 14P
- REEVES, J.J. see HUMPHRAY, J.M., 96, 749P
- REEVES, J.J., BUNCE, K.T., SHELDRIK, R.L.G. & STABLES, R. Evidence for the PGE receptor subtype mediating inhibition of acid secretion in the rat, 96, 805P

- REEVES, M.L. see SIMPSON, A.W., 96, 731P
- REGOLI, D. see D'ORLEANS-JUSTE, P., 95, 546P
- - - see STASZEWSKA-WOOLLEY, J., 95, 548P
- REID, I.W. see PENNINGTON, J., 94, 343P
- REID, J.L. see ELFELLAH, M.S., 93, 260P
- - - see ELFELLAH, M.S., 94, 325P
- - - see MCAULEY, M.A., 94, 434P
- - - see YAKUBU, M.A., 95, 655P
- REUPERT, B. see NEY, P., 93, 113P
- REYNOLDS, F. see CARSON, R.J., 95, 582P
- - - see LAISHLEY, R.S., 95, 613P
- REYNOLDS, G.P. see CHEETHAM, S.C., 96, 868P
- - - see CZUDEK, C., 93, 166P
- - - see CZUDEK, C., 96, 765P
- - - see CZUDEK, C., 96, 899P
- - - see SIMPSON, M.D.C., 93, 158P
- RHODES, K.F. see MCADAMS, R.P., 95, 625P
- RIBEIRO, J.A. see MONTEIRO, E.C., 96, 812P
- - - see SEBASTIAO, A.M., 93, 38P
- - - see SEBASTIAO, A.M., 93, 235P
- - - see SEBASTIAO, A.M., 96, 839P
- RICH, D.A., PARKER, V., CARIUK, P., MORINAN, A. & HORTON, R.W. Social isolation in the rat does not affect benzodiazepine receptor binding, 93, 179P
- RICH, K.J. see SESARDIC, D., 93, 214P
- RICHARDS, A.M. see POLONIA, J.J., 96, 824P
- RICHARDS, I.M., DUNN, C.J., GORMAN, R.R., LIN, A.H., MORRIS, J., OOSTVEEN, J.A. & WISHKA, D.G. Inhibition of antigen-induced bronchopulmonary eosinophilia by selective leukotriene B₄ (LTB₄) antagonists, 96, 769P
- RICHARDS, J.G. see HULDI, M., 93, 310P
- RICHARDSON, B.P. see MAZZONI, L., 93, 120P
- RICHENS, A. see BOLTON, J.B., 95, 619P
- RICO, T. see GIAO, J.M., 96, 804P
- RIDGWAY, P.E. see FLETCHER, J., 96, 908P
- RINK, T.J. see SIMPSON, A.W., 96, 731P
- RITCHIE, I.M. see MCQUEEN, D.S., 94, 447P
- RITTER, J.M., DOKTOR, H.S. & CRAGOE, E.J. Jr. Actions of bradykinin and related peptides on rabbit coeliac artery rings and blood pressure, 93, 129P
- RIVEST, R. & JOLICOEUR, F.B. Anti-parkinson-like effects of neurotensin: comparison of various routes of administration and structure activity study, 96, 893P
- RIVY, J.P. see BENAVIDES, J., 93, 87P
- - - see CARTER, C.J., 93, 88P
- ROACH, A.G. see BERTIE, K., 94, 433P
- ROBBINS, T.W. see JONES, G.H., 94, 349P
- ROBERTS, F.F. see HUNTER, A.J., 93, 136P
- - - see LAZARENO, S., 96, 743P
- - - see LAZARENO, S., 96, 851P
- ROBERTS, F.F. & HAWCOCK, A.B. The effect of gallamine on the rat isolated superior cervical ganglion, 93, 134P
- ROBERTS, N.M. see MCCUSKER, M., 93, 217P
- ROBERTS, P.J. see CRAWFORD, M., 96, 894P
- - - see PAN, J., 96, 889P
- ROBERTSON, A.D. see GILES, H., 95, 522P
- ROBERTSON, D.N. see DIXON, E.J.A., 93, 218P
- ROBERTSON, M.J. see HILDITCH, A., 96, 858P
- ROBINSON, C. see AGIUS, R.M., 93, 51P
- - - see BEDWELL, S., 94, 413P
- - - see CAMPBELL, A.M., 93, 50P
- - - see CAMPBELL, A.M., 95, 674P
- - - see FEATHERSTONE, R.L., 94, 336P
- ROBINSON, C., HARDY, C.C. & HOLGATE, S.T. The metabolism of prostaglandin D₂ after inhalation and infusion in normal men, 94, 412P
- ROBINSON, J.P. & KENDALL, D.A. Differences in the receptors mediating inositol phospholipid hydrolysis and potentiation of cyclic AMP formation in rat brain, 93, 42P
- - - Arachidonic acid metabolites are not involved in α -adrenoceptor potentiated cAMP formation in rat brain, 95, 552P
- - - Effects of protein kinase C inhibitors on potentiation of cyclic AMP formation in rat brain slices, 96, 901P

- ROBINSON, S.P. see JORDAN, V.C., 94, 344P
- ROBINSON, S.P., CORMIER, E.M. & JORDAN, V.C. Stimulation of breast cancer cells by growth factors: possible role in anti-oestrogen failure, 96, 737P
- ROBINSON, T.N., CROSS, A.J., GREEN, A.R., TOCZEK, J.M. & BOAR, B.R. Effects of putative antagonists on GABA_B receptor modulation of rat cortical cAMP accumulation, 96, 762P
- ROBSON, A. see CARR, R.D., 95, 487P
- RODGER, I.W. see LANGLANDS, J.M., 95, 510P
- - - see MCKENNIFF, M.G., 93, 56P
- RODGER, M.G. see SHAHID, M., 95, 488P
- RODGERS, R.J. see RANDALL, J.I., 93, 182P
- RODRIGUES, R.E. see TRAYNOR, J.R., 94, 375P
- ROGERS, J. see NADIN, C.Y., 96, 735P
- ROONEY, K.F., SEWELL, R.D.E. & SPENCER, P.S.J. Differential effects of acute administration of selective opioid agonists upon dopamine binding site density in the rat, 95, 559P
- ROONEY, T.A. & NAHORSKI, S.R. Developmental aspects of muscarinic induced inositol polyphosphate accumulation in rat cerebral cortex, 93, 137P
- ROSTRON, C. see ELLIOTT, P.N.C., 94, 446P
- ROTHAUL, A.L. see GRISTWOOD, R.W., 93, 62P
- - - see GRISTWOOD, R.W., 93, 63P
- - - see GRISTWOOD, R.W., 95, 644P
- ROTONDO, D. see KOZAK, W., 94, 337P
- - - see LINDSAY, C.K., 94, 414P
- ROUBERT, P., LONGHAMPT, M.O., CHABRIER, P.E. & BRAQUET, P. Heterologous regulation of ANF receptors in rat cultured vascular smooth muscle cells, 93, 291P
- ROUQUIER, L. see CLAUSTRE, Y., 93, 193P
- ROUX, F.X. see GALZIN, A-M., 93, 14P
- ROWAN, M.J. see CULLEN, W.K., 95, 663P
- - - see O'CONNOR, J.J., 93, 148P
- - - see O'CONNOR, J.J., 95, 503P
- ROWAN, M.J., O'CONNOR, J.J. & ANWYL, R. 5-HT receptor antagonists prevent the inhibitory effect of systemic and local injection of buspirone in the rat hippocampus, 93, 91P
- - - Serotonergic inhibition of auditory evoked responses recorded in the rat hippocampus, 95, 662P
- ROWELL, F.J. & ROWELL, V. Primaquine elimination profile in urine determined by a new rapid and sensitive ELISA method, 93, 31P
- ROWELL, V. see ROWELL, F.J., 93, 31P
- ROWLAND, P. see BERTIE, K., 94, 433P
- ROYSTON, M.C. see DEAKIN, J.F.W., 95, 484P
- RUEGG, U.T. see LATEGAN, T.W., 94, 418P
- RUFFOLO, R.R. see DOCHERTY, J.R., 93, 22P
- RUTKOWSKI, B. see JOHNS, E.J., 94, 457P
- RYAN, M.P. see CASEY, B.A., 95, 583P
- - - see GODSON, C., 95, 578P
- - - see MCGLYNN, H., 95, 585P
- - - see ORMOND, T., 95, 584P
- SAEED, S.A. New aspects of arachidonic acid metabolism in human placenta, 94, 333P
- SAEED, S.A., NASREEN, R. & SURIA, A. Synergistic actions of 5-HT and arachidonic acid in platelet aggregation: effect of 5-HT blockers, 94, 330P
- SAFRANY, S.T. see JACKSON, D.M., 94, 458P
- SAGGU, H., COOKSEY, J., DEXTER, D., JENNER, P. & MARSDEN, C.D. A selective increase in mitochondrial superoxide dismutase in parkinsonian substantia nigra, 94, 342P
- SALONEN, R.O. see WEBBER, S.E., 93, 33P
- SALT, T.E. Effects of CNQX on excitatory amino acid and synaptic responses of rat ventrobasal thalamus neurones, 96, 755P
- SALVEMINI, D., SNEDDON, J.M., KONDO, K., CYNK, E., WOOD, E. & VANE, J.R. "EDRF" released from human neutrophils and prostacyclin act synergistically to inhibit platelet aggregation, 96, 728P
- SALVEMINI, D., SNEDDON, J.M. & VANE, J.R. Superoxide anions potentiate thrombin-induced platelet adhesion to inert surfaces, 95, 532P
- SAMHOUN, M.N. see BRAMLEY, A.M., 96, 774P
- - - see CONROY, D.M., 93, 110P
- - - see CONROY, D.M., 95, 545P
- SAMPFORD, K.A. & KAUMANN, A.J. ICI 169,369 is both a competitive

- antagonist and activator of the 5HT₂ receptor system of guinea-pig trachea, 96, 775P
- SAMPSON, A.P. see ZAKRZEWSKI, J.T., 93, 108P
- SAMUELS, G.M.R. see ELLIS, P., 95, 695P
- SANDLER, M. see BHATTACHARYA, S.K., 93, 1P
- - - see GLOVER, V., 94, 320P
- SANGERA, M.K. see CRESPI, F., 95, 561P
- SANGHERA, M.K. see CRESPI, F., 96, 767P
- SANJAR, S. see AOKI, S., 93, 54P
- - - see AOKI, S., 94, 365P
- SARMENTO, A., ALBINO TEIXEIRA, A. & AZEVEDO, I. Increase in blood-brain barrier permeability due to amitriptyline is accompanied by augmented pinocytosis in cerebral capillaries, 96, 838P
- SARNA, G.S. see HUTSON, P.H., 94, 387P
- SAXENA, P.R. see BOM, A.H., 94, 327P
- - - see BOM, A.H., 96, 789P
- - - see DRETELER, G.H., 95, 494P
- SCATTON, B. see ANGEL, I., 93, 11P
- - - see BENAVIDES, J., 93, 87P
- - - see CARTER, C.J., 93, 88P
- - - see CARTER, C.J., 93, 157P
- - - see CLAUSTRE, Y., 93, 193P
- SCATTON, B., BENAVIDES, J., PENY, B., DUBOIS, A., PERRAULT, G., MOREL, E. & ZIVKOVIC, B. *In vivo* interaction of zolpidem with central benzodiazepine binding sites in the mouse brain, 93, 4P
- SCHACHTER, M. see GIN, L.S., 96, 773P
- - - see HAIR, W.M., 93, 275P
- - - see HILL, H., 94, 460P
- - - see HUGHES, A.D., 96, 722P
- - - see LEYS, K., 93, 295P
- SCHAEUBLIN, E. see KRISTERSSON, A., 93, 53P
- SCHEUFLER, E. see HEERS, C., 93, 273P
- SCHINI, V. see LUGNIER, C., 94, 406P
- SCHLADT, L. see VISWALINGHAM, A., 93P, 32P
- SCHMIDT, H.H.H.W., NIROOMAND, F. & BOHME, E. Is endothelium-dependent relaxation mediated by arginine-derived nitric oxide? 95, 677P
- SCHNABEL, P. see BOHM, M., 95, 491P
- SCHNEIDER, J., BECK, E., WILFFERT, B. & PETERS, T. A dose-dependent inhibition of digitalis-induced toxicity by R 56865 in the guinea-pig heart-lung-preparation, 93, 272P
- SCHOEMAKER, H. & LANGER, S.Z. Effects of Ca²⁺ on [³H]-diltiazem binding to the rat cerebral cortex, 93, 6P
- SCHOEMAKER, R.G., DEBETS, J.J.M. & SMITS, J.F.M. A conscious rat model for heart failure induced by myocardial infarction (MI); effects of long-term captopril and dobutamine, 96, 716P
- SCHOLTYSIK, G., WEIR, S.W. & COOK, N.S. Pertussis toxin does not inhibit the effects of BRL 34915 on rat isolated cardiac and vascular tissues, 93, 125P
- SCHONFELD, G. see DAUGHERTY, A., 96, 786P
- SCHROER, K. see NEY, P., 93, 113P
- - - see THIEMERMANN, C., 93, 146P
- SCHWORER, H., RACKE, K. & KILBINGER, H. Adrenergic modulation of the release of 5-hydroxytryptamine (5-HT) from the vascularly perfused guinea-pig ileum *in vitro*, 93, 268P
- SCOTCHER, K.P., JENNER, P. & MARSDEN, C.D. MPP⁺ has different effects to paraquat and menadione in rat brain microsomes, 95, 646P
- SCOTT, A.K. see PENNINGTON, J., 94, 343P
- - - see WINN, M.J., 96, 835P
- SCOTT, P.J.W. see MCDONALD, A., 95, 712P
- - - see MCLAUGHLIN, D.P., 95, 542P
- SESBROOK, G.R. & ADAMS, D.J. Actions of calcium channel antagonists on synaptic transmission in rat parasympathetic ganglia, 96, 854P
- SEAGER, K. see LUMLEY, P., 95, 685P
- SEARL, T. see PRIOR, C., 93, 24P
- SEBASTIAO, A.M. & RIBEIRO, J.A. Phorbol esters but not forskolin attenuate the inhibitory action of adenosine at the frog neuromuscular junction, 93, 38P
- - - On the antagonist profile of the adenosine receptor in the frog neuromuscular junction, 93, 235P
- - - Polymyxin B does not modify the effect of adenosine but prevents the effect of phorbol esters at the frog neuromuscular junction, 96, 839P

- SECHTER, D. see GALZIN, A-M., 93, 12P
SELBIE, R.D. see JAMIESON, M.J., 93, 279P
- - - see JAMIESON, M.J., 96, 842P
SELF, T.J., MARSDEN, C.A. & CRESPI, F.
Effect of electrical pretreatment on microcarbon fibre electrodes: an electron microscopic and voltammetric study, 96, 864P
SELYANKO, A.A. see ZIDICHOUSKI, J.A. 95, 647P
SELYANKO, A.A., ZIDICHOUSKI, J.A. & SMITH, P.A. Muscarine- and adrenaline-induced currents in patch-clamped amphibian sympathetic ganglion neurones, 95, 648P
SEMENEKOL, F. see DAWBARN, D., 93, 167P
SENIOR, J. see BAXTER, G.S., 93, 221P
- - - see BAXTER, G.S., 96, 808P
- - - see KERR, M.B., 95, 631P
SEQUIER, J.M. see HULDI, M., 93, 310P
SERRA E SILVA, P. see TEIXEIRA, F., 96, 787P
SESARDIC, D., RICH, K.J., DAVIES, D.S. & BOOBIS, A.R. Selective destruction of cytochrome P-450d and associated monooxygenase activity by carbon tetrachloride in the rat, 93, 214P
SEVER, P. see HAIR, W.M., 93, 275P
- - - see HAIR, W.M., 96, 860P
- - - see HILL, H., 94, 460P
- - - see HUGHES, A., 93, 239P
- - - see HUGHES, A.D., 96, 722P
- - - see LEYS, K., 93, 295P
- - - see MARTIN, G., 96, 863P
SEVER, P.S., HUGHES, A., NIELSEN, H. & THOM, S. The action of human atrial natriuretic peptide on isolated human resistance vessels, 93, 262P
SEWELL, R.D.E. see DARAMANI, N.A., 93, 150P
- - - see LIVINGSTON, S.J., 95, 665P
- - - see ROONEY, K.F., 95, 559P
SEWELL, R.D.E., GUMBLETON, M., TAYLOR, G. & NICHOLLS, P.J. Determination of differential effects of anaesthetics on brain haemodynamics using microspheres in the rat, 95, 612P
SHAHID, M. see MARSHALL, R.J., 95, 489P
SHAHID, M., COTTNEY, J., MARSHALL, R.J., MARTORANA, M.G., RODGER, I.W., BRUIN, J.C. & MCINDEWAR, I. ORG10325, a new cardiotonic agent with positive inotropic and vasodilator properties, 95, 488P
SHARIF, N.A. see HUGHES, J., 93, 310P
SHARMA, H.L. see CASEY, B.A., 95, 583P
SHARMA, S.C. Further evidence that lipoygenase products of arachidonic acid play an essential role in the release of histamine from mast cells, 95, 672P
SHARMA, S.C. & GULATI, O.P. Erythrocyte stabilizing effect of a new flavonoid bencianol, 93, 209P
SHARMA, S.K. see CUMING, R., 93, 293P
- - - see RAVEN, P.D., 93, 292P
SHARP, T. see BACKUS, L.I., 96, 873P
- - - see KINGSTON, J., 94, 372P
SHARP, T., BRAMWELL, S.R., CLARK, D. & GRAHAME-SMITH, D.G. In vivo measurement of brain 5-HT release using microdialysis: changes in relation to 5-HT-ergic neuronal activity, 96, 865P
SHARP, T., BRAMWELL, S., MASKELL, L. & GRAHAME-SMITH, D.G. 5-HT₁ agonists reduce 5-HT release in rat hippocampus in vivo as determined by brain microdialysis, 93, 94P
SHAW, A.M. see FORSYTH, K.M., 95, 596P
SHAW, C.R. see GIBSON, A., 95, 599P
SHAW, D.J. see TAYLOR, S.G., 96, 795P
SHAW, G. see BILSKI, A.J., 94, 426P
SHAW, J.S. see CARROLL, J.A., 96, 904P
SHAW, M.A. see HEREPATH, M.L., 93, 298P
SHAW, M.A. & NICHOLLS, P.J. Amino-glutethimide and thymus weight in the rat, 94, 451P
SHEEHAN, M.J. see PALIJ, P., 94, 347P
SHELDON, R.S. see HILL, R.J., 93, 256P
SHELDON, R.L.G. see AHLUWALIA, A. 96, 721P
- - - see COLEMAN, R.A., 96, 724P
- - - see REEVES, J.J., 96, 805P
SHELDON, R.L.G., COLEMAN, R.A. & LUMLEY, P. Iloprost- a potent EP₁- and 1P-receptor agonist, 94, 334P
SHELL, D.J. see BEDWELL, S., 94, 413P
SHENG, H. see GILLESPIE, J.S., 94, 338P
SHREWSBURY-GEE, J. see HILLE, C., 96, 888P
SIAREY, R.J. see BROWN, J.M.C., 95, 479P

- - - see DOLIN, S.J., 96, 877P
- SILLS, M.A. see MURPHY, D.E., 93, 156P
- SILLS, M.A., LOO, P.S., BRAUNWALDER, A. F., LEHMANN, J. & WILLIAMS, M. Identification of compounds selective for the high and low affinity states of the central phencyclidine (PCP) receptor, 93, 154P
- SIM, M.F. see ALLCOCK, A.A., 94, 430P
- - - see FLETCHER, J., 96, 908P
- - - see YATES, D.B., 96, 818P
- SIMPSON, A.W., REEVES, M.L., MAGUIRE, J., HALLAM, T.J. & RINK, T.J. Effects of SK&F 94836, an inhibitor of "low Km" cyclic nucleotide phosphodiesterase, in human platelets, 96, 731P
- SIMPSON, M.D.C. see DEAKIN, J.F.W., 95, 484P
- SIMPSON, M.D.C., CROSS, A.J., SLATER, P. & REYNOLDS, G.P. [³H]-Nipecotic acid binding to GABA uptake sites in Huntingtons disease, 93, 158P
- SITBON, M. see TROUVE, R., 93, 211P
- SIVILOTTI, L. see NISTRI, A., 96, 891P
- SKAN, W.J. see DEAKIN, J.F.W., 95, 484P
- SKETT, P. & BERRY, L.A. The effect of C-AMP on steroid metabolism in isolated permeabilised rat hepatocytes, 94, 345P
- SKINGLE, M. see HALLIDAY, C.A., 96, 857P
- SLATER, N.A. see LUSCOMBE, G.P., 94, 378P
- SLATER, P. see DEAKIN, J.F.W., 95, 484P
- - - see SIMPSON, M.D.C., 93, 158P
- SLATER, P., MARTIN, D.A. & BLACKBURN, T. P. Is rotational behaviour in the rat a 5-HT_{1A} or 5-HT_{1B} mediated response? 93, 192P
- SLEIGHT, A.J. see CRESPI, F., 94, 392P
- SLEIGHT, A.J., MARSDEN, C.A. & PALFREYMAN, M.G. Chronic MAO A but not MAO B inhibition decreases 5-HT_{1A} mediated inhibition of forskolin-stimulated adenylate cyclase, 93, 95P
- SLEIGHT, A.J., SMITH, R.J., MARSDEN, C.A. & PALFREYMAN, M.G. Are the hyper- and hypophagic responses to 8-OHDPAT mediated by the same neuronal mechanisms? 96, 783P
- - - Is the hyperphagic response to 8-OH-DPAT a model for 5HT_{1A} receptor responsiveness? 96, 875P
- SMALL, R.C. see BOYLE, J.P., 93, 15P
- - - see BYWATER, R.A.R., 93, 16P
- SMET, E.G. see RAMPART, M., 93, 147P
- SMITH, B.H.E. see RANDALL, M.D., 96, 816P
- SMITH, C.F.C. see BERTIE, K., 94, 433P
- SMITH, D.A.S. & STONE, T.W. Variations in susceptibility of spontaneous depolarising shifts to magnesium in the mouse neocortical slice preparation, 95, 650P
- SMITH, D.A.S., BURTON, N.R. & STONE, T.W. Kyurenate distinguishes ibotenate from some other excitatory amino acids, 93, 159P
- SMITH, D.L. see LOVEDAY, M., 95, 518P
- SMITH, D.L., NGUYEN, N., FULKS, J. & WILLIS, A.L. The prostacyclin memetic RS93427 selective inhibition of platelet mitogen release from human platelets, 94, 417P
- SMITH, H.J. see AHMAD, B., 93, 215P
- - - see ATTERWILL, C.K., 96, 830P
- - - see LIVINGSTON, S.J., 95, 665P
- - - see POURGHOLAMI, M.H., 95, 591P
- SMITH, J.A.M. see HUGHES, J., 93, 310P
- SMITH, J.E. see DOWIE, L.J., 93, 288P
- SMITH, J.W. see STUBBS, D., 94, 364P
- - - see STUBBS, D., 94, 424P
- - - see STUBBS, D., 95, 564P
- - - see STUBBS, D., 95, 595P
- SMITH, P.A. see SELYANKO, A.A., 95, 648P
- - - see ZIDICHOSKI, J.A., 95, 647P
- SMITH, R.J. see SLEIGHT, A.J., 96, 783P
- - - see SLEIGHT, A.J., 96, 875P
- SMITH, R.L. see D'SOUZA, G.A., 95, 581P
- - - see HAYES, R.J., 95, 615P
- SMITH, S.F., TETLEY, T.D., GUZ, A. & FLOWER, R.J. Proteolytic destruction of lipocortin 1 by alveolar phagocytes from broncho-alveolar lavage fluid: protection by α_1 -antiprotease, 96, 772P
- SMITH, T.W. see NAKAMURA, M., 94, 368P
- SMITS, J.F.M. see SCHOEMAKER, R.G., 96, 716P
- SMYTH, B.J. & DAVIS, W.G. The effects of calcium channel blockers on gentamicin induced renal damage in spontaneously hypertensive Wistar rats, 95, 600P
- SNEDDON, J.M. see GALTON, S.A., 93, 223P

- - - see SALVEMINI, D., 95, 532P
- - - see SALVEMINI, D., 96, 728P
- SNEDDON, J.M., BEARPARK, T. & VANE, J.R.
Endothelial derived relaxing factor
(EDRF) inhibits platelet adhesion to
bovine endothelial cells, 93, 100P
- SNEDDON, P. see DALZIEL, H.H., 95,
713P
- SOARES-DA-SILVA, P. see GARRETT, M.C.,
96, 898P
- SOARES-DA-SILVA, P. & GARRETT, M.C.
The effect of inhibition of dopamine
synthesis on dihydroxyphenyl-acetic
acid (DOPAC) formation in rat brain,
96, 766P
- SOBEL, B.E. see DAUGHERTY, A., 96,
786P
- SOUBRIE, P. see JING, M., 95, 671P
- SOULIOTI, A.M.A., COBBOLD, P.H. & WOODS,
N.M. Do the preservatives methyl and
propyl hydroxybenzoate activate
protein kinase C? 93, 212P
- SOUNESS, J.E. see BANERJEE, A.K., 93,
289P
- SOUTHERTON, J.S. see BRAY, K.M., 93,
205P
- - - see BRAY, K.M., 93, 206P
- - - see BRAY, K.M., 96, 733P
- - - see MCHARG, A.D., 95, 642P
- - - see NEWGREEN, D.T., 93, 17P
- SPANJER, W. see HUGTENBURG, J.G., 93,
66P
- - - see HUGTENBURG, J.G., 93, 259P
- SPEAKMAN, E.A. & CHAPMAN, B.J. Possible
involvement of oxygen free radical
reactions in the cardiovascular
responses to burn injury of the
anaesthetised rat, 95, 696P
- SPEDDING, M. see BROWN, C.M., 93,
248P
- - - see CLARKE, B., 94, 464P
- - - see DAINTY, I.A., 95, 693P
- - - see FRASER, S., 94, 463P
- - - see PATMORE, L., 93, 71P
- SPENCER, P.S.J. see ROONEY, K.F., 95,
559P
- SPIERS, J.P., WILSON, R. & HARRON, D.W.
G. Effects of rilmenidine on baro-
reflex sensitivity in conscious dogs,
95, 698P
- SPINNEWYN, B. see BRAQUET, P., 93,
73P
- SPINNEWYN, B., BLAVET, N., MOREAU, J.P.,
PIROTZKY, E. & BRAQUET, P. Effect of
a somatostatin analogue, BIM 23014
and a specific PAF antagonist, BN 52021,
on cerebral ischaemia, 93, 75P
- SPOKES, R.A., LEE, Y.C. & BLOOM, S.R.
Effects of neuromedin-N and neurotensin
on net fluid flux across the small
bowel of the anaesthetised rat,
95, 577P
- SPONER, G. see FREUND, P., 93,
127P
- SPRAGGS, C.F. see BALL, M.T., 94,
465P
- - - see HILL, J.M., 94, 408P
- SPRIGGS, T.L.B. see MALLARD, N.J.,
93, 234P
- - - see MALLARD, N.J., 95, 639P
- STABLES, R. see CLAYTON, N.M.,
96, 725P
- - - see HUMPHRAY, J.M., 96,
749P
- - - see REEVES, J.J., 96, 805P
- STAHL, S.M. see BRAZELL, C., 93,
189P
- STAMFORD, J.A. see PALIJ, P.,
94, 347P
- STAMFORD, J.A., KRUK, Z.L., MILLAR,
J. & WIECZOREK, W.J. Changes in
stimulated dopamine efflux and
uptake in the rat basal ganglia
during senescence: in vivo
voltammetric data, 95, 659P
- STAMFORD, J.A., KRUK, Z.L. & MILLAR,
J. Effects of uptake inhibitors
on stimulated dopamine release
and uptake in the nucleus accumbens
studied by fast cyclic
voltammetry, 94, 348P
- STANFORD, S.C. see GETTINS, D.,
96, 887P
- STANFORD, S.C., GETTINS, D. & LITTLE
H.J. Evidence for deficits in
cardiac functions in vitro after
kindling in vivo with the anxio-
genic β -carboline, FG7142, 93,
183P
- STARKE, K. see MAYER, A., 95,
649P
- STASZEWSKA-WOOLLEY, J., WOOLLEY, G.
& REGOLI, D. Specific receptor
sites for the sympathetic cardiac
chemoreflex induced by bradykinin
in the dog, 95, 548P
- STEFANICH, E. see MICHEL, A.D.,
95, 512P
- STEIN, M. see KILFEATHER, S.A.,
95, 525P
- STENZEL, W. see ARMAH, B.I., 95,
490P
- STEVENS, T.R.J., DRASDO, A.L., PEER
S.H., HALL, N.D. & FLOWER, R.J.
Stimulus-specific inhibition of
human neutrophil H_2O_2 production
by human recombinant lipocortin 1
93, 139P
- STEVENSON, I.H. see JOHNSTON, P.C
95, 579P

- - - see YAU, J.L.W., 93, 178P
 STEWART, A.G. see DUSTING, G.J., 93, 101P
 STIRRAT, A.A. see MUIR, T.C., 95, 623P
 STOCK, M.J. & SUDERA, D.K. Schild analysis of β -adrenoceptor antagonist inhibition of brown adipocyte respiratory responses to novel β -adrenoceptor agonists, 96, 741P
 STOCLET, J.C. see BIGAUD, M., 93, 257P
 STONE, T.W. see BARTRUP, J.T., 94, 376P
 - - - see CONNICK, J.H., 93, 160P
 - - - see CONNICK, J.H., 95, 651P
 - - - see CONNOLLY, G.P., 96, 840P
 - - - see CONNOLLY, G.P., 96, 841P
 - - - see SMITH, D.A.S., 93, 159P
 - - - see SMITH, D.A.S., 95, 650P
 STORY, D.F. see BROADLEY, K.J., 93, 118P
 STRAUGHAN, D.W. see HALLIDAY, C.A., 96, 751P
 - - - see HALLIDAY, C.A., 96, 857P
 STRAW, R.M. see KENDALL, D.A., 96, 900P
 STREIN, K. see FREUND, P., 93, 127P
 STRONG, P.N. see WEIR, S.W., 93, 202P
 STRUPISH, J. see MOORE, J., 94, 394P
 - - - see NAHORSKI, S.R., 94, 363P
 STUART, E.F. see BAKHLE, Y.S., 96, 768P
 - - - see MCGLYNN, H., 95, 585P
 STUBBS, D., SMITH, J.W., DOWNING, O.A. & WILSON, K.A. Sources of calcium for contraction of rat femoral vein to α_1 - and α_2 -adrenoceptor stimulation, 94, 424P
 STUBBS, D., SMITH, J.W., WILSON, K.A. & DOWNING, O.A. cAMP levels in the femoral vein of the rat following α_1 - and α_2 -adrenoceptor stimulation, 95, 564P
 STUBBS, D., SMITH, J.W., THOMPSON, M., WILSON, K.A. & DOWNING, O.A. Stimulation of α_1 - but not of α_2 -adrenoceptors causes hydrolysis of phosphoinositides in the femoral vein of the rat, 94, 364P
 - - - α_1 - but not α_2 -selective agonists cause phosphoinositide hydrolysis in the femoral vein of the rat, 95, 595P
 STURGESS, N.C. see KOZLOWSKI, R.Z., 93, 296P
 SUDERA, D.K. see STOCK, M.J., 96, 741P
 SUER, A.H. see ALTINEL, A., 94, 468P
 - - - see MAKINDE, V., 93, 210P
 - - - see WALI, F.A., 95, 621P
 SUGRUE, M. see CONNAUGHTON, S., 95, 702P
 SULLIVAN, A.T. see COATES, J., 95, 492P
 SUMAN-CHAUHAN, N., WILLIAMS, B. & WATLING, K.J. Effects of selective NK-2 antagonists L-659,837 and L-659,874 on tachykinin-induced inositol phospholipid hydrolysis, 96, 747P
 SUMMERS, R.J. see LODGE, D., 93, 89P
 SUMNER, M.J. & HUMPHREY, P.P.A. Characterisation of the endothelial-dependent relaxation of neonatal porcine vena cava evoked by 5-hydroxytryptamine, 96, 788P
 SURIA, A. see SAEED, S.A., 94, 330P
 SUTCLIFFE, P.J.C. see MAHONY, M.T., 96, 885P
 SWEETMAN, A.J. see BAYDOON, A.R., 95, 694P
 - - - see MCCLAUGHLIN, N.J., 95, 636P
 TAGHAVI, Z. see GODFREY, P.P., 93, 151P
 TAHIR, J. see HOLLY, J., 93, 122P
 TAI, K.K. see LANCASTER, D.L., 94, 342P
 TAMARGO, J. see DELPON, E., 96, 823P
 - - - see VALENZUELA, C., 96, 822P
 TAN, M.H. see VOHRA, M.M., 95, 608P
 TANEJA, D.T. & LYLES, G.A. Further studies on the interactions between amine oxidase inhibitors and tryptamine-induced contractions of rat aorta, 93, 253P
 TANNIERE, M. see COLLINS, P.D., 94, 409P
 TANSEY, E.M. The first Home Office registration of 'Commercial Premises': the Wellcome Physiological Research Laboratories, 93, 57P
 TARANGER, M-A. see ANGEL, I., 93, 11P
 TATTERSALL, F.D. see BARNES, N.M., 93, 310P
 - - - see COSTALL, B., 94, 390P
 - - - see COSTALL, B., 96, 866P
 TAYLOR, E.M. see PARSONS, M.E., 93, 250P
 - - - see PARSONS, M.E., 93, 251P
 TAYLOR, G. see GUMBLETON, M., 94, 450P
 - - - see GUMBLETON, M., 96, 825P

- - - see SEWELL, R.D.E., 95, 612P
- TAYLOR, G.S. see BYWATER, R.A.R., 93, 16P
- TAYLOR, J.F. see ARCH, J.R.S., 96, 794P
- - - see TAYLOR, S.G., 96, 795P
- TAYLOR, S.G., BUMSTEAD, J., MORRIS, J.E. J., SHAW, D.J. & RAYLOR, J.F. Cromakalim inhibits cholinergic-mediated responses in human isolated bronchioles but not in guinea-pig airways, 96, 795P
- TEIXEIRA, F., MATOS BEJA, M., SERRA E SILVA, P., ALMEIDA, L., CABRITA, S. & MORGADINHO, M.T. The relationship of plasmatic cholesterol levels to vascular noradrenaline content in NWZ rabbits, 96, 787P
- TEMLETT, J.A., CHONG, P.N., OERTEL, W.H., JENNER, P. & MARSDEN, C.D. The D-1 agonist CY 208-243 reverses MPTP-induced motor deficits in the common marmoset, 93, 131P
- TEMPLETON, A. see MCGRATH, J.C., 95, 687P
- TEMPLETON, W.W. see BEVAN, K.A., 93, 174P
- TEOH, R. see CHAN, K., 95, 587P
- TETLEY, T.D. see SMITH, S.F., 96, 773P
- THIEMERMANN, C. see THOMAS, G.R., 95, 688P
- THIEMERMANN, C. & SCHROR, K. Protection of the ischaemic myocardium from reperfusion injury by a thromoxane (TX) receptor antagonist, 93, 146P
- THIEMERMANN, C., THOMAS, G.R., WALDER, C. & VANE, J.R. Defibrotide reduces infarct size in a rabbit model of acute myocardial ischaemia and reperfusion, 95, 497P
- THOM, S. see LEYS, K., 93, 295P
- - - see MARTIN, G., 96, 863P
- - - see SEVER, P.S., 93, 262P
- THOMAS, D. see PIPER, D., 94, 314P
- THOMAS, G.R. see THIEMERMANN, C., 95, 497P
- THOMAS, G.R., WALDER, C., THIEMERMANN, C. & VANE, J.R. Regional haemodynamic effects of endothelium-dependent vasodilators, 95, 688P
- THOMAS, K., BOOT, J.R., WOODHOUSE, S. & BAKER, S.R. The pharmacology of N-methyl LTC₄, a possible LTC₄ mimetic, 94, 411P
- THOMPSON, M. see STUBBS, D., 94, 364P
- - - see STUBBS, D., 95, 595P
- THOMPSON, M. see MACLEAN, M.R., 96, 815P
- THOMSON, N.C. see MCALPINE, L.G., 94, 461P
- - - see MCALPINE, L.G., 94, 462P
- - - see MCALPINE, L.G., 95, 526P
- THORNBUR, C.W. see BLACKBURN, T.P., 94, 473P
- - - see COX, B., 94, 473P
- THORNBURY, K.D. see ALLEN, J.M., 95, 569P
- THORNE, J. & BROADLEY, K.J. A broncho-constriction response to adenosine of guinea-pig perfused lungs, 93, 278P
- - - Effects of 8-PT and dipridamole on bronchoconstrictor and relaxant responses to adenosine, 96, 796P
- THORNTON, P.C. see PERKS, S.L., 93, 83P
- THURET, F. see CARTER, C.J., 93, 88P
- THURINGER, D. see ESCANDE, D., 96, 814P
- TINGLE, M.D. & PARK, B.K. The irreversible binding of drugs to protein in the presence of chlorine, 94, 443P
- TINKER, N.D. see CASEY, B.A., 95, 583P
- TIPPINS, J.R., CLARKE, J., LARKIN, S., YACOB, M. & MASERI, A. Investigation of the action of neuropeptide Y in the isolated human coronary artery, 94, 422P
- TIPPINS, J.R., MARZO, V.Di. & MORRIS, H.R. Bradykinin-stimulated release of peptidoleukotrienes from rat lung and its inhibition by vasoactive intestinal peptide, 94, 405P
- TOCZEK, J.M. see HUNTER, A.J., 96, 764P
- - - see ROBINSON, T.N., 96, 763P
- TODD, M.H. see KINGSBURY, M.P., 94, 419P
- - - see KINGSBURY, M.P., 94, 420P
- - - see KINGSBURY, M.P., 95, 703P
- TOMKIN, G. see MOORE, U., 95, 604P
- TOMKINS, D.M. see COSTALL, B., 96, 882P
- TOMLINSON, D.R. see EKSTROM, P., 96, 849P
- TOMLINSON, K.C. Impairment of angiotensin II pressor action in streptozotocin-treated rats is not dependent on vasopressin, 96, 738P
- TONOLO, G. see POLONIA, J.J., 96, 824P
- TORTELLA, F.C., ESCHAVARIA, E., PASTEL, R.H., COX, B. & BLACKBURN, T.P. Differential effects of

- ICI 169,369 and ritanserin on 24 H EEG sleep patterns in rats, 93, 196P
 - - - Differential effects of ICI 170,809 and ritanserin on 24 H EEG sleep patterns in rats, 94, 473P
 TOUVAY, C. see BRAQUET, P., 93, 73P
 TOUVAY, C., POISSON, V., MENCIA-HUERTA, J.M. & BRAQUET, P. Effect of a platelet-activating factor antagonist and cyclosporine A on PAF-induced bronchoconstriction in guinea-pigs, 93, 231P
 TRAYNOR, J.R. see FRANKLIN, T.G., 96, 861P
 TRAYNOR, J.R., HILL, R.G., HUGHES, J., HUNTER, J.C. & RODRIGUES, R.E.
 Δ binding sites in the spinal cords of various rodents, 94, 375P
 TREE, M. see POLONIA, J.J., 96, 824P
 TRICKLEBANK, M.D. see HIBERT, M., 93, 2P
 - - - see MOSER, P., 93, 3P
 TRIDGETT, R. see DONALD, A.E., 96, 892P
 TRIDGETT, R. & FOSTER, A.C. Prevention of NMDA receptor-mediated neurodegeneration in the rat stratum by an antagonist at the glycine modulatory site, 96, 890P
 TRIGGER, D.J. see GARD, P.R., 95, 686P
 TROUVE, R., NAHAS, G., DEMUS, J.F., SITBON, M. & LATOUR, C. Calcium channel modulators and cocaine lethal toxicity, 93, 211P
 TUCKER, G.T. see LANCASTER, D.L., 94, 342P
 - - - see MORRIS, C.Q., 95, 586P
 TUCKER, J.F. see GIBSON, A., 95, 507P
 TUFFIN, D.P. see LAD, N., 93, 232P
 TUGWELL, A.C. see ALTINEL, A., 94, 468P
 - - - see HAYTER, A.P., 93, 237P
 TURNER, M. see ANDREWS, H.E., 95, 697P
 TURNER, R.L. see CHANDER, C., 94, 456P
 - - - see CROSS, S.E., 96, 831P
 TURNER, W.D. see HEWSON, G., 93, 10P
 TYERS, M.B. see COSTALL, B., 93, 194P
 - - - see COSTALL, B., 93, 195P
 - - - see COSTALL, B., 96, 905P
 - - - see HAGAN, R.M., 96, 867P
 - - - see HALLIDAY, C.A., 96, 751P
 - - - see HALLIDAY, C.A., 96, 857P
 - - - see HIGGINS, G.A., 95, 504P
 - - - see KILPATRICK, G.J., 93, 310P
 - - - see KILPATRICK, G.J., 96, 871P
 - - - see OAKLEY, N.R., 96, 765P
 - - - see OAKLEY, N.R., 96, 870P
 TYLER, W., WATSON, S.P. & GODFREY, P. Study of a novel phosphoinositide-linked excitatory amino acid receptor sub-type in rat cerebral cortex, 93, 152P
 UPRICHARD, A.C.G. see HARRON, D.W. G., 95, 706P
 UPTON, N. see PIPER, D., 94, 314P
 URQUHART, C.J., WILSON, K.A., DOWNING, O.A. & LORD, J.A.H.
 Effect of inhibitors of ion transport on 5-HT induced increases in short circuit current in rat isolated jejunum, 94, 440P
 URQUHART, R.A. & BROADLEY, K.J. The effects of adenosine and noca upon noradrenaline and potassium contracted rabbit aorta, 94, 436P
 URQUHART, R.A., WILSON, A.N.A. & BROADLEY, K.J. Comparative effects of adenosine, L-PIA and carbachol upon isoprenaline responses of guinea-pig left atria and papillary muscles, 95, 635P
 VAGO, T. see MONOPOLI, A., 96, 810P
 VALE, A.L. & BALFOUR, D.J.K. Studies on the role of brain dopamine systems in the psychostimulant response to nicotine, 94, 373P
 VALE, F. see GIAO, J.M., 96, 804P
 VALENZUELA, C. see DELPON, E., 96, 823P
 VALENZUELA, C., DELPON, E. & TAMARGO, J. Effects of the combination of mexiletine and propafenone in guinea-pig papillary muscles, 96, 822P
 VALET, P. see KOENING-BERARD, E., 93, 249P
 VAN ANTWERP, D. see LOVEDAY, M., 95, 518P
 VAN CHARLDORP, K.J., DE JONGE, A., DAVIDESKO, D. & VAN ZWIETEN, P.A. Muscarinic receptor subtype involved in constriction of the isolated pig coronary artery, 93, 241P
 VAN DELFT, J.L. see DOMINGO, M.T., 93, 77P
 VAN DEN BOSSCHE, R. see BULT, H., 93, 102P
 VAN DER VLIET, H. see HENRICKS, P. A.J., 93, 48P
 VAN DER PLOEG, I. see FREDHOLM, B. B. 93, 107P
 VAN DIEST, M.J., VERBEUREN, T.J. & HERMAN, A.G. Relaxations to

- 15-hydroxyeicosatetraenoic acid (15HETE) in dog splenic artery, 93, 112P
- VANE, J.R. see ANTUNES, E., 95, 516P
- - - see BARRETT, M.L., 95, 689P
- - - see DE NUCCI, G., 93, 105P
- - - see DE NUCCI, G., 93, 306P
- - - see DE NUCCI, G., 95, 547P
- - - see D'ORLEANS-JUSTE, P., 95, 546P
- - - see D'ORLEANS-JUSTE, P., 96, 809P
- - - see GALTON, S.A., 93, 223P
- - - see GRYGLEWSKI, R., 93, 106P
- - - see SALVEMINI, D., 95, 532P
- - - see SALVEMINI, D., 96, 728P
- - - see SNEDDON, J.M., 93, 100P
- - - see THIEMERMANN, C., 95, 497P
- - - see THOMAS, G.R., 95, 688P
- - - see WARNER, T.D., 94, 335P
- - - see WARNER, T., 96, 723P
- VAN HAERINGEN, N.J. see DOMINGO, M.T., 93, 77P
- VAN HEININGEN, P.N.M. & VAN ZWIETEN, P.A. Difference in calcium-dependency of angiotensin 11-induced contractions of isolated aortic preparations of rat and guinea-pig, 93, 117P
- VAN HOYDONCK, A-E. see VERBEUREN, T.J., 93, 104P
- VAN OEIJEN, E., LEEUWIN, R.S. & VAN WILGENBURG, H. Effects of two benzodiazepines on neuro-muscular transmission after tetanic stimulation of the rat phrenic nerve, 95, 607P
- VAN WILGENBURG, H. see VAN OEIJEN, E., 95, 607P
- VAN WILGENBURG, H. & VERSLUIJS-BROERS, J.A.M. Muscarinic antagonists suppress prejunctional effects of anticholinesterase, 95, 630P
- VAN ZWIETEN, P.A. see BODDEKE, H.W.G., 93, 65P
- - - see HUGTENBURG, J.G., 93, 66P
- - - see HUGTENBURG, J.G., 93, 259P
- - - see JAP, T.J.W., 93, 258P
- - - see VAN CHARLDORP, K.J., 93, 241P
- - - see VAN HEININGEN, P.N.M., 93, 117P
- VAZ DA SILVA, M.J. & MOURA, D. α -adrenoceptor reserve and the rightward shift of the dose-response curves caused by phenoxybenzamine, 96, 855P
- VAZ DA SILVA, M. see BRANDAO, F., 96, 845P
- VELDSEMA-CURRIE, R. see BODDEKE, H.W.G. M., 93, 65P
- - - see HUGTENBURG, J.G., 93, 66P
- - - see JAP, T.J.W., 93, 258P
- VERBERNE, A.J.M. see LODGE, D., 93, 89P
- VERBEUREN, T.J., KOENIG-BERARD, E. & HERMAN, A.G. Contractions to the α_2 -adrenoceptor agonist rilmenidine in rat and rabbit aortas and in perfused rat kidneys, 95, 572P
- VERBEUREN, T.J., JORDAENS, F.H., VAN HOYDONCK, A-E. & HERMAN, A.G. Release of and relaxation induced by endothelium-derived relaxing factor in atherosclerotic rabbit aorta, 93, 104P
- VERBEY, N.L.J. see DOMINGO, M.T., 93, 77P
- VERDOUW, P.D. see BOM, A.H., 94, 327P
- - - see BOM, A.H., 96, 789P
- VERE, D.E. see BURGESS, A.M.C., A.M.C., 93, 280P
- VERSLUIJS-BROERS, J.A.M. see VAN WILGENBURG, H., 95, 630P
- VERVEUREN, T.J. see VAN DIEST, M.J., 93, 112P
- VIGE, X. & BRILEY, M. Loss of scopolamine-induced up-regulation of muscarinic receptors by meynert lesions in the rat, 94, 381P
- VISWALINGHAM, A., CALDWELL, J., FOURNEL, S., SCHLADT, L. & OESCH, F. Hepatic effects of cinnamyl anthranilate resemble those of a peroxisome proliferator in a mouse but not rat, 93, 32P
- VOHRA, M.M. see HAN, X., 95, 590P
- VOHRA, M.M., TAN, M.H. & BLACK, S.C. Risperital juvenile-onset diabetes and the sympathetic nervous system, 95, 608P
- WADDINGTON, J.L. see MURRAY, A.M., 93, 130P
- - - see MURRAY, A.M., 95, 562P
- - - see O'BOYLE, K.M., 93, 132P
- - - see O'BOYLE, K.M., 95, 560P
- WADE, R.C. The design of anti-influenza agents, 95, 588P
- WADSWORTH, R.M. see AMATYA, M.P., 95, 692P
- - - see GAW, A.J., 94, 326P
- - - see KWAN, Y.W., 93, 270P
- - - see KWAN, Y.W., 94, 353P
- - - see MCDONALD, A., 95, 712P
- - - see NIXON, G.F., 94, 357P
- WAINWRIGHT, C.L. see BIGAUD, M., 93, 257P
- WALDER, C. see THIEMERMANN, C., 95, 497P
- WALDER, C. see THOMAS, G.R., 95, 688P
- WALI, F.A. see ALTINEL, A., 94,

- 468P
- - - see BRAIN, A.I., 96, 843P
 - - - see GREENIDGE, E., 95, 622P
 - - - see GREENIDGE, E., 96, 844P
 - - - see HAYTER, A.P., 93, 237P
 - - - see MAKINDE, V., 93, 210P
 - WALI, F.A. & SUER, A.H. Diaphragmatic fatigue induced by prolonged intermittent electrical stimulation of rat isolated phrenic nerve-diaphragm preparation, 95, 621P
 - WALI, F.A., DARK, C.H., ALTINEL, A. & JONES, C.J. The effect of glycopyrrolate on neuromuscular transmission in the rat phrenic nerve-diaphragm preparation, 94, 469P
 - WALI, F.A., MAKINDE, V. & ALTINEL, A. Effect of mepyramine on the contractions produced by atracurium and other muscle relaxants in rat isolated ileum, 93, 236P
 - WALKER, J.A.L. see BENTLEY, P.K., 96, 827P
 - WALKER, J.R., BARTON, H., GAPINSKI, M. & MALLETT, B. Inhibition of the neutropenia following I.V. antigen challenge of sensitised guinea-pigs by a LTB₄ antagonist, 96, 801P
 - WALKER, R.J. see HOLDEN-DYE, L., 96, 761P
 - WALLACE, G. see OBEN, J.A., 95, 534P
 - WALLACE, H.M. see COLEMAN, C.S., 94, 452P
 - WALLIS, D.I. see CONNELL, L.A., 93, 92P
 - - - see ELLIOTT, P., 93, 93P
 - WALLNOFER, A. see LATEGAN, T.W., 94, 418P
 - WALSH, D.M. see HALLIDAY, C.A., 96, 751P
 - - - see HALLIDAY, C.A., 96, 857P
 - WALSH, L.P. & ZEITLIN, I.J. Topical and systemic administration of prednisolone and 5-aminosalicylic acid in an immune-complex model of colitis, 95, 603P
 - WALSH, T. see BORTON, M., 95, 502P
 - WALTER, G.A. see O'REGAN, M.H., 95, 551P
 - WAN, B.Y.C. see PERKS, S.L., 93, 83P
 - WANG, X.L. see BRODDE, O.-E., 93, 27P
 - WARD, S.G., CANTRELL, D. & WESTWICK, J. Inhibition by staurosporine of mitogen- and antibody-induced calcium mobilisation in human T lymphoblasts, 95, 529P
 - WARD, S.G., PLEASS, R.D. & WESTWICK, J. Transition metals and pertussis toxin modulate PAF-induced rise in cytosolic free calcium ion concentration of U937 cells, 93, 74P
 - WARNER, T. see DE NUCCI, G., 93, 105P
 - - - see DE NUCCI, G., 93, 306P
 - - - see DE NUCCI, G., 95, 547P
 - - - see GRYGLEWSKI, R., 93, 106P
 - WARNER, T.D., DE NUCCI, G. & VANE, J.R. Comparison of the survival of EDRF and nitric oxide (NO) within the isolated perfused mesentery of the rat, 94, 335P
 - - - Release of EDRF by endothelin in the rat isolated perfused mesentery, 96, 723P
 - WASHINGTON, C. see WILSON, C.G., 96, 909P
 - WASHINGTON, N. see WILSON, C.G., 96, 909P
 - WATERFALL, J.F. see BRAY, K.M., 96, 733P
 - - - see BURDEN, D.T., 93, 254P
 - - - see COWLRICK, I.S., 95, 640P
 - WATERMAN, A.E. see LEY, S.J., 94, 369P
 - WATERS, C.M., DOWNING, O.A. & WILSON, K.A. Effect of hypoxia upon noradrenaline induced calcium accumulation in rat arteries, 94, 356P
 - WATKINS, J.C. see CRAWFORD, M., 96, 894P
 - WATKINS, R.J. see ALI, I.M., 95, 605P
 - WATLING, K.J. see SUMAN-CHAUHAN, N., 96, 747P
 - WATSON, J. see LANGLANDS, J.M., 95, 510P
 - WATSON, M.L., LEWIS, G.P. & WESTWICK, J. Cytokine-induced increases in rabbit skin vascular permeability, 93, 144P
 - WATSON, S.P. see TYLER, W., 93, 152P
 - - - see WILKINS, C.J., 93, 153P
 - WAYNE, M. see JESSUP, C.L., 95, 675P
 - - - see JESSUP, C.L., 95, 676P
 - WEBBER, S.E., SALONEN, R.O. & WIDDICOMBE, J.G. Characterisation of H₁ and H₂-receptor function in the tracheal circulation of sheep, 93, 33P
 - WEETMAN, D.F. see PATEL, M., 95, 575P
 - - - see PATEL, M., 95, 704P
 - WEIR, S.W. see SCHOLTYSIK, G., 93, 125P
 - WEIR, S.W. & STRONG, P.N. Inhibition of BRL34915-stimulated ⁸⁶Rb⁺ efflux in rabbit aorta by fractionated leiurus quinquestriatus

- hebraeus scorpion venom, 93, 202P
- WEIR, S.W. & WESTON, A.H. Effect of apamin on the inhibitory actions of sodium nitroprusside and sodium azide on the guinea-pig taenia caeci, 93, 18P
- WELLS, E. see CAMPBELL, A.M., 93, 50P
- - - see CARR, R.D., 95, 487P
- - - see CARR, R.D., 95, 592P
- WELLS, F.C. see HALL, J.A., 93, 116P
- - - see KAUMANN, A.J., 95, 565P
- WERMELSKIRCHEN, D. see HEERS, C., 93, 273P
- - - see KOCH, P., 93, 123P
- - - see KOCH, P., 93, 271P
- WESSLER, I., ANSCHUTZ, S. & LADWEIN, E. Facilitatory α - and β -adrenoceptors on the rat phrenic nerve, 93, 28P
- WESTMACOTT, D. see WILSON, S.E., 94, 448P
- WESTON, A.H. see BRAY, K.M., 93, 205P
- - - see BRAY, K.M., 93, 206P
- - - see BRAY, K.M., 96, 733P
- - - see HOLLINGSWORTH, M., 93, 199P
- - - see MCHARG, A.D., 95, 642P
- - - see NEWGREEN, D.T., 93, 17P
- - - see WEIR, S.W., 93, 18P
- WESTWICK, J. see CAIRNS, H.S., 95, 573P
- - - see WARD, S.G., 93, 74P
- - - see WARD, S.G., 95, 529P
- - - see WATSON, M.L., 93, 144P
- WESTWICK, J. & PLEASS, R. Action of ICI 198615, a peptide leukotriene antagonist, on receptor-operated calcium mobilisation in U937 cells, 95, 530P
- WESTWOOD, N.N. see BRYAN, L.J., 95, 539P
- WHALLEY, H. & OLDHAM, A.A. Effect of ischaemia on the response of the in situ, blood perfused rat mesentery, 93, 67P
- WHELPTON, R. Microcomputer pharmacokinetic curve fitting using the method of residuals with "on screen" line drawing, 96, 907P
- WHITE, B.P. see COLEMAN, R.A., 96, 724P
- - - see LUMLEY, P., 93, 43P
- - - see LUMLEY, P., 95, 685P
- WHITE, P.M. see WINN, M.J., 96, 835P
- WHITEHEAD, C.J. see MAY, C.N., 93, 58P
- WHITING, E.M. see GROWCOTT, J.W., 93, 264P
- WHITING, M.V. see CAMBRIDGE, D., 96, 715P
- WHITING, R.L. see ADHAM, N., 95, 628P
- - - see BROWN, C.M., 93, 248P
- - - see DAINTY, I.A., 93, 240P
- - - see EGLEN, R.M., 95, 511P
- - - see KUNYSZ, E.A., 95, 629P
- - - see MICHEL, A.D., 95, 512P
- - - see MONTGOMERY, W.W., 95, 627P
- WHITTINGTON, M.A. see BROWN, J.M.C., 95, 479P
- - - see DOLIN, S.J., 96, 877P
- WHITTINGTON, M.A. & LITTLE, H.J. Nitrendipine prevents the thanol withdrawal syndrome, when administered chronically with ethanol, prior to withdrawal, 94, 385P
- WHITTLE, B.J.R. see BOUGHTON-SMITH, N.K., 93, 109P
- - - see CAMBRIDGE, D., 95, 708P
- - - see ESPLUGUES, J.V., 95, 533P
- - - see FITZGERALD, M.F., 93, 220P
- - - see MCCALL, T., 95, 517P
- WHITTLE, M.J. see MCGRATH, J.C., 95, 687P
- WHITWORTH, P. & KENDALL, D.A. Different effects of chronic lithium treatment on muscarinic receptor responses in rat brain, 95, 550P
- WIDDICOMBE, J.G. see WEBBER, S.E., 93, 33P
- WIECZOREK, W.J. see STAMFORD, J.A., 95, 659P
- WILDING, I.R. see WILSON, C.G., 96, 909P
- WILFFERT, B. see BODDEKE, H.W.G.M., 93, 65P
- - - see HEERS, C., 93, 273P
- - - see KOCH, P., 93, 123P
- - - see KOCH, P., 93, 271P
- - - see SCHNEIDER, J., 93, 272P
- WILHELM, D. see HEERS, C., 93, 273P
- - - see KOCH, P., 93, 123P
- - - see KOCH, P., 93, 271P
- WILKINS, C.J., GODFREY, P.P. & WATSON, S.P. MK-801 blocks NMDA but not kainate-mediated inhibition of stimulated inositol turnover in rat cerebral cortex, 93, 153P
- WILKINSON, D. see NORRIS, A.A., 93, 44P
- WILKINSON, L.O., MARTIN, K.F., AUERBACH, S.B., MARSDEN, C.A. & JACOBS, B.L. Relationship between dialysate 5HT and raphe unit activity in freely moving cats, 96, 872P
- WILKINSON, S.J. see RAMAGE, A.G., 93, 121P

- - - see RAMAGE, A.G., 95, 567P
- WILLCOCKS, A.L. see NAHORSKI, S.R., 94, 363P
- WILLIAMS, B. see SUMAN-CHAUHAN, N., 96, 747P
- WILLIAMS, C. see BARWELL, C.J., 93, 190P
- WILLIAMS, F.M. see COLLINS, P.D., 94, 409P
- WILLIAMS, K.I. see DOUGLAS, G.J., 94, 371P
- WILLIAMS, M. see MURPHY, D.E., 93, 156P
- - - see SILLS, M.A., 93, 154P
- WILLIAMS, T.J. see BRAIN, S.D., 96, 717P
- - - see CLARKE, E.J., 93, 81P
- - - see COLLINS, P.D., 94, 409P
- - - see HELLEWELL, P.G., 95, 531P
- - - see NOURSHARGH, S., 93, 142P
- - - see RAMPART, M., 93, 147P
- - - see YARWOOD, H., 96, 726P
- WILLIS, A.L. see BAJKA, E., 94, 415P
- - - see BARRETT, M.L., 95, 689P
- - - see JACKSON, S., 94, 473P
- - - see LOVEDAY, M., 95, 518P
- - - see SMITH, D.L., 94, 417P
- WILLOUGHBY, D.A. see DESA, F.M., 95, 678P
- - - see HOWAT, D.W., 95, 679P
- - - see HOWAT, D.W., 96, 799P
- WILSEY, C. see GIBSON, A., 95, 507P
- WILSON, A.N.A. see URQUHART, R.A., 95, 635P
- WILSON, A.N.A. & BROADLEY, K.J.
Isoprenaline responses on the guinea-pig atria and the effect of endogenous adenosine, 94, 435P
- WILSON, C. Comparative effects of cromakalim on contractions to noradrenaline and caffeine in rabbit isolated renal artery, 95, 570P
- - - Influence of KCl concentration on the inhibitory activity of cromakalim against contractions to various spasmogens, 95, 641P
- WILSON, C., BUCKINGHAM, R.E., MOOTOO, S., PARROTT, L.S., HAMILTON, T.C., PRATT, S.C. & CAWTHORNE, M.A.
In vivo and in vitro studies of cromakalim (BRL 34915) and glibenclamide in the rat, 93, 126P
- WILSON, C.G., WASHINGTON, N., LESLIE, P. A., WILDING, I.R. & WASHINGTON, C.
The use of stella software for the teaching of pharmacokinetics in the undergraduate pharmacy and medical sciences courses, 96, 909P
- WILSON, E.P. see MCALPINE, L.G., 94, 461P
- - - see MCALPINE, L.G., 94, 462P
- - - see MCALPINE, L.G., 95, 526P
- WILSON, K.A. see STUBBS, D., 94, 364P
- - - see STUBBS, D., 94, 424P
- - - see STUBBS, D., 95, 564P
- - - see STUBBS, D., 95, 595P
- - - see URQUHART, C.J., 94, 440P
- - - see WATERS, C.M., 94, 356P
- - - see JONES, R.L., 93, 45P
- - - see LAWRENCE, R.A., 95, 680P
- WILSON, R. see HARRON, D.W.G., 95, 706P
- - - see SPIERS, J.P., 95, 698P
- WILSON, S.E., HAWKES, J.E., BRADSHAW, D. & WESTMACOTT, D. The effect of sulphasalazine and its metabolites on collagen arthritis in the mouse, 94, 448P
- WILSON, V.G. see DALY, C.J., 95, 699P
- WILSON, W.S. Timolol reduces intra-ocular pressure in the isolated, arterially perfused bovine eye, 94, 346P
- WILSON, V.G. see BULLOCH, J.M., 95, 563P
- WILSONCROFT, P. see DIXON, E.J.A., 93, 218P
- WINCH, G.J.B. & BALFOUR, D.J.K.
Evidence that nicotine does not evoke the release of vesicular dopamine from striatal slices, 94, 350P
- WINN, B.K. see PRATT, S.K., 96, 828P
- WINN, M.J. see CHESS-WILLIAMS, R., 94, 432P
- - - see CHOLERTON, S., 93, 30P
- - - see PRATT, S.K., 95, 617P
- WINN, M.J., SCOTT, A.K., WHITE, P.M., PRATT, S.K. & PARK, B.K. Oral administration of a new formulation of vitamin K₁ to rabbits, 96, 835P
- WINSTANLEY, P., EDWARDS, G., CURTIS, C., ORME, M., POWELL, G. & BRECKENRIDGE, A. Tissue distribution and excretion of amodiaquine in the rat, 93, 310P
- WISE, H. see HALLIDAY, C.A., 96, 751P
- - - see HALLIDAY, C.A., 96, 857P
- WISHKA, D.G. see RICHARDS, I.M., 96, 770P
- WITHNALL, M.T. see BANERJEE, A.K., 93, 289P
- WITHRINGTON, P.G. see DHUME, V.G., 93, 261P
- WOLF, C.R. see BALL, S.E., 94, 449P

- WONG, C.L. see CHAN, K., 95, 587P
WONG, E.H.F. see PRICE, G.W., 95, 485P
WONG, E.H.F., CASTRO, S., MCKERNAN, R.M. & POAT, J.A. Solubilization of the N-methyl-D-aspartate receptor from rat brain, 94, 322P
WOO, J. see CHAN, K., 95, 587P
WOOD, B.E. see BLACKHAM, A., 95, 536P
WOOD, B.E., GRIFFITHS, R.J., LI, S.W., BLACKHAM, A. & ENTWISTLE, N. Effect of phenidone, indomethacin and dexamethasone on zymosan induced peritoneal inflammation in the rat, 94, 416P
WOOD, D. see ALI, I.M., 95, 605P
- - - see ALYAMI, A.M., 94, 467P
WOOD, E. see SALVEMINI, D., 96, 728P
WOOD, L.M. see EDEN, R.J., 96, 859P
- - - see GRISTWOOD, R.W., 93, 63P
WOODHOUSE, S. see THOMAS, K., 94, 411P
WOODRUFF, G.N. see GRAHAM, W.C., 95, 557P
- - - see HORNE, A.L., 96, 758P
- - - see HUDSON, A.L., 95, 486P
- - - see KEMP, J.A., 96, 760P
WOODS, H.F. see LANCASTER, D.L., 94, 342P
- - - see MORRIS, C.Q., 95, 586P
WOODS, N.M. see SOULIOTI, A.M.A., 93, 212P
WOODWARD, B. see BAYDOUN, A.R., 95, 549P
WOOLLEY, G. see STASZEWSKA-WOOLLEY, J., 95, 548P
WORCEL, M. see HAMON, G., 93, 265P
WORMS, P. see JING, M., 95, 671P
WOUTERS, W. see FRETELER, G.H., 95, 494P
WOUTERS, W., DRETELER, G.H. & BEVAN, P. Cardiovascular studies with the 5-HT_{1A} agonist flesinoxan in rats, 95, 495P
-WRAY, D.W. see LEES, G., 96, 774P
WRIGHT, A. see EDEN, R.J., 93, 128P
WRIGHT, I.K. see IRELAND, S.J., 93, 85P
WRIGHT, P.W. see PARSONS, M.E., 93, 250P
WYNNE, R.D. see LUSCOMBE, G.P., 94, 378P

XIANG, J-Z. see MANTZOURIDIS, T., 95, 645P
XIANG, J-Z, MANTOURIDIS, T., ADAMSON, P., HAJIMOHAMMADREZA, I., BRAMMER, M.J. & CAMPBELL, I.C. α_2 -adrenoceptor and κ -opiate receptor mediated effects on intrasynaptosomal free $[Ca^{2+}]_i$ involve blockade of an N-type Ca^{2+} -channel, 95, 597P

YAACOB, H.B. see PIPER, P.J., 93, 111P
YAACOB, H.B. & PIPER, P.J. The effects of PAF-antagonist WEB 2086 on PAF-induced responses in guinea-pig isolated hearts and in cardiac anaphylaxis, 95, 521P
YACOB, M. see TIPPINS, J.R., 94, 422P
YAKUBU, M.A., HAMILTON, C.A. & REID, J.L. Some effects of amitriptyline and idazoxan on adrenoceptor number in rabbit brain, 95, 655P
YARWOOD, H., NOURGHARGH, S., BRAIN, S.D. & WILLIAMS, T.J. Suppression of neutrophil-dependent oedema by dexamethasone in rabbit skin, 96, 726P
YATES, D.B. Effects of flosequinan, a novel arteriovenous dilating agent on isolated smooth muscle, 94, 431P
YATES, D.B. & HICKS, G.R. Effects of flosequinan on guinea-pig atria and on cardiac variables in the anaesthetised dog, 95, 711P
YATES, D.B. & HO,ES, J.R. Effect of flosequinan and other vasorelaxants on rat aortic contractions stimulated by noradrenaline and phorbol ester, 96, 819P
YATES, D.B., PARKINSON, R., CASSON, H.C.R. & SIM, M.F. Effects of flosequinan, administered intravenously in conscious cats and dogs, 96, 818P
YATES, M.S. see PANJESHAHIN, M.R., 93, 287P
YAU, J.L.W., BALFOUR, D.J.K. & STEVENSON, I.H. Pentobarbitone and 5 β -pregnan-3 α -20-ONE: modulators of the GABA_A receptor complex, 93, 178P
YEADON, M. & KITCHEN, I. *In vivo* pA₂ studies using naloxone infusions reveal multiple sites mediating opioid depression of respiration, 93, 82P
YEATS, D.A. see BAKHLE, Y.S., 93, 46P
YOUNG, C.S. see HILL, S.J., 93, 90P
YOUNG, J.M. see CRAWFORD, M.L.A., 96, 762P

ZACKRISSON, C. see KARLSSON, J.-A.,
93, 55P

ZAKRZEWSKI, J.T., SAMPSON, A.P., EVANS,
J.M., BARNES, N.C., PIPER, P.J. &
COSTELLO, J.F. Metabolism of
exogenous leukotriene C in blood of
normal and asthmatic subjects, 93,
108P

ZAR, M.A. see IRAVANI, M.M., 93, 286P

ZARIFIAN, E. see GALZIN, A-M., 93,
12P

GAZZI-SUDRIEZ, E. see DUMEZ, D., 93,
201P

ZEEGERS, A. see BEUSENBERG, F.D., 95,
606P

ZEITLIN, I.J. see CHAKDER, S.K., 95,
601P

- - - see WALSH, L.P., 95, 603P

ZEMAN, S. see ARAM, J.A., 93, 161P

ZERKOWSKI, H.-R. see BRODDE, O.-E.,
93, 27P

ZETTERSTROM, T. & FILLENZ, M. Changes
in striatal dopamine, ascorbic acid
and motor activity in rats after
administration of dopamine receptor
agonists, 93, 149P

ZIDICHOUSKI, J.A. see SELYANKO, A.A.,
95, 648P

ZIDICHOUSKI, J.A., SELYANKO, A.A. & SMITH,
P.A. Investigation of the trans-
duction mechanism for muscarine-induced
currents in amphibian sympathetic
neurons, 95, 647P

ZIVKOVIC, B. see CARTER, C.J., 93,
88P

- - - see SCATTON, B., 93, 4P

ZWEIFEL, B.S. see DAUGHERTY, A., 96,
786P

SUBJECT INDEX

- A1-receptors, 96, 889P
 Absorption, 96, 835P, 836P
 ACE inhibition/ β -adrenoceptor blockade, 96, 715P
 ACE inhibitors, 93, 254P; 95, 487P, 592P, 709P
 Acetorphan, 95, 665P
 Acetylation, 94, 445P
 Acetylcholine, 95, 519P; 96, 844P, 853P, 885P
 Acetylcholine-induced relaxation, 96, 720P
 Acetylcholine release, 93, 299P; 94, 383P
 [^3H]-acetylcholine release, 93, 28P
 N-acetylcysteine, 96, 768P
 N-acetyltransferase, 94, 454P
 Acid/base changes, 93, 161P
 Adenosine, 93, 38P, 278P; 94, 376P, 435P, 436P; 95, 635P, 651P; 96, 785P, 796P, 812P, 839P, 840P, 841P
 Adenosine acid, 93, 311P
 Adenosine analogues, 96, 734P; 96, 889P
 Adenosine antagonists, 96, 878P
 Adenosine 3',5'-monophosphate, cyclic, 93, 37P, 40P, 107P, 290P; 94, 345P, 404P; 95, 481P, 488P, 510P, 553P, 554P, 564P; 96, 762P, 900P, 901P
 Adenosine 3',5'-monophosphate, cyclic - dependent protein kinase, 93, 39P; 95, 513P, 565P; 96, 748P
 Adenosine A₂ receptors, 95, 514P
 Adenosine receptors, 93, 235P; 94, 423P
 S-adenosyl-l-methionine, 96, 800P
 Adenylate cyclase, 93, 68P, 95P, 132P, 135P; 94, 351P; 95, 514P, 515P, 527P, 552P
 Adibendan, 93, 127P
 Adrenaline, 93, 229P; 95, 613P, 647P, 648P
 Adrenal medulla, 93, 36P
 Adrenergic agonists, 96, 811P
 Adrenergic antagonists, 94, 380P
 Adrenergic function in diabetes, 95, 608P
 α -adrenergic mechanism, 93, 282P
 Adrenergic neurotransmission, 93, 286P
 Adrenergic receptors, 96, 810P
 α_1 -adrenoceptor agonist, 96, 860P
 β -adrenoceptor agonists, 96, 742P
 α -adrenoceptor antagonists, 93, 234P
 α_1 -adrenoceptor antagonists, 96, 752P
 α_2 -adrenoceptor antagonists, 94, 433P; 96, 751P, 857P
 β -adrenoceptor antagonists, 94, 389P; 96, 741P
 β_2 -adrenoceptor antagonists, 96, 817P
 α_2 -adrenoceptor behaviours, 96, 781P
 β -adrenoceptor blockade, 94, 419P, 420P; 95, 703P, 709P
 β -adrenoceptor blockers, 93, 260P
 β -adrenoceptor down-regulation, 94, 379P
 α_2 -adrenoceptor function, central, 93, 133P, 168P
 α_1 -adrenoceptor-mediated contraction, 93, 271P
 α -adrenoceptor reserve, 96, 855P
 Adrenoceptors, 93, 268P; 94, 329P; 95, 655P
 α -adrenoceptors, 93, 22P, 119P; 94, 364P, 424P; 95, 492P, 543P, 564P, 595P, 693P, 699P, 701P; 96, 754P
 α_1 -adrenoceptors, 93, 22P, 171P; 95, 566P, 568P, 656P, 704P, 705P; 96, 883P
 α_2 -adrenoceptors, 93, 20P, 169P, 274P; 94, 317P, 380P; 95, 502P, 569P, 572P, 597P, 657P, 702P; 96, 780P, 815P, 856P
 β -adrenoceptors, 93, 27P, 277P; 94, 324P, 325P; 95, 525P, 565P, 627P, 634P, 637P, 644P; 96, 740P, 804P, 820P, 887P
 β_1 -adrenoceptors, 93, 27P
 β_2 -adrenoceptors, 93, 27P, 116P
 Adrenoceptors, atypical, 93, 21P
 β -adrenoceptors, prejunctional, 93, 118P
 α_2 -adrenoceptors, presynaptic, 96, 750P
 β -adrenoceptor subtypes, 94, 379P
 Adrenocortical steroidogenesis, 93, 288P
 Aequorin, 93, 212P
 Age, 93, 72P
 Aging, 95, 659P
 Aggregation, 94, 421P
 β_2 -agonist, long acting, 95, 540P
 κ -agonist, 93, 282P
 α_2 -agonist, 95, 698P
 α_1 -agonists, selective, 96, 856P
 Agonist affinity calculation, 93, 277P

Agonist, inverse, 93, 183P
 β -agonists, 94, 366P
 Airway epithelium, 93, 49P, 52P
 Airway hyper-reactivity, 93, 53P
 Airway inflammation, 96, 769P
 Airways, 94, 336P
 Airways, smooth muscle, 94, 458P, 461P, 462P; 95, 526P; 96, 778P
 Alcohol, 96, 881P
 Alcohol consumption, 96, 870P
 Allergic inflammation, 93, 142P
 Allopurinol, 95, 551P
 Allosterism, 94, 473P
 Alprenolol, 95, 541P
 Aluminium, 94, 441P
 Amiloride, 93, 83P
 Amine content, 95, 673P
 Amino acid, 93, 160P
 Amino acid receptors, 94, 473P
 Amino acid transmitters, 94, 377P
 DL α amino adipate, 95, 652P
 2-amino-6-allyl-5,6,7,8-tetrahydro-4H-thiazolo(4,5-d)-azepine, 93, 150P
 Aminobutyrate aminotransferase, 95, 619P
 γ -aminobutyric acid, 93, 84P, 158P, 181P; 96, 736P, 761P, 763P
 γ -aminobutyric acid_B, 95, 476P
 γ -aminobutyric acid_B antagonists, 96, 762P, 763P
 γ -aminobutyric acid_A receptors, 93, 178P; 95, 478P; 96, 776P, 887P
 γ -aminobutyric acid receptors, 96, 760P
 γ -aminobutyric acid uptake sites, 96, 899P
 Aminogluthethimide, 93, 215P, 311P; 94, 442P, 451P; 95, 611P; 96, 829P
 δ -aminolaevulinic acid, 96, 736P
 4-aminopyridine, 94, 383P
 5-aminosalicylic acid, 95, 603P
 Amitriptyline, 94, 370P; 95, 655P; 96, 838P
 Amodiaquine, 93, 310P
 Anaesthetics, 93, 84P; 94, 450P; 95, 612P, 653P; 96, 825P
 Anaesthetised dog, 96, 858P
 Analgesia, 93, 172P, 182P; 95, 505P
 Anaphylactic bronchoconstriction, 96, 769P
 Anaphylaxis, 93, 220P; 95, 538P
 Angiotensin, 93, 303P
 Angiotensin II, 93, 37P, 117P; 95, 699P; 96, 738P
 Angiotensin converting enzyme, 96, 882P
 Animal models, 93, 195P; 95, 603P
 Animal Act, 93, 57P
 Anoccygeus, mouse, 93, 300P; 95, 507P, 599P
 Anorectics, 93, 187P
 Anorexia, 93, 10P, 11P; 94, 315P, 473P, 660P
 Antagonism, non-competitive, 95, 575P
 Antagonist, 94, 336P
 α -antagonist, 95, 490P
 Anti-C5A antibodies, 95, 531P
 Antiarrhythmic effects, 93, 273P
 Antiarrhythmics, 93, 63P, 64P, 256P
 Antibodies, 95, 579P
 Anticholinesterases, 95, 630P
 Anticonvulsant tolerance, 95, 667P
 Antidepressants, 94, 372P, 379P; 95, 656P; 96, 784P, 885P, 896P
 Antihypertension, 95, 487P, 709P
 Anti-inflammatory activity, 94, 446P; 96, 800P
 Antimalarial drugs, 93, 31P; 94, 342P
 Antinociception, 93, 173P; 94, 402P; 95, 506P
 Antinociception, stress-induced, 95, 666P
 Antioestrogen, 93, 80P
 Antioestrogen failure, 96, 737P
 α_1 -antiprotease, 96, 772P
 Anti-rheumatic drugs, 95, 534P
 Antithyroid activity, 96, 830P
 Antiviral peptides, 95, 588P
 Anxiety, 93, 1P, 3P, 179P, 186P, 195P; 94, 314P, 388P; 95, 475P, 661P, 669P; 96, 879P, 880P
 Anxiety/convulsions, 93, 184P
 Anxiogenesis, 95, 670P
 Aorta, rabbit, 93, 102P, 205P, 206P; 94, 436P; 95, 683P, 697P
 Aorta, rat, 93, 17P, 253P; 94, 430P; 96, 817P, 819P
 Aortic rings, rat, 93, 23P, 124P; 95, 519P
 Apamin, 93, 18P
 Apomorphine, 95, 498P; 96, 719P
 Apparatus, 96, 908P
 Aqueous humour formation, 94, 346P
 Arachidonate, 93, 46P
 Arachidonic acid, 93, 143P, 311P; 94, 330P, 333P; 95, 520P, 552P
 Area postrema, 95, 504P; 96, 871P
 Arginine, 95, 677P
 Aromatase inhibitors, 94, 451P; 95, 591P; 96, 830P
 Arrhythmias, rat, 94, 329P
 Arterial chemoreceptors, 94, 447P
 Arterial smooth muscle cells, dispersed, 94, 357P
 Arteries, 93, 279P, 308P; 94, 353P
 Arteries, rabbit, 94, 425P
 Arterial vasodilatation, dog, 93, 261P
 Artery, rat, 93, 70P
 Arthritis, 94, 341P
 Ascaris muscle, 96, 760P

Ascorbic acid, 93, 149P
 D-aspartate binding, 95, 484P
 Asthma, 93, 108P; 95, 527P; 96, 795P
 Asthma, guinea-pig, 93, 243P
 Atenolol, 94, 432P; 95, 541P
 Atherosclerosis, 93, 104P, 297P; 96, 727P, 786P
 ATP-K⁺ channel, 93, 296P
 ATP-modulated K⁺ channels, 96, 814P
 ATP release, 96, 734P
 Atracurium, 93, 210P, 236P; 94, 468P
 Atria, guinea-pig, 93, 78P, 118P; 94, 423P, 435P; 95, 634P, 635P, 711P
 Atria, kitten, 94, 324P
 Atria, rabbit, 95, 625P
 Atria, rat, 93, 25P; 94, 423P, 438P; 95, 511P
 Atrial muscle fibres, 96, 823P
 Atrial natriuretic factor, 93, 289P; 95, 638P
 Atrial natriuretic factor receptors, 93, 291P
 Atrial natriuretic peptide, 95, 681P, 96, 718P, 824P
 Atrial natriuretic peptide, human, 93, 261P, 262P
 Atriopeptin III, 94, 457P
 Autonomic nervous stimulation, 96, 715P
 Autoperfused rat mesenteric bed, 94, 428P
 Autoradiography, 93, 5P, 301P; 94, 323P; 95, 486P; 96, 902P
 Autoreceptors, 96, 874P
 Axonal transport, 94, 453P
 Azidothymidine, 95, 614P

Back muscle contractions, 96, 782P
 Barbiturate dependence, 95, 479P
 Baroreceptor sensitivity, 93, 200P
 Baroreflex, 94, 360P
 Baroreflex sensitivity, 95, 698P
 Basal ganglia, 95, 659P
 Basilar artery, 93, 122P, 267P
 Bay K 8644, 94, 463P; 95, 694P
 Behaviour, 93, 130P, 175P, 187P; 94, 312P
 Behavioural activity, 94, 319P
 Behaviour monitoring, 93, 309P
 Behaviour, rotational, 93, 192P
 Behaviour, schedule controlled, 95, 558P
 Bencianol, 93, 209P
 Benzodiazepine binding sites, 93, 4P
 Benzodiazepine ligand, 93, 184P
 Benzodiazepine receptor partial inverse agonist, 95, 477P
 Benzodiazepine receptors, 93, 5P, 179P, 310P
 Benzodiazepines, 93, 7P, 182P; 94, 467P; 95, 606P, 607P
 Benzyl acetate, 95, 580P

Benzylamine, 95, 576P
 Bile acid, 95, 601P
 Biliary excretion, 95, 592P
 Binding, 95, 559P, 636P; 96, 743P, 780P, 904P
 Binding studies, 95, 629P
 Bioassay, 93, 101P
 β -blocking drugs, 95, 540P
 Blood, 93, 108P, 311P
 Blood-brain barrier, 96, 838P
 Blood flow, regional, 95, 494P
 Blood pressure, rat, 94, 432P; 96, 754P
 Blood vessels, 93, 265P; 95, 563P
 BN 52021, 95, 679P
 Bombesin-induced behaviour, 94, 396P
 Bombesin receptors, 93, 283P
 Bone fragments and silica, 93, 222P
 Bovine inhibitory factor, 93, 23P
 Bradycardia, guinea-pig, 93, 242P
 Bradykinin, 93, 81P, 105P, 227P; 94, 405P; 95, 524P, 545P, 549P; 96, 773P, 774P, 809P
 Bradykinin antagonists, 93, 284P
 Bradykinin receptors, 93, 129P, 284P; 95, 546P, 548P
 Brain, developing, 93, 137P
 Brain, human, 93, 166P; 96, 765P, 899P
 Brain, mouse, 93, 4P
 Brain, rat, 93, 42P, 193P, 310P, 377P; 95, 552P, 612P, 646P; 96, 766P, 901P
 Brain, serum-free, 93, 304P
 Brain regions, 96, 897P
 Brain slice, 93, 310P; 94, 347P
 Brainstem, rat, 96, 851P
 Breast cancer, 93, 80P; 96, 737P
 Breast cancer therapy, 94, 344P
 BRL 34915, 93, 124P, 125P, 199P, 201P, 202P, 203P, 204P, 205P, 206P, 208P; 94, 439P
 BRL 37344, 93, 21P
 8-bromo-adenosine 3',5'-monophosphate, cyclic, 93, 169P
 Bromocryptamine, 96, 791P
 Bronchial hyperreactivity, guinea-pig, 93, 49P
 Bronchitis, 93, 285P
 Bronchoalveolar lavage, 93, 51P, 54P, 243P; 96, 772P
 Bronchoconstriction, 93, 55P, 228P, 233P, 242P, 278P; 96, 776P, 796P, 807P
 Bronchodilator, 93, 52P; 96, 794P, 795P
 Bronchus, human, 94, 460P
 Brown adipocytes, 96, 741P

- Brush border membrane vesicles, 95, 578P, 585P
 Bulbosplinal serotonergic neurones, 94, 313P
 Bupivacaine, 95, 613P
 Burn injury, 95, 696P
 Buspirone, 93, 91P; 95, 503P, 661P, 662P, 663P
 BW B385C, 95, 709P; 96, 715
 BW A868C, 95, 522P, 708P
 BW B385C, 96, 715P
- Caffeine, 95, 570P; 96, 879P
 Calcitonin, 93, 213P
 Calcitonin gene-related peptide, 93, 68P, 69P, 290P, 301P; 94, 359P, 401P; 95, 555P
 Calcium, 93, 6P, 71P, 72P, 169P; 94, 340P, 431P, 462P; 95, 529P, 530P, 554P, 570P, 599P, 693P; 96, 848P
 Ca²⁺-activated K⁺ transport, 93, 305P
⁴⁵Ca, 95, 578P, 585P
 Calcium antagonism, 95, 605P
 Calcium antagonist drugs, 93, 280P
 Calcium antagonist pretreatment, 93, 258P
 Calcium antagonists, 93, 66P, 71P, 259P, 275P; 94, 464P, 467P; 96, 744P
 Calcium channel antagonists, 93, 209P; 96, 854P
 Calcium channel blockers, 95, 600P
 Calcium channels, 93, 6P, 7P; 94, 436P, 463P; 95, 479P, 524P, 597P, 645P; 96, 744P, 745P, 877P
 Calcium channels, voltage-sensitive, 94, 395P
 Calcium-dependency, 93, 117P
 Calcium gene-related peptide, 96, 717P, 718P
 Calcium-influx, 93, 123P, 271P, 356P
 Calcium ionophore, 93, 227P
 Calcium mobilisation, 94, 424P
 Calcium movements, 95, 640P
 Calcium release, 94, 363P
 Calcium sensitization, 93, 127P
 Calcium uptake, 96, 878P
 Capsaicin, 93, 276P
 Captopril, 93, 105P, 255P; 94, 358P; 96, 716P, 882P
 Carbachol, 95, 598P, 635P; 96, 848P
 Carbenoxolone, 93, 83P
 Carbon fibre electrodes, 96, 864P
 Carbon tetrachloride, 93, 214P
 5-carboxamidotryptamine, 93, 266P
 Carboxy-inulin, 96, 825P
 Cardiac β_2 -adrenoceptors, 95, 491P
 Cardiac anaphylaxis, 93, 111P; 95, 521P
 Cardiac function, 93, 183P
 Cardiac glycoside toxicity, 93, 273P
- Cardiac ischaemia, 95, 705P
 Cardiac muscle, guinea-pig, 94, 474P
 Cardiac muscle, human, 95, 644P
 Cardiac-respiratory effects, 95, 606P
 Cardioprotection, 93, 247P
 Cardio-pulmonary reflexes, 93, 120P
 Cardioselecion, 94, 427P
 Cardiotonic agent, 95, 488P, 489P
 Cardiovascular control, central, 93, 59P
 Cardiovascular effects, 95, 489P, 495P
 Cardiovascular tissues, 96, 810P
 Cardiovascular tolerance, 96, 791P
 Carnitine palmitoyl transferase, 95, 705P
 Carotid circulation, 94, 327P
 Carotid occlusion, 96, 812P
 Carotid vasodilatation, rat, 94, 359P
 Cartilage, 94, 341P
 Cartilage breakdown, 95, 678P
 Catecholamine release, 96, 746P
 Catecholamines, 94, 369P; 95, 539P, 542P, 608P, 691P
 Catechol-induced seizures, 94, 377P
 Catechol-O-methyl transferase inhibition, 96, 846P
 Cations, 93, 74P
 CCK antagonist, 95, 505P
 CD18, 93, 142P
 Cell cultures, 93, 36P; 94, 400P
 Cell-free assay, 96, 735P
 Central nervous system, 94, 360P
 CNS, 94, 372P; 96, 865P, 873P
 CNS tolerance, 95, 611P
 Central sympathetic outflow, 95, 567P
 Central sympathetic tone, 94, 358P
 Cerebellum, 95, 654P
 Cerebral artery, middle, 96, 888P
 Cerebral artery, sheep, 94, 326P
 Cerebral cortex, rat, 93, 90P, 152P, 153P, 177P; 95, 551P
 Cerebral glucose utilisation, 95, 653P
 Cerebral ischaemia, 93, 75P
 Cervical ganglion, superior, 93, 134P
 Cerebral glucose use, 95, 668P
 Cervical mucus, 95, 618P
 Cervical sympathetic axons, 93, 93P
 CG 3509, 96, 886P
 Charybdotoxin, 93, 202P
 Chlordiazepoxide, 94, 397P
 Chloride ionophore, 93, 186P
 Chlorine, 94, 443P
 Chlormethiazole, 95, 478P

Cholecystokinin, 93, 185P; 96, 779P
 Cholesterol, 96, 786P
 Cholesterol diet, 96, 878P
 Choline, 93, 165P
 Choline acetyltransferase, 93, 8P
 Cholinergic function, 94, 318P; 95, 615P
 Cholinergic lesions, 93, 304P
 Cholinergic nerves, 93, 302P
 Cholinergic neurones, 94, 441P
 Cholinergics, 94, 382P
 Cholinesterase inhibitors, 93, 177P
 Cholinesterases, 93, 177P
 Chromaffin cells, 95, 523P, 524P; 96, 745P
 Chromaffin cells, bovine, 96, 746P
 Chronic dosing, 94, 419P, 420P; 95, 703P
 Cigarettes, 93, 55P
 Ciliary body, rabbit, 93, 77P
 Cinnamyl anthranilate, 93, 32P
 Circular muscle, 93, 16P
 Cisapride, 95, 624P
 Cis-4-phosphonomethyl-2-piperidine carboxylic acid, 93, 156P
 Cisplatin, 93, 310P; 94, 390P; 95, 584P; 96, 866P
 Cisplatin-methionine complex, 95, 584P
 Classification, 93, 174P; 95, 626P
 Clomipramine, 95, 664P
 Clonidine, 93, 121P; 94, 434P
 Clonidine behavioural responses, 94, 317P
 Cocaine, 93, 211P; 96, 897P
 Colitis, 95, 603P
 Collagen arthritis, 94, 448P
 Collateral flow, 95, 493P
 Colon, human, 93, 302P; 95, 542P
 Colon, mouse, 93, 16P
 Colon, rat, 94, 466P
 Colonic epithelium, 93, 227P
 Colonic mucosa, 94, 408P
 Colonic secretion, 96, 725P
 Colorectal cancer cells, 94, 452P
 Comperidone, 96, 859P
 Computer, 93, 187P, 307P, 308P, 309P
 Computer-assisted learning, 94, 472P
 Conduction block, 96, 843P
 Congestive heart failure, 93, 115P
 Conscious cat, 96, 793P, 818P
 Conscious dog, 96, 818P
 Constant current, 96, 842P
 Constriction, 93, 241P
 Contractility, 94, 456P
 Convulsions, drug-induced, 94, 471P
 Coronary artery, dog, 95, 685P
 Coronary artery, human, 94, 422P; 95, 682P
 Coronary artery, pig, 93, 241P
 Coronary artery, rabbit, 93, 263P
 Coronary artery, sheep, 93, 270P; 95, 692P
 Coronary dilation, 95, 549P
 Cortical slice, rat, 95, 481P, 482P
 Corticosterone, 96, 880P
 Cortisol, 93, 298P; 94, 369P
 Cotransmitter, 95, 713P
 Cotton dust, 93, 228P
 Cough, 93, 233P
 Cough, guinea-pig, 93, 55P
 Coumarin anticoagulants, 95, 617P
 Coumarins, 93, 30P
 Cromakalim, 93, 200P, 207P; 94, 355P; 95, 570P, 571P, 640P, 641P, 642P, 643P; 96, 732P, 733P, 792P, 793P, 794P, 795P
 Cross-desensitization, 93, 277P
 Cutaneous responses, 93, 217P
 CY 208-243, 93, 131P; 95, 560P, 562P
 6-cyano-2,3-dihydro-7-nitroquinoxaline, 96, 755P
 Cyclic nucleotides, 94, 438P
 Cyclic voltammetry, 94, 348P
 Cyclo-oxygenase, 93, 220P
 Cyclosporine, 93, 231P; 95, 520P, 573P
 Cytochrome P-450d, 93, 214P, 215P; 94, 442P, 449P; 95, 610P; 96, 833P
 Cytokines, 93, 144P
 Cytoprotection, 93, 98P
 Cytotoxicity, 96, 834P
 D-1 agonists, 93, 131P
 DA₂ agonists, 93, 128P; 96, 791P, 859P
 D-2 autoreceptors, 94, 351P
 D-2 receptors, 93, 130P
 Dansylsarcoine, 93, 287P
 Decortication, 93, 5P
 Defeat analgesia, 93, 182P
 Defibrotide, 95, 497P
 2-[¹⁴C]-deoxyglucose, 94, 397P
 Dependency behaviour, 96, 905P
 Depletion, 96, 739P
 Depolarisation, 93, 151P; 95, 641P
 Depolarising shifts, 95, 650P
 Depression, 93, 12P; 96, 868P
 Desensitization, 93, 118P; 94, 324P; 95, 514P, 515P, 628P, 634P, 637P
 Detrusor, 96, 848P
 Dexamethasone, 94, 416P; 95, 535P, 602P
 Dextran, 93, 120P
 Diabetes, 94, 454P, 455P; 95, 593P; 96, 849P
 Diabetes Mellitus, 95, 608P; 96, 738P
 Dialysis, 94, 349P
 Dialysis, in vivo, 94, 383P

Diaphragm, 93, 237P; 94, 468P, 469P
 Diaphragmatic fatigue, 95, 621P
 Diazepam, 94, 374P; 95, 667P, 668P
 Diazoxide, 96, 733P
 Dibutyl cAMP, 93, 169P
 Dichlorobenzamil, 93, 203P
 Diclofurime, 94, 464P
 Differential pulse voltammetry, 95, 561P
 Digitoxin-intoxication, 93, 272P
 Dihydromuscimol, 96, 760P
 Dihydropyridines, 94, 385P; 95, 479P; 96, 877P
 Dihydroxyphenylacetic acid, 96, 766P
 Dihydroxyphenylacetic acid formation, 96, 898P
 2,6-diisopropylphenol, 93, 181P
 Diltiazem, 93, 6P, 244P; 94, 355P
 2,5-dimethoxy- α ,4-dimethylbenzene ethamine hydrochloride, 96, 782P
 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane, 94, 388P
 Dimethylsulphoxide, 96, 900P
 Diphenhydramine, 94, 461P
 Disease modifying drugs, 93, 281P
 Disposition, 95, 579P; 96, 828P, 832P
 Dissociation constants desensitisation, 95, 627P
 Dobutamine, 95, 492P; 96, 716P
 Domperidone, 96, 824P
 Dopamine, 93, 130P, 149P, 191P; 94, 349P, 351P, 367P, 372P, 373P, 459P; 95, 557P, 559P, 561P, 644P, 659P; 96, 791P, 859P, 867P
 Dopamine autoreceptors, 95, 498P
 Dopamine infusion, 93, 194P
 Dopamine metabolism, 95, 558P; 96, 895P
 Dopamine receptor, 93, 239P
 D-1 dopamine receptor, 93, 132P; 95, 560P, 562P
 D-1 dopamine receptor binding, 96, 896P, 897P
 Dopamine D₂ receptors, 94, 394P; 95, 560P
 Dopamine receptor agonists, 93, 149P
 Dopamine release, 93, 157P, 191P; 94, 347P, 350P; 96, 767P, 894P, 898P
 Dopamine synthesis, 96, 766P
 Dopamine uptake, 94, 348P
 Dopamine uptake sites, 96, 765P
 Dopexamine hydrochloride, 95, 491P
 Dorsal raphe nucleus, 95, 501P
 Dose-response curves, 96, 855P
 Down-regulation, 93, 138P; 96, 740P
 DP-receptor, 95, 522P
 DP-receptor antagonist, 95, 708P
 DPI 201-106, 94, 354P, 474P
 Drug discrimination, 95, 671P
 Drug distribution, 94, 446P
 Drug hypersensitivity, 96, 832P
 Drug metabolism, 93, 32P; 95, 614P
 Drugs, basic and acidic, 95, 616P
 Drugs, binding, 94, 443P
 Duodenal ulcer, 95, 686P
 Duodenum, rat, 93, 284P
 E-3753, 96, 823P
 Ear artery, 94, 328P
 Efficacy, 93, 138P
 Eicosanoids, 93, 145P; 94, 407P
 Elective cardiac arrest, 93, 61P
 Electrical response, 93, 310P
 Electric field stimulation, 93, 279P; 96, 842P, 845P
 Electrocardiogram, 94, 470P
 Electrocardiogram monitor, 96, 906P
 Electroconvulsive shock, 95, 656P, 657P; 96, 896P
 Electroencephalogram, 93, 196P; 94, 473P; 95, 633P
 Electromagnetic induction, 96, 843P
 Electron microscopy, 96, 864P
 Electrophysiology, 93, 16P, 62P, 64P, 85P
 Elisa, 93, 31P
 Emesis, 93, 310P; 94, 390P; 95, 504P; 96, 866P
 Emigration, 93, 147P
 Emulsified perfluorochemicals, 96, 826P
 Enalapril, 93, 245P; 94, 429P
 Endocervical mucosa, human, 94, 456P
 Endocytosis, 93, 79P
 Endoperoxides₃-receptors, 96, 721P
 Endothelial cells, 93, 100P, 105P, 106P, 223P; 94, 340P
 Endothelial cells, aortic, 94, 406P; 95, 546P
 Endothelial cells, human umbilical vein, 95, 520P
 Endothelium, 93, 68P, 112P, 240P, 267P, 295P; 94, 353P, 428P; 96, 719P, 720P, 722P, 723P, 788P, 809P, 816P
 Endothelium-dependence, 93, 69P
 Endothelium-dependent relaxation, 93, 67P
 Endothelium derived relaxing factor, 93, 224P, 240P, 252P; 94, 410P, 425P; 95, 517P, 518P, 546P, 593P, 677P, 681P, 682P, 683P, 687P, 688P, 689P; 96, 723P, 802P
 Endotoxin, 93, 49P; 94, 414P
 End-plate current, miniature, snake, 93, 24P
 Endothelium derived relaxing factor, 93, 99P, 100P, 101P, 102P, 103P, 104P, 106P; 94, 331P, 335P, 338P, 96, 728P

Enkephalinase inhibition, 95, 665P
 Enprostil, 96, 725P
 Enteric neurones, 94, 403P
 Enterotoxin, 95, 589P
 Entorhinal cortex, 93, 310P
 Eucleation, 96, 902P
 Environment stress, 94, 374P
 Enzyme inhibition, 95, 619P
 Enzyme translocation, 93, 39P
 Eosinophils, 93, 54P; 94, 365P
 EP092, 93, 232P
 EP171, 95, 680P
 Epanolol, 94, 426P
 Epilepsy, 95, 477P
 Epileptiform activity, 95, 481P, 482P
 Equine degenerative joint disease, 93, 281P
 Equine synovial cells, 93, 222P
 Ergometrine, 94, 362P; 96, 847P
 Ergot alkaloids, 95, 574P
 Ergotamine, 96, 789P
 Ethamsylate, 95, 686P
 Ethanol, 93, 237P; 94, 385P
 Ethanol dependence, 96, 877P
 Ethylcholine mustard aziridinium ion, 93, 165P
 Excitatory amino acids, 93, 310P; 96, 755P, 758P, 891P
 Excitatory amino acid receptors, 96, 757P, 759P
 Excitatory postsynaptic potential, 93, 148P
 Excitotoxins, 95, 651P
 Exercise, 94, 402P
 Exercise tachycardia, 93, 254P
 Exocytosis, 96, 735P
 Exo-site binding, 95, 540P
 Experimental allergic encephalomyelitis, 95, 679P
 Extracellular calcium, 96, 853P
 Extube extraction, 95, 616P

 Facial nucleus, 95, 500P
 Facilitatory α - and β -adrenoceptors, 93, 28P
 Feeding, 94, 316P
 Fenfluramine, 93, 310P; 94, 390P
 (+)-Fenfluramine, 95, 660P
 FG 7142, 95, 670P
 Fenfluramine, 96, 779P
 Fenoldopam, 96, 858P
 Fibrinopeptides, 94, 421P
 Fibroblasts, 95, 637P; 96, 827P
 Field potentials, 96, 757P
 Field stimulation, 95, 639P
 Flavonoids, 93, 209P; 96, 727P
 Flesinoxan, 95, 494P, 495P, 567P
 Flosequinan, 94, 430P, 431P; 95, 711P; 96, 818P, 819P

 Fluid secretion, 95, 577P
 Flumazenil (RO 15-1788), 93, 180P; 96, 881P
 Fluoxetine, 95, 664P
 Fluspiriline, 94, 463P
 Food-intake, 93, 11P; 94, 396P; 96, 783P
 Foot volume, rat, 96, 908P
 Forebrain, rat, 93, 167P
 Forskolin, 93, 15P, 38P; 95, 481P, 483P
 (³H)-Forskolin, 96, 902P
 FPL 63547, 95, 487P, 592P
 Freely moving cat, 96, 872P
 Free radicals, 94, 352P; 95, 696P
 Frontal cortex, human, 93, 14P
 Frusemide, 95, 581P
 B-funaltrexamine, 96, 861P
 Functional responses, 96, 743P
 FURA-2, 95, 645P

 Gangliodise, 96, 849P
 Gastric acid, 96, 805P
 Gastric damage, 93, 109P; 95, 533P; 96, 798P
 Gastric erosions, 93, 213P
 Gastric mucosa, 96, 805P
 Gastric secretion, 96, 749P
 Gastric ulcer, rat, 93, 83P
 Gastrointestinal tract, 95, 601P
 General anaesthesia, 93, 7P
 Gentamicin, 93, 305P; 95, 578P, 600P
 Glibenclamide, 93, 126P; 95, 571P, 643P; 96, 814P
 Glucocorticoids, 93, 297P; 94, 407P; 96, 726P
 Glucose utilisation, 93, 162P, 163P, 184P
 Glutamate, 95, 654P; 96, 759P, 892P
 L-Glutamate, 93, 86P, 89P
 Glutamate receptors, 93, 89P, 152P, 153P
 Glutamate release, 96, 889P
 L-[³H]-Glutamic acid binding, 93, 162P
 Glutathione, 95, 534P
 Glybenclamide, 93, 204P
 Glycine, 93, 87P; 95, 486P; 96, 756P; 96, 890P, 892P, 894P
 Glycine antagonists, 96, 758P, 759P
 Glycopyrrolate, 94, 469P
 GM-1, 95, 658P
 Gonadal function, 96, 862P
 Gossypol, 96, 802P
 GppNHp, 95, 483P
 GR32191, 95, 680P
 GR 38032F, 94, 393P; 96, 764P, 867P, 870P, 905P
 GR50360A, 96, 751P, 857P

GR65630, 93, 310P
³H-GR 65630, 96, 871P
Granulocyte, 93, 50P
Grooming, 95, 562P
Growth factors, 96, 737P
Guanosine 3',5' monophosphate, cyclic,
93, 17P, 23P; 94, 430P; 95, 510P, 654P
Guanylate cyclase, 93, 26P

HA-966, 96, 894P
Habituation, 96, 882P
Haemodynamics, 93, 201P; 94, 450P; 95,
612P; 96, 718P
Haemodynamic effects, 93, 244P
Head twitch, 95, 664P
Heart, chick, 93, 71P
Heart, *in vivo*, dog, 95, 711P
Heart, human, 93, 116P
Heart, rat, 93, 259P; 95, 694P, 696P,
710P
Heart-lung preparation, guinea-pig,
93, 258P, 272P
Heart, guinea-pig, 93, 65P
Heart failure, dog, 95, 695P
Heart failure, human, 95, 491P
Hemi-parkinsonian, monkeys, 95, 557P
Hep G2 hepatoma cells, 94, 445P
Hepatic haemodynamics, 93, 261P
Hepatocytes, 93, 212P; 94, 444P; 96,
833P
Hexamethonium, 95, 511P
Himbacine, 94, 427P
Hippocampus, 93, 148P, 163P, 164P; 95,
503P
Hippocampus, rat, 93, 86P, 91P
Histamine, 93, 9P, 33P, 36P, 37P, 90P,
238P; 94, 319P, 462P; 95, 526P, 554P,
586P, 590P, 598P, 672P; 96, 748P
Histamine H₁ receptor, 96, 886P
Histamine H₂-receptors, 96, 749P
Histamine release, 93, 35P; 95, 537P,
538P
Histamine secretion, 93, 43P
History of Medicine, 93, 57P
HL60 cells, 93, 294P
Hormonal effects, of ANO, 96, 824P
HPLC method, 93, 168P; 96, 895P
HPLC with electrochemical detection,
95, 590P
H₃ receptors, 94, 319P
Human threat model, 95, 475P
Huntingtons disease, 93, 158P
Hydrogen peroxide, 93, 139P; 95, 533P
N-Hydroxy-5,6-dimethoxy-1H-indene-2-2
carboximidamine-HCl, 95, 488P, 489P
8-hydroxy-2-(di-n-propylamino)tetralin,
93, 29P, 94P, 121P; 94, 386P, 387P,
389P; 95, 494P, 502P; 96, 783P, 784P,
869P, 875P

8-OH-DPAT, induced behaviour, 96,
876P
8-OH-DPAT-induced hypothermia, 93,
198P
6-Hydroxydopamine, 95, 658P
12-Hydroxyeicosatetraenoic acid, 93,
226P
15-Hydroxyeicosatetraenoic acid, 93,
112P
9-Hydroxy-linoleic acid, 93, 47P,
48P
13-Hydroxyoctadecadienoic acid, 93,
223P
5-Hydroxytryptamine, 93, 92P, 93P,
94P, 96P, 122P, 266P, 267P, 310P;
94, 326P, 330P, 362P, 392P, 393P,
440P, 460P, 465P, 466P, 660P, 662P,
687P; 96, 775P, 783P, 789P, 790P,
811P, 847P, 865P, 868P, 873P, 874P,
884P
5-Hydroxytryptamine_{1A}, 93, 192P,
197P; 95, 500P
5-Hydroxytryptamine_{1B}, 93, 192P
5-Hydroxytryptamine₂, 93, 197P
5-Hydroxytryptamine₃, 95, 624P
5-Hydroxytryptamine agonists, 93,
92P
5-Hydroxytryptamine₂ agonists, 94,
388P; 96, 782P
5-Hydroxytryptamine, amplifying effect,
96, 811P
5-Hydroxytryptamine antagonists, 94,
316P
5-Hydroxytryptamine₂ antagonists, 94,
473P
5-Hydroxytryptamine₃ antagonists, 94,
314P
5-Hydroxytryptamine_{1B} autoreceptors,
95, 499P
5-Hydroxytryptamine₃ binding sites,
94, 391P
5-Hydroxytryptamine interactions, 93,
191P; 95, 657P
5-Hydroxytryptamine₁-like receptors,
95, 493P, 574P, 626P
5-Hydroxytryptamine neurone firing,
96, 872P
5-Hydroxytryptamine receptor antag-
onists, 93, 91P
5-Hydroxytryptamine₃ receptor antag-
onists, 93, 194P, 195P
5-Hydroxytryptamine₃ receptor binding,
93, 97P
5-Hydroxytryptamine receptors, 93,
188P, 264P; 94, 386P; 95, 693P; 96,
788P, 875P
5-Hydroxytryptamine₁ receptors, 94,
316P, 327P; 96, 869P

5-Hydroxytryptamine_{1A} receptors, 93,
 2P, 3P, 95P; 94, 387P; 95, 495P,
 501P, 661P; 96, 784P, 876P
 5-Hydroxytryptamine_{1B} receptors, 94,
 315P
 5-Hydroxytryptamine_{1C} receptors, 94,
 315P
 5-Hydroxytryptamine₂ receptors, 93,
 189P, 193P, 265P; 94, 313P, 473P;
95, 704P
 5-Hydroxytryptamine₃ receptors, 93,
 93P, 310P; 94, 393P; 95, 504P, 625P;
96, 867P, 871P, 905P
 5-Hydroxytryptamine release, 93, 13P,
 14P, 191P, 268P; 96, 872P
 5-Hydroxytryptamine turnover, 96, 868P
 5-Hydroxytryptamine uptake, 93, 11P
 5-Hydroxytryptamine uptake inhibitors,
93, 198P; 94, 384P
 5-Hydroxy-L-tryptophan, 96, 866P
 Hyoid muscle twitch, 93, 185P
 Hyperalgesia, 93, 172P, 219P; 96, 803P
 Hypercapnia, 94, 429P
 Hyperphagia, 96, 875P
 Hyperreactivity, 93, 218P
 Hyperreactivity, guinea-pig, 94,
 365P
 Hypertension, 93, 58P, 72P, 249P, 255P
 Hypertensive rabbits, 94, 357P
 Hyperventilation, 94, 447P
 Hypoactivity, 96, 781P
 Hypotensive action, 93, 128P; 95, 643P
 Hypothermia, 93, 198P
 Hypothermic cardioplegia, 93, 258P
 Hypothyroidism, 94, 329P
 Hypoxia, 93, 263P, 270P; 94, 353P,
 356P, 425P, 429P; 95, 692P; 96, 821P

 Ibotenate acid, 93, 159P
 ICI 169, 369, 93, 196P, 264P; 96,
 775P
 ICI 170,809, 94, 473P
 ICS 205-930, 93, 120P
 Idazoxan, 95, 556P
 Ifenprodil, 93, 88P
 Ileal mucosa, 94, 465P
 Ileum, guinea-pig, 93, 238P, 268P;
94, 332P, 361P; 95, 628P; 96, 742P,
 806P, 861P
 Ileum, rat, 93, 236P; 96, 851P
 Iloprost, 94, 334P; 95, 516P
 Imidazolines, 96, 750P
 Imipramine, 93, 148P
 Immune challenge, 96, 826P
 Immunohistochemical distribution, 93,
 167P
 Indoleamines, 93, 8P, 112P; 94, 341P
 Indomethacin, 94, 416P; 95, 589P,
 678P; 96, 774P

Inducibility, 95, 706P
 Infarct size, 95, 493P, 496P, 706P,
 707P
 Inflammation, 93, 145P, 216P, 230P;
95, 531P, 533P; 96, 717P, 726P, 771P,
 799P, 803P
 Inflammatory mediators, 93, 217P
 Influenza virus, 95, 588P
 Inhibition, 95, 684P
 Inhibition of drug metabolism, 95,
 586P
 Inhibition of metabolism, 94, 342P
 Inhibitory factor, 94, 338P
 Inhibitory nerves, 95, 623P
 Inositol phosphates, 93, 36P, 151P,
 152P, 153P, 294P; 94, 337P, 366P;
95, 510P, 550P, 598P, 683P; 96, 748P,
 761P
 Inositol phospholipid hydrolysis, 96,
 747P
 Inositol phospholipids, 93, 42P; 95,
 596P; 96, 900P
 Inositol polyphosphates, 93, 137P;
96, 778P
 Inositol tetrakisphosphate, 94, 395P
 Inositol trisphosphate, 94, 363P
 Inotropes, 93, 63P; 94, 354P; 95,
 490P, 492P
 Inotropic agent, positive, 93, 127P
 Inotropic responses, human, 93, 60P
 Insect muscle, 96, 744P
 Insulin release, 93, 20P; 94, 464P
 Insulinoma cell line, 93, 296P
 Interaction, 96, 881P
 Interleukin-1, 93, 143P, 230P; 95,
 528P, 678P
 Interleukin-2, 95, 534P
 Intermediolateral cell column, 93,
 197P
 Internalisation, 95, 638P
 Intestinal cholesterologenesis, 95,
 604P
 Intestinal iron uptake, rat, 93, 79P
 Intestinal lesions, 95, 589P
 Intestinal smooth muscle, 94, 467P;
95, 605P
 Intestinal transport, rat, 94, 440P
 Intracellular calcium, 93, 40P; 94,
 357P
 Intraocular pressure, 94, 346P
 Ion exchange resins, 93, 99P
 Ion secretion, 94, 440P
 Iontophoresis, 96, 884P
 Ipsapirone, 94, 312P
 Iris, rabbit, 93, 77P
 Iris sphincter muscle, bovine, 94,
 459P
 Iris sphincter pupillae, 96, 850P
 Iron chelators, 95, 690P
 Iron complexes, rat, 93, 79P

Iron uptake, rat, 93, 79P
 Ischaemia, 93, 61P, 62P, 64P, 65P, 66P, 67P, 248P, 255P, 259P
 Isoenzymes, 94, 449P
 Isolated heart, guinea-pig, 93, 66P
 Isolated tissues, 96, 831P, 842P
 Isoprenaline, 93, 53P, 114P; 94, 435P; 96, 820P

 $^{42}\text{K}^+$ and $^{86}\text{Rb}^+$ effluxes, comparison, 93, 19P
 Kainate, 96, 889P
 Kainate binding, 95, 484P
 Kainic acid, 93, 164P
 $[^3\text{H}]$ -ketanserin, 95, 636P
 Ketoconazole, 94, 444P
 Kidney, rabbit, 95, 573P
 Kidney, rat, 95, 572P, 593P; 96, 802P
 Kindling, 93, 164P, 183P
 Kininases, 93, 81P
 Kininogenase, 94, 371P
 Kynurenate acid, 93, 159P; 96, 756P

 Labetalol, 96, 817P
 Lactate dehydrogenase, 95, 609P
 Late asthmatic response, 96, 770P
 LD₅₀, 96, 834P
 Learning, 94, 382P
 Legislation, laboratory, 93, 57P
 Length-tension relationships, 93, 308P
 Lesion of nucleus basalis of meynert, 94, 381P
 Lesioning nerve pathways, 95, 476P
 Leucocyte accumulation, 93, 230P
 Leucocyte aggregation, 95, 517P
 Leucocytes, 93, 224P
 Leukotriene B₄, 93, 113P; 94, 339P
 Leukotriene C₄, 93, 50P, 140P
 Leukotriene D₄, 93, 110P; 95, 530P, 674P
 Leukotriene LTB₄, 96, 801P
 Leukotriene B₄ antagonists, 96, 769P
 Leukotrienes, 93, 44P, 108P, 109P, 111P, 141P, 228P; 94, 405P, 411P
 Ligand binding, 93, 188P, 239P; 95, 512P
 Lithium, 95, 550P
 Lipocort, 96, 772P
 Lipoxxygenase, 93, 220P; 94, 333P
 5-Lipoxxygenase, 93, 109P
 5-Lipoxxygenase/cyclo-oxygenase inhibitor, 95, 536P
 Lipocortin, 93, 139P
 Lithium, 93, 96P, 137P, 151P, 294P; 95, 550P; 96, 836P
 Liver, rat, 94, 345P; 95, 610P
 Locomotor activity, 93, 150P, 171P; 94, 373P, 374P, 665P; 96, 883P
 Loperamide, 93, 302P; 95, 605P
 Low-density lipoproteins, 93, 297P; 94, 331P, 410P; 95, 697P; 96, 727P
 125I-LSD binding, 93, 189P
 LTC₄, 95, 521P
 Lung, guinea-pig, 93, 65P, 105P, 110P, 278P, 301P; 95, 513P, 545P; 96, 773P, 777P, 796P
 Lung, human, 93, 46P, 301P; 94, 413P; 95, 674P; 96, 777P
 Lungs, rat, 93, 44P; 95, 539P, 684P; 96, 768P, 771P, 807P
 LY 163502, 93, 130P
 Lymphoblasts, human, 95, 529P; 96, 740P
 Lymphoid tissues, rat, 93, 292P

 Mac 1 antigen, 93, 147P
 MCPP, 94, 315P
 Macrophage, 93, 50P; 95, 527P
 Magnesium, 94, 376P; 95, 650P
²⁸Magnesium, 95, 578P
 Maintenance, 96, 833P
 Mast cells, 93, 34P, 51P; 94, 370P; 95, 537P, 538P, 672P; 96, 799P
 M&B 22948, 93, 289P; 95, 507P
 Mass-fate, 93, 310P
 Mast cells, rat, 95, 620P
 T-maze task, 93, 170P
 MDL 73005EF, 93, 2P, 3P
 Melanoma cells, 96, 827P
 Memory, 93, 136P
 Menadione, 95, 646P
 Meptazinol, 95, 582P, 594P; 96, 852P
 Mepyramine, 93, 236P
 Mesenteric vasculature, 93, 69P, 290P; 94, 355P
 Mesenteric arteries, perfused rat, 95, 576P
 Mesenteric artery, human, 95, 712P
 Mesenteric artery, rabbit, 95, 642P
 Mesenteric blood flow, 95, 703P
 Mesenteric vascular bed, 95, 575P
 Mesentery, 93, 67P; 94, 420P; 96, 723P
 Metabolism, 93, 108P, 225P; 95, 617P
 Metabolites, 93, 31P
 Metformin, 95, 604P
 Method of Residuals, 96, 907P
 3-Methoxy-4-hydroxyphenylglycol, 93, 168P; 94, 317P
 5-Methoxy-3-[1,2,3,6-tetrahydro-4-pyridinyl]-1H-indole, 93, 265P
 3-Methoxytyramine, 96, 767P, 895P
 Methoxyverapamil, 95, 622P; 96, 853P
 Methyl, 93, 212P
 S-methyl-carbocysteine, 93, 285P
 N-methyl-D-aspartate, 93, 155P; 94, 398P; 95, 654P; 96, 756P

N-methyl-D-aspartate agonists, 93, 154P
 N-methyl-D-aspartate receptors, 93, 87P,
 156P, 157P, 163P; 94, 322P; 95, 485P;
96, 890P, 892P, 894P
 N-methyl-D-aspartate-receptor mediated
 depolarisations, 93, 161P
 Methyl 2-(3,4-dihydro-3,4-dioxo-1-
 naphthalenyl)amino benzoate, 93, 111P
 Methylglyoxal BIS (guanyldiazide),
94, 452P
 N-methyl-hydroxylamine, 93, 26P
 N-methyl LTC₄ mimetic, 94, 411P
 5-Methylurapidil, 95, 568P
 Methylxanthines, 93, 15P
 Methysergide, 93, 238P; 95, 575P
 Metoprolol, 94, 342P; 95, 586P
 Mevinolin, 95, 604P
 Mexiletine, 96, 822P
 Microcomputer, 96, 906P, 907P
 Microcomputer analysis, 94, 471P
 Microcomputer simulation, 94, 470P
 Microdialysis, 93, 94P
 Microelectrode recording, 95, 623P
 Microsomes, 95, 646P
 Microspheres, 94, 450P
 Migraine, 96, 789P, 790P
 Minoxidil sulphate, 96, 733P
 Miosis, 94, 459P
 Mitochondrial calcium, 95, 694P
 Mitogen release, 95, 689P
 MK-801, 93, 152P, 153P, 155P; 94, 322P,
 398P; 95, 485P, 486P, 653P, 654P
 Mo 60.3, 93, 147P
 Mo 198, 93, 147P
 Monoamine oxidase, 93, 1P; 94, 320P;
95, 576P
 Monoamine oxidase A, 96, 753P
 Monoamine oxidase B, 93, 190P; 96,
 753P
 Monoamine oxidase inhibitors, 93, 95P,
 253P
 Monoamine uptake inhibition, 94, 378P
 Monocytes, 94, 337P; 95, 530P
 Morphine, 93, 172P; 95, 505P, 544P,
 596P
 Morphine withdrawal, 96, 869P
 Morris water maze, 95, 669P
 Motility, gastric, 95, 624P
 Motoneurons, 94, 401P
 MPP⁺, 94, 399P; 95, 646P
 MPTP, 93, 131P; 94, 399P, 400P
 Muscarine, 93, 176P; 95, 647P, 648P;
96, 841P
 Muscarinic agonists, 93, 135P
 Muscarinic antagonists, 93, 242P
 Muscarinic receptors, 93, 134P, 136P,
 138P, 175P, 240P, 241P, 242P; 94,
 381P, 395P; 95, 511P, 550P, 628P, 671P
 Muscarinic receptor subtypes, 93, 174P;
94, 427P; 95, 512P, 629P, 630P; 96,
 743P, 777P, 797P, 851P
 Mydriasis, 93, 133P; 96, 780P, 781P
 Myeloperoxidase, 95, 496P
 Myocardial infarction, 96, 716P
 Myocardium, human, 93, 60P; 95,
 565P
 Myocardium, rat, 96, 820P
 Myocardial ischaemic, 93, 146P,
 246P, 257P; 94, 409P; 95, 497P;
96, 752P
 Myofibroblasts, 93, 303P; 94, 456P;
95, 632P; 96, 831P
 Myometrium, human, 93, 221P; 96,
 808P
 Na-release, 96, 845P
 Na⁺-channels, 94, 354P
 Na⁺/H⁺ exchange, 93, 129P
 Na⁺-K⁺-ATPase, 94, 325P; 96, 837P
 Naloxone, 93, 172P; 96, 862P
 Nandrolone, 94, 402P
 Native anti-epileptic preparation,
95, 480P
 Nedocromil, 93, 243P
 Neocortex, 93, 159P; 95, 650P
 Nephrotoxicity, 95, 584P, 600P
 Nerve compression, 94, 453P
 Nerves, guinea-pig lung, 94, 367P
 Nerve regeneration, 96, 849P
 Nerve stimulation, 94, 326P; 95,
 563P, 710P
 Neurodegeneration, 96, 890P
 Neurokinin receptors, 93, 85P; 96,
 850P
 Neuromedin-N, 95, 577P
 Neuromuscular, 93, 307P
 Neuromuscular junction, frog, 93,
 235P, 299P; 96, 839P
 Neuromuscular junction, snake, 93,
 24P
 Neuromuscular pharmacology, 94,
 472P
 Neuromuscular transmission, 95,
 607P
 Neuronal sensitivity, 96, 884P
 Neuropeptide Y, 93, 269P, 275P,
 286P; 94, 422P, 434P
 Neuropeptides, 93, 217P; 96, 893P,
 Neuroplasticity, 94, 381P
 Neurotensin, 95, 577P
 Neurotoxicity, 94, 399P, 400P
 Neurotoxins, 95, 652P
 Neurotransmission, 94, 332P; 96,
 745P, 806P
 Neurotransmitter release, 95, 649P
 Neurotrophic factors, 93, 304P
 Neutrophils, 93, 139P, 142P, 144P;
94, 339P; 95, 525P, 526P; 96, 726P,
 728P, 800P

- (N-[1-[4-(4-fluorophenoxy)butyl]-4-piperidinyl]-N-methyl-2-benzothiazolamine), 93, 123P
- β -NGF receptors, 93, 167P
- Nicotine, 94, 350P, 373P
- Nicotinic receptors, 93, 155P
- Nifedipine, 93, 65P, 205P, 206P, 244P; 95, 563P
- Nigrostriatal lesion, 95, 658P
- Nipecotic acid, 93, 158P
- Nisoldipine, 93, 70P
- Nitrazepam, 93, 180P
- Nitrendipine, 93, 201P, 211P
- Nitric oxide, 93, 98P, 99P, 101P, 104P, 306P; 94, 331P, 335P, 338P; 95, 517P, 518P, 519P
- Nitrodilators, 95, 518P
- Nitrovasodilators, 93, 300P
- Nociception, 93, 276P
- Non-adrenergic, non-cholinergic, 93, 26P, 300P; 95, 507P, 508P, 509P; 96, 852P
- Non-adrenergic non-cholinergic nerves, 96, 776P
- Non-adrenergic non-cholinergic transmission, 95, 594P
- Noradrenaline, 93, 59P, 90P, 115P, 122P; 94, 398P; 95, 590P, 642P, 657P, 697P, 699P; 96, 761P, 787P, 816P, 821P, 844P, 887P
- Noradrenaline induced tone, 96, 720P
- Noradrenaline metabolism, 96, 753P
- [³H]-noradrenaline release, 94, 328P; 95, 523P; 96, 852P
- Noradrenergic transmission, 95, 594P
- Normetanephrine, 93, 119P
- NSAIDS, 93, 143P
- Nucleotide phosphodiesterases, 94, 406P; 95, 553P
- Nucleus accumbens, 93, 9P, 194P; 94, 348P, 386P; 96, 757P
- Oedema, 93, 81P, 144P, 219P; 95, 531P, 602P; 96, 768P, 888P
- Oestradiol, 95, 631P
- Oestrogen, 93, 80P
- Oestrogen 2-hydroxylation, 94, 449P
- Oestrous cycle, 95, 701P
- 6-OHDA, 96, 893P
- Olfactory cortex, 93, 181P
- Omeprazole, 93, 288P
- Operational model-fitting, 96, 742P
- κ -opiate receptors, 93, 169P; 96, 742P
- Opiate receptors, 93, 185P; 95, 597P
- κ -opioid, 94, 361P; 96, 904P
- κ -opioid agonists, 93, 171P
- δ -opioid agonists, 93, 58P
- Opioid antagonists, 93, 10P
- Opioid binding, 94, 375P
- Opioid/non-opioid mechanisms, 95, 666P
- μ -opioid receptor, 96, 861P
- Opioid receptor binding sites, 93, 310P
- Opioid receptor blockade, 96, 862P
- Opioid receptors, 93, 172P, 173P; 95, 506P
- Opioids, 93, 82P, 233P; 95, 559P
- Optic tectum, 96, 891P
- Oral administration, 96, 835P
- Orthostasis, 96, 859P
- Ovariectomy, 95, 631P
- Oxotremorine, 94, 318P
- Oxygen, 95, 687P
- Oxygen metabolites, 95, 533P
- Oxytocic activity, 94, 371P
- Oxytocin, 95, 599P
- pA₂, 93, 82P
- Pain, thresholds, 94, 369P
- Pancreatic islets, 93, 20P
- Papillary muscle, guinea-pig, 95, 635P; 96, 822P
- Paraquat, 95, 646P
- Parasympathetic ganglia, 96, 854P
- Paraventricular nucleus, 96, 754P
- Parkinson, 96, 893P
- Parkinson's disease, 93, 131P; 94, 352P
- [³H]-paroxetine binding, 93, 12P; 96, 790P
- Partial agonist, 94, 426P; 95, 685P
- Passive avoidance learning, 95, 663P
- Patch-clamp, 96, 814P
- PC12 cells, 95, 512P
- Penicillin, 96, 832P
- Pentobarbitone, 93, 178P
- Pentylenetetrazole, 93, 1P
- Peptide modelling, 95, 588P
- Peptidases, 95, 509P
- Percutaneous absorption, 95, 580P
- Perfluorochemical emulsion, 93, 292P, 293P; 95, 609P, 610P
- Peripheral inflammatory hyperalgesia, 94, 368P
- Peroxisome proliferator, 93, 32P
- Pertussis, 93, 74P
- Pertussis toxin, 93, 125P, 274P; 94, 321P
- Pethidine, 95, 582P
- Phaclofen, 96, 763P
- Phagocyte function, 93, 48P
- Pharmacokinetics, 95, 581P, 591P, 611P; 96, 825P, 907P, 909P
- Pharmacological properties, 93, 2P
- Phencyclidine, 95, 654P
- Phencyclidine receptor, 93, 154P

Phenidone, 94, 416P
 Phenoxybenzamine, 93, 203P; 96, 855P, 856P
 Phenylethylamine agonists, 93, 21P
 Phenylephrine, 96, 860P
 1-phenyl-3-benzazepine, 93, 132P
 Phorbol esters, 93, 38P; 94, 458P; 95, 525P; 96, 819P
 Phosphatidylinositol turnover, 93, 193P, 252P
 Phosphodiesterase, 95, 490P
 Phosphodiesterase inhibitor, 96, 731P
 Phosphoinositide hydrolysis, 95, 595P
 Phosphoinositol, 93, 295P; 94, 364P; 96, 778P
 Phospholipase C, 93, 46P, 106P, 145P; 95, 549P
 Phospholipase A₂, 96, 798P
 Phrenic nerve, 93, 28P
 Physostigmine, 95, 671P
 Pinacidil, 93, 200P; 96, 794P
 Pinocytosis, 96, 838P
 Pirenzepine, 93, 213P
 Pithed rat, 93, 119P, 245P
 Placenta, human, 94, 333P; 95, 632P
 Placental transfer, 95, 582P, 613P
 Plasma enzymes, 95, 609P
 Plasma potassium, 94, 325P
 Platelet activating factor, 93, 53P, 54P, 74P, 76P, 78P, 218P, 219P, 220P; 94, 339P, 409P; 95, 521P, 532P, 679P
 Platelet activating factor antagonist, 93, 73P, 75P, 78P, 231P; 96, 770P, 771P, 799P, 807P
 PAF binding sites, 93, 77P
 PAF-induced bronchoconstriction, 93, 73P, 231P
 Platelet adhesion, 93, 100P
 Platelet aggregation, 93, 103P, 226P, 311P; 94, 330P, 473P
 Platelet function, 96, 729P
 Platelet inhibitory activity, 93, 102P
 Platelet membranes, 95, 636P
 Platelet mitogen release, 94, 417P
 Platelets, 93, 40P, 41P, 224P, 229P, 232P, 257P; 95, 676P, 681P, 689P; 96, 728P, 730P, 731P
 Platelets, human, 93, 12P, 98P, 188P; 94, 404P, 417P, 421P; 95, 690P
 Platelet shape change, 93, 189P
 Platelet thromboxane receptor, 95, 680P
 Pluronic F-68, 96, 827P
 Polyamine, 94, 452P
 Polyinosinic: polycytidylic acid, 94, 414P
 Polymorphonuclear cells, human, 93, 113P
 Polymorphonuclear leukocyte, 93, 147P
 Polymyxin B, 96, 839P
 Portal vein, rat, 93, 269P
 Portal venous hypertension, 93, 114P
 Portal venous pressure, 95, 700P
 Positive inotropism, 95, 695P
 Postsynaptic receptors, 93, 29P
 Potassium, 95, 622P
 Potassium channels, 93, 17P, 18P, 125P, 126P, 199P, 202P, 204P; 94, 418P; 95, 648P
 Potassium channel activator, 93, 208P; 96, 813P
 Potassium channel stimulator BRL 34915, 93, 19P
 Potassium chloride, 96, 844P
 Potassium contractile responses, 93, 124P
 Potassium-induced contraction, 93, 123P
 Potassium openers, 95, 571P
 Potassium-Sparing Diuretics, 93, 83P
 Potentiating effects, 93, 269P
 Prazosin, 94, 432P; 95, 569P
 Prednisolone, 95, 603P
 5 β -Pregnan-3 α -20-one, 93, 178P
 Preload, 96, 720P
 Pressor responses, 96, 815P
 Pressure/flow relations, 94, 428P
 Presynaptic adrenoceptors, 94, 328P
 Presynaptic autoinhibition, 95, 649P
 Presynaptic autoreceptors, 93, 14P
 Presynaptic inhibition, 93, 234P
 Presynaptic receptors, 93, 25P; 95, 639P
 Prewaning rats, 96, 876P
 Primaquine, 93, 31P
 Probucol, 96, 786P
 Proconvulsant activity, 95, 477P
 Proctolin, 96, 903P
 Programmed electrical stimulation, 95, 706P
 Propafenone, 96, 822P
 Propofol, 93, 84P
 Propranolol, 93, 114P; 95, 700P; 96, 804P
 Propyl hydroxybenzoate, 93, 212P
 Prostacyclin, 93, 105P; 95, 518P, 547P, 688P, 692P; 96, 728P, 804P
 Prostacyclin analogues, 94, 403P, 404P
 Prostacyclin receptor, 95, 515P
 Prostaglandins, 96, 803P
 9 α ,11 β -Prostaglandin, 94, 412P
 Prostaglandin D₂, 93, 51P; 94, 412P, 413P; 95, 674P, 708P
 Prostaglandin dehydrogenase, 95, 684P

Prostaglandin metabolism, 94, 412P, 413P
 Prostaglandin receptor classification, 95, 522P
 Prostaglandins, 93, 113P, 129P, 221P, 225P; 94, 408P; 95, 523P, 691P
 Prostanoid receptors, 93, 45P; 94, 334P; 95, 675P, 676P
 Prostanoid receptors, 96, 805P, 806P
 Prostanoids, 94, 332P; 95, 672P
 Prostanoids, gastric antiseecretory, 96, 724P
 Prostanoid synthesis, 95, 690P
 Protein, 94, 443P
 G protein-guanosine triphosphate, 93, 41P
 Protein kinase, 93, 96P
 Protein kinase C, 93, 107P, 207P, 212P, 276P; 96, 730P, 901P
 Protein phosphorylation, 93, 39P
 G-proteins, 95, 647P; 96, 735P
 Protein thiols, 96, 739P
 Pulmonary artery, dog, 93, 22P
 Pulmonary macrophage, guinea-pig, 93, 47P, 48P
 Pulmonary neurotransmission, 96, 792P
 Purinergic, 95, 713P
 Purines, 94, 376P; 95, 551P; 96, 840P, 841P, 863P
 Putative adrenoceptor, 95, 541P
 Pyrazinamide kinetics, 95, 587P
 Pyrogens, 94, 337P

 Quantal content, 95, 630P
 Quantitative autoradiography, 93, 310P
 Quinolinic acid, 93, 160P; 95, 651P
 Quinones, 94, 445P
 [³H]-quinuclidinylbenzilate, 94, 381P
 Quipazine, 94, 473P

 R 56865, 93, 271P, 272P, 273P
 R 58735, 93, 65P
 Radioimmunoassay, 93, 298P
 Radiolabelled cisplatin transport, 95, 583P
 Ramiprilat, 94, 358P
 Ranitidine, 94, 461P
 Ranolazine, 93, 246P, 247P, 248P
 Raphe nuclei, 94, 387P; 95, 500P
 Raphe nucleus, dorsal, 95, 501P
 Rats, hooded Lister, 93, 170P
 Rats, Sprague-Dawley, 93, 170P
⁸⁶Rb⁺ efflux, 93, 204P
 Reactive metabolites, 96, 739P
 Reactive oxygen species, 93, 47P
 Receptor autoradiography, 93, 89P; 95, 476P
 Receptor binding, 95, 485P
 Receptor-mediated endocytosis, 94, 410P
 Receptor regulation, 93, 116P
 α-receptor reserve, 94, 439P
 Receptors, 93, 107P, 221P, 248P, 256P; 94, 323P; 95, 638P; 96, 773P, 775P, 904P
 α₁-receptors, 93, 42P
 Δ-receptors, 94, 375P
 D₁ receptors, 93, 166P
 Receptor selectivity, 96, 724P
 Recovery, 93, 44P
 Red cell vesicles, 93, 305P
 Relative efficacy, 93, 135P
 Relaxation, 94, 437P, 458P, 460P; 96, 719P, 788P
 Release, 93, 160P; 95, 673P
 Release, *in vivo*, 96, 874P
 Renal artery, rabbit, 96, 721P
 Renal blood flow, 96, 793P
 LLCPK₁, renal cells, 95, 583P
 MDCK renal cells, 95, 583P
 Renal cortex, human, 93, 239P
 Renal effects, 93, 201P
 Renal failure, rat, 94, 457P
 Renal function, 96, 858P
 Reperfusion, 93, 146P, 247P, 257P; 95, 496P, 497P
 Reproducibility, 93, 279P
 Resistance arteries, human, 96, 722P; 863P
 Respiration, 93, 82P; 96, 812P
 Reticuloendothelial system, rat, 93, 293P
 Retina, rabbit, 93, 165P
 Re-uptake, 96, 845P
 Rifampicin, effect, 95, 587P
 Rilmenidine, 93, 249P; 95, 572P, 698P
 Ritanserin, 93, 196P; 94, 473P
 Rotational behaviour, 95, 501P
 RP 49356, 96, 813P, 814P
 RS 93427, 94, 415P, 417P
 RU 24969, 94, 315P; 95, 499P, 662P; 96, 869P
 Rubidium uptake, 95, 620P

 Salbutamol, 95, 700P
 Salicylate, 94, 447P
 Salicylic acid, 95, 581P
 Salmeterol, 95, 540P
 Sandostatin, 94, 418P
 Saphenous vein, dog, 94, 439P
 Saphenous vein, human, 93, 266P, 275P; 95, 682P
 Saterinone, 95, 490P
 Satiety, 96, 779P
 SCH 23390, 95, 560P

Sciatic nerve-gastrocnemius muscle, frog, 96, 843P
 Schizophrenia, 93, 166P; 95, 484P; 96, 765P, 899P
 Scopolamine, 94, 381P
 Secretion, 94, 370P, 466P
 Sedation, 95, 499P
 κ -selective conditions, 93, 310P
 Semicarbazide-sensitive amine oxidase, (SSAO), 95, 576P
 Seminal vesicle, rat, 93, 286P; 95, 622P; 96, 844P
 Sensitization, 93, 278P
 Sensitisation of nociceptors, 94, 368P
 Sgd 1/85, 95, 704P
 Short circuit current, 93, 227P; 94, 408P, 465P
 SHR, 94, 355P
 Sialyl transferase, 93, 285P
 Sibutramine, 96, 885P
 Sibutramine hydrochloride, 94, 378P
 Side-effects, 96, 724P
 Simulation, 93, 307P
 Simple, low cost, 96, 906P
 Simulation, 96, 909P
 Single ion channels, 93, 86P
 Single pulse stimulation, 95, 649P
 Skeletal muscle, guinea-pig, 93, 260P
 SK&F 525A, 93, 215P; 94, 442P
 SK&F 38393, 93, 131P
 SK&F 93574, 93, 35P
 SK&F 94836, 96, 731P
 SK&F 101468-A, 93, 128P
 SK&F 104078, 94, 433P; 95, 702P
 Skin, mouse, 95, 536P
 Skin, rabbit, 95, 535P
 Skin, rat, 95, 580P
 Smooth muscle, 93, 45P; 94, 431P, 437P; 95, 510P, 511P, 516P, 542P, 566P, 569P, 675P, 677P; 96, 736P, 809P
 Smooth muscle relaxation, 95, 623P
 Social interaction, 93, 186P; 96, 879P
 Social isolation, 94, 349P
 Socially isolated rat, 93, 179P
 Sodium/hydrogen exchange, 96, 729P
 Sodium nitroprusside, 93, 18P; 95, 516P, 710P
 Sodium-potassium ATPase, 95, 620P
 Sofalcone, 93, 83P
 Software, 96, 909P
 Solubilization, 94, 322P; 95, 483P
 Somatostatin, 93, 78P
 Somatostatin analog, 93, 73P, 75P
 Spatial learning, 95, 663P
 Sphingosine, 96, 730P
 Spinal cord, cat, 93, 310P
 Spinal cord, rabbit, 94, 401P
 Spinal cord, rat, 93, 85P, 92P; 94, 473P
 Spinal cord noradrenaline, 96, 903P
 Spinal cord, rodents, 94, 375P
 Spinal motoneurons, 95, 555P
 Spinal noradrenergic neurones, 95, 556P
 Spironolactone, 93, 83P
 Spontaneous alternation, 93, 136P
 Spontaneous hypertension, 94, 419P
 ICI 128436 (Statil), 94, 453P
 Staurosporine, 95, 529P
 Stereochemistry, 96, 828P
 Stereospecific binding, 93, 256P
 Stereotypy, 93, 150P
 Steroid metabolism, 94, 345P
 Steroids, 95, 618P
 Stimulated phosphoinositide turnover, 96, 746P
 Streptozotocin-diabetes gentamicin, 95, 585P
 Stress, 93, 298P; 94, 320P; 96, 880P
 Stress-induced antinociception, 95, 666P
 Striatum, 94, 350P, 394P; 95, 652P; 96, 894P
 Striatum, rat, 96, 898P
 Stromelysin, 93, 281P
 Substance P, 94, 368P; 96, 717P
 Substance R, 94, 371P
 Substrate dependence, 94, 343P
 Sub-types, 94, 361P
 Succinimides, 95, 591P
 Sufotidine, 96, 749P
 Suicide, 96, 868P
 Suicide inhibition, 93, 214P
 Sulphasalazine, 93, 140P, 141P; 94, 448P
 Sulphonylureas, 93, 296P
 Superior mesenteric bed of rat, 96, 816P
 Superoxide anions, 95, 532P
 Superoxide dismutase, 93, 306P; 94, 352P
 Supersensitivity, 96, 846P
 Sympathetic ganglia, 93, 176P, 177P; 94, 321P; 96, 840P
 Sympathetic innervation, 96, 785P
 Sympathetic vasoconstriction, 95, 713P
 Sympathetic nervous system, dog, 93, 249P
 Sympathoinhibition, 93, 121P
 Synaprosomes, 95, 645P
 Synaptic transmission, 95, 503P; 96, 854P
 Synaptosomes, 96, 878P

Tachycardia, 93, 58P
 Tachykinin antagonists, 96, 747P
 Tachykinin receptors, 96, 747P
 Tachykinins, 94, 323P; 96, 850P
 Tacrine, 95, 629P
 Taenia caeci, guinea-pig, 93, 284P
 Tamoxifen, 94, 344P
 Teratogenesis, 93, 280P
 Tertiary amines, 93, 190P
 Test box, black/white, 95, 669P
 Tetanic fade, 94, 468P
 Tetanic stimulation, 95, 607P
 Tetrahydroaminoacridine, 93, 175P; 94, 318P
 Tetramethylammonia, 95, 615P
 Tetradotoxin, 94, 403P
 Thalamus, rat, 96, 755P
 N-Cl-[2-theinyl]cyclohexyl)piperidine binding, 93, 87P
 Thromboxane, 93, 45P, 62P, 229P; 94, 336P
 Thromboxane A₂, 93, 76P, 232P; 95, 532P, 675P, 676P
 Thromboxane receptor antagonist, 93, 146P
 Thromboxane receptor blocking drug, 93, 43P
 Thromboxane receptors, 93, 56P; 95, 685P; 96, 725P
 Thymus, 94, 451P
 Thyrotrophin-releasing hormone, 93, 8P, 9P; 95, 482P, 555P, 556P
 Thyrotrophin-releasing hormone analogue, 96, 888P, 903P
 Thyrotrophin-releasing hormone antibodies, 96, 886P
 Thyroid, 96, 830P, 837P
 Thyroid stimulating hormone, 96, 837P
 Timolol, 94, 346P
 Tissue-distribution, 93, 310P
 Tissue mast cells, 95, 673P
 Tissue plasminogen activator, 95, 707P
 TNF α , 95, 528P
 Tolerance, 93, 180P; 95, 667P, 668P; 96, 732P, 764P, 829P
 Tolerance study, 93, 10P
 Topical application, 94, 446P
 Toxicity, 93, 210P, 211P; 94, 444P, 445P
 Trachea, 93, 52P
 Trachea, bovine, 94, 366P
 Trachea, guinea-pig, 93, 76P; 95, 508P, 509P
 Tracheal epithelium, guinea-pig, 96, 774P
 Trachealis, guinea-pig, 93, 15P
 Tracheal muscle, sheep, 93, 33P
 Tracheal smooth muscle, bovine, 96, 797P
 Tracheal vasculature, 93, 33P
 Translocation, 95, 513P
 Transmitter overflow, 93, 25P; 94, 438P
 Transmitter release, 95, 543P, 544P
 Tranylcyproamine, 96, 866P
 Triiodothyronine, 94, 343P
 Trimethylamine, 95, 615P
 Tritium, electrical evoked, 93, 13P
 Tritium, potassium-evoked, 93, 13P
 Trophic effects, 96, 785P
 Tryptamines, 93, 253P; 95, 626P
 Tyramine, 95, 576P
 Tyrosine hydroxylase, 94, 394P
 U46619, 93, 56P, 270P
 UDP-glucuronosyltransferase, 94, 343P
 (³H)UK 14304 binding, 94, 380P
 Ulceroprotection, 95, 686P
 Ulcers, 93, 140P
 Umbilical cord, 96, 831P
 Umbilical vein, human, 93, 295P
 Uptake, 94, 370P; 95, 539P
 Uptake inhibitors, 96, 750P
 Urapidil, 95, 567P
 Urinary bladder, rat, 93, 283P
 Urine, 93, 31P
 Urine output, rat, 93, 282P
 Urine screening, 95, 616P
 Uterine artery, 96, 808P
 Uterine microflora, 95, 618P
 Uterine response, 95, 631P
 Uterus, rat, 93, 199P; 94, 362P; 95, 691P; 96, 732P, 847P
 Vagus nerve, rat, 93, 89P; 96, 871P
 Valproic acid, 93, 287P
 Vanadate, 93, 34P
 Vascular accumulation, 96, 787P
 Vascular α_1 -adrenoceptors, 93, 115P; 95, 701P
 Vascular muscle, rat, 94, 356P, 364P, 424P; 95, 564P, 595P; 96, 821P
 Vascular permeability, 93, 216P
 Vascular P₂-purinoceptors, 93, 250P, 251P
 Vascular smooth muscle, 93, 19P, 204P, 207P, 208P, 262P; 94, 418P; 95, 640P; 96, 720P
 Vascular smooth muscle, *in vivo*, 93, 43P
 Vascular smooth muscle cells, rat, 93, 291P
 Vascular tissue, 93, 264P
 Vas deferens, 93, 234P
 Vas deferens, guinea-pig, 93, 283P; 95, 543P

Vas deferens, mouse, 95, 544P, 596P;
96, 734P
Vas deferens, rat, 93, 29P, 274P;
95, 639P
Vasoactive intestinal peptide, 93,
110P; 94, 405P; 95, 545P
Vasoactive intestinal polypeptide,
95, 601P
Vasoactive intestinal polypeptide
antagonist, 95, 508P
Vasoconstriction, 93, 117P, 252P; 94,
422P; 96, 721P, 722P
Vasodilation, 95, 688P, 695P
Vasodilators, 93, 63P; 94, 437P; 95,
573P, 712P
Vasopermeability, 95, 602P
Vasopressin, 93, 59P, 303P; 94, 360P;
95, 633P; 96, 738P
Vasorelaxation, 95, 641P; 96, 813P
Vasospasm, 95, 574P
Venous tissue, human, 96, 753P
Ventricle, guinea-pig, 93, 260P
Ventricular arrhythmias, 96, 752P
Ventricular fibrillation, 93, 61P
Ventrolateral medulla, 94, 434P
Ventromedial hypothalamus, 96, 779P
Verapamil, 93, 244P, 263P; 95, 578P,
622P; 96, 844P
Vesamicol, 96, 891P
Visual system, rat, 93, 162P
Vitamin K, 93, 30P; 95, 617P
Vitamin K₁, 96, 835P
Voltammetry, 94, 347P, 392P; 96, 767P,
864P
Voltammetry, differential pulse, 95,
561P
Voltammetry, *in vivo*, 95, 558P
Volunteer studies, human, 94, 378P

Warfarin, 93, 287P; 96, 828P
Water displacement, 96, 908P
WB-4101, 95, 566P
Wellcome Institute, 93, 57P
Wet-dog shakes, 94, 313P; 96, 782P
Withdrawal, 96, 764P
Withdrawal syndrome, 94, 385P
WY 27587, 94, 384P

Xanthines, 93, 235P; 94, 423P
Xenopus embryo, 93, 280P
Xylazine, 93, 245P

Yawning, 95, 498P

³H Zacopride, 94, 391P
Zolpidem, 93, 4P; 95, 667P
Zymosan, 94, 416P