

INDEX TO VOLUMES 93, 94 AND 95

AUTHOR INDEX

A

- AALKJÆR, C. *see* VIDEBÆK, L.M., 95, 103
- AARHUS, L.L. *see* SHIMOKAWA, H., 95, 1181
- ABRAHAMSEN, J. *see* NEDERGAARD, O.A., 93, 23
- ACRITOPOULOU-FOURCROY, S. & MARÇAIS-COLLADO, H. Involvement of α -adrenoceptors in myometrial responses in the pro-oestral rat, 93, 185
- ADAMANTIDIS, M.M., HONORÉ, E.R. & DUPUIS, B.A. Electrical and mechanical effects of new aminosteroids on guinea-pig isolated ventricular muscle, 95, 1063
- ADCOCK, J. *see* MITCHELL, H.W., 94, 522
- ADCOCK, J.J., SCHNEIDER, S. & SMITH, T.W. Effects of codeine, morphine and a novel opioid pentapeptide BW443C, on cough, nociception and ventilation in the anaesthetized guinea-pig, 93, 93
- ADVENIER, C. *see* DEVILLIER, P., 94, 675
- ADVENIER, C., DEVILLIER, P., MATRAN, R. & NALINE, E. Influence of epithelium on the responsiveness of guinea-pig isolated trachea to adenosine, 93, 295
- AHN, H.Y. & KARAKI, H. Inhibitory effects of procaine on contraction and calcium movement in vascular and intestinal smooth muscles, 94, 789
- AHN, H.Y., KARAKI, H. & URAKAWA, N. Inhibitory effects of caffeine on contractions and calcium movement in vascular and intestinal smooth muscle, 93, 267
- AKAGI, H. *see* KUDO, Y., 94, 1050
- AKAIKE, N. *see* FFRENCH-MULLEN, J.M.H., 95, 753
- , *see* IKEMOTO, Y., 95, 883
- , *see* INOMATA, N., 93, 679
- , *see* SADOSHIMA, J., 94, 620
- , *see* TSUDA, Y., 95, 526
- AKBARALI, H.I., BIEGER, D. & TRIGGLE, C.R. Inhibition of field stimulation-evoked relaxations in rat oesophageal smooth muscle by the calcium antagonist PN 200-110, 512 95, 512
- AKBARALI, H.I., BIEGER, D., OHIA, S.E. & TRIGGLE, C.R. Similarity of relaxations evoked by BRL 34915, pinacidil and field-stimulation in rat oesophageal tunica muscularis mucosae, 95, 519
- AKIYOSHI, E. *see* KUDO, Y., 94, 1051
- AL-DAMLUJI, S., ROSS, G., TOUZEL, R., PERRETT, D., WHITE, A. & BESSER, G.M. Modulation of the actions of tyrosine by α -adrenoceptor blockade, 95, 405
- ALBRIGHTSON, C.R. *see* BROOKS, D.P., 94, 759
- ALHEID, U. *see* FÖRSTERMANN, U., 93, 569
- ALLAN, G., CAMBRIDGE, D., FOLLENFANT, M.J., STONE, D. & WHITING, M.V. A comparative study of the cardiovascular and biochemical actions of the imidazo [4,5b] pyridine sulmazole and an imidazo [4, 5c] pyridine analogue, BW A746C, 93, 387
- ALLELY, M.C. & ALPS, B.J. The effects of the novel anti-anginal compound RS 43285 on myocardial conduction in the anaesthetized dog, 93, 375
- ALLEN, G. *see* CAMBRIDGE, D., 93, 165
- ALLEN, J.M., MCCARRON, J.G., MCHALE, N.G. & THORNBURY, K.D. Release of [3 H]-noradrenaline from the sympathetic nerves to bovine mesenteric lymphatic vessels and its modification by α -agonists and antagonists, 94, 823
- ALLGAIER, C., DASCHMANN, B., HUANG, H.Y. & HERTTING, G., Protein kinase C and presynaptic modulation of acetylcholine release in rabbit hippocampus, 93, 525
- ALONSO, R. *see* SLADCZEK, F., 95, 1133
- ALOSACHIE, I. & GODFRAIND, T. The modulatory role of vascular endothelium in the interaction of agonists and antagonists with α -adrenoceptors in the rat aorta, 95, 619
- ALPS, B., CALDER, C., HASS, W.K. & WILSON, A.D. Comparative protective effects of nicardipine, flunarazine, lidoflazine and nimodipine against ischaemic injury in the hippocampus of the Mongolian gerbil, 93, 877
- ALPS, B.J. *see* ALLELY, M.C., 93, 375
- ALTURA, B.M. *see* MURAKAWA, T., 94, 325
- ALTURA, B.T. *see* MURAKAWA, T., 94, 325
- ALVINERIES, P. *see* GAIRIN, J.E., 95, 1023
- AMERINI, S., BERNABEI, R., CARBONIN, P., CERBAI, E., MUGELLI, A. & PAHOR, M. Electrophysiological mechanism for the antiarrhythmic action of propafenone: a comparison with mexiletine, 95, 1039
- AMEZCUA, J.L., DUSTING, G.J., PALMER, R.M.J. & MONCADA, S. Acetylcholine induces vasodilatation in the rabbit isolated heart through the release of nitric oxide, the endogenous nitrovasodilator, 95, 830
- ANDERSON, A.J. & HARVEY, A.L. Effects of the potassium channel blocking dendrotoxins on acetylcholine release and motor nerve terminal activity, 93, 215
- ANDERSON, A.J., HARVEY, A.L., ROWAN, E.G. & STRONG, P.N. Effects of charybdotoxin, a blocker of Ca^{2+} -activated K^+ channels, on motor nerve terminals, 95, 1329
- ANDERSON, G. & FENNESSY, M. Effects of REV 5901, a 5-lipoxygenase inhibitor and leukotriene antagonist, on pulmonary responses to platelet activating factor in the guinea-pig, 94, 1115
- ANDERSON, R. *see* LUKEY, P.T., 93, 289
- ANDERSON, W.H. *see* WELFORD, L.A., 95, 689
- ANDRIANTSITOHAINA, R. & STOCLET, J.C. Potentiation by neuropeptide Y of vasoconstriction in rat resistance arteries, 95, 419
- ANGUS, J.A. *see* COCKS, T.M., 95, 67
- ANSCHÜTZ, S. *see* WESSLER, I., 94, 669
- AOKI, N., BITTERMAN, H., BREZINSKI, M.E. & LEFER, A.M. Cardioprotective actions of human superoxide dismutase in two reperfusion models of myocardial ischaemia in the rat, 95, 723
- ANGCHANPEN, P., MARIN-GREZ, M. & SCHNERMANN, J. Effect of dopamine antagonists on the urine flow of rats infused with hypotonic saline, 93, 151
- ARAKI, H. *see* MORITOKI, H., 95, 1015
- ARAM, J.A. *see* FLETCHER, E.J., 95, 585

- ARCH, J.R.S., BUCKLE, D.R., BUMSTEAD, J., CLARKE, G.D., TAYLOR, J.F. & TAYLOR, S.G. Evaluation of the potassium channel activator cromakalim (BRL 34915) as a bronchodilator in the guinea-pig: comparison with nifedipine, **95**, 763
- ARTALEJO, A.R. *see* CÁRDENAS, A.M., **95**, 9
- ASANO, M., MASUZAWA, K. & MATSUDA, T. Evidence for reduced β -adrenoceptor coupling to adenylate cyclase in femoral arteries from spontaneously hypertensive rats, **94**, 73
- , Role of stimulatory GTP-binding protein (Gs) in reduced β -adrenoceptor coupling in the femoral artery of spontaneously hypertensive rats, **95**, 241
- ASCIOTI, C. *see* DE SARRO, G., **95**, 1278
- ASHFORD, M.L.J. *see* STURGESS, N.C., **95**, 83
- AURSUDKIJ, B. *see* ROGERS, D.F., **95**, 1109
- B**
- BAARS, L.G.M. *see* THIJSSSEN, H.H.W., **95**, 675
- BACCIOTTINI, L. *see* PELLEGRINI-GIAMPETRO, D.E. **93**, 535
- BACON, K.B., CAMP, R.D.R., CUNNINGHAM, F.M. & WOOLLARD, P.M. Contrasting *in vitro* lymphocyte chemotactic activity of the hydroxyl enantiomers of 12-hydroxy-5,8,10,14-eicosatetraenoic acid, **95**, 966
- BAGETTA, G. *see* DE SARRO, G., **95**, 1278
- BAGETTA, G., DE SARRO, G., PRIOLO, E. & NISTICO, G. Ventral tegmental area: site through which dopamine D₂-receptor agonists evoke behavioural and electrocortical sleep in rats, **95**, 860
- BAKER, J.R.J. *see* TAYLOR, S.G., **94**, 853
- BAKHLE, Y.S. *see* GRANTHAM, C.J., **94**, 1029
- , *see* IZUMI, T., **93**, 955
- BAKHRAMOV, A. *see* BREGESTOVSKI, P., **95**, 419
- BARNES, P.J. *see* BELVISI, M.G., **95**, 413
- , *see* EVANS, T.W., **94**, 164
- , *see* ROGERS, D.F., **95**, 1109
- , *see* STRETTON, C.D., **93**, 663
- BARNETT, C.J.K. *see* O'DONNELL, **94**, 437
- BARLOW, R.B., SHEPHERD, M.K., TYDEMAN, H. & VEALE, M.A. The affinity of some acetylenic analogues of 4-DAMP methobromide for muscarinic receptors in guinea-pig ileum and atria, **94**, 947
- BARR, H.A., NICHOLAS, T.E. & POWER, J.H.T. Control of alveolar surfactants in rats at rest and during prolonged hyperpnoea: pharmacological evidence for two tissue pools of surfactant, **93**, 473
- BARR, R.M., FRANCIS, D.M., BLACK, A.K., NUMATA, T. & GREAVES, M.W. The release of prostaglandin D₂ from human skin *in vivo* and *in vitro* during immediate allergic reactions, **94**, 773
- BARRÈS, C., CERUTTI, C., MORIN, B. & SASSARD, J. Cardiovascular effects of two new calcium antagonists, PY 108-068 and PN 200-100, in conscious spontaneously hypertensive rats, **93**, 176
- BATRA, S. *see* KOSTRZEWSKA, A., **94**, 1037
- BAUER, V. *see* RUSKO, J., **94**, 557
- BAUMANN, M. *see* LEPOR, H., **95**, 139
- BEART, P.M. *see* LODGE, D., **95**, 957
- BECK, K., CALAMARI, F., STADERINI, G. & SUSINI, R. Gastric motor responses elicited by vagal stimulation and purine compounds in the atropine-treated rabbit, **94**, 1157
- BECKERINGH, J.J. *see* MICHEL, M.C., **94**, 685
- BEDING-BARNEKOW, B., BRODIN, E. & HÅKANSON, R. Substance P, neurokinin A and neurokinin B in the ocular response to injury in the rabbit, **95**, 259
- BELL, C. Phentolamine lacks α_2 -adrenoceptor agonist activity in anaesthetized dogs, **93**, 337
- BELVISI, M.G. *see* ROGERS, D.F., **95**, 1109
- BELVISI, M.G., CHUNG, K.F., JACKSON, D.M. & BARNES, P.J. Opioid modulation of non-cholinergic neural bronchoconstriction in guinea-pig *in vivo*, **95**, 413
- BEN-ZVI, Z. & HURWITZ, A. Clonidine effects on disposition of xenobiotics in rats: inhibited elimination of flow-limited but not extraction-limited agents, **94**, 97
- BENNETT, G.W. *see* BRISTOW, L.J., **95**, 1292
- BENNETT, T. *see* GARDINER, S.M., **95**, 197
- BENOIT, E., CARRATÙ, M.R. & MITOLO-CHIEPPA, D. Interactions between molecules of a steroid anaesthetic (alphaxalone) and ionic channels of nodal membrane in voltage-clamped myelinated nerve fibre, **94**, 635
- BENVENISTE, J. *see* BRAUNSTEIN, G., **95**, 300
- BENYON, R.C. *see* LOWMAN, M.A., **95**, 121
- BERNABEI, R. *see* AMERINI, S., **95**, 139
- BERRY, C.N., PROUTEAU, M. & LLOYD, K.G. Sulphasalazine and PhCL28A inhibit the formation of ethanol- and phenylbutazone-induced rat gastric ulcers: lack of involvement of endogenous prostaglandins, **93**, 465
- BESSER, G.M. *see* AL-DAMLUJI, S., **95**, 405
- BETTANEY, J. *see* DRAY, A., **95**, 1008
- BHARDWAJ, R. & MOORE, P.K. Endothelium-derived relaxing factor and the effects of acetylcholine and histamine on resistance blood vessels, **95**, 835
- BHATTACHERJEE, P. *see* TATESON, J.E., **94**, 528
- BIAN, K. *see* LU, W., **95**, 544
- BIEGER, D. *see* AKBARALI, H.I., **95**, 512
- , *see* AKBARALI, H.I., **95**, 519
- BIRCHMORE, B. *see* CLARK, C.R., **93**, 618
- BISSET, G.W. *see* CHOWDREY, H.S., **93**, 349
- BITTERMAN, H. *see* AOKI, N., **95**, 735
- BLACK, A.K. *see* BARR, R.M., **94**, 773
- , *see* CAMP, R.D.R., **94**, 1043
- BLACK, J.W. *see* SHANKLEY, N.P., **94**, 264
- BLAKE, J.F., BROWN, M.W. & COLLINGRIDGE, G.L. A qualitative study of the actions of excitatory amino acids and antagonists in rat hippocampal slices, **95**, 291
- BLAKELY, A.G.H. *see* DUNN, P.M., **93**, 243
- BLAKELEY, A.G.H., DUNN, P.M. & PETERSEN, S.A. A study of the actions of P₁-purinoceptor agonists and antagonists in the mouse vas deferens *in vitro*, **94**, 37
- BOARATO, E. *see* CHANG, H.W., **93**, 647
- BOCKAERT, J. *see* SLADCZEK, F., **95**, 1133
- BODEN, P. & HILL, R.G. Effects of cholecystokinin and related peptides on neuronal activity in the ventromedial nucleus of rat hypothalamus, **94**, 246
- BOGNAR, I.T., PALLAS, S., FUDER, H. & MUSCHOLL, E. Muscarinic inhibition of [³H]-noradrenaline release on rabbit iris *in vitro*: effects of stimulation conditions on intrinsic activity of methacholine and pilocarpine, **94**, 890

- BÖHM, M., BRÜCKNER, R., NEUMANN, J., NOSE, M., SCHMITZ, W. & SCHOLZ, H. Adenosine inhibits the positive inotropic effect of 3-isobutyl-1-methylxanthine in papillary muscles without effect on cyclic AMP or cyclic GMP, **93**, 729
- BOLTON, T.B. *see* LIM, S.P., **95**, 325
- BOM, A.H., DUNCKER, D.J., SAXENA, P.R. & VERDOUW, P.D. 5-Hydroxytryptamine-induced tachycardia in the pig: possible involvement of a new type of 5-hydroxytryptamine receptor, **93**, 663
- BORCHGREVINK, P.C. & RYAN, M.P. Effects of magnesium, ouabain and bumetanide on 86 rubidium uptake in human atrial cell line, **95**, 614
- BOND, R.A. & CLARK, D.E. Agonist and antagonist characterization of a putative adrenoceptor with distinct pharmacological properties from the α - and β -subtypes, **95**, 723
- BOSE, D. *see* HRYSHKO, L.V., **94**, 291
- BOSE, D., ELLIOTT, D., KOBAYASHI, T., TEMPLETON, J.F., KUMAR, V.P.S. & LABELLA, F.S. 14 β -Hydroxyprogesterone binds to the digitalis receptor, inhibits the sodium pump and enhances cardiac contractility, **93**, 453
- BOSE, D., HRYSHKO, L.V., KING, B.W. & CHAU, T. Control of interval-force relation in canine ventricular myocardium studied with ryanodine, **95**, 811
- BOTANCH, C. *see* GAIRIN, J.E., **95**, 1023
- BOTTOMLEY, K.M.K., GRIFFITHS, R.J., RISING, T.J. & STEWARD, A. A modified mouse air pouch model for evaluating the effects of compounds on granuloma induced cartilage degradation, **93**, 627
- BOUGHTON-SMITH, N.K. & WHITTLE, B.J.R. Failure of the inhibition of rat gastric mucosal 5-lipoxygenase by novel acetohydroxamic acids to prevent ethanol-induced damage, **95**, 155
- BROUGHTON-SMITH, N.K., WALLACE, J.L., MORRIS, G.P. & WHITTLE, B.J.R. The effect of anti-inflammatory drugs on eicosanoid formation in a chronic model of inflammatory bowel disease in the rat, **94**, 65
- BOURKE, J.E., BUNN, S.J., MARLEY, P.D. & LIVETT, B.G. The effects of neosurugatoxin on evoked catecholamine secretion from bovine adrenal chromaffin cells, **93**, 275
- BOUTHILLIER, J. *see* DEBLOIS, D., **93**, 969
- BOVA, S., CARGNELLI, G. & LUCIANI, S. Na/Ca exchange and tension development in vascular smooth muscle: effect of amiloride, **93**, 601
- BOWERY, N.G., WONG, E.H.F. & HUDSON, A.L. Quantitative autoradiography of [3 H]-MK-801 binding sites in mammalian brain, **93**, 948
- BOWMER, C.J. *see* SILBERSTEIN, D.J., **95**, 343
- BOWSER-RILEY, F., DANIELS, S. & SMITH, E.B. Investigations into the origin of the high pressure neurological syndrome: the interaction between pressure, strychnine and 1,2-propanediols in the mouse, **94**, 1069
- BOYLE, J.P. *see* SMALL, R.C., **94**, 1091
- BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., GOOD, D.M., KENNEDY, I. & SMALL, R.C. Spasmogen action in guinea-pig isolated trachealis: involvement of membrane K $^{+}$ -channels and the consequences of K $^{+}$ -channel blockade, **93**, 319
- BRAAS, K.M., MANNING, D.C., PERRY, D.C. & SNYDER, S.H. Bradykinin analogues: differential agonist and antagonist activities suggesting multiple receptors, **94**, 3
- BRAIN, S.D., TIPPINS, J.R. & WILLIAMS, T.J. Endothelin induces potent microvascular constriction, **95**, 1005
- BRAND, F.-H. *see* LENZEN, S., **95**, 851
- BRAQUET, P. *see* SENN, N., **93**, 803
- BRAUNSTEIN, G., LABAT, C., BRUNELLESCHI, S., BENVENISTE, J., MARSAC, J. & BRINK, C. Evidence that the histamine sensitivity and responsiveness of guinea-pig isolated trachea are modulated by epithelial prostaglandin E $_2$ production, **95**, 300
- BREGESTOVSKI, P., BAKHRAMOV, A., DANILOV, S., MOLDOBAEVOVA, A. & TAKEDA, K. Histamine-induced inward currents in cultured endothelial cells from human umbilical vein, **95**, 419
- BREZINSKI, M.E. *see* AOKI, N., **95**, 735
- BRIGGS, C.A., McFEE, D.A. & McCAMAN, R.E. Long-term regulation of synaptic acetylcholine release and nicotinic transmission: the role of cyclic AMP, **93**, 399
- BRINK, C. *see* BRAUNSTEIN, G., **95**, 300
- BRISTOW, L.J. & BENNETT, G.W. Biphasic effects of intra-accumbens histamine administration on spontaneous motor activity in the rat; a role for central histamine receptors, **95**, 1292
- BRODDE, O.-E. *see* MICHEL, M.C., **94**, 685
- BRODIN, E. *see* BEDING-BARNEKOW, B., **95**, 259
- BROOKS, D.P., KOSTER, P.F., STASSEN, F.L., ALBRIGHTSON, C.R., HUFFMAN, W.F., WASERMAN, M.A. & KINTER, L.B. Flushing and haemodynamic responses to vasopressin peptides in the rhesus monkey, **94**, 759
- BROWN, C.M., McGRATH, J.C., MIDGLEY, J.M., MUIR, A.G.B., O'BRIEN, J.W., THONOR, C.M., WILLIAMS, C.M. & WILSON, V.G. Activities of octopamine and synephrine stereoisomers on α -adrenoceptors, **93**, 417
- BROWN, M.W. *see* BLAKE, J.F., **95**, 291
- BRÜCKNER, R. *see* BÖHM, M., **93**, 729
- BRUNELLESCHI, S. *see* BRAUNSTEIN, G., **95**, 300
- BRUNI, A. *see* CHANG, H.W., **93**, 647
- BUCKINGHAM, R.E. Studies on the anti-vasoconstrictor activity of BRL 34915 in spontaneously hypertensive rats; a comparison with nifedipine, **93**, 541
- BULLOCH, J.M. & McGRATH, J.C. Blockade of vasopressor and vas deferens responses by α , β -methylene ATP in the pithed rat, **94**, 103
- . Selective blockade by nifedipine of 'purinergic' rather than adrenergic nerve-mediated vasopressor responses in the pithed rat, **95**, 695
- BULT, H., FRET, H.R.L., VAN DEN BOSSCHE, R. & HERMAN, A.G. Platelet inhibition by endothelium-derived relaxing factor from the rabbit perfused aorta, **95**, 1308
- BULT, H., HEIREMANS, J.J., HERMAN, A.G., MALCORPS, C.M.A. & PEETERS, F.A.M. Prostacyclin biosynthesis and reduced 5-HT uptake after complement-induced endothelial injury in the dog isolated lung, **93**, 791
- BUNN, S.J. *see* BOURKE, J.E., **93**, 275
- BURNS, K.M. *see* SHAW, J.S., **95**, 578
- BURNSTOCK, G. *see* HOYLE, C.H.V., **95**, 653

- , *see* MACKENZIE, I., **94**, 699
 —, *see* RALEVIC, V., **95**, 637
 BURTON, N.R. *see* WILLIAMS, T.L., **95**, 805
 BURTON, N.R., SMITH, D.A.S. & STONE, T.W. A quantitative pharmacological analysis of some excitatory amino acid receptors in the mouse neocortex *in vitro*, **93**, 693
 BUSSE, R. *see* LÜCKHOFF, A., **95**, 189
 BUTINA, D. *see* HUMPHREY, P.P.A., **94**, 1123
 BUTLER, A., HILL, J.M., IRELAND, S.J., JORDAN, C.C. & TYERS, M.B. Pharmacological properties of GR38032, a novel antagonist at 5-HT₃ receptors, **94**, 397
 BUXTON, B.F. *see* MOLENAAR, P., **95**, 225
 BYRNE, N.G. & LARGE, W.A. Mechanism of action of α -adrenoceptor activation in single cells freshly dissociated from the rabbit portal vein, **94**, 475
- C
- CALAMARI, F. *see* BECK, K., **94**, 1157
 CALCUTT, C.R., GANELLIN, C.R., GRIFFITHS, R., LEIGH, B.K., MAGUIRE, J.P., MITCHELL, R.C., MYLEK, M.E., PARSONS, M.E., SMITH, I.R. & YOUNG, R.C. Zolantidine (SK&F 95282) is a selective brain-penetrating histamine H₂-receptor antagonist, **93**, 69
 CALDER, C. *see* ALPS, B., **93**, 877
 CALIXTO, J.B., PIZZOLATTI, M.G. & YUNES, R.A. The competitive antagonistic effect of compounds from *Mandevilla velutina* on kinin-induced contractions of rat uterus and guinea-pig ileum *in vitro*, **94**, 1133
 CALLACHAN, H. *see* PETERS, J.A., **94**, 1257
 CAMBRIDGE, D. *see* ALLAN, G., **93**, 387
 CAMBRIDGE, D., WHITING, M.V. & ALLAN, G. Cardiac and renovascular effects in the anaesthetized dog of BW A575C: a novel angiotensin converting enzyme inhibitor with β -adrenoceptor blocking properties, **93**, 165
 CAMP, R.D.R. *see* BACON, K.B., **95**, 966
 CAMP, R.D.R., CUNNINGHAM, F.M., FINCHAM, N.J., GREAVES, M.W., BLACK, A.K., MALLET, A.I. & WOOLARD, P.M. Psoriatic skin lesions contain a novel lipid neutrophil chemokinetic compound which is distinct from known chemoattractant eicosanoids, **94**, 1043
 CAMPBELL, C.A., CLAVENNA, C.F., WYNNE, J. & KLONER, R.A. Pentoxifylline does not reduce infarct size in canine model of acute myocardial infarction, **93**, 570
 CAMPBELL, I.C. *see* DUNN, G., **94**, 693
 CANNING, B.J. *see* FARMER, S.G., **95**, 371
 CARBONIN, P. *see* AMERINI, S., **95**, 139
 CÁRDENAS, A.M., MONTIEL, C., ARTALEJO, A.R., SÁNCHEZ-GARCÍA, P. & GARCÍA, A.G. Sodium-dependent inhibition by PN200-110 enantiomers of nicotine adrenal catecholamine release, **95**, 9
 CARELLA, A. *see* MURAKAWA, T., **94**, 325
 CARGNELLI, G. *see* BOVA, S., **93**, 601
 CARLA, V. *see* PELLEGRINI-GIAMPETRO, D.E., **93**, 535
 CARPENE, C. *see* MORATINOS, J., **94**, 299
 CARRATU, M.R. *see* BENOIT, E., **94**, 635
 CARRINGTON, C.A. *see* STURGESS, N.C., **95**, 83
 CARROLL, J.A., SHAW, J.S. & WICKENDEN, A.D. The physiological relevance of low agonist affinity binding at μ -receptors, **94**, 625
 CARTER, T.D., HALLAM, T.J., CUSACK, N.J. & PEARSON, J.D. Regulation of P₂-purinoceptor-mediated prostacyclin release from human endothelial cells by cytoplasmic calcium concentration, **95**, 1181
 CARTHEUSER, C.F. Slow channel inhibitor effects on brain function: tolerance to severe hypoxia in the rat, **95**, 903
 CASTEELS, R. *see* KANMURA, Y., **95**, 284
 CERBAI, E. *see* AMERINI, S., **95**, 139
 CERRUTTI, C. *see* BÄRRES, C., **93**, 176
 CERVONI, P. *see* LAI, F.M., **93**, 613
 CHAKI, K., KAWAMURA, S., KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y., SATO, T. & SUSUKI, K. Antinociception and physical dependence produced by [D-Arg²]-dermorphin tetrapeptide analogues and morphine in rats, **95**, 15
 CHAN, M.-Y. *see* DAI, S., **93**, 723
 CHAND, N., DIAMANTIS, W., MAHONEY, T.P. & SOFIA, R.D. Phospholipase A₂-induced airway hyper-reactivity to cooling and acetylcholine in rat trachea: pharmacological modulation, **94**, 1057
 CHANG, C.C., CHEN, S.M. & HONG, S.J. Reversals of the neostigmine-induced tetanic fade and endplate potential run-down with respect to the autoregulation of transmitter release, **95**, 1255
 CHANG, H.W., INOUE, K., BRUNI, A., BOARATO, E. & TOFFANO, G. Stereoselective effects of lysophosphatidylserine in rodents, **93**, 647
 CHARLETTE, L. *see* JONES, T.R., **95**, 309
 CHAU, T. *see* BOSE, D., **95**, 811
 CHEN, G., SUZUKI, H. & WESTON, A.H. Acetylcholine releases endothelium-derived hyperpolarizing factor and EDRF from rat blood vessels, **95**, 1165
 CHEN, S.M. *see* CHANG, C.C., **95**, 1255
 CHIBA, S. & TSUKADA, M. Possible mechanism of acetaldehyde-induced noradrenaline release from sympathetic nerve terminals in isolated blood vessels, **95**, 177
 CHIVERS, J. *see* HORTON, R.W., **94**, 1234
 CHOLERTON, S. *see* WINN, M.J., **94**, 1077
 CHOO, L.K. *see* GARDNER, A.L., **94**, 199
 CHOWDREY, H.S. & BISSETT, G.W. Central inhibition by γ -aminobutyric acid of the release of vasopressin by carbachol in the rat, **93**, 349
 CHRISTENSEN, S. & PETERSEN, J.S. Effects of furosemide on renal haemodynamics and proximal tubular sodium reabsorption in conscious rats, **95**, 353
 CHRISTENSEN, S.B. *see* OHUCHI, K., **94**, 917
 CHRISTIE, M.I. & LEWIS, M.J. Vascular smooth muscle sensitivity to endothelium-derived relaxing factor is different in different arteries, **95**, 630
 CHRISTIE, M.J. & NORTH, R.A. Agonists at μ -opioid, M₂-muscarinic and GABA_B-receptors increase the same potassium conductance in rat lateral parabrachial neurones, **95**, 896
 CHUNG, K.F. *see* BELVISI, M.G., **95**, 413
 —, *see* EVANS, T.W., **94**, 164
 CHURCH, M.K. *see* HUTSON, P.A., **94**, 6

- , *see* LOWMAN, M.A., 95, 121
- CIABATTONI, G. *see* KARWATOWKA-PROKOPCZUK, E., 94, 721
- CIRINO, M. *see* LAGENTE, V., 94, 27
- CLARK, C.R., BIRCHMORE, B., SHARIF, N.A., HUNTER, J.C., HILL, R.G. & HUGHES, J. PD1170302: a selective agonist for the κ -opioid receptor, 93, 618
- CLARK, S.J., FOLLENFANT, R.L. & SMITH, T.W. Evaluation of opioid-induced antinociceptive effects in anaesthetized and conscious animals, 95, 275
- CLAVENNA, C.F. *see* CAMPBELL, C.A., 93, 587
- COATES, I.H. *see* HUMPHREY, P.P.A., 94, 1123
- COBUZZI, A. *see* LAI, F.M., 93, 613
- COCKS, T.M., LITTLE, P.J., ANGUS, J.A. & CRAGOE, E.J. Jr. Amiloride analogues cause endothelium-dependent relaxation in the canine coronary artery *in vitro*: possible role of $\text{Na}^+/\text{Ca}^{2+}$ exchange, 95, 67
- COLLARD, K.J. *see* EVANS, S.M., 95, 950
- COLLARD, K.J., WILKINSON, L.S. & LEWIS, D.J. Studies on the mechanism by which tryptophan efflux from isolated synaptosomes is stimulated by depolarization, 93, 341
- COLLINGRIDGE, G.L. *see* BLAKE, J.F., 95, 291
- COLLINS, G.G.S. Effects of the anaesthetic 2,6-diisopropylphenol on synaptic transmission in the rat olfactory cortex slice, 95, 939
- COMER, M.B. *see* GRISTWOOD, R.W., 93, 893
- COMPTON, A.M. *see* GARDINER, S.M., 95, 197
- CONNELL, L.A. & WALLIS, D.I. Responses to 5-hydroxytryptamine evoked in the hemisectioned spinal cord of the neonate rat, 94, 1101
- CONNICK, J.H. & STONE, T.W. Excitatory amino acid antagonists and endogenous aspartate and glutamate release from rat hippocampal slices, 93, 863
- , Quinolinic acid effects on amino acid release from the rat cerebral cortex *in vitro* and *in vivo*, 93, 868
- CONNOR, H.E. *see* HUMPHREY, P.P.A., 94, 1123
- CONSTANTI, A. *see* WILLIAMS, S.H., 93, 846
- , *see* WILLIAMS, S.H., 93, 855
- COOLING, M.J. *see* SIM, M.F., 94, 371
- COOK, N.S. & HOF, R.P. Cardiovascular effects of apamin and BRL 34915 in rats and rabbits, 93, 121
- COOK, N.S., WEIR, S.W. & DANZEISEN, M.C. Antivasoconstrictor effect of K^+ channel opener cromakalim on the rabbit aorta—comparison with calcium antagonist isradipine, 95, 741
- CORDER, R. & WITHRINGTON, P.G. A comparison of the differential effects of vasoactive intestinal peptide and peptide histidine isoleucine on the vascular and capsular smooth muscle of the dog spleen, 95, 664
- , The actions of neuropeptide Y and peptide YY on the hepatic arterial and portal beds of the anaesthetized dog, 94, 1149
- CORTJO, P.B. *see* SMALL, R.C., 94, 1091
- CORY, R.N. *see* SLADCEK, F., 95, 1133
- COSTA, M. & MAJEWSKI, H. Facilitation of noradrenaline release from sympathetic nerves through activation of ACTH receptors, β -adrenoceptors and angiotensin II receptors, 95, 993
- COSTALL, B. *see* JONES, B.J., 93, 985
- COTTRELL, G.A. *see* GREEN, K.A., 94, 235
- CRAGOE, E.J. Jr. *see* COCKS, T.M., 95, 67
- CREA, A.E.G. *see* JACQUES, C.A.J., 95, 562
- CRISCUOLI, M. & SUBISSI, A. Catecholamines released from the adrenal medulla exert a compensatory, protective effect at β_2 -adrenoceptors against Paf-induced death in mice, 93, 132
- CRITCHLEY, J.A.J.H., MACLEAN, M.R. & UNGAR, A. Inhibitory regulation by co-released peptides of catecholamine secretion by the canine adrenal medulla, 93, 383
- CROSS, J. *see* GAIRIN, J.E., 95, 1023
- CROSS, J.A. & HORTON, R.W. Effects of chronic oral administration of the antidepressants, desmethylinipramine and zimelidine on rat cortical GABA_A binding sites: a comparison with 5-HT₂ binding site changes, 93, 331
- CUNNINGHAM, F.M. *see* BACON, K.B., 95, 966
- , *see* CAMP, R.D.R., 94, 1043
- CURTIS, M.J. & WALKER, M.J.A. The mechanism of action of calcium antagonists on arrhythmias in early myocardial ischaemia: studies with nifedipine and DHM9, 94, 1275
- CURTIS-PRIOR, P.B. *see* SMALL, R.C., 94, 1091
- CURZON, G. *see* KENNETT, G.A., 94, 137
- CUSACK, N.J. *see* CARTER, T.D., 95, 1181

D

- DAFFONCHIO, L., PAYNE, A.N., LEES, I.W. & WHITTLE, B.J.R. Immediated anaphylactic bronchoconstriction induced hyperreactivity in anaesthetized guinea-pigs, 94, 663
- DAI, S. *see* KO, W.W.W., 93, 723
- DAINTY, I.A. *see* EGLEN, R.M., 95, 1031
- DALY, C.J., DUNN, W.R., McGRATH, J.C. & WILSON, V.G. An attempt at selective protection from phenoxybenzamine of postjunctional α -adrenoceptor subtypes mediating contractions to noradrenaline in rabbit isolated saphenous vein, 95, 501
- DALY, C.J., McGRATH, J.C. & WILSON, V.G. An examination of the postjunctional α -adrenoceptor subtypes for (–)-noradrenaline in several isolated blood vessels from the rabbit, 95, 473
- , Evidence that the population of postjunctional-adrenoceptors mediating contraction of smooth muscle in the rabbit isolated ear vein is predominantly α_2 , 94, 1085
- , Pharmacological analysis of postjunctional α -adrenoceptors mediating contractions to (–)-noradrenaline in the rabbit isolated lateral saphenous vein can be explained by interacting responses to simultaneous activation of α_1 - and α_2 -adrenoceptors, 95, 485
- DALZIEL, H.H. & SNEDDON, P. The mechanism of action of AMP-induced inhibition of sympathetic neurotransmission in the isolated vas deferens of the rat and the guinea-pig, 94, 961
- DAMAROWSKY, M., LÜLLMANN, H. & RAVENS, U. The dihydropyridine derivative 202-791: interpretation of the effects of the racemate considering inverse agonistic enantiomers, 95, 1125
- DANIELS, S. *see* BOWSER-RILEY, F., 94, 1069
- DANILOV, S. *see* BREGESTOVSKI, P., 95, 419
- DASCHMANN, B. *see* ALLGAIER, C., 93, 525

- DAVIES, J.M. *see* BOYLE, J.P., 93, 319
 —, *see* SMALL, R.C., 94, 1091
- DAVIES, M. *see* ROBERTS, M.H.T., 95, 437
- DAVIES, M., WILKINSON, L.S. & ROBERTS, M.H.T.
 Evidence for depressant 5-HT₁-like receptors on rat brainstem neurones, 94, 492
 —. Evidence for excitatory 5-HT₂-receptors on rat brainstem neurones, 94, 483
- DAVIES, R. LI. *see* GRIFFITH, T.M., 93, 654
- DAVIES, S.N. *see* LODGE, D., 95, 957
- DE BELLEROCHE, J. & GARDINER, I.M. Inhibitory effect of 1,2,3,4-tetrahydro-9-aminoacridine on the depolarization-induced release of GABA from cerebral cortex, 94, 1017
- DE DEYN, P.P. & MACDONALD, R.L. Effects of non-sedative anxiolytic drugs on responses to GABA and on diazepam-induced enhancement of these responses on mouse neurones in cell culture, 95, 109
- DE LUCA, A. *see* ISHAC, E.J.N., 94, 713
- DE NUCCI, G., WARNER, T. & VANE, J.R. Effect of captopril on the bradykinin-induced release of prostacyclin from guinea-pig lungs and bovine aortic endothelial cells, 95, 783
- DE PABLOS, I. *see* MORATINOS, J., 94, 299
- DE SARRO, G. *see* BAGETTA, G., 95, 860
- DE SARRO, G., BAGETTA, G., ASCIOTI, C., LIBRI, V. & NISTICÓ, G. Microinfusion of clonidine and yohimbine into locus coeruleus alters EEG power spectrum: effects of aging and reversal by phosphatidylserine, 95, 1278
- DE SARRO, G., MELDRUM, B.S. & NISTICÓ, G. Anticonvulsant effects of some calcium entry blockers, 93, 247
- DEBLOIS, D., BOUTHILLIER, J. & MARCEAU, F. Effect of glucocorticoids, monokines and growth factors on the spontaneously developing responses of the rabbit isolated aorta to des-Arg⁹-bradykinin, 93, 969
- DELEONARDIS, V.M. *see* NGANELE, D.M., 93, 501
- DEMPSTER, J. *see* ESTRELLA, D., 93, 759
- DEN BOER, M.O. *see* SASSEN, L.M.A., 95, 361
- DENIS, D. *see* JONES, T.R., 95, 309
- DENT, G. *see* EVANS, T.W., 94, 164
- DESQUAND, S. *see* LAGENTE, V., 94, 27
- DEVILLIER, P. *see* ADVENIER, C., 93, 295
- DEVILLIER, P., ADVENIER, C., DRAPEAU, G., MARSAC, J. & REGOLI, D. Comparison of the effects of epithelium removal and of an enkephalinase inhibitor on the neurokinin-induced contractions of guinea-pig isolated trachea, 94, 675
- DIAMANTIS, W. *see* CHAND, N., 94, 1057
- DILLON, J.S. & NAYLER, W.G. Ca²⁺-antagonist and binding properties of the phenylalkylamine, anipamil, 94, 246
- DION, R. *see* SCHOEFFTER, P., 95, 531
- DIPPENAAR, U.H. *see* LUKEY, P.T., 93, 289
- DOETSCH, N. *see* MICHEL, M.C., 94, 685
- DOLIN, S.J., HALSEY, M.J. & LITTLE, H.J. Effects of the calcium channel activator Bay K 8644 on general anaesthetic potency in mice, 94, 413
- DOLPHIN, A.C. *see* SCOTT, R.H., 94, 653
- DOMÈNECH, C. *see* RIVERA-FILLAT, M.P., 93, 902
- DOMENY, A.M. *see* JONES, B.J., 93, 985
- DONNERER, J. & LEMBECK, F. Neonatal capsaicin treatment of rats reduces ACTH secretion in response to peripheral neuronal stimuli but not to centrally acting stressors, 94, 647
- DONNERER, J., YAN, Z. & LEMBECK, F. Effects of clonidine and yohimbine on a C-fibre-evoked blood pressure reflex in the rat, 94, 848
- DOUGALL, I.G. *see* LEFF, P., 95, 234
- DOUGLAS, J.S. *see* WILLS, M., 93, 918
- DOURISH, C.T. *see* STOESSL, A.J., 94, 285
- DOWNING, S.J. & HOLLINGSWORTH, M. Nifedipine kinetics in the rat and relationship between its serum concentrations and uterine and cardiovascular effects, 95, 23
- DRAPEAU, G. *see* DEVILLIER, P., 94, 675
- DRAY, A. *see* PERKINS, M.N., 94, 47
- DRAY, A., BETTANEY, J., FORSTER, P. & PERKINS, M.N. Activation of a bradykinin receptor in peripheral nerve and spinal cord in the neonatal rat *in vitro*, 95, 1008
- DRESEL, P.E. & OGBAGHEBRIEL, A. Blockade of the inotropic effect of Bay K 8644 by cytochalasin-B and phloretin, 94, 552
- DUBUQUE, L.K. *see* EGLEN, R.M., 95, 1031
- DUN, N.J. *see* WALLIS, D.I., 93, 110
- DUNCAN, G.P. *see* PATMORE, L., 95, 763
- DUNCKER, D.J. *see* BOM, A.H., 93, 663
- DUNCKER, D.J., HEILIGERS, J.P.C., SAXENA, P.R. & VERDOUW, P.D. Nisoldipine and perfusion of post-stenotic myocardium in conscious pigs with different degrees of concentric stenosis, 94, 219
- DUNN, G., KOSHIKAWA, N., DURCAN, M.J. & CAMPBELL, I.C. An examination of the experimental design in relation to receptor binding assays, 94, 693
- DUNN, P.M. *see* BLAKELEY, A.G.H., 94, 37
- DUNN, P.M. & BLAKELEY, A.G.H. Suramin: a reversible P₂-purinoceptor antagonist in the mouse vas deferens, 93, 243
- DUNN, W.R. *see* DALY, C.J., 95, 501
- DUNWIDDIE, T.V., PROCTOR, W.R. & TYMA, J. Local anaesthetic actions of cocaine: effects on excitatory and inhibitory synaptic responses in hippocampus *in vitro*, 95, 117
- DUPUIS, B.A. *see* ADAMANTIDIS, M.M., 95, 1063
- DURANTE, W., SEN, A.K. & SUNAHARA, F.A. Impairment of endothelium-dependent relaxation in aortae from spontaneously diabetic rats, 94, 463
- DURCAN, M.J. *see* DUNN, G., 94, 693
- DUSTING, J.L. *see* AMEZCUA, J.L., 95, 830
- DUSTING, G.J. *see* STEWART, A.G., 94, 1225
- DUVAL, N., LEE, C.R., EON, M.T., PETRUZZO, P. & LANGER, S.Z. The β -adrenoceptor antagonist, betaxolol, is not released from the heart of the anaesthetized dog during sympathetic nerve stimulation, 95, 683
- DZIMIRI, N. & FRICKE, U. Lipophilicity and pharmacodynamics of cardiotonic steroids in guinea-pig isolated heart muscle preparations, 93, 281

E

- EBEIGBE, A.B., MÜLLER-SCHWEINITZER, E. & VOGEL, A. Effects of calcium channel blockade in canine saphenous veins after storage at -190°C, 94, 381

- EBNER, F. & SIEGL, H. Diffusion characteristics dissociate ouabain binding from inotropic effect in guinea-pig myocardium, **95**, 399
- EDEN, R.J. *see* GRISTWOOD, R.W., **93**, 893
- EDVINSON, L. *see* HAMEL, E., **94**, 423
- , *see* OTTOSSON, A., **94**, 901
- EDWARDS, D.H. *see* GRIFFITH, T.M., **93**, 654
- EGLÉN, R.M. & WHITING, R.L. The action of prostanoïd receptor agonists and antagonists on smooth muscle and platelets, **94**, 591
- EGLÉN, R.M., MONTGOMERY, W.W., DAINTY, I.A., DUBUQUE, L.K. & WHITING, R.L. The interaction of methocramine and himbacine at atrial, smooth muscle and endothelial muscarinic receptors *in vitro*, **95**, 1031
- EKSTRÖM, J., HÅKANSON, R., MÅNSSON, B. & TOBIN, G. Tachykinin involvement in parasympathetic nerve-evoked salivation of the ferret, **94**, 707
- EL-DIN, M.M.M. & MALIK, K.U. Differential effect of ω -conotoxin on release of the adrenergic transmitter and the vasoconstrictor response to noradrenaline in the rat isolated kidney, **94**, 355
- EL MOATASSIM, C. *see* SLADCEK, F., **95**, 1133
- ELLIOTT, D. *see* DOSE, D., **93**, 453
- EMEIS, J.J. *see* TRANQUILLE, N., **93**, 156
- EON, M.T. *see* DUVAL, N., **95**, 683
- ERECIŃSKA, M., NELSON, D. & SILVER, I.A. Interactions of benztropine, atropine and ketamine with veratridine-activated sodium channels: effects on membrane depolarization, K^+ -efflux and neurotransmitter amino acid release, **94**, 871
- ESPLUGUES, J.V. *see* WHITTLE, B.J.R., **95**, 1011
- ESPLUGUES, J.V. & WHITTLE, B.J.R. Gastric mucosal damage induced by local intra-arterial administration of Paf in the rat, **93**, 222
- ESTRELLA, D., GREEN, K.L., PRIOR, C., DEMPSTER, J., HALLIWELL, R.F., JACOBS, R.S., PARSONS, S.M., PARSONS, R.L. & MARSHALL, I.G. A further study of the neuromuscular effects of vesamicol (AH5183) and of enantiomer specificity, **93**, 759
- EVANS, C.A. *see* SNELL, K., **93**, 817
- EVANS, K.T. *see* GRIFFITH, T.M., **93**, 654
- EVANS, R.G., RICE, G.E. & OLLEY, J.E. Studies of the effects of subacute treatment with N-(cyclo-propyl-methyl)-19-isopentylnorvinol (M320) on timing of parturition in the rat, **95**, 777
- EVANS, S.M. & COLLARD, K.J. The mechanism by which monoamine oxidase inhibitors give rise to a non-calcium-dependent component in the depolarization-induced release of 5-HT from rat brain synaptosomes, **95**, 950
- EVANS, T.W. *see* ROGERS, D.F., **95**, 1109
- EVANS, T.W., DENT, G., ROGERS, D.F., AURSUDKIJ, B., CHUNG, K.F. & BARNES, P.J. Effect of a Paf antagonist, WEB 2086, on airway microvascular leakage in the guinea-pig and platelet aggregation in man, **94**, 164
- FANCIULLACCI, M. *see* GEPPETTI, P., **93**, 509
- FARMER, S.G., CANNING, B.J. & WILKINS, D.E. Adenosine receptor-mediated contraction and relaxation of guinea-pig isolated tracheal smooth muscle: effects of adenosine antagonists, **95**, 371
- FARQUHAR, R. & PART, N.J. The effect of dantrolene sodium on the discharge of alpha and gamma motoneurons to the soleus muscle in the decerebrate rat, **93**, 257
- FELETOU, M. & VANHOUTTE, P.M. Endothelium-dependent hyperpolarization of canine coronary smooth muscle, **93**, 515
- FENIUK, W. *see* HUMPHREY, P.P.A., **94**, 1123
- FENNESSY, M. *see* ANDERSON, G., **94**, 1115
- FERRY, C.B. The origin of the anticholinesterase-induced repetitive activity of the phrenic nerve-diaphragm preparation of the rat *in vitro*, **94**, 169
- FEUERSTEIN, T.J., HEDLER, L., JACKISCH, R. & HERTTING, G. An *in vitro* model of 1-methyl-4-phenyl-pyridinium (MPP+) toxicity: incubation of rabbit caudate nucleus slices with MPP+ followed by biochemical and functional analysis, **95**, 449
- FFRENCH-MULLEN, J.M.H., TOKUTOMI, N. & AKAIKE, N. The effect of temperature on the GABA-induced chloride current in isolated sensory neurones of the frog, **95**, 753
- FINCHAM, N.J. *see* CAMP, R.D.R., **94**, 1043
- FLAVAHAN, N.A. *see* SHIMOKAWA, H., **95**, 1197
- FLETCHER, E.J., MARTIN, D., ARAM, J.A., LODGE, D. & HONORÉ, T. Quinoxalinediones selectively block quisqualate and kainate receptors and synaptic events in rat neocortex and hippocampus and frog spinal cord *in vitro*, **95**, 585
- FLOWER, R.J. Lipocortin and the mechanism of action of the glucocorticoids, eleventh Gaddum Memorial Lecture, **94**, 987
- FOLKERTS, G. *see* VAN OOSTERHOUT, A.J.M., **94**, 901
- FOLLENFANT, M.J. *see* ALLAN, G., **93**, 387
- FOLLENFANT, R.L. *see* CLARK, S.J., **95**, 275
- , *see* HIGGS, G.A., **94**, 547
- FOLLENFANT, R.L., HARDY, G.W., LOWE, L.A., SCHNEIDER, C. & SMITH, T.W. Antinociceptive effects of the novel opioid peptide BW443C compared with classical opiates; peripheral versus central actions, **93**, 95
- FONTAINE, J. & LEBRUN, P. Pharmacological analysis of the effects of Bay K 8644 and organic calcium antagonists on the mouse isolated distal colon, **94**, 1198
- FORSTER, P. *see* DRAY, A., **95**, 1008
- FORSTER, P.L. *see* PERKINS, M.N., **94**, 47
- FÖRSTERMANN, U., ALHEID, U., FRÖLICH, J.C. & MÜLSCH, A. Mechanisms of action of lipoxygenase and cytochrome P-450-mono-oxygenase inhibitors in blocking endothelium-dependent vasodilatation, **93**, 569
- FORSYTH, K.M. & POLLOCK, D. Clonidine and morphine increases [3 H]-noradrenaline overflow in mouse vas deferens, **93**, 35
- FOSTER, A.C. & TRIDGETT, R. Comparison of the binding of radiolabelled neurokinin A and elodoinin in rat cortex synaptic membranes, **94**, 602
- FOSTER, G.A. *see* ROBERTS, M.H.T., **95**, 437
- FOSTER, R.W. *see* BOYLE, J.P., **93**, 319
- FOSTER, R.W. *see* SMALL, R.C., **94**, 1091
- FRANCHI-MITCHELI, S. *see* LUZZI, S., **95**, 1271
- FRANCIS, D.M. *see* BARR, R.M., **94**, 773
- FREEDMAN, S.B., HARLEY, E.A. & IVERSEN, L.L.

Relative affinities of drugs acting at cholinergic receptors in displacing agonist and antagonist radioligands: the NMS/Oxo-M ratio as an index of efficacy at cortical muscarinic receptors, 93, 437

- FRESLON, J.L. *see* JULOU-SCHAEFFER, G., 95, 605
 FRET, H.R.L., *see* BULT, H., 95, 1308
 FREY, A.A. *see* GUILD, S., 94, 737
 FRICKE, U. *see* DZIMIRI, N., 93, 281
 FRILLI, S. *see* GEPPETTI, P., 94, 288
 FRÖLICH, J.C. *see* FÖRSTERMANN, U., 93, 569
 FUDER, H. *see* BOGNAR, I.T., 94, 890
 FUJIKI, H. *see* OHUCHI, K., 94, 917
 FUJIWARA, M. *see* OKAMOTO, T., 95, 163
 —, *see* OKAMOTO, T., 95, 329
 FUJIWARA, T., ITOH, T. & KURIYAMA, H. Regional differences in the mechanical properties of the rabbit airway smooth muscle, 94, 389
 FUJIWARA, T., SUMIMOTO, T., ITOH, T., SUZUKI, H. & KURIYAMA, H. Relaxing actions of procaterol, a β_2 -adrenoceptor stimulant, on smooth muscle cells of the dog trachea, 93, 199
 FUSCO, B.M. *see* GEPPETTI, P., 93, 509

G

- GAIRIN, J.E., MAZARGUIL, H., ALVINERIE, P., BOTANCH, C., CROS, J. & MEUNIER, J.-C. N, N-diallyl-tyrosyl substitution confers antagonist properties on the κ -selective opioid peptide [D-Pro¹⁰]dynorphin A(1-11), 95, 1023
 GANELLIN, C.R. *see* CALCUTT, C.R., 93, 69
 —, *see* SHANKLEY, N.P., 94, 264
 GARAY, R. *see* SENN, N., 93, 803
 GARCIA, A.G. *see* CÁRDENAS, A.M., 95, 9
 GARDINER, I.M. *see* DE BELLEROCHE, J., 94, 1017
 GARDINER, S.M. & BENNETT, T. Involvement of β_2 -adrenoceptor-mediated mechanisms in the cardiovascular responses to α_1 - and α_2 -adrenoceptor antagonism in conscious, unrestrained Long Evans and Brattleboro rats, 93, 9
 GARDINER, S.M., COMPTON, A.M. & BENNETT, T. Regional haemodynamic effects of depressor neuropeptides in conscious, unrestrained, Long Evans and Brattleboro rats, 95, 197
 GARDNER, A.L., CHOO, L.K. & MITCHELSON, F. Comparison of the effects of some muscarinic agonists on smooth muscle function and phosphatidylinositol turnover in guinea-pig taenia caeci, 94, 199
 GARLAND, L.G. *see* HIGGS, G.A., 94, 547
 —, *see* PAYNE, A.N., 94, 540
 GARLAND, P. *see* TATESON, J.E., 94, 528
 GARRINO, M.G. & HENQUIN, J.C. Highly potent and stereoselective effects of the benzoic acid derivative AZ-DF 265 on pancreatic β -cells, 93, 61
 GEPPETTI, P., FUSCO, B.M., MARABINI, S., MAGGI, C.A., FANCIULLACCI, M. & SICUTERI, F. Secretion, pain and sneezing induced by the application of capsaicin to the nasal mucosa in man, 93, 509
 GEPPETTI, P., MAGGI, C.A., PERRETTI, F., FRILLI, S. & MANZINI, S. Simultaneous release by bradykinin of substance P- and calcitonin gene-related peptide immunoreactivities from capsaicin-sensitive structures in guinea-pig heart, 94, 288

- GIACHETTI, A. *see* SCHIAVONE, A., 94, 566
 GILLESPIE, J.S. & SHENG, H. Influence of haemoglobin and erythrocytes on the effects of EDRF, a smooth muscle inhibitory factor, and nitric oxide on vascular and non-vascular smooth muscle, 95, 1151
 —, The lack of involvement of cyclic nucleotides in the smooth muscle relaxant action of BRL 34915, 94, 1189
 GIOFFRE, M. *see* SCARPIGNATO, C., 94, 1023
 GIRDRESTONE, D. *see* ROBERTS, M.H.T., 95, 437
 GODFRAIND, T. *see* ALOSACHIE, I., 95, 619
 —, *see* MOREL, N., 95, 252
 —, *see* SCHOEFFTER, P., 93, 531
 GODFREY, P.P., WILKINS, C.J., TYLER, W. & WATSON, S.P. Stimulatory and inhibitory actions of excitatory amino acids on inositol phospholipid metabolism in rat cerebral cortex, 95, 131
 GORI, A.M. *see* LUZZI, S., 95, 1271
 GORMAN, P. Vasodilator response to dopamine in the ferret pulmonary circulation, 94, 212
 GRANT, T.L. & McGRATH, J.C. Interactions between angiotensin II and α -adrenoceptor agonists mediating pressor response in the pithed rat, 95, 1229
 —, interactions between angiotensin II, sympathetic nerve-mediated pressor response and cyclo-oxygenase products in the pithed rat, 95, 1220
 GRANTHAM, C.J. & BAKHLE, Y.S. Effect of acute lung injury on metabolism of adenine nucleotides in rat perfused lung, 94, 1029
 GRAU-OLIVETE, M.R. *see* RIVERA-FILLAT, M.P., 93, 902
 GREAVES, M.W. *see* BARR, R.M., 94, 773
 —, *see* CAMP, R.D.R., 94, 1043
 GREEN, K.A. & COTTRELL, G.A. Actions of baclofen on components of the Ca-current in rat and mouse DRG neurones in culture, 94, 235
 GREEN, K.L. *see* ESTRELLA, D., 93, 759
 GRIFFITH, T.M., EDWARDS, D.H., DAVIES, R.L., HARRISON, T.J. & EVANS, K.T. Endothelium-derived relaxing factor (EDRF) and resistance vessels in an intact vascular bed: a microangiographic study of the rabbit isolated ear, 93, 654
 GRIFFITHS, R. *see* CALCUTT, C.R., 93, 69
 GRIFFITHS, R.J. *see* BOTTOMLEY, K.M.K., 93, 627
 GRISTWOOD, R.W., COMER, M.B., EDEN, R.J., TAYLOR, E.M., TURNER, J.A., WALLDUCK, M., & OWEN, D.A.A. *In vivo* pharmacological studies with SK&F 94836, a potent inotrope/vasodilator with a sustained duration of action, 93, 893
 GROHS, J.G. *see* SCHNEIDER, W., 95, 1141
 GUARD, S., WATLING, K.J. & WATSON, S.P. Neurokinin₃ receptors are linked to inositol phospholipid hydrolysis in the guinea-pig ileum longitudinal muscle-myenteric plexus preparation, 94, 148
 GUILD, S., FREY, E.A., POCOTTE, S.L. & KEBABIAN, J.W. Adenosine 3',5'-cyclic monophosphate-mediated enhancement of calcium-evoked prolactin release from electrically permeabilised 7315c tumour cells, 94, 737
 GULINO, F.M. *see* SCARPIGNATO, C., 94, 1023
 GUTH, P.H. *see* PIQUE, J.M., 93, 925

H

- HADVARY, P. *see* LAGENTE, V., 94, 27

- HÅKANSON, R. *see* BEDING-BARNEKOW, B., 95, 259
 —, *see* EKSTRÖM, J., 94, 707
 HALES, C.N. *see* STURGESS, N.C., 95, 83
 HALL, I.P. & HILL, S.J. β_2 -Adrenoceptor stimulation inhibits histamine-stimulated inositol phospholipid hydrolysis in bovine tracheal smooth muscle, 95, 1204
 HALLAM, T.J. *see* CARTER, T.D., 95, 1181
 HALLIWELL, R.F. *see* ESTRELLA, D., 93, 759
 HALSEY, M.J. *see* DOLIN, S.J., 94, 413
 HAMEL, E., EDVINSSON, L., MACKENZIE, E.T. Heterogeneous vasomotor responses of anatomically distinct feline cerebral arteries, 94, 413
 HAMMAR, L. *see* WAHLSTROM, A., 94, 864
 HARBORNE, A.J. & SMITH, M.E. Effect of soluble factors from nerve and muscle on α -bungarotoxin binding sites in isolated sarcolemmal membranes of the rat, 94, 968
 HARDY, G.W. *see* FOLLENFANT, R.L., 93, 85
 HARLEY, E.A. *see* FREEDMAN, S.B., 93, 437
 HARRIS, N.C. & RYALL, R.W. Mustard oil excites but does not inhibit nociceptive dorsal horn neurones in the rat: a presumed effect on A-delta fibres, 94, 180
 —. Opiates distinguish spinal excitation from inhibition evoked by noxious heat stimuli in the rat: relevance to theories of analgesia, 94, 185
 HARRON, D.W.G. *see* UPRICHARD, A.G.C., 95, 1241
 HARTLEY, D. *see* RIVERA-CALIMLIM, L., 95, 77
 HARVEY, A.L. *see* ANDERSON, A.J., 93, 215
 —, *see* ANDERSON, A.J., 95, 1329
 —, *see* ROWAN, E.G., 94, 839
 HASEGAWA, J. *see* KOTAKE, H., 95, 1175
 HASHIMOTO, H. *see* YANAGISAWA, T., 95, 385
 HASHIMOTO, S. *see* IKEGUCHI, S., 94, 1063
 HASHIMOTO, Y. *see* OKUMURA, K., 93, 827
 HASS, W.K. *see* ALPS, B., 93, 877
 HAWGOOD, B.J., SMITH, C.H. & STRONG, P.N. Early induction by crotoxin of biphasic frequency changes and giant m.e.p.s in frog muscle, 94, 765
 HAYASHI, K. *see* ITO, K., 94, 1167
 HEAGERTY, A.M. *see* OLLERENSHAW, J.D., 94, 363
 HEDLER, L. *see* FEUERSTEIN, T.J., 95, 449
 —, *see* SZABO, B., 94, 781
 HEDQVIST, P. *see* ÖHLÉN, A., 95, 673
 HEILIGERS, J.P.C. *see* DUNCKER, D.J., 94, 219
 HEINIGER, J., KISSLING-ALBRECHT, L., NEUENSCHWANDER, S., RÖSLI & PLIŠKA, V. Antihemophilic effect of vasopressin, deamino-D-arginine-vasopressin and adrenaline in sheep: proposal for an *in vivo* assay system, 94, 279
 HEIREMANS, J.J. *see* BULT, H., 93, 791
 HENDERSON, A.H. *see* HOGAN, J.C., 94, 1020
 —, *see* MARTIN, W., 93, 229
 HENDERSON, B. *see* PETTIPHER, E.R., 95, 169
 HENQUIN, J.C. *see* GARRINO, M.G., 93, 61
 HERMAN, A.G. *see* BULT, H., 93, 791
 —, *see* BULT, H., 95, 1308
 HERTTING, G. *see* ALLGAIER, C., 93, 525
 —, *see* FEUERSTEIN, T.J., 95, 449
 HEWSON, G., LEIGHTON, G.E., HILL, R.G. & HUGHES, J. The cholecystokinin receptor antagonist L364, 718 increases food intake in the rat by attenuation of the action of endogenous cholecystokinin, 93, 79
 —. Quipazine reduces food intake in the rat by activation of 5-HT₂-receptors, 95, 598
 HEY, J.A., TAKASHI, I. & KOSS, M.C. α -Methyldopa produces mydriasis in the rat by stimulation of CNS α_2 -adrenoceptors, 94, 834
 HIGGS, G.A. *see* PETTIPHER, E.R., 95, 169
 HIGGS, G.A., FOLLENFANT, R.L. & GARLAND, L.G. Selective inhibition of arachidonate 5-lipoxygenase by novel acetohydroxamic acids: effects on acute inflammatory responses, 94, 547
 HILEY, C.R. *see* MACLEAN, M.R., 94, 449
 —, *see* RANDALL, M.D., 94, 977
 —, *see* RANDALL, M.D., 95, 646
 —, *see* RANDALL, M.D., 95, 1081
 HILL, J.M. *see* BUTLER, A., 94, 397
 HILL, R.G. *see* BODEN, P., 94, 246
 —, *see* CLARK, C.R., 93, 618
 —, *see* HEWSON, G., 93, 79
 —, *see* HEWSON, G., 95, 598
 HILEY, C.R. *see* MACLEAN, M.R., 93, 781
 —, *see* JOHNSON, M.A., 93, 932
 —, *see* LEIGHTON, G.E., 93, 553
 HILL, S.J. *see* HALL, I.P., 95, 1204
 HILL, S.J. & STRAW, R.M. α_2 -Adrenoceptor-mediated inhibition of histamine release from rat cerebral cortical slices, 95, 1203
 HINTZE, T.H. *see* NGANELE, D.M., 93, 501
 HIRASAWA, N. *see* OHUCHI, K., 94, 917
 HIRSH, J.K. *see* SILINSKY, E.M., 93, 839
 HIRST, B.H., HOLLAND, J., PARSONS, M.E. & PRICE, C.A. Fade and tachyphylaxis of gastric acid secretory response to pentagastrin in rat isolated gastric mucosa, 95, 1047
 HISAYAMA, T., SHINKAI, M., TAKAYANAGI, I. & TOYODA, T. Mechanism of action of nicotine in isolated urinary bladder of guinea-pig, 95, 465
 HISAYAMA, T., SHINKAI, M., TAKAYANAGI, I., MORIMOTO, S.-I. & ISHIDA, K. Mechanism of action of nicotine in isolated iris sphincter preparations of rabbit, 95, 459
 HISHINUMA, S. & UCHIDA, M.K. Short-term desensitization of guinea-pig taenia caecum induced by carbachol occurs at intracellular Ca stores and that by histamine at H₁-receptors, 94, 882
 HJEMDAHL, P. *see* KAHAN, T., 95, 1101
 HOF, A. *see* HOF, R.P., 95, 1075
 HOF, R.P. *see* COOK, N.S., 93, 121
 HOF, R.P. & HOF, A. Vasoconstrictor and vasodilator effects in normal and atherosclerotic conscious rabbits, 95, 1075
 HOFER, P. *see* SMALL, R.C., 94, 1091
 HOFFMANN, J. *see* WEIPERT, J., 94, 282
 HOGAN, J.C., LEWIS, M.J. & HENDERSON, A.H. *In vivo* EDRF activity influences platelet function, 94, 1020
 HOLDEN-DYE, L. & WALKER, R.J. ZAPA, (Z)-3-[(amino-iminomethyl)thio]-2-propenoic acid hydrochloride, a potent agonist at GABA-receptors on the *Ascaris* muscle cell, 95, 3
 HOLGATE, S.T. *see* HUTSON, P.A., 94, 6
 HOLLAND, J. *see* HIRST, B.H., 95, 1047
 HOLLENBERG, M.D. *see* ITOH, H., 95, 821
 HOLLINGSWORTH, M. *see* DOWNING, S.J., 95, 23
 HOLROYDE, M.C. & NORRIS, A.A. The effect of ozone

- on reactivity of upper and lower airways in guinea-pigs, 94, 938
- HONDEGHEM, L.M. & MATSUBARA, T. Quinidine blocks cardiac sodium channels during opening and slow inactivation in guinea-pig papillary muscle, 93, 311
- HONG, S.J. *see* CHANG, C.C., 95, 1255
- HONORÉ, E.R. *see* ADAMANTIDIS, M.M., 95, 1063
- HONORÉ, T. *see* FLETCHER, E.J., 95, 585
- HOPPE, U. *see* PESKAR, B.M., 93, 937
- HORI, R. *see* OKUMURA, K., 93, 827
- HORIE, M. *see* Ikeguchi, S., 94, 1063
- HORTON, R.W. *see* CROSS, J.A., 93, 331
- HORTON, R.W., LOWTHER, S., CHIVERS, J., JENNER, P., MARSDEN, C.D. & TESTA, B. The interaction of substituted benzamides with brain benzodiazepine binding sites *in vitro*, 94, 1234
- HOULT, J.R.S. *see* PHILLIPS, J.A., 95, 701
- HOYER, D. *see* SCHOEFFTER, P., 95, 975
- HOYLE, C.H.V., VLADIMIROVA, I.A. & BURNSTOCK, G. Pre- and post junctional actions of purine and xanthine compounds in the guinea-pig caecum circular muscle, 95, 653
- HRYSKO, L.V. *see* BOSE, D., 95, 811
- HRYSKO, L.V. & BOSE, D. Impairment of Ca release from mammalian ventricular sarcoplasmic reticulum by the calcium channel agonist Bay K 8644, 94, 291
- HUANG, H.Y. *see* ALLGAIER, C., 93, 525
- HUFFMAN, W.F. *see* BROOKS, D.P., 94, 759
- HUGHES, J. *see* CLARK, C.R., 93, 618
- , *see* HEWSON, G., 93, 79
- , *see* HEWSON, G., 95, 598
- , *see* JOHNSON, M.A., 93, 932
- , *see* LEIGHTON, G.E., 93, 553
- HUMPHREY, P.P.A., FENIUK, W., PERREN, M.J., CONNOR, H.E., OXFORD, A.W., COATES, I.H. & BUTINA, D. GR43175, a selective agonist for the 5-HT₁-like receptor in dog isolated saphenous vein, 94, 1123
- HUNTER, J.C. *see* CLARK, C.R., 93, 618
- HURT, S.D. *see* MURPHY, D.E., 95, 932
- HURWITZ, A. *see* BEN-ZVI, Z., 94, 97
- HUTCHINSON, A.J. *see* MURPHY, D.E., 95, 932
- HUTSON, P.A., HOLGATE, S.T. & CHURCH, M.K. Inhibition by nedocromil sodium of early and late phase bronchoconstriction and airway cellular infiltration provoked by oval bumin inhalation in conscious sensitized guinea-pigs, 94, 6
- I
- IKEGUCHI, S., HASHIMOTO, S., HORIE, M., KADOYA, M., KONISHI, T. & KAWAI, C. Electrophysiological effects of melperone on isolated rabbit heart muscles, 94, 1063
- IKEMOTO, Y., AKAIKE, N. & KIJIMA, H. Kinetic and pharmacological properties of the GABA-induced chloride current in *Aplysia* neurones: a 'concentration clamp' study, 95, 883
- IMAI, S. & OHTA, H. Positive inotropic effects induced by carbachol in rat atria treated with islet activating protein (IAP)-association with phosphatidylinositol breakdown, 94, 347
- INATOMI, A. *see* LU, W., 95, 544
- INOMATA, N., ISHIHARA, T. & AKAIKE, N. Effects of diuretics on GABA-gated chloride current in frog isolated sensory neurones, 93, 679
- INOUE, K. *see* CHANG, H.W., 93, 647
- IQBAL, A. & VANHOUTTE, P.M. Flunarizine inhibits endothelium-dependent hypoxic facilitation in canine coronary arteries through an action on vascular smooth muscle, 95, 789
- IRELAND, S.J. *see* BUTLER, A., 94, 397
- ISHAC, E.J.N. & DE LUCA, A. The influence of activation or inhibition of protein kinase C on the release of radioactivity from rat isolated atria labelled with [³H]-nor-adrenaline, 94, 713
- ISHIDA, K. *see* HISAYAMA, T., 95, 459
- ISHIDA, Y. *see* MORITOKI, H., 95, 1015
- ISHIDA, Y., KOGA, N., NANBU, T., KIHARA, M. & KOBAYASHI, S. 4-Hydroxy-2-methyl-4-phenyl-1,2,3,4-tetrahydroisoquinoline (PI-OH): a new potentiator of sympathomimetic amines on the rat anococcygeus muscle, 94, 19
- ISHIHARA, T. *see* INOMATA, N., 93, 679
- ISHII, J.K. *see* SATO, Y., 93, 146
- ITO, K., HAYASHI, K., NAKASHIMA, T. & MURAKAMI, T. Alteration of fate of vasoactive autotoxins in pulmonary circulation following monocrotaline-induced lung vascular injury in rats, 94, 1167
- ITO, K., NAKASHIMA, T., MURAKAMI, K. & MURAKAMI, T. Altered function of pulmonary endothelium following monocrotaline-induced lung vascular injury in rats, 94, 1175
- ITO, S., KIMURA, A. & OGHA, A. Development of non-cholinergic, non-adrenergic excitatory and inhibitory responses to intramural nerve stimulation in rat stomach, 93, 684
- ITO, Y. Pre- and post-junctional action of procaterol, a β_2 -adrenoceptor stimulant, on dog tracheal tissue, 95, 268
- ITO, Y. & YOSHITOMI, T. Autoregulation of acetylcholine release from vagus nerve terminals through activation of muscarinic receptors in the dog trachea, 93, 636
- ITOH, T. *see* FUJIWARA, T., 93, 199
- , *see* FUJIWARA, T., 94, 389
- , *see* NISHIYE, E., 93, 591
- , *see* SEKI, N., 93, 702
- ITOH, H., MURAMATSU, I., PATEL, P., LEDERIS, K. & HOLLENBERG, M.D. Inhibition by anti-inflammatory agents of contraction induced by epidermal growth factor-urogastrone in isolated longitudinal smooth muscle from guinea-pig stomach, 95, 821
- IVERSEN, L.L. *see* FREEDMAN, S.B., 93, 437
- IVERSEN, S.D. *see* STOESSL, A.J., 94, 285
- IWAMOTO, T. *see* MORITOKI, H., 95, 1015
- IZUMI, T. & BAKHLE, T.S. Modification by steroids of pulmonary oedema and prostaglandin E₂ pharmacokinetics induced by endotoxin in rats, 93, 955
- J
- JACKISCH, R. *see* FEUERSTEIN, T.J., 95, 449
- JACKSON, D.M. The effect of nedocromil sodium, sodium

- cromoglycate and codeine phosphate on citric acid-induced cough in dogs, 93, 609
- , see BELVISI, M.G., 95, 413
- JACKSON, W.P. see TATESON, J.E., 94, 528
- JACOBS, R.S. see ESTRELLA, D., 93, 759
- JACQUES, C.A.J., SPUR, B.W., CREA, A.E.G. & LEE, T.H. The contractile activities of lipoxin A₄ and lipoxin B₄ for guinea-pig airway tissues, 95, 562
- JAKOB, H., NAWRATH, H. & RUPP, J. Adrenoceptor-mediated changes of action potential and force contraction in human isolated ventricular heart muscle, 94, 584
- JANSEN, I. see OTTOSSON, A., 94, 901
- JAYAKODY, L., KAPPAGODA, T., MANOHARA, P.J., SENARATNE, P.J. & THOMSON, A.B.R. Impairment of endothelium-dependent relaxation: an early marker for atherosclerosis in the rabbit, 94, 335
- JECK, D., LINDMAR, R., LÖFFELHOLZ, K. & WANKE, M. Subtypes of muscarinic receptor on cholinergic nerves and atrial cells of chicken and guinea-pig hearts, 93, 357
- JENNER, P. see HORTON, R.W., 94, 1234
- JOHNS, E.J. A study of the action of amlodipine on adrenergically regulated sodium handling by the kidney in normotensive and hypertensive rats, 93, 561
- , A study of the renal actions of amlodipine in the normotensive and spontaneously hypertensive rat, 94, 311
- JOHNSON, M.A., HILL, R.G. & HUGHES, J. A possible role for prostaglandins in the expression of morphine dependence in guinea-pig isolated ileum, 93, 932
- JOHNSTON, G.A.R. see ONG, J., 95, 33
- JONES, B.J., COSTALL, B., DOMENY, A.M., KELLY, M.E., NAYLOR, R.J., OAKLEY, N.R. & TYERS, M.B. The potential anxiolytic activity of GR383032F, a 5-HT₂-receptor antagonist, 93, 985
- JONES, C.R. see MOLENAAR, P., 95, 225
- JONES, M.G. see LODGE, D., 95, 957
- JONES, T.R., CHARETTE, L. & DENIS, D. Antigen-induced contraction of guinea-pig isolated trachea: studies with novel inhibitors and antagonists of arachidonic acid metabolites, 95, 309
- JORDAN, C.C. see BUTLER, A., 94, 397
- JOSEPH, J.M. see TUMAN, R.W., 94, 130
- JULOU-SCHAEFFER, G. & FRESLON, J.L. Effects of ryanodine on tension development in rat aorta and mesenteric resistance vessels, 95, 605

K

- KADOYA, M. see IKEGUCHI, S., 94, 1063
- KAHAN, T. see PERNOW, J., 94, 952
- KAHAN, T., PERNOW, J., SCHWIELER, J., WALLIN, B.G., LUNDBERG, J.M. & HJEMDAHL, P. Noradrenaline release evoked by physiological irregular sympathetic discharge pattern is modulated by prejunctional α - and β -adrenoceptors *in vivo*, 95, 1101
- KAMO, I. see KUMAKURA, S., 93, 739
- KANEDA, T. see KOTAKE, H., 95, 1175
- KANMURA, Y., MISSIAEN, L. & CASTEELS, R. Properties of intracellular calcium stores in pregnant rat myometrium, 95, 284
- KAPPAGODA, T. see JAYAKODY, L., 94, 335
- KARAKI, H. see AHN, H.Y., 93, 267

- , see AHN, H.Y., 94, 789
- KARAKI, H., NAGASE, H., OHIZUMI, Y., SATAKE, N. & SHIBATA, S. Palytoxin-induced contraction and release of endogenous noradrenaline in rat tail artery, 95, 183
- KARWATOWSKA-PROKOPCZUK, E., CIABATTONI, G. & WENNMALM, Å. Effect of adenosine on the formation of prostacyclin in rabbit isolated heart, 94, 721
- KATYLARE, S.S. & RAJAN, R.R. Enhanced oxidative phosphorylation in rat liver mitochondria following prolonged *in vivo* treatment with imipramine, 95, 914
- KAUMANN, A.J. see LEMOINE, H., 95, 55
- KAUSHAL, R. see TRIPATHI, R.M., 93, 747
- KAWAI, C. see IKEGUCHI, S., 94, 1063
- KAWAMURA, S. see CHAKI, K., 95, 15
- KAY, A.P. see RANDALL, M.D., 95, 646
- KEBABIAN, J.W. see GUILD, S., 94, 737
- KEERY, R.J. see LUMLEY, P., 94, 745
- KELLY, M.E. see JONES, B.J., 93, 985
- KENNETT, G.A. & CURZON, G. Evidence that mCPP may have behavioural effects mediated by central 5-HT_{1c} receptors, 94, 137
- KERR, D.I.B. see ONG, J., 95, 33
- KIGOSHI, S. see MURAMATSU, I., 93, 811
- KIHARA, M. see ISHIDA, Y., 94, 19
- KIJIMA, H. see IKEMOTO, Y., 95, 883
- KILBINGER, H. see SCHWÖRER, H., 93, 715
- , see RACKÉ, K., 95, 923
- KILBINGER, H. & STEIN, A. Dicyclomine discriminates between M₁- and M₂-muscarinic receptors in the guinea-pig ileum, 94, 1270
- KIMBALL, S.D. see MORELAND, S.D., 93, 994
- KIMURA, A. see ITO, S., 93, 684
- KING, B.W. see BOSE, D., 95, 811
- KINTER, L.B. see BROOKS, D.P., 94, 759
- KINUGAWA, T., KOTAKE, H. & MASHIBA, H. Inhibitory actions of amoxapine, a tricyclic antidepressant agent, on electrophysiological properties of mammalian isolated cardiac preparations, 94, 1250
- KIRK, C.J. see SLADCEK, F., 95, 1133
- KIRK, K.L. see SLADCEK, F., 95, 1133
- KIRKNESS, E.F. see PETERS, J.A., 94, 1257
- KIKPATRICK, K.A. see MACKENZIE, I., 94, 699
- KISARA, K. see CHAKI, K., 95, 15
- KISSLING-ALBRECHT, L. see HEINIGER, J., 94, 279
- KITAMURA, H. see KOTAKE, H., 95, 1175
- KITAMURA, K. see NAKAO, K., 95, 795
- KITAMURA, K. see SAKAI, T., 95, 1089
- KITAZAWA, T., KONDO, H. & TEMMA, K. Presence of a substance P-like peptide in an acid extract of the intestinal bulb of the carp (*Cyprinus carpio*), 95, 39
- KITCHEN, I. see McDOWELL, J., 94, 993
- KLONER, R.A. see CAMPBELL, C.A., 93, 587
- KO, W.W.W., DAL, S. & CHAN, M.-Y. Ventricular noradrenaline concentrations in naive and morphine-treated rats subjected to acute myocardial ischaemia, 93, 723
- KOBAYASHI, J. see OHIZUMI, Y., 95, 867
- KOBAYASHI, M. see OHIZUMI, Y., 95, 867
- , see SEINO, A., 95, 876
- KOBAYASHI, S. see ISHIDA, Y., 94, 19
- KOBAYASHI, T. see DOSE, D., 93, 453
- KODAMA, I. see OSAKA, T., 93, 775

- KOFO-ABAYOMI, A. & LUCAS, P.D. A comparison between atria from control and streptozotocin-diabetic rats: the effects of dietary myo-inositol, **93**, 3
- KOGA, Y. *see* ISHIDA, Y., **94**, 19
- KOMORI, S. & OHASHI, H. Membrane potential responses to ATP applied by pressure ejection in the longitudinal muscle of chicken rectum, **95**, 1157
- KOMORI, S., KWON, S.-C. & OHASHI, H. Effects of prolonged exposure to α,β -methylene ATP on non-adrenergic, non-cholinergic excitatory transmission in rectum of the chicken, **94**, 9
- KOMORI, S., MATSUO, K. & OHASHI, H. Development before and after hatching of non-cholinergic excitatory innervation to the rectum via Remak's nerve in the fowl, **95**, 844
- KONDO, N. Comparison between effects of caffeine and ryanodine on electromechanical coupling in myocardium of hibernating chipmunk: role of internal Ca stores, **95**, 1287
- KONDO, H. *see* KITAZAWA, T., **95**, 39
- KONISHI, T. *see* IKEGUCHI, S., **94**, 1063
- KOSHIKAWA, N. *see* DUNN, G., **94**, 693
- KOSLOWSKI, R.Z. *see* STURGESS, N.C., **95**, 83
- KOSS, M.C. *see* HEY, J.A., **94**, 834
- KOSTER, P.F. *see* BROOKS, D.P., **94**, 759
- KOSTREZEWSKA, A., LAUDANSKI, T. & BATRA, S. Effect of calcium and calmodulin antagonists on contractile responses of the human uterine artery, **94**, 1037
- KOTAKE, H. *see* KINUGAWA, T., **94**, 1250
- KOTAKE, H., NAWADA, T., MATSUMOTO, T., KITAMURA, H., KANEDA, T., HASEGAWA, J. & MASHIBA, H. Chronotropic effect of nifedipine fumarate in rabbit sino-atrial node *in vitro*, **95**, 1175
- KRISHTAL, O.A., MARCHENKO, S.M., OBUKHOV, A.G. & VOLKOVA, T.M. Receptors for ATP in rat sensory neurones: the structure-function relationship for ligands, **95**, 1057
- KRUK, Z.L. *see* STAMFORD, J.A., **94**, 924
- KRUMPL, G. *see* SCHNEIDER, W., **95**, 1141
- KRUMPL, G., WINKLER, M., SCHNEIDER, W. & RABERGER, G. Comparison of the haemodynamic effects of the selective bradycardic agent UL-FS 49, with those of propranolol during treadmill exercise in dogs, **94**, 55
- KUDO, Y., AKIYOSHI, E. & AKAGI, H. Identification of two taurine receptor subtypes on the primary afferent terminal of frog spinal cord, **94**, 1051
- KUMAKURA, S., KAMO, I. & TSURUFUJI, S. Role of bradykinin in the vascular permeability response induced by carrageenin in rats, **93**, 729
- KUMAR, V.P.S. *see* BOSE, D., **93**, 453
- KUNYSZ, E.L., MICHEL, A.D. & WHITING, R.L. Functional and direct binding studies using subtype selective muscarinic receptor antagonists, **93**, 491
- KURAHASHI, K. *see* OKAMOTO, T., **95**, 163
- , *see* OKAMOTO, T., **95**, 329
- KURIYAMA, H. *see* FUJIWARA, T., **93**, 199
- , *see* NAKAO, K., **95**, 795
- KURIYAMA, H. *see* NISHIYE, E., **93**, 591
- , *see* SAKAI, T., **95**, 1089
- , *see* SEKI, N., **93**, 702
- KWON, S.-C. *see* KOMORI, S., **94**, 9
- KYLE, H., WIDDICOMBE, J.G. & WILFFERT, B. Comparison of mucus flow rate, radiolabelled glycoprotein output and smooth muscle contraction in the ferret trachea *in vitro*, **94**, 293

L

- LABAT, C. *see* BRAUNSTEIN, G., **95**, 300
- LAGENTE, V., DESQUAND, S., HADVARY, P., CIRINO, M., LELLOUCH-TUBIANA, A., LEFORT, J., & VARGRAFTIG, B.B. Interference of the Paf antagonist Ro 19-3704 with Paf and antigen-induced bronchoconstriction in the guinea-pig, **94**, 27
- LAI, F.M., TANIKELLA, T., COBUZZI, A. & CERVONI, P. Studies on the effects of viprostol in isolated small blood vessels and thoracic aorta of the rat, **93**, 613
- LAMBERT, J.J. *see* PETERS, J.A., **94**, 1257
- LANGE, K. *see* PESKAR, B.M., **93**, 937
- LANGER, S.Z. *see* DUVAL, N., **95**, 683
- LARGE, W.A. *see* BYRNE, N.G., **94**, 475
- LAUDANSKI, T. *see* KOSTREZEWSKA, A., **94**, 1037
- LEBRUN, P. *see* FONTAINE, J., **84**, 1198
- LEDERIS, K. *see* ITOH, H., **95**, 821
- LEE, C.R. *see* DUVAL, N., **95**, 683
- LEE, T.H. *see* JACQUES, C.A.J., **95**, 562
- LEES, I.W. *see* DAFFONCHIO, L., **94**, 663
- , *see* PAYNE, A.N., **94**, 540
- LEFER, A.M. *see* AOKI, N., **95**, 735
- LEFF, P. & DOUGALL, I.G. Estimation of opioid receptor agonist dissociation constants with β -chloralnaloxamine, an irreversible ligand which also displays agonism, **95**, 234
- LEEF, P. & MARTIN, G.R. Differences in agonist dissociation constant estimates for 5-HT at 5-HT₂-receptors: a problem of acute desensitization? **95**, 569
- LEFORT, J. *see* LAGENTE, V., **94**, 27
- LEIGH, B.K. *see* CALCUTT, C.R., **93**, 69
- LEIGHTON, G.E. *see* HEWSON, G., **93**, 79
- , *see* HEWSON, G., **95**, 598
- LEIGHTON, G.E., RODRIGUEZ, R.E., HILL, R.G. & HUGHES, J. κ -Opioid agonists produce antinociception after i.v. and i.c.v. but not intrathecal administration in the rat, **93**, 553
- LELIÈVE, L.G. *see* SENN, N., **93**, 803
- LELLOUCH-TUBIANA, A. *see* LAGENTE, V., **94**, 27
- LEMBECK, F. *see* DONNERER, J., **94**, 647
- , *see* DONNERER, J., **94**, 848
- LEMOINE, H., SCHONELL, H. & KAUMANN, A.J. Contribution of β_1 - and β_2 -adrenoceptors of human atrium and ventricle to the effects of noradrenaline and adrenaline as assessed with (–)-atenolol, **95**, 55
- LENZEN, S., BRAND, F.-H. & PANTEN, U. Structural requirements of alloxan and ninhydrin for glucokinase inhibition and of glucose for protection against inhibition, **95**, 851
- LEPOR, H., BAUMANN, M. & SHAPIRO, E. The stereospecificity of LY253352 for α_1 -adrenoceptor binding sites in the brain and prostate, **95**, 139
- LEUNG, F.W. *see* PIQUÉ, J.M., **93**, 925
- LEWIS, D.J. *see* COLLARD, K.J., **93**, 341
- LEWIS, M.J. *see* CHRISTIE, M.I., **95**, 630
- , *see* HOGAN, J.C., **94**, 1020

- , *see* MARTIN, W., 93, 579
- LI, C., MAJEWSKI, H. & RAND, M.J. Facilitation of nor-adrenaline release from sympathetic nerves in rat anococcygeus muscle by activation of prejunctional β -adrenoceptors and angiotensin receptors, 95, 385
- LIBRI, C. *see* DE SARRO, G., 95, 1278
- LIM, S.P. & BOLTON, T.B. A calcium-dependent rather than a G-protein mechanism is involved in the inward current evoked by a muscarinic receptor stimulation in dialysed single smooth muscle cells of small intestine, 95, 325
- LIN, C.-I., SU, M.-T., LUK, H.-N. & WU, H.-L. Suppressive effects of somatostatin in dog Purkinje fibres, 93, 192
- LINDMAR, R. *see* JECK, D., 93, 357
- LINDSTRÖM, B. *see* WAHLSTRÖM, A., 94, 864
- LISTER, R.G. & NUTT, D.J. Interactions of the imidazodiazepine Ro 15-4513 with chemical convulsants, 93, 210
- LITTLE, H.J. *see* DOLIN, S.J., 94, 413
- LITTLE, P.J. *see* COCKS, T.M., 95, 67
- LIVETT, B.G. *see* BOURKE, J.E., 93, 275
- LLOYD, K.G. *see* BERRY, C.N., 93, 465
- LLUCH, M. *see* SANCHEZ-FERRER, C.F., 93, 53
- LODGE, D. *see* FLETCHER, E.J., 95, 585
- LODGE, D., DAVIES, S.N., JONES, M.G., MILLAR, J., MANALLACK, D.T., ORNSTEIN, P.L., VERBERNE, A.J.M., YOUNG, N. & BEART, P.M. A comparison between the *in vivo* and *in vitro* activity of five potent and competitive NMDA antagonists, 95, 957
- LÖFFELHOLZ, K. *see* JECK, D., 93, 357
- LORENZ, R.R. *see* SHIMOKAWA, H., 95, 1197
- LOSADO, M.E.O. Changes in central GABAergic function following acute and repeated stress, 93, 473
- LOWE, L.A. *see* FOLLENFANT, R.L., 93, 85
- LOWMAN, M.A., BENYON, R.C. & CHURCH, M.K. Characterization of neuropeptide-induced histamine release from human dispersed skin mast cells, 95, 121
- LOWTHER, S. *see* HORTON, R.W., 94, 1234
- LU, W., OKAMURA, T., BIAN, K., INATOMI, A. & TODA, N. Prostaglandins involved in contractions by angiotensin II and bradykinin of isolated dog sphincter pupillae, 95, 544
- LUCAS, P.D. *see* KOFO-ABAYOMI, A., 93, 3
- LUCIANI, S. *see* BOVA, S., 93, 601
- LÜCKHOFF, A., POHL, U., MÜLSCH, A. & BUSSE, R. Differential role of extra- and intracellular calcium in the release of EDRF and prostacyclin from cultured endothelial cells, 95, 189
- LUK, H.-N. *see* LIN, C.-I., 93, 192
- LUKEY, P.T., ANDERSON, R. & DIPPENAAR, U.H. Benoxaprofen activates membrane-associated oxidative metabolism in human polymorphonuclear leucocytes by apparent modulation of protein kinase C, 93, 289
- LÜLLMANN, H. *see* DAMAROWSKY, M., 95, 1125
- LUMLEY, P. *see* KEERY, R.J., 94, 745
- LUNDBERG, J.M. *see* KAHAN, T., 95, 1101
- , *see* PERNOW, J., 94, 952
- LUNDBLAD, K.A.L. & PERSSON, C.G.A. The epithelium and pharmacology of guinea-pig tracheal tone *in vitro*, 93, 909
- LUZZI, S., ZILLETI, L., FRANCHI-MICHEL, S., GORI, A.M. & MORONI, F. Agonists, antagonists and modulators of excitatory amino acid receptors in guinea-pig myenteric plexus, 95, 1271

Mc

- MCCAMAN, R.E. *see* BRIGGS, C.A., 93, 399
- MCCARRON, J.G. *see* ALLEN, J.M., 94, 823
- MCCRAIG, D.J. & RODGER, I.W. Effects of leukotriene D_4 on mechanical and electrical properties of guinea-pig isolated trachealis, 94, 729
- MACDONALD, R.L. *see* DE DEYN, P.P., 95, 109
- MCDOWELL, J. & KITCHEN, I. Perinatal lead exposure alters the development of δ - but not μ -opioid receptors in rat brain, 94, 993
- McFEE, D.A. *see* BRIGGS, C.A., 93, 399
- McGRATH, J.C. *see* BROWN, C.M., 93, 417
- , *see* BULLOCH, J.M., 94, 103
- , *see* BULLOCH, J.M., 95, 695
- , *see* DALY, C.J., 94, 1085
- , *see* DALY, C.J., 95, 473
- , *see* DALY, C.J., 95, 485
- , *see* DALY, C.J., 95, 501
- , *see* GRANT, T.L., 95, 1220
- , *see* GRANT, T.L., 95, 1229
- McGUIRK, S.M. *see* SCOTT, R.H., 94, 653
- McHALE, N.G. *see* ALLEN, J.M., 94, 823
- MACKENZIE, E.T. *see* HAMEL, E., 94, 423
- MACKENZIE, I., KIRKPATRICK, K.A. & BURNSTOCK, G. Comparative study of the actions of AP_5A and α, β -methylene ATP on nonadrenergic, noncholinergic neurogenic excitation in the guinea-pig vas deferens, 94, 699
- MACLEAN, M.R. *see* CRITCHLEY, J.A.J.H., 93, 383
- MACLEAN, M.R. & HILEY, C.R. Effect of artificial respiratory volume on the cardiovascular responses to an α_1 - and an α_2 -adrenoceptor agonist in the air ventilated pithed rat, 93, 781
- , Effects of enalapril on changes in cardiac output and organ vascular resistances induced by α_1 - and α_2 -adrenoceptor agonists in pithed normotensive rats, 94, 449

M

- MAESHIBA, Y. *see* MORITOKI, H., 95, 1015
- MAGGI, C.A. *see* GEPPETTI, P., 93, 509
- , *see* GEPPETTI, P., 94, 288
- MAGUIRE, J.P. *see* CALCUTT, C.R., 93, 69
- MAHONEY, T.P. *see* CHAND, N., 94, 1057
- MAILMAN, D. Effects of atropine and tetrodotoxin on neurotensin-induced ileal sodium transport in the dog, 94, 121
- MAJEWSKI, H. *see* COSTA, M., 95, 993
- , *see* LI, C., 95, 385
- MALCORPS, C.M.A. *see* BULT, H., 93, 791
- MALIK, K.U. *see* EL-DIN, M.M.M., 94, 355
- MALLET, A.I. *see* CAMP, R.D.D., 94, 1043
- MALTA, E. *see* MOLENAAR, P., 95, 225
- MAN, R.Y.K. Lysophosphatidylcholine-induced arrhythmias and its accumulation in rat perfused heart, 93, 412
- MANALLACK, D.T. *see* LODGE, D., 95, 957

- MANNING, D.C. *see* BRAAS, K.M., 94, 3
MÅNSSON, B. *see* EKSTRÖM, J., 94, 707
MANZINI, S. *see* GEPPETTI, P., 94, 288
MARABINI, S. *see* GEPPETTI, P., 93, 509
MARCAIS-COLLADO, H. *see* ACRITOPOULOU-FOURCROY, S., 93, 185
MARCEAU, F. *see* DEBLOIS, D., 93, 969
MARCHENKO, S.M. *see* KRISHTAL, O.A., 95, 1057
MARIN, J. *see* SÁNCHEZ-FERRER, C.F., 93, 53
MARIN, J., SÁNCHEZ-FERRER, C.F. & SALAICES, M. Effects of ouabain on isolated cerebral and femoral arteries of the cat: a functional and biochemical study, 93, 43
MARIN-GREZ, M. *see* ANGCHANPEN, P., 93, 151
MARLEY, P.D. *see* BOURKE, J.E., 93, 275
MARRIOTT, J.F. A comparison of the effects of the calcium entry blockers, verapamil, diltiazem and flunarizine against contractions of the rat isolated aorta and portal vein, 95, 145
MARSAC, J. *see* BRAUNSTEIN, G., 95, 300
—, *see* DEVILLIER, P., 94, 675
MARSDEN, C.A. *see* SLEIGHT, A.T., 93, 303
—, *see* WARD-ROUTLEDGE, C., 94, 609
MARSDEN, C.D. *see* HORTON, R.W., 94, 1234
MARSHALL, I.G. *see* PARSONS, D., 93, 729
MARSHALL, P. *see* WARD-ROUTLEDGE, C., 94, 609
MARTIN, D. *see* FLETCHER, E.J., 95, 585
MARTIN, G.R. *see* LEFF, P., 95, 569
MARTIN, K.F. *see* SLEIGHT, A.T., 93, 303
MARTIN, W., SMITH, J. A., LEWIS, M.J. & HENDERSON, A.H. Evidence that inhibitory factor extracted from bovine retractor penis is nitrite, whose acid-activated derivative is stabilized nitric oxide, 93, 579
MARTIN, W., WHITE, D.G. & HENDERSON, A.H. Endothelium-derived relaxing factor and atriopeptin II elevated cyclic GMP levels in pig aortic endothelial cells, 93, 229
MASATO, Y. *see* OKUMURA, K., 93, 827
MASHIBA, H. *see* KINUGAWA, T., 94, 1250
—, *see* KOTAKE, H., 95, 1175
MASUZAWA, K. *see* ASANO, M., 94, 73
—, *see* ASANO, M., 95, 241
MATRAN, R. *see* ADVENIER, C., 93, 295
MATSUBARA, T. *see* HONDEGHEM, L.M. 93, 311
MATSUDA, T. *see* ASANO, M., 94, 73
—, *see* ASANO, M., 95, 241
MATSUMOTO, T. *see* KOTAKE, H., 95, 1175
MATSUO, K. *see* KOMORI, S., 95, 844
MAZARGUIL, H. *see* GAIRIN, J.E., 95, 1023
MAYER, N. *see* SCHNEIDER, W., 95, 1141
MELDRUM, B.S. *see* DE SARRO, G.B., 93, 247
MEUNIER, J.-C. *see* GAIRIN, J.E., 95, 1023
MICALI, B. *see* SCARPIGNATO, C., 94, 1023
MICHEL, A.D. *see* KUNTSZ, E.L., 93, 491
MICHEL, M.C., PINGSMANN, A., BECKERINGH, J.J., ZERKOWSKI, H.-R., DOETSCH, N. & BRODDE, O.-E. Selective regulation of β_1 - and β_2 -adrenoceptors in the human heart by chronic β -adrenoceptor antagonist treatment, 94, 685
MICHELLETT, R. *see* SCHIAVONE, A., 94, 566
MIDGLEY, J.M. *see* BROWN, C.M., 93, 417
MILLAR, J. *see* LODGE, D., 95, 957
—, *see* STAMFORD, J.A., 94, 924
MILLER, R.J. *see* REYNOLDS, I.J., 95, 95
MIR, A.K. *see* PETTY, M.A., 94, 1218
MISSIAEN, L. *see* KANMURA, Y., 95, 284
MITCHELL, H.W. Inhibitory effect of sodium chromoglycate on pulmonary responses to histamine administered after indomethacin in anaesthetized guinea-pigs, 94, 515
MITCHELL, H.W. & ADCOCK, J. Vagal mechanism and the effect of indomethacin on bronchoconstrictor stimuli in the guinea-pig, 94, 522
MITCHELL, R.C. *see* CALCUTT, C.R., 93, 69
—, *see* SHANKLEY, N.P., 94, 264
MITCHELSON, F. *see* GARDNER, A.L., 94, 199
MITOLO-CHIEPPA, D. *see* BENOIT, E., 94, 635
MOCHIZUKI, D. *see* NAKAHIRO, M., 95, 1303
MOLDOBAEVA, A. *see* BREGESTOVSKI, P., 95, 419
MOLENAAR, P., MALTA, E., JONES, C.R., BUXTON, B.F. & SUMMERS, R.J. Autoradiographic localization and function of β -adrenoceptors on the human internal mammary artery and saphenous vein, 95, 225
MOLLOY, A.G. & WADDINGTON, J.L. Behavioural responses to the selective D_1 -dopamine receptor agonist R-SK&F 38393 and the selective D_2 -agonist RU 24213 in young compared with aged rats, 95, 335
MOMOSE, K. *see* SEINO, A., 95, 876
MONCADA, S. *see* AMEZCUA, J.L., 95, 830
—, *see* PETTIPHER, E.R., 95, 169
MONTGOMERY, W.W. *see* EGLEN, R.M., 95, 1031
MONTIEL, C. *see* CÁRDENAS, A.M., 95, 9
MOORE, P.K. *see* BHARDWAJ, R., 95, 835
MORATINOS, J., CARPENE, C., DEPABLOS, I. & REVERTE, M. Role of α_1 and α_2 -adrenoceptors in catecholamine-induced hyperglycaemia, lipolysis and insulin secretion in conscious fasted rabbits, 94, 299
MOREAU, J.-L. & PIERI, L. Effects of an intrathecally administered benzodiazepine receptor agonist, antagonist and inverse agonist on morphine-induced inhibition of a spinal nociceptive reflex, 93, 964
MOREL, N. & GODFRAIND, T. Selective modulation by membrane potential of the interaction of some calcium entry blockers with calcium channels in rat mesenteric artery, 95, 252
MORELAND, R.S. *see* MORELAND, S., 93, 994
MORELAND, S., USHAY, M.P., KIMBALL, S.D., POWELL, J.R. & MORELAND, R.S. Pressor responses induced by Bay K 8644 involve both release of adrenal catecholamines and calcium channel activation, 93, 994
MORIMOTO, S.-I. *see* HISAYAMA, T., 95, 459
MORIN, B. *see* BÄRRES, C., 93, 176
MORITOKI, H., TANIOKA, A., MAESHIBA, Y., IWAMOTO, T., ISHIDA, Y. & ARAKI, H. Age-associated decrease in histamine-induced vasodilatation may be due to reduction of cyclic GMP formation, 95, 1015
MORONI, F. *see* LUZZI, S., 95, 1271
—, *see* PELLEGRINI-GIAMPETRO, D.E., 93, 535
MORRIS, G.P. *see* BROUGHTON-SMITH, N.K., 94, 65
MUGELLI, A. *see* AMERINI, S., 95, 139
MUIR, A.G.B. *see* BROWN, C.M., 93, 417
MÜLLER-SCHWEINITZER, E. *see* EBEIGER, A.B., 94, 381
MÜLSCH, A. *see* FÖRSTERMANN, U., 93, 569

- , see LÜCKHOFF, A., 95, 189
 MULVANY, M.J. see VIDEBAEK, L.M., 95, 103
 MURAKAMI, K. see ITO, K., 94, 1175
 MURAKAMI, T. see ITO, K., 94, 1167
 —, see ITO, K., 94, 1175
 MURAKAWA, T., ALTURA, B.T., CARELLA, A. & ALTURA, B.M. Importance of magnesium and potassium concentration on basal tone and 5-HT-induced contractions in canine isolated coronary artery, 94, 325
 MURAMATSU, I. see ITOH, H., 95, 821
 MURAMATSU, I. & YANAIHARA, N. Contribution of galanin to non-cholinergic, non-adrenergic transmission in rat ileum, 94, 1241
 MURAMATSU, I., NISHIO, M., KIGOSHI, S. & UEMURA, D. Single ionic channels induced by palytoxin in guinea-pig ventricular myocytes, 93, 811
 MUROYAMA, A. see OHIZUMI, Y., 95, 867
 MURPHY, D.E., HUTCHINSON, A.J., HURT, S.D., WILLIAMS, M. & SILLIS, M.A. Characterization of the binding of [³H]-CGS 19755: a novel N-methyl-D-aspartate antagonist with nanomolar affinity in rat brain, 95, 932
 MURPHY, V.F. & WANN, K.T. The action of GABA receptor agonists and antagonists on muscle membrane conductance in *Schistocerca gregaria*, 95, 713
 MUSCHOLL, E. see BOGNAR, I.T., 94, 890
 MYLEK, M.E. see CALCUTT, C.R., 93, 69

N

- NAGASE, H. see KARAKI, H., 95, 183
 NAKAHIRO, M., MOCHIZUKI, D., UCHIDA, S. & YOSHIDA, H. Effect of the 'antidementia drug' pantoyl-GABA on high affinity transport of choline and on the contents of choline and acetylcholine in rat brain, 95, 1303
 NAKAJIMA, M. see OKAMURA, T., 93, 367
 NAKAMURA, H. see OHIZUMI, Y., 95, 867
 NAKAO, K., OKABE, K., KITAMURA, K., KURIYAMA, H. & WESTON, A.H. Characteristics of cromakalim-induced relaxations in the smooth muscle cells of guinea-pig mesenteric artery, 95, 798
 NAKASHIMA, T. see ITO, K., 94, 1167
 —, see ITO, K., 94, 1175
 NAKAZATO, Y., OHGA, A., OLESHANSKY, M., TOMITA, U. & YAMADA, Y. Voltage-independent catecholamine release mediated by the activation of muscarinic receptors in guinea-pig adrenal glands, 93, 101
 NALINE, E. see ADVENIER, C., 93, 295
 NANBU, T. see ISHIDA, Y., 94, 19
 NAWADA, T. see KOTAKE, H., 95, 1175
 NAWRATH, H. see JAKOB, H., 94, 584
 NAYLER, W.G. see DILLON, J.S., 94, 246
 NAYLOR, R.J. see JONES, B.J., 93, 985
 NEDERGAARD, O.A. & ABRAHAMSEN, J. Effect of chlorpromazine on sympathetic neuroeffector transmission in the rabbit isolated pulmonary artery and aorta, 93, 23
 NELSON, D. see ERECIŃSKA, M., 94, 871
 NEUENSCHWANDER, S. see HEINIGER, J., 94, 279
 NEUMANN, J. see BÖHM, M., 93, 729

- NEWBERRY, N.R. & PRIESTLEY, T. A 5-HT₁-like receptor mediates a pertussis toxin-sensitive inhibition of rat ventromedial hypothalamic neurones *in vitro*, 95, 6
 NGANELE, D.M., DELEONARDIS, V.M. & HINTZE, T.H. Celiprolol: a positive inotropic β -adrenoceptor blocking agent in conscious dogs, 93, 501
 NICHOLAS, T.E. see BARR, H.A., 93, 473
 NIJKAMP, F.P. see VAN OOSTERHOUT, A.J.M., 94, 901
 NISHIMURA, M. Zn²⁺ stimulates spontaneous transmitter release at mouse neuromuscular junctions, 93, 430
 NISHIO, M. see MURAMATSU, I., 93, 811
 NISHIYE, E. see SEKI, N., 93, 702
 NISHIYE, E., ITOH, T. & KURIYAMA, H. Some effects of leukotriene D₄ on the mechanical properties of the guinea-pig basilar artery, 93, 591
 NISTICÓ, G. see BAGETTA, G., 95, 860
 —, see DE SARRO, G.B., 93, 247
 —, see DE SARRO, G., 95, 1278
 NORRIS, A.A. see HOLROYDE, M.C., 94, 938
 NORTH, R.A. see CHRISTIE, M.J., 95, 896
 NORTHOVER, A.M. & NORTHOVER, B.J. Protection of rat atrial myocardium against electrical, mechanical and structural aspects of injury caused by exposure *in vitro* to conditions of simulated ischaemia, 94, 1207
 NORTHOVER, B.J. see NORTHOVER, A.M., 94, 1207
 NORTHROP, N. see TUTTLE, R.S., 94, 755
 NOSE, M. see BÖHM, M., 93, 729
 NUMATA, T. see BARR, R.M., 94, 773
 NUTT, D.J. see LISTER, R.G., 93, 210

O

- O'DONNELL, S.R. & BARNETT, C.J.K. pA₂ values for antagonists of platelet activating factor on aggregation of rabbit platelets, 94, 437
 OAKLEY, N.R. see JONES, B.J., 93, 985
 OBUKHOV, A.G. see KRISHTAL, O.A., 95, 1057
 OGBAGHERBRIEL, A. see DRESEL, P.E., 94, 552
 OGHA, A. see ITO, S., 93, 684
 OHASHI, H. see KOMORI, S., 94, 9
 —, see KOMORI, S., 95, 844
 —, see KOMORI, S., 95, 1157
 OHGA, A. see NAKAZATO, Y., 93, 101
 OHIA, S.E. see AKBARALI, H.I., 95, 519
 OHIZUMI, Y. see KARAKI, H., 95, 183
 OHIZUMI, Y. see SEINO, A., 95, 876
 OHIZUMI, Y., KOBAYASHI, M., MUROYAMA, A., NAKAMURA, H. & KOBAYASHI, J. The mechanism for the inotropic action of striatoxin, a novel polypeptide toxin from a marine snail, in isolated cardiac muscle, 95, 867
 ÖHLÉN, A., WIKLUND, N.P., PERSSON, M.G. & HEDQVIST, P. Calcitonin gene-related peptide desensitizes skeletal muscle arterioles to substance P *in vivo*, 95, 673
 OHTA, H. see IMAI, S., 94, 347
 OHUCHI, K., SUGAWARA, T., WATANABE, M., HIRASAWA, N., TSUTUFUJI, S., FUJIKI, H., CHRISTENSEN, S.B., SUGIMURA, T. Analysis of the stimulative effect of thapsigargin, a non-TPA-type

- tumour promotor, on arachidonic acid metabolism in rat peritoneal macrophages, **94**, 917
- OIKAWA, H. *see* OKAMOTO, T., **95**, 163
- OKABE, K. *see* NAKAO, K., **95**, 795
- OKAMOTO, T. *see* KURAHASHI, K. & FUJIWARA, M. Effects of naloxone and opioid agonists on gastric excitatory responses to stimulation of vagus nerve in cats, **95**, 329
- OKAMOTO, T., KURAHASHI, K., FUJIWARA, M. & OIKAWA, H. GABA_A-receptor-mediated inhibition of the delayed increase in intragastric pressure to stimulation of vagal afferent fibres in cats, **95**, 163
- OKAMURA, T. *see* LU, W., **95**, 544
- OKAMURA, T., NAKAJIMA, M. & TODA, N. Neuro-effector actions of thromboxane B₂ in dog isolated mesenteric arteries, **93**, 367
- OKUMURA, K., HASHIMOTO, Y., YASUHARA, M. & HORI, R. Regional myocardial ajmaline concentration and antiarrhythmic activity for ischaemia- and reperfusion-induced arrhythmias in rats, **93**, 827
- OLESHANSKY, M. *see* NAKAZATO, Y., **93**, 101
- OLLERENSHAW, J.D., HEAGERTY, A.M. & SWALES, J.D. Noradrenaline stimulation of the phosphoinositide system: evidence for a novel hydrophobic inositol-containing compound in resistance arterioles, **94**, 363
- OLLEY, J.E. *see* EVANS, R.G., **95**, 777
- ONG, J., KERR, D.I.B. & JOHNSTON, G.A.R. Alphaxalone potentiates and mimics GABA-induced contractile responses in the guinea-pig isolated ileum, **95**, 33
- ORNSTEIN, P.L. *see* LODGE, D., **95**, 957
- OSAKA, T., KODAMA, I., TOYAMA, J. & YAMADA, K. Effects of bepridil on ventricular depolarization and repolarization of rabbit isolated hearts with particular reference to its possible proarrhythmic properties, **93**, 775
- OSTERHOUT, D. *see* RIVERA-CALIMLIM, L., **95**, 77
- OTTOSSON, A., JANSEN, I. & EDVINSSON, L. Characterization of histamine receptors in isolated human cerebral arteries, **94**, 901
- OWEN, D.A.A. *see* GRISTWOOD, R.W., **93**, 893
- OXFORD, A.W. *see* HUMPHREY, P.P.A., **94**, 1123
- OYAMA, Y. *see* TSUDA, Y., **95**, 526
- P**
- PACIFICI, G.M. *see* WAHLSTRÖM, A., **94**, 864
- PAHOR, M. *see* AMERINI, S., **95**, 1039
- PALFREYMAN, M.G. *see* SLEIGHT, A.T., **93**, 303
- PALLAS, S. *see* BOGNAR, I.T., **94**, 890
- PALMER, R.M.J. *see* AMEZCUA, J.L., **95**, 830
- PANTEN, U. *see* LENZEN, S., **95**, 851
- PARK, B.K. *see* WINN, M.J., **94**, 1077
- PARKINSON, R. *see* SIM, M.F., **94**, 371
- PARSONS, M.E. *see* CALCUTT, C.R., **93**, 69
- , *see* HIRST, B.H., **95**, 1047
- PARSONS, R.L. *see* ESTRELLA, D., **93**, 759
- PARSONS, S.M. *see* ESTRELLA, D., **93**, 759
- PART, N.J. *see* FARQUHAR, R., **93**, 257
- PATEL, P. *see* ITOH, H., **95**, 821
- PATER, C. & SAUVIAT, M.-P. Effects of cadmium on the slow inward current of frog heart muscle in relation to a lowering of pH in external solution, **94**, 469
- PATMORE, L. & DUNCAN, G.P. Effects of calcium channel antagonists and facilitators on beating of primary cultures of embryonic chick heart cells, **95**, 763
- PAUÁRES-TRUJILLO, J. *see* RIVERA-FILLAT, M.P., **93**, 902
- PAYNE, A.N. *see* DAFFONCHIO, L., **94**, 663
- PAYNE, A.N., GARLAND, L.G., LEES, I.W. & SALMON, J.A. Selective inhibition of arachidonate 5-lipoxygenase by novel acetohydroxamic acids: effects on bronchial anaphylaxis in anaesthetized guinea-pigs, **94**, 540
- PEARSON, J.D. *see* CARTER, T.D., **95**, 1181
- PEETERS, F.A.M. *see* BULT, H., **93**, 791
- PELLEGRINI-GIAMPIETRO, D.E., BACCIOTTINI, L., CARLÀ, V. & MORONI, F. Morphine withdrawal in cortical slices: suppression by Ca²⁺-channel inhibitors of abstinence-induced [³H]-noradrenaline release, **93**, 535
- PENNER, S.B. & SMYTH, D.D. Chronic prazosin attenuates the natriuretic response to a modest saline load in anaesthetized rats, **93**, 437
- PERKINS, M.N. *see* DRAY, A., **95**, 1008
- PERKINS, M.N., FORSTER, P.L. & DRAY, A. The involvement of afferent nerve terminals in the stimulation of ion transport by bradykinin in rat isolated colon, **94**, 37
- PERNOW, J. *see* KAHAN, T., **95**, 1101
- PERNOW, J., KAHAN, T. & LUNDBERG, J.M. Neuropeptide Y and reserpine-resistant vasoconstriction evoked by sympathetic nerve stimulation in the dog skeletal muscle, **94**, 952
- PERRENT, M.J. *see* HUMPHREY, P.P.A., **94**, 1123
- PERRETT, D. *see* AL-DAMLUJI, S., **95**, 405
- PERRETTI, F. *see* GEPPETTI, P., **94**, 288
- PERRY, D.C. *see* BRAAS, K.M., **94**, 3
- PERSSON, C.G.A. *see* LUNDBLAD, K.A.L., **93**, 909
- PERSSON, M.G. *see* ÖHLÉN, A., **95**, 673
- PESKAR, B.A. *see* PESKAR, B.M., **93**, 937
- PESKAR, B.M., HOPPE, U., LANGE, K. & PESKAR, B.A. Effects of non-steroidal anti-inflammatory drugs on rat gastric mucosal leukotriene C₄ and prostanoid release: relation to ethanol induced injury, **93**, 937
- PETERS, J.A., KIRKNESS, E.F., CALLACHAN, H., LAMBERT, J.J. & TURNER, A.J. Modulation of the GABA_A-receptor by depressant barbiturates and pregnane steroids, **94**, 1257
- PETERSEN, J.S. *see* CHRISTENSEN, S., **95**, 353
- PETERSEN, S.A. *see* BLAKELEY, A.G.H., **94**, 37
- PETRUZZO, P. *see* DUVAL, N., **95**, 683
- PETTIPHER, E.R., HENDERSON, B., MONCADA, S. & HIGGS, G.A. Leucocyte infiltration and cartilage proteoglycan loss in immune arthritis in the rabbit, **95**, 169
- PETTY, M.A. & MIR, A.K. Comparison of the cardiovascular effects of *trans*-diclofurimine with different types of calcium antagonists in conscious spontaneously hypertensive rats, **94**, 1218
- PHILLIPS, J.A. & HOULT, J.R.S. Secretory effects of kinins on colonic epithelium in relation to prostaglandins released from cells of the lamina propria, **95**, 701
- PHILLIS, J.W. *see* SWANSON, T.H., **94**, 192
- PIERI, L. *see* MOREAU, J.-L., **93**, 964
- PINGSMANN, A. *see* MICHEL, M.C., **94**, 685
- PIPER, P.J. *see* STEWART, A.G., **95**, 379

- , *see* YAACOB, H.B., 95, 1322
PIQUÉ, J.M., YONEI, Y., WHITTLE, B.J.R., LEUNG, F.W. & GUTH, P.H. Indomethacin potentiates endotoxin-induced blood flow reduction and histological injury in rat gastric mucosa, 93, 925
PIZZOLATTI, M.G. *see* CALIXO, J.B., 94, 1133
PLIŠKA, V. *see* HEINIGER, J., 94, 279
POCOCK, G. & RICHARDS, C.D. The action of volatile anaesthetics on stimulus-secretion coupling in bovine adrenal chromaffin cells, 95, 209
POCOTTE, S.L. *see* GUILD, S., 94, 737
POHL, U. *see* LUCKHOFF, A., 95, 189
POLLOCK, D. *see* FORSYTH, K.M., 93, 35
POWELL, J.R. *see* MORELAND, S., 93, 994
POWER, J.H.T. *see* BARR, H.A., 93, 473
PRASAD, S.K. *see* SALT, T.E., 94, 443
PRICE, C.A. *see* HIRST, B.H., 95, 1047
PRIESTLEY, T. *see* NEWBERRY, N.R., 95, 6
PRIESTLEY, T. & WOODRUFF, G.N. The inhibitory effect of somatostatin peptides on the rat annococcygeus muscle *in vitro*, 94, 87
PRIOLO, E. *see* BAGETTA, G., 95, 860
PRIOR, C. *see* ESTRELLA, D., 93, 759
PROCTOR, W.R. *see* DUNWIDDIE, T.V., 95, 117
PROUTEAU, M. *see* BERRY, C.N., 93, 465

R

- RABERGER, G. *see* KRUMPL, G., 94, 55
—, *see* SCHNEIDER, W., 95, 1141
RACKÉ, K., SCHWÖRER, H. & KILBINGER, H. Adrenergic modulation of the release of 5-hydroxytryptamine from the vascularly perfused ileum of the guinea-pig, 95, 923
RAJAN, R.R. *see* KATAYRE, S.S., 95, 914
RALEVIC, V. & BURNSTOCK, G. Actions mediated by P₂-purinoceptor subtypes in the isolated perfused mesenteric bed of the rat, 95, 637
RAMPART, M. & WILLIAMS, T.J. Evidence that neutrophil accumulation induced by interleukin-1 requires both local protein biosynthesis and neutrophil CD18 antigen expression *in vivo*, 94, 1143
RAND, M.J. *see* LI, C., 95, 385
RANDALL, M.D. & HILEY, C.R. Detergent and methylene blue affect endothelium-dependent vasorelaxation and pressure/flow relations in rat blood perfused mesenteric arterial bed, 95, 1081
—, Effect of phenobarbitone pretreatment upon endothelium-dependent relaxation to acetylcholine in rat superior mesenteric arterial bed, 94, 977
RANDALL, M.D., KAY, A.P. & HILEY, R.C. Endothelium-dependent modulation of the pressor activity of arginine vasopressin in the isolated superior mesenteric arterial bed of the rat, 95, 646
RANDALL, R.W. *see* TATESON, J.E., 94, 528
RAVENS, U. *see* DAMAROWSKY, M., 95, 1125
REGOLI, D. *see* DEVILLIER, P., 94, 675
RENSEN, R.J. *see* SASSEN, L.M.A., 95, 361
REVERTE, M. *see* MORATINOS, J., 94, 299
REYNOLDS, C.H. *see* TATESON, J.E., 94, 528
REYNOLDS, I.J. & MILLER, R.J. Tricyclic antidepressants block N-methyl-D-aspartate receptors: similarities to the action of zinc, 95, 95

- RICE, G.E. *see* EVANS, R.G., 95, 777
RICHARDS, C.D. *see* POCOCK, G., 95, 209
RIBEIRO, J.A. *see* SEBASTIAO, A.M., 94, 109
RISING, T.J. *see* BOTTOMLEY, K.M.K., 93, 627
RIVERA-CALIMLIM, L., HARTLEY, D. & OSTERHOUT, D. Effects of ethanol and pantothenic acid on brain acetylcholine synthesis, 95, 77
RIVERA-FILLAT, M.P., PALLÁRES-TRUJILLO, J., DOMÈNECH, C. & GRAU-OLIETE, M.R. Comparative uptake, retention and action of vincristine, vinblastine and vindesine on murine leukaemic lymphoblasts sensitive and resistant to vincristine, 93, 902
ROBERTS, M.H.T. *see* DAVIES, M., 94, 483
ROBERTS, M.H.T., DAVIES, M., GIRDLESTONE, D. & FOSTER, G.A. Effects of 5-hydroxytryptamine agonists and antagonists on the responses of rat spinal motoneurons to raphe obscurus stimulation, 95, 437
RODGER, I.W. *see* McCRAIG, D.J., 94, 729
RODRIGUEZ, R.E. *see* LEIGHTON, G.E., 93, 553
ROGERS, D.F. *see* EVANS, T.W., 94, 164
ROGERS, D.F., BELVISI, M.G., AURSUDKIJ, B., EVANS, T.W. & BARNES, P.J. Effects and interactions of sensory neuropeptides on airway microvascular leakage in guinea-pigs, 95, 1109
RÖSLI, R. *see* HEINIGER, J., 94, 279
ROSS, G. *see* AL-DAMLUJI, S., 95, 405
ROUOT, B. *see* SLADCZEK, F., 95, 1133
ROURKE, J.D. *see* SHAW, J.S., 95, 578
ROWAN, E.G. *see* ANDERSON, A.J., 95, 1329
ROWAN, E.G. & HARVEY, A.L. Potassium channel blocking actions of β -bungarotoxin and related toxins on mouse and frog motor nerve terminals, 94, 839
RUPP, J. *see* JAKOB, H., 94, 584
RUSKO, J. & BAUER, V. Calcium and the activation of the α -adrenoceptors in the guinea-pig taenia caeci, 94, 557
RUSHOAH, H. Effect of atenolol and pindolol on the phorbol ester-induced coronary vasoconstriction in the isolated perfused heart of the rat, 94, 573
RYALL, R.W. *see* HARRIS, N.C., 94, 180
—, *see* HARRIS, N.C., 94, 185
RYAN, M.P. *see* BORCHGEVINK, P.C., 95, 614

S

- SADOSHIMA, J., TOKUTOMI, N. & AKAIKE, N. Effects of neostigmine and physostigmine on the acetylcholine receptor-ionophore complex in frog isolated sympathetic neurones, 94, 620
SAGRADA, A. *see* SCHIAVONE, A., 94, 566
SAKAI, T., TERADA, K., KITAMURA, K. & KURIYAMA, H. Ryanodine inhibits the Ca-dependent K current after depletion of Ca stored in smooth muscle cells of the rabbit ileal longitudinal muscle, 95, 1089
SAKURADA, S. *see* CHAKI, K., 95, 15
SALAICES, M. *see* MARIN, J., 93, 43
—, *see* SÁNCHEZ-FERRER, C.F., 93, 53
SALMON, J.A. *see* PAYNE, A.N., 94, 540
—, *see* TATESON, J.E., 94, 528
SALONEN, R.O. *see* WEBBER, S.E., 95, 551
SALONEN, R.O., WEBBER, S.E. & WIDDICOMBE, J.G.

- Effects of neuropeptides and capsaicin on the canine tracheal vasculature *in vivo*, **95**, 1262
- SALT, T.E., WILSON, D.G. & PRASAD, S.K. Antagonism of N-methylaspartate and synaptic responses of neurones in the rat ventrobasal thalamus by ketamine and MK-801, **94**, 443
- SÁNCHEZ-FERRER, C.F. *see* MARIN, J., **93**, 43
- SÁNCHEZ-FERRER, C.F., MARIN, J., LLUCH, M., VALVERDE, A. & SALAICES, M. Actions of vanadate on vascular tension and sodium pump activity in cat isolated cerebral and femoral arteries, **93**, 53
- SÁNCHEZ-GARCIA, P. *see* CÁRDENAS, A.M., **95**, 9
- SASAKI, Y. *see* CHAKI, K., **95**, 15
- SASSARD, J. *see* BARRÈS, C., **93**, 176
- SASSEN, L.M.A., DEN BOER, M.O., RENSEN, R.J., SAXENA, P.R. & VERDOU, P.D. Bisoprolol improves perfusion of ischaemic myocardium in anaesthetized pigs, **95**, 361
- SATAKE, N. *see* KARAKI, H., **95**, 183
- SATO, T. *see* CHAKI, K., **95**, 15
- SATO, Y., ISHII, J.K. & TAIRA, N. Differential antagonism by Bay K 8644 of vasodilator effects of nifedipine, diltiazem, nicorandil and nitroglycerin in dog femoral circulation, **93**, 146
- SAUVIAT, M.-P. *see* PATER, C., **94**, 469
- SAXENA, P.R. *see* BOM, A.H., **93**, 663
- , *see* DUNCKER, D.J., **94**, 219
- , *see* SASSEN, L.M.A., **95**, 361
- SCARPIGNATO, C., GIOFFRÉ, M., GULINO, F.M. & MICALI, B. Different effect of bombesin on glucose- and tolbutamide-induced insulin release in man, **94**, 1020
- SCHIAVONE, A., SAGRADA, A., MICHELETTI, R. & GLACHETT, A. Pharmacological characterization of muscarinic receptors involved in McN-A-343-induced effects on intestinal motility and heart rate in conscious dogs, **94**, 566
- SCHMIDT, B.H. *see* SLADCEK, F., **95**, 1133
- SCHMITZ, W. *see* BÖHM, M., **93**, 729
- SCHNEIDER, C. *see* FOLLENFANT, R.L., **93**, 85
- SCHNEIDER, S. *see* ADCOCK, J.J., **93**, 93
- SCHNEIDER, W. *see* KRUMPL, G., **94**, 55
- SCHNEIDER, W., GROHS, J.G., KRUMPL, G., MAYER, N. & RABERGER, G. The effects of nitroglycerin on regional myocardial contractile dysfunction produced by treadmill exercise or isoprenaline stimulation in dogs, **95**, 1141
- SCHNERMANN, J. *see* ANGCHANPEN, P., **93**, 151
- SCHOEFFTER, P. & HOYER, D. Centrally acting hypotensive agents with affinity for 5-HT_{1A} binding sites, inhibit forskolin-stimulated adenylate cyclase activity in calf hippocampus, **95**, 975
- SCHOEFFTER, P., DION, R. & GODFRAIND, T. Modulatory role of the vascular endothelium in the contractility of human isolated internal mammary artery, **95**, 531
- SCHOLZ, H. *see* BÖHM, M., **93**, 729
- SCHONELL, H. *see* LEMOINE, H., **95**, 55
- SCHURR, C. *see* SZABO, B., **94**, 781
- SCHUURKES, J.A.J., VAN BERGEN, P.J.E. & VAN NUETEN, J.M. Prejunctional muscarinic (M₁)-receptor interactions on guinea-pig ileum: lack of effect of cis-apride, **94**, 228
- SCHWIELER, J. *see* KAHAN, T., **95**, 1101
- SCHWÖRER, H. *see* RACKÉ, K., **95**, 923
- SCHWÖRER, H. & KILBINGER, H. Enhancement of guinea-pig intestinal peristalsis by blockade of muscarinic M₁-receptors, **93**, 715
- SCOTT, R.H., MCGUIRK, S.M. DOLPHIN, A. Modulation of divalent cation-activated chloride ion currents, **94**, 653
- SEBASTIAO, A.M. & RIBEIRO, J.A. On the adenosine receptor and adenosine inactivation at the rat diaphragm neuromuscular junction, **94**, 109
- SEINO, A., KOBAYASHI, M., MOMOSE, K., YASUMOTO, T. & OHIZUMI, Y. The mode of inotropic action of ciguatoxin on guinea-pig cardiac muscle, **95**, 876
- SEKI, N., NISHIYE, E., ITOH, T., SUZUKI, H. & KURIYAMA, H. Electrical and mechanical properties of the capsular smooth muscles of the rabbit prostate in relation to the actions of α_1 -adrenoceptor blocker, YM-12617, **93**, 702
- SEN, A.K. *see* DURANTE, W., **94**, 463
- SENARATNE, M.P.J. *see* JAYAKODY, L., **94**, 335
- SENN, N., LELIÈVE, L.G., BRAQUET, P. & GARAY, R. High sensitivity of the Na⁺, K⁺-pump of human red blood cells to genins of cardiac glycosides, **93**, 803
- SHANKLEY, N.P., BLACK, J.W., GANELLIN, C.R. & MITCHELL, R.C. Correlation between log P_{OCT/H₂O} and pK_B estimates for a series of muscarinic and histamine H₂-receptor antagonists, **94**, 264
- SHANKS, R. *see* UPRICHARD, A.G.C., **95**, 1241
- SHAPIRO, E. *see* LEPOR, H., **95**, 139
- SHARIF, N.A. *see* CLARK, C.R., **93**, 618
- SHAW, J.S. *see* CARROLL, J.A., **94**, 625
- SHAW, J.S., ROURKE, J.D. & BURNS, K.M. Differential sensitivity of antinociceptive tests to opioid agonist and partial agonists, **95**, 578
- SHENG, H. *see* GILLEPSIE, J.S., **94**, 1189
- , *see* GILLESPIE, J.S., **95**, 1151
- SHEPHERD, M.K. *see* BARLOW, R.B., **94**, 947
- SHIBATA, S. *see* KARAKI, H., **95**, 183
- SHIMOKAWA, H., AARHUS, L.L. & VANHOUTTE, P.M. Dietary ω -3-polyunsaturated fatty acids augment endothelium-dependent relaxation to bradykinin in coronary microvessels of the pig, **95**, 1181
- SHIMOKAWA, H., FLAVAHAN, N.A., LORENZ, R.R. & VANHOUTTE, P.M. Prostacyclin releases endothelium-derived relaxing factor and potentiates its action in coronary arteries of the pig, **95**, 1197
- SHIMONI, Y. The effects of prenylamine on single ventricular myocytes of guinea-pig, **94**, 319
- SHINKAI, M. *see* HISAYAMA, T., **95**, 459
- , *see* HISAYAMA, T., **95**, 465
- SICUTERI, F. *see* GEPPETTI, **93**, 509
- SIEBECK, M. *see* WEIPERT, J., **94**, 282
- SIEGL, H. *see* EBNER, F., **95**, 399
- SIGIMURA, T. *see* OHUCHI, K., **94**, 917
- SILBERSTEIN, D.J., BOWMER, C.J. & YATES, M.S. Dibromosulphthalein: its pharmacokinetics and binding to hepatic cytosol proteins in rats with acute renal failure, **95**, 343
- SILINSKY, E.M. The influence of 2-chloroadenosine on potassium-evoked and neurally-evoked acetylcholine secretion from normal or from latent active zones in the

- frog, 93, 833
- SILINSKY, E.M. & HIRSH, J.K. The effect of reduced temperature on the inhibitory action of adenosine and magnesium ion at frog motor nerve terminals, 93, 839
- SILVER, I.A. *see* ERECINSKA, M., 94, 871
- SIM, M.F., YATES, D.B., PARKINSON, R. & COOLING, M.J. Cardiovascular effects of the novel arteriovenous dilator agent, flosequinan in conscious dogs and cats, 94, 371
- SLEIGHT, A.J., MARSDEN, C.A., MARTIN, K.F. & PALFREYMAN, M.G. Relationship between extracellular 5-hydroxytryptamine and behaviour following monoamine oxidase inhibition and L-tryptophan, 93, 303
- SMALL, R.C., BOYLE, J.P., CORTIJO, J., CURTIS-PRIOR, P.B., DAVIES, J.M., FOSTER, R.W. & HOFER, P. The relaxant and spasmogenic effects of some xanthine derivatives acting on guinea-pig isolated trachealis muscle, 94, 1091
- SMITH, C.H. *see* HAWGOOD, B.J., 94, 765
- SMITH, D.A.S. *see* BURTON, N.R., 93, 693
- , *see* WILLIAMS, T.L., 95, 805
- SMITH, E.B. *see* BOWSER-RILEY, F., 94, 1069
- SMITH, I.R. *see* CALCUTT, C.R., 93, 69
- SMITH, J.A. *see* MARTIN, W., 93, 579
- SMITH, M.E. *see* HARBORNE, A.J., 94, 968
- SMITH, T.W. *see* ADCOCK, J.J., 93, 93
- , *see* CLARK, S.J., 95, 275
- , *see* FOLLENFANT, R.L., 93, 85
- SMYTH, D.D. *see* PENNER, S.B., 93, 437
- SNEDDON, P. *see* DALZIEL, H.H., 94, 961
- SNELL, K. & EVANS, C.A. Characterization of rat liver β -adrenoceptors during perinatal development as determined by [125 I]-iodopindolol radioligand binding assays, 93, 817
- SNYDER, S.H. *see* BRAAS, K.M., 94, 3
- SOARES-DA-SILVA, P. Evidence for dopaminergic co-transmission in dog mesenteric arterial vessels, 95, 218
- SOFIA, R.D. *see* CHAND, N., 94, 1057
- SOUHRADA, J.F. *see* SOUHRADA, M., 93, 884
- SOUHRADA, M., SOUHRADA, M.H. & SOUHRADA, J.F. The inhibition of sodium influx attenuates airway response to a specific antigen challenge, 93, 884
- SOUHRADA, M.H. *see* SOUHRADA, M., 93, 884
- SOUTHERTON, J.S. *see* TAYLOR, S.G., 94, 853
- SPUR, B.W. *see* JACQUES, C.A.J., 95, 562
- STADERINI, G. *see* BECK, K., 94, 1157
- STAMFORD, J.A., KRUK, Z.L. & MILLAR, J. Actions of dopamine antagonists on stimulated striatal and limbic dopamine release: an *in vivo* voltammetric study, 94, 924
- STARKE, K. *see* SZABO, B., 94, 781
- STASSEN, F.L. *see* BROOKS, D.P., 94, 759
- STEIN, A. *see* KILBINGER, H., 94, 1270
- STEWART, A. *see* BOTTOMLEY, K.M.M., 93, 627
- STEWART, A.G. & DUSTING, G.J. Characterization of receptors for platelet-activating factor on platelets, polymorphonuclear leukocytes and macrophages, 94, 1225
- STEWART, A.G. & PIPER, P.J. Vasodilator actions of acetylcholine, A23187 and bradykinin in the guinea-pig isolated perfused heart are independent of prostacyclin, 95, 379
- STOCLET, J.C. *see* ANDRIANTSITOHAINA, R., 95, 419
- STOESSL, A.J., DOURISH, C.T. & IVERSEN, S.D. The NK-3 tachikinin receptor agonists senktide elicits 5-HT-mediated behaviour following central of peripheral administration in mice and rats, 94, 285
- STONE, D. *see* ALLAN, G., 93, 387
- STONE, T.W. *see* BURTON, N.R., 93, 693
- , *see* CONNICK, J.H., 93, 863
- , *see* CONNICK, J.H., 93, 868
- , *see* WILLIAMS, T.L., 95, 805
- STRAW, R.M. *see* HILL, S.J., 95, 1213
- STRETTON, C.D. & BARNES, P.J. Modulation of cholinergic neurotransmission in guinea-pig trachea by neuropeptide Y, 93, 663
- STRONG, P.N. *see* ANDERSON, A.J., 95, 1329
- , *see* HAWGOOD, B.J., 94, 765
- STURGEON, N.C., KOZLOWSKI, R.Z., CARRINGTON, C.A., HALES, C.N. & ASHFORD, M.L.J. Effects of sulphonylureas and diazoxide on insulin secretion and nucleotide-sensitive channels in an insulin-secreting cell line, 95, 83
- SU, M.-T. *see* LIN, C.-I., 93, 192
- SUBISSI, A. *see* CRISCUOLI, M., 93, 132
- SUGAWARA, T. *see* OHUCHI, K., 94, 917
- SUMIMOTO, T. *see* FUJIWARA, T., 93, 199
- SUMMERS, R.J. *see* MOLENAAR, P., 95, 225
- SUNAHARA, F.A. & DURANTE, W., 94, 463
- SUSINI, R. *see* BECK, K., 94, 1157
- SUSUKI, K. *see* CHAKI, K., 95, 15
- SUZUKI, H. *see* CHEN, G., 95, 1165
- , *see* FUJIWARA, T., 93, 199
- , *see* SEKI, N., 93, 702
- SWALES, J.D. *see* OLLERENSHAW, J.D., 94, 363
- SWANSON, T.H. & PHILLIS, J.W. Effects of the muscarinic antagonists pirenzepine and gallamine on spontaneous and evoked response of rat cerebral cortical neurones, 94, 192
- SZABO, B., HEDLER, L., SCHURR, C. & STARKE, K. Peripheral sympatho-inhibitory cardiovascular effects of opioid peptides in anaesthetized rabbits, 94, 781

T

- TAIRA, N. *see* SATO, Y., 93, 146
- , *see* YANAGISAWA, T., 95, 385
- TAKASHI, I. *see* HEY, J.A., 94, 834
- TAKAYANAGI, I. *see* HISAYAMA, T., 95, 459
- , *see* HISAYAMA, T., 95, 465
- TAKEDA, K. *see* BREGESTOVSKI, P., 95, 419
- TANIKELLA, T. *see* LAI, F.M., 93, 613
- TANIOKA, A. *see* MORITOKI, H., 95, 1015
- TATESON, J.E., RANDALL, R.W., REYNOLDS, C.H., JACKSON, W.P., BHATTACHERJEE, P., SALMON, J.A. & GARLAND, L.G. Selective inhibition of arachidonate 5-lipoxygenase by novel acetohydroxamic acids: biochemical assessment *in vitro* and *ex vivo*, 94, 528
- TAYLOR, E.M. *see* GRISTWOOD, R.W., 93, 893
- TAYLOR, S.G., SOUTHERTON, J.S., WESTON, A.H. & BAKER, J.R.J. Endothelium-dependent effects of acetylcholine in rat aorta: a comparison with sodium nitroprusside and cromakalim, 94, 853
- TEMMA, K. *see* KITAZAWA, T., 95, 39
- TEMPLETON, J.F. *see* DOSE, D., 93, 453

- TERADA, K. *see* SAKAI, T., 95, 1089
- TERRAR, D.A. & VICTORY, J.G.G. Effects of halothane on membrane currents associated with contraction in single myocytes isolated from guinea-pig ventricle, 94, 500
- . Influence of halothane on electrical coupling in cell pairs isolated from guinea-pig ventricle, 94, 509
- TESTA, B. *see* HORTON, R.W., 94, 1234
- THIEMERMANN, C. *see* THOMAS, G.R., 95, 986
- THIJSEN, H.H.W., BAARS, L.G.M. & VEROORT-PETERS, H.T.M. Vitamin K 2,3-epoxide reductase: the basis for stereoselectivity of 4-hydroxycoumarin anticoagulant activity, 95, 675
- THOMAS, G.R., THIEMERMANN, C., WALDER, C. & VANE, J.R. The effects of endothelium-dependent vasodilators on cardiac output and their distribution in the anaesthetized rat; a comparison with sodium nitroprusside, 95, 986
- THOMSON, A.B.R. *see* JAYAKODY, L., 94, 335
- THONOOR, C.M. *see* BROWN, C.M., 93, 417
- THORNBURY, K.D. *see* ALLEN, J.M., 94, 823
- TIPPINS, J.R. *see* BRAIN, S.D., 95, 1005
- TOBIN, G. *see* EKSTRÖM, J., 94, 707
- TODA, N. *see* LU, W., 95, 544
- , *see* OKAMURA, T., 93, 367
- TOFFANO, G. *see* CHANG, H.W., 93, 647
- TOKUTOMI, N. *see* FFRENCH-MULLEN, J.M.H., 95, 753
- , *see* SADOSHIMA, J., 94, 620
- TOMITA, U. *see* NAKAZATO, Y., 93, 101
- TOUZEL, R. *see* AL-DAMLUJI, S., 95, 405
- TOYAMA, J. *see* OSAKA, T., 93, 775
- TOYODA, T. *see* HISAYAMA, T., 95, 465
- TRANQUILLE, N. & EMEIS, J.J. Release of tissue-type plasminogen activator is induced in rats by leukotrienes C₄ and D₄, but not by prostaglandins E₁, E₂ and I₂, 93, 156
- TREHERNE, J.M. & YOUNG, J.M. [³H]-(+)-N-methyl-4-methyldiphenhydramine, a quaternary radioligand for the histamine H₁-receptor, 94, 797
- . Temperature-dependence of the kinetics of the binding of [³H]-(+)-N-methyl-4-methyldiphenhydramine to the histamine H₁-receptor: comparison with the kinetics of [³H]-mepyramine, 94, 811
- TRIDGETT, R. *see* FOSTER, A.C., 94, 602
- TRIGGLE, C.R. *see* AKBARALI, H.I., 95, 512
- , *see* AKBARALI, H.I., 95, 519
- TRIPATHI, R.M. & KAUSHAL, R. Effect of some non-steroidal anti-inflammatory drugs on ouabain-induced arrhythmias in guinea-pigs, 93, 747
- TSUDA, Y., OYAMA, Y., CARPENTER, D.O. & AKAIKE, N. Effects of Ca²⁺ on the transient outward current of single isolated *Helix* central neurones, 95, 526
- TSUKADA, M. *see* CHIBA, S., 95, 177
- TSUTUFUJI, S. *see* KUMAKURA, S., 93, 739
- , *see* OHUCHI, K., 94, 917
- TUMAN, R.W., TUTWILER, G.F., JOSEPH, J.M. & WALLACE, N.H. Hypoglycaemic and hypoketonaemic effects of single and repeated oral doses of methyl palmoxirate (methyl 2-tetradecylglycidate) in streptozocin/alloxan-induced diabetic dogs, 94, 130
- TURNER, A.J. *see* PETERS, J.A., 94, 1257
- TURNER, N.C. & DOLLERY, C.T. Release of arachidonic acid metabolites and histamine from sensitized guinea-pig lung following antigen challenge, 93, 751
- TURWILER, G.F. *see* TUMAN, R.W., 94, 130
- TUTTLE, R.S., YAGER, J. & NORTHRUP, N. Age and antihypertensive effect of aspirin in rats, 94, 755
- TYDEMAN, H. *see* BARLOW, R.B., 94, 947
- TYERS, M.B. *see* BUTLER, A., 94, 397
- , *see* JONES, B.J., 93, 985
- TYLER, W. *see* GODFREY, P.P., 95, 131
- TYMA, J. *see* DUNWIDDIE, T.V., 95, 1117

U

- UCHIDA, M.K. *see* HISHINUMA, S., 94, 882
- UCHIDA, S. *see* NAKAHIRO, M., 95, 1303
- UEMURA, D. *see* MURAMATSU, I., 93, 811
- UNGAR, A. *see* CRITCHLEY, J.A.J.H., 93, 383
- UPRICHARD, A.G.C., HARRON, D.W.G., WILSON, R. & SHANKS, R. Effects of the myocardial α_1 -adrenoceptor antagonist UK-52046 and atenolol, alone and in combination, on experimental cardiac arrhythmias in dogs, 95, 1241
- URAKAWA, N. *see* AHN, H.Y., 93, 267
- USHAY, M.P. *see* MORELAND, S., 93, 994

V

- VALVERDE, A. *see* SÁNCHEZ-FERRER, C.F., 93, 53
- VAN BERGEN, P.J.E. *see* SCHUURKES, J.A.J., 94, 228
- VAN DEN BOSSCHE, R.M. *see* BULT, H., 95, 1308
- VANHOUTTE, P.M. *see* SHIMOKAWA, H., 95, 1181
- VAN NEUTEN, J.M. *see* SCHUURKES, J.A.J., 94, 228
- VAN OOSTERHOUT, A.J.M., WOUTERSEN-VAN NIJNANTEN, F.M.A., FOLKERTS, G. & NIJKAMP, F.P. Effects of anterior hypothalamic endotoxin-induced non-specific airway hyperreactivity *in vivo* and *in vitro*, 94, 901
- VANE, J.R. *see* DE NUCCI, G., 95, 783
- , *see* THOMAS, G.R., 95, 986
- VANHOUTTE, P.M. *see* FELETOU, M., 93, 515
- , *see* IQBAL, A., 95, 789
- , *see* SHIMOKAWA, H., 95, 1197
- VARGAFTIG, B.B. *see* LAGENTE, V., 94, 27
- VARMA, D.R. Modification of transplacental distribution of salicylate in rats by acidosis and alkalosis, 93, 978
- VEALE, M.A. *see* BARLOW, R.B., 94, 947
- VERBERNE, A.J.M. *see* LODGE, D., 95, 957
- VERDOUW, P.D. *see* BOM, A.H., 93, 663
- , *see* DUNCKER, D.J., 94, 219
- , *see* SASSEN, L.M.A., 95, 361
- VEROORT-PETERS, H.T.M. *see* THIJSEN, H.H.W., 95, 675
- VICTORY, J.G.G. *see* TERRAR, D.A., 94, 500
- , *see* TERRAR, D.A., 94, 509
- VIDEBÆK, L.M., AALKJÆR, C. & MULVANY, M.J. Pinacidil opens K⁺-selective channels causing hyperpolarization and relaxation of noradrenaline contractions in rat mesenteric resistance vessels, 95, 103
- VLADIMIROVA, I.A. *see* HOYLE, C.H.V., 95, 653
- VOGEL, A. *see* EBEIGBE, A.B., 94, 381

VOLKOVA, T.M. *see* KRISHTAL, O.A., 95, 1057

W

WADDINGTON, J.L. *see* MOLLOY, A.G., 95, 335

WAHLSTRÖM, A., PACIFICI, G.M., LINDSTRÖM, B., HAMMAR, L. & RANE, A. Human liver morphine UDP-glucuronyl transferase enantioselectivity and inhibition by opioid congeners and oxazepam, 94, 864

WALDER, C. *see* THOMAS, G.R., 95, 986

WALKER, M.J.A. *see* CURTIS, M.J., 94, 1275

WALKER, R.J. *see* HOLDEN-DYE, L., 95, 3

WALLACE, J.L. *see* BOUGHTON-SMITH, N.K., 94, 65

WALLACE, N.H. *see* TUMAN, R.W., 94, 130

WALLDUCK, M. *see* GRISTWOOD, R.W., 93, 893

WALLIN, B.G. *see* KAHAN, T., 95, 1101

WALLIS, D.I. & DUN, N.J. A comparison of fast and slow depolarizations evoked by 5-HT in guinea-pig coeliac ganglion cells *in vitro*, 93, 110

WALLIS, L.A. *see* CONNELL, L.A., 94, 1101

WANKE, M. *see* JECK, D., 93, 357

WANN, K.T. *see* MURPHY, V.F., 95, 713

WARD, S.G. & WESTWICK, J. Antagonism of the platelet activating factor-induced rise of the intracellular calcium ion concentration of U937 cells, 93, 769

WARD-ROUTLEDGE, C., MARSHALL, P. & MARSDEN, C.A. Involvement of central α - and β -adrenoceptors in the pressor response to electrical stimulation of the rostral ventrolateral medulla in rats, 94, 609

WARNER, T. *see* DE NUCCI, G., 95, 783

WASSERMAN, M.A. *see* BROOKS, D.P., 94, 759

WATANABE, M. *see* OHUCHI, K., 94, 917

WATLING, K.J. *see* GUARD, S., 94, 148

WATSON, S.P. *see* GODFREY, P.P., 95, 131

—, *see* GUARD, S., 94, 148

WEBBER, S.E. The effects of peptide histidine isoleucine and the neuropeptide Y on mucus output from the ferret trachea, 95, 49

—, *see* SALONEN, R.O., 95, 1262

WEBBER, S.E., SALONEN, R.O. & WIDDICOMBE, J.G. H_1 - and H_2 -receptor characterization in the tracheal circulation of sheep, 95, 551

WEIPERT, J., HOFFMANN, H., SIEBECK, M. & WHALLEY, E.T. Attenuation of arterial blood pressure fall in endotoxin shock in the rat using the competitive bradykinin antagonist Lys-Lys-[Hyp², Thi^{5,8}, D¹⁰Phe⁷]-Bk (B4148), 94, 282

WEIR, S. *see* COOK, N.S., 95, 741

WELFORD, L.A. & ANDERSON, W.H. Purine receptors and guinea-pig trachea: evidence for a direct action of ATP, 95, 689

WENNMAAL, A. *see* KARWATOWSKA-PROPCZUK, E., 94, 721

WESSLER, I. & ANSCHÜTZ, S. β -Adrenoceptor stimulation enhances transmitter output from rat phrenic nerve, 94, 669

WESTON, A.H. *see* CHEN, G., 95, 1165

—, *see* NAKAO, K., 95, 795

—, *see* TAYLOR, S.G., 94, 853

WESTWICK, J. *see* WARD, S.G., 93, 796

WHITE, A. *see* AL-DAMLJI, S., 95, 405

WHALLEY, E.T. *see* WEIPERT, J., 94, 282

WHITE, D.G. *see* MARTIN, 93, 229

WHITING, M.V. *see* ALLAN, G., 93, 387

—, *see* CAMBRIDGE, D., 93, 165

WHITING, R.L. *see* EGLEN, R.M., 94, 591

—, *see* EGLEN, R.M., 95, 1031

—, *see* KUNYSZ, E.L., 93, 491

WHITTLE, B.J.R. *see* BOUGHTON-SMITH, N.K., 94, 65

—, *see* BOUGHTON-SMITH, N.K., 95, 155

—, *see* DAFFONCHIO, L., 94, 663

—, *see* ESPLUGUES, J.V., 93, 222

—, *see* PIQUÉ, J.M., 93, 925

WHITTLE, B.J.R. & ESPLUGUES, J.V. Induction of rat gastric damage by the endothelium-derived peptide endothelin, 95, 1011

WICKENDEN, A.D. *see* CARROLL, J.A., 94, 625

WIDDICOMBE, J.G. *see* SALONEN, R.O., 95, 1262

—, *see* WEBBER, S.E., 95, 551

WIKLUND, N.P. *see* ÖHLÉN, A., 95, 673

WILKINS, C.J. *see* GODFREY, P.P., 95, 131

WILKINS, D.E. *see* FARMER, S.G., 95, 371

WILKINSON, L.S. *see* COLLARD, K.J., 93, 341

—, *see* DAVIES, M., 94, 483

—, *see* DAVIES, M., 94, 492

WILLIAMS, C.M. *see* BROWN, C.M., 93, 417

WILLIAMS, S.H. & CONSTANTI, A. Quantitative effects of some muscarinic agonists on evoked surface-negative field potentials recorded from the guinea-pig olfactory cortex slice, 93, 846

—, A quantitative study of the effects of some muscarinic antagonists on the guinea-pig olfactory cortex, 93, 855

WILLIAMS, T.J. *see* BRAIN, S.D., 95, 1005

—, *see* RAMPART, M., 94, 1143

WILLIAMS, T.L., SMITH, D.A.S., BURTON, N.R. & STONE, T.W. Amino acid pharmacology in neocortical slices: evidence for bimolecular actions from an extension of the Hill and Gaddum-Schild equations, 95, 805

WILLS, M. & DOUGLAS, J.S. Aging and cholinergic response in bovine trachealis muscle, 93, 918

WILSON, A.D. *see* ALPS, B., 93, 877

WILSON, D.G. *see* SALT, T.E., 94, 443

WILSON, R. *see* UPRICHARD, A.G.C., 95, 1241

WILSON, V.G. *see* BROWN, C.M., 93, 417

—, *see* DALY, C.J., 94, 1085

—, *see* DALY, C.J., 95, 473

—, *see* DALY, C.J., 95, 485

—, *see* DALY, C.J., 95, 501

WINKLER, M. *see* KRUMPL, G., 94, 55

WINN, M.J., CHOLERTON, S. & PARK, B.K. An investigation of the pharmacological response to vitamin K₁ in the rabbit, 94, 1077

WITHRINGTON, P.G. *see* CORDER, R., 94, 1149

—, *see* CORDER, R., 95, 664

WONG, P.Y.D. Control of anion and fluid secretion by apical P₂-purinoceptors in rat epididymis, 95, 1315

—, Inhibition by chloride channel blockers of anion secretion in cultured epididymal epithelium and intact epididymis of rats, 94, 145

WOODRUFF, G.N. *see* PRIESTLEY, T., 94, 87

WOOLLARD, P.M. *see* BACON, K.B., 95, 966

—, *see* CAMP, R.D.R., 94, 1043

WOUTERSEN-VAN NIJNANTEN, F.M.A. *see* VAN OOSTERHOUT, A.J.M., 94, 901

WU, H.-L. *see* LIN, C.-I., **93**, 192
 WYNNE, J. *see* CAMPBELL, C.A., **93**, 587

XYZ

YAACOB, H.B. & PIPER, P.J. Inhibition of leukotriene release in anaphylactic guinea-pig hearts by a 5-lipoxygenase inhibitor, CGS 8515, **95**, 1321
 YAGER, J. *see* TUTTLE, R.S., **94**, 755
 YAMADA, K. *see* OSAKA, T., **93**, 775
 YAMADA, Y. *see* NAKAZATO, Y., **93**, 101
 YAN, Z. *see* DONNERER, J., **94**, 848
 YANAGISAWA, T., HASHIMOTO, H. & TAIRA, N. The negative inotropic effect of nicorandil is independent of cyclic GMP changes: comparison with pinacidil and cromakalim in canine atrial muscle, **95**, 385
 YANAIHARA, N. *see* MURAMATSU, I., **94**, 1241

YASUMOTO, T. *see* SEINO, A. **95**, 876
 YATES, D.B. *see* SIM, M.F., **94**, 371
 YATES, M.S. *see* SILBERSTEIN, D.J., **95**, 343
 YONEI, Y. *see* PIQUÉ, J.M., **93**, 925
 YOSHIDA, H. *see* NAKAHIRO, M., **95**, 1303
 YOSHITOMI, T. *see* ITO, Y., **93**, 636
 YOUNG, J.M. *see* TREHERNE, J.M., **94**, 797
 —, *see* TREHERNE, J.M., **94**, 811
 YOUNG, N. *see* LODGE, D., **95**, 957
 YOUNG, R.C. *see* CALCUTT, C.R., **93**, 69
 YUNES, R.A. *see* CALIXO, J.B., **94**, 1133
 ZERKOWSKI, H.-R. *see* MICHEL, M.C., **94**, 685
 ZHANG, M.-S. & ZHOU, E.-F. Methylflavonolamine hydrochloride inhibits contractions induced by nor-adrenaline, calcium and potassium in rabbit isolated aortic strips, **94**, 1184
 ZHOU, E.-F. *see* ZHANG, M.-S., **94**, 1184
 ZILLETI, L. *see* LUZZI, S., **95**, 1271