



British Journal of Pharmacology

Proceedings Supplements

Index

Volumes 96–98
1989

INDEX TO PROCEEDINGS SUPPLEMENTS TO VOLUMES 96, 97 and 98

AUTHOR INDEX

- AALKJAER, C. see HUGHES, A.D., 97, 525P
- AARONS, L. see FOSTER, R.W., 99, 947P
- ABRAM, T.S. see CUTHBERT, N.J., 97, 556
- - - see NORMAN, P., 97, 418P
- ADAMS, M., LENNARD, M.S., OTTON, S.V., TUCKER, G.T. & WOODS, H.F. In vitro assessment of the mouse as an experimental model for the polymorphic oxidation of metoprolol, 96, 287P
- ADAMSON, P. see XIANG, J-Z., 98, 690P
- ADAMSON, P., BRAMMER, M.J., CAMPBELL, I. C. & MELDRUM, B.S. Increases in intrasynaptosomal free Ca^{2+} elicited by glutamate are mediated via a quisqualate-type receptor, 98, 615P
- ADCOCK, J.J. see BUCHAN, P., 96, 250P
- - - see SHANKLEY, C.E., 96, 249P
- ADCOCK, J.J. & SMITH, T.W. Inhibition of reflex bronchoconstriction by the opioid peptide BW443C in the anaesthetised cat, 96, 157P
- ADHAM, N. see BLUE, D.R., 96, 246P
- AGID, F. see DEXTER, D.T., 97, 382P
- AGID, Y. see DEXTER, D.T., 97, 382P
- AGLEN, R.M. see BLUE, D.R., 96, 246P
- AHMAD, B. & NICHOLLS, P.J. Is tolerance to the CNS effects of aminoglutethimide in the mouse associated with dependence? 96, 358P
- AJAO, P. see KNOX, A.J., 99, 870P
- AKANDE, S.L. see BERENBAUM, M.C., 98, 771P
- AKED, D.M. see FOSTER, S.J., 96, 38P
- - - see FOSTER, S.J., 97, 440P
- AKED, D.M. & FOSTER, S.J. Anti-inflammatory efficacy of ICI 207968, a selective 5-lipoxygenase inhibitor, 96, 37P
- AKERS, I., COATES, J., DREW, G.M. & SULLIVAN, A.T. Antagonist profile of SK&F104078 at pre- and post-junctional α_2 -adrenoceptors, 98, 655P
- AKPOGOMEH, B.A. & JOHNS, E.J. α -adrenoceptor subtype mediating the tubular actions of the renal nerves in DOCA-salt and 2K 1C Goldblatt hypertension in rats, 96, 176P
- ALABASTER, C.T., MACHIN, I., SAMUELS, G.M.R. & SUTTON, M.R. The effects of UK-79,300, an orally-absorbed atriopeptidase inhibitor, in a conscious dog model of cardiac insufficiency, 99, 823P
- ALABASTER, V.A. see DE SOUZA, R.N., 99, 803P
- - - see MOORE, B.A., 98, 718P
- AL-BARAZANJI, K.A. & BALMENT, R.J. Atrial natriuretic factor antagonises central vasopressin and angiotensin 11 natriuretic action in the anaesthetised rat, 99, 858P
- ALCOCK, P. see JACKSON, S.M., 99, 892P
- ALEEM, F. see SAEED, S.A., 97, 544P
- ALEXANDER, B.S. see BRAMMER, N.T., 96, 6P
- - - see WOOD, M.D., 97, 412P
- ALEXANDER, S.P., GROUT, R.J., HILL, S. J. & KENDALL, D.A. The adenosine receptors modulating the accumulation of inositol phosphates and cyclic AMP in brain slices are different, 96, 135P
- ALEXANDER, S.P.H., HARDING, S.M., RATCLIFFE, K.M. & HILL, S.J. DPCPX and PD 115,199 as discriminatory tools for differentiating adenosine receptors in guinea-pig tissues, 98, 738P
- ALEXANDER, S.P.H., HILL, S.J. & KENDALL, D.A. The 2-chloroadenosine inhibition of histamine-induced inositol phosphates accumulation in mouse brain and calcium ions, 99, 832P
- AL-HABOUBI, H.A., AL-KASAM, S. & ELZAROUG, K. Effects of lead on the rat isolated vas deferens, 97, 575P
- AL HAZZA, I.M. & BALMENT, R.J. Effects of adrenal demedullation on the renal actions of adrenaline and noradrenaline in the rat, 99, 863P
- ALI, M. see BURKA, J.F., 99, 872P

- AL-JOMAA, S.S. see HENDRIE, C.A., 98, 707P
- AL-KASAM, S. see AL-HABOUBI, H.A., 97, 575P
- ALLAN, C.J. & SKETT, P.G. The effect of phorbol esters on steroid metabolism in isolated rat hepatocytes, 96, 289P
- ALLEN, M.J. & CARPENTER, J.R. Mechanical responses to inositol (1,4,5)-trisphosphate in permeabilised strips of guinea-pig ileum longitudinal smooth muscle, 99, 792P
- ALLEN, S.J. see DAWBARN, D., 96, 348P
- ALLGEIER, H. see FAGG, G.E., 97, 582P
- - - see SCHMUTZ, M., 97, 581P
- ALLSUP, D.S. & BOARDER, M.R. Comparison of P₂ receptors of aortic endothelial cells with those of adrenal medulla non-chromaffin cells, 99, 795P
- ALMEIDA, S.S. see GRAEFF, F.G., 99, 944P
- ALONSO, R., KAN, J.P., WORMS, P. & SOUBRIE, P. Effects of repeated administration of THA on the cholinergic functions in the rat, 97, 473P
- AL-QATTAN, K.K. & JOHNS, E.J. Role of renal perfusion pressure on the renal actions of angiotensin II, 96, 30P
- AL-SWAYEH, O.A. see BHARDWAJ, R., 96, 272P
- - - see GIBSON, A., 99, 904P
- - - see MOORE, P.K., 99, 905P
- AL-SWAYEH, O.A., BHARDWAJ, R. & MOORE, P.K. Effect of N- α -benzoyl-L-arginine ethyl and methyl esters on the rat mesenteric vascular bed, 96, 271P
- AMEZCUA, J.L., DE SOUZA, B.M., PALMER, R.M.J. & MONCADA, S. Inhibition of nitric oxide synthesis inhibits endothelium-dependent vasodilation in the rabbit isolated heart, 96, 105P
- AMSTUTZ, R. see BODDEKE, H.W.G.M., 96, 241P
- ANDERSON, A.J. see MACHADO, C.N., 98, 710P
- - - see PATMORE, L., 98, 744P
- ANDERSON, C.W.P. see SHANKLEY, C.E., 96, 249P
- ANDERSON, I.M., COWEN, P.J. & GRAHAME-SMITH, D.G. Neuroendocrine and temperature effects of gepirone in humans, 96, 3P
- ANDERSON, M.M. see BLAND, J., 99, 878P
- ANDERSON, S.M.P., CHRISTODOULOU, M.S. & GRAHAME-SMITH, D.G. The effects of chronic hippocampal slices, 97, 405P
- ANDERSON, W.H. see WELFORD, L.A., 96, 160P
- ANDERSON, W.W. & COAN, E.J. Effect of non-NMDA excitatory amino acid receptor blockade on hippocampal slice seizures in physiological and low MG medium, 97, 588P
- ANDERSSON, K.-E. see MALMGREN, A., 96, 29P
- ANDERSSON, P.O. see MALMGREN, A., 96, 29P
- ANDREASEN, M. see LITTLE, H.J., 98, 677P
- ANDREWS, A.G. & TERRAR, D.A. Effects of amiodarone on calcium currents in ventricular cells isolated from guinea-pig heart, 98, 743P
- ANDREWS, K.L., MASON, H., BATES, R.F. L. & BUCKLEY, G.A. Inhibition of PAF-induced gastric erosions by salmon calcitonin, 97, 549P
- ANDREWS, K.L., POWLES, J., BATES, R. F.L. & BUCKLEY, G.A. Lack of effect of indomethacin on calcitonin-induced inhibition of basal and histamine-stimulated gastric acid secretion *in vivo*, 96, 266P
- ANDREWS, M.J. see CUNNINGHAM, F.M., 97, 441P
- ANDREWS, P.L.R. see REYNOLDS, D.J.M. 98, 692P
- - - see ROYLANCE, R.R., 96, 330P
- ANDRIANTSITOHAINA, R. & STOCLET, J.C. Neuropeptide Y (NPY) counteracts relaxation of rat mesenteric arterioles induced by different mechanisms, 96, 219P
- ANDRIUOLI, G. see TRABUCCHI, E., 96, 17P
- ANGEL, I. see DUVAL, N., 96, 237P
- ANGST, C. see FAGG, G.E., 97, 582P
- - - see SCHMUTZ, M., 97, 581P
- ANTONIOW, J.W. & TIPPINS, J.R. Effect of endothelin on canine and porcine coronary preparations *in vitro*, 96, 100P
- - - Effect of calcitonin gene-related peptide on canine and porcine coronary artery preparations *in vitro*, 96, 214P
- ARAM, J.A., MILES, R. & WONG, R.K.S. Synaptic events persist in the presence of excitatory amino acid receptor blockade in guinea-pig neocortex *in vitro*, 96, 82P
- ARCH, J.R.S. see BOWRING, N.E., 99, 805P
- ARCHER, C.B., MARKEY, A.C., BARKER, J., LEE, T.H. & MACDONALD, D.M. Actions of the PAF antagonist, BN 52063 on the clinical and histopathological responses to PAF in atopic skin, 97, 545P

- ARENSEN, M.S. Atropine does not increase evoked acetylcholine release in the isolated frog sartorius muscle, 96, 257P
- ARMSTRONG, F.H. see BERENBAUM, M.C., 98, 771P
- ARMSTRONG, F.H. & LOWE, K.C. Time-course changes in liver cytochromes P-450 following injection of emulsified perfluorochemicals in rats, 98, 770P
- ARMSTRONG, J.M. see BARRAS, M., 97, 522P
- - - see CHILLON, J.M., 96, 208P
- - - see MARTIN, D., 96, 115P
- ARMSTRONG, P.W. see FORSTER, C., 96, 155P
- ARMSTRONG, R.A., LUMLEY, P. & HUMPHREY, P.P.A. Characteristics of [³H]-GR 32191 binding to the thromboxane (TP) receptor of human platelets, 99, 843P
- ARMSTRONG, W.P. see MERRITT, J.E., 98, 674P
- ARNOLD, J., CHOO, J. & LITTLE, R.A. Selective influence of endotoxin on catecholamine content of rat tissues, 99, 854P
- ASHFORD, M.L.J. see BODEN, P., 99, 830P
- ASPLEY, S. see PARKES, I.R., 97, 465P
- ASSEM, E.S.K. see EZEAMUZIE, I.C., 96, 275P
- ATKINSON, J. see CHILLON, J.M., 96, 208P
- - - see HENRION, D., 98, 619P
- - - see HENRION, D., 98, 748P
- - - see HUBERT, B., 96, 184P
- - - see OSTER, L., 96, 151P
- - - see THORIN, E., 98, 749P
- - - see THORIN-TRESCASES, N., 96, 209P
- ATTERWILL, C.K. see PILLAR, A.M., 96, 355P
- ATTERWILL, C.K. & MEAKIN, J. Nerve growth factor (NGF) enhances cholinergic synaptic function in rat whole-brain reaggregation cultures, 96, 357P
- ATTWOOD, M.R. see PACIOREK, P.M., 98, 722P
- AUSTIN, C.E., BRECKENRIDGE, A.M. & CHESSE-WILLIAMS, R. Effect of insulin on adrenergic responses of isolated cardiac tissues from control and diabetic rats, 97, 506P
- - - Effect of duration of diabetes on cardiac adrenoceptor-mediated inotropic responses, 98, 653P
- BACHELARD, H. & MARSDEN, C.A. Identification of the hypothalamic receptors involved in the increase in blood pressure during stimulation of the Cl area, 98, 697P
- BACHELET, M. see PRETOLANI, M., 96, 73P
- BACKUS, L.I., SHARP, T. & GRAHAME-SMITH, D.G. Behavioural evidence for an interaction between brain 5-HT₂ and 5-HT_{1A} receptor function, 97, 411P
- BACON, K.B. see ROSS, J.S., 96, 290P
- BACON, K.B. & CAMP, R.D.R. Lymphocyte chemoattractant activity in normal human skin and plasma, 96, 26P
- BADAWY, A.A.-B., MORGAN, C.J. & GORDON, C.A. Effects of carbamazepine on tryptophan metabolism and disposition in the rat, 98, 614P
- BAEBER, C. see HOYER, D., 96, 7P
- BAGETTA, G., CONSTANTINI, A. & NISTICÒ, G. Surface N-wave inhibition by oxotremorine-M is mediated by presynaptic M1 receptor stimulation in guinea-pig olfactory cortex, 98, 694P
- BAGIOLINI, M. see BURROWS, L.J., 99, 789P
- BAHL, A.K., FOREMAN, J.C. & DALE, M.M. The effect of non-steroidal anti-inflammatory drugs on IL-1 secretion from murine macrophages, 98, 670P
- BAHRO, M. see GROSS, G., 98, 698P
- BAILEY, F. see HAGAN, R.M., 98, 717P
- BAKER, A.J. & FULLER, R.W. Control of the human alveolar macrophage: effect of enprofylline and 5'-(n-ethyl) carboxamido adenosine (NECA), 96, 41P
- BAKER, B.J., COOPER, S.J. & BOOTH, D. A. Effects of the cholecystokinin receptor antagonist MK-329 and (+)-fenfluramine on gastric emptying in the rat, 99, 937P
- BAKER, R. see SPICER, B.A., 96, 156P
- BAKHLE, Y.S. see IZUMI, T., 97, 539P
- - - see YEATS, D.A., 96, 134P
- BAIRD, A.W. & MARGOLIUS, H.S. Antagonists of bradykinin-induced bicarbonate secretion by guinea-pig gallbladder, 96, 283P
- BALASUBRAMANIAN, M.K. see BOESS, F. G., 98, 691P
- BALDWIN, B.A. see EBENEZER, I.S., 98, 632P
- - - see EBENEZER, I.S., 98, 678P
- BALDWIN, H.A. see STANFORD, S.C., 96, 311P

- BALDWIN, H.A., HITCHCOTT, P.K. & FILE, S.E. Prolonged reversal of chlor-diazepoxide and thanol withdrawal anxiety in the rat by a single dose of flumazenil, 96, 310P
- BALDWIN, J.J. see SUGRUE, M.F., 99, 820P
- BALFOUR, D.J.K. see MITCHELL, E.A., 99, 922P
- - - see WINCH, G.J.B., 97, 470P
- - - see YAU, J.L.W., 97, 452P
- BALL, S.G. see BALMFORTH, A.J., 98, 704P
- BALMENT, R.J. see AL-BARAZANJI, K.A., 99, 858P
- - - see AL HAZZA, I.M., 99, 863P
- - - see SAINSBURY, P.A., 99, 857P
- BALMFORTH, A.J., WARBURTON, P. & BALL, S.G. Agonist-induced desensitization of the D₁ dopamine receptor expressed by a human astrocytoma cell line, 98, 704P
- BANERJEE, A.M., JORDAN, R. & SOUNESS, J. E. Cardiovascular effects of selective cyclic GMP phosphodiesterase (PDE) inhibitors, 96, 226P
- BANNER, S.E. & OSBORNE, R.H. FMRFamide potentiation of 5-HT induced relaxation of the locust foregut is naloxone sensitive, 97, 516P
- BARBER, D.J. see COOPER, S.J., 98, 633P
- BARBER, H.E. see MCCAPPIN, T.R., 98, 753P
- BARBER, H.E., BOATENG, Y.A., MCCAPPIN, T.R., PETRIE, J.C. & WHITING, P.H. The effect of glycerol-induced acute renal failure on warfarin pharmacokinetics in the rat, 96, 291P
- BARCHAS, J.D. see MAIDMENT, N.T., 97, 398P
- BARCLAY, C.G. & MEREDITH, P.A. The "in vitro" effects of nifedipine, diltiazem, verapamil and enoxacin on hepatic microsomal drug metabolising enzymes, 97, 569P
- BARCLAY, P.L. see SHEPPERSON, N.B., 99, 822P
- BARCLAY, P.L., PETERS, C.J., BENNETT, J. A., DANILEWICZ, J.C., SAMUELS, G.M.R. & SHEPPERSON, N.B. The natriuretic and diuretic responses to the atrio-peptidase inhibitor UK-69,578 in volume expanded rats, 99, 824P
- BARER, G.R. see LIU, S.F., 99, 852P
- BARKER, J. see ARCHER, C.B., 97, 545P
- BARLOW, R.B. Some microcomputing aids in teaching and data handling, 97, 604P
- - - Struggles with statistics: a teaching program for large or small groups of students, 99, 948P
- BARLOW, R.B. & VEALE, M.A. Variation in estimates of selectivity at muscarinic receptors in guinea-pig ileum and atria, 99, 778P
- BARNARD, E.A. see MORRIS, B.J., 96, 140P
- BARNES, J.C. & ROBERTS, F.F. Effect of muscarinic agonists on hippocampal theta rhythm in the anaesthetised rat, 99, 914P
- BARNES, J.M., BARNES, N.M., COSTALL, B. & NAYLOR, R.J. 5-carboxamidotryptamine modulation of potassium-stimulated ³H dopamine release in the rat nucleus accumbens, 97, 378P
- BARNES, J.M., BARNES, N.M., COSTALL, B. NAYLOR, R.J. & TYERS, M.B. Modulation of potassium-stimulated [³H]dopamine release from the rat nucleus accumbens by (-)N-n-propylnorapomorphine, 96, 94P
- - - 5-HT₃ receptors mediate inhibition of ³H acetylcholine release from rat entorhinal cortex 'in vitro', 98, 773P
- BARNES, J.M., CHENG, C.H.K., COSTALL, B., JENNER, P.G. & NAYLOR, R.J. The toxicity of MPTP and MPP⁺ in rat neuronal and glial cell cultures, 96, 332P
- - - The selective toxicity of MPP⁺ on rat neuronal cell cultures, 96, 333P
- BARNES, J.M., COSTALL, B., KELLY, M.E., NAYLOR, R.J., ONAIVI, E.S., TOMKINS, D.M. & TYERS, M.B. GR38032F improves performance in a mouse habituation test, and inhibits cholinergic-linked deficits, 98, 693P
- BARNES, N.M. see BARNES, J.M., 96, 94P
- - - see BARNES, J.M., 97, 378P
- - - see BARNES, J.M., 98, 773P
- BARNES, N.M., CHENG, C.H.K., COSTALL, B. & NAYLOR, R.J. Affinity of MPTP and MPP⁺ for the primate and rodent dopamine uptake sites, 97, 478P
- - - The effect of deprenyl on MPTP and MPP⁺ neurotoxicity in rat neuronal cell culture, 97, 479P
- - - The toxic effects of MPTP and MPP⁺ in marmoset and rat striatal cell cultures, 99, 912P
- BARNES, N.M., COSTALL, B., COX, A.J., DOMENEY, A.M., KELLY, M.E. & NAYLOR, R.J. Modification of limbic and extrapyramidal dopamine metabolism

- following injection of diMe-C7 into the rat ventral tegmental area, 99, 916P
- BARNES, N.M., COSTALL, B., KELLY, M.E., NAYLOR, R.J. & WILLIAMS, T.J. Topographical distribution of angiotensin converting enzyme in the common marmoset (*callithrix jacchus*), 97, 467P
- BARNES, P.J. see BELVISI, M.G., 99, 865P
- - - see CHILVERS, E.R., 97, 447P
- - - see CHILVERS, E.R., 99, 787P
- - - see CRAWLEY, D., 99, 839P
- - - see GIEMBYCZ, M.A., 97, 559P
- - - see KROEGEL, C., 96, 58P
- - - see LIU, S.F., 97, 498P
- - - see LIU, S.F., 99, 852P
- - - see STRETTON, C.D., 99, 780P
- - - see STRETTON, C.D., 99, 781P
- - - see STRETTON, C.D., 99, 782P
- - - see WATSON, N., 98, 719P
- BARNETT, D.B. see LU, X., 98, 732P
- BARR, S.M., HAMILTON, C.A. & REID, J.L. The effect of antihypertensive treatment on platelet intracellular free calcium concentration in rabbit perinephritis hypertension, 96, 179P
- BARRADAS, M.A. see JEREMY, J.Y., 98, 669P
- BARRADAS, M.A., KHOKHER, M.A. & DANDONA, P. The stimulatory effect of 5-HT on human osteoblasts is antagonised by ketanserin tartrate and imipramine, 98, 666P
- BARRAS, M., HERMAN, G., MAUDUIT, P., ARMSTRONG, J.M., ROSSIGNOL, B. & HICKS, P.E. Which α -adrenoceptor subtype does phenylephrine stimulate to cause contraction in dog saphenous vein *in vitro*? 97, 522P
- BARRES, C. see SANNAJUST, F., 96, 117P
- BARTON, H., SMITH, W., BOOT, J.R., WALKER, J.R. & GOODERHAM, R. Involvement of LTB₄ in the neutrophil chemoattractant activity released from anaphylactic guinea-pig lung, 96, 174P
- BARTRUP, J.T., WYLLIE, M.G. & STONE, T.W. Adenosine inhibits calcium uptake into rat brain synaptosomes, 96, 315P
- BARWELL, C.J., CANHAM, C.A., BULL, P. & PERRY, P.M. Occurrence and some properties of amine oxidases in human colon, 97, 567P
- BATES, R.F.L. see ANDREWS, K.L., 96, 266P
- - - see ANDREWS, K.L., 97, 549P
- BATINK, H.D. see VAN HEININGEN, P.N.M., 96, 152P
- BAUMANN, P. see FAGG, G.E., 97, 582P
- BAX, N.D.S. see BURNS, E., 98, 758P
- BAXENDALE, A.J. see BIRCH, P.J., 97, 578P
- BAXTER, G.S., CLAYTON, J.K., COLEMAN, R.A. & SENIOR, J. Prostanoid receptors mediating contraction and relaxation of human isolated uterine artery, 98, 649P
- BAXTER, G.S., COLEMAN, R.A. & SENIOR, J. Prostanoid receptors in guinea-pig uterus, 98, 763P
- BAXTER, G.S., COLEMAN, R.A., SENIOR, J. & SHELDRIK, R.L.G. Prostanoid receptors mediating contraction and relaxation of guinea-pig uterine artery, 96, 71P
- BAYDOUN, A.R., PEERS, S.H., CIRINO, G. & WOODWARD, B. The effects of endothelin in the isolated rat heart, 96, 98P
- BEARPARK, T.M. see SNEDDON, J.M., 97, 514P
- BEART, P.M. see MANALLACK, D.T., 97, 377P
- BECK, E. see SCHNEIDER, J., 96, 205P
- BECKER, D. see RACKE, K., 97, 396P
- BECKERINGH, J.J. & BRODDE, O.-E. α -adrenoceptor subtypes in tissues of the rat and guinea-pig, 96, 154P
- BECKERINGH, J.J., MICHEL, M.C. & BRODDE, O.-E. Decreased noradrenaline induced turnover of phosphatidylinositols in renal cortex of spontaneously hypertensive rats, (SHR), 96, 182P
- BEER, M.S. see WATLING, K.J., 99, 813P
- BEESELEY, J.E. see HIRST, S.J., 97, 449P
- BEK, M.C. see EIGENHUIS, J.J., 96, 258P
- BELLEC, C., PAYEN, D., ECHTER, E. & CAVERO, I. Studies on the mechanism of the cardiovascular effects of calcitonin gene-related peptide in anaesthetised rats, 96, 215P
- BELVISI, M.G. see STRETTON, C.D., 99, 780P
- - - see STRETTON, C.D., 99, 781P
- - - see STRETTON, C.D., 99, 782P
- BELVISI, M.G., STRETTON, C.D. & BARNES, P.J. Modulation of cholinergic neurotransmission in guinea-pig airways by opioids, 99, 865P
- BENNETT, G.W. see CONNOR, D., 97, 571P
- - - see DIXON, D.M., 99, 829P

- - - see FONE, K.C.F., 97, 413P
 - - - see PARKES, I.R., 97, 465P
 BENNETT, J.A. see BARCLAY, P.L., 99, 824P
 BENNETT, T. see GARDINER, S.M., 96, 119P
 - - - see GARDINER, S.M., 96, 144P
 - - - see GARDINER, S.M., 98, 623P
 - - - see GARDINER, S.M., 98, 624P
 - - - see GARDINER, S.M., 98, 626P
 BENTLEY, P.K. see BERENBAUM, M.C., 98, 771P
 BENZONI, D. see GEOFFREY, J., 96, 118P
 BERENBAUM, M.C., AKANDE, S.L., ARMSTRONG, F.H., BENTLEY, P.K., BONNET, R., WHITE, R.D. & LOWE, K.C. Emulsified perfluorochemicals as adjuncts to photodynamic therapy in mice, 98, 771P
 BERLAN, M. see VALET, P., 96, 281P
 BERRIDGE, T.L. see ROACH, A.G., 97, 519P
 BERRIDGE, T.L., COLLINS, P.D. & ROACH, A.G. Effect of efaroxin, an α_2 -adrenoceptor antagonist, on insulin release in conscious rats, 96, 288P
 BERRINO, L. see RACKE, K., 97, 396P
 BERRY, C.N. see PROUTEAU, M., 97, 547P
 BERRY, C.N., CHASTAGNOL-HERMANN, D.C. & LLOYD, K.G. Inhibition of 5-lipoxygenase by SL 81.0433, 97, 419P
 BERRY, J.L., BOYLE, J.P., ELLIOTT, K.R. F., FOSTER, R.W., SMALL, R.C. & WATT, A.J. Some mechanical and biochemical effects of AH 21-132 in guinea-pig cardiac tissue and bovine trachealis, 97, 446P
 BERRY, J.L., ELLIOTT, K.R.F., FOSTER, R. W. & SMALL, R.C. AH 21-132 and its enantiomers: their tracheal relaxant and phosphodiesterase inhibitory activities, 99, 871P
 BERTHOLD, H. & SCHOLTYSIK, G. Potassium depolarization selectively blocks positive inotropic effects of sodium channel activators in guinea-pig atria, 97, 505P
 BHARDWAJ, R. see AL-SWAYEH, O.A., 96, 271P
 BHARDWAJ, R., AL-SWAYEH, O.A. & MOORE, P.K. Effect of arginine salts and nitric oxide on resistance blood vessels of the perfused rat kidney, 96, 272P
 BHARMAL, S., KENDALL, D.A. & ROBINSON, J.P. Effect of surgical and pharmacological adrenalectomy on noradrenaline stimulated second messenger responses in rat brain, 97, 495P
 BHOOLA, K.D. see FIGUEROA, C.D., 97, 439P
 BIGAUD, M., STOCLET, J.C. & PARRATT, J.R. Implication of calcium in endotoxin-induced impairment of rat aortic contraction *ex vivo*, 96, 150P
 BILL, D.J., FLETCHER, A. & KNIGHT, M. Actions of 5-HT_{1A} ligands and standard anxiolytics on mouse exploratory behaviour in a two-compartment light:dark arena, 98, 679P
 BILL, D.J., FORSTER, E.A. & FLETCHER, A. Behavioural effects of GR 43175 and other 5-HT₁ agonists following central administration in the mouse, 96, 305P
 BILL, D.J., KNIGHT, M., SUTHERLAND, H. FORSTER, E.A. & FLETCHER, A. Evidence for an important species difference in the mechanism of 8-OH-DPAT-induced hypothermia, 99, 920P
 BINGHAM, S. see ROYLANCE, R.R., 96, 330P
 BIRCH, N.J. see PHILLIPS, J.D., 96, 253P
 BIRCH, P.J., BAXENDALE, A.J. & HAYES, A.G. Quantitative pharmacological evaluation of the receptor selectivity of excitatory amino acid agonists, 97, 578P
 BIRD, C.R. see FINCHAM, N.J., 96, 33P
 BITTIGER, H. see FAGG, G.E., 97, 582P
 BLACKBURN, T.P. see CLARKSON, P.N., 96, 193P
 BLACKBURN, T.P. & HEAPY, C.G. ICI 169,369 - novel 5-HT₂ antagonist inhibits 5-HT-induced wet dog shake behaviour in the rat, 96, 303P
 BLACKHAM, A. see GRIFFITHS, R.J., 96, 39P
 BLADES, R.H., KNIGHT, A.K. & WONG, E. H.F. Identification of a sigma site in guinea-pig adrenal gland, 97, 488P
 BLAIR, R.M.J. see BURKA, J.F., 99, 876P
 BLAKE, J.F., BROWN, M.W. & COLLINGRIDGE G.L. A grease-gap method for studying LTP over long time periods in rat hippocampal slices, 97, 593P
 BLAND, J., DASCOMBE, M.J., TURNER, K., VALE, M.J., ANDERSON, M.M., O'NEILL, M.J., PHILLIPSON, J.D. & WARHURST, D.C. Separation of the antimalarial

- and toxic effects in mice of extracts from *Brucea Javanica* fruits, 99, 878P
- BLANEY, L.M. & NEWBY, A.C. Calcium permeability of pig aortic microsomes is increased by histamine and a guanyl nucleotide, 99, 791P
- BLIER, P., SERRANO, A. & SCATTON, B. Differential responsiveness of dorsal and median raphe serotonergic (5-HT) systems to 5-HT₁ agonists and p-chloroamphetamine, 96, 299P
- BLOOM, S.R. see SPOKES, R.A., 96, 107P
- - - see TURNER, N.C., 96, 103P
- BLUE, D.R., BOND, R.A., ADHAM, N., DELMONDO, R., MICHEL, A.D., EGLEN, R.M., WHITING, R.L. & CLARK, D.E. Interaction of dihydroalprenolol and cyanopindolol with atypical β -adrenoceptors in guinea-pig ileum, 96, 246P
- BOARDER, M.R. see ALLSUP, D.S., 99, 795P
- BOARDER, M.R. & MARRIOTT, D.B. Endothelin action on adrenal chromaffin cells to stimulate efflux of noradrenaline and adrenaline, 97, 393P
- BOATENG, Y.A. see BARBER, H.E., 96, 291P
- - - see MCCAPPIN, T.R., 98, 753P
- BODDEKE, H.W.G.M. see JAP, T.J.W., 96, 196P
- BODDEKE, H.W.G.M., GMELIN, G., AMSTUTZ, R. & ENZ, A. (R)-BOK-1 is a selective muscarinic antagonist at M1 receptors, 96, 241P
- BODEN, P., ASHFORD, M.L.J. & TREHERNE, J. M. Actions of sulfonylureas on neurones of rat ventromedial hypothalamus in vitro, 99, 830P
- BOECKXSTAENS, G.E., PELCKMANS, P.A., DE MAN, J.G., VAN MAERCKE, Y.M., HERMAN, A.G. & VERBEUREN, T.J. ATP-induced non-adrenergic non-cholinergic relaxations of neural origin in the canine ileum and ileocolonic junction, 96, 56P
- BOEIJINGA, J.K., COHEN, A.F., VAN HAARD, P.M.M. & VAN VLIET-VERBEEK, A. Measurement of faecal porphyrins by HPLC, a sensitive method for measurement of upper gastrointestinal micro-bleeding, 96, 229P
- BOESS, F.G., BALASUBRAMANIAN, M.K., BRAMMER, M.J. & CAMPBELL, I.C. Presynaptic muscarinic cholinergic receptors increase $[Ca^{2+}]_i$ by protein kinase C dependent opening of L-type Ca^{2+} channels, 98, 691P
- BOGLE, R.G. & RAMAGE, A.G. Evidence that the reflex vagal bradycardia caused by i.v. phenylbiguanide is mediated by central 5-HT_{1A} receptors, 99, 811P
- BOHNENN, V.A. see VAN ZWIETEN, P.A., 96, 199P
- BOLOFO, M.L. see GILES, H., 97, 539P
- BOLTON, C. see SMILLIE, F., 97, 425P
- - - see SMILLIE, F., 97, 541P
- BOM, A.H., SAXENA, P.R. & VERDOUW, P. D. The putative 5-HT_{1A} and 5-HT_{1B} agonist RU 24969 reduces cephalic arteriovenous shunting in the pig, 97, 463P
- BOND, R.A. see BLUE, D.R., 96, 246P
- BONNET, R. see BERENBAUM, M.C., 98, 771P
- BONSER, J.C., DEAN, H.G. & GENT, J.P. The anticonvulsant actions of octanoic and decanoic acids, 96, 362P
- BONSER, J.C., THOMAS, K.L., GENT, J.P. & DEAN, H.G. The relevance of the distribution and metabolism of octanoate to its anticonvulsant activity in the mouse, 98, 613P
- BOOT, J.R. see BARTON, H., 96, 174P
- BOOTH, D.A. see BAKER, B.J., 99, 937P
- BORN, G.V.R. & SHAFI, S. Increased uptake of methylated low density lipoprotein induced by noradrenaline in carotid arteries of anaesthetised rabbits, 96, 120P
- BORTON, M. & DOCHERTY, J.R. Age-related alterations in the inhibitory actions of 5-HT₁ receptor agonists in the rat vas deferens, 98, 759P
- BOUGHTON-SMITH, N.K. see MCCALL, T., 96, 68P
- BOUHELAL, R., LOUBATIERES-MARIANI, M. M. & MIR, A.K. Mechanism of 8-OH-DPAT-mediated inhibition of plasma insulin in spontaneously hypertensive rats, 98, 642P
- BOUKILI, M.A., BUREAU, M., LELLOUCH-TUBIANA, A., LEFORT, J., SIMON, M. T. & VARGAFTIG, B.B. The arachidonate cascade and alveolar macrophages, but not neutrophils, mediate bronchoconstriction by FMLP, 96, 78P
- BOULTER, N., SERRAO, J.M., GOODCHILD, C.S. & GENT, J.P. Chlordiazepoxide causes spinally mediated analgesia in the rat, 98, 610P
- BOULTON, C.L., BURNS, C., LUBMAN, D. & O'SHAUGHNESSY, C.T. The effects of calcium channel antagonists in an in vitro cortical slice model of

- epilepsy, 99, 836P
- BOULTON, C.L. & O'SHAUGHNESSY, C.T. The effect of 1,9-dideoxy forskolin on spontaneous epileptiform activity in an in vitro rat cortical slice model, 96, 83P
- BOURKE, K.S. see WILSON, W.S., 99, 867P
- BOURSON, A. & MOSER, P.C. Potentiation by dihydropyridine calcium channel blockers of physostigmine-induced yawning in rats, 97, 468P
- - - The effect of pre-and post-operative procedures on yawning behaviour in rats, 97, 469P
- BOUTELLE, M.G., SVENSSON, L.I. & FILLENZ, M. Brain ascorbate and motor activity in response to tail-pinch in rats after anxiolytic doses of diazepam, 96, 49P
- BOWEN, D.M. see STEELE, J.E., 96, 353P
- - - see STEELE, J.E., 98, 616P
- BOWERY, N.G. see FLETCHER, A.E., 96, 85P
- - - see KNOTT, C., 96, 44P
- - - see PRATT, G.D., 96, 141P
- - - see PRATT, G.D., 97, 414P
- - - see ROMANELLI, L., 97, 372P
- BOWERY, N.G., DAVEY, R. & TORTELLA, F. The distribution of ³H-dextromethorphan binding sites in rat brain differs from that of NMDA sites, 97, 589P
- BOWES, M.A., MARTIN, F.M., MCCURRIE, J.R., PATEL, I.A. & WOOD, D. Comparison of effects of loperamide and verapamil on colonic propulsion and vascular muscle contraction, 99, 875P
- BOWMER, C.J. see KELLETT, R., 96, 31P
- - - see KELLETT, R., 98, 751P
- - - see PANJEHSHAHIN, M.R., 98, 645P
- - - see ROBINSON, S.C., 98, 752P
- BOWRING, N.E., TAYLOR, J.F. & ARCH, J.R.S. Evaluation of inhaled cromakalim and its active enantiomer BRL 38277 as bronchodilators in the guinea-pig, 99, 805P
- BOYCE, S. see MELLOR, S.J., 99, 911P
- BOYLAND, P. see FEELY, M., 97, 492P
- BOYLAND, P., GENT, J.P. & FEELY, M. A study of tolerance to RO 17-1812, a partial agonist benzodiazepine, and the cross-tolerance produced by diazepam, 97, 491P
- BOYLE, J.J., HAMILTON, C.A. & REID, J.L. Lack of down regulation or desensitisation of rabbit aortic α_1 -adrenoceptors after long-term in vivo noradrenaline infusion, 97, 521P
- BOYLE, J.P. see BERRY, J.L., 97, 446P
- BOYLE, J.P., DUTY, S., ELLIOTT, K.R.F., FOSTER, R.W., SMALL, R.C. & WATT, A.J. Mechanical, electrical and biochemical effects of AH 21-132 in guinea-pig isolated trachealis, 96, 161P
- BOYLE, J.P., ELLIOTT, K.R.F., FOSTER, R.W., SMALL, R.C. & WATT, A.J. Mechanical, electrical and biochemical effects of AH 21-132 in gastrointestinal smooth muscle, 96, 54P
- BOYLE, S.J. see MEECHAM, K.G., 97, 484P
- BRADFORD, H.F. see CROUCHER, M.J., 96, 323P
- - - see CROUCHER, M.J., 99, 929P
- BRADY, A.J. see WARREN, J.B., 99, 901P
- BRAIN, S.D. see BUCKLEY, T.L., 96, 164P
- - - see CROSSMAN, D.C., 96, 57P
- - - see YARWOOD, H., 96, 284P
- BRAMLEY, A.M., SAMHOUN, M.N. & PIPER, P.J. Effect of a bradykinin B₂ antagonist on responses of intact and rubbed guinea-pig trachea in vitro, 99, 786P
- BRAMMER, M.J. see ADAMSON, P., 98, 615P
- - - see BOESS, F.G., 98, 691P
- - - see TWIST, E.C., 98, 688P
- - - see XIANG, J-Z., 98, 690P
- BRAMMER, N.T., WOOD, M.D. & ALEXANDER, B.S. Effect of the 5-HT receptor antagonist BMY 7378 on central 5-HTP synthesis, 96, 6P
- BRANDT, S.A. & LIVINGSTON, A. Receptor binding studies for α_2 -adrenergic and opioid agonists in selected areas of the sheep spinal cord, 97, 483P
- BRANDT, S.A., LIVINGSTON, A. & ROPER, M. The effect of morphine tolerance on brain and spinal cord opioid and α_2 -adrenergic receptors in the rat, 96, 314P
- BRAY, K.M., DUTY, S. & WESTON, A.H. Effects of glibenclamide on cromakalim-induced responses in rabbit isolated aorta, 99, 806P
- BRAY, K.M., LONGMORE, J., NEWGREEN, D.T. & WESTON, A.H. Analysis of the inhibitory component of caffeine-induced responses in rabbit isolated aorta, 96, 121P
- BRAY, K.M. & WESTON, A.H. Effects of K-channel openers on the spasmogenic component of caffeine-induced responses in rabbit aorta, 96, 220P
- - - Differential concentration-dependent effects of K-channel openers on ⁴²K and ⁸⁶Rb efflux in rabbit isolated aorta, 99, 885P

- BRAZELL, C. see KING, B.H., 98, 686P
 - - - see KING, B.H., 98, 689P
 - - - see TWIST, E.C., 96, 301P
 - - - see TWIST, E.C., 98, 688P
 BRAZELL, M.P. see MITCHELL, S.N., 97, 480P
 BRAZELL, M.P., MITCHELL, S.N., JOSEPH, M.H. & GRAY, J.A. Nicotine stimulates dopamine synthesis release and metabolism *in vivo*, 96, 339P
 BRECKENRIDGE, A.M. see AUSTIN, C.E., 97, 506P
 - - - see AUSTIN, C.E., 98, 653P
 - - - see MANSOR, S.M., 96, 296P
 - - - see MANSOR, S.M., 98, 769P
 BRETHERTON-WATT, D. see SPOKES, R.A., 96, 107P
 BRETT, R.R. & PRATT, J.A. Limitations of the elevated plus-maze test of anxiety for assessing the effects of chronic benzodiazepine administration, 96, 313P
 BREWER, T.G. see COLEMAN, M.D., 96, 20P
 BRIAND, H.A. see BURKA, J.F., 99, 872P
 - - - see BURKA, J.F., 99, 876P
 BRIGGS, I., HEAPY, C.G. & PICKERING, L. Electrophysiological effects of propofol on isolated sinoatrial node preparations and isolated atrial conduction *in vitro*, 97, 504P
 BRIGGS, M.A. & ROBINSON, B.V. Excretion of warfarin in the milk of lactating rats, 96, 23P
 BRILEY, M. & MORET, C. Drug-induced modulation of the release of total tritium and [³H]5-HT from rat hypothalamic slices, 96, 5P
 BRIXY, A. see STEINBERG, R., 96, 338P
 BRIXY, A., STEINBERG, R., WORMS, P. & SOUBRIE, P. *In vivo* modulation of dopamine release in the rat nucleus accumbens by the muscarinic agonist oxotremorine, 96, 337P
 BROADHEAD, T.M. see BURNS, E., 97, 520P
 - - - see BURNS, E., 98, 758P
 BROADLEY, K.J. see HEREPATH, M.L., 98, 729P
 - - - see URQUHART, R.A., 96, 223P
 - - - see URQUHART, R.A., 97, 500P
 - - - see WILSON, A.N.A., 98, 740P
 BROCK, J.A. & CUNNANE, T.C. Local application of clonidine, yohimbine and tyramine to sympathetic nerve terminals: role of prejunctional α -adrenoceptors, 99, 868P
 BROCK, J.A., CUNNANE, T.C. & ZIOGAS, J. Local application of ω -conotoxin GVIA to sympathetic nerve terminals in the guinea-pig isolated vas deferens, 99, 775P
 BRODDE, O.-E. see BECKERINGH, J.J., 96, 154P
 - - - see BECKERINGH, J.J., 96, 182P
 - - - see DEIGHTON, N.M., 96, 126P
 BRODIE, M.J. see LARKIN, J.G., 96, 138P
 BROEKKAMP, C.L.E. see COLLINS, P., 98, 606P
 BROEKKAMP, P. see COLLINS, P., 99, 815P
 BROOKS, D.N. see DEWAR, D., 96, 349P
 BROTHCHIE, J.M. & CROSSMAN, A.R. Subthalamic efferent transmission in the rat is mediated by an excitatory amino acid (EAA), 99, 928P
 BROUDISCOU, A. see BROWN, C.M., 98, 681P
 BROWN, A.M. see KAUMANN, A.J., 98, 664P
 BROWN, A.M., MCCROHAN, C.R. & ROOD, J.P. Differential effects of pentylenetetrazol on cyclic AMP-dependent sodium current in neurones of *lymnaea stagnalis*, 99, 927P
 BROWN, C.M., KILPATRICK, A.T., MACKINNON, A.C., KENNY, B.A., BROUDISCOU, A., CLAGUE, R.U., CLARK, R.D., WEINHARDT, K.K. & SPEDDING, M. RS-30199, an azepine with affinity for the 5-HT_{1A} site, 98, 681P
 BROWN, G.J., DEWHURST, D.G., JOHNSTONE, S. & MEEHAN, A.S. Computer simulations of undergraduate physiology practical classes, 99, 949P
 BROWN, G.J., DEWHURST, D.G., HOWELLS, C.M. & MEEHAN, A.S. Computer simulations of undergraduate pharmacology practical classes, 99, 950P
 BROWN, K.A., LEROY, F., VORA, A.J., GREAVES, M.W., DOWD, P.M., SLAVIN, B.M. & DUMONDE, D.C. Blood mononuclear cells from patients with psoriasis exhibit an enhanced adherence to cultured vascular endothelium, 96, 42P
 BROWN, M.J. see DAVENPORT, A.P., 96, 102P
 - - - see HALL, J.A., 96, 202P
 - - - see HALL, J.A., 97, 391P
 - - - see KAUMANN, A.J., 98, 664P
 - - - see PRICE, J.S., 96, 235P
 - - - see REYNOLDS, D.J.M., 96, 236P
 BROWN, M.W. see BLAKE, J.F., 97, 593P

- BROWN, P.D. see ELLIOTT, A.C., 99, 945P
- BROWN, P.D., GREENWOOD, S.L. & ROBINSON, J. Single channel patch-clamp studies of the apical membrane in intact epithelium (choroid plexus and placenta), 99, 939P
- BROWN, T.J., DIOCEE, B.K. & HILL, A.W. Effects of cromakalim on noradrenaline induced contraction of rabbit aorta, 96, 221P
- BRÜCKDORFER, K.R. see JACOBS, M., 98, 712P
- - - see PLANE, F., 98, 622P
- BRUGGER, F. see FAGG, G.E., 97, 582P
- BRUIN, J.C. see NICHOLSON, C.D., 96, 110P
- - - see SHAHID, M., 96, 111P
- - - see SHAHID, M., 96, 186P
- BRUMBAUGH, D.R. see MAIDMENT, N.T., 97, 398P
- BRUNDISH, D. see FAGG, G.E., 97, 582P
- - - see SCHMUTZ, M., 97, 581P
- BRUNEAU, P. see MCMILLAN, R.M., 96, 36P
- - - see MCMILLAN, R.M., 98, 668P
- BUCHAN, P., SMITH, T.W. & ADCOCK, J.J. The effect of BW443C and codeine on capsaicin-induced bronchoconstriction in the guinea-pig, 96, 250P
- BUCKETT, W.R. see HEAL, D.J., 96, 306P
- - - see HEAL, D.J., 97, 406P
- - - see LUSCOMBE, G.P., 96, 307P
- - - see LUSCOMBE, G.P., 97, 400P
- - - see MARTIN, K.F., 97, 407P
- - - see MARTIN, K.F., 97, 605P
- BUCKINGHAM, J.C. see STONE, M.A., 96, 162P
- BUCKLEY, G.A. see ANDREWS, K.L., 96, 266P
- - - see ANDREWS, K.L., 97, 549P
- BUCKLEY, K.S. see COLLINS, G.G.S., 97, 587P
- BUCKLEY, T.L., BRAIN, S.D., RAMPART, M. & WILLIAMS, T.J. The long lasting effect of CGRP in potentiating neutrophil accumulation in rabbit skin, 96, 164P
- BULL, D.R. see MCBAIN, S.L., 96, 342P
- BULL, P. see BARWELL, C.J., 97, 567P
- BUNCE, K.T. see GROSSMAN, C.J., 97, 451P
- - - see REEVES, J.J., 99, 800P
- BUREAU, M. see BOUKILI, M.A., 96, 78P
- BURKA, J.F., BLAIR, R.M.J. & BRIAND, H. A. Contractile mechanisms of rainbow trout (*Salmo Gairdneri*) intestine: effect of temperature, 99, 876P
- BURKA, J.F., BRIAND, H.A. & ALI, M. Effects of aqueous onion and garlic extracts on contractions of guinea-pig airways in vitro, 99, 872P
- BURLEIGH, D.E. & FURNESS, J.B. Interactions of galanin with vasoactive intestinal peptide on human colonic motility in vitro, 98, 715P
- BURNS, C. see BOULTON, C.L., 99, 836P
- BURNS, E. & BROADHEAD, T.M. The portal hypotensive effect of β -adrenoceptor agonists in the rat, 97, 520P
- BURNS, E., BROADHEAD, T.M., INGLETON, P.A., PARSONS, M.A. & BAX, N.D.S. The effect of vasoactive drugs on the cirrhotic rat portal vein, 98, 758P
- BURNS, F. see RACKE, K., 96, 273P
- - - see SOMMER, M., 97, 459P
- BURRIDGE, J., BUTLER, A. & KILPATRICK, G.J. 5-HT₃ receptors mediate depolarisation of the guinea-pig isolated vagus nerve, 96, 269P
- BURROWS, L.J., PIPER, P.J., LINDLEY, I., BAGIOLINI, M. & WESTWICK, J. Human recombinant neutrophil-activating factor/interleukin-8 is a spasmogen of airway smooth muscle in vitro, 99, 789P
- BURTON, G.A., HAYLOR, J.L., DEJONGE, A. & MACNEIL, S. Effect of gossypol on cGMP release from the isolated perfused rat kidney, 96, 66P
- BUSBRIDGE, N.J. see CARNIE, J.A., 99, 936P
- BUTCHER, S.P. see DAVIS, S., 97, 586P
- BUTLER, A. see BURRIDGE, J., 96, 269P
- - - see KILPATRICK, G.J., 99, 859P
- BUTLER, D.J. & HILLIER, K. Calcium and contractility of human colonic smooth muscle, 97, 565P
- BUTLER, K.D. see MAY, G.R., 96, 277P
- BUTTERFIELD, M.C. & CHESS-WILLIAMS, R. Adrenoceptor-mediated changes in ventricular automaticity during global ischaemia in perfused rat ventricles, 97, 389P
- CAI, Y.N. see LIU, S.F., 99, 852P
- CAIRNS, H.S. see ROGERSON, M.E., 99, 841P
- CALCUTT, N.A., TOMLINSON, D.R. & WILLARS, G.B. Effect of ganglioside treatment on substance P-like immunoreactivity axonal transport in rats with experimental diabetes, 98, 716P

- CAMBRIDGE, D. & WHITING, M.V.
Characterising the 5HT receptor
mediating coronary vasodilatation in
the dog using tryptamine analogues,
98, 750P
- CAMP, R.D.R. see BACON, K.B., 96, 26P
- - - see FINCHAM, N.J., 96, 33P
- - - see ROSS, J.S., 96, 290P
- CAMPBELL, E.A., DRAY, A. & PERKINS, M.N.
Comparison of capsaicin and olvanil
as antinociceptive agents in vivo and
in vitro, 99, 907P
- CAMPBELL, I.C. see ADAMSON, P., 98,
615P
- - - see BOESS, F.G., 98, 691P
- - - see KOSHIKAWA, N., 98, 701P
- - - see TWIST, E.C., 96, 301P
- - - see TWIST, E.C., 98, 688P
- - - see XIANG, J-Z., 98, 690P
- CAMPBELL, J.K. see WINSLOW, E., 96,
185P
- CAMPBELL, K.B., JACKSON, S.M., JAMIESON,
A., JOHNSTONE, D. & TUFFIN, D.P.
Plasminogen activator inhibitor levels
in an arthritic rabbit model - effects
with the anabolic steroid stanozolol,
99, 893P
- CANDY, J.M. see CHARLTON, F.G., 96,
350P
- CANFIELD, S.P. & SPENCER, J.E. Effect
of luminal ethanol on H⁺ and HCO₃⁻
secretion by guinea-pig stomach
in vitro, 96, 248P
- CANHAM, C.A. see BARWELL, C.J., 97,
567P
- CANTRELL, D.A. see WARD, S.G., 98,
667P
- CAPDEVILLE, C. see HENRION, D., 98,
619P
- - - see THORIN, E., 98, 749P
- CARAYON, A. see DEXTER, D.T., 97,
382P
- CAREY, F. see FORDER, R.A., 96, 163P
- - - see HAWORTH, D., 96, 274P
- - - see HAWORTH, D., 99, 848P
- - - see STONE, M.A., 96, 162P
- CARLA, V. see CONNICK, J.H., 96,
351P
- - - see CONNICK, J.H., 97, 374P
- CARNIE, J.A., JOHNSTON, J.A., MOREIRA,
J.L.B., BUSBRIDGE, N.J. & ROTHWELL,
N.J. Central effects of PGE₂ and
PGF_{2α} in lean and genetically obese
rats and mice, 99, 936P
- CARPENTER, J.R. see ALLEN, M.J., 99,
792P
- CARR, R.D., KILLINGBACK, P.G., MITCHELL,
P.D., O'CONNOR, S.E., ROBSON, A. &
WELLS, E. Comparative inhibitory
effects of FPL 63547 and enalapril on
rat tissue converting enzyme, 98,
658P
- CARROLL, J.A. & SHAW, J.S. Character-
isation of prostanoid binding sites
on NG108-15 cells, 99, 925P
- CARROLL, M.A., GARCIA, M.P. & MCGIFF,
J.C. The 5,6-epoxyeicosatrienoic
acid is an indirectly acting,
endothelial-dependent vasodilator,
96, 99P
- CARSON, R.J., GAYLARD, D.G. & REYNOLDS,
F. The effect of fetal pH and
maternal hypotension on transfer of
antipyrine, bupivacaine and
pethidine across the rabbit placenta,
97, 402P
- CARSTAIRS, J.R. see NIMMO, A.J.,
98, 725P
- CARTER, C.M. see NEWGREEN, D.T., 99,
793P
- CARTER, D.V. & HALLIDAY, J. Does NPY
release EDRF in the perfused rat
kidney? 97, 518P
- CARTER, D.V., HALLIDAY, J., NASH, P.E.
& PAYVANDI, N. NPY-mediated potent-
iation of vasoconstrictor responses
in rat kidney is not dependent on a
functional endothelium, 96, 159P
- CARTER, T.D., HALLAM, T.J. & PEARSON,
J.D. Protein kinase C activation
reduces the intracellular calcium
threshold for agonist-stimulated
prostacyclin release, 97, 422P
- CARVAJAL, A., SHAFII, M. & DOCHERTY,
J.R. Effects of maturation and
ageing on the response to vasodilat-
ors in the rat aorta, 96, 190P
- CAULFIELD, M.P. see GROVE, E.A., 99,
910P
- CAVERO, I. see BELLEC, C., 96, 215P
- - - see LE MONNIER DE GOUVILLE, A.C.,
96, 95P
- CAWTHORNE, M.A. see WILSON, C., 98,
723P
- CESERANI, R. see REGGIANI, A., 97,
370P
- - - see ROMANELLI, L., 97, 372P
- CESURA, A.M. see RICHARDS, J.G., 96,
43P
- CHALLISS, R.A.J. see CHILVERS, E.R.,
97, 447P
- - - see CHILVERS, E.R., 99, 787P
- - - see RICHARDS, S.J., 97, 572P
- CHALLISS, R.A.J., MORGAN, A.J. &
RICHARDS, S.J. Modulation of inosit-
ol (1,4,5)-trisphosphate concentrat-
ion by cyclic AMP in rat cerebral
cortex slices, 99, 833P
- CHAMBON, J.P. see DIDIER, M., 97,
585P

- - - see STEINBERG, R., 96, 338P
 CHANDER, C.L. & NAYLOR, I.L. The effects of prostanoids on rat testicular capsule myofibroblasts, 97, 538P
 CHAPMAN, I.D. see MORLEY, J., 96, 76P
 CHAPPELL, J.B. see RANDALL, A.D., 97, 594P
 - - - see SHORTE, S.L., 97, 595P
 CHARLTON, F.G., CANDY, J.M., PERRY, E.K. & PERRY, R.H. The status of excitatory dicarboxylic amino acid uptake sites in the cerebral cortex in Alzheimer's disease, 96, 350P
 CHASTAGNOL-HERMANN, D.C. see BERRY, C. N., 97, 419P
 CHATELAIN, P. see LAWSON, K., 99, 840P
 CHEETHAM, S.C. see DE PAERMENTIER, F., 97, 383P
 - - - see DE PAERMENTIER, F., 99, 818P
 - - - see LAWRENCE, K.M., 99, 812P
 CHEETHAM, S.C., CROMPTON, M.R., KATONA, C.L.E. & HORTON, R.W. 5-HT₁ and 5-HT_{1A} binding sites in depressed suicides, 96, 1P
 CHEETHAM, S.C., YAMAGUCHI, Y. & HORTON, R.W. 5-HT₁ binding sites in post-mortem human brain, 96, 302P
 CHEN, H., DRYDEN, W.F. & SINGH, Y.N. Modulation of quantal acetylcholine release from motoneurons by ACTH requires cyclic nucleotide dependent protein kinase, 97, 455P
 CHENG, C.H.K. see BARNES, J.M., 96, 332P
 - - - see BARNES, J.M., 96, 333P
 - - - see BARNES, N.M., 97, 478P
 - - - see BARNES, N.M., 97, 479P
 - - - see BARNES, N.M., 99, 912P
 CHESS-WILLIAMS, R. see AUSTIN, C.E., 97, 506P
 - - - see AUSTIN, C.E., 98, 653P
 - - - see BUTTERFIELD, M.C., 97, 389P
 CHESTER, A.H. see DASHWOOD, M.R., 97, 528P
 CHEVILLARD, C. see NONOTTE, I., 96, 238P
 CHILDERS, S.R. see WARD, S.J., 99, 831P
 CHILLON, J.M. see HENRION, D., 98, 619P
 CHILLON, J.M., GELLOTTE, M., ATKINSON, J., ARMSTRONG, J.M. & HICKS, P.E. Haemodynamic effects of Bay K-8644 in rat model of calcium overload, 96, 208P
 CHILVERS, E.R. see GIEMBYCZ, M.A., 97, 559P
 CHILVERS, E.R., CHALLISS, R.A.J., BARNES, P.J. & NAHORSKI, S.R. Agonist-stimulated changes in D-inositol (1,4,5)-trisphosphate mass in bovine tracheal smooth muscle, 97, 447P
 - - - Characterisation of stereospecific binding sites for [³H]-inositol(1,4,5)-trisphosphate in airway smooth muscle, 99, 787P
 CHIVERS, J.K., TAYLOR, M., JENNER, P. & MARSDEN, C.D. Regional changes in [³H]-SCH 23390 binding to striatum following L-DOPA treatment of 6-OHDA lesioned rats, 98, 705P
 CHONG, N.W.S. see GIBSON, A., 99, 904P
 - - - see MOORE, P.K., 99, 905P
 CHOO, J. see ARNOLD, J., 99, 854P
 CHOO, J.J., HORAN, M.A., LITTLE, R.A. & ROTHWELL, N.J. The anabolic action of a β_2 -adrenoceptor agonist clenbuterol, on muscle, is mediated through β_2 -adrenoceptor stimulation, 99, 856P
 CHOPRA, L.C., WARD, J.P.T., TWORT, C. H.C. & CRANSTON, W.I. Effects of caffeine and ryanodine on InsP₃ and GTP γ S-induced intracellular Ca²⁺ release in cultured rabbit airway smooth muscle, 99, 869P
 CHRISTODOULOU, M.S. see ANDERSON, S. M.P., 97, 405P
 CHRISTOPHERS, E. see FOSTER, S.J., 97, 440P
 CHUNG, K.F. see KROEGEL, C., 96, 58P
 CIRINO, G. see BAYDOUN, A.R., 96, 98P
 CIRINO, G. see BAYDOUN, A.R., 96, 98P
 - - - see WALLANCE, J.L., 96, 96P
 CLAGUE, R.U. see BROWN, C.M., 98, 681P
 - - - see REDFERN, W.S., 98, 682P
 - - - see SMALL, C., 98, 756P
 CLARK, D. see EXNER, M., 96, 89P
 CLARK, D.E. see BLUE, D.R., 96, 246P
 CLARK, D. see FURMIDGE, L., 97, 481P
 CLARK, J.B. see SCHAPIRA, A.H.V., 98, 607P
 CLARK, K.L., ROBERTSON, M.J. & DREW, G.M. Mechanism of dopamine-induced diuresis in the anaesthetised cat, 98, 754P
 CLARK, R.D. see BROWN, C.M., 98, 681P
 CLARKE, C.E. see MELLOR, S.J., 99, 911P
 CLARKE, D.E. see CRAIG, D.A., 96, 247P

- CLARKE, J.B., MAGGS, J.L., KITTERINGHAM, N.R. & PARK, B.K. Immunogenicity and hepatotoxicity of amodiaquine in the rat, 97, 568P
- CLARKSON, P.N., BLACKBURN, T.P. & GROWCOTT, J.W. Lack of effect with ICI 169,369 at the 5-HT₃ receptor in the isolated perfused rabbit heart, 96, 193P
- CLAYTON, J.K. see BAXTER, G.S., 98, 649P
- CLAYTON, J.K., MARSHALL, K., SENIOR, J., TUFEAK, N. & GARDINER, P.J. The effect of rioprostil and butaprost (TR4979) on human myometrium and uterine artery, 97, 540P
- CLEAL, A., CORSI, M., FENIUK, W., GAVIRAGHI, G., TOSON, G. TREZISE, D. & TRIST, D. Potentiating action of 5-hydroxytryptamine (5-HT) on electrically-induced contractions in the mouse urinary bladder, 97, 564P
- CLEGG, M.F., FINNEN, M.J. & WILLIAMS, K. I. Biological activities of the epoxides of arachidonic acid, 99, 906P
- CLOSE, S.P. see ELLIOTT, P.J., 96, 334P
- CLOW, A., DAVIDSON, J., GLOVER, V., HALKET, J.M., MILTON, A.S., SANDLER, M. & WATKINS, P.J. Pentylene-tetrazole increases isatin concentration in rabbit brain but not liver, 97, 387P
- COAN, E.J. see ANDERSON, W.W., 97, 588P
- COATES, J. see AKERS, I., 98, 655P
- COHEN, A.F. see BOEIJINGA, J.K., 96, 229P
- - - see DE BOER, A., 96, 228P
- COHEN, D.L. see PURCELL, W.M., 98, 665P
- COLDWELL, M.C. Cromakalim does not interact directly with protein kinase C, 96, 254P
- COLEMAN, D.J., COLEMAN, R.A., CROSS, S. E. & NAYLOR, I.L. Prostanoid-induced contraction of myofibroblasts: effect of the thromboxane (TP) receptor antagonist, GR32191, 96, 65P
- COLEMAN, H.A. see PARKINGTON, H.C., 98, 621P
- COLEMAN, M.D., FLECKENSTEIN, L., GEARY, R.S., BREWER, T.G., TIMONY, G. & MANGOLD, D.J. The disposition of ethiofos in the isolated perfused rat liver (IPRL), 96, 20P
- COLEMAN, R.A. see BAXTER, G.S., 96, 71P
- - - see BAXTER, G.S., 98, 649P
- - - see BAXTER, G.S., 98, 763P
- COLEMAN, R.A. see COLEMAN, D.J., 96, - - - see POLL, C., 96, 62P
- - - see POLL, C., 97, 421P
- COLLIE, I.T., DETTMAR, P.W., LEACH, E. C. & LORD, J.A.H. The effect of opiate agonists and antagonists on transit in the distal colon of the rat, 97, 485P
- COLLINGRIDGE, G.L. see BLAKE, J.F., 97, 593P
- - - see DAVIES, C.H., 97, 591P
- - - see DAVIES, S.N., 97, 592P
- - - see RANDALL, A.D., 97, 594P
- - - see SHORTE, S.L., 97, 595P
- COLLINS, A.J. see FINNEN, M.J., 99, 896P
- COLLINS, G.G.S. & BUCKLEY, K.S. 6,7-dinitroquinoxaline-2,3-dione (DNQX) blocks monosynaptic excitations in the mouse olfactory cortex slice, 97, 587P
- COLLINS, G.G.S. & RICHARDS, W.J. 4- β -phorbol-12,13-diacetate potentiates monosynaptically-evoked excitations in the olfactory cortex, 96, 318P
- COLLINS, P., BROEKKAMP, C.L.E., JENNER, P. & MARSDEN, C.D. Both D-1 and D-2 receptors appear to be involved in the induction of purposeless chewing in rats, 98, 606P
- - - D₁ or D₂ receptor-induced purposeless chewing in rats is differentially modulated by cholinergic drugs, 99, 815P
- COLLINS, P.D. see BERRIDGE, T.L., 96, 288P
- COLLIS, M.G. see KEDDIE, J.R., 97, 502P
- - - see KELLETT, R., 96, 31P
- - - see KELLETT, R., 98, 751P
- - - see POUCHER, S.M., 98, 741P
- COLQUHOUN, L., HOLDEN-DYE, L. & WALKER, R.J. 5-Nitro-2-(3-phenylpropylamino) benzoic acid, (5-NPB), is a non-competitive antagonist at the ascaris GABA receptor, 97, 369P
- COMPTON, A.M. see GARDINER, S.M., 96, 119P
- - - see GARDINER, S.M., 96, 144P
- - - see GARDINER, S.M., 98, 623P
- - - see GARDINER, S.M., 98, 624P
- - - see GARDINER, S.M., 98, 626P
- CONNAUGHTON, S., WALSH, T. & DOCHERTY, J.R. No evidence for differences between pre and postjunctional α_2 -adrenoceptors in the periphery, 96, 127P
- CONNICK, J.H., CARLA, V., MORONI, F. & STONE, T.W. Kynurenic acid levels in

- Huntington's disease, 96, 351P
- - - Circadian variations in rat brain kynurenic acid concentrations, 97, 374P
- CONNOLLY, G.P. & STONE, T.W. Ionic modulation of adenosine hyperpolarisation of rat sympathetic ganglia, 98, 739P
- CONNOR, D., FONE, K.C.F. & BENNETT, G.W. Behavioural and biochemical effects of chronic intrathecal infusion of TRH antibodies, 97, 571P
- CONNOR, H.E. & HIGGINS, G.A. Cardiovascular effects following injection of 8-OH-DPAT and flesinoxan into the dorsal raphe nucleus of conscious rats, 99, 810P
- CONNOR, H.E., TAYLOR, G. & FENIUK, W. BMY 7378: antagonist effects at functional 5-HT_{1A} receptors, 99, 862P
- CONROY, D.M., PIPER, P.J., SAMHOUN, M.N. & YACOB, M. Metabolism and generation of cysteinyl-containing leukotrienes by human airways *in vitro*, 96, 72P
- CONSTANTI, A. see BAGETTA, G., 98, 694P
- - - see SMART, T.G., 96, 328P
- COOK, N.S., QUAST, U. & MANLEY, P. K⁺ channel opening does not alone explain the vasodilator activity of pinacidil and its enantiomers, 96, 181P
- COOPER, J.M. see SCHAPIRA, A.H.V., 98, 607P
- COOPER, S.J. see BAKER, B.J., 99, 937P
- - - see NEILL, J.C., 97, 433P
- COOPER, S.J., DOURISH, C.T. & BARBER, D. J. The cholecystokinin receptor antagonist MK 329 blocks the anorectic effect of (+)-fenfluramine in the rat, 98, 633P
- COOPER, S.M. see WILSON, C., 96, 255P
- COOTE, J.H. & LEWIS, D.I. Failure of ketanserin to selectively block the excitatory action of 5-hydroxytryptamine on rat sympathetic preganglionic neurones, 98, 640P
- CORN, T. see TWIST, E.C., 98, 688P
- CORNETT, C.M. see EGLEN, R.M., 96, 175P
- CORONEL, R. see HEIJNIS, J.B., 96, 198P
- CORRADETTI, R. see PUGLIESE, A.M., 96, 80P
- CORSI, M. see CLEAL, A., 97, 564P
- COSTALL, B. see BARNES, J.M., 96, 94P
- - - see BARNES, J.M., 96, 332P
- - - see BARNES, J.M., 96, 333P
- - - see BARNES, J.M., 97, 378P
- - - see BARNES, J.M., 98, 773P
- - - see BARNES, J.M., 97, 467P
- - - see BARNES, N.M., 97, 478P
- - - see BARNES, N.M., 97, 479P
- - - see BARNES, J.M., 98, 693P
- - - see BARNES, N.M., 99, 912P
- - - see BARNES, N.M., 99, 916P
- COSTALL, B., COUGHLAN, J. & KELLY, M. E. Continuous i.c.v. infusion of hemicholinium-3 disrupts performance of rats in a T-maze reinforced alternation task, 96, 47P
- COSTALL, B., COUGHLAN, J., KELLY, M. E., NAYLOR, R.J. & TYERS, M.B. Scopolamine-induced deficits in a T-maze reinforced alternation task are attenuated by 5-HT₃ receptor antagonists, 98, 636P
- COSTALL, B., COUGHLAN, J., KELLY, M. E. & WILSON, J.M. Chronic ICV infusion of hemicholinium-3: effects on ChAT levels, locomotor activity and pupil diameter in the rat, 97, 475P
- COSTALL, B., DOMENEY, A.M., EDEN, R.J., GERRARD, P.A., HARVEY, C.A. & KELLY, M.E. The antiParkinson potential of SK&F 101468-A revealed in rodent and primate tests, 96, 90P
- COSTALL, B., DOMENEY, A.M., GERRARD, P.A., JONES, D.N.C., NAYLOR, R.J. & TYERS, M.B. Effects of GR38032F on performance of common marmosets (*callithrix jacchus*) in an object discrimination reversal task, 98, 637P
- COSTALL, B., DOMENEY, A.M., GERRARD, P.A., KELLY, M.E., NAYLOR, R.J. & TYERS, M.B. Inhibition by GR38032F of behavioural effects in the rat which follow withdrawal from treatment with drugs of abuse, 96, 340P
- COSTALL, B., DOMENEY, A.M., JONES, D. N.C. & NAYLOR, R.J. Influence of caffeine on the behavioural profile of the common marmoset (*callithrix jacchus*), 96, 341P
- COSTALL, B., KELLY, M.E. & TOMKINS, D.M. Use of the elevated plus maze to assess anxiolytic potential in the rat, 96, 312P
- COSTALL, B., NAYLOR, R.J., OWERA-ATEPO, J.B. & TATTERSALL, F.D. The responsiveness of the ferret to apomorphine induced emesis, 96, 329P
- COSTALL, B., NAYLOR, R.J. & TATTERSALL, F.D. Antagonism by DL-fenfluramine of emesis induced by apomorphine, lisuride and ipecacuanha in the ferret, 97, 460P

- COSTELLO, J.F. see SAMPSON, A.P., 96, 77P
- COSTELLO, M. see GLEITER, C.H., 97, 385P
- - - see GLUE, P., 96, 48P
- - - see GLUE, P., 97, 386P
- COTTNEY, J.C. see NICHOLSON, C.D., 96, 110P
- - - see NICHOLSON, C.D., 99, 802P
- - - see SHAHID, M., 96, 111P
- - - see SHAHID, M., 96, 186P
- COUGHLAN, J. see COSTALL, B., 97, 475P
- - - see COSTALL, B., 98, 636P
- COURT, E.N. & KINGSTON, W.P.
PAF-acether uptake and lyso PAF formation in the isolated perfused lungs of oxygen treated rats, 97, 551P
- - - Ionophore A23187 causes PAF release in the isolated perfused lungs of oxygen-treated rats, 99, 873P
- COWAN, A. & MURRAY, C.W. DPDPE, the standard delta opioid agonist, interacts with mu receptors in vivo, 99, 934P
- COWELL, A-M. see STONE, M.A., 96, 162P
- COWEN, P.J. see ANDERSON, I.M., 96, 3P
- COUGHLAN, J. see COSTALL, B., 96, 47P
- COWLRICK, I.S. see PACIOREK, P.M., 98, 720P
- - - see PACIOREK, P.M., 98, 722P
- COX, A.J. see BARNES, N.M., 99, 916P
- COYLE, A.J., SPINA, D. & PAGE, C.P.
PAF-induced bronchial hyperresponsiveness in the rabbit: contribution of platelets and airway smooth muscle, 97, 550P
- CRAGOE, E.J. see KNOX, A.J., 99, 870P
- CRAIG, D.A. & CLARKE, D.E. 5-hydroxytryptamine and cholinergic mechanisms in guinea-pig ileum, 96, 247P
- CRANE, J.A. see LAWRENCE, K.M., 98, 675P
- CRANSTON, W.I. see CHOPRA, L.C., 99, 869P
- CRAWLEY, D., EVANS, T.W. & BARNES, P.J.
Endothelin-1 constricts human pulmonary resistance vessels in vitro, 99, 839P
- CREBA, J. see POLLOCK, K., 96, 239P
- CRESPI, F. see RIVEST, R., 98, 609P
- CRESPI, F., SELF, T.J. & MARSDEN, C.A.
An electromicroscopic study of the new voltammetric carbon fibre biosensor detecting basal 5-HT in vivo, 96, 300P
- CRESSIER, F. see EGLEME, C., 98, 711P
- CRIDDLE, D.N., GWILT, M. & WOODWARD, B.
Interactions between palmitoyl carnitine and vasoconstrictors in the mesenteric vascular bed and aorta of the rat, 99, 851P
- CRIPPS, H.E. see HOWARTH, A.G., 96, 360P
- CRITCHLEY, M.A.E. & HANDLEY, S.L.
Dorsal raphe lesions abolish effects of 8-OH-DPAT and ipsapirone in X-maze, 96, 309P
- CROME, R. & MANNING, A.S. Reperfusion induced injury: studies of infarct size limitation by anti-free radical interventions in the rat heart, 97, 509P
- CROMPTON, M.R. see CHEETHAM, S.C., 96, 1P
- - - see DE PAERMENTIER, F., 97, 383P
- - - see DE PAERMENTIER, F., 99, 818P
- - - see LAWRENCE, K.M., 99, 812P
- CROSS, A.J. see DE SOUZA, R.J., 96, 352P
- - - see GREEN, A.R., 97, 432P
- - - see GREEN, A.R., 99, 924P
- - - see SLATER, P., 96, 354P
- - - see STEELE, J.E., 98, 616P
- CROSS, S.E. see COLEMAN, D.J., 96, 65P
- CROSS, S.E., ELASED, K.M. & NAYLOR, I. L. Oestrogen induced myofibroblasts: a model for investigating myofibroblast contractility, 97, 536P
- CROSS, S.E. & NAYLOR, I.L. Pharmacological reactivity of myofibroblast containing tissues from a range of human pathological conditions, 98, 767P
- CROSSMAN, A.R. see BROTHIE, J.M., 99, 928P
- - - see GRAHAM, W.C., 99, 819P
- - - see MELLOR, S.J., 99, 911P
- - - see MITCHELL, I.J., 99, 938P
- CROSSMAN, D.C., PEARSON, J.D. & BRAIN, S.D. Bovine endothelium and smooth muscle cells in isolation and co-culture: responses to calcitonin gene-related peptide, 96, 57P
- CROUCHER, M.J. & BRADFORD, H.F.
Seizure kindling by repeated focal injections of glutamate, aspartate or a glutamate/aspartate mixture, 96, 323P
- - - Microinjections of excitatory amino acids cause long-term kindled epilepsy involving NMDA receptors, 99, 929P
- CUI, Z.J. see MATTHEWS, E.K., 97, 430P

- CUNHA, R.A., SEBASTIAO, A.M. & RIBEIRO, J. Parallel formation of IMP and adenosine from adenine nucleotides at the innervated frog sartorius muscle, 99, 855P
- CUNNANE, T.C. see BROCK, J.A., 99, 775P
- - - see BROCK, J.A., 99, 868P
- CUNNINGHAM, F.M. & ANDREWS, M.J. PAF formation and acetyltransferase activity in guinea-pig epidermal cells, 97, 441P
- CUNNINGHAM, J.E. see NEAL, M.J., 96, 143P
- CUNNINGHAM, J.R. see WOOD-GUSH, H.G., 96, 363P
- CURRINGTON, A., LEWIS, V.A., HILLS, J. M., PICOT, V.S. & GRIFFITHS, R. M&B 22948, a specific cGMP phosphodiesterase inhibitor delays gastric emptying in rats, 96, 267P
- CURZON, G. see KENNETT, G.A., 97, 434P
- CUTHBERT, N.J. see NORMAN, P., 97, 418P
- CUTHBERT, N.J., GARDINER, P.J., NORMAN, P. & ABRAM, T.S. Evidence for the presence of two types of leukotriene receptor in guinea-pig lung, 97, 556P
- CUTLER, M.G. & DIXON, A.K. Effects of the 5-HT₃ receptor antagonist, ICS 205930, on behaviour of mice during social encounters, 96, 12P
- CUTLER, M.G., DOYLE, P. & MOORE, M.R. Pharmacological effects of haem biocytetic intermediates: actions of δ -aminolaevulinic acid in the rat jejunum, 99, 799P
- CUTLER, M.G. & HOGG, M. Characteristics of the 5-HT-induced syndrome in the Mongolian gerbil, 99, 919P
- CUTTS, S.D. see SMITH, C.F.C., 98, 755P
- DALE, M.M. see BAHL, A.K., 96, 670P
- - - see HIRST, S.J., 96, 230P
- - - see HIRST, S.J., 97, 449P
- - - see OBIANIME, A.W., 96, 231P
- - - see TWOMEY, B., 98, 671P
- DALZIEL, H.H., GRAY, G.A., FURMAN, B.L. & SNEDDON, P. Lack of selectivity of α , β -methylene ATP in reducing sympathetic pressor responses of the pithed rat, 98, 737P
- DAMASE-MICHEL, C., MONTASTRUC, J.L., DANG TRAN, L. & MONTASTRUC, P. Central cardio-vascular action of calcium channel antagonists in dogs, 96, 206P
- DANDONA, P. see BARRADAS, M.A., 98, 666P
- - - see JEREMY, J.Y., 98, 648P
- - - see JEREMY, J.Y., 98, 669P
- DANESHMEND, T.K. see HAWTHORNE, A.B., 97, 431P
- DANG TRAN, L. see DAMASE-MICHEL, C., 96, 206P
- DANILEWICZ, J.C. see BARCLAY, P.L., 99, 824P
- DA PRADA, M. see RICHARDS, J.G., 96, 43P
- DARLISON, M.G. see MORRIS, B.J., 96, 140P
- DAS, A.M. see HAWORTH, D., 96, 274P
- DASCOMBE, M.J. see BLAND, J., 99, 878P
- - - see REDFORD, E.J., 98, 708P
- DASHWOOD, M.R. see DE BURGH DALY, M., 96, 212P
- DASHWOOD, M.R., SYKES, R., CHESTER, A. H. & YACIOUB, M. Variations in the distribution of [¹²⁵I]endothelin binding sites within human vascular tissue; an autoradiographic study, 97, 528P
- DASHWOOD, M.R., SYKES, R.M. & THOMPSON, C.S. Autoradiographic demonstration of [³H]loperamide binding to opioid receptors in rat and human small intestine, 96, 244P
- DAVENPORT, A.P., KAUMANN, A.J., HALL, J.A., NUNEZ, D.J. & BROWN, M.J. [¹²⁵I]-endothelin binding in mammalian tissue: relation to human atrial inotropic effects and coronary contraction, 96, 102P
- DAVEY, P.G. see HALLIWELL, R.F., 96, 139P
- DAVEY, R. see BOWERY, N.G., 97, 589P
- - - see PRATT, G.D., 96, 141P
- DAVIDSON, H.I. see ROYLANCE, R.R., 96, 330P
- DAVIDSON, J. see CLOW, A., 97, 387P
- DAVIDSON, J., MILTON, A.S. & ROTONDO, D. Effect of dexamethasone and ketoprofen on the pyrogenic responses to human recombinant interleukin-1 α (IL-1 α) and interleukin-1 β (IL-1 β), 97, 429P
- - - A dexamethasone-induced inhibitor of IL-1 release from polyinosinic: polycytidylic acid and lipopolysaccharide-stimulated monocytes, 97, 532P
- DAVIE, R.J. see PHILLIPS, J.D., 96, 253P
- DAVIES, C. see STEINBERG, H., 96, 16P
- DAVIES, C.E. see HUGHES, M., 96, 367P

- DAVIES, C.H., DAVIES, S.N., & COLLINGRIDGE, G.L. Isolation of four components of the synaptic response in hippocampal CA1 pyramidal neurones, 97, 591P
- DAVIES, D. see MCMILLAN, R.M., 98, 668P
- DAVIES, E.M. see GREEN, A.R., 97, 432P
- - - see GREEN, A.R., 99, 924P
- DAVIES, J.A. see DICKE, B.G.M., 96, 322P
- DAVIES, M. & FLETCHER, P.J. Is the eating response induced by 8-OH-DPAT mediated by 5-HT_{1A} receptors in the dorsal raphe? 96, 4P
- DAVIES, S.N. see DAVIES, C.H., 97, 591P
- DAVIES, S.N., REYMANN, K.G. & COLLINGRIDGE, G.L. A method for measuring changes in agonist-induced responses associated with LTP in rat hippocampus, 97, 592P
- DAVIS, S., BUTCHER, S.P. & MORRIS, R.G. M. NMDA receptors and learning: parallel dose-response impairment of spatial learning and LTP in vivo by D-AP5, 97, 586P
- DAWBARN, D., ALLEN, S.J., SEMENENKO, F. M., MOSS, T. & WILCOCK, G.K. Immunohistochemical localisation of β -nerve growth factor receptors in human brain, 96, 348P
- DEAL, M. see HAGAN, R.M., 98, 717P
- DEAN, H.G. see BONSER, J.C., 96, 362P
- DEAN, J.P. see BONSER, J.C., 98, 613P
- DEANS, C. see GOUDIE, A.J., 97, 464P
- DE BOER, A., COHEN, A.F., KLUFT, C., KROON, J.M. & KASPER, F.J. Influence of heparin and Org 10172 on tissue-type plasminogen activator plasma activity during rest and exercise, 96, 228P
- DEBONO, M.W. & ESCANDE, D. Electrophysiological studies of the effects of riluzole on purkinje cells in cerebellar slices, 97, 584P
- DE BURGH DALY, M., DASHWOOD, M.R., MCQUEEN, D.S. & SPYER, K.M. Autoradiographic localisation of [³H]5-HT binding sites within intact and denervated carotid bodies of the cat, 96, 212P
- DE HAAN, N. see HUGTENBURG, J.G., 96, 147P
- DEIGHTON, N.M. see HAMILTON, C.A., 96, 178P
- DEIGHTON, N.M., VAN TITS, L.J.H., -L.WANG, X. & BRODDIE, O.-E. In vitro, studies on homologous and heterologous desensitization of human lymphocyte β_2 -adrenoceptors, 96, 126P
- DE JONCKHEERE, B. see MCCAIG, D.J., 96, 252P
- DEJONG, J. see GLEITER, C.H., 97, 385P
- DEJONGE, A. see BURTON, G.A., 96, 66P
- DELAHAYE, M. see PROUTEAU, M., 97, 547P
- DE LA RIVA, C. see EBENEZER, I.S., 98, 632P
- DELMENDO, R. see MICHEL, A.D., 96, 130P
- DELMONDO, R. see BLUE, D.R., 96, 246P
- DEL SOLDATO, P. see TRABUCCHI, E., 96, 17P
- DE MAN, J.G. see BOECKXSTAENS, G.E., 96, 56P
- DEMIRYUREK, A.T., WADSWORTH, R.M. & KANE, K.A. Effects of hypoxia on sheep isolated intrapulmonary artery, 99, 902P
- DENNISON, L. see MAHONY, M.T., 99, 877P
- DE NUCCI, G. see D'ORLEANS-JUSTE, P., 96, 97P
- - - see SALVEMINI, D., 97, 443P
- - - see WALLANCE, J.L., 96, 96P
- - - see WITHRINGTON, P.G., 96, 165P
- DE OLIVEIRA, L.M. see GRAEFF, F.G., 99, 944P
- DE PAERMENTIER, F. see LAWRENCE, K. M., 99, 812P
- DE PAERMENTIER, F., CHEETHAM, S.C., CROMPTON, M.R. & HORTON, R.W. β -Adrenoceptor binding sites in post-mortem human brain, 97, 383P
- DE PAERMENTIER, F., CHEETHAM, S.C., CROMPTON, M.R., KATONA, C.L.E. & HORTON, R.W. Lower cortical β -adrenoceptor binding sites in post-mortem samples from depressed suicide victims, 99, 818P
- DE SOUZA, B.M. see AMEZCUA, J.L., 96, 105P
- DE SOUZA, R.J. see GREEN, A.R., 97, 432P
- DE SOUZA, R.J., ROBINSON, T.N., CROSS, A.J. & GREEN, A.R. The effects of tetrahydroaminoacridine on endogenous 5-hydroxytryptamine and dopamine release from rat brain slices, 96, 352P
- DE SOUZA, R.N., GATER, P.R. & ALABASTER, V.A. Bronchodilator and tracheal relaxant effects of

- potassium channel openers in the guinea-pig, 99, 803P
- DESQUAND, S., LEFORT, J., DUMAREY, C. & VARGAFTIG, B.B. Effects of BN 52021 in different forms of active anaphylaxis: importance of the booster injection, 96, 61P
- DETMAR, P.W. see COLLIE, I.T., 97, 485P
- - - see KELLY, J., 96, 278P
- DEUKMEDJIAN, D. see FORSTER, C., 96, 155P
- DEWAR, D. see MACRAE, I.M., 96, 344P
- DEWAR, D., HORSBURGH, K., BROOKS, D.N. & MCCULLOCH, J. Quantitative autoradiographic measurement of [³H]-dorsokolin binding sites in human brain: deficits in Alzheimer's disease, 96, 349P
- DEWAR, D., WALLACE, M.C., KURUMAJI, A. & MCCULLOCH, J. Alterations in the NMDA-receptor complex following focal cerebral ischaemia in the rat, 96, 324P
- DEWHURST, D.G. see BROWN, G.J., 99, 949P
- - - see BROWN, G.J., 99, 950P
- DEWHURST, D.G. & HOWELLS, C. A computer simulation of the *in vivo* superior cervical ganglion preparation of the anaesthetised cat, 97, 600P
- DEWHURST, D.G. & MEEHAN, A.S. Computer simulation of the effects of drugs on neurotransmitter release in the enteric nervous system, 97, 597P
- - - A software simulation of the physiological response to graded exercise in man, 97, 601P
- DEWHURST, D.G., MEEHAN, A.S. & QUENTIN-BAXTER, M. The use of hypercard and the apple macintosh microcomputer to produced interactive CAL programs, 97, 603P
- DEWHURST, D.G. & WILLIAMS, A. A computer program to teach the principles of the laboratory determination of red blood cell indices, 99, 940P
- DEXTER, D. see SCHAPIRA, A.H.V., 98, 607P
- DEXTER, D.T., CARAYON, A., JENNER, P., AGID, F., AGID, Y. & MARSDEN, C.D. Increased nigral iron and ferritin levels in progressive supranuclear palsy, 97, 382P
- DIAMOND, J. see LANGLANDS, J.M., 97, 445P
- DICKE, B.G.M. & DAVIES, J.A. Effects of cromakalim on the release of endogenous glutamate from cerebellar slices, 96, 322P
- DICKINSON, S.L. see JACKSON, H.C., 99, 931P
- - - see MCDERMOTT, A.M., 97, 395P
- DICKINSON, S.L., GADIE, B., HAVLER, M. E., HUNTER, C. & TULLOCH, I.F. Behavioural effects of idazoxan given continuously by osmotic minipump in the rat, 99, 932P
- DICKINSON, S.L., GADIE, B. & TULLOCH, I.F. Effect of idazoxan on passive avoidance behaviour in adult and in aged rats, 96, 14P
- DICKINSON, S.L., GADIE, B. & WOODMANSEY, N.R. Effect of repeated idazoxan treatment on radial arm maze performance in adult and in aged rats, 97, 384P
- DICKSON, M. see NICHOLSON, C.D., 96, 110P
- - - see SHAHID, M., 96, 111P
- - - see SHAHID, M., 96, 186P
- DIDIER, M., HEAULME, M., GONALONS, N., CHAMBON, J.P. & SOUBRIE, P. Regulation of N-methyl-D-aspartic acid stimulated (³H)acetylcholine release from rat striatal slices by presynaptic muscarinic receptors, 97, 585P
- DIEZ, J. & TAMARGO, J. Effects of platelet activating factor on contractile force and ⁴⁵Ca fluxes in isolated guinea-pig atria, 97, 546P
- DIMITRIADIS, G.D. see RICHARDS, S.J., 97, 572P
- DINGSDALE, R.A. see HILLS, J.M., 96, 51P
- DINGWALL, J.G. see FAGG, G.E., 97, 582P
- - - see SCHMUTZ, M., 97, 581P
- DIOCEE, B.K. see BROWN, T.J., 96, 221P
- DIXON, A.K. see CUTLER, M.G., 96, 12P
- DIXON, D.M. see FONE, K.C.F., 99, 828P
- DIXON, D.M., FONE, K.C.F., BENNETT, G. W. & MARSDEN, C.A. Intrathecal substance P and galanin attenuate TRH analogue-induced wet-dog shake behaviour, 99, 829P
- DIXON, J.S., GOOD, D.M., GOSLING, J.A. & SMALL, R.C. Effects of epithelial removal and cholinesterase inhibition on responses of guinea-pig trachealis to muscarinic agonists, 97, 552P
- DOBLE, A., MENAGER, J., FERRIS, O. & LADURON, P.M. The use of [¹²⁵I]-azidoiodoketanserine as a photoaffinity label for histamine H1 receptors

- in guinea-pig cerebellum, 96, 317P
- DOBLE, A. & PERRIER, M.L. Kainic acid-preferring receptors stimulated inositol phosphate formation in cultured cerebellar granule cells, 96, 316P
- DOCHERTY, J.R. see BORTON, M., 98, 759P
- - - see CARVAJAL, A., 96, 190P
- - - see CONNAUGHTON, S., 96, 127P
- DODDS, M.G. see ROBERTS, P.M., 97, 533P
- DOGGRELL, S.A. The effects of bromoacetyl-alprenololmentane (BAAM) on the responses of the rat right ventricle and left atria to isoprenaline, 96, 191P
- DOLIN, S.J. see PATCH, T., 97, 493P
- DOLLERY, C.T. see TURNER, N.C., 96, 103P
- DOMENEY, A.M. see BARNES, N.M., 99, 916P
- - - see COSTALL, B., 96, 90P
- - - see COSTALL, B., 96, 340P
- - - see COSTALL, B., 96, 341P
- - - see COSTALL, B., 98, 637P
- DONALDSON, J. & HILL, S.J. Differences in the calcium sensitivity of indirect cAMP responses to 5-HT, noradrenaline and glutamate in guinea-pig brain, 97, 417P
- DONATI, D. see PARENTE, L., 96, 64P
- DONATSCH, P. see TAPPARELLI, C., 97, 442P
- DOODS, N.H. & VAN MEEL, J.C.A. Bradycardic and tachycardic effects of muscarinic antagonists in conscious rabbits, 96, 194P
- D'ORLEANS-JUSTE, P., DE NUCCI, G. & VANE J.R. Endothelin contracts vascular smooth muscle via receptors that differ from dihydropyridine sensitive calcium channels, 96, 97P
- DOUGLAS, G.J., WILLIAMS, K.E. & FLOWER, R.J. Further characterisation and purification on Gaddum's 'substance R', 96, 282P
- DOURISH, C.T. see COOPER, S.J., 98, 633P
- - - see KING, B.H., 98, 686P
- DOURISH, C.T., HAWLEY, D., O'NEILL, M.F. & IVERSEN, S.D. Enhancement of morphine analgesia and prevention of morphine tolerance by the selective CCK-B antagonist L-365,260, 98, 631P
- DOURISH, C.T., WILLIAMS, A.R., NARUSE, T., MIYAJIL, M. & IVERSEN, S.D. A comparison of locomotor stimulation in 6-hydroxydopamine-lesioned mice induced by L-dopa and the L-dopa prodrug NB-355, 98, 608P
- DOWD, P.M. see BROWN, K.A., 96, 42P
- DOWNING, O.A. see RICHARDSON, A.G., 98, 726P
- DOWNING, S.J. see SADRAEI, H., 99, 887P
- DOWNING, S.J. & HOLLINGSWORTH, M. Cardiovascular tolerance to cromakalim in the rat *in vivo*, 99, 886P
- DOYLE, P. see CUTLER, M.G., 99, 799P
- DRAH, A.M. & HENMAN, M.C. CP-20961-induced arthritis and its modulation in the rat, 97, 537P
- DRAY, A. see CAMPBELL, E.A., 99, 907P
- DRAY, A. & FORSTER, P. Bradykinin B₁ and B₂ receptor activation stimulates chloride transport in isolated rat colon, 99, 874P
- DRAY, A., JAMES, I.F., KETCHUM, S.B. & PERKINS, M.N. Characterisation of opioid receptors in the neonatal rat spinal cord, 96, 81P
- DREW, G.M. see AKERS, I., 98, 655P
- - - see CLARK, K.L., 98, 754P
- - - see GURDEN, J.M., 98, 730P
- DREWETT, I.J., RODGER, I.W. Bronchodilator effects of cromakalim and enprofylline in anaesthetised cats, 97, 557P
- DRYDEN, W.F. see CHEN, H., 97, 455P
- DURBIN, P. see DUSTING, G.J., 98, 625P
- DUBUQUE, L.K. see EGLEN, R.M., 96, 175P
- DUITTOZ, A.H. & MARTIN, R.J. SR95103 acts as a GABA antagonist in *ascaris suum* muscle, 97, 490P
- DUMAREY, C. see PRETOLANI, M., 96, 73P
- DUMONDE, D.C. see BROWN, K.A., 96, 42P
- DUMAREY, C. see DESQUAND, S., 96, 61P
- DUNN, P.M. & RANG, H.P. Bradykinin activation of primary afferent terminals in the neonate rat spinal cord *in vitro*, 99, 827P
- DUNN, W.R., MCGRATH, J.C. & WILSON, V. G. Isolation of postjunctional α_2 -adrenoceptors in rabbit isolated distal saphenous artery - influence of angiotensin-11, 98, 728P
- DUPONT, A.G. see SCHOORS, D.F., 98, 747P
- - - see VAN DER NIEPEN, P., 96, 224P
- DUPUY, A. see GIRDLESTONE, D., 97, 583P

- DURCAN, M.J. see LISTER, R.G., 96, 368P
- DURCAN, M.J., WOZNIAK, K.M., LISTER, R. G. & LINNOILA, M. The α -adrenoceptor antagonist atipamezole and idazoxan reverse the hypothermic effects of ethanol, 96, 325P
- DUSTING, G.J. see PARKINGTON, H.C., 98, 621P
- DUSTING, G.J., DUBBIN, P., KUDO, K., MACDONALD, P.S. & MAKRIDES, M. Endothelin potentiates vasoconstriction and antagonises vasodilatation selectively in the presence of a thromboxane analogue, 98, 625P
- DUTTA, A.S. see MASTERS, D.J., 99, 849P
- DUTY, S. see BOYLE, J.P., 96, 161P
- - - see BRAY, K.M., 99, 806P
- DUVAL, N., EON, M.T., OBLIN, A., ANGEL, I. & LANGER, S.Z. Role of the α_2 -adrenoceptors in the regulation of insulin secretion in the anaesthetised dog during glucose stimulation, 96, 237P
- EBENEZER, I.S. & BALDWIN, B.A. The central administration of the GABA-B receptor agonist induced feeding in the satiated pig, 98, 678P
- EBENEZER, I.S., DE LA RIVA, C. & BALDWIN, B.A. Intravenous administration of the cholecystokinin (CCK) antagonist MK-329 increases operant responding for food in pigs, 98, 632P
- ECHTER, E. see BELLEC, C., 96, 215P
- EDEN, R.J. see COSTALL, B., 96, 90P
- EDEN, R.J., HARVEY, C.A., HUTCHISON, M., OWEN, D.A.A. & PARKER, S.G. Characterisation of the tolerance to the cardiovascular effects of SK&F 101468-A, in spontaneously hypertensive rats, (SHR), 97, 390P
- EDWARDS, A.J. see NOURSHARGH, S., 96, 40P
- EDWARDS, G. see MANSOR, S.M., 96, 296P
- - - see MANSOR, S.M., 98, 769P
- EDWARDS, G. & WESTON, A.H. Effects of cromakalim on potassium and rubidium efflux rate following dual isotope labelling, 99, 926P
- EDWARDS, L.A. Neurogenic contractions of dog isolated basilar artery: involvement of thromboxane, 97, 563P
- EDWARDS, T. see HAWTHORNE, A.B., 97, 431P
- EGLME, C., CRESSIER, F. & WOOD, J.M. Influence of endothelium on the contractile response of isolated rat aorta to synthetic tetradecapeptide renin substrate, 98, 711P
- EGLIN, R.M. see MACHADO, C.N., 98, 710P
- EGLIN, R.M., CORNETT, C.M., DUBUQUE, L.K., JACOBSON, L.L., MONTGOMERY, W. W. & WHITING, R.L. Prostanoid receptor profile of enprostil and isomers in vitro, 96, 175P
- EGLIN, R.M., MONTGOMERY, W.W., MACHADO, C.A. & WHITING, R.L. Interaction of parafluorohexahydro-siladifenidol (pFHHSiD) at muscarinic receptors in vitro, 98, 662P
- EIGENHUIS, H. see GONZALEZ, R., 96, 200P
- EIGENHUIS, J.J., BEK, M.C., GROEIZAAM, A., VAN WILGENBURG, H. & LEEUWIN, R. S. Effect of flumazenil on the biphasic action of diazepam on neuromuscular transmission of the rat diaphragm preparation, 96, 258P
- ELASED, K.M. see CROSS, S.E., 97, 536P
- ELDERFIELD, A-J. see SMILLIE, F., 97, 425P
- ELFELLAH, M.S. see MCAULEY, M.A., 96, 345P
- ELFELLAH, M.S. & REID, J.L. Effect of chronic treatment of the guinea-pig with β -adrenoceptor agonist and propranolol on the Na^+ , K^+ -pump in the skeletal muscle, 96, 279P
- ELLIOT, I., LEY, S., LIVINGSTON, A., MORRIS, R. & WATERMAN, A. A thermal stimulus devise for evaluating antinociceptive agents in the conscious unrestrained sheep based on a BBC microcomputer, 97, 598P
- ELLIOTT, A.C., LAU, K.R. & BROWN, P.D. Measurements of intracellular pH in mammalian exocrine cells by dual wavelength fluorescence microscopy, 99, 945P
- ELLIOTT, J.M. see PHILLIPS, M.G., 96, 128P
- ELLIOTT, K.R.F. see BERRY, J.L., 97, 446P
- - - see BERRY, J.L., 99, 871P
- - - see BOYLE, J.P., 96, 54P
- - - see BOYLE, J.P., 96, 161P
- ELLIOTT, M.J. see MAGUIRE, J.J., 96, 124P
- ELLIOTT, P., SEEMUNGAL, B.M. & WALLIS, D.I. Antagonism by metoclopramide and BRL 43694 of 5-HT-induced responses in rabbit isolated vagus nerve, 98, 663P

- ELLIOTT, P.J., WALSH, D.M., CLOSE, S.P., HAYES, A.G. & MARRIOTT, A.S. Reversal of neuroleptic-induced catalepsy in rats by dopaminergic agents, 96, 334P
- ELLIOTT, P.J., WALSH, D.M. & HAYES, A.G. Selective 5-HT-induced reversal of catalepsy induced by fluphenazine, 99, 921P
- ELLIS, P. see SHEPPERSON, N.B., 99, 822P
- EL-MAS, M. & HUGHES, I.E. Differential effect of cocaine on electrically evoked tritium overflow from mouse vas deferens and rat brain cortex slices, 98, 656P
- ELTRAFFI, A., KIRKMAN, E. & LITTLE, R.A. Reversal of injury induced reduction in baroreflex sensitivity by naloxone in the conscious rat, 96, 145P
- ELWOOD, W.E. see MOORE, B.A., 98, 718P
- ELZAROU, K. see AL-HABOUBI, H.A., 97, 575P
- EMSON, P.C. see KIYAMA, H., 97, 476P
- ENNIS, C. & MINCHIN, M.C.W. Barbiturates but not steroids modulate the GABA autoreceptor, 97, 489P
- ENZ, A. see BODDEKE, H.W.G.M., 96, 241P
- EON, M.T. see DUVAL, N., 96, 237P
- - - see LORRAIN, J., 96, 264P
- ERDELYI, E. see MAIDMENT, N.T., 97, 398P
- ESCANDE, D. see DEBONO, M.W., 97, 584P
- - - see GIRDLESTONE, D., 97, 583P
- ESPLUGUES, J.V. see PIQUE, J.M., 99, 783P
- - - see WHITTLE, B.R.J., 96, 34P
- ESPLUGUES, J.V., WHITTLE, B.J.R. & MONCADA, S. Local opiate-sensitive neuronal activity modulates PAF-induced rat gastric damage, 96, 35P
- ESSIG, E.C. & KILPATRICK, I.C. A comparison of the acute and chronic actions of raclopride on cortical, striatal and amygdaloid dopamine (DA) metabolism, 97, 380P
- EVANS, C.J. see MAIDMENT, N.T., 97, 398P
- EVANS, J.M. see SAMPSON, A.P., 96, 77P
- EVANS, R.H. see LONG, S.K., 97, 373P
- - - see MOORE, P.K., 99, 905P
- - - see WALLER, S.J., 97, 577P
- EVANS, T.W. see CRAWLEY, D., 99, 839P
- - - see LIU, S.F., 97, 498P
- - - see LIU, S.F., 99, 852P
- EXNER, M. see FURMIDGE, L., 97, 481P
- EXNER, M., FURMIDGE, L. & CLARK, D. Effects of partial dopamine receptor agonists on D-amphetamine discriminative cue: comparison with dopamine antagonists, 96, 89P
- EZEAMUZIE, I.C. & ASSEM, E.S.K. Inhibition of histamine release from human basophils and rat peritoneal mast cells by cyclosporin-A, 96, 275P
- FACCHINI, V. see KILBY, P., 96, 295P
- FAGG, G.E. see SCHMUTZ, M., 97, 581P
- FAGG, G.E., POZZA, M.F., OLPE, H.-R., BRUGGER, F., BAUMANN, P., BITTIGER, H., SCHMUTZ, M., ANGST, C., BRUNDISH, D., ALLGEIER, H., HECKENDORN, R. & DINGWALL, J.G. CGP37849: characterization of a novel and potent competitive N-methyl-D-aspartate (NMDA) receptor antagonist, 97, 582P
- FAIRBAIRN, S. & STURMAN, G. The influence of central histaminergic modification on the susceptibility of mice to chemically-induced seizures, 96, 319P
- FAIRBANKS, L.D. see ROGERSON, M.E., 99, 841P
- FANDELEUR, P.C. & JONES, C.R. Additive effect of desipramine and 8-OH-DPAT on β -adrenoceptor down-regulation, 99, 918P
- FARMER, S.G. & TOGO, J. Epithelium removal increases airway smooth muscle sensitivity to vasoactive intestinal peptide: effects of peptidase inhibitors, 99, 784P
- FAULKNER, S.C. see PHILLIPS, M.G., 96, 128P
- FEELY, M. see BOYLAND, P., 97, 491P
- - - see WILSON, J.I., 98, 676P
- FEELY, M., PEAKER, S., GENT, J.P. & BOYLAND, P. Concurrent evaluation of benzodiazepine tolerance and dependence using an intravenous pentylenetetrazol test, 97, 492P
- FENIUK, W. see CLEAL, A., 97, 564P
- - - see CONNOR, H.E., 99, 862P
- - - see PERREN, M.J., 99, 797P
- FERRIS, O. see DOBLE, A., 96, 317P
- FIELD, J.L. & NEWBERRY, N.R. Methoetramine selectivity antagonises the muscarinic hyper-polarisation of rat superior cervical ganglia *in vitro*, 96, 359P

- FIGUEROA, C.D. & BHOOLA, K.D. The discovery of a tissue kallikrein in human neutrophils, 97, 439P
- FILE, S.E. see BALDWIN, H.A., 96, 310P
- - - see STANFORD, S.C. 96, 311P
- FILLENZ, M. see BOUTELLE, M.G., 96, 49P
- - - see PEI, Q., 96, 298P
- FILOPOWICZ, B. see HAWTHORNE, A.B., 97, 431P
- FINBERG, J.P.M. & VARDI, Y. Penile erectile response in pithed rat; inhibition by 5-hydroxytryptamine (5-HT), 96, 52P
- FINCHAM, N.J., CAMP, R.D.R., ROSS, J.S. GEARING, A.J.H. & BIRD, C.R. Potent pro-inflammatory properties of an interleukin 1-like material purified from the stratum corneum of normal human skin, 96, 34P
- FINNEN, M.J. see CLEGG, M.F., 99, 906P
- FINNEN, M.J., NOTORIANNI, L.J. & COLLINS, A.J. Glycosylation of thrombin modulates biological activity, 99, 896P
- FISHER, D. see SHAHID, M., 96, 186P
- FLACK, W.J. see TREHERNE, J.M., 98, 612P
- FLECKENSTEIN, L. see COLEMAN, M.D., 96, 20P
- FLETCHER, A. see BILL, D.J., 96, 305P
- - - see BILL, D.J., 98, 679P
- - - see BILL, D.J., 99, 920P
- - - see KNIGHT, M., 97, 461P
- FLETCHER, A. & FORSTER, E.A. Induction of the 5-HT syndrome in the rat following the intravenous administration of 5-HT_{1A} ligands, 96, 304P
- FLETCHER, A.E., WILKIN, G.P. & BOWERY, N.G. A putative glycinergic cell in rat cerebellum which may modulate NMDA receptor function in granule cells, 96, 85P
- FLETCHER, P.J. see DAVIES, M., 96, 4P
- FLOWER, R.J. see DOUGLAS, G.J., 96, 282P
- - - see GOULDING, N.J., 97, 426P
- - - see HARRISON, L.A., 97, 423P
- - - see SMILLIE, F., 97, 425P
- - - see SMILLIE, F., 97, 541P
- FOLLENFANT, M.J. see GILES, H., 97, 535P
- FONE, K.C.F. see CONNOR, D., 97, 571P
- - - see DIXON, D.M., 99, 829P
- - - see PARKES, I.R., 97, 465P
- FONE, K.C.F., BENNETT, G.W. & MARSDEN, C.A. Back muscle contractions evoked by spinal 5-HT₂ receptor activation are potentiated by a TRH analogue (RX 77368), 97, 413P
- FONE, K.C.F. & DIXON, D.M. Changes in spinal cord neurochemicals following repeated intrathecal galanin injection in the rat, 99, 828P
- FORD, A.P.D.W., KENDALL, D.A. & MARSDEN, C.A. Effect of neurotensin on dopamine (DA)-stimulated cyclic AMP production in rat cerebral slices, 97, 466P
- - - Effect of dopamine on neurotensin-stimulated inositol phosphate accumulation in rat striatal slices, 98, 702P
- FORDER, R.A., POLLOCK, K., SUDLOW, A.W. & CAREY, F. Detection of lipocortin 1 expression by Western blotting, 96, 163P
- FOREMAN, J.C. see BAHL, A.K., 98, 670P
- - - see MATHIE, A., 98, 724P
- FORSBERG, K. see KARLSSON, J.-A., 96, 158P
- FORSTER, C., DEUKMEDJIAN, D. & ARMSTRONG, P.W. The effect of isoprenaline on blood vessels from dogs with pacing-induced heart failure, 96, 155P
- FORSTER, E.A. see BILL, D.J., 96, 305P
- - - see BILL, D.J., 99, 920P
- - - see FLETCHER, A., 96, 304P
- FORSTER, P. see DRAY, A., 99, 874P
- FOSTER, A.C. see MAGUIRE, J.J., 96, 124P
- FOSTER, G.A. see JONES, R.B., 97, 507P
- FOSTER, K.A. Cromakalim activation of potassium channels in guinea-pig trachea: effects of extracellular rubidium, 96, 233P
- FOSTER, K.A. see TAYLOR, S.G., 99, 881P
- FOSTER, M.R. see HORNBY, E.J., 96, 69P
- FOSTER, R.W. see BERRY, J.L., 97, 446P
- - - see BERRY, J.L., 99, 871P
- - - see BOYLE, J.P., 96, 54P
- - - see BOYLE, J.P., 96, 161P
- FOSTER, R.W., AARONS, L., HOLLINGSWORTH, M. & MORGAN, C.H. Computer-assisted learning programs in pharmacokinetics, 99, 947P
- FOSTER, S.J. see AKED, D.M., 96, 37P
- - - see MCMILLAN, R.M., 96, 36P

- - - see MCMILLAN, R.M., 98, 668P
FOSTER, S.J., AKED, D.M., MCCORMICK, M.
E. & POTTS, H.C. Cytoprotective
properties of ICI 207968, a selective
5-lipoxygenase inhibitor, on the rat
gastrointestinal mucosa, 96, 38P
FOSTER, S.J., AKED, D.M., SCHRODER, J-M.
& CHRISTOPHERS, E. Acute inflammatory
effects of a monocyte-derived
neutrophil-activating peptide in rabbit
skin, 97, 440P
FOSCHI, D. see TRABUCCHI, E., 96, 17P
FOUCART, S. see MUSGRAVE, I.F., 99,
776P
FOX, A.J. & MORTON, I.K.M. Activities
of some 5-HT analogues if 5-HT₃
receptor mediated release of [³H]-ACh
in guinea-pig ileum, 96, 53P
FOX, P.K., FRANCE, L. & NICHOLSON, C.D.
Lack of involvement of presynaptic
sigma receptors in the PCP-stimulated
enhancement of twitches in rat vas
deferens, 99, 866P
FOZARD, J.R. see MIR, A.K., 98, 651P
- - - see WRIGHT, C.E., 97, 394P
FRANCE, L. see FOX, P.K., 99, 866P
FREEMAN, A.J. see ROBERTS, P.M., 97,
533P
FREEMAN, P. & STURMAN, G. Potentiation
of morphine-induced antinociception
in mice by centrally- but not
peripherally-acting histamine H1
antagonists, 97, 486P
- - - The use of an interactive
statistics package in teaching data
handling and analysis in pharmacology,
99, 941P
FREEMAN, P., STURMAN, G. & TANG, M-FR.
Further investigation of the effects
of histamine H1 antagonists on
nociception in the mouse, 99, 933P
FRODSHAM, G., JONES, R.B. & SIM, M.F.
Effects of flosequinan, a novel
arteriovenous dilating agent, and its
metabolite on bovine heart phospho-
diesterase activity, 98, 733P
FRUH, C. see KOCH, P., 96, 203P
FULLER, R.W. see BAKER, A.J., 96,
41P
FUNG, A.Y.P., WARNER, T.D., THOMAS, G.
R. & VANE, J.R. Endothelin-1 modul-
ates the inotropic effects of isopren-
aline in rabbit isolated papillary
muscle, 98, 627P
FURMAN, B.L. see DALZIEL, H.H., 98,
737P
- - - see GRAY, G.A., 97, 526P
- - - see GUC, M.O., 98, 628P
FURMIDGE, L. see EXNER, M., 96, 89P
FURMIDGE, L., EXNER, M. & CLARK, D.
The D₂ dopamine agonist quinpirole
can either mimic or reduce the
D-amphetamine discriminative cue,
97, 481P
FURNESS, J.B. see BURLEIGH, D.E.,
98, 715P
FURROWS, S.J. see PROUDMAN, K.E.,
98, 765P
GADIE, B. see DICKINSON, S.L., 96,
14P
- - - see DICKINSON, S.L., 97, 384P
- - - see DICKINSON, S.L., 99, 932P
- - - see ROACH, A.G., 97, 519P
GALLIGAN, J.J. see SHEN, K-Z., 96,
113P
GARCIA, M.P. see CARROLL, M.A., 96,
99P
GARDINER, D.G. see QUINN, P., 96,
276P
GARDINER, P.J. see CLAYTON, J.K.,
97, 540P
- - - see CUTHBERT, N.J., 97, 556P
- - - see MCKENNIFF, M.G., 97, 555P
- - - see NORMAN, P., 97, 418P
GARDINER, S.M., COMPTON, A.M. &
BENNETT, T. Regional haemodynamic
effects of bradykinin or substance
P in conscious, Long Evans rats,
96, 119P
- - - Haemodynamic effects of endothe-
lin-1 and endothelin-3 in
conscious, Long Evans rats, 98,
624P
GARDINER, S.M., COMPTON, A.M.,
BENNETT, T., PALMER, R.M.J. &
MONCADA, S. Haemodynamic effects
of N^G-monomethyl-L-arginine (L-NMMA)
in conscious Long Evans rats, 98,
623P
- - - The effect of N^G-monomethyl-L-
arginine (L-NMMA) on the haemodynam-
ic actions of endothelin-1 in
conscious Long Evans rats, 98, 626P
GARDINER, S.M., COMPTON, A.M., MARTIN,
K.F. & BENNETT, T. Regional haemo-
dynamic effects of 8-OH-DPAT in
conscious, Long Evans and Brattle-
boro rats, 96, 144P
GARLAND, C.J. Endothelium-dependent
action potentials with noradrenaline
in the rabbit isolated basilar
artery, 96, 211P
GARRATT, J.C., KIDD, E.J. & MARSDEN,
C.A. The differential effects of
RU24969 under halothane compared to
chloral hydrate anaesthesia, 98,
680P

- GARRATT, J.C. & MARSDEN, C.A. Effects of the 5-HT₂ agonist DOI on DRN 5-HT neuronal firing and intake of food in freely feeding rats, 98, 638P
- GARRETT, J.C. see MASON, R., 99, 917P
- GATER, P.R. Effects of K⁺-channel openers on bovine tracheal smooth muscle, 98, 660P
- - - see DE SOUZA, R.N., 99, 803P
- - - see MOORE, B.A., 98, 718P
- GAUTHERON, P. see SUGRUE, M.F., 96, 18P
- GAVIRAGHI, G. see CLEAL, A., 97, 564P
- - - see REGGIANI, A., 97, 370P
- - - see ROMANELLI, L., 97, 372P
- GAW, A.J., HUMPHREY, P.P.A. & WADSWORTH, R.M. Augmentation of 5-HT constrictor responses in sheep middle cerebral arteries by haemolysate, 99, 861P
- GAYLARD, D.G. see CARSON, R.J., 97, 402P
- GEARING, A.J.H. see FINCHAM, N.J., 96, 33P
- GEARY, R.S. see COLEMAN, M.D., 96, 20P
- GELLOTTE, M. see CHILLON, J.M., 96, 208P
- - - see MARTIN, D., 96, 115P
- GENT, J.P. see BONSER, J.C., 96, 362P
- - - see BONSER, J.C., 98, 613P
- - - see BOULTER, N., 98, 610P
- - - see BOYLAND, P., 97, 491P
- - - see FEELY, M., 97, 492P
- - - see WILSON, J.I., 98, 676P
- GEOFFREY, J., BENZONI, D., VINCENT, M. & SASSARD, J. Effect of thromboxane synthetase inhibition on blood pressure in genetically hypertensive rats of the Lyon strain, 96, 118P
- GEORGE, D.T. see GLUE, P., 97, 573P
- GERRARD, P.A. see COSTALL, B., 96, 90P
- - - see COSTALL, B., 96, 340P
- - - see COSTALL, B., 98, 637P
- GERRING, E.L. see KING, J.N., 97, 428P
- GHATEI, M.A. see SPOKES, R.A., 96, 107P
- GIBSON, A. see MOORE, P.K., 99, 905P
- GIBSON, A. & MIRZAZADEH, S. Does an endogenous nitrovasodilator mediate NANC relaxations of the mouse anococcygeus? 98, 617P
- GIBSON, A., MIRZAZADEH, S., AL-SWAYEH, O.A., CHONG, N.W.S. & MOORE, P.K. L-NG-nitroarginine is a potent, L-arginine reversible, inhibitor of NANC relaxations in the mouse anococcygeus, 99, 904P
- GIBSON, A., MIRZAZADEH, S. & TUCKER, J.F. cGMP and cAMP content of the rat anococcygeus during relaxation induced by drugs or by NANC stimulation, 96, 55P
- GIEMBYCZ, M.A., MAK, J.C.W., UKENA, D., CHILVERS, E.R. & BARNES, P.J. AH 21-132 selectively inhibits type III/IV cyclic nucleotide-dependent phosphodiesterase activity in bovine airway smooth muscle, 97, 559P
- GILANI, A-ul-H, SAEED, S.A. & SURIA, A. Effect of adrenoceptor-blocking drugs on platelet aggregation induced by various aggregating agents, 99, 899P
- GILBERT, R. & TUCKER, J.F. Changes in nifedipine sensitivity in guinea-pig ileum following chronic morphine exposure, 96, 242P
- GILES, H., BOLOFO, M.L., LYDFORD, S. J. & MARTIN, G.R. A study of the activity of 9α11β-PGF₂ at prostaglandin receptors, 97, 539P
- GILES, H., LONGRIDGE, D.J., FOLLENFANT, M.J. & HUGHES, B. Effects of tissue plasminogen activator (BW t-PA) in platelet function in vitro and in vivo, 97, 535P
- GILLESPIE, J.S. & XIAORONG, L. The effect of arginine and L-N monomethyl arginine on the response of the BRP to stimulation of it's NANC nerves, 97, 453P
- GILLIES, G. Differential release of peptides from cultures isolated fetal rat hypothalamic neurons in response to neurotransmitters, 97, 397P
- GIRDLESTONE, D., DUPUY, A., ROY-CONTANCIN, L. & ESCANDE, D. Riluzole antagonises excitatory amino acid evoked firing in rat facial motoneurons in vivo, 97, 583P
- GLEITER, C.H., WOZNIAK, K.M., COSTELLO, M.J., NUTT, D.J. & DEJONG, J. Modification of electroconvulsive shock (ECS) hypothermia after several different antidepressant treatments in mice, 97, 385P
- GLOVER, V. see CLOW, A., 97, 387P
- GLUE, P., GEORGE, D.T., WAXMAN, R.P. & NUTT, D.J. Sodium lactate effects on CSF and plasma electrolytes in rabbits, 97, 573P

- GLUE, P., NUTT, D.J., PERT, A. & COSTELLO, M. Regional differences in neurotransmitter responses to a single electroconvulsive shock (ECS) in rats, 96, 48P
- - - Regional differences in neurotransmitter levels and responses to repeated electroconvulsive shock (ECS) in rats, 97, 386P
- GLUE, P., NUTT, D.J., PERT, A. & MELE, A. Regional dopamine dose-response differences to cocaine studied by microdialysis, 96, 91P
- - - Cocaine microdialysis: stereoselective dopaminergic effects and *in vivo* autoradiographic studies, 96, 343P
- GMELIN, G. see BODDEKE, H.W.G.M., 96, 241P
- GODFREY, P.P. & TAGHAVI, Z. The effects of novel kainate/quisqualate antagonists and phorbol esters on amino acid stimulated inositol phosphate formation, 97, 590P
- GODFREY, P.P., TAGHAVI, Z., LUNNEY, R. & SHARP, T. Dopamine D₁ stimulated adenylate cyclase in rat striatal slices is reduced by chronic electroconvulsive shock, 99, 915P
- GODFREY, P.P., VARNEY, M.A., O'CALLAGHAN, K., TAGHAVI, Z. & WATSON, S.P. Chronic lithium treatment decreases inositol (1,4,5)-trisphosphate levels in rat cerebral cortex slices, 99, 909P
- GODOLPHIN, J.L. see GOULDING, N.J., 97, 426P
- GONALONS, N. see DIDIER, M., 97, 585P
- GONZALEZ, R., LEEUWIN, R.S., VAN WILGENBURG, H., ZEEGERS, A. & EIGENHUIS, H. Effects of benzodiazepine derivatives on an isolated heart preparation, 96, 200P
- GOOD, D.M. see DIXON, J.S. 97, 552P
- GOOD, D.M. & SMALL, R.C. Muscarinic agonists and guinea-pig perfused tracheal tubes: effects of epithelial removal and route of administration, 99, 779P
- GOODCHILD, C.S. see BOULTER, N., 98, 610P
- GOODERHAM, R. see BARTON, H., 96, 174P
- GORDON, C.A. see BADAWY, A.A.-B., 98, 614P
- GORDON, D.N. see MCCAPPIN, T.R., 98, 753P
- GORDON, E.M., HAWKSWORTH, G.M., SIMPSON, J.G. & WHITING, P.M. Gentamicin toxicity in promimal tubular cells isolated from rat renal cortex, 96, 32P
- GOSDEN, J. see MARTIN, K.F., 97, 605P
- GOSLING, J.A. see DIXON, J.S. 97, 552P
- GOUDIE, A.J., LEATHLEY, M., DEANS, C. & TAYLOR, M.A.I. Parametric analysis of tolerance to suppressant effects of the 5HT_{1A} agonist ipsapirone on operant responding, 97, 464P
- GOUDIE, A.J., LEATHLEY, M. & MCNALLY, J. Comparative effects on body weight, food intake and temperature of withdrawal from ipsapirone and chlordiazepoxide in rats, 96, 308P
- GOUGH, M.J. see HARDY, S.C., 99, 853P
- GOULD, D.J., NORRIS, A.A., LEESON, M.E. & JACKSON, D.M. Effect of steroids on vascular permeability in rat lungs, 97, 542P
- GOULDING, N.J., SMITH, S.F., GODOLPHIN, J.L., TETLEY, T.D., ROBERTS, M.C., GUZ, A. & FLOWER, R.J. Quantification of lipocortin 1 in bronchoalveolar lavage fluid from patients with pulmonary sarcoidosis, 97, 426P
- GOUW, M.A.M., WILFFERT, B. & VAN ZWIETEN, P.A. Discrepancies between agonist-induced responses after Ca⁺⁺ entry blockade and under Ca⁺⁺-free conditions in a rat vein and artery, 96, 148P
- GRAEFF, F.G., ALMEIDA, S.S. & DE OLIVEIRA, L.M. Early life undernutrition changes the susceptibility of rats to aversive situations and to anxiolytic drugs, 99, 944P
- GRAHAM, S.L. see SUGRUE, M.F., 96, 18P
- GRAHAM, W.C., ROBERTSON, R.G., SAMBROOK, M.A. & CROSSMAN, A.R. Extracellular amino acid levels in the globus pallidus of the conscious primate studied by intracerebral microdialysis, 99, 819P
- GRAHAME-SMITH, D.G. see ANDERSON, I.M., 96, 3P
- - - see ANDERSON, S.M.P., 97, 405P
- - - see BACKUS, L.I., 97, 411P
- - - see HJORTH, S., 97, 458P
- - - see REYNOLDS, D.J.M., 98, 692P
- GRANT, M.H. & RODGER, I.W. The metabolism of leukotrienes and of reactive oxygen species in sensitised guinea-pig lungs, 98, 760P

- GRANT, T.L. see WICKENDEN, A.D., 97, 523P
- GRANT, T.L., GRIMWOOD, S., WICKENDEN, A. D. & STEEL, J.A. Effects of BRL 34915 (cromakalim) on adrenergic responses in vitro and in vivo, 96, 180P
- GRANT, T.L. & O'HARA, K. Comparison of the effects of cromakalim (BRL 34915) on rabbit isolated basilar artery and thoracic aorta, 98, 721P
- GRASBY, P.M. see REYNOLDS, D.J.M., 98, 692P
- GRAY, G.A. see DALZIEL, H.H., 98, 737P
- GRAY, G.A., FURMAN, B.L. & PARRATT, J. R. Platelet activating factor and endotoxin-induced repression of vascular reactivity, 97, 526P
- GRAY, J.A. see BRAZELL, M.P., 96, 339P
- - - see MITCHELL, S.N., 97, 480P
- GREAVES, M.W. see BROWN, K.A., 96, 42P
- GREEN, A.R. see DE SOUZA, R.J., 96, 352P
- - - see MURRAY, T.K., 97, 474P
- - - see STEELE, J.E., 98, 616P
- GREEN, A.R., DE SOUZA, R.J., DAVIES, E. M. & CROSS, A.J. Ca^{2+} antagonists and hydralazine alter 5-HT mediated behaviour in rodents, 97, 432P
- GREEN, A.R., LITTLE, H.J., WHITTINGTON, M.A., DAVIES, E.M. & CROSS, A.J. Studies on the action of chlormethiazole in ethanol withdrawal, 99, 924P
- GREENIDGE, E. see WALI, F.A., 96, 261P
- GREENIDGE, E. & WALI, F.A. Effect of noradrenaline on rubidium (^{86}Rb) efflux in the rat isolated seminal vesicle, 96, 260P
- - - Effect of papaverine on KCL-induced contractions in rat isolated seminal vesicle, 97, 566P
- - - Noradrenaline-induced depolarization and contraction in the rat isolated smooth muscle of seminal vesicle, 98, 714P
- - - Effect of desipramine on noradrenaline-induced responses in the rat isolated seminal vesicle, 99, 895P
- GREENSTEIN, B.D. Enlargement of thymus in ageing male rats treated with 4-hydroxyandrostenedione, 96, 285P
- GREENWOOD, S.L. see BROWN, P.D., 99, 939P
- GRIEVE, E.M., HAWKSWORTH, G.M. & WHITING, P.H. Protection mediated by inhibition of thromboxane synthesis is not enhanced by ACE inhibition in cyclosporin A treated animals, 96, 173P
- GRIFFIN, I. see MACKAY, D., 98, 647P
- GRIFFITHS, R. see CURRINGTON, A., 96, 267P
- GRIFFITHS, R.J., WOOD, B.E., LI, S.W. & BLACKHAM, A. Zymosan induced PMN dependent and independent inflammatory responses in the rat, 96, 39P
- GRIMWOOD, S. see GRANT, T.L., 96, 180P
- - - see WICKENDEN, A.D., 97, 523P
- GRIX, S. see POLL, C., 96, 62P
- - - see POLL, C., 97, 421P
- GROEIZAAM, A. see EIGENHUIS, J.J., 96, 258P
- GROSS, G. see HANFT, G., 98, 652P
- GROSS, G., ZILLES, K., HANFT, G., BAHRO, M., SCHWENDEMANN, G. & MEHDORN, H.M. Subtype of α_1 -adrenoceptor binding sites in human brain: radioligand binding and receptor autoradiography, 98, 698P
- GROSSMAN, C.J., BUNCE, K.T. & HUMPHREY, P.P.A. Investigation of the 5-HT receptors in guinea-pig descending colon, 97, 451P
- GROUT, R.J. see ALEXANDER, S.P., 96, 135P
- GROVE, E.A. & CAULFIELD, M.P. inhibition of protein kinase C does not prevent muscarine depolarisation of rat sympathetic ganglia, 99, 910P
- GROWCOTT, J.W. see CLARKSON, P.N., 96, 193P
- GUARD, S., WATLING, K.J. & WATSON, S.P. Characterisation of [^3H]-senktide binding to NK_3 tachykinin receptors in guinea-pig ileum and cerebral cortex, 99, 798P
- - - NK_3 tachykinin receptors are coupled to inositol phospholipid hydrolysis in neonatal rat spinal cord, 99, 908P
- GUC, M.O., FURMAN, B.L., STOCLET, J.C. & PARRATT, J.R. Endotoxin depresses vascular reactivity to phenylephrine, clonidine and BAY K 8644 but not to endothelin, 98, 628P
- GUERRET, M. see HUBERT, B., 96, 184P
- GUNNE, L.M. see MITCHELL, I.J., 99, 938P
- GUNNING, S.J. see REEVES, J.J., 99, 800P
- GUPTA, P., MARKHAM, A., MORGAN, R.M. & SWEETMAN, A.J. Modulation of ^{45}Ca -uptake into guinea-pig tracheal cartilage: a comparison of direct and

- indirect methods of measurement, 97, 553P
- GURDEN, J.M., DREW, G.M., SULLIVAN, A. T. & POOLE-WILSON, P.A. Absence of functional 'down-regulation' of cardiac β -adrenoceptors in low-output failure in the rabbit, 98, 730P
- GURDEN, M.F. see POLL, C., 96, 62P
- GUTTMANN, I. see PETERS, T., 96, 204P
- GUZ, A. see GOULDING, N.J., 97, 426P
- GWILT, M. see CRIDDLE, D.N., 99, 851P
- HAAS, B. see RACKE, K., 96, 273P
- HAAS, U. see RACKE, K., 97, 396P
- HAAS, U., HERING, B., WAMMACK, R. & RACKE, K. Endogenous opioid inhibition of oxytocin release from the rat neurohypophysis may involve activation of potassium channels, 96, 28P
- HADDOCK, P.S., HEARSE, D.J. & WOODWARD, B. Effects of antioxidants and verapamil on noradrenaline release and contracture in the ischaemic/reperfused rat heart, 98, 745P
- HAGER, R. see ROONEY, T.A., 96, 136P
- HAGAN, R.M., IRELAND, S.J., JORDAN, C. C., BAILEY, F., STEPHENS-SMITH, M., DEAL, M. & WARD, P. Novel, potent and selective agonists at NK-1 and NK-2 receptors, 98, 717P
- HAIR, W.M. see MARTIN, G.N., 99, 900P
- HAJIMOHAMADREZA, I. see TWIST, E.C., 98, 688P
- HALKET, J.M. see CLOW, A., 97, 387P
- HALL, I.P. & HILL, S.J. Inhibition of the phosphoinositide response to low concentrations of carbachol by IBMX in bovine tracheal smooth muscle, 97, 444P
- - - Inhibition of the phosphoinositide response to 5-HT in bovine tracheal smooth muscle by agents which increase cyclic AMP levels, 97, 560P
- - - Inhibition by salbutamol, forskolin and IBMX of AIF₄-induced inositol phosphate formation in bovine airway smooth muscle, 99, 788P
- HALL, J.A. see DAVENPORT, A.P., 96, 102P
- HALL, J.A., KAUMANN, A.J. & BROWN, M.J. Increased β -2 receptor coupling in human atria due to treatment with β -1 selective antagonists, 97, 391P
- HALL, J.A., LATIMER, M., KAUMANN, A.J., LATIMER, R., ODURO, A. & BROWN, M.J. Potentiation by enoximone, of selective β_1 and β_2 -adrenoceptor stimulation in human atrial myocardium, 96, 202P
- HALLAM, A., MANSEL, R.E., NICHOLLS, P.J. & SMITH, H.J. Comparison of aminoglutethimide and two novel analogues as inhibitors of aromatase in human tumours, 99, 891P
- HALLAM, T.J. see CARTER, T.D., 97, 422P
- - - see HUNT, J.A., 96, 170P
- - - see MERRITT, J.E., 98, 674P
- HALLIDAY, J. see CARTER, D.V., 96, 159P
- - - see CARTER, D.V., 97, 518P
- HALLIWELL, R.F., LAMBERT, J.J., PETERS, J.A. & DAVEY, P.G. The actions of the non-steroidal anti-inflammatory drug, mefenamic acid with the GABA_A receptor, 96, 139P
- HAMBLETON, P. & MCMAHON, S. Differential drug actions on aedema formation and leukocyte accumulation in rat immunological inflammation, 96, 171P
- - - Investigation of phospholipase-induced paw oedema in the rat, 97, 543P
- HAMID-BLOOMFIELD, S., PAYNE, A.N., PETROVIC, A.A. & WHITTLE, B.J.R. Bronchoconstrictor action of PGD₂ in guinea-pigs: effect of the DP-receptor antagonist BW A868C, 97, 554P
- HAMILTON, C.A. see BARR, S.M., 96, 179P
- - - see BOYLE, J.J., 97, 521P
- - - see HUANG, Y-T., 97, 530P
- - - see YAKUBU, M.A., 96, 177P
- - - see YAKUBU, M.A., 98, 699P
- HAMILTON, C.A., DEIGHTON, N.M., HOWIE, C. A. & REID, J.L. A physiological role for adrenoceptor desensitisation, 96, 178P
- HAMILTON, T.C. see WILSON, C., 98, 723P
- HAMON, G. see JOUQUEY, S., 96, 201P
- HANAHOE, T.H.P. see PURCELL, W.M., 98, 665P
- HANDLEY, S.L. see CRITCHLEY, M.A.E., 96, 309P
- - - see HEATON, J.C.P., 98, 687P
- - - see NJUNG'E, K., 98, 684P
- HANFT, G. see GROSS, G., 98, 698P
- HANFT, G. & GROSS, G. Heterogeneity of α_1 -adrenoceptor binding sites in the rat heart - subtype-selective agonists and antagonists, 98, 652P
- HARDING, S.E. see JONES, S.M., 98, 731P

- HARDING, S.M. see ALEXANDER, S.P.H., 98, 738P
- HARDY, S.C. & GOUGH, M.J. Low reflow and reperfusion injury in a rat model of acute lower ischaemia, 99, 853P
- HARPER, D. see LEFF, P., 97, 574P
- HARRIS, J.B. see PRESTON, S.A., 96, 25P
- HARRISON, L.A., FLOWER, R.J. & WILLIAMS, K.I. The cause of regional differences in prostacyclin in production by rat pregnant myometrium, 97, 423P
- HARRISON, P.S. see MOZLEY, L.S., 97, 596P
- HARRON, D.W.G. see SPIERS, J.P., 96, 183P
- HART, S.L. & OLUYOMI, A.O. Dopamine and stress-induced antinociception in the mouse, 96, 336P
- HARTELL, N.A. & HEADLEY, P.M. The potencies of several injectable anaesthetics on a spinal nociceptive reflex in both decerebrate and anaesthetised rats, 97, 496P
- HARVEY, C.A. see COSTALL, B., 96, 90P
- - - see EDEN, R.J., 97, 390P
- HARVEY, J.M. see REYNOLDS, D.J.M., 98, 692P
- HATHER, N.Y. & LAMBERT, J.J. The actions of the antianginal agent, bepridil, on voltage-activated sodium currents, 97, 503P
- HAVLER, M.E. see DICKINSON, S.L., 99, 932P
- HAWKEY, C.J. see HAWTHORNE, A.B., 97, 431P
- HAWKINS, N.S., LONGSTAFFE, J.A. & WHITTLESTONE, M. Development of interactive video techniques for the training of pharmacologists, 97, 602P
- HAWKSWORTH, G.M. see GORDON, E.M., 96, 32P
- - - see GRIEVE, E.M., 96, 173P
- HAWLEY, D. see DOURISH, C.T., 98, 631P
- HAWORTH, D. & CAREY, F. Investigation of the involvement of prostaglandins in bradykinin-induced rat paw inflammation, 99, 848P
- HAWORTH, D., CAREY, F., DAS, A.M., HERON, J.R.M., STONE, M.A. & WAYNE, J. Contrasting glucocorticoid effects on hyperalgesia induced by yeast and carrageenan in rats, 96, 274P
- HAWTHORN, J. see ROYLANCE, R.R., 96, 330P
- HAWTHORNE, A.B., FILOPOWICZ, B., EDWARDS, T., DANESHMEND, T.K. & HAWKEY, C.J. High dose purified eicosapentaenoic acid (EPA): effects on leukotriene synthesis and plasma lipids, 97, 431P
- HAYES, A.G. see BIRCH, P.J., 97, 578P
- - - see ELLIOTT, P.J., 96, 334P
- - - see ELLIOTT, P.J., 99, 921P
- - - see ROGERS, H., 96, 320P
- HAYLOR, J. see TOWERS, J.D., 98, 766P
- HAYLOR, J.L. see BURTON, G.A., 96, 66P
- HEADLEY, P.M. see HARTELL, N.A., 97, 496P
- HEAL, D.J. see MARTIN, K.F., 97, 407P
- - - see WHITWORTH, P., 99, 834P
- HEAL, D.J., PROW, M.R., MARTIN, K.F. & BUCKETT, W.R. The interaction of 8-hydroxy-2-(di-n-propylamino) tetralin (8-OH-DPAT) with α_2 -adrenoceptor mediated behavioural responses, 96, 306P
- - - Effects of lesioning central 5-HT and noradrenaline containing neurones on 8-OH-DPAT hypothermia, mydriasis and hypoactivity, 97, 406P
- HEAPY, C.G. see BLACKBURN, T.P., 96, 303P
- - - see BRIGGS, I., 97, 504P
- HEARSE, D.J. see HADDOCK, P.S. 98, 745P
- HEATON, J.C.P. & HANDLEY, S.L. Comparison of DOI-induced scratching and head-twitch behaviours: differential action of 8-OH-DPAT, 98, 687P
- HEAULME, M. see DIDIER, M., 97, 585P
- HECKENDORN, R. see FAGG, G.E., 97, 582P
- - - see SCHMUTZ, M., 97, 581P
- HEIJNIS, J.B., CORONEL, R. & VAN ZWIETEN, P.A. Differential effects of calcium antagonists and a low calcium medium on the extracellular potassium accumulation during ischaemia, 96, 198P
- HENDERSON, A.H. see SHAH, A.M., 96, 146P
- - - see SHAH, A.M., 97, 388P
- HENDERSON, G. see KENNEDY, C., 96, 125P
- HENDRIE, C.A. & AL-JOMAA, S.S. Evidence to suggest a differential involvement of corticosteroids in the expression of opiate and opioid analgesia, 98, 707P

- HENDRIE, C.A., SHEPHERD, J.K. & RODGERS, R.J. Effects of the CCK antagonist MK-329 on analgesia induced by social conflict in mice, 96, 15P
- HENMAN, M.C. see DRAH, A.M., 97, 537P
- HENRION, D. see OSTER, L., 96, 151P
- HENRION, D., THORIN, E. & ATKINSON, J. Vascular noradrenaline transmission in renovascular hypertensive rats, 98, 748P
- - - see THORIN-TRESCASES, N., 96, 209P
- HENRION, D., CHILLON, J.M., CAPDEVILLE, C. & ATKINSON, J. Vascular endothelium relaxant properties in a rat model of calcium overload, 98, 619P
- HERD, C. see MAY, G.R., 96, 277P
- HERDON, H. NMDA-stimulated endogenous dopamine release from rat striatal slices can be regulated by D-2 autoreceptors, 96, 88P
- - - Effect of N-ethylmaleimide on dopamine D₂ receptor regulation of striatal adenylate cyclase activity and H-acetylcholine release, 98, 703P
- HEREPATH, M.L. & BROADLEY, K.J. Reversibility of β -adrenoceptor desensitization in guinea-pig right atria and the effect of persistent agonist, 98, 729P
- HERING, B. see HAAS, U., 96, 28P
- - - see RACKE, K., 97, 396P
- HERMAN, A.G. see BOECKXSTAENS, G.E. 96, 56P
- HERMAN, G. see BARRAS, M., 97, 522P
- HERON, J.R.M. see HAWORTH, D., 96, 274P
- HEYS, S.D. see MCCAPPIN, T.R., 98, 753P
- HICKS, F. see WILSON, C., 96, 222P
- HICKS, G. see YATES, D.B., 96, 112P
- HICKS, P.E. see BARRAS, M., 97, 522P
- - - see CHILLON, J.M., 96, 208P
- - - see MARTIN, D., 96, 115P
- - - see OSTER, L., 96, 151P
- - - see THORIN-TRESCASES, N., 96, 209P
- HIGGINS, G.A. see CONNOR, H.E., 99, 810P
- HIGGINS, G.A., JONES, B.J., OAKLEY, N.R. & TYERS, M.B. Evidence that the amygdala and not the area postrema is involved in the putative anxiolytic effects of 5-HT₃ receptor antagonists, 98, 635P
- HILEY, C.R. see JONES, C.R., 96, 346P
- - - see MACLEAN, M.R., 96, 187P
- - - see MACLEAN, M.R., 97, 529P
- HILEY, C.R., PELTON, J.T. & MILLER, R.C. Effects of endothelin on field stimulated rat vas deferens and guinea-pig ileum, 96, 104P
- HILL, A.W. see BROWN, T.J., 96, 221P
- HILL, D.R. & WOODRUFF, G.N. Differentiation of central CCK receptor binding sites using the non-peptide antagonists MK-329 and L-365,260, 98, 629P
- HILL, S.J. see ALEXANDER, S.P., 96, 135P
- - - see ALEXANDER, S.P.H., 98, 738P
- - - see ALEXANDER, S.P.H., 99, 832P
- - - see DONALDSON, J., 97, 417P
- - - see HALL, I.P., 97, 444P
- - - see HALL, I.P., 97, 560P
- - - see HALL, I.P., 99, 788P
- - - see KENDALL, D.A., 96, 87P
- - - see RUCK, A., 98, 700P
- HILLIER, K. see BUTLER, D.J., 97, 565P
- HILLS, J.M. see CURRINGTON, A., 96, 267P
- HILLS, J.M., DINGS DALE, R.A. & HOWSON, W. 3-Aminopropyl phosphinic acid inhibits the cholinergic twitch in the guinea-pig ileum through GABA_B receptor agonist activity, 96, 51P
- HILTON, P.J. see RICHARDS, N.T., 96, 189P
- - - see RICHARDS, N.T., 98, 734P
- HIRST, A.D. see TWIST, E.C., 96, 301P
- HIRST, S.J. & DALE, M.M. Contractile and relaxant activity produced in guinea-pig trachea by veratridine and aconitine, 96, 230P
- HIRST, S.J., SMITH, E.A., BEESLEY, J. E. & DALE, M.M. What is the mechanism for phorbol ester-induced relaxation of guinea-pig trachea? 97, 449P
- HITCHCOTT, P.K. see BALDWIN, H.A., 96, 310P
- HJORTH, S., SHARP, T., LIU, Y. & GRAHAME-SMITH, D.G. The 8-OH-DPAT analogue cis-(+)-1-ch₃-8-OH-DPAT, (+)ALK-3, stereoselectively reduces rat hippocampal 5-HT release in vivo, 97, 458P
- HOAKSEY, P. see MANSOR, S.M., 96, 296P
- - - see MANSOR, S.M., 98, 769P
- HOGG, M. see CUTLER, M.G., 99, 919P
- HOLAN, G. see LUMMIS, S.C.R., 98, 644P

- HOLDEN, A. see MAHONY, M.T., 99, 877P
- HOLDEN-DYE, L., see COLQUHOUN, L., 97, 369P
- HOLLINGSWORTH, M. see DOWNING, S.J., 99, 886P
- - - see FOSTER, R.W., 99, 947P
- - - see PIPER, I., 99, 807P
- - - see SADRAEI, H., 99, 887P
- HOLMAN, R.B. see THOMAS, D.N., 97, 477P
- HONG, S.S. see KIM, K.H., 99, 935P
- HORAN, M.A. see CHOO, J.J., 99, 856P
- HORN, E.H. see RIMOY, G.H., 99, 898P
- HORNBY, E.J., STRATTON, L., FOSTER, M. R. & PERRY, C. The thromboxane receptor antagonist, GR32191 inhibits platelet deposition on human arteries in vitro, 96, 69P
- HORSBURGH, K. see DEWAR, D., 96, 349P
- HORTON, R.W. see CHEETHAM, S.C., 96, 1P
- - - see CHEETHAM, S.C., 96, 302P
- - - see DE PAERMENTIER, F., 97, 383P
- - - see DE PAERMENTIER, F., 99, 818P
- - - see LAWRENCE, K.M., 98, 675P
- - - see LAWRENCE, K.M., 99, 812P
- HOWARTH, A.G., MAGUIRE, J.J., WILLIAMS, B., CRIPPS, H.E., MCKNIGHT, A.T. & IVERSEN, L.L. A study of tachykinin receptors in the rat vas deferens, 96, 360P
- HOWELLS, C. see DEWHURST, D.G., 97, 600P
- HOWELLS, C.M. see BROWN, G.J., 99, 950P
- HOWIE, C.A. see HAMILTON, C.A., 96, 178P
- HOWLETT, D.R. Inhibition by aminoquinoline and triazine, antimalarial agents, of the stimulation of ⁸⁶Rb efflux by cromakalim, 99, 879P
- - - see WILSON, C., 99, 889P
- HOWLETT, D.R. & LONGMAN, S.D. Does cromakalim activate an ATP sensitive potassium channel in vascular smooth muscle cells? 96, 256P
- HOWSON, W. see HILLS, J.M., 96, 51P
- HOYER, D., BAEBER, C., NEIJT, H.C. & PALACIOS, J. 5-HT recognition sites in the central and peripheral nervous system: autoradiographic and radioligand binding studies, 96, 7P
- HOYER, D. & SCHOEFFTER, P. Are TFMPP, mCPP and CGS 12066 selective for 5-hydroxytryptamine 5-HT_{1B} receptors? 96, 9P
- HUANG, Y-T., HAMILTON, C.A. & REID, J.L. Endothelin stimulates phosphatidyl inositol hydrolysis in rat aorta, 97, 530P
- HUBERT, B., MAINCENT, Ph., GUERRET, M. & ATKINSON, J. Anti-hypertensive effect of a nanocapsular form of the calcium entry blocker, darodipine, 96, 184P
- HUDSON, A. & WOODRUFF, G.N. Localisation of [³H]-MK-801 binding sites in rat brain following lesions of striatum or substantia nigra, 97, 576P
- HUGHES, A.D., AALKJAER, C. & MULVANY, M. The effect of ammonium chloride on membrane potential and tone of isolated mesenteric arterioles, 97, 525P
- HUGHES, A.D. see LEOUTSAKOS, A., 97, 501P
- - - see MARTIN, G.N., 99, 900P
- HUGHES, B. see GILES, H., 97, 535P
- HUGHES, I.E. Computer simulations of in vivo and in vitro preparations: an aid to teaching practical and theoretical aspects of pharmacology, 99, 946P
- - - see EL-MAS, M., 98, 656P
- HUGHES, J. see MEECHAM, K.G., 97, 484P
- HUGHES, M., DAVIES, C.E., STEINBERG, H. & SYKES, E.A. Using a general-purpose contour-plotting programme for interpreting and planning experiments on drug interactions, 96, 367P
- HUGTENBURG, J.G. see JAP, T.J.W., 96, 196P
- - - see VAN VOORST, M.J.D., 96, 197P
- - - see VAN ZWIETEN, P.A., 96, 199P
- HUGTENBURG, J.G., MATHY, M-J., DE HAAN, N., SPANJER, W. & VAN ZWIETEN, P. The effect of nifedipine and mioflazine on isolated hearts subjected to low-flow ischaemia (LFI), 96, 147P
- HUMPHREY, P.P.A. see ARMSTRONG, R. A., 99, 843P
- - - see GAW, A.J., 99, 861P
- - - see GROSSMAN, C.J., 97, 451P
- - - see PERREN, M.J., 99, 797P
- - - see REEVES, J.J., 99, 800P
- - - see SUMNER, M.J., 97, 410P
- HUMPHRIES, R.G., O'CONNOR, S.E. & TOMLINSON, W. Different inhibition of collagen and ADP induced platelet aggregation by prostacyclin in vivo, 96, 167P

- HUNT, J.A. see LUTY, J., 96, 169P
HUNT, J.A., HALLAM, T.J. & MACDERMOT, J. Thromboxane triggers release of prostacyclin from cultured aortic endothelial cells, 96, 170P
HUNT, S.P. see MORRIS, B.J., 96, 140P
HUNTER, A.J. see MURRAY, T.K., 97, 474P
HUNTER, C. see DICKINSON, S.L., 99, 932P
HUNTER, J.C. see MEECHAM, K.G., 97, 484P
HUTCHINS, L.J. see LUSCOMBE, G.P., 96, 307P
- - - see LUSCOMBE, G.P., 97, 400P
- - - see MARTIN, K.F., 97, 605P
HUTCHISON, M. see EDEN, R.J., 97, 390P
HYLAND, L., SMEETON, I. & PATON, D.M. Pharmacological responsiveness of human coronary arteries: relationship to age and disease, 97, 510P
- INGLETON, P.A. see BURNS, E., 98, 758P
IRELAND, S.J. see HAGAN, R.M., 98, 717P
- - - see KILPATRICK, G.J., 99, 859P
IVERSEN, L.L. see HOWARTH, A.G., 96, 360P
IVERSEN, S.D. see DOURISH, C.T., 98, 608P
- - - see DOURISH, C.T., 98, 631P
- - - see RUPNIAK, N.M.J., 98, 706P
ILICETO, G., JENNER, P., MARSDEN, C.D. & STEPHENSON, J.D. Central D₂ receptors mediate the excitatory effects of dopaminergic agents on the rat urinary bladder, 97, 381P
IRAVANI, M.M., LUHESHI, G.N. & ZAR, M.A. A delayed tonotropic effect of isoprenaline on isolated rat right atrium, 96, 210P
IRVANI, M.M. & ZAR, M.A. The effects of neuropeptide Y (NPY) on isolated preparation of rat right atrium, 96, 218P
- - - A presynaptic inhibitory effect of neuropeptide Y (NPY) on the cholinergic motor transmission in isolated rat urinary bladder, 96, 234P
IZUMI, T. & BAKHLE, Y.S. Endotoxin-induced prostanoid output from rat lung; lack of inhibition by methylprednisolone, 97, 539P
- JACKSON, D.M. see GOULD, D.J., 97, 542P
JACKSON, H.C., DICKSON, S.L. & NUTT, D. J. Differential effects of benzodiazepine inverse agonists on electroshock seizure threshold, 99, 931P
JACKSON, H.C. & SEWELL, R.D.E. Modification of the appetitive effects of physostigmine by the opioid antagonist naltrexone, 97, 487P
JACKSON, S.M. see CAMPBELL, K.B., 99, 893P
JACKSON, S.M., ALCOCK, P., JAMIESON, A. & TUFFIN, D.P. Dependence of the fibrinolytic response on plasma tPA and PAI-1 levels in the laboratory rat, 99, 892P
JACOBS, M. see PIRES, J.G.P., 97, 515P
- - - see PLANE, F., 98, 622P
JACOBS, M., PLANE, F., TURNER, M.T. & BRUCKDORFER, K.R. LDL inhibits relaxations evoked by thimerosal in rabbit aorta, 98, 712P
JACOBSON, L.L. see EGLIN, R.M., 96, 175P
JAFAREY, M.H. see SAEED, S.A., 97, 544P
JAMES, I.F. see DRAY, A., 96, 81P
JAMIESON, A. see CAMPBELL, K.B., 99, 893P
- - - see JACKSON, S.M., 99, 892P
JAMIESON, M.J. & SELBIE, R.D. Electrode separation and tissue bath resistance: an unexpected finding, 96, 283P
JANG, W.I. see KIM, K.H., 99, 935P
JAP, T.J.W. see VAN ZWIETEN, P.A., 96, 199P
JAP, T.J.W., HUGTENBURG, J.G., BODDEKE, H.W.G.M. & VAN ZWIETEN, P.A. The cardioprotective effect of different calcium antagonists during normothermic global ischaemia, 96, 196P
JAXA-CHAMIEC, A. see MERRITT, J.E., 98, 674P
JENNER, P. see CHIVERS, J.K., 98, 705P
JENNER, P.G. see BARNES, J.M., 96, 332P
- - - see BARNES, J.M., 96, 333P
- - - see COLLINS, P., 98, 606P
- - - see COLLINS, P., 99, 815P
- - - see DEXTER, D.T., 97, 382P
- - - see ILICETO, G., 97, 381P
- - - see LANGE, K.W., 96, 46P
- - - see LANGE, K.W., 99, 817P
- - - see LOSCHMANN, P.-A., 97, 404P
- - - see LOSCHMANN, P.-A., 97, 403P
- - - see ROSE, S., 97, 401P

- - - see ROSE, S., 99, 816P
 - - - see SCHAPIRA, A.H.V., 98, 607P
- JEREMY, J.Y., MIKHAILIDIS, D.P., BARRADAS, M.A., THOMPSON, C.S. & DANDONA, P. Effect of nabumetone and its principal metabolite on rat and human gastric mucosal prostanoid synthesis and platelet function, 98, 669P
- JEREMY, J.Y., MIKHAILIDIS, D.P. & DANDONA, P. Potent inhibition of receptor linked PG₁₂ synthesis by NSAIDs in the rat aorta: evidence for effects on calcium mobilisation, 98, 648P
- JOHNS, E.J. see AKPOGOMEH, B.A., 96, 176P
- - - see AL-QATTAN, K.K., 96, 30P
- JOHNS, E.J. & MARRIOTT, I. The effect of cromakalim on kidney function in the anaesthetised rat, 99, 821P
- JOHNSTON, G.A.R. see LUMMIS, S.C.R., 98, 644P
- JOHNSTON, J.A. see CARNIE, J.A., 99, 936P
- JOHNSTONE, D. see CAMPBELL, K.B., 99, 893P
- JOHNSTONE, D. & MILLEST, A.J. Ineffectiveness of β -adrenergic antagonists in rat adjuvant-induced arthritis, 98, 768P
- JOHNSTONE, S. see BROWN, G.J., 99, 949P
- JOLICOEUR, F.B. see RIVEST, R., 98, 609P
- JONES, A.J. see RAY, N.J., 97, 562P
- - - see RAY, N.J., 99, 864P
- JONES, B.J. see HIGGINS, G.A., 98, 635P
- - - see KILPATRICK, G.J., 96, 8P
- - - see MITCHELL, E.A., 97, 416P
- JONES, C.R. see FANDELEUR, P.C., 99, 918P
- - - see PILLAR, A.M., 96, 355P
- JONES, C.R., PELTON, J.T., MILLER, R. C. & HILEY, C.R. Binding of [¹²⁵I] endothelin to rat brain and its inhibition by peptide analogues, 96, 346P
- JONES, D.N.C. see COSTALL, B., 96, 341P
- - - see COSTALL, B., 98, 637P
- JONES, M.G., YULIANG, Li, LODGE, D. & MILLAR, J.A. Failure of tricyclic antidepressants and zinc to produce selective antagonism of NMDA in rat brain in vitro and in vivo, 97, 376P
- JONES, M.W. Ventromedial globus pallidus neurones regulate dopamine function in the prefrontal cortex of the rat via the mediodorsal thalamus, 97, 379P
- JONES, O.T.G. see RANDALL, A.D., 97, 594P
- JONES, P.S. see PACIOREK, P.M., 98, 722P
- JONES, R.B. see FRODSHAM, G., 98, 733P
- JONES, R.L. see LAWRENCE, R.A., 99, 796P
- JONES, R.B. & FOSTER, G.A. Effects of antianginal agents on epicardial ST-segment elevation during temporary coronary artery occlusion in anaesthetised dogs, 97, 507P
- JONES, R.L. see LAWRENCE, R.A., 96, 62P
- - - see TYMKIEWYCZ, P.M., 98, 764P
- JONES, R.S.G. & LAMBERT, J.D.C. Involvement of excitatory amino acid receptors in epileptiform activity in the rat entorhinal cortex and dentate gyrus in vitro, 99, 835P
- JONES, S.E. see WOOD-GUSH, H.G., 96, 363P
- JONES, S.M., WANLESS, R.B., O'GARA, P. & HARDING, S.E. β -adrenoceptor responsiveness of isolated ventricular myocytes from isoprenaline or adriamycin-treated rabbits, 98, 731P
- JORDAN, C.C. see HAGAN, R.M., 98, 717P
- JORDAN, D. see SHEPHEARD, S.L., 97, 408P
- - - see SHEPHEARD, S.L., 98, 641P
- - - see SPORTON, S.C.E., 97, 409P
- JORDAN, R. see BANERJEE, A.M., 96, 226P
- JORDAN, R. & SOUNESS, J.E. Comparison of the relaxant actions of M&B 22948, MY-5445, vinpocetine and 1-methyl-3-isobutyl-8-(methylamino-xanthine), 96, 227P
- JORDAN, V.C., LABABIDI, M.K. & MIRECKI, D.M. Inhibition of mouse mammary tumourigenesis by the antioestrogen tamoxifen, 96, 22P
- JOSEPH, M.H. see BRAZELL, M.P., 96, 339P
- - - see SMITH, K.M., 98, 696P
- JOUQUEY, S. & HAMON, G. Effects oftrandolapril, a new angiotensin converting enzyme inhibitor, on cardiac hypertrophy in 20 week and 2 year old SHR, 96, 201P

- KAKKAR, V.V. see PATEL, Y., 99, 846P
- - - see WHEELER-JONES, C.P.D., 99, 845P
- KAN, J.P. see ALONSO, R., 97, 473P
- KANE, K.A. see DEMIRYUREK, A.T., 99, 902P
- KARIM, F. see NIMMO, A.J., 98, 725P
- KARLSSON, J.-A., ZACKRISSON, C. & FORSBERG, K. Inhibitors of ACE and enkephalinase potentiate irritant induced bronchoconstriction, but not cough, in conscious guinea-pig, 96, 158P
- KASPER, F.J. see DE BOER, A., 96, 228P
- KATONA, C.L.E. see CHEETHAM, S.C., 96, 1P
- - - see DE PAERMENTIER, F., 99, 818P
- - - see LAWRENCE, K.M., 99, 812P
- KAUMANN, A.J. see DAVENPORT, A.P., 96, 102P
- - - see HALL, J.A., 96, 202P
- - - see HALL, J.A., 97, 391P
- KAUMANN, A.J., MURRAY, K.J., BROWN, A. M., SANDERS, L. & BROWN, M.J. A receptor for 5-HT in human atrium, 98, 664P
- KEDDIE, J.R. & COLLIS, M.G. The diuretic and saluretic properties of PD 116948, a potent adenosine receptor antagonist, 97, 502P
- KEEN, M. see KELLY, E., 97, 454P
- - - see LUTY, J., 96, 169P
- KEEN, M., KELLY, E., NOBBS, P. & MACDERMOT, J. Binding sites for ³H-NECA on NG108-15 cell membranes are not adenosine A₂ receptors, 96, 129P
- KEEN, P. see RAY, N.J., 97, 562P
- - - see RAY, N.J., 99, 864P
- KEERY, R.J., PIKE, N.B., WATTS, I.S. & LUMLEY, P. Operation of a Na⁺/H⁺-exchange mechanism is not a pre-requisite for human platelet activation, 98, 672P
- KEIGHLEY, A.C., NORAS, J.M. & WOOD, J. Getting the most out of practicals: computer simulation in the teaching of quantitative pharmacology, 99, 953P
- KEIGHLEY, M.R.B. see PHILLIPS, J.D., 96, 253P
- KELLETT, R., COLLIS, M.G., BOWMER, C. J. & YATES, M.S. The effect of alkylxanthines on post-ischaemic acute renal failure in the rat, 98, 751P
- KELLETT, R., OXBORROW, N.J., YATES, M. S., COLLIS, M.G. & BOWMER, C.J. Effect of 8-cyclopentyl-1, 3-dipropylxanthine on glycerol-induced acute renal failure in the rat, 96, 31P
- KELLY, E. see KEEN, M., 96, 129P
- - - see LUTY, J., 96, 169P
- KELLY, E., KEEN, M., NOBBS, P. & MACDERMOT, J. NaF modulation of adenylate cyclase activity in NG108-15 cells involves multiple G-proteins, 97, 454P
- KELLY, J., DETTMAR, P.W., LORD, J.A.H. & MACDONALD, A. Onhibitory effects of α_1 - and α_2 -adrenoceptor agonists on gastro-intestinal motility in the rat *in vivo*, 96, 278P
- KELLY, J., ROBERTS, S.P. & SENNITT, M. The effects of SKF 104078 at pre- and postjunctional α_2 -adrenoceptors *in vitro*, 98, 727P
- KELLY, M.A. see BARNES, N.M., 99, 916P
- KELLY, M.E. see BARNES, N.M., 97, 467P
- - - see BARNES, J.M., 98, 693P
- - - see COSTALL, B., 96, 47P
- - - see COSTALL, B., 96, 90P
- - - see COSTALL, B., 96, 312P
- - - see COSTALL, B., 96, 340P
- - - see COSTALL, B., 97, 475P
- - - see COSTALL, B., 98, 636P
- KELLY, M.J. & KOWALSKA, A.Z. A pharmacological action of vitamin E unrelated to antioxidant activity, 98, 746P
- - - A pharmacological action of vitamin E related to its structure, 99, 894P
- KEMP, J.A., MARSHALL, G.R. & WOODRUFF, G.N. Antagonism of CCK-induced excitation of rat ventromedial hypothalamic neurones by a new selective CCK-B receptor antagonist, 98, 630P
- KENDALL, D.A. see ALEXANDER, S.P., 96, 135P
- - - see ALEXANDER, S.P.H., 99, 832P
- - - see BHARMAL, S., 97, 495P
- - - see FORD, A.P.D.W., 97, 466P
- - - see FORD, A.P.D.W., 98, 702P
- - - see RUCK, A., 98, 700P
- - - see WHITWORTH, P., 97, 494P
- - - see WHITWORTH, P., 98, 611P
- - - see WHITWORTH, P., 99, 834P
- KENDALL, D.A., STRAW, R.M. & HILL, S.J. Indirect effects of glutamate on cyclic AMP formation in guinea-pig brain slices, 96, 87P
- KENNEDY, C. & HENDERSON, G. Inhibition of the M-current by a putative sigma

- receptor agonist in the mouse hypogastric ganglion, 96, 125P
- KENNETT, G.A., WHITTON, P., SHAH, K. & CURZON, G. 5HT_{1C} receptors may mediate the anxiogenic-like action of MCPP in the rat social interaction test, 97, 434P
- KENNY, B.A. see BROWN, C.M., 98, 681P
- KENWORTHY, R.J. see PARKES, I.R., 97, 465P
- KETCHUM, S.B. see DRAY, A., 96, 81P
- KEY, B.J. see PRYKE, J.G., 98, 685P
- KHOKHER, M.A. see BARRADAS, M.A., 98, 666P
- KIDD, E.J. see GARRATT, J.C., 98, 680P
- - - see PIKE, J., 97, 517P
- KIDD, E.J. & MARSDEN, C.A. 8-OH-DPAT fails to decrease 5-HT release in rats treated chronically with a 5-HT₂ antagonist, setoperone, 96, 2P
- KILBINGER, H. see SCHWORER, H., 96, 243P
- - - see SCHWORER, H., 96, 263P
- KILBY, P., PAGE, M.R., ROBERTS, S.A., PAGE, K.M. & FACCHINI, V. Quantification by H.P.L.C. of RP 49356 in liver perfusate following perfusion of an isolated rat liver, 96, 295P
- KILFOIL, T., KRAFT, J., MICHEL, A.D., WHITING, R. & ROUTEDGE-WARD, C. Effects of nucleus basalis lesions on learned spatial alternation task in rats: amelioration of behavioural deficit by NGF, 97, 471P
- KILLINGBACK, P.G. see CARR, R.D., 98, 658P
- - - see MCKECHNIE, K., 98, 673P
- KILPATRICK, A.T. see BROWN, C.M., 98, 681P
- KILPATRICK, G.J. see BURRIDGE, J., 96, 269P
- KILPATRICK, G.J., BUTLER, A., IRELAND, S.J., MICHEL, A.D. & TYERS, M.B. Affinities of 5-HT uptake inhibitors for 5-HT₃ receptors in both binding and functional studies, 99, 859P
- KILPATRICK, G.J., JONES, B.J. & TYERS, M.B. [³H]-GR67330, a very high affinity ligand for central 5-HT₃ receptors, 96, 8P
- KILPATRICK, I.C. see ESSIG, E.C., 97, 380P
- - - see MOZLEY, L.S., 97, 596P
- - - see WALLER, S.J., 97, 577P
- KIM, K.H., JANG, W.I., KO, C.M., LEE, K.Y., KIM, W.J. & HONG, S.S. Effects of intracerebroventricular calcitonin on gastric acid secretion in rats, 99, 935P
- KIM, W.J. see KIM, K.H., 99, 935P
- KING, B.H., BRAZELL, C., DOURISH, C.T. & MIDDLEMISS, D.N. Activation of the 5-HT₂ receptor subtype increases rat plasma ACTH concentration, 98, 686P
- KING, B.H., BRAZELL, C. & PRESTON, G.C. 5-HT-induced platelet shape change in the rat: potency of inhibition correlates with 5-HT₂ binding affinity, 98, 689P
- KING, J.N. & GERRING, E.L. Disruption of equine bowel motility by endotoxin: evidence of a role for prostaglandins and PAF, 97, 428P
- KINGSMORE, D.B. see MCCAPPIN, T.R., 98, 753P
- KINGSTON, W.P. see COURT, E.N., 97, 551P
- - - see COURT, E.N., 99, 873P
- KIRBY, M.J. see LEIGH, F.S.M., 97, 527P
- KIRBY, M.J. & LEIGH, F.S.M. Cardiovascular effects of dietary restriction and selected anorectic drugs in the dietary obese rat, 96, 286P
- KIRKMAN, E. see ELTRAFFI, A., 96, 145P
- KITTERINGHAM, N.R. see CLARKE, J.B., 97, 568P
- KIYAMA, H., RUTH, J. & EMSON, P.C. Cellular localisation of tyrosine hydroxylase mRNA in rat brain and adrenal medulla, 97, 476P
- KLEBS, K. see SCHMITZ, M., 97, 581P
- KLUFT, C. see DE BOER, A., 96, 228P
- KMIOT, W.A. see PHILLIPS, J.D., 96, 253P
- KNIGHT, A.K. see BLADES, R.H., 97, 488P
- KNIGHT, M. see BILL, D.J., 98, 679P
- - - see BILL, D.J., 99, 920P
- KNIGHT, M. & FLETCHER, A. Antagonist studies on the overt behavioural effects of MK-212 and mCPP in the rat, 97, 461P
- KNOTT, C. see PRATT, G.D., 96, 141P
- KNOTT, C. & BOWERY, N.G. Characterisation of binding sites for [³H]-L644, 711, a novel anti-oedema agent in mammalian brain, 96, 44P
- KNOX, A.J., AJAO, P., CRAGOE, E.J. & TATTERSFIELD, A.E. Sodium and calcium dependence of phorbol ester-induced contraction of bovine airway smooth muscle, 99, 870P
- KO, C.M. see KIM, K.H., 99, 935P
- KO, D. see LIVINGSTON, A., 97, 482P
- KOBAYASHI, M. see KOSHIKAWA, N., 98, 701P

- KOCH, P., SCHNEIDER, J., FRUH, C., WILHEILM, D., WILFFERT, B. & PETERS, T. The α_1 -adrenoantagonist properties of R 56865 in the pithed rat, 96, 203P
- KOENIG-BERARD, E. see SANNAJUST, F., 96, 117P
- KOSHIKAWA, N., MARUYAMA, Y., KOBAYASHI, M. & CAMPBELL, I.C. Brain β -adrenoceptor loss after a phenelzine injection does not involve receptor internalisation, 98, 701P
- KOTAS, A.M. see ORMANDY, G.C., 96, 356P
- KOVALEV, G.I. see RAYEVSKY, K.S., 97, 371P
- KOWALSKA, A.Z. see KELLY, M.J., 98, 746P
- - - see KELLY, M.J., 99, 894P
- KRAFT, J. see KILFOIL, T., 97, 471P
- KRISHNAMURTHI, S. see PATEL, Y., 99, 846P
- - - see WHEELER-JONES, C.P.D., 99, 845P
- KRISTERSOON, A. see SANJAR, S., 96, 75P
- KROEGEL, C., PLEASS, R., YUKAWA, T., CHUNG, K.F., WESTWICK, J. & BARNES, P. J. Rise of intracellular calcium ions in eosinophils induced by platelet activating factor, 96, 58P
- KROON, J.M. see DE BOER, A., 96, 228P
- KRUK, Z.L. see STAMFORD, J.A., 96, 92P
- - - see STAMFORD, J.A., 97, 456P
- KUDO, K. see DUSTING, G.J., 98, 625P
- KUNSTER, A. see WESSLER, I., 96, 262P
- KUNYSZ, E.A. see MICHEL, A.D., 96, 240P
- KURUMAJI, A. see DEWAR, D., 96, 324P
- LABABIDI, M.K. see JORDAN, V.C., 96, 22P
- LADURON, P.M. see DOBLE, A., 96, 317P
- LAFONTAN, M. see LANGIN, D., 96, 280P
- - - see VALET, P., 96, 281P
- LAI, J., SASAGURI, T. & WATSON, S.P. K^+ -stimulation of the phosphoinositide pathway in guinea-pig ileum is predominantly neuronal in origin and mediated by Ca^{2+} entry, 97, 450P
- LAMBERT, D.G. & NAHORSKI, S.R. Muscarinic receptors coupled to phosphoinositide hydrolysis and elevated cytosolic calcium in a human neuroblastoma cell SH-SY5Y, 96, 132P
- - - Muscarinic receptor-linked Ca^{2+} entry in a human neuroblastoma cell line SH-SY5Y, 99, 913P
- LAMBERT, J.D.C. see JONES, R.S.G., 99, 835P
- - - see LITTLE, H.J., 98, 677P
- LAMBERT, J.J. see HALLIWELL, R.F., 96, 139P
- - - see HATHER, N.Y., 97, 503P
- - - see PETERS, J.A., 97, 415P
- LAMI, F. see TRABUCCHI, E., 96, 17P
- LANDLANDS, J.M. & RODGER, I.W. Comparison of the use of histone and kemptide in determining A-kinase activity in guinea-pig trachealis, 97, 561P
- LANGE, K.W., WELLS, F.R., JENNER, P. & MARSDEN, C.D. Muscarinic cholinergic receptor binding in the brains of patients with idiopathic Parkinson's disease, 96, 46P
- LANGE, K.W., WELLS, F.R., ROSSOR, M.N., JENNER, P. & MARSDEN, C.D. Cortical muscarinic receptors in demented patients with Alzheimer's disease or Parkinson's disease, 99, 817P
- LANGER, S.Z. see DUVAL, N., 96, 237P
- - - see LORRAIN, J., 96, 264P
- LANGIN, D. & LAFONTAN, M. Characterisation of [3H]idazoxan binding to non α_2 -adrenoceptor sites in rabbit fat cell membranes, 96, 280P
- LANGLANDS, J.M., DIAMOND, J. & RODGER, I.W. Modification of methacholine- and histamine-induced stimulation of IP_3 in airway smooth muscle, 97, 445P
- LARKIN, J.G., THOMPSON, G.G. & BRODIE, M.J. Nifedipine and nimodipine are effective against pentylenetetrazole-induced seizures in mice, 96, 138P
- LARKIN, S.E. see PACIOREK, P.M., 98, 722P
- LATHE, G.H. see MACKAY, D., 98, 647P
- LATIMER, M. see HALL, J.A., 96, 202P
- LATIMER, R. see HALL, J.A., 96, 202P
- LATTIMER, N., RHODES, K.F. & SAVILLE, V.L. Possible differences in 5-HT $_3$ -like receptors in the rat and the guinea-pig, 96, 270P
- LAU, K.R. see ELLIOTT, A.C., 99, 945P
- LAWRENCE, K.M., CRANE, J.A. & HORTON, R.W. [3H]imipramine and [3H]paroxetine binding to fresh and frozen human platelet membranes, 98, 675P

- LAWRENCE, K.M., DE PAERMENTIER, F., CHEETHAM, S.C., CROMPTON, M.R., KATONA, C.L.E. & HORTON, R.W. Brain 5-HT uptake sites, labelled with [³H]-paroxetine, in post-mortem samples from depressed suicide victims, 99, 812P
- LAWRENCE, R.A. & JONES, R.L. AH-6809 distinguishes two types of direct contractile action for prostanoids on guinea-pig ileum longitudinal muscle, 96, 63P
- LAWRENCE, R.A., JONES, R.L. & WILSON, N.H. Relaxant potencies of prostaglandin E analogues on rabbit jugular vein, 99, 796P
- LAWSON, K. & CHATELAIN, P. Contractions of rat aorta to endothelin are sensitive to nickel and cadmium ions but not nicardipine or ω -conotoxin, 99, 840P
- LEATHARD, H.L. see RAKHIT, R.D., 97, 558P
- - - see RANASINHA, C.D., 96, 245P
- LEACH, E.C. see COLLIE, I.T., 97, 485P
- LEATHLEY, M. see GOUDIE, A.J., 96, 308P
- - - see GOUDIE, A.J., 97, 464P
- LEDERIS, K. see LIVINGSTON, A., 97, 482P
- LEE, C. & RODGERS, R.J. Analgetic effects of elevated plus-maze exposure in mice: influence of naltrexone and morphine tolerance, 97, 437P
- LEE, K.Y. see KIM, K.H., 99, 935P
- LEE, T.H. see ARCHER, C.B., 97, 545P
- LEES, A.D. & ORCHARD, M.A. Effect of raised intracellular sodium on intraplatelet calcium and cyclic AMP concentration, 96, 207P
- LEESON, M.E. see GOULD, D.J., 97, 542P
- LEEUWIN, R.S. see EIGENHUIS, J.J., 96, 258P
- - - see GONZALEZ, R., 96, 200P
- LEFF, P. see WOOD, B.E., 99, 794P
- LEFF, P. & HARPER, D. The effect of the ternary complex mechanism on the pharmacological estimation of agonist affinity and efficacy, 97, 574P
- LEFORT, J. see BOUKILI, M.A., 96, 78P
- - - see DESQUAND, S., 96, 61P
- - - see PRETOLANI, M., 96, 73P
- LEIDIG, A. see WERMELSKIRCHEN, D., 96, 149P
- LEIGH, B.K. see MERRITT, J.E., 98, 674P
- LEIGH, F.S.M. see KIRBY, M.J., 96, 286P
- LEIGH, F.S.M. & KIRBY, M.J. Altered responsiveness in the isolated perfused mesenteric vascular bed of the dietary obese rat, 97, 527P
- LEIGHTON, B. see RICHARDS, S.J., 97, 572P
- LELLOUCH-TUBIANA, A. see BOUKILI, M.A., 96, 78P
- LENNARD, M.S. see ADAMS, M., 96, 287P
- LE MONNIER DE GOUVILLE, A.C. & CAVERO, I. Haemodynamic and pharmacological profile of endothelin in pithed rats, 96, 95P
- LEOUTSAKOS, A., HUGHES, A.D., MARTIN, G.N. & SEVER, P.S. The action of adenosine receptor agonists on human isolated umbilical artery, 97, 501P
- LEROY, F. see BROWN, K.A., 96, 42P
- LESLIE, R.A. see REYNOLDS, D.J.M., 98, 692P
- LETHARD, H.L. see YEATS, D.A., 96, 168P
- LEWIS, D.I. see COOTE, J.H., 98, 640P
- LEWIS, M.J. see SHAH, A.M., 96, 146P
- - - see SHAH, A.M., 97, 388P
- LEWIS, V.A. see CURRINGTON, A., 96, 267P
- LEY, S.J., LIVINGSTON, A. & WATERMAN, A.E. The effects of castration and tail docking on plasma catecholamines in lambs, 97, 570P
- LI, S.W. see GRIFFITHS, R.J., 96, 39P
- LINDLEY, I. see BURROWS, L.J., 99, 789P
- LINNOILA, M. see DURCAN, M.J., 96, 325P
- LISTER, R.G. see DURCAN, M.J., 96, 325P
- LISTER, R.G. & DURCAN, M.J. Antagonism of the intoxicating effects of ethanol by the benzodiazepine receptor ligand Ro 19-4603, 96, 368P
- LITTLE, H.J. see GREEN, A.R., 99, 924P
- - - see PATCH, T., 97, 493P
- - - see WHITTINGTON, M.A., 96, 137P
- - - see WHITTINGTON, M.A., 96, 326P
- - - see WHITTINGTON, M.A., 97, 435P
- - - see WHITTINGTON, M.A., 99, 923P
- LITTLE, R.A. see ARNOLD, J., 99, 854P

- - - see CHOO, J.J., 99, 856P
 - - - see ELTRAFFI, A., 96, 145P
 LITTLE, H.J., ANDREASEN, M. & LAMBERT, J.D.C. Chronic benzodiazepine agonist treatment increases the actions of the inverse agonist FG7142 on the hippocampal slice, 98, 677P
 LIU, S.F., BARER, G.R., EVANS, T.W., MCCORMACK, D.G., CAI, Y.N. & BARNES, P.J. Ligustrazine, a Chinese herbal extract dilates human pulmonary resistance vessels, 99, 852P
 LIU, S.F., MCCORMACK, D.G., EVANS, T.W. & BARNES, P.J. Characterisation of P₂-purinoceptors in human small pulmonary arteries, 97, 498P
 LIU, Y. see HJORTH, S., 97, 458P
 LIVINGSTON, A. see BRANDT, S.A., 96, 314P
 - - - see BRANDT, S.A., 97, 483P
 - - - see ELLIOTT, I., 97, 598P
 - - - see LEY, S.J., 97, 570P
 LIVINGSTON, A., LEDERIS, K. & KO, D. Effects of α_2 -adrenoceptor agonists on hormone release from the superfused neural lobe of the pituitary of the rat, 97, 482P
 LLOYD, K.G. see BERRY, C.N., 97, 419P
 - - - see PROUTEAU, M., 97, 547P
 LODGE, D. see JONES, M.G., 97, 376P
 LODGE, D. & ZEMAN, S. Pharmacology of quisqualate-induction of depolarising response to L-amino-4-phosphobutyrate (L-AP4) in rat cortical wedges, 97, 375P
 LONG, S.K. & EVANS, R.H. Effect of 6-cyano-2,3-dihydroxy-7-nitroquinoxaline (CNQX) on spinal transmission from primary afferents, 97, 373P
 LONGMAN, S.D. Potassium channel activation in smooth muscle cells may be associated with decreases in intracellular ATP, 99, 888P
 - - - see HOWLETT, D.R., 96, 256P
 LONGMORE, J. see BRAY, K.M., 96, 121P
 - - - see NEWGREEN, D.T., 96, 116P
 - - - see NEWGREEN, D.T., 97, 392P
 LONGMORE, J., NEWGREEN, D.T. & WESTON, A.H. Effects of cromakalim, galanin and glibenclamide in vascular smooth muscle, 99, 884P
 LONGMORE, J. & WESTON, A.H. Effects of cromakalim and glibenclamide on isolated strips of bovine tracheal smooth muscle, 99, 804P
 LONGRIDGE, D.J. see GILES, H., 97, 535P
 LONGSTAFFE, J.A. see HAWKINS, N.S., 97, 602P
 LORD, J.A.H. see COLLIE, I.T., 97, 485P
 - - - see KELLY, J., 96, 278P
 LORRAIN, J., EON, M.T., OBLIN, A., ZIVKOVIC, B. & LANGER, S.Z. Possible role of α -adrenoceptors and ATP-dependent K⁺ channels in insulin inhibition induced by sympathetic stimulation, 96, 264P
 LOSCHMANN, P.-A., JENNER, P. & MARSDEN, C.D. AKF 38393 and SCH 23390 antagonise the effects of LY 171555 but not of apomorphine in marmosets, 97, 403P
 - - - Delayed recovery of common marmosets after combined treatment with MPTP and diethyldithiocarbamate, 97, 404P
 LOTE, C.J. see TOWERS, J.D., 98, 766P
 LOUBATIERES-MARIANI, M.M. see BOUHELAL, R., 98, 642P
 LOVEDAY, B. see WORRALL, V., 97, 599P
 LOWE, K.C. see ARMSTRONG, F.H., 98, 770P
 - - - see BERENBAUM, M.C., 98, 771P
 LOWE, S.L. see STEELE, J.E., 96, 353P
 LU, X. & BARNETT, D.B. Effects of co-administration of xamoterol and isoprenaline on rat ventricular β -adrenoceptor down regulation, 98, 732P
 LUBMAN, D. see BOULTON, C.L., 99, 836P
 LUHESHI, G.N. see IRAVANI, M.M., 96, 210P
 LUMLEY, P. see ARMSTRONG, R.A., 99, 843P
 - - - see KEERY, R.J., 98, 672P
 - - - see WATTS, I.S., 99, 842P
 LUMMIS, S.C.R., NICOLETTI, G., JOHNSTON, G.A.R. & HOLAN, G. [³H]diazepam binds to a peripheral-type, GABA-modulated benzodiazepine binding site in E.coli, 98, 644P
 LUNG, M.A. see WANG, J.C.C., 98, 735P
 LUNG, M.A. & WANG, J.C.C. Dose-related effects of adenosine 5'-triphosphate on canine nasal vascular and airway resistances, 98, 736P
 LUNNEY, R. see GODFREY, P.P., 99, 915P
 LUSCOMBE, G.P. see MARTIN, K.F., 97, 605P
 LUSCOMBE, G.P., HUTCHINS, L.J. & BUCKETT, W.R. Repeated administration of

- tricyclic anti-depressants does not alter the antidepressant-like effect of 8-OHPAT in mice, 97, 400P
- LUSCOMBE, G.P., MARTIN, K.F., HUTCHINS, L.J. & BUCKETT, W.R. Attenuation of the hypothermia but not the antidepressant-like effect of 8-OH-DPAT following its repeated administration to mice, 96, 307P
- LUTY, J., HUNT, J.A., NOBBS, P.K., KELLY, E., KEEN, M., MACDERMOT, J. Expression of functional adenosine A₂ receptors on bovine aortic endothelial cells, 96, 169P
- LYFORD, S.J. see GILES, H., 97, 539P
- LYTHGOE, D., MCCARTHY, H.D., O'SHAUGHNESSY, C.T. & STEWARD, M.C. Effects of dimethylthiourea and dizocilpine on infarct size following middle cerebral artery occlusion in the rat, 99, 903P
- MACDERMOT, J. see HUNT, J.A., 96, 170P
- - - see KEEN, M., 96, 129P
- - - see KELLY, E., 97, 454P
- - - see LUTY, J., 96, 169P
- MACDONALD, A. see KELLY, J., 96, 278P
- MACDONALD, A. see MCLAUGHLIN, D.P., 98, 657P
- MACDONALD, D.M. see ARCHER, C.B., 97, 545P
- MACDONALD, P.S. see DUSTING, G.J., 98, 625P
- MACHADO, C.A. see EGLEN, R.M., 98, 662P
- MACHADO, C.N., ANDERSON, A.J., SHARIF, N.A., EGLEN, R.M. & PATMORE, L. Pharmacological actions of endothelin (ET-1) on cardiac tissue in vitro, 98, 710P
- MACHIN, I. see ALABASTER, C.T., 99, 823P
- MACKAY, D. Consequences of a steady-state ternary complex model, 98, 646P
- MACKAY, D., LATHE, G.H., GRIFFIN, I. & WORMALD, A. Evidence in favour of the steady-state ternary complex model, 98, 647P
- MACKINNON, A.C. see BROWN, C.M., 98, 681P
- MACLAGAN, J. see PENDRY, Y.D., 99, 777P
- - - see WATSON, N., 98, 719P
- MACLEAN, A.E.M. see MOURELLE, M., 99, 825P
- MACLEAN, M.R. & HILEY, C.R. Blood pressure changes induced by endothelin and [ALA1,3,11,15] endothelin in pithed rats: effect of lowering ventilation volume, 97, 529P
- MACLEAN, M.R., THOMSON, M. & HILEY, C. R. α -adrenoceptor-mediated pressor responses after haemorrhage in the anaesthetised rat, 96, 187P
- MACNEIL, S. see BURTON, G.A., 96, 66P
- MACRAE, I.M. see MCAULEY, M.A., 96, 345P
- - - see MCAULEY, M.A., 98, 709P
- MACRAE, I.M., DEWAR, D., REID, J.L. & MCCULLOCH, J. Central effects of neuropeptide Y on local cerebral glucose use in the conscious rat, 96, 344P
- MAGGS, J.L. see CLARKE, J.B., 97, 568P
- MAGNIER, M. see PROUTEAU, M., 97, 547P
- MAGUIRE, J.J. see HOWARTH, A.G., 96, 360P
- MAGUIRE, J.J., ELLIOTT, M.J., VARNEY, M.A., MCKNIGHT, A.T., WILLIAMS, B.J., FOSTER, A.C. & TRIDGETT, R. Pharmacological specificity of synthetic peptides as antagonists at tachykinin receptors, 96, 124P
- MAHDORN, H.M. see GROSS, G., 98, 698P
- MAHONY, M.T., DENNISON, L., HOLDEN, A., WONG, A., MASON, R. The effects of sibutramine HCl and its metabolites on histamine-evoked responses in the guinea-pig ileum, 99, 877P
- MAIDMENT, N.T., BRUMBAUGH, D.R., ERDELYI, E., RUDOLPH, V.D., BARCHAS, J.D. & EVANS, C.J. In vivo release of opioid peptides in the rat CNS: microdialysis combined with a plate ria, 97, 398P
- MAINCENT, Ph. see HUBERT, B., 96, 184P
- MAJEWSKI, H. see MUSGRAVE, I.F., 99, 776P
- MAK, J.C.W. see GIEMBYCZ, M.A., 97, 559P
- MAKRIDES, M. see DUSTING, G.J., 98, 625P
- MALANCHERE, E. see PRETOLANI, M., 96, 73P
- MALLARD, N., MARSHALL, R.W. & SPRIGGS, T.L.B. Suramin, a selective inhibitor of NANC transmission in rat vas deferens : comparison with nifedipine, 98, 618P
- MALLORGA, P. see SUGRUE, M.F., 96, 18P
- - - see SUGRUE, M.F., 99, 820P

- tricyclic anti-depressants does not alter the antidepressant-like effect of 8-OHPAT in mice, 97, 400P
- LUSCOMBE, G.P., MARTIN, K.F., HUTCHINS, L.J. & BUCKETT, W.R. Attenuation of the hypothermia but not the antidepressant-like effect of 8-OH-DPAT following its repeated administration to mice, 96, 307P
- LUTY, J., HUNT, J.A., NOBBS, P.K., KELLY, E., KEEN, M., MACDERMOT, J. Expression of functional adenosine A₂ receptors on bovine aortic endothelial cells, 96, 169P
- LYFORD, S.J. see GILES, H., 97, 539P
- LYTHGOE, D., MCCARTHY, H.D., O'SHAUGHNESSY, C.T. & STEWARD, M.C. Effects of dimethylthiourea and dizocilpine on infarct size following middle cerebral artery occlusion in the rat, 99, 903P
- MACDERMOT, J. see HUNT, J.A., 96, 170P
- - - see KEEN, M., 96, 129P
- - - see KELLY, E., 97, 454P
- - - see LUTY, J., 96, 169P
- MACDONALD, A. see KELLY, J., 96, 278P
- MACDONALD, A. see MCLAUGHLIN, D.P., 98, 657P
- MACDONALD, D.M. see ARCHER, C.B., 97, 545P
- MACDONALD, P.S. see DUSTING, G.J., 98, 625P
- MACHADO, C.A. see EGLEN, R.M., 98, 662P
- MACHADO, C.N., ANDERSON, A.J., SHARIF, N.A., EGLEN, R.M. & PATMORE, L. Pharmacological actions of endothelin (ET-1) on cardiac tissue in vitro, 98, 710P
- MACHIN, I. see ALABASTER, C.T., 99, 823P
- MACKAY, D. Consequences of a steady-state ternary complex model, 98, 646P
- MACKAY, D., LATHE, G.H., GRIFFIN, I. & WORMALD, A. Evidence in favour of the steady-state ternary complex model, 98, 647P
- MACKINNON, A.C. see BROWN, C.M., 98, 681P
- MACLAGAN, J. see PENDRY, Y.D., 99, 777P
- - - see WATSON, N., 98, 719P
- MACLEAN, A.E.M. see MOURELLE, M., 99, 825P
- MACLEAN, M.R. & HILEY, C.R. Blood pressure changes induced by endothelin and [ALA1,3,11,15] endothelin in pithed rats: effect of lowering ventilation volume, 97, 529P
- MACLEAN, M.R., THOMSON, M. & HILEY, C. R. α -adrenoceptor-mediated pressor responses after haemorrhage in the anaesthetised rat, 96, 187P
- MACNEIL, S. see BURTON, G.A., 96, 66P
- MACRAE, I.M. see MCAULEY, M.A., 96, 345P
- - - see MCAULEY, M.A., 98, 709P
- MACRAE, I.M., DEWAR, D., REID, J.L. & MCCULLOCH, J. Central effects of neuropeptide Y on local cerebral glucose use in the conscious rat, 96, 344P
- MAGGS, J.L. see CLARKE, J.B., 97, 568P
- MAGNIER, M. see PROUTEAU, M., 97, 547P
- MAGUIRE, J.J. see HOWARTH, A.G., 96, 360P
- MAGUIRE, J.J., ELLIOTT, M.J., VARNEY, M.A., MCKNIGHT, A.T., WILLIAMS, B.J., FOSTER, A.C. & TRIDGETT, R. Pharmacological specificity of synthetic peptides as antagonists at tachykinin receptors, 96, 124P
- MAHDORN, H.M. see GROSS, G., 98, 698P
- MAHONY, M.T., DENNISON, L., HOLDEN, A., WONG, A., MASON, R. The effects of sibutramine HCl and its metabolites on histamine-evoked responses in the guinea-pig ileum, 99, 877P
- MAIDMENT, N.T., BRUMBAUGH, D.R., ERDELYI, E., RUDOLPH, V.D., BARCHAS, J.D. & EVANS, C.J. In vivo release of opioid peptides in the rat CNS: microdialysis combined with a plate ria, 97, 398P
- MAINCENT, Ph. see HUBERT, B., 96, 184P
- MAJEWSKI, H. see MUSGRAVE, I.F., 99, 776P
- MAK, J.C.W. see GIEMBYCZ, M.A., 97, 559P
- MAKRIDES, M. see DUSTING, G.J., 98, 625P
- MALANCHERE, E. see PRETOLANI, M., 96, 73P
- MALLARD, N., MARSHALL, R.W. & SPRIGGS, T.L.B. Suramin, a selective inhibitor of NANC transmission in rat vas deferens : comparison with nifedipine, 98, 618P
- MALLORGA, P. see SUGRUE, M.F., 96, 18P
- - - see SUGRUE, M.F., 99, 820P

- MALMGREN, A., ANDERSSON, K.-E., SJOGREN, C. & ANDERSSON, P.O. Effects of pinacidil and cromakalim on the unstable rat bladder, 96, 29P
- MANALLACK, D.T., WONG, M.G., O'SHEA, R. D. & BEART, P.M. Topography of the glycine site of the NMDA receptor: predictions from conformational and binding analysis, 97, 377P
- MANGOLD, D.J. see COLEMAN, M.D., 96, 20P
- MANLEY, P. see COOK, N.S., 96, 181P
- MANNING, A.S. see CROME, R., 97, 509P
- MANSEL, R.E. see HALLAM, A., 99, 891P
- MANSON, S.M., WARD, S.A., EDWARDS, G., HOAKSEY, P. & BRECKENRIDGE, A.M. The effect of malaria infection on quinine disposition in the isolated perfused rat liver preparation, 96, 296P
- - - The effect of α_1 -acid glycoprotein on quinine disposition in the isolated perfused rat liver preparation, 98, 769P
- MARAZZI, M. see TRABUCCHI, E., 96, 17P
- MARGOLIUS, H.S. see BAIRD, A.W., 96, 283P
- MARKEY, A.C. see ARCHER, C.B., 97, 545P
- MARKHAM, A. see GUPTA, P., 97, 553P
- MARMO, E. see RACKE, K., 97, 396P
- MARRIOTT, A.S. see ELLIOTT, P.J., 96, 334P
- MARRIOTT, D.B. see BOARDER, M.R., 97, 393P
- MARRIOTT, I. see JOHNS, E.J., 99, 821P
- MARSDEN, C.A. see BACHELARD, H., 98, 697P
- - - see CRESPI, F., 96, 300P
- - - see DIXON, D.M., 99, 829P
- - - see FONE, K.C.F., 97, 413P
- - - see FORD, A.P.D.W., 97, 466P
- - - see FORD, A.P.D.W., 98, 702P
- - - see GARRATT, J.C., 98, 638P
- - - see GARRATT, J.C., 98, 680P
- - - see KIDD, E.J., 96, 2P
- - - see PARKES, I.R., 97, 465P
- - - see PIKE, J., 97, 517P
- - - see RIVEST, R., 98, 609P
- MARSDEN, C.D. see CHIVERS, J.K., 98, 705P
- - - see COLLINS, P., 98, 606P
- - - see COLLINS, P., 99, 815P
- - - see DEXTER, D.T., 97, 382P
- - - see ILICETO, G., 97, 381P
- - - see LANGE, K.W., 99, 817P
- - - see LOSCHMANN, P.-A., 97, 403P
- - - see LOSCHMANN, P.-A., 97, 404P
- - - see ROSE, S., 97, 401P
- - - see ROSE, S., 99, 816P
- - - see SCHAPIRA, A.H.V., 98, 607P
- - - see WELLS, F.R., 96, 46P
- MARSDEN, G. see NICHOLSON, C.D., 99, 802P
- MARSHALL, G.R. see KEMP, J.A., 98, 630P
- MARSDHALL, I.G. see PRIOR, C., 99, 826P
- MARSHALL, I. & WILKIE, J.N. Mechanism for human α -calcitonin gene-related peptide tachyphylaxis in rat isolated right atrium, 96, 216P
- - - Human α -calcitonin gene-related peptide and capsaicin produce differing effects in the rat mesenteric vasculature, 96, 217P
- MARSHALL, K. see CLAYTON, J.K., 97, 540P
- MARSHALL, R.J. see NICHOLSON, C.D., 96, 110P
- - - see SHAHID, M., 96, 111P
- - - see SHAHID, M., 96, 186P
- - - see WINSLOW, E., 96, 185P
- MARSHALL, R.W. see MALLARD, N.J., 98, 618P
- MARTIN, D., GELLOTTE, M., ARMSTRONG, J. M. & HICKS, P.E. Effects of cromakalim on pulmonary haemodynamics in normoxic and hypoxic conditions in anaesthetised dogs, 96, 115P
- MARTIN, F.M. see BOWES, M.A., 99, 875P
- MARTIN, G.N. see LEOUTSAKOS, A., 97, 501P
- MARTIN, G.N., HAIR, W.M., HUGHES, A.D., SCHACHTER, M., THOM, S.McG., & SEVER, P.S. The response of isolated human resistance arteries to endothelin-1: effect of calcium channel blockers, 99, 900P
- MARTIN, G.R. see GILES, H., 97, 539P
- - - see PRYKE, J.G., 98, 685P
- MARTIN, G.R. & SPARROWHAWK, K.T. The putative 5-HT_{1A} receptor in guinea-pig ileum: differential classification using tryptamines, 98, 757P
- MARTIN, J.A. see OSTER, L., 96, 151P
- MARTIN, J.L. Inhibitors of glycogen phosphorylase, 96, 21P
- MARTIN, K.F. see GARDINER, S.M., 96, 144P
- - - see HEAL, D.J., 96, 306P
- - - see HEAL, D.J., 97, 406P
- - - see LUSCOMBE, G.P., 96, 307P
- MARTIN, K.F., HUTCHINS, L.J., GOSDEN, J., LUSCOMBE, G.P. & BUCKETT, W.R. Buspirone and gepirone antagonise the antidepressant-like effect of

- 8-OH-DPAT in a putative model of depression in mice, 97, 605P
- MARTIN, K.F., PHILLIPS, I., HEAL, D.J. & BUCKETT, W.R. Is down-regulation of 5-HT_{1A} receptor function a common feature of the action of antidepressant drugs? 97, 407P
- MARTIN, R.J. see DUITTOZ, A.H., 97, 490P
- MARTIN, W. see WHITE, D.G., 96, 108P
- MARTINS, P.M.R. see PRETOLANI, M., 96, 73P
- MARTORANA, M. see WINSLOW, E., 96, 185P
- MARUYAMA, Y. see KOSHIKAWA, N., 98, 701P
- MASON, D.F.J. see TAHIR, J., 96, 213P
- MASON, H. see ANDREWS, K.L., 97, 549P
- MASON, R. see MAHONY, M.T., 99, 877P
- MASON, R. & GARRETT, J.C. Are the electrophysiological effects of melatonin in the rat CNS mediated via 5-HT receptors? 99, 917P
- MASTERS, D.J. see MCMILLAN, R.M., 96, 36P
- MASTERS, D.J., DUTTA, A.S. & MCMILLAN, R.M. Is antilamin A₂ a phospholipase A₂ inhibitor? 99, 849P
- MASTON, R. Benzodiazepine-induced shifts of entrained circadian locomotor behaviour in the Syrian hamster, 96, 327P
- MATHIE, A., OBEN, J.A. & FOREMAN, J.C. Potassium channels of the T-lymphocyte hybridoma cell line DO-11.10., 98, 724P
- MATHIEU, M-N. see NONOTTE, I., 96, 238P
- MATHY, M-J. see HUGTENBURG, J.G., 96, 147P
- - - see VAN VOORST, M.J.D., 96, 197P
- MATTHEWS, E.K. & CUI, Z.J. Photodynamic drug action on rat pancreatic acini, 97, 430P
- MAUDUIT, P. see BARRAS, M., 97, 522P
- MAY, G.R., HERD, C., BUTLER, K.D. & PAGE, C.P. A radioisotopic model of platelet aggregation in the rabbit *in vivo*, 96, 277P
- MAZZONI, L. see TAPPARELLI, C., 97, 442P
- MCAULEY, M.A., MACRAE, I.M., ELFELLAH, M.S. & REID, J.L. The effect of NPY on cAMP levels in slices of rat medulla, 96, 345P
- MCAULEY, M.A., MACRAE, I.M. & REID, J.L. Haemodynamic responses to endothelin after peripheral and central administration in the conscious rat, 98, 709P
- MCAULIFFE, S.J.G., OLDHAM, A.A. & SNOW, H.M. Effects of xamoterol on the heart in anaesthetised dogs pretreated with either pentolinium or syrosingopine, 97, 512P
- MCBAIN, S.L., BULL, D.R. & SHEEHAN, M.J. Inhibition of dopamine and 5-HT uptake by dopamine receptor agonists and by GBR 12909, 96, 342P
- MCCAIG, D.J. & DE JONCKHEERE, B. Effect of cromakalim on bronchoconstriction induced by stimulation of the vagus nerve in isolated guinea-pig trachea, 96, 252P
- MCCALL, T., BOUGHTON-SMITH, N.K., WHITTLE, B.J.R., PALMER, R.M.J. & MONCADA, S. Inhibition of the platelet anti-aggregating activity of rat neutrophils by N^G-monomethyl-L-arginine, 96, 68P
- MCCAPPIN, T.R. see BARBER, H.E., 96, 291P
- MCCAPPIN, T.R., BOATENG, Y.A., WHITING, P.H., HEYS, S.D., GORDON, D.N., KINGSMORE, D.B. & BARBER, H.E. Characterisation and comparison of the glycerol induced and 5/6 nephrectomy models of renal failure, 98, 753P
- MCCARTHY, H.D. see LYTHGOE, D., 99, 903P
- MCCARTHY, H.D., O'SHAUGHNESSY, C.T. & ROTHWELL, N.J. Endogenous mediators of cerebral ischaemia-induced hypermetabolism in the rat, 99, 838P
- MCCORMACK, D.G. see LIU, S.F., 97, 498P
- - - see LIU, S.F., 99, 852P
- MCCORMICK, M.E. see FOSTER, S.J., 96, 38P
- MCCROHAN, C.R. see BROWN, A.M., 99, 927P
- MCCULLOCH, J. see DEWAR, D., 96, 324P
- - - see DEWAR, D., 96, 349P
- - - see MACRAE, I.M., 96, 344P
- MCCURRIE, J.R. see BOWES, M.A., 99, 875P
- MCDERMOTT, A.M., WILKIN, G.P., TAYLOR, P.M. & DICKINSON, S.L. Pharmacological and biochemical comparison of TRH and RX77368 in pituitary GH3 cells, 97, 395P
- MCGIFF, J.C. see CARROLL, M.A., 96, 99P

- - - see QUILLEY, C.P., 96, 59P
 - - - see QUILLEY, J., 96, 60P
 - - - see QUILLEY, J., 98, 650P
 MCGRATH, J.C. see DUNN, W.R., 98, 728P
 MCGRATH, J.C., TEMPLETON, A.G.B. & WHITTLE, M.J. Effects of EPO92 on contractions to U46619, 5-HT and oxygen in the human umbilical artery, 98, 761P
 MCHARG, A.D., SOUTHERTON, J.S., WEIR, S.W. & WESTON, A.H. A comparison of the effects of cromakalim, noradrenaline and isoprenaline in guinea-pig isolated taenia caeci, 96, 27P
 MCINDEWAR, I. see NICHOLSON, C.D., 96, 110P
 - - - see SHAHID, M., 96, 111P
 - - - see SHAHID, M., 96, 186P
 MCKAY, F.F. see QUINN, P., 96, 276P
 MCKECHNIE, K., KILLINGBACK, P.G., NAYA, I., O'CONNOR, S.E., SMITH, G.W., WATTAM, D.G., WELLS, E., WHITEHEAD, Y.M. & WILLIAMS, G.E. Calcium channel activator properties in a novel non-dihydropyridine - FPL 64176, 98, 673P
 MCKENNIFF, M.G., NORMAN, P., RODGER, I. W. & GARDINER, P.J. Atypical behaviour of the thromboxane antagonists EPO92, AH23848 and daltroban in the ferret tracheal ring, 97, 555P
 MCKNIGHT, A.T. see HOWARTH, A.G., 96, 360P
 - - - see MAGUIRE, J.J., 96, 124P
 MCLAUGHLIN, D.P. & MACDONALD, A. Responses to catecholamines in rat distal colon may be mediated, in part, by 'atypical' β -adrenoceptors, 98, 657P
 MCLAUGHLIN, N.J. see MENYS, V.C., 99, 897P
 MCMAHON, S. see HAMBLETON, P., 96, 171P
 - - - see HAMBLETON, P., 97, 543P
 MCMILLAN, R.M. see MASTERS, D.J., 99, 849P
 - - - see PROUDMAN, K.E., 98, 765P
 MCMILLAN, R.M., MASTERS, D.J., VICKERS, V.C., PROUDMAN, K.E., FOSTER, S.J., PILGRIM, W.P. & BRUNEAU, P. Selective inhibition of 5-lipoxygenase by ICI 207968: *in vitro* and *ex vivo* studies, 96, 36P
 MCMILLAN, R.M., PROUDMAN, K.E., SMITH, I.K., DAVIES, D., FOSTER, S.J., PASQUET, G. & BRUNEAU, P. Dissociation of 5-lipoxygenase inhibition and methaemoglobinaemia induction by indazolinones, 98, 668P
 MCNALLY, J. see GOUDIE, A.J., 96, 308P
 MCQUEEN, D.S. see DE BURGH DALY, M., 96, 212P
 MEAKIN, J. see ATTERWILL, C.K., 96, 357P
 MEECHAM, K.G., BOYLE, S.J., HUNTER, J. C. & HUGHES, J. Opioid receptor selectivity of the (+) and (-) enantiomers of spiradoline and PD117302, 97, 484P
 MEEHAN, A.S. see BROWN, G.J., 99, 949P
 - - - see BROWN, G.J., 99, 950P
 - - - see DEWHURST, D.G., 97, 597P
 - - - see DEWHURST, D.G., 97, 601P
 - - - see DEWHURST, D.G., 97, 603P
 MELDRUM, B.S. see ADAMSON, P., 98, 615P
 MELE, A. see GLUE, P., 96, 91P
 - - - see GLUE, P., 96, 343P
 MELLOR, S.J., CLARKE, C.E., BOYCE, S., SAMBROOK, M.A. & CROSSMAN, A.R. Muscarinic supersensitivity in the globus pallidus of MPTP-treated monkeys, revealed using [3 H]-QNB autoradiography, 99, 911P
 MENAGER, J. see DOBLE, A., 96, 317P
 MENYS, V.C. & MCLAUGHLIN, N.J. Potentiation of adrenaline-induced human platelet aggregation by ATP, 99, 897P
 MEREDITH, P.A. see BARCLAY, C.G., 97, 569P
 MERRITT, J.E. The effect of ATP on cytosolic calcium in human neutrophils, 97, 438P
 MERRITT, J.E., ARMSTRONG, W.P., HALLAM, T.J., JAXA-CHAMIEC, A., LEIGH, B.K., MOORES, K.E. & RINK, T. J. SK&F 96365, a novel inhibitor of receptor-mediated calcium entry and aggregation in quin2-loaded human platelets, 98, 674P
 MEUTER, C. see PETERS, T., 96, 204P
 MICHEL, A.D. see BLUE, D.R., 96, 246P
 - - - see KILFOIL, T., 97, 471P
 - - - see KILPATRICK, G.J., 99, 859P
 - - - see SHARIF, N.A., 96, 45P
 - - - see SHARIF, N.A., 96, 335P
 MICHEL, A.D., DELMENDO, R., STEFANICH, E. & WHITING, R.L. NG108-15 and PC12 cells contain an atypical muscarinic receptor, 96, 130P
 MICHEL, A.D., KUNYSZ, E.A. & WHITING, R.L. Interaction of cytotoxic

- agents with [^3H] PN 200-110 binding sites of rat cerebrocortical and skeletal muscle membranes, 96, 240P
- MICHEL, M.C. see BECKERINGH, J.J., 96, 182P
- MIDDLEMISS, D.N. see KING, B.H., 98, 686P
- MIKHAILIDIS, D.P. see JEREMY, J.Y., 98, 648P
- - - see JEREMY, J.Y., 98, 669P
- MILES, R. see ARAM, J.A., 96, 82P
- MILLAR, J. see JONES, M.G., 97, 376P
- - - see STAMFORD, J.A., 96, 92P
- - - see STAMFORD, J.A., 97, 456P
- MILLER, R.C. see HILEY, C.R., 96, 104P
- - - see JONES, C.R., 96, 346P
- - - see TOPOUZIS, S., 96, 101P
- MILLEST, A.J. see JOHNSTONE, D., 98, 768P
- MILLIGAN, G. see POLLOCK, K., 96, 239P
- MILTON, A.S. see CLOW, A., 97, 387P
- - - see DAVIDSON, J., 97, 429P
- - - see DAVIDSON, J., 97, 532P
- MINCHIN, M.C.W. see ENNIS, C., 97, 489P
- MIR, A.K. see BOUHELAL, R., 98, 642P
- MIR, A.K. & FOZARD, J.R. A single α_1 -adrenoceptor, distinct from the α_{1A} and α_{1B} subtypes mediates contraction of the rat aorta to phenylephrine, 98, 651P
- MIRECKI, D.M. see JORDAN, V.C., 96, 22P
- MIRZAZADEH, S. see GIBSON, A., 96, 55P
- - - see GIBSON, A., 98, 617P
- - - see GIBSON, A., 99, 904P
- - - see MOORE, P.K., 99, 905P
- MITCHELL, E.A., JONES, B.J. PRATT, J.A. Local cerebral glucose utilization in the conscious rat after GR38032F, 97, 416P
- MITCHELL, E.A., PRATT, J.A. & BALFOUR, D.J.K. The influence of an aversive environment on locomotor responses to 5-hydroxytryptaminergic drugs, 99, 922P
- MITCHELL, H.W. & SPARROW, M.P. Comparison of constriction in perfused bronchial segments and isometric force in strips of airway wall to carbachol and histamine, 96, 79P
- MITCHELL, I.J., PAGE, R.D., ROBERTSON, R.G., CROSSMAN, A.R. & GUNNE, L.M. Cerebral 2-deoxyglucose uptake in experimental tardive dyskinesia in the cebus monkey, 99, 938P
- MITCHELL, P.D. see CARR, R.D., 98, 658P
- MITCHELL, S.N. see BRAZELL, M.P., 96, 339P
- MITCHELL, S.N., BRAZELL, M.P., SCHUGENS, M.M. & GRAY, J.A. Nicotine-induced catecholamine synthesis in hippocampus: involvement of noradrenergic neurones with a regional specificity, 97, 480P
- MIYAJI, M. see DOURISH, C.T., 98, 608P
- - - see RUPNIAK, N.M.J., 98, 706P
- MONCADA, S. see AMEZCUA, J.L., 96, 105P
- - - see ESPLUGES, J.V., 96, 35P
- - - see GARDINER, S.M., 98, 623P
- - - see GARDINER, S.M., 98, 626P
- - - see MCCALL, T., 96, 68P
- - - see REES, D.D., 96, 106P
- MONTASTRUC, J.L. see DAMASE-MICHEL, C., 96, 206P
- - - see VALET, P., 96, 281P
- MONTASTRUC, P. see DAMASE-MICHEL, C., 96, 206P
- - - see VALET, P., 96, 281P
- MONTGOMERY, W.W. see EGLIN, R.M., 96, 175P
- - - see EGLIN, R.M., 98, 662P
- MOORE, B.A., ELWOOD, W.E., GATER, P.R. & ALABASTER, V.A. The muscarinic receptor sub-type mediating airway responses to acetylcholine in the guinea-pig, 98, 718P
- MOORE, M.R. see CUTLER, M.G., 99, 799P
- MOORE, P.K., AL-SWAYEH, O.A., CHONG, N.S.W., EVANS, R., MIRZAZADEH, S. & GIBSON, A. L- N^G -nitro arginine (NOARG) inhibits endothelium-dependent vasodilatation in the rabbit aorta and perfused rat mesentery, 99, 905P
- MOORE, P.K. see AL-SWAYEH, O.A., 96, 271P
- - - see BHARDWAJ, R., 96, 272P
- - - see GIBSON, A., 99, 904P
- MOORES, K.E. see MERRITT, J.E., 98, 674P
- MOREAU, J.L. & PIERI, L. Inhibition of convulsions induced by centrally-administered NMDA in mice, 97, 579P
- MOREIRA, J.L.B. see CARNIE, J.A., 99, 936P
- MOREL, E. see PERRAULT, G., 97, 580P
- MORET, C. see BRILEY, M., 96, 5P
- MORGAN, A.J. see CHALLISS, R.A.J., 99, 833P

- MORGAN, C.H. see FOSTER, R.W., 99, 947P
- MORGAN, C.J. see BADAWY, A.A.-B., 98, 614P
- MORGAN, R.M. see GUPTA, P., 97, 553P
- MORINAN, A. The effect of stress on monoamine oxidase activity in the hippocampus and amygdala of the rat, 96, 13P
- - - Effects of the 5-HT₃ receptor antagonists, GR 38032F and BRL 24924 on anxiety in socially isolated rats, 97, 457P
- MORLEY, J. see SMITH, D., 96, 74P
- - - see TAPPARELLI, C., 97, 442P
- MORLEY, J., CHAPMAN, I.D., SANJAR, S. & SCHAEUBLIN, E. Actions of ketotifen on PAF-induced airway hyperreactivity, 96, 76P
- MORONI, F. see CONNICK, J.H., 96, 351P
- - - see CONNICK, J.H., 97, 374P
- MORRIS, B.J., WIDEN, W., DARLISON, M. G., HUNT, S.P. & BARNARD, E.A. Differential distribution in bovine brain of mRNAs encoding distinct GABA_A receptor α subunits, 96, 140P
- MORRIS, J.E.J. & TAYLOR, S.G. Effect of rubidium on relaxant agents in guinea-pig trachea, 96, 232P
- MORRIS, R. see ELLIOT, I., 97, 598P
- MORRIS, R.G.M. see DAVIS, S., 97, 586P
- MORRISON, J.F.B. see NIMMO, A.J., 98, 725P
- MORTON, I.K.M. see FOX, A.J., 96, 53P
- MOSER, P.C. Involvement of adenosinergic mechanisms in the potentiation of head-twitches by diazepam, 97, 399P
- MOSER, P.C. see BOURSON, A., 97, 468P
- - - see BOURSON, A., 97, 469P
- MOSER, P.C. & PELTON, J.T. Behavioural effects of centrally administered endothelin in the rat, 96, 347P
- MOSS, T. see DAWBARN, D., 96, 348P
- MOTEVALIAN, M. see PARSONS, A.A., 99, 860P
- MOURELLE, M. & MACLEAN, A.E.M. Electron transport and protection of liver slices in the late stage of paracetamol injury of the liver, 99, 825P
- MOZLEY, L.S., WALLER, S.J., HARRISON, P.S. & KILPATRICK, I.C. The separation, detection and quantification of neuroactive and other amino acids using a sensitive HPLC method, 97, 596P
- MUGRIDGE, K.G. see PARENTE, L., 96, 64P
- MUID, R.E. see TWOMEY, B., 98, 671P
- MUIR, A.W. see WINSLOW, E., 96, 185P
- MUIR, T.C. & NALLY, J.E. Co-transmission in the rabbit saphenous artery, 96, 188P
- MULVANY, M. see HUGHES, A.D., 97, 525P
- MUNSEY, T.S. see ROBINSON, S.C., 98, 752P
- MURPHY, C.T. & WESTWICK, J. Modulation of rabbit platelet thromboxane B₂ generation by protein kinase C, 96, 70P
- - - Characterisation of platelet-activating factor-induced diacylglycerol generation in rabbit platelets, 99, 844P
- MURRAY, A.M. & WADDINGTON, J.L. Behavioural indices of the interaction of clozapine with D₁ and D₂ dopamine receptors, 99, 814P
- MURRAY, C.W. see COWAN, A., 99, 934P
- MURRAY, K.J. see KAUMANN, A.J., 98, 664P
- MURRAY, M.A. & SMALL, R.C. Glibenclamide and phentolamine each provide selective antagonism of cromakalim acting on guinea-pig trachealis, 97, 448P
- MURRAY, T.K., HUNTER, A.J. & GREEN A.R. Comparison of physostigmine and THA on cognitive performance in young and old rats, 97, 474P
- MUSGRAVE, I.F., FOUCART, S. & MAJEWSKI, H. Do phorbol myristate and phorbol dibutyrate enhance noradrenaline release by the same mechanisms? 99, 776P
- NAHAS, G. see TROUVE, R., 96, 19P
- NAHORSKI, S.R. see CHILVERS, E.R., 97, 447P
- - - see CHILVERS, E.R., 99, 787P
- - - see LAMBERT, D.G., 96, 132P
- - - see LAMBERT, D.G., 99, 913P
- - - see WILLCOCKS, A.L., 96, 364P
- - - see WOJCIKIEWICZ, R.J.H., 96, 131P
- NALLY, J.E. see MUIR, T.C., 96, 188P
- NAQVI, A. see SAEED, S.A., 97, 544P
- NARUSE, T. see DOURISH, C.T., 98, 608P
- - - see RUPNIAK, N.M.J., 98, 706P
- NASH, P.E. see CARTER, D.V., 96, 159P

- NASJLETTI, A. see QUILLEY, J., 96, 60P
- NAYA, I. see MCKECHNIE, K., 98, 673P
- NAYLOR, I.L. see CHANDER, C.L., 97, 538P
- - - see COLEMAN, D.J., 96, 65P
- - - see CROSS, S.E., 97, 536P
- - - see CROSS, S.E., 98, 767P
- NAYLOR, R.J. see BARNES, J.M., 96, 94P
- - - see BARNES, J.M., 96, 332P
- - - see BARNES, J.M., 96, 333P
- - - see BARNES, J.M., 97, 378P
- - - see BARNES, J.M., 98, 693P
- - - see BARNES, J.M., 98, 773P
- - - see BARNES, N.M., 97, 467P
- - - see BARNES, N.M., 97, 478P
- - - see BARNES, N.M., 97, 479P
- - - see BARNES, N.M., 99, 912P
- - - see BARNES, N.M., 99, 916P
- - - see COSTALL, B., 96, 329P
- - - see COSTALL, B., 96, 340P
- - - see COSTALL, B., 96, 341P
- - - see COSTALL, B., 97, 460P
- - - see COSTALL, B., 98, 636P
- - - see COSTALL, B., 98, 637P
- NEAL, M.J. see SHAH, M.A., 96, 142P
- - - see WOOD-GUSH, H.G., 96, 363P
- NEAL, M.J. & CUNNINGHAM, J.E.
Homocysteic acid may be a bipolar cell transmitter in the rabbit retina, 96, 143P
- NEBEL, U. see WERMELSKIRCHEN, D., 96, 149P
- NEDERGAARD, O.A. Dopexamine hydrochloride is an inhibitor of the uptake-1 mechanism in rabbit aorta, 96, 192P
- NEIJT, H.C. see HOYER, D., 96, 7P
- NEILD, G.H. see ROGERSON, M.E., 99, 841P
- NEILD, T.O. see PARKINGTON, H.C., 98, 621P
- - - see SHEN, K-Z., 96, 113P
- NEILL, J.C. & COOPER, S.J. Evidence for 5-HT_{1C} receptor-mediation of anorectic effect in the rat, 97, 433P
- NELSON, D.R. The effect of cromakalim on ⁸⁶Rb efflux from rat brain synaptosomal and slice preparations, 96, 321P
- NEWBERRY, N.R. 5-HT_{1A} receptors mediate a hyperpolarisation of rat ventromedial hypothalamic neurones in vitro, 99, 809P
- - - see FIELD, J.L., 96, 359P
- NEWBY, A.C. see BLANEY, L.M., 99, 791P
- - - see SOUTHGATE, K., 98, 654P
- NEWGREEN, D.T. see BRAY, K.M., 96, 121P
- - - see LONGMORE, J., 99, 884P
- NEWGREEN, D.T., CARTER, C.M., WESTON, A. H. & SOUNESS, J.E. Characterisation of the intracellular calcium response to vasopressin in A7r5 smooth muscle cells, 99, 793P
- NEWGREEN, D.T., LONGMORE, J. & WESTON, A.H. The effect of glibenclamide on the action of cromakalim, diazoxide and minoxidil sulphate on rat aorta, 96, 116P
- - - A comparison of AZ-DF 265 and tea on the actions of cromakalim, diazoxide and minoxidil sulphate on rat aorta, 97, 392P
- NEY, P. see SCHRODER, H., 96, 109P
- NICHOLLS, P.J. Uptake of ¹⁴C-indapamide by rat tissues: an in vitro study, 97, 511P
- - - see AHMAD, B., 96, 358P
- - - see HALLAM, A., 99, 891P
- - - see POURGHOLAMI, M.H., 96, 292P
- - - see SADRI, R., 99, 890P
- NICHOLSON, C.D. see FOX, P.K., 99, 866P
- - - see SHAHID, M., 96, 111P
- - - see SHAHID, M., 96, 186P
- NICHOLSON, C.D., COTTNEY, J., MARSDEN, G. & SHAHID, M. A comparison of the inotropic activity of ORG30029, IBMX, milrinone and rolipram in rat papillary muscles, 99, 802P
- NICHOLSON, C.D., SHAHID, M., COTTNEY, J. C., MARSHALL, R.J., BRUIN, J.C., MCINDEWAR, I., WALKER, G.B., DICKSON, M. & WYLIE, K. Org 30029 a novel cardiotonic agent - cardiovascular effects in anaesthetised dogs and cats, 96, 110P
- NICHOLSON, L.V.B. see PRESTON, S.A., 96, 25P
- NICOLETTI, G. see LUMMIS, S.C.R., 98, 644P
- NIEBAUER, J. see RACKE, K., 97, 396P
- NIMMO, A.J., WHITAKER, E.M., KARIM, F., MORRISON, J.F.B. & CARSTAIRS, J.R. Localisation of β -adrenoceptor subtypes in the coronary arteries and gracilis arteries of the dog and pig, 98, 725P
- NISTICO, G. see BAGETTA, G., 98, 694P
- NJUNG'E, K. & HANDLEY, S.L. Which 5-HT receptors are involved in the inhibition of object burying behaviour by 5-HT uptake inhibitors? 98, 684P
- NOBBS, P. see KEEN, M., 96, 129P
- - - see KELLY, E., 97, 454P
- NOBBS, P.K. see LUTY, J., 96, 169P

- NONOTTE, I., MATHIEU, M-N. & CHEVILLARD, C. P2-purinergic-induced ionised calcium elevation in the human promyelocytic cell line HL60, 96, 238P
- NORAS, J.M. see KEIGHLEY, A.C., 99, 953P
- NORMAN, P. see CUTHBERT, N.J., 97, 556P
- - - see MCKENNIFF, M.G., 97, 555P
- NORMAN, P., ABRAM, T.S., CUTHBERT, N.J. & GARDINER, P.J. The [³H]-leukotriene D₄ binding site in guinea-pig lung correlates with a leukotriene receptor on guinea-pig ileum, 97, 418P
- NORRIS, A.A. see GOULD, D.J., 97, 542P
- NORTH, R.A. see UCHIMURA, N., 96, 10P
- NOTORIANNI, L.J. see FINNEN, M.J., 99, 896P
- NOURSHARGH, S. see YARWOOD, H., 96, 284P
- NOURSHARGH, S., EDWARDS, A.J. & WILLIAMS, T.J. Effect of pertussis toxin on neutrophil accumulation in vivo and neutrophil surface CD18 expression in vitro, 96, 40P
- NOWELL, C.G. see POUCHER, S.M., 98, 741P
- NOWELL, C.G. & POUCHER, S.M. The effect of ortho-iodo sodium benzoate (OISB) upon oxygen extraction by skeletal muscle at rest and exercise, 96, 268P
- NOWELL, P.T. & TIKU, P.E. Effects of propranolol on K⁺ influx in guinea-pig heart ventricle slices, 99, 880P
- NUNES, J.L. see SHARIF, N.A., 96, 335P
- NUNEZ, D.J. see DAVENPORT, A.P., 96, 102P
- NUNEZ, K.J. see REYNOLDS, D.J.M., 96, 236P
- NUTT, D.J. see GLEITER, C.H., 97, 385P
- - - see GLUE, P., 96, 48P
- - - see GLUE, P., 96, 91P
- - - see GLUE, P., 96, 343P
- - - see GLUE, P., 97, 386P
- - - see GLUE, P., 97, 573P
- - - see JACKSON, H.C., 99, 931P
- OAKLEY, N.R. see HIGGINS, G.A., 98, 635P
- OBEN, J.A. see MATHIE, A., 98, 724P
- OBIANIME, A.W. & DALE, M.M. Inter-action of caffeine with 4 β -PDBU in smooth muscle of rat aorta and guinea-pig lung strip, 96, 231P
- OBLIN, A. see DUVAL, N., 96, 237P
- - - see LORRAIN, J., 96, 264P
- O'BOYLE, K.M. & WADDINGTON, J.L. Agonist and antagonist interactions with the D-1 dopamine receptor, 96, 93P
- O'CALLAGHAN, K. see GODFREY, P.P., 99, 909P
- O'CONNOR, S.E. see CARR, R.D., 98, 658P
- - - see HUMPHRIES, R.G., 96, 167P
- - - see MCKECHNIE, K., 98, 673P
- - - see VERITY, A., 97, 524P
- - - see WOOD, B.E., 99, 794P
- O'DONNELL, S.R. see WANSTALL, J.C., 98, 659P
- ODURO, A. see HALL, J.A., 96, 202P
- O'GARA, P. see JONES, S.M., 98, 731P
- O'HARA, K. see GRANT, T.L., 98, 721P
- OLDHAM, A.A. see MCAULIFFE, S.J.G., 97, 512P
- - - see WORRALL, V., 97, 599P
- OLPE, H.-R. see FAGG, G.E., 97, 582P
- - - see SCHMUTZ, M., 97, 581P
- OLUYOMI, A.O. see HART, S.L., 96, 336P
- ONAIWI, E.S. see BARNES, J.M., 98, 693P
- O'NEILL, M.J. see BLAND, J., 99, 878P
- - - see DOURISH, C.T., 98, 631P
- ORCHARD, M.A. see LEES, A.D., 96, 207P
- ORMANDY, G.C., KOTAS, A.M. & PRINCE, A.K. Two types of high affinity choline transport in developing rat brain detected by ethylcholine mustard aziridinium (ECMA), 96, 356P
- OSBORNE, R.H. see BANNER, S.E., 97, 516P
- O'SHAUGHNESSY, C.T. see BOULTON, C.L. 96, 83P
- - - see BOULTON, C.L., 99, 836P
- - - see LYTHGOE, D., 99, 903P
- - - see MCCARTHY, H.D., 99, 838P
- - - see WILDIN, J.D., 99, 930P
- O'SHEA, R.D. see MANALLACK, D.T., 97, 377P
- OSTER, L. see THORIN-TRESCASES, N., 96, 209P
- OSTER, L., HENRION, D., MARTIN, J.A., THORIN, E., HICKS, P.E. & ATKINSON, J. Calcium overload following administration of vitamin D₃ and nicotine in the rat, 96, 151P
- OTTON, S.V. see ADAMS, M., 96, 287P

- OWEN, D.A.A. see EDEN, R.J., 97, 390P
- OWERA-ATEPO, J.B. see COSTALL, B., 96, 329P
- OXBORROW, N.J. see KELLETT, R., 96, 31P
- PACHE, D. & REDFERN, P.H. Melatonin does not affect the discriminative cue properties of 5-hydroxytryptamine in the rat, 97, 462P
- PACHECO, M. see WARD, S.J., 99, 831P
- PACIOREK, P.M. see PERKINS, R.S., 99, 808P
- PACIOREK, P.M., COWLRICK, I.S., PERKINS, R.S., TAYLOR, J.C., WILKINSON, T.C.I., LARKIN, S.E., WATERFALL, J.F., ATTWOOD, M.R. & JONES, P.S. Ro 31-6930, a novel potassium channel opener with smooth muscle relaxant & antihypertensive properties, 98, 722P
- PACIOREK, P.M., COWLRICK, I.S., PERKINS, R.S., TAYLOR, J.C., WILKINSON, G.F. & WATERFALL, J.F. Actions of Ro 31-6930, a novel potassium channel opener on guinea-pig tracheal smooth muscle preparations, 98, 720P
- PAFFHAUSEN, W. see ROSEN, B., 97, 531P
- PAGE, C.P. see COYLE, A.J., 97, 550P
- - - see MAY, G.R., 96, 277P
- - - see SPINA, D., 97, 424P
- PAGE, K.M. see KILBY, P., 96, 295P
- PAGE, M.R. see KILBY, P., 96, 295P
- PAGE, R.D. see MITCHELL, I.J., 99, 938P
- PALACIOS, J. see HOYER, D., 96, 7P
- PALMER, A.M. see STEELE, J.E., 96, 353P
- PALMER, R.M.J. see AMEZCUA, J.L., 96, 105P
- - - see GARDINER, S.M., 98, 623P
- - - see GARDINER, S.M., 98, 626P
- - - see MCCALL, T., 96, 68P
- - - see REES, D.D., 96, 106P
- PANJEHSHAHIN, M.R., BOWMER, C.J. & YATES, M.S. A comparison of drug binding sites on human and rat albumins, 98, 645P
- PARENTE, L., MUGRIDGE, K.G. & DONATI, D. Possible requirements of a lipoxigenase metabolite for interleukin-1 induced prostaglandin biosynthesis, 96, 64P
- PARK, B.K. see CLARKE, J.B., 97, 568P
- PARKE, D.V. see PEH, K.H., 97, 548P
- PARKER, S.G. see EDEN, R.J., 97, 390P
- PARKES, I.R., KENWORTHY, R.J., ASPLEY, S., FONE, K.C.F., MARSDEN, C.A. & BENNETT, G.W. Chronic central administration of somatostatin antibodies reduces cognitive behaviour in rats, 97, 465P
- PARKINGTON, H.C., TARE, M., COLEMAN, H. A., NEILD, T.O. & DUSTING, G.J. Endothelium-derived nitric oxide is responsible for hyperpolarization and relaxation in arterial smooth muscle, 98, 621P
- PARRATT, J.R. see BIGAUD, M., 96, 150P
- - - see GRAY, G.A., 97, 526P
- - - see GUC, M.O., 98, 628P
- PARSONS, A.A., MOTEVALIAN, M. & WHALLEY, E.T. Preliminary studies on the action of 8-OH-DPAT on the human basilar artery in vitro, 99, 860P
- PARSONS, M.A. see BURNS, E., 98, 758P
- PARSONS, M.E. see TAYLOR, E.M., 96, 122P
- PASQUET, G. see MCMILLAN, R.M., 98, 668P
- PATCH, T., LITTLE, H.J., SIAREY, R.J. & DOLIN, S.J. Nitrendipine decreases seizure incidence during benzodiazepine withdrawal but not seizures caused by bicuculline, 97, 493P
- PATEL, I.A. see BOWES, M.A., 99, 875P
- PATEL, M. see SPRAGGS, C.F., 98, 661P
- PATEL, Y. see WHEELER-JONES, C.P.D., 99, 845P
- PATEL, Y., WHEELER-JONES, C.P.D., SADOWSKA, K., KAKKAR, V.V. & KRISHNAMURTHI, S. Effects of the calpain inhibitor E64-d on platelet activation responses, 99, 846P
- PATMORE, L. see MACHADO, C.N., 98, 710P
- PATMORE, L. & ANDERSON, A.J. Pathways for calcium entry during calcium overload in cardiac myocytes, 98, 744P
- PATON, D.M. see HYLAND, L., 97, 510P
- PAYEN, D. see BELLEC, C., 96, 215P
- PAYNE, A.N. see HAMID-BLOOMFIELD, S., 97, 554P
- - - see YEADON, M., 99, 790P
- PAYVANDI, N. see CARTER, D.V., 96, 159P
- PEAKER, S. see FEELY, M., 97, 492P

- PEARSON, J.D. see CARTER, T.D., 97, 422P
- - - see CROSSMAN, D.C., 96, 57P
- - - see SCRUTTON, M.C., 97, 420P
- PEARSON, S.J. & REYNOLDS, G.P. Chorea in Huntington's disease: relationship to pallidal GABA deficits in post-mortem brain tissue, 99, 943P
- PEERS, S.H. see BAYDOON, A.R., 96, 98P
- - - see SMILLIE, F., 97, 425P
- - - see SMILLIE, F., 97, 541P
- PEH, K.H., WAN, B.Y.C. & PARKE, D.V. Determination of glutathione content and myeloperoxidase activity in rat models of induced rectocolonic inflammation, 97, 548P
- PEI, Q., ZETTERSTROM, T. & FILLENZ, M. The depression by flurazepam of 5-HT release in rat hippocampus is mediated by GABA receptors, 96, 298P
- PELCKMANS, P.A. see BOECKXSTAENS, G. E., 96, 56P
- PELTON, J.T. see HILEY, C.R., 96, 104P
- - - see JONES, C.R., 96, 346P
- - - see MOSER, P.C., 96, 347P
- - - see TOPOUZIS, S., 96, 101P
- PENDRY, Y.D. & MACLAGAN, J. Evidence for prejunctional muscarinic receptors on pulmonary sympathetic nerves in the guinea-pig, 99, 777P
- PEPEU, G. see PUGLIESE, A.M., 96, 80P
- PERKINS, M.N. see CAMPBELL, E.A., 99, 907P
- - - see DRAY, A., 96, 81P
- PERKINS, R.S. see PACIOREK, P.M., 98, 720P
- - - see PACIOREK, P.M., 98, 722P
- PERKINS, R.S., PACIOREK, P.M. & WATERFALL, J.F. Glibenclamide and procaine, but not apamin, inhibit the relaxant responses to Ro 31-6930 in guinea-pig taenia caeci, 99, 808P
- PERRAULT, G., MOREL, E., SANGER, D.J. & ZIVKOVIC, B. Comparison of the pharmacological profiles of four NMDA antagonists, ifenprodil, SL 82.0715, MK-801 and CPP, in mice, 97, 580P
- PERREN, M.J., FENIUK, W. & HUMPHREY, P. P.A. Vascular actions of 8-OH-DPAT mediated via activation of non-5-HT_{1A} receptors, 99, 797P
- PERRIER, M.L. see DOBLE, A., 96, 316P
- PERRY, C. see HORNBY, E.J., 96, 69P
- PERRY, E.K. see CHARLTON, F.G., 96, 350P
- PERRY, P.M. see BARWELL, C.J., 97, 567P
- PERRY, R.H. see CHARLTON, F.G., 96, 350P
- PERT, A. see GLUE, P., 96, 48P
- - - see GLUE, P., 96, 91P
- - - see GLUE, P., 96, 343P
- - - see GLUE, P., 97, 386P
- PETERS, C.J. see BARCLAY, P.L., 99, 824P
- PETERS, J.A. see HALLIWELL, R.F., 96, 139P
- PETERS, J.A. & LAMBERT, J.J. (+)-tubocurarine potently antagonises 5-HT₃ receptor mediated currents in a neuronal cell line (NIE-115), 97, 415P
- PETERS, T. see KOCH, P., 96, 203P
- - - see SCHNEIDER, J., 96, 205P
- - - see WERMELSKIRCHEN, D., 96, 149P
- PETERS, T., WILHELM, D., SCHEUFLER, E., VELTEN, E., MEUTER, C. & GUTTMANN, I. Cardiac *in vitro* pharmacology of R 70608, 96, 204P
- PETRIE, J.C. see BARBER, H.E., 96, 291P
- PETROVIC, A.A. see HAMID-BLOOMFIELD, S., 97, 554P
- PHILLIPS, I. see MARTIN, K.F., 97, 407P
- PHILLIPS, J.D., DAVIE, R.J., KMIOT, W.A., POXON, V.A., KEIGHLEY, M.R.B. & BIRCH, N.J. Lithium transport in human ileum, 96, 253P
- PHILLIPS, M.G., FAULKNER, S.C. & ELLIOTT, J.M. Freezing of human platelets causes preferential loss of agonist binding at α_2 -adrenoceptors, 96, 128P
- PHILLIPSON, J.D. see BLAND, J., 99, 878P
- PICKERING, L. see BRIGGS, I., 97, 504P
- PICOT, V.S. see CURRINGTON, A., 96, 267P
- PIERI, L. see MOREAU, J.L., 97, 579P
- PIKE, J., KIDD, E.J. & MARSDEN, C.A. Fenfluramine and DOI do not act on the same 5-HT receptor to produce hyperthermia in rats, 97, 517P
- PIKE, N.B. see KEERY, R.J., 98, 672P
- PILGRIM, W.P. see MCMILLAN, R.M., 96, 36P
- PILLAR, A.M., ATTERWILL, C.K., JONES, C. A. & PRINCE, A.K. Ethylcholine mustard aziridinium (ECMA) causes activation of tryptaminergic neurones in rat brain reaggregate cultures, 96, 355P
- PIPER, I. & HOLLINGSWORTH, M. Cromakalim, RP49356, pinacidil and

- minoxidil sulphate in the rat uterus and their antagonism by glibenclamide, 99, 807P
- PIPER, P.J. see BRAMLEY, A.M., 99, 786P
- - - see BURROWS, L.J., 99, 789P
- - - see CONROY, D.M., 96, 72P
- - - see SAMPSON, A.P., 96, 77P
- PIQUE, J.M., ESPLUGUES, J.V. & WHITTLE, B.J.R. Modulation of rat gastric blood flow during PAF challenge by opiate-sensitive afferent neurones, 99, 783P
- PIRES, J.G.P., JACOBS, M. & RAMAGE, A. G. The novel 5-HT₂ antagonist ICI 169,369 can cause an endothelium-dependent relaxation of rabbit aorta, 97, 515P
- PIRES, J.G.P. & RAMAGE, A.G. Investigation of the *in vivo* cardiovascular effects of ICI 169,369 in anaesthetised rats, 98, 643P
- PITZIUS, E. see RACKE, K., 96, 273P
- PLANE, F. see JACOBS, M., 98, 712P
- PLANE, F., BRUCKDORFER, K.R. & JACOBS, M. The inhibition of endothelium-derived nitric oxide (EDNO) by native and oxidatively modified low-density lipoproteins, 98, 622P
- PLEASS, R. see KROEGEL, C., 96, 58P
- PLEUVY, B.J. see WILDIN, J.D., 99, 930P
- POCOCK, G. & RICHARDS, C.D. Stoichiometry of the inhibition of stimulus-secretion coupling by anaesthetics, 96, 361P
- POLAK, J.M. see TURNER, N.C., 96, 103P
- POLL, C., GRIX, S. & COLEMAN, R.A. Effect of SC-19220 on neurotransmission in the guinea-pig ileum, 97, 421P
- POLL, C., GRIX, S., GURDEN, M.F. & COLEMAN, R.A. Effects of prostaglandin E₂ cyclopentyladenosine on neurotransmission in guinea-pig ileum: influence of pertussis toxin, 96, 62P
- POLLOCK, K. see FORDER, R.A., 96, 163P
- POLLOCK, K., MILLIGAN, G. & CREBA, J. Enhanced FMLP-induced phosphoinositide turnover and G-protein expression in differentiated U937 monocytes, 96, 239P
- PONTICELLO, G.S. see SUGRUE, M.F., 99, 820P
- POOLE-WILSON, P.A. see GURDEN, J.M., 98, 730P
- POSTON, L. see RICHARDS, N.T., 96, 189P
- - - see RICHARDS, N.T., 98, 734P
- POTTS, H.C. see FOSTER, S.J., 96, 38P
- POUCHER, S.M. see NOWELL, C.G., 96, 268P
- POUCHER, S.M., NOWELL, C.G. & COLLIS, M.G. Effect of 8-phenyltheophylline and enprofylline on the hyperaemic response to exercise in the gracilis muscle, 98, 741P
- POURGHOLAMI, M.H., NICHOLLS, P.J. & SMITH, H.J. *In vivo* comparison of aminoglutethimide and a novel pyrrolidine-dione on oestrogen production in the rat, 96, 292P
- POWER, R.F. see TURNER, N.C., 96, 103P
- POWLES, J. see ANDREWS, K.L., 96, 266P
- POXON, V.A. see PHILLIPS, J.D., 96, 253P
- POZZA, M.F. see FAGG, G.E., 97, 582P
- PRATT, G.D. & BOWERY, N.G. The 5-HT₃ receptor ligand, ³H-BRL 43694, binds to presynaptic sites in the nucleus tractus solitarius of the rat, 97, 414P
- PRATT, G.D., KNOTT, C., DAVEY, R. & BOWERY, N.G. Characterisation of 3-aminopropyl phosphinic acid (3-APPA) as a GABA_B agonist in rat brain tissue, 96, 141P
- PRATT, J.A. see BRETT, R.R., 96, 313P
- - - see MITCHELL, E.A., 97, 416P
- - - see MITCHELL, E.A., 99, 922P
- PRESTON, G.C. see KING, B.H., 98, 689P
- PRESTON, S.A., NICHOLSON, L.V.B. & HARRIS, J.B. Antibodies raised against a non-toxic homologue will neutralise a myotoxic fraction of *notechis scutatus* venom, 96, 25P
- PRETOLANI, M., MARTINS, P.M.R., LEFORT, J., MALANCHERE, E., DUMAREY, C., BACHELET, M. & VARGAFTIG, B.B. Effect of nedocromil sodium on lung hyper-responsiveness and eosinophil accumulation in the guinea-pig, 96, 73P
- PRICE, J.S. & BROWN, M.J. NPY metabolism by a membrane bound process in rat but not rabbit kidney, 96, 235P
- PRIKHOZHAN, A.V. see RAYEVSKY, K.S., 97, 371P
- PRINCE, A.K. see ORMANDY, G.C., 96, 356P
- - - see PILLAR, A.M., 96, 355P

- PRIOR, C., SEARL, T. & MARSHALL, I.G.
The effects of L-vesamicol on transmitter release from rat motor nerve terminals at high frequencies of nerve stimulation, 99, 826P
- PROUDMAN, K.E. see MCMILLAN, R.M., 96, 36P
- - - see MCMILLAN, R.M., 98, 668P
- PROUDMAN, K.E., FURROWS, S.J. & MCMILLAN, R.M. Is tolfenamic acid a dual inhibitor of cyclo-oxygenase and 5-lipoxygenase? 98, 765P
- PROUTEAU, M., MAGNIER, M., DELAHAYE, M., BERRY, C.N. & LLOYD, K.G. Effects of SL 81.0433 on models of gastric ulceration in the rat, 97, 547P
- PROW, M.R. see HEAL, D.J., 96, 306P
- - - see HEAL, D.J., 97, 406P
- PRYKE, J.G., KEY, B.J. & MARTIN, G.R.
The effect of 5-hydroxytryptamine on rat pial arterioles in vivo, 98, 685P
- PUGLIESE, A.M., CORRADETTI, R. & PEPEU, G. Effect of cognition enhancing agent oxiracetam on electrical activity of hippocampal slices, 96, 80P
- PURCELL, W.M., COHEN, D.L. & HANAHOE, T.H.P. Contribution of amine re-uptake to observed differences in histamine and 5-HT secretion in rat mast cells, 98, 665P
- PUTTICK, R.M. & TERRAR, D.A. Effects of propofol on membrane currents and contraction in single myocytes isolated from guinea-pig ventricle, 98, 742P
- QUAST, U. Cromakalim inhibits phasic contractions to noradrenaline in the rat isolated mesenteric bed even in Ca^{2+} -free medium, 96, 114P
- - - see COOK, N.S., 96, 181P
- QUENTIN-BAXTER, M. see DEWHURST, D. G., 97, 603P
- QUILLEY, C.P. & MCGIFF, J.C. Renal effects of cytochrome P450-dependent metabolite of arachidonic acid: 12(R) hydroxyeicosatetraenoic acid, 96, 59P
- QUILLEY, J. & MCGIFF, J.C. Renal vascular responses to arachidonic acid in experimental diabetes, 98, 650P
- QUILLEY, J., MCGIFF, J.C. & NASJLETTI, A. Tachyphylaxis to the vasoconstrictor effects of arachidonic acid in the rat isolated, perfused kidney, 96, 60P
- QUINN, P., MCKAY, F.F. & GARDINER, D.G.
Adenosine A_1 receptor activation inhibits furosemide induced renin release in both anaesthetised and conscious rats, 96, 276P
- RACKE, K. see HAAS, U., 96, 28P
- - - see SCHWORER, H., 96, 243P
- - - see SOMMER, M., 97, 459P
- RACKE, K., BECKER, D., NIRBAUER, J., HERING, B., BERRINO, L., MARMO, E. & HAAS, U. Effects of TMB-8 (an inhibitor of intracellular calcium liberation) on neurohormone release from the rat neurohypophysis, 97, 396P
- RACKE, K., BURNS, F., HAAS, B. & PITZIUS, E. Effects of activation and inhibition of protein kinase C on release of oxytocin and vasopressin from rat neurohypophysis, 96, 273P
- RADAELLI, E. see TRABUCCHI, E., 96, 17P
- RAEBURN, D. Do phorbol esters produce relaxation of tracheal muscle by generation of arachidonic acid from airway epithelium? 99, 785P
- - - see SWEETLAND, J., 99, 882P
- - - see UNDERWOOD, S.L., 99, 883P
- RAKHIT, R.D. & LEATHARD, H.L. Relaxation by propylene glycol of isolated tracheal chain preparations, 97, 558P
- RAMAGE, A.G. see BOGLE, R.G., 99, 811P
- - - see PIRES, J.G.P., 97, 515P
- - - see PIRES, J.G.P., 98, 643P
- - - see SHEPHEARD, S.L., 97, 408P
- - - see SHEPHEARD, S.L., 98, 641P
- - - see SPORTON, S.C.E., 97, 409P
- RAMPART, M. see BUCKLEY, T.L., 96, 164P
- RANASINHA, C.D. & LEATHARD, H.L.
Effects of lactulose and its metabolites on intestinal fluid transfer, 96, 245P
- RANDALL, A.D. see SHORTE, S.L., 97, 595P
- RANDALL, A.D., JONES, O.T.G., CHAPPELL, J.B., SHORTE, S.L., COLLINGRIDGE, G. L. & SCHOFIELD, J.G. Calcium in pituitary cells: measurements using confocal microscopy and whole cell patch clamping, 97, 594P
- RANDRIANTSOA, A. & STOCLET, J.C.
Effects of nitrendipine and WB 4101 on different components of the responses of isolated rat aorta to

- α -adrenoceptor agonists, 96, 153P
 RANG, H.P. see DUNN, P.M., 99, 827P
 RATCLIFFE, K.M. see ALEXANDER, S.P.H. 98, 738P
 RATTI, E. see ROMANELLI, L., 97, 372P
 RAY, N.J., JONES, A.J. & KEEN, P.
 Evidence that GABA_B receptors can modulate release of substance P from capsaicin-sensitive neurons in rat trachea, 97, 562P
 - - - The effect of morphine and sodium cromoglycate on the release of substance P from capsaicin-sensitive neurones in rat trachea, 99, 864P
 RAYEVSKY, K.S., PRIKHOZHAN, A.V. & KOVALEV, G.I. GABA-related drugs effect on ³H-D-aspartate release, 97, 371P
 REDFERN, P.H. see PACHE, D., 97, 462P
 REDFERN, W.S., CLAGUE, R.U. & SPEDDING, M. Anxiogenic-like properties of RS-30199 in the rat, 98, 682P
 REDFERN, W.S. & WILLIAMS, A. Acute effects of centrally-acting drugs on the behaviour of rats in an elevated x-maze and a partially-shaded holeboard, 98, 683P
 REDFORD, E.J., DASCOMBE, M.J. Interleukin 1 and lipopolysaccharide effects on prostaglandin E₂ release from rat brain slices, 98, 708P
 REES, D.D., PALMER, R.M.J. & MONCADA, S. Endogenous nitric oxide (NO) is involved in the regulation of blood pressure in the anaesthetised rabbit, 96, 106P
 REEVES, J.J., BUNCE, K.T., HUMPHREY, P. P.A. & GUNNING, S.J. Further characterisation of the 5-HT receptor mediating smooth muscle relaxation in rat oesophagus, 99, 800P
 REGGIANI, A., GAVIRAGHI, G. & CESERANI, R. Allosteric modulation by glycine of the NMDA response in guinea-pig myenteric plexus, 97, 370P
 REID, J.L. see BARR, S.M., 96, 179P
 - - - see BOYLE, J.J., 97, 521P
 - - - see ELFELLAH, M.S., 96, 279P
 - - - see HAMILTON, C.A., 96, 178P
 - - - see HUANG, Y-T., 97, 530P
 - - - see MACRAE, I.M., 96, 344P
 - - - see MCAULEY, M.A., 96, 345P
 - - - see MCAULEY, M.A., 98, 709P
 - - - see YAKUBU, M.A., 96, 177P
 - - - see YAKUBU, M.A., 98, 699P
 REILLY, Y. see WOOD, M.D., 97, 412P
 REYMANN, K.G. see DAVIES, S.N., 97, 592P
 REYNOLDS, D.J.M., ANDREWS, P.L.R., LESLIE, R.A., HARVEY, J.M., GRASBY, P.M. & GRAHAME-SMITH, D.G.
 Bilateral abdominal vagotomy abolishes binding of ³H-BRL 43694 in ferret dorsovagal complex, 98, 692P
 REYNOLDS, D.J.M., NUNEZ, K.J. & BROWN, M.J. The effect of inhibitors of endopeptidase 24-11 on ANF binding in rat kidney, 96, 236P
 REYNOLDS, F. see CARSON, R.J., 97, 402P
 REYNOLDS, G.P. see PEARSON, S.J., 99, 943P
 RHODES, K.F. see LATTIMER, N., 96, 270P
 RIBEIRO, J. see CUNHA, R.A., 99, 855P
 - - - see SEBASTIAO, A.M., 96, 265P
 RICHARDS, C.D. see ROCOCK, G., 96, 361P
 RICHARDS, J.G., SAURA MARTI, J., CESURA, A.M. & DA PRADA, M.
 Quantitative enzyme radioautography with [³H]Ro 19-6327: localisation of MAO-B in rat CNS, peripheral organs and human brain, 96, 43P
 RICHARDS, N.T., POSTON, L. & HILTON, P.J. Vasodilatory actions of flosequinan on human subcutaneous resistance vessels, 96, 189P
 - - - Flosequinan-induced vasodilatation of human resistance vessels is associated with decreased calcium sensitivity, 98, 734P
 RICHARDS, S.J. see CHALLISS, R.A.J., 99, 833P
 RICHARDS, S.J., DIMITRIADIS, G.D., LEIGHTON, B. & CHALLISS, R.A.J.
 Effects of altered thyroid status on β -adrenoceptor binding and action in skeletal muscle, 97, 572P
 RICHARDS, W.J. see COLLINS, G.G.S., 96, 318P
 RICHARDSON, A.G., STEIN, W.K., DOWNING, O.A. & WILSON, K.A. Initial calcium release in rat aorta does not appear to contribute to the sustained contraction, 98, 726P
 RIMOY, G.H., HORN, E.H. & RUBIN, P.C.
 Potentiation of human platelet aggregation by dynorphin, 99, 898P
 RINK, T.J. see MERRITT, J.E., 98, 674P
 RIVEST, R., JOLICOEUR, F.B., CRESPI, F. & MARSDEN, C.A. Neurotensin reverses the effects of amphetamine on *in vivo* dopamine metabolism in the accumbens but not the striatum, 98, 609P

- ROACH, A.G. see BERRIDGE, T.L., 96, 288P
- ROACH, A.G., BERRIDGE, T.L., GADIE, B., SAMUEL, J., ROWLAND, P., SMITH, C.F. C. & TULLOCH, I.F. Profile of WHR1049 at α_1 and α_2 receptors, 97, 519P
- ROBERTS, F.F. see BARNES, J.C., 99, 914P
- ROBERTS, M.C. see GOULDING, N.J., 97, 426P
- ROBERTS, P.M., FREEMAN, A.J. & DODDS, M. G. Modulation by renal interstitial cells of the slow pressor response to angiotensin II in the conscious rat, 97, 533P
- ROBERTS, S.A. see KILBY, P., 96, 295P
- ROBERTS, S.P. see KELLY, J., 98, 727P
- ROBERTSON, M.J. see CLARK, K.L., 98, 754P
- ROBERTSON, R.G. see GRAHAM, W.C., 99, 819P
- - - see MITCHELL, I.J., 99, 938P
- ROBINSON, B.V. see BRIGGS, M.A., 96, 23P
- ROBINSON, J. see BROWN, P.D., 99, 939P
- ROBINSON, J.P. see BHARMAL, S., 97, 495P
- ROBINSON, S.C., MUNSEY, T.S., YATES, M. S. & BOWMER, C.J. An *in vitro* study of cardiac responses in rats with acute renal failure, 98, 752P
- ROBINSON, T.N. see DE SOUZA, R.J., 96, 352P
- - - see STEELE, J.E., 98, 616P
- ROBSON, A. see CARR, R.D., 98, 658P
- RODGER, I.W. see DREWETT, I.J., 97, 557P
- - - see GRANT, M.H., 98, 760P
- - - see LANGLANDS, J.M., 97, 445P
- - - see LANGLANDS, J.M., 97, 561P
- - - see MCKENNIFF, M.G., 97, 555P
- RODGERS, R.J. see HENDRIE, C.A., 96, 15P
- - - see LEE, C., 97, 437P
- - - see SHEPHERD, J.K., 97, 436P
- - - see SHEPHERD, J.K., 98, 639P
- RODGERS, R.J. & SHEPHERD, J.K. Evidence for the involvement of 5-HT_{1A} receptor mechanisms in the mediation of defeat analgesia in mice, 96, 11P
- - - Anxiolytic 5-HT₃ antagonist, GR38032F, potently blocks the analgesic consequences of social defeat in male mice, 98, 634P
- ROGERS, H. & HAYES, A.G. U50488H decreases kainic acid-induced neurotoxicity in the hippocampal CA3/CA4 region of the rat, 96, 320P
- ROGERSON, M.E., CAIRNS, H.S., FAIRBANKS, L.D., NEILD, G.H. & WESTWICK, J. Endothelin in the anaesthetised rabbit: action and interaction in the renal microcirculation, 99, 841P
- ROMANEC, P. & WOOD, L.M. The effects of differentially selective phosphodiesterase inhibitors on anaesthetised rat hindquarter vascular resistance, 96, 225P
- ROMANELLI, L., RATTI, E., GAVIRAGHI, G., CESERANI, R. & BOWERY, N.G. ³H-glycine and ³H-strychnine binding sites in higher centres of gerbil CNS: autoradiographic and pharmacological profiles, 97, 372P
- ROOD, J.P. see BROWN, A.M., 99, 927P
- ROONEY, T.A., HAGER, R. & THOMAS, A.P. Alcohols activate phosphoinositidase C in turkey erythrocyte membranes, 96, 136P
- ROPER, M. see BRANDT, S.A., 96, 314P
- ROSE, S., JENNER, P. & MARSDEN, C.D. Drug profile of L-DOPA in plasma and muscle following chronic treatment of rats with L-DOPA plus carbidopa, 97, 401P
- ROSE, S., THOMAS, K., JENNER, P. & MARSDEN, C.D. Fluctuations in response to L-DOPA in Parkinson's disease may be explained by changes in striatal dopamine turnover, 99, 816P
- ROSEN, B. & PAFFHAUSEN, W. Microcirculatory effects of endothelin in the hamster cheek pouch, 97, 531P
- ROSS, J.S. see FINCHAM, N.J., 96, 33P
- ROSS, J.S., BACON, K.B. & CAMP, R.D.R. Cyclosporin is a potent and selective inhibitor of human lymphocyte migration *in vitro*, 96, 290P
- ROSSIGNOL, B. see BARRAS, M., 97, 522P
- ROSSOR, M.N. see LANGE, K.W., 99, 817P
- ROTHWELL, N.J. see CARNIE, J.A., 99, 936P
- - - see CHOO, J.J., 99, 856P
- - - see MCCARTHY, H.D., 99, 838P
- - - see TASKER, S., 99, 850P
- ROTONDO, D. see DAVIDSON, J., 97, 429P
- - - see DAVIDSON, J., 97, 532P
- ROUTLEDGE-WARD, C. see KILFOIL, T., 97, 471P

- ROWLAND, P. see ROACH, A.G., 97, 519P
 - - - see SMITH, C.F.C., 96, 259P
 ROY-CONTANCIN, L. see GIRDLESTONE, D. 97, 583P
 ROYLANCE, R.R., ANDREWS, P.L.R., HAWTHORN, J., BINGHAM, S. & DAVIDSON, H.I. The antiemetic effects of atropine sulphate in the ferret, 96, 330P
 RUBIN, P.C. see RIMOY, G.H., 99, 898P
 RUCK, A., KENDALL, D.A. & HILL, S.J. α - and β -adrenoceptor regulation of cyclic AMP accumulation in a mixed primary astroglial cell culture, 98, 700P
 RUDOLPH, V.D. see MAIDMENT N.T., 97, 398P
 RUPNIAK, N.M.J., TYE, S.J., NARUSE, T., MIYAJI, M. & IVERSEN, S.D. NB-355: a prodrug for L-DOPA with reduced risk for dyskinesias in MPTP-treated primates, 98, 706P
 RUTH, J. see KIYAMA, H., 97, 476P

 SADOWSKA, K. see PATEL, Y., 99, 846P
 SADRAEI, H., DOWNING, S.J. & HOLLINGSWORTH, M. Cromakalim, RP49356 and rat uterus in vivo - antagonism by glibenclamide, 99, 887P
 SADRI, R., NICHOLLS, P.J. & SMITH, H.J. Tolerance to the oestrogen-lowering effect of aminogluthetamide in the rat, 99, 890P
 SAEED, S.A. see GILANI, A.ul-H., 99, 899P
 SAEED, S.A., ALEEM, F., NAQVI, A., JAFAREY, M.H. & SURIA, A. Synergistic actions of platelet-activating factor and 5-HT in platelet aggregation: effect of 5-HT blockers and anti-asthma drugs, 97, 544P
 SAINSBURY, P.A. & BALMENT, R.J. Vascular and renal clearance responses to atrial natriuretic factor administration in rat, 99, 857P
 SALVEMINI, D., DE NUCCI, G. & VANE, J. R. Superoxide anions enhance platelet aggregation, 97, 443P
 SAMBROOK, M.A. see GRAHAM, W.C., 99, 819P
 - - - see MELLOR, S.J., 99, 911P
 SAMHOUN, M.N. see BRAMLEY, A.M., 99, 786P
 - - - see CONROY, D.M., 96, 72P
 SAMPSON, A.P., EVANS, J.M., PIPER, P.J. & COSTELLO, J.F. The generation and metabolism of leukotrienes in ionophore stimulated blood of normal and asthmatic subjects, 96, 77P
 SAMUEL, J. see ROACH, A.G., 97, 519P
 SAMUELS, G.M.R. see ALABASTER, C.T., 99, 823P
 - - - see BARCLAY, P.L., 99, 824P
 - - - see SHEPPERSON, N.B., 99, 822P
 SANDERS, L. see KAUMANN, A.J., 98, 664P
 SANDLER, M. see CLOW, A., 97, 387P
 SANGER, D.J. see PERRAULT, G., 97, 580P
 SANGER, D.J. & ZIVKOVIC, B. The discriminative stimulus properties of antagonists of N-methyl-D-aspartate, 96, 86P
 SANGER, G.J. see WARDLE, K.A., 99, 801P
 SANGHA, R.K. & SENIOR, J. Prostaglandin E₂ receptors in rat uterus, 98, 762P
 SANJAR, S. see MORLEY, J., 96, 76P
 - - - see SMITH, D., 96, 74P
 - - - see TAPPARELLI, C., 97, 442P
 SANJAR, S., SMITH, D. & KRISTERSSON, A. Incubation of platelets with PAF produces a factor which causes airway hyperreactivity in guinea-pigs, 96, 75P
 SANNAJUST, F., BARRES, C., KOENIG-BERARD, E. & SASSARD, J. Central and peripheral effects of rilmenidine and clonidine, in conscious and anaesthetised SHR, 96, 117P
 SASAGURI, T. see LAI, J., 97, 450P
 SASAGURI, T. & WATSON, S.P. Phorbol esters relax ileal smooth muscle through activation of the sodium/potassium pump, 96, 133P
 SASSARD, J. see GEOFFREY, J., 96, 118P
 - - - see SANNAJUST, F., 96, 117P
 SAURA, MARTI, J. see RICHARDS, J.G., 96, 43P
 SAVILLE, V.L. see LATTIMER, N., 96, 270P
 SAXENA, P.R. see BOM, A.H., 97, 463P
 SCATTON, B. see BLIER, P., 96, 299P
 SCHACHTER, M. see MARTIN, G.N., 99, 900P
 SCHAEUBLIN, E. see MORLEY, J., 96, 76P

- SCHAPIRA, A.H.V., COOPER, J.M., DEXTER, D., JENNER, P., CLARK, J.B. & MARSDEN, C.D. Substantia nigra complex I deficiency in Parkinson's disease, 98, 607P
- SCHEUFLER, E. see PETERS, T., 96, 204P
- SCHMUTZ, M. see FAGG, G.E., 97, 582P
- SCHMUTZ, M., KLEBS, K., OLPE, H.-R., ALLGEIER, H., HECKENDORN, R., ANGST, C., BRUNDISH, D., DINGWALL, J.G. & FAGG, G.E. CGP 37849/ CGP 39551: competitive NMDA receptor antagonists with potent oral anticonvulsant activity, 97, 581P
- SCHNEIDER, C. Antitussive activity on nebulized BW443C in the unanaesthetised guinea-pig, 96, 251P
- SCHNEIDER, H.H. see STEPHENS, D.N., 99, 837P
- SCHNEIDER, J. see KOCH, P., 96, 203P
- SCHNEIDER, J., BECK, E. & PETERS, T. Protective effects of R 70608 against digitalis-induced toxicity in the guinea-pig heart-lung preparation, 96, 205P
- SCHOEFFTER, P. see HOYER, D., 96, 9P
- SCHOFIELD, J.G. see RANDALL, A.D., 97, 594P
- - - see SHORTE, S.L., 97, 595P
- SCHOLTYSIK, G. see BERTHOLD, H., 97, 505P
- SCHOORS, D. see VAN DER NIEPEN, P., 96, 224P
- SCHOORS, D.F. & DUPONT, A.G. Increased renal response to fenoldopam in spontaneously hypertensive rats, 98, 747P
- SCHRODER, H., NEY, P., WODITSCH, I. & SCHROR, K. SIN-1-induced inhibition of lysosomal enzyme and LTB₄ release in polymorphonuclear leucocytes may be mediated by cyclic GMP, 96, 109P
- SCHRODER, J-M. see FOSTER, S.J., 97, 440P
- SCHROR, K. see SCHRODER, H., 96, 109P
- SCHUGENS, M.M. see MITCHELL, S.N., 97, 480P
- SCHUURKES, J.A.J. see VAN NUETEN, J.M., 96, 331P
- SCHUURKES, J.A.J., VAN BERGEN, P.J.E. & VAN NUETEN, J. Cholinergic innervation of the feline esophagus, 96, 50P
- SCHWAM, H. see SUGRUE, M.F., 96, 18P
- - - see SUGRUE, M.F., 99, 820P
- SCHWENDEMANN, G. see GROSS, G., 98, 698P
- SCHWORER, H. & KILBINGER, H. Prostaglandins are involved in inhibition of acetylcholine release from myenteric neurones via activation of 5-HT_{1A} receptors, 96, 263P
- SCHWORER, H., RACKE, K. & KILBINGER, H. Benzodiazepine receptors regulate GABA-ergic modulation of 5-hydroxytryptamine (5-HT) release from guinea-pig intestine, 96, 243P
- SCRUTTON, M.C. & PEARSON, J.D. Ca⁺⁺-driven prostacyclin synthesis and von Willebrand factor secretion in electroporabilised endothelial cells, 97, 420P
- SEARL, T. see PRIOR, C., 99, 826P
- SEBASTIAO, A.M. see CUNHA, R.A., 99, 855P
- SEBASTIAO, A.M., RIBEIRO, J.A. & STONE, T.W. Antagonism of the adenosine receptor at the phrenic nerve-diaphragm and hippocampus of the rat by a xanthine amine congener, 96, 265P
- SEEMUNGAL, B.M. see ELLIOTT, P., 98, 663P
- SELBIE, R.D. see JAMIESON, M.J., 96, 293P
- SELF, T.J. see CRESPI, F., 96, 300P
- SEMENENKO, F.M. see SAWBARN, D., 96, 348P
- SENIOR, J. see BAXTER, G.S., 96, 71P
- - - see BAXTER, G.S., 98, 649P
- - - see BAXTER, G.S., 98, 763P
- - - see CLAYTON, J.K., 97, 540P
- - - see SANGHA, R.K., 98, 762P
- SENNITT, M.V. see KELLY, J., 98, 727P
- SERRANO, A. see BLIER, P., 96, 299P
- SERRAO, J.M. see BOULTER, N., 98, 610P
- SEVER, P.S. see LEOUTSAKOS, A., 97, 501P
- - - see MARTIN, G.N., 99, 900P
- SEWELL, R.D.E. see JACKSON, H.C., 97, 487P
- SHAFI, SHAHIDA, see BORN, G.V.R., 96, 120P
- SHAFII, M. see CARVAJAL, A., 96, 190P
- SHAH, A.M., LEWIS, M.J. & HENDERSON, A.H. 8-Bromo cyclic GMP inhibits myocardial inotropic response to the dihydropyridine agonist Bay K 8644, 96, 146P
- - - Is endocardial control of myocardial contraction mediated via cyclic GMP? 97, 388P
- SHAH, K. see KENNETT, G.A., 97, 434P

- SHAH, M.A. & NEAL, M.J. Effect of baclofen on the release of GABA and other amino acids from rat cortex, spinal cord and retina, 96, 142P
- SHAHID, M. see NICHOLSON, C.D., 96, 110P
- - - see NICHOLSON, C.D., 99, 802P
- SHAHID, M., COTTNEY, J.C., NICHOLSON, C.D., MARSHALL, R.J., BRUIN, J.C., MCINDEWAR, I., WALKER, G.B., DICKSON, M., WYLIE, K. & FISHER, D. The biochemical effects of Org 30029 in cardiac and vascular tissues, 96, 186P
- SHAHID, M., COTTNEY, J.C., NICHOLSON, C.D., MARSHALL, R.J., BRUIN, J.C., MCINDEWAR, I., WALKER, G.B., DICKSON, M. & WYLIE, K. Org 30029 a new cardiotonic agent with positive inotropic and vascular relaxant properties, 96, 111P
- SHANKLEY, C.E., ANDERSON, C.W.P. & ADCOCK, J.J. The effect of BW443C on non-cholinergic bronchoconstriction in the guinea-pig in vitro and in vivo, 96, 249P
- SHARIF, N.A. see MACHADO, C.N., 98, 710P
- SHARIF, N.A., NUNES, J.L., MICHEL, A.D. & WHITING, R.L. Biochemical and pharmacological properties of the dopamine transport complex in rodent and dog striatum, 96, 335P
- SHARIF, N.A., TO, Z., MICHEL, A.D. & WHITNEY, R.L. Receptor affinity of TRH analogues in central and peripheral tissues of different species: possible therapeutic implications, 96, 45P
- SHARP, T. see BACKUS, L.I., 97, 411P
- - - see GODFREY, P.P., 99, 915P
- - - see HJORTH, S., 97, 458P
- SHAW, D.J. see TAYLOR, S.G., 99, 881P
- SHAW, J.S. see CARROLL, J.A., 99, 925P
- - - see STOGGALL, S.M., 97, 499P
- SHAW, M.A. see STEVENS, R.G., 96, 366P
- - - see STEVENS, R.G., 99, 952P
- SHEEHAN, M.J. see MCBAIN, S.L., 96, 342P
- SHELDRIK, R.L.G. see BAXTER, G.S., 96, 71P
- SHEN, K-Z., NEILD, T.O., SURPRENANT, A. & GALLIGAN, J.J. Neurogenic cholinergic vasodilation of arterioles in guineapig submucosa, 96, 113P
- SHEPARD, K.L. see SUGRUE, M.F., 96, 18P
- SHEPHEARD, S.L. see SPORTON, S.C.E., 97, 409P
- SHEPHEARD, S.L., JORDAN, D. & RAMAGE, A.G. Cardiovascular effects of 8-OH-DPAT in the anaesthetised rabbit, 97, 408P
- - - The effects of central administration of 8-OH-DPAT and GR43175 on autonomic outflow in the anaesthetised cat, 98, 641P
- SHEPHERD, J.K. see HENDRIE, C.A., 96, 15P
- - - see RODGERS, R.J., 96, 11P
- - - see RODGERS, R.J., 98, 634P
- SHEPHERD, J.K. & RODGERS, R.J. Defeat analgesia in mice is differentially affected by acute and chronic treatment with the anti-panic agent, alprazolam, 97, 436P
- - - Evidence to suggest that 8-OH-DPAT, but not GR38032F, specifically enhances feeding behaviour in mice, 98, 639P
- SHEPPERSON, N.B. see BARCLAY, P.L., 99, 824P
- SHEPPERSON, N.B., SAMUELS, G.M.R., BARCLAY, P.L. & ELLIS, P. The natriuretic and diuretic efficacy of atriopeptidase inhibitors following intravenous and oral administration, 99, 822P
- SHORTE, S.L. see RANDALL, A.D., 97, 594P
- SHORTE, S.L., CHAPPELL, J.B., COLLINGRIDGE, G.L., SCHOFIELD, J.G. & RANDALL, A.D. Spatially resolved measurement of [Ca]i in anterior pituitary cells, 97, 595P
- SIAREY, R.J. see PATCH, T., 97, 493P
- SIM, M.F. see FRODSHAM, G., 98, 733P
- - - see YATES, D.B., 96, 112P
- SIMON, M.T. see BOUKILI, M.A., 96, 78P
- SIMPSON, J.G. see GORDON, E.M., 96, 32P
- SINGH, Y.N. see CHEN, H., 97, 455P
- SJOGREN, C. see MALMGREN, A., 96, 29P
- SKETT, P.G. see ALLAN, C.J., 96, 289P
- SLATER, P. & CROSS, A.J. Autoradiography of κ -opioid receptors in basal ganglia of human brain, 96, 354P
- SLAVIN, B.M. see BROWN, K.A., 96, 42P
- SMALL, C., CLAGUE, R.U. & SPEDDING, M. The guinea-pig ileum as a model for 5-HT_{1A} agonists: anomalous effects with RS-30199, 98, 756P
- SMALL, R.C. see BERRY, J.L., 97, 446P

- - - see BERRY, J.L., 99, 871P
- - - see BOYLE, J.P., 96, 54P
- - - see BOYLE, J.P., 96, 161P
- - - see DIXON, J.S., 97, 552P
- - - see GOOD, D.M., 99, 779P
- - - see MURRAY, M.A., 97, 448P
- SMART, T.G. & CONSTANTI, A. The vertebrate neuronal GABA_A receptor complex is modulated by group IIB divalent cations, 96, 328P
- SMEETON, I. see HYLAND, L., 97, 510P
- SMILLIE, F., BOLTON, C., PEERS, S.H. & FLOWER, R.J. Distribution of lipocortins I, II and V in tissues of the rat, mouse and guinea-pig, 97, 541P
- SMILLIE, F., PEERS, S.H., ELDERFIELD, A.-J., BOLTON, C. & FLOWER, R.J. Differential regulation by glucocorticoids of intracellular lipocortin I, II and V in rat mixed peritoneal leukocytes, 97, 425P
- SMITH, C.F.C. see ROACH, A.G., 97, 519P
- SMITH, C.F.C. & CUTTS, S.D. Dopamine agonist activity of 8-OH-DPAT, 98, 755P
- SMITH, C.F.C. & ROWLAND, P. Dopamine receptors in the mouse vas deferens, 96, 259P
- SMITH, D. see SANJAR, S., 96, 75P
- SMITH, D., SANJAR, S., MARLEY, J. Platelet activation and PAF-induced airway hyperreactivity in the anaesthetised guinea-pig, 96, 74P
- SMITH, E.A. see HIRST, S.J., 97, 449P
- SMITH, G.M. A study of EP 157, EP 092 and iloprost on the inhibition of collagen-induced fall in platelet count in rats and guinea-pigs, 96, 67P
- SMITH, G.W. see MCKECHNIE, K., 98, 673P
- SMITH, H. see SPICER, B.A., 96, 156P
- SMITH, H.J. see HALLAM, A., 99, 891P
- - - see POURGHOLAMI, M.H., 96, 292P
- - - see SADRI, R., 99, 890P
- SMITH, I.K. see MCMILLAN, R.M., 98, 668P
- SMITH, J.A. A phorbol ester inhibits substance P-induced EDRF release from cultured pig aortic endothelial cells, 172P
- - - Phorbol-12,13-dibutyrate inhibits ATP but not A23187-induced EDRF release from cultured pig aortic endothelial cells, 97, 513P
- SMITH, K.M. & JOSEPH, M.H. Regionally selective effects of chronic nicotine on rat brain tyrosine hydroxylase activity: a time-course study, 98, 696P
- SMITH, R.L. see SUGRUE, M.F., 96, 18P
- SMITH, S.F. see GOULDING, N.J., 97, 426P
- SMITH, T.W. see ADCOCK, J.J., 96, 157P
- - - see BUCHAN, P., 96, 250P
- SMITH, W. see BARTON, H., 96, 174P
- SNEDDON, J.M., BEARPARK, T.M. & VANE, J.R. Transport of L-arginine, a possible physiological precursor of EDRF by bovine endothelial cells, 97, 514P
- SNEDDON, P. see DALZIEL, H.H., 98, 737P
- SNOW, H.M. see MCAULIFFE, S.J.G., 97, 512P
- SOMMER, M., BURNS, F. & RACKE, K. Characterisation of the release of endogenous 5-hydroxytryptamine (5-HT) and noradrenaline (NA) from the rat pineal gland, 97, 459P
- SOUBRIE, P. see ALONSO, R., 97, 473P
- - - see BRIXY, A., 96, 337P
- - - see DIDIER, M., 97, 585P
- - - see STEINBERG, R., 96, 338P
- SOUNESS, J.E. see BANERJEE, A.M., 96, 226P
- - - see JORDAN, R., 96, 227P
- - - see NEWGREEN, D.T., 99, 793P
- SOUTHERTON, J.S. see MCHARG, A.D., 96, 27P
- SOUTHGATE, K. & NEWBY, A.C. Smooth muscle proliferation from rabbit aorta is inhibited by 8-Br-cAMP but not 8-Br-cGMP, 98, 654P
- SPANJER, W. see HUGTENBURG, J.G., 96, 147P
- SPARROW, M.P. see MITCHELL, H.W., 96, 79P
- SPARROWHAWK, K.T. see MARTIN, G.R., 98, 757P
- SPEDDING, M. see BROWN, C.M., 98, 681P
- - - see REDFERN, W.S., 98, 682P
- - - see SMALL, C., 98, 756P
- SPENCER, J.E. see CANFIELD, S.P., 96, 248P
- SPICER, B.A., BAKER, R. & SMITH, H. Eosinophilia and hyperreactivity of lung parenchymal strips in rats treated with sephadex particles intravenously, 96, 156P
- SPIERS, J.P., HARROW, D.W.G. & WILSON, R. Effect on baroreflex function

- and duration of action of the anti-arrhythmic UK-52,046 in conscious dogs, 96, 183P
- SPINA, D. see COYLE, A.J., 97, 550P
- SPINA, D. & PAGE, C.P. The release of an epithelium-derived inhibitory factor from rabbit intrapulmonary bronchi, 97, 424P
- SPINDLER, M., STOCK, G. & TURNER, J.D. Effects of anticholinergics on changes in dopamine synthesis elicited in rat CNS by acute and chronic neuroleptic treatment, 97, 472P
- SPOKES, R.A., BRETHERTON-WATT, D., GHATEI, M.A. & BLOOM, S.R. Endothelin infusion in the anaesthetised rat: plasma endothelin concentrations and blood pressure changes, 96, 107P
- SPORTON, S.C.E., SHEPHEARD, S.L., JORDAN, D. & RAMAGE, A.G. Evidence for the involvement of 5-HT_{1A} receptors in the control of cardiac vagal motoneurons in the anaesthetised rat, 97, 409P
- SPRAGGS, C.F. & PATEL, M. Comparison of the effects of gastrin/cholecystokinin related peptides in rat gastric mucosa and guinea-pig ileum, 98, 661P
- SPRIGGS, T.L.B. see MALLARD, N.J., 98, 618P
- SPYER, K.M. see DE BURGH DALY, M., 96, 212P
- SQUIRE, A. see WOOD, B.E., 99, 794P
- STAHL, S.M. see TWIST, E.C., 96, 301P
- STAMFORD, J.A., KRUK, Z.L. & MILLAR, J. Dopamine D-2 agonists decrease stimulated dopamine release in rat nucleus accumbens but not in caudate: in vivo voltammetric data, 96, 92P
- - - In vivo voltammetric detection of stimulated striatal serotonin release after precursor loading, 97, 456P
- STANFORD, S.C., BALDWIN, H.A. & FILE, S.E. A single dose, but not chronic injections, of FG 7142 upregulates β -adrenoceptors in rat cerebral cortex, 96, 311P
- STANTON, J.A. see WATLING, K.J., 99, 813P
- STEEL, J.A. see GRANT, T.L., 96, 180P
- STEEL, M. see WALLACE, H.M., 96, 294P
- STEELE, J.E., PALMER, A.M., LOWE, S.L. & BOWEN, D.M. The influence of tetrahydro-9-aminoacridine on excitatory amino acid neurotransmission in vivo and in vitro, 96, 353P
- STEELE, J.E., ROBINSON, T.N., CROSS, A.J., BOWEN, D.M. & GREEN, A.R. [³H]-MK-801 labels more NMDA receptor sites than [³H]-TCP in human cortical membranes, 98, 616P
- STEFANICH, E. see MICHEL, A.D., 96, 130P
- STEIN, W.K. see RICHARDSON, A.G., 98, 726P
- STEINBERG, H. see HUGHES, M., 96, 367P
- STEINBERG, H., DAVIES, C., SYKES, E.A. & TERRY, P. Buspirone with clenbuterol and/or chlordiazepoxide differentially affects mouse activity and blocks backward walking, 96, 16P
- STEINBERG, R. see BRIXY, A., 96, 337P
- STEINBERG, R., BRIXY, A., CHAMBON, J.P., WORMS, P. & SOUBRIE, P. The effect of repeated ischaemic episodes on dopamine release in the rat forebrain as measured by in vivo voltammetry, 96, 338P
- STELLAKIS, M. see TABERNER, P.V., 96, 24P
- STEPHENS, D.N., TURSKI, L.A., TURNER, J.D. & SCHNEIDER, H.H. Are changes in glutamatergic mechanisms responsible for kindling to the benzodiazepine receptor inverse agonist, FG 7142? 99, 837P
- STEPHENSON, J.D. see ILICETO, G., 97, 381P
- STEPHENS-SMITH, M. see HAGAN, R.M., 98, 717P
- STERN, J.S. see TREHERNE, J.M., 98, 612P
- STEVENS, R.G. & SHAW, M.A. Qualitative computer simulations of organ bath experiments, 96, 366P
- - - Computer simulations of organ bath experiments, 99, 952P
- STEVENSON, I.H. see YAU, J.L.W., 97, 452P
- STEWART, M.C. see LYTHGOE, D., 99, 903P
- STOCK, G. see SPINDLER, M., 97, 472P
- STOCLET, J.C. see ANDRIANTSITOHAINA, R., 96, 219P
- - - see BIGAUD, M., 96, 150P
- - - see GUC, M.O., 98, 628P
- - - see RANDRIANTSOA, A., 96, 153P
- STOGGALL, S.M. & SHAW, J.S. Co-existence of A1 and A2 adenosine receptors in the guinea-pig aorta, 97, 499P

- STONE, M.A. see HAWORTH, D., 96, 274P
- STONE, M.A. CAREY, F., COWELL, A-M. & BUCKINGHAM, J.C. Eicosanoids and pituitary function: a role for phospholipase A₂ in the stimulation of ACTH secretion from isolated pituitary cells, 96, 162P
- STONE, T.W. see BARTRUP, J.T., 96, 315P
- - - see CONNICK, J.H., 96, 351P
- - - see CONNICK, J.H., 97, 374P
- - - see CONNOLLY, G.P., 98, 739P
- - - see SEBASTIAO, A.M., 96, 265P
- STRATTON, L. see HORNBY, E.J., 96, 69P
- STRAW, R.M. see KENDALL, D.A., 96, 87P
- STRETTON, C.D. see BELVISI, M.G., 99, 865P
- STRETTON, C.D., BELVISI, M.G. & BARNES, P.J. Sensory nerve depletion potentiates non-adrenergic, non-cholinergic inhibitory nerves in guinea-pig trachea, 99, 780P
- - - Neuropeptide Y modulates non-adrenergic, non-cholinergic neural bronchoconstriction in vivo and in vitro, 99, 781P
- - - The effect of sensory nerve depletion on cholinergic neurotransmission in guinea-pig airways, 99, 782P
- STRONG, P. see WRIGHT, G., 97, 508P
- STUART-SMITH, K. & VAN HOUTTE, P.M. The effect of epithelium of relaxation of canine bronchi is dependent on contractile tone, 96, 368P
- STURMAN, G. see FAIRBAIRN, S., 96, 319P
- - - see FREEMAN, P., 97, 486P
- - - see FREEMAN, P., 99, 933P
- - - see FREEMAN, P., 99, 941P
- SUDLOW, A.W. see FORDER, R.A., 96, 163P
- SUGDEN, A.L. & SUGDEN, D. Angiotensin II induced a redistribution of protein kinase C activity in human platelets, 97, 534P
- SUGDEN, D. see SUGDEN, A.L., 97, 534P
- SUGRUE, M.F., GAUTHERON, P., MALLORGA, P., GRAHAM, S.L., SCHWAM, H., SHEPARD, K.L. & SMITH, R.L. L-662,583: a topically effective ocular hypotensive carbonic anhydrase inhibitor in experimental animals, 96, 18P
- SUGRUE, M.F., MALLORGA, P., SCHWAM, H., BALDWIN, J.J. & PONTICELLO, G.S. Preclinical studies on L-671,152, a topically effective ocular hypotensive carbonic anhydrase inhibitor, 99, 820P
- SULLIVAN, A.T. see AKERS, I., 98, 655P
- - - see GURDEN, J.M., 98, 730P
- SUMNER, M.J. & HUMPHREY, P.P.A. Heterogeneous 5HT_{1D} binding sites in porcine brain can be differentiated by GR43175, 97, 410P
- SURIA, A. see GILANI, A-ul-H., 99, 899P
- - - see SAEED, S.A., 97, 544P
- SURPRENANT, A. see SHEN, K-Z., 96, 113P
- SUTHERLAND, H. see BILL, D.J., 99, 920P
- SUTTON, M.R. see ALABASTER, C.T., 99, 823P
- SVENSSON, L.I. see BOUTELLE, M.G., 96, 49P
- SWEETLAND, J. & RAEBURN, D. Effect of potassium channel openers on Ca²⁺ influx, Na⁺/Ca²⁺ exchange and Na⁺/K⁺ pumping in guinea-pig trachea in vitro, 99, 882P
- SWEETMAN, A.J. see GUPTA, P., 97, 553P
- SYKES, E.A. see HUGHES, M., 96, 367P
- - - see STEINBERG, H., 96, 16P
- SYKES, R. see DASHWOOD, M.R., 97, 528P
- SYKES, R.M. see DASHWOOD, M.R., 96, 244P
- SZRAMA, E. see WESSLER, I., 96, 262P
- TABERNER, P.V. & STELLAKIS, M. Effects of chronic ethanol consumption on insulin sensitivity in normal and diabetic mice, 96, 24P
- TAGHAVI, Z. see GODFREY, P.P., 97, 590P
- - - see GODFREY, P.P., 99, 909P
- - - see GODFREY, P.P., 99, 915P
- TAHIR, J. The effect of in vitro denervation on transmitter release in the rabbit basilar artery, 96, 123P
- TAHIR, J. & MASON, D.F.J. The effect of ICI 169,369 on the neurogenic and exogenous 5-HT responses of the rabbit basilar artery, 96, 213P
- TAMARGO, J. see DIEZ, J., 97, 546P
- TANG, M-FR see FREEMAN, P., 99, 933P
- TAPPARELLI, C., SANJAR, S., MAZZONI, L., DONATSCH, P. & MORLEY, J. In vivo platelet hyperaggregability

- following chronic treatment with cyclosporin A, 97, 442P
- TARE, M. see PARKINGTON, H.C., 98, 621P
- TASKER, S., ROTHWELL, N.J. & WHALLEY, E.T. Effect of interleukin 1 α on responses of the rabbit aorta in vitro to des-Arg⁹-BK, 5-HT and noradrenaline, 99, 850P
- TATTERSALL, F.D. see COSTALL, B., 96, 329P
- - - see COSTALL, B., 97, 460P
- TATTERSFIELD, A.E. see KNOX, A.J., 99, 870P
- TAYLOR, E.M. & PARSONS, M.E. A purinergic component of neurogenic vasoconstriction in resistance vessels of the cat intestinal circulation, 96, 122P
- TAYLOR, G. see CONNOR, H.E., 99, 862P
- TAYLOR, J.C. see PACIOREK, P.M., 98, 720P
- - - see PACIOREK, P.M., 98, 722P
- TAYLOR, J.F. see BOWRING, N.E., 99, 805P
- - - see TAYLOR, S.G., 99, 881P
- TAYLOR, M. see CHIVERS, J.K., 98, 705P
- TAYLOR, M.A.I. see GOUDIE, A.J., 97, 464P
- TAYLOR, P.M. see MCDERMOTT, A.M., 97, 395P
- TAYLOR, S.G. see MORRIS, J.E.J., 96, 232P
- TAYLOR, S.G., FOSTER, K.A., SHAW, D.J. & TAYLOR, J.F. BRL 31660 inhibits the effects of cromakalim and its enantiomer BRL 38277 on tension and $^{43}\text{K}^+$ efflux in guinea-pig trachea, 99, 881P
- TEMPLETON, A.G.B. see MCGRATH, J.C., 98, 761P
- TERRAR, D.A. see ANDREWS, A.G., 98, 743P
- - - see PUTTICK, R.M., 98, 742P
- TERRY, P. see STEINBERG, H., 96, 16P
- TETLEY, T.D. see GOULDING, N.J., 97, 426P
- THIEMERMANN, C. see THOMAS, G.R., 96, 166P
- THOM, S.M.c.G. see MARTIN, G.N., 99, 900P
- THOMAS, A.P. see ROONEY, T.A., 96, 136P
- THOMAS, D.N. & HOLMAN, R.B. Effects of pH on amphetamine induced dopamine release measured by in vivo dialysis from rat corpus striatum, 97, 477P
- THOMAS, G.R. see FUNG, A.Y.P., 98, 627P
- - - see WALDER, C.E., 98, 620P
- THOMAS, G.R., WALDER, C.E., THIEMERMANN, C. & VANE, J.R. Effects of endothelin on cardiac output and regional blood flow in the pithed rat, 96, 166P
- THOMAS, K.L. see BONSER, J.C., 98, 613P
- - - see ROSE, S., 99, 816P
- THOMPSON, C.S. see DASHWOOD, M.R., 96, 244P
- - - see JEREMY, J.Y., 98, 669P
- THOMPSON, G.G. see LARKINE, J.G., 96, 138P
- THOMSON, M. see MACLEAN, M.R., 96, 187P
- THORIN, E. see HENRION, D., 98, 748P
- - - see OSTER, L., 96, 151P
- - - see THORIN-TRESCASES, N., 96, 209P
- THORIN-TRESCASES, N., HENRION, D., OSTER, L., THORIN, E., HICKS, P.E. & ATKINSON, J. Changes in vascular reactivity in a rat model of calcium overload, 96, 209P
- THORIN, E., TROCKLE, G., CAPDEVILLE, C., WIERNSPERGER, N. & ATKINSON, J. Naftidrofuryl attenuated vasoconstriction induced by 5-hydroxytryptamine in the SHR, 98, 749P
- TIKU, P.E. see NOWELL, P.T., 99, 880P
- TILIGADA, E. & WILSON, J.F. Serotonin exerts a biphasic effect on α -melanocyte-stimulating hormone release from superfused slices of rat hypothalamus, 96, 297P
- TIMONY, G. see COLEMAN, M.D., 96, 20P
- TIPPINS, J.R. see ANTONIW, J.W., 96, 100P
- - - see ANTONIW, J.W., 96, 214P
- TO, Z. see SHARIF, N.A., 96, 45P
- TOGO, J. see FARMER, S.G., 99, 784P
- TOMKINS, D.M. see BARNES, J.M., 98, 693P
- - - see COSTALL, B., 96, 312P
- TOMLINSON, D.R. see CALCUTT, N.A., 98, 716P
- TOMLINSON, W. see HUMPHRIES, R.G., 96, 167P
- TOPOUZIS, S., PELTON, J.T. & MILLER, R. C. Contractile effects of endothelin and [Ala^{3,11}]endothelin in rat isolated aorta, 96, 101P
- TORTELLA, F. see BOWERY, N.G., 97, 589P
- TOSON, G. see CLEAL, A., 97, 564P

- TOWERS, J.D., LOTE, C.J. & HAYLOR, J. Probenecid increases urinary PGE₂ excretion in the anaesthetised rat, 98, 766P
- TRABUCCHI, E., ANDRIUOLI, G., LAMI, F., MARAZZI, M., RADAELLI, E., FOSCHI, D. & DEL SOLDATO, P. A cytoprotective effect of heparin on the endothelium in rabbit, 96, 17P
- TRAN, M.A. see VALET, P., 96, 281P
- TREHERNE, J.M. see BODEN, P., 99, 830P
- TREHERNE, J.M., STERN, J.S., FLACK, W. J. & YOUNG, J.M. Na⁺ ions distinguish between the binding of a tertiary and a quaternary [³H]-antagonist to the histamine H₁-receptor, 98, 612P
- TREVETHICK, M.A. see WRIGHT, G., 97, 508P
- TREZISE, D. see CLEAL, A., 97, 564P
- TRIDGETT, R. see MAGUIRE, J.J., 96, 124P
- TRIST, D. see CLEAL, A., 97, 564P
- TROCKLE, G. see THORIN, E., 98, 749P
- TROUVE, R. & NAHAS, G. Nimodipine in combination with atropine and diazepam as an antidote to lethal organophosphorus intoxication, 96, 19P
- TUCKER, G.T. see ADAMS, M., 96, 287P
- TUCKER, J.F. see GIBSON, A., 96, 55P
- - - see GILBERT, R., 96, 242P
- TUFEAK, N. see CLAYTON, J.K., 97, 540P
- TUFFIN, D.P. see CAMPBELL, K.B., 99, 893P
- - - see JACKSON, S.M., 99, 892P
- TUGWELL, A.C. see WALI, F.A., 99, 847P
- TULLOCH, I.F. see DICKINSON, S.L., 96, 14P
- - - see DICKINSON, S.L., 99, 932P
- - - see ROACH, A.G., 97, 519P
- TURNER, J.D. see SPINDLER, M., 97, 472P
- - - see STEPHENS, D.N., 99, 937P
- TURNER, K. see BLAND, J., 99, 878P
- TURNER, M.T. see JACOBS, M., 98, 712P
- TURNER, N.C., POWER, R.F., POLAK, J.M., BLOOM, S.R. & DOLLERY, C.T. Contraction of rat tracheal smooth muscle by endothelin, 96, 103P
- TURSKI, L.A. see STEPHENS, D.N., 99, 837P
- TWIST, E.C., HAJIMOHAMADREZA, I., BRAMMER, M.J., BRAZELL, C., CORN, T. & CAMPBELL, I.C. Chronic administration of the 5HT₂ antagonist ritanserin produces elevation of 5HT mediated PI hydrolysis, 98, 688P
- TWIST, E.C., HIRST, A.D., BRAZELL, C., STAHL, S.M. & CAMPBELL, I.C. Effect of chronic ritanserin and clorgyline regimens on 5-HT₂ receptors in rat cortex and rat platelets, 96, 301P
- TWOMEY, B., MUID, R.E. & DALE, M.M. The potentiation of human neutrophil superoxide generation by sodium meclofenamate, 98, 671P
- TWORT, C.H.C. see CHOPRA, L.C., 99, 869P
- TYE, S.J. see RUPNIAK, N.M.J., 98, 706P
- TYERS, M.B. see BARNES, J.M., 96, 94P
- - - see BARNES, J.M., 98, 693P
- - - see BARNES, J.M., 98, 773P
- - - see COSTALL, B., 96, 340P
- - - see COSTALL, B., 98, 636P
- - - see COSTALL, B., 98, 637P
- - - see HIGGINS, G.A., 98, 635P
- - - see KILPATRICK, G.J., 96, 8P
- - - see KILPATRICK, G.J., 99, 859P
- TYMKEWYCZ, P.M., JONES, R.L. & WILSON, N.H. Dual activity of the thromboxane and A₂ analogue, STA₂, on human platelets, 98, 764P
- UCHIMURA, N. & NORTH, R.A. Activation of 5-HT₂ receptors excites rat nucleus accumbens neurones by reducing inward rectifier potassium conductance, 96, 10P
- UKENA, D. see GIEMBYCZ, M.A., 97, 559P
- UNDERWOOD, S.L. & RAEBURN, D. Studies on the bronchodilator effects of β₂-agonists administered by dry powder or by aerosol to the anaesthetised guinea-pig, 99, 883P
- URQUHART, R.A. & BROADLEY, K.J. Comparison of cromakalim and the adenosine analogue PIA on atrial and ventricular cardiac tissues, 96, 223P
- - - Interactions of P1-adenosine and muscarinic receptor agonists with BAY K 8644 in guinea-pig left atria and papillary muscles, 97, 500P

- VALE, M.J. see BLAND, J., 99, 878P
- VALET, P., MONTASTRUC, J.L., BERLAN, M., TRAN, M.A., LAFONTAN, M. & MONTASTRUC, P. Endogenous catecholamines differentially regulate β_1 and β_2 dog fat cell adrenoceptor, 96, 281P
- VAN DER NIEPEN, P., SCHOORS, D. & DUPONT, A.G. Pressure lowering and regional haemodynamic effects of SKF-85174 in anaesthetised rat, 96, 224P
- VANE, J.R. see D'ORLEANS-JUSTE, P., 96, 97P
- - - see FUNG, A.Y.P., 98, 627P
- - - see THOMAS, G.R., 96, 166P
- - - see WALDER, C.E., 98, 620P
- - - see WITHRINGTON, P.G., 96, 165P
- VAN BERGEN, P.J.E. see SCHUURKES, J. A.J., 96, 50P
- VAN CHARLDORP, K.J. & VAN ZWIETEN, P.A. Comparison of the muscarinic receptors in porcine coronary artery, atrium and ileum, 96, 195P
- VANE, J.R. see SALVEMINI, D., 97, 443P
- - - see SNEDDON, J.M., 97, 514P
- VAN HAARD, P.M.M., see BOEIJINGA, J. K., 96, 229P
- VAN HEININGEN, P.N.M. see VAN ZWIETEN, P.A., 96, 199P
- VAN HEININGEN, P.N.M., BATINK, H.D. & VAN ZWIETEN, P.A. Effect of various calcium entry blocking compounds on the angiotensin II-induced increase in slowly exchanging $^{45}\text{Ca}^{++}$ in rat aorta, 96, 152P
- VANHOUTTE, P.M. see STUART-SMIYH, K., 96, 368P
- VAN MAERCKE, Y.M. see BOECKXSTAENS, G.E., 96, 56P
- VAN MARLE, J. see VAN VOORST, M.J.D., 96, 197P
- VAN MEEL, J.C.A. see DOODS, N.H., 96, 194P
- VAN NUETEN, J. see SCHUURKES, J.A.J., 96, 50P
- VAN NUETEN, J.M. & SCHUURKES, J.A.J. 5-HT₃-serotonergic mechanisms and stimulation of gastrointestinal (GI) motility by cisapride, 96, 331P
- VAN TITS, L.J.H. see DEIGHTON, N.M., 96, 126P
- VAN VEEN, H. see VAN VOORST, M.J.D., 96, 197P
- VAN VLIET-VERBEEK, A. see BOEIJINGA, J.K., 96, 229P
- VAN VOORST, M.J.D., HUGTENBURG, J.G., VAN MARLE, J., MATHY, M-J., VAN VEEN, H. & VAN ZWIETEN, P.A. Effect of nifedipine and mioflazine upon electrophysically determined calcium overload induced by ischaemia and reperfusion, 96, 197P
- VAN WILGENBURG, H. Computer assisted instruction in pharmacodynamics, 96, 365P
- - - Computer-assisted instruction in pharmacodynamics, 99, 951P
- - - see EIGENHUIS, J.J., 96, 258P
- - - see GONZALEZ, R., 96, 200P
- VAN ZWIETEN, P.A. see GOUW, M.A.M., 96, 148P
- - - see HEIJNIS, J.B., 96, 198P
- - - see HUGTENBURG, J.G., 96, 147P
- - - see JAP, T.J.W., 96, 196P
- - - see VAN CHARLDORP, K.J., 96, 195P
- - - see VAN HEININGEN, P.N.M., 96, 152P
- - - see VAN VOORST, M.J.D., 96, 197P
- VAN ZWIETEN, P.A., HUGTENBURG, J.G., JAP, T.J.W., VAN HEININGEN, P.N.M. & BOHNENN, V.A. The cardioprotective effect of trimetazidine and nifedipine in guinea-pig hearts subjected to global ischaemia, 96, 199P
- VARDI, Y. see FINBERG, J.P.M., 96, 52P
- VARGAFTIG, B.B. see BOUKILI, M.A., 96, 78P
- - - see DESQUAND, S., 96, 61P
- - - see PRETOLANI, M., 96, 73P
- VARNEY, M.A. see GODFREY, P.P., 99, 909P
- - - see MAGUIRE, J.J., 96, 124P
- VEALE, M.A. see BARLOW, R.B., 99, 778P
- VELTEN, E. see PETERS, T., 96, 204P
- VERBEUREN, T.J. see BOECKXSTAENS, G. E., 96, 56P
- VERDOUW, P.D. see BOM, A.H., 97, 463P
- VERITY, A. & O'CONNOR, S.E. Similarities between the contractile effects of neuropeptide Y and BAY K8644 in rabbit isolated arteries, 97, 524P
- VICKERS, V.C. see MCMILLAN, R.M., 96, 36P
- VINCENT, M. see GEOFFREY, J., 96, 118P
- VORA, A.J. see BROWN, K.A., 96, 42P
- WADDINGTON, J.L. see MURRAY, A.M., 99, 814P
- - - see O'BOYLE, K.M., 96, 93P
- WADSWORTH, R.M. see DEMIRYUREK, A.T., 99, 902P

- - - see GAW, A.J., 99, 861P
WALDER, C.E. see THOMAS, G.R., 96, 166P
WALDER, C.E., THOMAS, G.R. & VANE, J.R. The effects of acetylcholine, bradykinin, sodium nitroprusside and AP-II on renal cortical blood flow in the rat, 98, 620P
WALI, F.A. Comparative effects of lignocaine and electromagnetic induction on impulse conduction in frog isolated nerve-muscle preparation, 98, 713P
- - - see GREENIDGE, E., 96, 260P
- - - see GREENIDGE, E., 97, 566P
- - - see GREENIDGE, E., 98, 714P
- - - see GREENIDGE, E., 99, 895P
WALI, F.A. & GREENIDGE, E. Modification of the contractile responses produced by electrical field stimulation in the rat, 96, 261P
WALI, F.A. & TUGWELL, A.C. Effect of verapamil on the vascular responses of the human isolated saphenous vein, 99, 847P
WALKER, G.B. see NICHOLSON, C.D., 96, 110P
- - - see SHAHID, M., 96, 111P
- - - see SHAHID, M., 96, 186P
WALKER, J.R. see BARTON, H., 96, 174P
WALKER, R.J. see COLQUHOUN, L., 97, 369P
WALLACE, H.M. & STEEL, M. Changes in polyamine content in human cancer cells in response to treatment with methotrexate, 96, 294P
WALLACE, M.C. see DEWAR, D., 96, 324P
WALLANCE, J.L., CIRINO, G., DE NUCCI, G. Endothelin has potent ulcerogenic and vasoconstrictor actions in the stomach, 96, 96P
WALLER, S.J. see MOZLEY, L.S., 97, 596P
WALLER, S.J., KILPATRICK, I.C. & EVANS, R.H. The sulphonic and sulphinic amino acid contents of immature spinal cord and caudate-putamen of the rat, 97, 577P
WALLIS, D.I. see ELLIOTT, P., 98, 663P
WALSH, D.M. see ELLIOTT, P.J., 96, 334P
- - - see ELLIOTT, P.J., 99, 921P
WALSH, T. see CONNAUGHTON, S., 96, 127P
WANMACK, R. see HAAS, U., 96, 28P
WAN, B.Y.C. see PEH, K.H., 97, 548P
WANG, J.C.C. see LUNG, M.A., 98, 736P
WANG, J.C.C. & LUNG, M.A. Dose-related effects of cocaine hydrochloride on canine nasal vascular and airway resistances, 98, 735P
WANG, X.-L. see DEIGHTON, N.M., 96, 126P
WANLESS, R.B. see JONES, S.M., 98, 731P
WANN, K.T. see WARDLEY-SMITH, B., 97, 497P
WANSTALL, J.C. & O'DONNELL, S.R. The effects of pinacidil and felodipine on rat pulmonary artery are altered in monocrotaline-induced pulmonary hypertension, 98, 659P
WARBURTON, P. see BALMFORTH, A.J., 98, 704P
WARD, J.P.T. see CHOPRA, L.C., 99, 869P
WARD, P. see HAGAN, R.M., 98, 717P
WARD, S.A. see MANSOR, S.M., 96, 296P
- - - see MANSOR, S.M., 98, 769P
WARD, S.G. & CANTRELL, D.A. Heterogeneity of the regulation of phospholipase C in T lymphocytes, 98, 667P
WARD, S.J., CHILDER, S.R. & PACHECO, M. Pravastatin and aminoalkylindole (AAI) analogues: actions which suggest a receptor interaction, 99, 831P
WARDLE, K.A. & SANGER, G.J. Atypical 5-HT receptors in guinea-pig isolated ileum, 99, 801P
WARDLEY-SMITH, B. & WANN, K.T. The effect of two intravenous anaesthetics on seizures produced by 4-aminopyridine in the rat, 97, 497P
WARHURST, D.C. see BLAND, J., 99, 878P
WARNER, T.D. see FUNG, A.Y.P., 98, 627P
WARREN, J.B. & BRADY, A.J. Vascular smooth muscle factor causes vasoconstriction followed by slow onset and prolonged EDRF release, 99, 901P
WATERFALL, J.F. see PACIOREK, P.M., 98, 720P
- - - see PACIOREK, P.M., 98, 722P
- - - see PERKINS, R.S., 99, 808P
WATERMAN, A. see ELLIOTT, I., 97, 598P
WATERMAN, A.E. see LEY, S.J., 97, 570P
WATKINS, P.J. see CLOW, A., 97, 387P
WATLING, K.J. see GUARD, S., 99, 798P
- - - see GUARD, S., 99, 908P

- WATLING, K.J., BEER, M.S. & STANTON, J.
A. Effects of clozapine and other
neuroleptics on binding of [3 H]-Q
ICS 205930 to central 5-HT $_2$
recognition sites, 99, 813P
- WATSON, N., BARNES, P.J. & MACLAGAN, J.
Comparison of the *in vivo* potency of
methoctramine for pre- and post-
junctional muscarinic receptors in
the guinea-pig lung, 98, 719P
- WATSON, S.P. see GODFREY, P.P., 99,
909P
- - - see GUARD, S., 99, 798P
- - - see GUARD, S., 99, 908P
- - - see LAI, J., 97, 450P
- - - see SASAGURI, T., 96, 133P
- WATT, A.J. see BERRY, J.L., 97,
446P
- - - see BOYLE, J.P., 96, 54P
- - - see BOYLE, J.P., 96, 161P
- WATTAM, D.G. see MCKECHNIE, K., 98,
673P
- WATTS, I.S. see KEERY, R.J., 98,
672P
- WATTS, I.S., WHITE, B.P., WHARTON, K.
A. & LUMLEY, P. Comparison of
GR32191, R68070 and CV-4151 upon
U-46619- and collagen-induced plate-
let aggregation *in vitro* and *ex vivo*,
99, 842P
- WAXMAN, R.P. see GLUE, P., 97, 573P
- WAYNE, J. see HAWORTH, D., 96, 274P
- WEBSTER, R.A. see ZIA-GHARIB, F.,
96, 84P
- WEINHARDT, K.K. see BROWN, C.M., 98,
681P
- WELFORD, L.A. & ANDERSON, W.H. The
effects of adenosine and adenine
nucleotides upon porcine isolated
tracheal smooth muscle, 96, 160P
- WELLS, E. see CARR, R.D., 98, 658P
- - - see MCKECHNIE, K., 98, 673P
- WELLS, F.R. see LANGE, K.W., 96,
46P
- - - see LANGE, K.W., 99, 817P
- WEIR, S.W. see MCHARG, A.D., 96,
27P
- WERMELSKIRCHEN, D., WILFFERT, B.,
NEBEL, U., LEIDIG, A. & PETERS, T.
Effects of R 56865 and R 70608 on
the veratridine-induced 45 Ca-uptake
in rat aortic strips, 96, 149P
- WESSLER, I., KUNSTER, A. & SZRAMA, E.
Stimulation of α_1 and β_1 -adrenocept-
ors enhances [3 H]-acetylcholine
release from the isolated rat phrenic
nerve, 96, 262P
- WESTON, A.H. see BRAY, K.M., 96,
121P
- - - see BRAY, K.M., 96, 220P
- - - see BRAY, K.M., 99, 806P
- - - see BRAY, K.M., 99, 885P
- - - see EDWARDS, G., 99, 926P
- - - see LONGMORE, J., 99, 804P
- - - see LONGMORE, J., 99, 884P
- - - see MCHARG, A.D., 96, 27P
- - - see NEWGREEN, D.T., 96, 116P
- - - see NEWGREEN, D.T., 97, 392P
- - - see NEWGREEN, D.T., 99, 793P
- WESTWICK, J. see BURROWS, L.J., 99,
789P
- - - see KROEGEL, C., 96, 58P
- - - see MURPHY, C.T., 96, 70P
- - - see MURPHY, C.T., 99, 844P
- - - see ROGERSON, M.E., 99, 841P
- WHALLEY, E.T. see PARSONS, A.A., 99,
860P
- - - see TASKER, S., 99, 850P
- WHARTON, K.A. see WATTS, I.S., 99,
842P
- WHEELER-JONES, C.P.D. see PATEL, Y.,
99, 846P
- WHEELER-JONES, C.P.D., PATEL, Y.,
KAKKAR, V.V. & KRISHNAMURTHI, S.
Translocation of protein kinase C
(PKC) in stimulated platelets: a role
for aggregation in PKC degradation,
99, 845P
- WHELAN, C.J. Species differences in
the anti-inflammatory potency of
dexamethasone, 97, 427P
- WHELPTON, R. Anti-cholinergic and anti-
histaminic properties of chlorpromaz-
ine and five metabolites determined
on guinea-pig ileum, 98, 695P
- - - A simple, interactive program for
demonstrating the method of residuals,
99, 942P
- WHITAKER, E.M. see NIMMO, A.J., 98,
725P
- WHITE, B.P. see WATTS, I.S., 99,
842P
- WHITE, D.G. & MARTIN, W. TMB-8 inhibits
endothelial production of prostacyclin
but not endothelium-derived relaxing
factor, 96, 108P
- WHITE, R.D. see BERENBAUM, M.C., 98,
771P
- WHITE, R.D. & WOOTTON, R. 589C80, a
potent long-acting left-shifter of
the oxygen saturation curve of
haemoglobin *in vivo* in the rat, 98,
772P
- WHITEHEAD, Y.M. see MCKECHNIE, K.,
98, 673P
- WHITING, M.V. see CAMBRIDGE, D., 98,
750P
- WHITING, P.H. see BARBER, H.E., 96,
291P
- - - see GORDON, E.M., 96, 32P

- - - see GRIEVE, E.M., 96, 173P
- - - see MCCAPPIN, T.R., 98, 753P
- WHITING, R. see KILFOIL, T., 97, 471P
- WHITING, R.L. see BLUE, D.R., 96, 246P
- - - see EGMEN, R.M., 96, 175P
- - - see EGMEN, R.M., 98, 662P
- - - see MICHEL, A.D., 96, 130P
- - - see MICHEL, A.D., 96, 240P
- - - see SHARIF, N.A., 96, 335P
- WHITNEY, R.L. see SHARIF, N.A., 96, 45P
- WHITTINGTON, M.A. see GREEN, A.R., 99, 924P
- WHITTINGTON, M.A. & LITTLE, H.J.
Nitrendipine decreases the electrophysiological changes in vitro which follow chronic treatment with ethanol in vivo, 96, 137P
- - - Electro-physiological changes in vitro following chronic treatment with ethanol in vivo, 96, 326P
- - - Chronic ethanol increases excitability of hippocampal cell bodies; effects decreased by chronic nitrendipine treatment, 97, 435P
- - - Stereospecificity of the actions of PN 200-110 on the changes due to ethanol withdrawal in hippocampal field potentials, 99, 923P
- WHITTLE, B.J.R. see ESPLUGES, J.V., 96, 35P
- - - see HAMID-BLOOMFIELD, S., 97, 554P
- - - see MCCALL, T., 96, 68P
- - - see PIQUE, J.M., 99, 783P
- WHITTLE, B.R.J. & ESPLUGES, J.V.
Potentiation of endothelin-induced gastric mucosal damage in the rat by indomethacin, 96, 34P
- WHITTLE, M.J. see MCGRATH, J.C., 98, 761P
- WHITTLESTONE, M. see HAWKINS, N.S., 97, 602P
- WHITTON, P. see KENNETT, G.A., 97, 434P
- WHITWORTH, P., HEAL, D.J. & KENDALL, D.
A. Chronic lithium treatment enhances inositol polyphosphate formation in mouse brain in vivo, 99, 834P
- WHITWORTH, P. & KENDALL, D.A. Lithium enhances the inhibitory effects of fluoroaluminate on inositol phospholipid hydrolysis in rat brain, 97, 494P
- - - Lithium enhances the inhibitory effects of receptor agonists on inositol phospholipid hydrolysis in brain slices, 98, 611P
- WICKENDEN, A.D. see GRANT, T.L., 96, 180P
- WICKENDEN, A.D., GRIMWOOD, S. & GRANT, T.L. The effects of glibenclamide on the actions of cromakalim in guinea-pig portal vein, 97, 523P
- WIERNSPERGER, N. see THORIN, E., 98, 749P
- WILCOCK, G.K. see DAWBARN, D., 96, 348P
- WILDIN, J.D., O'SHAUGHNESSY, C.T. & PLEUVY, B.J. The effect of a benzodiazepine, midazolam, on NMDA-mediated epileptiform activity in vitro and in vivo, 99, 930P
- WILFFERT, B. see GOUW, M.A.M., 96, 148P
- - - see KOCH, P., 96, 203P
- - - see WERMELSKIRCHEN, D., 96, 149P
- WILHELM, D. see KOCH, P., 96, 203P
- - - see PETERS, T., 96, 204P
- WILKIE, J.N. see MARSHALL, I., 96, 216P
- - - see MARSHALL, I., 96, 217P
- WILKIN, G.P. see FLETCHER, A.E., 96, 85P
- - - see MCDERMOTT, A.M., 97, 395P
- WILKINSON, G.F. see PACIOREK, P.M., 98, 720P
- WILKINSON, T.C.I. see PACIOREK, P.M., 98, 722P
- WILLARS, G.B. see CALCUTT, N.A., 98, 716P
- WILLCOCKS, A.L. & NAHORSKI, S.R.
Stereospecific binding of myo-inositol (1,4,5)trisphosphate to rat cerebellum and bovine adrenal cortex: evidence for heterogeneity, 96, 364P
- WILLIAMS, A. see DEWHURST, D.G., 99, 940P
- - - see DOURISH, C.T., 98, 608P
- - - see REDFERN, W.S., 98, 683P
- WILLIAMS, B. see HOWARTH, A.G., 96, 360P
- WILLIAMS, B.J. see MAGUIRE, J.J., 96, 124P
- WILLIAMS, G.E. see MCKECHNIE, K., 98, 673P
- WILLIAMS, K.E. see DOUGLAS, G.J., 96, 282P
- WILLIAMS, K.I. see CLEGG, M.F., 99, 906P
- - - see HARRISON, L.A., 97, 423P
- WILLIAMS, T.J. see BARNES, N.M., 97, 467P
- - - see BUCKLEY, T.L., 96, 164P
- - - see NOURSHARGH, S., 96, 40P
- - - see YARWOOD, H., 96, 284P

- WILSON, A.N.A. & BROADLEY, K.J.
Examination of whether adenosine inhibits the positive chronotropic response to field-stimulated noradrenaline release of guinea-pig isolated atria, 98, 740P
- WILSON, C. & COOPER, S.M. Cromakalim and extracellular Ca^{2+} -dependent and Ca^{2+} -independent contractions to spasmogens, 96, 255P
- WILSON, C., HAMILTON, T.C. & CAWTHORNE, M.A. Antagonism of vasorelaxation to cromakalim and BRL 38227 by non-sulphonylurea hypoglycaemic agents, 98, 723P
- WILSON, C. & HICKS, F. Comparison of K^+ channel activators with other vasorelaxants as inhibitors of caffeine-induced arterial contraction, 96, 222P
- WILSON, C. & HOWLETT, D.R. Comparative effect of glibenclamide on responses to cromakalim and hypoxia *in vitro*, 99, 889P
- WILSON, J.F. see TILIGADA, E., 96, 297P
- WILSON, J.I., FEELY, M. & GENT, J.P. Apparent separation of benzodiazepine tolerance and dependence: flumazenil does not abolish the withdrawal effect, 98, 676P
- WILSON, J.M. see COSTALL, B., 97, 475P
- WILSON, K.A. see RICHARDSON, A.G., 98, 726P
- WILSON, N.H. see LAWRENCE, R.A., 99, 796P
- - - see TYMKIEWICZ, P.M., 98, 764P
- WILSON, R. see SPIERS, J.P., 96, 183P
- WILSON, V.G. see DUNN, W.R., 98, 728P
- WILSON, W.S. & BOURKE, K.S. The slow non-cholinergic contraction of electrically stimulated bovine iris sphincter muscle, 99, 867P
- WINCH, G.J.B. & BALFOUR, D.J.K. Studies on the affinity of tobacco alkaloids and nicotine metabolites for the central nicotinic receptor, 97, 470P
- WINSLOW, E., CAMPBELL, J.K., MARSHALL, R.J., MARTORANA, M. & MUIR, A.W. Antiarrhythmic and electrophysiological effects of the aminosteroid, Org 7797, a new class 1C drug, 96, 185P
- WISDEN, W. see MORRIS, B.J., 96, 140P
- WITHRINGTON, P.G., DE NUCCI, G. & VANE, J.R. The actions of endothelin on the hepatic arterial and portal vascular beds of the anaesthetised dog, 96, 165P
- WODITSCH, I. see SCHRODER, H., 96, 109P
- WOJCIKIEWICZ, R.J.H. & NAHORSKI, S.R. Guanine nucleotides modulate muscarinic stimulation of phosphoinositide metabolism in permeabilized neuroblastoma (SH-SY5Y) cells, 96, 131P
- WONG, A. see MAHONY, M.T., 99, 877P
- WONG, E.H.F. see BLADES, R.H., 97, 488P
- WONG, M.G. see MANALLACK, D.T., 97, 377P
- WONG, R.K.S. see ARAM, J.A., 96, 82P
- WOOD, B.E. see GRIFFITHS, R.J., 96, 39P
- WOOD, B.E., SQUIRE, A., O'CONNOR, S.E. & LEFF, P. ADP- β -F is not a selective P_2 -receptor agonist in rabbit jugular vein, 99, 794P
- WOOD, D. see BOWES, M.A., 99, 875P
- WOOD, J. see KEIGHLEY, A.C., 99, 953P
- WOOD, J.M. see EGLEME, C., 98, 711P
- WOOD, L.M. see ROMANEC, P., 96, 225P
- WOOD, M.D. see BRAMMER, N.T., 96, 6P
- WOOD, M.D., ALEXANDER, B.S. & REILLY, Y. Modulation by GTP of the inhibition of [3 H]-DOB binding, 97, 412P
- WOOD-GUSH, H.G., JONES, S.E., CUNNINGHAM, J.R. & NEAL, M.J. Differences in translation products derived from normal and dystrophic human retinal mRNAs, 96, 363P
- WOODMANSEY, N.R. see DICKINSON, S.L., 97, 384P
- WOODRUFF, G.N. see HILL, D.R., 98, 629P
- - - see HUDSON, A., 97, 576P
- - - see KEMP, J.A., 98, 630P
- WOODS, H.F. see ADAMS, M., 96, 287P
- WOODWARD, B. see BAYDOON, A.R., 96, 98P
- - - see CRIDDLE, D.N., 99, 851P
- - - see HADDOCK, P.S., 98, 745P
- WOOTTON, R. see WHITE, R.D., 98, 772P
- WORMALD, A. see MACKAY, D., 98, 647P
- WORMS, P. see ALONSO, R., 97, 473P
- - - see BRIXY, A., 96, 337P

- - - see STEINBERG, R., 96, 338P
 WORRALL, V., LOVEDAY, B. & OLDHAM, A.
 A. Measurement of blood pressure in
 conscious marmosets, 97, 599P
 WOZNIAK, K.M. see DURCAN, M.J., 96,
 325P
 - - - see GLEITER, C.H., 97, 385P
 WRIGHT, C.E. & FOZARD, J.R. Regional
 vascular responses to endothelin in
 spontaneously hypertensive rats:
 comparison with Wistar-Kyoto controls,
97, 394P
 WRIGHT, G., TREVETHICK, M.A. & STRONG,
 P. Regional ischaemia does not
 induce leukotriene release from rat
 isolated perfused heart, 97, 508P
 WYLIE, K. see NICHOLSON, C.D., 96,
 110P
 - - - see SHAHID, M., 96, 111P
 - - - see SHAHID, M., 96, 186P
 WYLLIE, M.G. see BARTRUP, J.T., 96,
 315P

 XIANG, J-Z, ADAMSON, P., BRAMMER, M.J.
 & CAMPBELL, I.C. α_2 -adreno- and
 K-opiate receptors decrease ^{45}Ca
 entry into rat cortical synaptosomes
 by closure of N-type Ca^{2+} channels,
98, 690P
 XIAORONG, L. see GILLESPIE, J.S.,
97, 453P

 YACOB, M. see CONROY, D.M., 96,
 72P
 - - - see DASHWOOD, M.R., 97, 528P
 YAKUBU, M.A., HAMILTON, C.A. & REID,
 J.L. Differential regulation of
 $[^3\text{H}]$ yohimbine and $[^3\text{H}]$ idazoxan
 binding in the rabbit, 96, 177P
 - - - Chronic guanabenz treatment
 down-regulates α_2 -adrenoceptors in
 rabbit brain, 98, 699P
 YAMAGUCHI, Y. see CHEETHAM, S.C.,
96, 302P
 YARWOOD, H., NOURSHARGH, S., BRAIN,
 S.D. & WILLIAMS, T.J. Inhibition
 of neutrophil accumulation by
 dexamethasone in vivo: evidence for
 site of action, 96, 284P
 YATES, D.B., HICKS, G. & SIM, M.F.
 The effect of vasorelaxants which
 increase cyclic nucleotides on
 phosphoinositide metabolism, 96,
 112P
 YATES, M.S. see KELLETT, R., 96,
 31P
 - - - see KELLETT, R., 98, 751P

 - - - see PANJEHSHAHIN, M.R., 98,
 645P
 - - - see ROBINSON, S.C., 98, 752P
 YAU, J.L.W., BALFOUR, D.J.K. &
 STEVENSON, I.H. Ageing: influence on
 the in vitro modulation of the GABA_A
 receptor by pentobarbitone and
 5 α -pregnan-3 α -ol-20-one, 97, 452P
 YEADON, M. & PAYNE, A.N. Ascorbic acid
 prevents ozone-induced bronchial
 hyperreactivity in guinea-pigs, 99,
 790P
 YEATS, D.A. & BAKHLE, Y.S. Phosphatidyl-
 inositol hydrolysis by phospholipase
 C from human lung, 96, 134P
 YEATS, D.A. & LETHARD, H.L. Menstrually-
 related variations in responsiveness
 of human isolated uterine vasculature
 to prostaglandins, 96, 168P
 YOUNG, J.M. see TREHERNE, J.M., 98,
 612P
 YUKAWA, T. see KROEGEL, C., 96, 58P
 YULIANG, Li see JONES, M.G., 97,
 376P

 ZACKRISSON, C. see KARLSSON, J-A.,
96, 158P
 ZAR, M.A. see IRAVANI, M.M., 96,
 210P
 - - - see IRAVANI, M.M., 96, 218P
 - - - see IRAVANI, M.M., 96, 234P
 ZEEGERS, A. see GONZALEZ, R., 96,
 200P
 ZEMAN, S. see LODGE, D., 97, 375P
 ZETTERSTROM, T. see PEI, Q., 96,
 298P
 ZIA-GHARIB, F. & WEBSTER, R.A.
 Manipulation of amino acid neuro-
 transmission in the control of
 epileptogenic EEG activity in the rat,
96, 84P
 ZILLES, K. see GROSS, G., 98, 698P
 ZIOGAS, J. see BROCK, J.A., 99, 775P
 ZIVKOVIC, B. see LORRAIN, J., 96,
 264P
 - - - see PERRAULT, G., 97, 580P
 - - - see SANGER, D.J., 96, 86P

SUBJECT INDEX

- Acetylcholine, 96, 143P; 98, 773P
 [³H]-acetylcholine release, 96, 262P,
 257P, 263P; 97, 585P; 98, 703P
 Acetyltransferase, 97, 441P
 α_1 -acid glycoprotein, 98, 769P
 Aconitine, 96, 230P
 Acrivastine, 99, 933P
 ACTH, 96, 162P
 Acute inflammation, 97, 440P
 Acute renal failure, 96, 291P; 98,
 751P, 752P
 Additional vasodilator mechanism, 96,
 181P
 Adenine nucleotides, 96, 160P; 99,
 855P
 Adenosine, 96, 41P, 135P, 160P, 223P,
 315P; 97, 399P, 499P, 502P; 98, 738P,
 739P, 740P, 741P; 99, 832P, 855P
 Adenosine antagonism, 96, 31P
 Adenosine receptor, 96, 265P
 Adenosine A₁ receptor, 96, 276P
 P₁-adenosine receptor agonists, 97,
 500P
 Adenosine receptor agonists, 97,
 501P
 Adenosine A₂ receptors, 96, 129P,
 169P
 Adenosine triphosphate, 97, 498P
 Adenosine 5'-triphosphate, 96, 56P;
97, 438P; 98, 736P
 Adenosine 5'-triphosphate receptors,
99, 795P
 Adenylate cyclase, 96, 129P, 169P;
98, 704P; 99, 915P
 Adhesion, 96, 40P
 Adrenal cortex, bovine, 96, 364P
 Adrenal medulla, 97, 476P; 99, 795P,
 863P
 Adrenaline, 97, 391P; 99, 897P
 Adrenergic antagonists, 98, 768P
 α -Adrenergic mechanism, 99, 867P
 Adrenergic receptors, 96, 262P
 Adrenoceptor agonists, 98, 726P
 α_2 -Adrenoceptor agonists, 96, 117P,
 278P; 97, 482P, 483P
 β -Adrenoceptor agonists, 97, 520P
 α_2 -Adrenoceptor antagonists, 96, 127P,
 288P; 97, 384P
 β -Adrenoceptor antagonists, 97, 520P
 β -Adrenoceptor binding sites, 99, 818P
 β -Adrenoceptor building sites, 97,
 383P
 β -Adrenoceptor down regulation, 99,
 918P
 α_2 -Adrenoceptor interactions, 96,
 306P
 Adrenoceptor desensitisation, 96,
 178P
 α_2 -Adrenoceptor responses, 97, 406P
 Adrenoceptors, 96, 180P, 202P, 311P;
97, 512P; 98, 653P, 700P
 α -Adrenoceptors, 96, 176P, 203P, 264P;
97, 389P, 495P
 α -Adrenoceptors, prejunctional, 99,
 868P
 α_1 -Adrenoceptors, 96, 154P, 182P,
 187P; 97, 521P; 98, 652P, 698P
 α_{1A} -Adrenoceptors, 98, 651P
 α_{1B} -Adrenoceptors, 98, 651P
 α_2 -Adrenoceptors, 96, 127P, 128P,
 237P, 280P, 314P, 325P; 98, 655P,
 690P, 699P, 727P, 728P; 99, 932P
 β -Adrenoceptors, 96, 279P, 281P; 97,
 506P, 572P; 98, 701P, 725P, 729P,
 730P, 732P
 β -Adrenoceptors, 'atypical', 98, 657P
 β_2 -Adrenoreceptors, 97, 391P; 99,
 856P
 α -Adrenoceptor subtypes, 96, 153P; 97,
 522P
 α_1 -Adrenoceptor subtypes, 98, 651P
 Afferent terminals, 99, 827P
 Ageing, 96, 190P, 285P; 97, 452P,
 510P
 Aggregating agents, 99, 899P
 δ -Agonist, 99, 934P
 μ -Agonist, 99, 934P
 Agonist binding, 96, 93P, 128P
 Agonists, 97, 574P
 B₂ Agonists, 99, 883P
 α_2 -Agonist, selective, 97, 519P
 AH 21-132, 96, 54P, 161P; 97, 446P,
 559P; 99, 871P
 Airway epithelium, 99, 785P
 Airway hyperreactivity, 96, 75P, 76P
 Airway reactivity, 96, 74P
 Airway resistance, canine, 98, 735P,
 736P
 Airways, bovine, 99, 870P
 Airways, guinea-pig, 99, 865P, 872P
 Airways, human, 96, 72P
 Airways smooth muscle, 96, 79P; 97,
 445P, 447P, 550P, 561P; 99, 787P,
 788P, 789P, 869P

Albumin, human, 98, 645P
 Albumin, rat, 98, 645P
 Alcohols, 96, 137P
 Alkyl xanthine, 97, 557P
 Alprazolam, 97, 436P
 Alveolar macrophages, 96, 78P
 Alzheimer's disease, 96, 348P, 349P, 350P, 353P; 99, 817P
 Amino acids, 97, 374P, 596P; 99, 819P
 Amino acid receptors, 96, 84P
 γ -Aminobutyric acid, 96, 84P, 142P, 327P, 328P; 97, 371P; 98, 644P; 99, 943P
 γ -Aminobutyric acid_B, 98, 678P
 γ -Aminobutyric acid_B agonist, 96, 141P
 γ -Aminobutyric acid antagonist, 97, 490P
 γ -Aminobutyric acid autoreceptor, 97, 489P
 γ -Aminobutyric acid_A receptor modulation, 97, 452P
 γ -Aminobutyric acid receptors, 96, 243P; 97, 369P
 γ -Aminobutyric acid_A receptors, 96, 139P, 140P; 99, 799P
 γ -Aminobutyric acid_B receptors, 96, 51P; 97, 562P
 Aminogluthethimide, 96, 292P, 358P; 99, 890P, 891P
 δ -Aminolaevulinic acid, 99, 799P
 2-Amino-5-phosphonopentanoate, 97, 586P
 D-2-Amino-5-phosphonovalerate, 97, 588P
 3-Aminopropyl phosphinic acid, 96, 51P, 141P
 4-Aminopyridine, 97, 497P
 Amiodarone, 98, 743P
 Ammonium chloride, 97, 525P
 d-Amphetamine, 97, 481P
 Amygdala, 97, 380P; 98, 635P
 Anaesthetics, 96, 361P; 97, 496P, 497P
 Anaesthetised dogs, 97, 507P
 Analgesia, 98, 610P
 Anaphylaxis, 96, 61P
 Angiotensin, 97, 599P; 99, 858P
 Angiotensin II, 96, 30P, 152P; 97, 533P, 534P; 98, 728P
 Angiotensin converting enzyme, 96, 158P, 173P; 97, 467P
 Anion channels, 96, 44P
 Anococcygeus, 96, 55P; 98, 617P; 99, 904P
 Anorectic drugs, 96, 286P
 Anorexia, 97, 433P
 Antagonism, 97, 448P; 98, 749P
 Antagonist, 96, 174P
 Antagonist binding, 96, 93P
 α -2-Antagonists, 96, 14P
 Anti-adrenergic drugs, 99, 899P
 Antianginal agents, 97, 507P
 Anti-arrhythmic, 96, 183P
 Anticholinergics, 97, 472P
 Anti-cholinergic properties, 98, 695P
 Anticonvulsant activity, 98, 613P
 Anticonvulsant effects, 96, 362P
 Antidepressants, 97, 385P, 400P, 407P; 98, 611P; 99, 877P
 Antiflammin, 99, 849P
 Antihistamine, 96, 319P; 99, 877P
 Anti-histaminic properties, 98, 695P
 Anti-inflammatory drugs, 98, 765P
 Anti-inflammatory efficacy, 96, 37P
 Antimalarials, 97, 568P; 99, 878P, 879P
 Antinociception, 97, 486P; 99, 907P
 Antinociception, stress-induced, 96, 336P
 Anti-oedema, 96, 44P
 Antioxidants, 98, 745P, 746P
 Antiparkinson potential, 96, 90P
 Antipyrine, 97, 402P
 Antipyrenic responses, 97, 429P
 Antitussive activity, 96, 251P
 Anxiety, 96, 309P; 97, 387P, 434P, 437P, 457P; 98, 682P, 683P
 Angiogenesis, 96, 341P
 Anxiolytic, 97, 416P; 98, 635P; 99, 944P
 Anxiolytic activity, 96, 312P
 Aorta, guinea-pig, 97, 499P
 Aorta, rabbit, 96, 121P, 192P, 220P; 97, 515P; 98, 654P; 99, 806P, 905P
 Aorta, rat, 96, 101P, 116P, 149P, 150P, 190P; 97, 392P, 530P; 98, 651P, 711P, 726P; 99, 840P
 Aortic microsomes, 99, 791P
 Apical membrane, 99, 939P
 Apomorphine, 96, 329P; 97, 468P
 Apparent affinity constants, 98, 647P
 Appetite, 97, 433P, 487P
 Arachidonic acid, 96, 59P; 98, 650P; 99, 785P, 906P
 Aromatase, 96, 285P
 Aromatase inhibitors, 99, 890P, 891P
 Arousal, 98, 683P
 Arterioles, 98, 734P
 Artery, rabbit, 96, 123P, 213P
 Artery, rat, 98, 619P, 748P, 749P
 Arthritis, 97, 537P; 98, 768P
 Ascaris, 97, 369P
 Ascaris suum muscle, 97, 490P
 Ascorbic acid, 99, 790P
 Aspartate, 97, 371P
 Asthma, 96, 79P
 Asthmatic blood, 96, 77P
 Astroglia, 98, 700P
 Atherosclerosis, 96, 120P; 97, 510P; 98, 622P, 712P

Atria, 97, 446P, 500P, 546P; 98, 740P; 99, 778P
 Atria, pig, 98, 729P
 Atrial natriuretic factor, 96, 236P; 99, 857P, 858P
 Atriopeptidase, 99, 822P, 823P, 824P
 Atrium, human, 98, 664P
 Atrium, right, 96, 210P, 216P, 218P
 Atropine, 96, 19P, 330P
 Atypical β -adrenoceptor, 96, 246P
 Automaticity, 97, 389P
 Autonomic ganglia, 97, 600P
 Autonomic neuro-effector transmission, 96, 218P
 Autoradiography, 96, 44P, 102P, 343P, 349P, 414P, 528P, 576P; 98, 629P
 Aversive environment, 99, 922P
 Azidoketanserin, 96, 317P
 AZ-DF 265, 97, 392P

 Backward walking, 96, 16P
 Baclofen, 96, 142P; 98, 678P
 Bacteria, 98, 644P
 Barbiturates, 97, 489P
 Baroreflex, 96, 145P
 Baroreflex function, 96, 183P
 Basal ganglia, 96, 354P
 Basilar artery, dog, 97, 563P
 Bay K 8644, 96, 208P; 97, 500P, 524P
 Behaviour, 96, 311P; 97, 411P, 461P, 465P; 99, 814P, 932P
 Benzodiazepine inverse agonists, 99, 931P
 Benzodiazepine receptors, 99, 837P
 Benzodiazepine receptor sub-types, 99, 931P
 Benzodiazepine tolerance, 98, 676P
 Benzodiazepines, 96, 200P, 243P, 258P, 327P; 97, 399P; 98, 610P, 644P
 Benzodiazepine withdrawal, 97, 493P; 98, 677P
 Bepiridil, 97, 503P
 Bezold-Jarisch reflex, 99, 811P
 Bicuculline, 97, 493P
 Binding, 96, 103P; 97, 377P, 511P
 Binding sites, 98, 644P; 99, 925P
 Bladder, rat, 96, 29P; 97, 381P
 Blood, 99, 940P
 Blood mononuclear cells, 96, 42P
 Blood pressure, 96, 106P, 107P, 117P, 224P, 226P; 97, 408P, 409P, 533P, 599P; 98, 641P, 642P, 643P, 697P
 BMY 7378, 96, 6P; 99, 862P
 Body temperature, 97, 385P
 Bovine retractor penis, 97, 453P
 Bradykinin, 96, 119P; 97, 504P; 99, 786P, 827P, 848P, 850P, 874P
 Bradykinin B₂ antagonist, 99, 786P
 Bradykinin antagonists, 96, 283P

 BN 52021, 96, 61P
 Brain, gerbil, 97, 372P
 Brain, human, 96, 1P, 302P, 354P; 97, 383P; 98, 616P, 698P; 99, 812P, 818P
 Brain, mouse, 99, 834P
 Brain, rabbit, 98, 699P
 Brain, rat, 96, 141P, 346P; 97, 476P
 Brain cholinergic, developing, 96, 356P
 Brain cultures, 96, 357P
 Brain slice, rat, 96, 345P
 Brain slices, 96, 322P; 98, 708P
 8-Br-cAMP, 98, 654P
 BRL 24924, 99, 801P
³H-BRL 43694, 97, 414P; 98, 663P, 692P
 Bromoacetylalprenololmentane, 96, 191P
 8-Bromo cyclic GMP, 96, 146P
 ($\pm$)-4-Bromo-2,5-dimethoxyphenylisopropylamine, 97, 412P
 Bronchial hyperreactivity, 99, 790P
 Bronchial hyperresponsiveness, 97, 550P
 Bronchoalveolar lavage fluid, 97, 426P
 Bronchoconstriction, 96, 78P, 79P, 158P, 250P, 252P; 97, 554P; 99, 781P
 Bronchodilatation, 97, 557P
 Bronchodilator, 99, 803P, 805P, 883P
 Brucea javanica, 99, 878P
 Bulbospinal raphe neurones, 97, 413P
 Bupivacaine, 97, 402P
 Buspirone, 96, 16P
 BW 443C, 96, 157P, 249P, 250P, 251P
 BW A868C, 97, 554P
 BW t-PA, 97, 535P

 589C80, 98, 772P
 CsA, 96, 164P
 [Ca²⁺]_i, 98, 691P
 Ca²⁺ antagonists, 96, 184P
 Ca²⁺ channel antagonists, 96, 206P
⁴⁵Ca²⁺, 96, 152P; 98, 690P
 Ca²⁺ channels, 98, 690P, 691P
⁴⁵Ca fluxes, 97, 546P
 Ca²⁺ mobilisation, 98, 672P, 674P
⁴⁵Ca-uptake, 96, 149P; 97, 553P
 Caffeine, 96, 121P, 220P, 222P, 341P
 Calcitonin, 96, 266P
 Calcitonin gene-related peptide, 96, 164P, 214P, 215P, 216P, 217P
 Calcium, 96, 58P, 151P, 207P, 209P, 231P, 238P, 255P; 97, 417P, 565P, 594P; 98, 619P, 648P, 726P, 734P; 99, 793P, 836P, 870P, 876P
 Calcium antagonists, 96, 148P, 152P, 196P, 198P; 97, 432P, 569P; 98, 744P
 Calcium channel activator, 98, 673P
 Calcium channel blocker, 96, 242P; 98, 659P; 99, 900P
 Calcium channels, 96, 97P, 137P, 240P; 98, 710P; 99, 923P

Calcium currents, 97, 594P; 98, 743P
 Calcium entry, 99, 913P
 Calcium entry blockade, 96, 153P
 Calcium measurement, 97, 595P
 Calcium mobilization, 96, 153P
 Calcium overload, 96, 197P; 98, 744P
 Calcium uptake, 96, 315P
 Calpain, 99, 846P
 Capsaicin, 96, 210P, 217P; 99, 783P, 907P
 Capsaicin-sensitive neurons, 97, 562P
 Captopril, 97, 467P; 99, 841P
 Carbamazepine, 98, 614P
 Carbohydrate, 99, 896P
 Carbon fibre, 96, 300P
 Carbonic anhydrase inhibitor, 96, 18P; 99, 820P
 5-Carboxamidotryptamine, 98, 759P
 Cardiac adrenoceptor, 98, 653P
 Cardiac chronotropic responses, 98, 752P
 Cardiac effects, 97, 512P
 Cardiac hypertrophy, 96, 201P
 Cardiac inotropic responses, 98, 752P
 Cardiac insufficiency, 99, 823P
 Cardiac myocytes, 98, 744P
 Cardiac output, 96, 166P
 Cardiac tissue, 96, 223P; 98, 710P
 Cardiotonic, 96, 110P, 111P, 186P
 Cardiovascular, 96, 191P
 Cardiovascular control, 98, 640P
 Cardiovascular effects, 96, 110P, 215P
 Cardiovascular system, 96, 151P, 286P; 99, 886P
 Carotid body, 96, 212P
 Carrogeenan, 96, 274P
 Castration, 97, 570P
 Catalepsy, 96, 334P; 99, 921P
 Catecholamines, 96, 281P, 361P; 98, 657P
 Cations, 98, 612P
 Caudate nucleus, 96, 92P
 Caudate-putamen, 97, 577P
 Cell cultures, 96, 294P, 316P, 333P; 97, 395P, 478P, 479P; 99, 912P
 Central nervous system, 96, 7P; 98, 700P
 Central nicotine cholinergic receptor, 97, 470P
 Central sympathetic outflow, 98, 641P
 Cephalic arteriovenous shunting, 97, 463P
 Cerebellum, rat, 96, 85P, 364P; 99, 831P
 Cerebral cortex, 99, 798P, 909P
 Cerebral 2-deoxyglucose uptake, 99, 938P
 Cerebral glucose use, 97, 416P
 Cerebral ischaemia, 99, 838P, 903P
 [³H]CGP 12177, 97, 383P; 99, 818P
 CGP 37849, 97, 581P, 582P
 CGP 39551, 97, 581P
 CGS 12066, 96, 9P
 Chemotaxis, 96, 26P
 Chloral hydrate, 98, 680P
 Chlordiazepoxide, 96, 310P, 312P
 Chloride channel, 97, 369P
 Chlormethiazole, 99, 924P
 p-Chloroamphetamine, 96, 299P
 1-(3-chlorophenyl)piperazine, 97, 434P
 (mCPP) 1-(m-chlorophenyl)piperazine, 96, 9P
 Chlorpromazine, 98, 695P
 6-Chloro-2-[1-piperazinyl]-pyrazine, 97, 461P
 Cholecystokinin, 96, 15P; 98, 630P, 632P
 Cholecystokinin receptor, 99, 937P
 Cholecystokinin-B antagonist, 98, 629P, 631P, 633P
 Cholineacetyltransferase, 97, 475P
 Choline mustard toxicity, 96, 355P, 356P
 Cholinergic drugs, 99, 815P
 Cholinergic mechanisms, 96, 247P
 Cholinergic neurone degeneration, 97, 471P
 Cholinergic neurones, 96, 357P
 Cholinergic neurotransmission, 99, 782P, 865P
 Cholinergic transmission, 96, 234P
 Cholinester potentiation, 97, 552P
 Chorea, 99, 943P
 Chromaffin cells, 97, 393P
 Chromaffin cells, bovine, 96, 139P
 Chronic treatment, 96, 313P; 97, 473P; 98, 705P
 Chronotropic action, 96, 206P
 Circadian rhythm, 96, 327P
 Circadian variations, 97, 374P
 Cirrhosis, 98, 758P
 CIS-(+)-1-CH₃-8-OH-DPAT, 97, 458P
 Cisapride, 96, 50P, 331P
 Class 1c, 96, 185P
 Classification, 98, 757P
 Clearance, 96, 295P
 Clenbuterol, 99, 856P
 Clonazepam, 97, 492P
 Clonidine, 99, 868P
 Clorgyline, 96, 301P
 Clozapine, 99, 814P
 CNS, 96, 87P, 344P; 97, 411P, 417P, 458P
 CNS localization, 96, 43P
 Cocaine, 96, 91P, 343P; 98, 656P
 Cocaine hydrochloride, 98, 735P
 Cognition, 96, 47P, 80P; 97, 474P; 98, 636P
 Cognitive behaviour, 97, 465P

Colon, human, 97, 567P; 98, 715P
 Colon, rat, 98, 657P
 Colonic cancer cells, human, 96, 294P
 Colonic motility, 97, 485P
 Common marmoset, 96, 341P
 Complex I, 98, 607P
 Computer assisted instruction, 96, 365P; 97, 597P, 601P, 602P, 603P; 99, 951P
 Computer assisted learning, 99, 947P
 Computer models, 96, 367P
 Computer simulation, 96, 366P; 97, 600P; 99, 940P, 946P, 952P, 953P
 Computing, 99, 941P
 Confocal microscopy, 97, 594P
 ω -Conotoxin gvia, 99, 775P
 Contractile effects, 97, 524P
 Contractile responses, 96, 261P
 Contractility, 97, 564P, 565P
 Contraction, 96, 65P; 98, 714P, 742P
 Convulsions, 97, 579P; 99, 924P
 Coronary arteries, 96, 195P, 214P; 98, 725P
 Coronary arteries, human, 97, 510P
 Coronary circulation, 96, 100P
 Coronary tone, 96, 98P
 Coronary vasodilatation, 96, 105P; 98, 750P
 Corpus striatum, rat, 97, 477P
 Cortex, 96, 83P; 97, 379P; 99, 836P
 Cortical synaptosomes, rat, 98, 690P
 Corticosteroids, 98, 707P
 Co-transmitters, 96, 188P
 C₁ region, 98, 697P
 Cromakalim, 96, 29P, 115P, 180P, 221P, 223P, 232P, 233P, 252P, 254P, 255P, 256P, 321P, 322P, 523P; 98, 660P, 721P, 723P; 99, 793P, 804P, 805P, 806P, 821P, 879P, 881P, 884P, 886P, 889P, 926P
 Cromakalim relaxation, 97, 448P
 Cross-tolerance, 97, 491P
 CSF, 97, 573P
 Cultures brain cholinergic neurones, 96, 355P
 6-Cyano-2,3-dihydroxy-7-nitro-quinoline, (CNQX), 97, 372P, 373P, 588P
 Cyanopindolol, 96, 246P
 Cyclic adenosine 3',5'-monophosphate, 96, 87P, 135P, 141P, 345P; 97, 417P, 466P, 495P, 561P; 98, 664P; 99, 833P, 915P, 927P
 Cyclic AMP-dependent protein kinase, 97, 561P
 Cyclic guanosine 3',5'-monophosphate, 96, 55P, 109P, 226P, 227P; 97, 388P, 513P
 Cyclic nucleotides, 96, 121P; 97, 445P
 Cyclic nucleotide phosphodiesterase, 96, 186P
 Cyclo-oxygenase, 98, 765P; 99, 838P
 Cyclo-oxygenase deficiency, 97, 423P
 8-Cyclopentyl-1,3 dipropylxanthine, 96, 31P
 Cyclosporin, 96, 173P, 290P
 Cyclosporin-A, 96, 275P; 97, 442P
 Cysteinyl-containing leukotrienes, 96, 72P
 Cytoprotection, 96, 38P
 Cytosolic calcium, 97, 438P
 Cytotoxic drugs, 96, 240P
 Darodipine, 96, 184P
 Deconoate, 96, 362P
 Defeat, 96, 11P
 Defeat analgesia, 97, 436P; 98, 634P
 Demedullation, 99, 863P
 Dementia, 96, 46P
 Denervation, 96, 123P, 212P
 Deoxyglucose, 96, 344P
 Dependence, 96, 308P, 340P; 97, 492P
 Depolarisation, 96, 269P; 97, 450P; 98, 714P
 Deprenyl, 97, 479P
 Depression, 96, 1P; 97, 400P, 605P; 98, 614P; 99, 812P, 818P
 Descending colon, 97, 451P
 Desensitisation, 96, 178P; 97, 521P; 98, 704P, 729P, 731P
 Desipramine, 99, 895P, 918P
 Dexamethasone, 96, 290P; 97, 427P, 532P
 Dextromethorphan, 97, 589P
 Diabetes, 97, 506P; 98, 650P, 653P, 716P
 Diacylglycerol, 99, 844P
 Dialysis, *in vivo*, 97, 477P
 Diazepam, 96, 49P, 313P; 97, 491P
 Dicarboxylic amino acid, 96, 350P
 Dietary obese rats, 96, 286P; 97, 527P
 Diethyldithiocarbamate, 97, 404P
 Digitoxin-intoxication, 96, 205P
 Dihydroalprenolol, 96, 246P; 97, 383P
 Dihydropyridine, 96, 97P; 97, 435P
 DiMe-C7, 99, 916P
 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane, 97, 517P
 2,5-Dimethoxy-4-iodophenylisopropylamine (DOI), 98, 638P
 5-(3-Dimethylaminomethyl-4-hydroxyphenylsulfonyl)thiophene-2-sulfonamide HCl, 96, 18P
 Dimethylquaternary propranolol, 99, 880P
 6,7-Dinitroquinoline-2,3-dione, 97, 587P
 N,N-di-octadecyl-N,N-bis[2-hydroxyethyl] propanediamine, 97, 537P

Diphenhydramine, 99, 933P
 Diprivan, 97, 504P
 Discrimination reversal task, 98, 637P
 Discriminative stimulus, 96, 86P
 Disposition, 96, 296P; 98, 769P
 Diuresis, 98, 754P
 Diuretic, 97, 502P
 Dopamine, 96, 91P, 92P, 336P, 338P, 339P; 97, 379P, 386P, 466P; 98, 702P, 754P; 99, 915P
 Dopamine agonists, 96, 89P, 334P; 98, 606P, 755P
 Dopamine antagonists, 96, 89P; 98, 606P
 Dopamine autoreceptors, 97, 481P
 Dopamine β -hydroxylase inhibition, 99, 854P
 Dopamine metabolism, 97, 380P; 98, 609P; 99, 916P
 D-1 dopamine receptors, 96, 93P; 97, 403P; 98, 606P, 704P, 705P; 99, 814P, 815P
 D₂ dopamine receptors, 97, 381P, 390P, 403P; 98, 606P, 703P; 99, 814P, 815P
 Dopamine receptors, 96, 88P, 259P; 98, 747P; 99, 816P
 Dopamine receptor agonist, 96, 224P
 Dopamine release, 96, 48P, 88P, 94P, 337P, 342P, 352P; 97, 378P, 477P
 Dopamine synthesis, 97, 472P
 Dopamine transport, 96, 335P
 Dopamine uptake, 96, 342P; 97, 478P
 Dopexamine, 96, 192P
 Dorsal horn neurones, 99, 828P
 Dorsal raphe nucleus, 96, 4P, 309P; 99, 810P
 Dose-response curves, 98, 646P
 Down regulation, 97, 521P; 98, 730P, 732P
 D₂ receptor agonist, 96, 90P
 Drug allergy, 97, 568P
 Drug binding, 98, 645P
 Drug combinations, 96, 367P
 Drug design, 96, 21P
 Drug discrimination, 96, 89P
 Drug metabolism, 97, 569P
 Drug toxicity, 97, 568P
 Drugs of abuse, 96, 340P
 Dry powder, administration, 99, 883P
 Dupuytren's contracture, 98, 767P
 Dynorphin, 99, 898P
 Dystrophic retina, 96, 363P

 Efaroxan, 96, 288P
 Efflux, 96, 233P
 Eicosanoids, 96, 98P, 162P; 99, 872P
 Eicosapentaenoic acid, 97, 431P

 Electrical resistance, 96, 293P
 Electroconvulsive shock, 96, 48P; 97, 385P, 386P; 99, 915P
 Electrode separation, 96, 293P
 Electrolytes, 97, 573P
 Electromagnetic induction, 98, 713P
 Electroporability, 97, 420P
 Electrophysiology, 98, 630P; 99, 917P
 Electroporation, 96, 131P
 Electroshock seizure threshold, 99, 931P
 Elevated plus maze, 96, 312P
 Emesis, 96, 329P, 330P; 97, 460P; 98, 692P
 Emulsified perfluorochemicals, 98, 770P, 771P
 Enantiomers, 97, 484P
 Endocardium, 97, 388P
 Endogenous opioids, 97, 487P
 Endopeptidase 24-11, 96, 236P
 Endothelial cells, 96, 172P; 97, 420P; 99, 795P
 Endothelin, 96, 34P, 95P, 96P, 97P, 98P, 100P, 101P, 102P, 103P, 104P, 107P, 165P, 166P, 346P, 347P; 97, 393P, 394P, 528P, 529P, 530P, 531P; 98, 623P, 625P, 627P, 628P, 709P, 710P; 99, 840P, 841P
 Endothelin-1, 98, 623P, 624P, 626P; 99, 839P, 900P
 Endothelin-3, 98, 624P
 Endothelin analogues, 96, 104P, 346P, 347P
 Endothelium, 96, 42P, 96P, 101P, 159P, 169P, 170P, 211P; 98, 711P
 Endothelium, bovine, 96, 57P; 97, 514P
 Endothelium, rabbit, 96, 17P
 Endothelium-derived nitric oxide, 98, 622P, 712P
 Endothelium-derived relaxing factor, 96, 57P, 66P, 96P, 108P, 172P; 97, 453P, 513P, 514P, 515P, 518P; 98, 620P; 99, 901P
 Endotoxin, 96, 150P; 97, 526P, 539P; 98, 628P
 Endotoxin injection, 99, 854P
 Enkephalinase, 96, 158P
 Enoximone, 96, 202P
 Enprostil, 96, 175P
 Enteric nervous system, 96, 113P; 97, 597P
 Entorhinal cortex, 96, 8P; 98, 773P; 99, 835P
 Enzyme inhibition, 96, 21P
 Eosinophils, 96, 58P, 73P
 Epidermal cells, 97, 441P
 Epilepsy, 96, 84P, 323P; 97, 588P; 99, 836P, 929P
 Epileptiform activity, 96, 82P, 83P; 99, 835P, 930P
 Epithelia, choroid plexus & placenta, 99, 939P

- Epithelial ion transport, 96, 283P
 Epithelial removal, 97, 552P; 99, 779P
 Epithelium-derived inhibitory factor, 97, 424P
 Epoxides, 99, 906P
 5,6-Epoxyeicosatrienoic acid, 96, 99P
 EPSP, 97, 591P
 E.P.S.P.S., 96, 82P
 Esophageal sphincter, 96, 50P
 Ethanol, 96, 24P, 137P, 310P, 325P, 326P
 Ethanol ulcers, 97, 419P
 Ethanol withdrawal, 97, 435P; 99, 923P, 924P
 Ethiofos, 96, 20P
 Excitatory amino acid receptors, 99, 835P
 Excitatory amino acids, 96, 323P, 353P; 97, 373P, 577P, 578P, 583P, 584P, 590P; 99, 928P
 Excitotoxins, 96, 351P
 Exercise, 96, 228P; 97, 601P; 98, 741P
 Exocrine cells, 99, 945P
 Experimental arrhythmias, 96, 185P
 Exploratory behaviour, mouse, 98, 679P
 Extracellular calcium, 99, 840P
- Facial motoneurons, 97, 583P
 Fat cell, 96, 281P
 Fat cell membranes, 96, 280P
 Feeding, 98, 639P
 (+)-Fenfluramine, 98, 633P; 99, 937P
 DL-Fenfluramine, 97, 460P
 Fenoldopam, 98, 747P
 Ferritin, 97, 382P
 FG 7142, 96, 311P
 Fibrinolysis, 99, 892P, 893P
 Fibrinolytic activity, 96, 228P
 Field stimulation, 96, 261P
 Flesinoxan, 99, 810P
 Flosequinan, 96, 112P, 189P; 98, 733P, 734P
 Flumazenil, 96, 258P, 310P; 98, 676P
 Fluorescence microscopy, 99, 945P
 Fluoroaluminate, 97, 494P; 99, 788P
 Fluphenazine, 96, 334P; 99, 921P
 Flurazepam, 96, 298P
 Food intake, 96, 4P
 Forskolin, 96, 349P
 FPL 63547, 98, 658P
 FPL 64176, 98, 673P
 Fura-2, 97, 595P
 Furosemide, 96, 276P
- Gaddum's 'substance R', 96, 282P
 Galanin, 99, 828P, 829P, 884P
 Gallbladder, 96, 283P
 Gangliosides, 98, 716P
 Garlic, 99, 872P
 Gastric acid, 96, 266P
 Gastric acid secretion, 99, 935P
 Gastric damage, 96, 34P, 35P
 Gastric emptying, 96, 267P; 99, 937P
 Gastric erosions, 97, 549P
 Gastric mucosa, rat, 98, 661P
 Gastric ulcer, 96, 96P
 Gastrin/cholecystokinin, 98, 661P
 Gastrointestinal, 99, 801P
 Gastrointestinal blood loss, 96, 229P
 Gastrointestinal motility, 96, 278P, 331P
 Gastrointestinal tract, 96, 38P
 Genetically hypertensive rats of the Lyon strain, 96, 118P
 Gentamicin, 96, 32P
 Gepirone, 96, 3P
 Glaucoma, 99, 820P
 Glibenclamide, 96, 116P; 99, 804P, 807P, 884P, 887P, 889P
 Globus pallidus, 97, 379P; 99, 911P
 Glucocorticoid effects, 96, 274P
 Glucocorticoids, 97, 425P
 Glucocorticosteroids, 96, 284P
 Glucose, 96, 24P, 237P
 Glutamate, 96, 87P, 316P, 322P; 98, 615P; 99, 929P
 Glutathione, 97, 548P
 Glycine, 96, 85P; 97, 370P, 377P
 Glycine receptors, 97, 372P
 Glycogen phosphorylase, 96, 21P
 Glycosylation, 99, 896P
 Golgi cells, 96, 85P
 G-protein, 96, 239P; 97, 454P; 98, 703P
 G-protein-coupled receptors, 99, 831P
 GR32191, 96, 69P
 GR38032F, 96, 53P, 340P; 97, 457P; 98, 634P, 637P, 639P, 693P
 GR 43175, 96, 305P; 97, 410P
 GR67330, 96, 8P
 Gracilis arteries, 98, 725P
 Granule cell, 96, 316P
 Granulocyte accumulation, 97, 427P
 Grease-gap, 97, 593P
 GTP, 97, 412P
 GTP_S, 99, 869P
 Guanabenz treatment, 98, 699P
 Guanylate nucleotide, 99, 791P
- H⁺ and HCO₃ secretion, 96, 248P
 Haematology, 99, 940P
 Haemodynamic actions, 98, 709P
 Haemodynamics, 96, 95P, 119P; 97, 394P

- Haemoglobin, 98, 772P
 Haemolysate, 99, 861P
 Haemorrhage, 96, 187P
 Haemostasis, 99, 892P, 893P
 Haloperidol, 97, 488P
 Halothane, 98, 680P
 Hamster cheek pouch, 97, 531P
 Head-twitches, 97, 399P; 98, 687P
 Heart, guinea-pig, 98, 743P; 99, 880P
 Heart, human, 96, 102P
 Heart, rabbit, 96, 193P
 Heart, rat, 97, 508P, 509P; 98, 652P
 Heart failure, 96, 155P; 98, 730P, 731P
 Heart-lung preparation, 96, 196P, 205P
 Heart rate, 96, 194P; 97, 408P, 409P
 Heart rate, rat, 98, 642P, 643P
 Hemicholinium-3, 96, 47P; 97, 475P
 Heparin, 96, 17P, 228P
 Hepatocytes, 96, 289P
 Heterologous desensitization, 96, 126P
 Hindquarters vasodilatation, 96, 144P
 Hippocampal field potentials, 98, 677P
 Hippocampal theta thym, 99, 914P
 Hippocampus, 96, 13P, 298P, 320P, 326P; 97, 435P, 480P, 591P, 592P; 99, 923P
 Hippocampal slices, 97, 405P, 593P
 Histamine, 96, 317P; 97, 486P; 99, 791P, 832P
 Histamine receptors, 98, 612P
 Histamine release, 96, 275P
 Homocysteic acid, 96, 143P
 Homologous desensitization, 96, 126P
 Hormone release, 97, 482P
 HPLC method, 97, 596P
 Huntington's disease, 96, 351P; 99, 943P
 Hybridisation, in-situ, 96, 140P
 Hydralazine, 97, 432P
 6-Hydroxydopamine, 98, 608P, 705P
 12(R) Hydroxyeicosatetraenoic acid, 96, 59P, 60P
 8-Hydroxy-2-(di-N-propylamino)tetralin, 96, 144P, 306P, 307P; 97, 400P; 98, 639P, 642P, 755P; 99, 797P, 810P, 862P, 918P, 920P
 (+)-3-(3-hydroxyphenyl)-N-(1-propyl)-piperidine, 96, 125P; 97, 589P
 5-HT, 96, 10P, 52P, 123P, 213P, 247P, 297P, 300P; 97, 378P, 411P, 456P, 457P, 458P, 459P, 462P, 516P, 527P, 544P, 560P, 564P; 98, 640P, 666P, 685P, 689P, 749P; 99, 800P, 801P, 809P, 860P, 861P, 917P
 5-Hydroxytryptamine_{1A}, 96, 306P; 97, 463P; 5-Hydroxytryptamine₃, 98, 634P; 692P
 5-Hydroxytryptamine₁ agonists, 96, 299P, 305P; 98, 641P
 5-Hydroxytryptamine_{1A} agonists, 97, 406P, 605P
 5-Hydroxytryptamine_{1B} agonists, 97, 463P
 5-Hydroxytryptamine antagonists, 97, 461P
 5-Hydroxytryptamine_{1A} antagonists, 97, 605P
 5-Hydroxytryptamine₂ antagonists, 96, 303P; 97, 515P; 98, 643P
 5-Hydroxytryptamine₃ antagonists, 97, 416P; 98, 663P
 5-Hydroxytryptamine autoreceptor, 96, 5P
 5-Hydroxytryptamine₂ binding, 98, 689P
 5-Hydroxytryptamine₁ binding sites, 96, 1P, 302P
 5-Hydroxytryptamine_{1A} binding sites, 96, 1P
 5-Hydroxytryptamine_{1D} binding sites, 97, 410P
 5-Hydroxytryptamine_{1A} ligands, 96, 11P, 304P; 98, 679P
 5-Hydroxytryptamine₁-like receptors, 99, 797P
 5-Hydroxytryptamine mediated behaviour, 97, 432P
 5-Hydroxytryptamine neuronal firing, 98, 638P
 5-Hydroxytryptamine_{1A} receptor antagonist, 99, 862P
 5-Hydroxytryptamine₂ receptor antagonist, 96, 2P
 5-Hydroxytryptamine₃ receptor antagonist, 96, 12P; 98, 635P, 636P
 5-Hydroxytryptamine_{1A}-receptor function, 97, 407P
 5-Hydroxytryptamine receptor ligands, 99, 922P
 5-Hydroxytryptamine receptors, 96, 212P, 263P; 97, 410P, 433P, 517P; 98, 664P, 750P, 757P; 99, 800P, 809P
 5-Hydroxytryptamine₁ receptors, 98, 759P
 5-Hydroxytryptamine_{1A} receptors, 96, 4P, 6P, 307P, 308P, 309P; 97, 408P, 409P; 98, 681P, 682P, 756P; 99, 811P
 5-Hydroxytryptamine_{1B} receptors, 96, 9P; 98, 759P
 5-Hydroxytryptamine_{1C} receptors, 97, 434P; 98, 684P
 5-Hydroxytryptamine₂ receptors, 96, 301P; 97, 412P, 413P; 98, 687P
 5-Hydroxytryptamine₃ receptors, 96, 8P, 53P, 193P, 269P, 331P; 97, 414P, 415P, 451P; 98, 693P, 773P; 99, 859P

- 5-Hydroxytryptamine₃ receptors, central, 99, 813P
 5-Hydroxytryptamine₂ receptor subtype, 98, 686P
 5-Hydroxytryptamine₃ receptor-subtype, 96, 270P
 5-Hydroxytryptamine release, 96, 2P, 298P, 352P; 97, 405P
³H 5-Hydroxytryptamine release, 96, 5P
 5-Hydroxytryptamine_{1A} responses, 97, 406P
 5-Hydroxytryptamine re-uptake, 98, 665P
 5-Hydroxytryptamine re-uptake inhibitors, 98, 684P
 5-Hydroxytryptamine syndrome, 96, 304P; 99, 919P
 5-Hydroxytryptamine synthesis, 96, 6P
 5-Hydroxytryptamine uptake sites, 98, 675P; 99, 812P
 Hyperaggregability, 97, 442P
 Hyperaemia, 98, 741P
 Hyperalgesia, 96, 274P
 Hypercard, 97, 603P
 Hyperphagia, 98, 638P
 Hyperpolarization, 98, 621P
 Hyper-reactivity, 96, 156P
 Hypertension, 96, 176P, 184P, 295P; 98, 722P, 748P
 Hyperthermia, 97, 517P
 Hypoglycaemia, 96, 21P
 Hypoglycaemics, 98, 723P
 Hypothermia, 96, 3P; 325P; 99, 920P
 Hypothalamic neurons, 97, 397P
 Hypothalamus, 96, 297P; 98, 630P; 99, 809P, 830P
 Hypoxia, 97, 529P; 98, 746P; 99, 889P, 894P, 902P

 ICI 169,369, 96, 193P, 303P
 3H-ICS 2050930, 96, 7P, 12P
 [³H]idazoxan, 96, 280P; 97, 384P
 [³H]idazoxan binding, 96, 177P
 Ifenprodil, 97, 580P
 Ileocolonic junction, 96, 56P
 Ileum, guinea-pig, 96, 51P, 53P, 62P, 63P, 242P; 97, 418P, 421P, 450P; 98, 661P, 695P, 756P; 99, 778P, 792P, 798P
 Ileum, human, 96, 253P
 Image analysis, 97, 595P
 [³H]imipramine, 98, 675P
 Indapamide, 97, 511P
 Indazolinones, 98, 668P
 111-Indium, 96, 277P
 Indomethacin, 96, 266P
 Inflammation, 96, 33P, 36P, 39P, 40P, 284P; 97, 439P, 440P, 543P; 99, 848P
 Inhalation, 96, 251P
 Inhibition of inositol phospholipids, 98, 611P
 Inhibition of noradrenaline-induced Ca²⁺ release, 96, 114P
 Inhibitory nerves, 99, 780P
 Injury, 96, 145P; 99, 825P
 Innervation, 96, 213P
 Inosine monophosphate, 99, 855P
 Inositol monophosphate, 98, 688P
 Inositol phosphates, 96, 112P, 132P, 135P, 316P; 97, 444P, 522P, 560P, 590P; 99, 788P, 795P, 832P, 833P
 Inositol phospholipid hydrolysis, 99, 908P
 Inositol phospholipids, 97, 494P, 495P; 98, 611P, 702P
 Inositol polyphosphate, 99, 834P
 Inositol trisphosphate, 97, 445P, 447P; 99, 787P, 792P, 833P, 909P
 Inotropic activity, 99, 802P
 Inotropism, 96, 111P
 Inotropy, 98, 627P
 InsP₃, 99, 869P
 Insulin, 96, 24P, 171P, 264P; 97, 506P; 98, 642P
 Insulin release, 96, 288P
 Insulin secretion, 96, 237P
 Interaction, 97, 403P; 98, 606P
 Interactive video, 97, 602P
 Interleukin 1, 96, 33P, 64P; 98, 670P
 Interleukin 1_B, 98, 708P
 Interleukin-8, 99, 789P
 Interleukin-1 release, 97, 532P
 Interleukins, 97, 429P
 Intestinal fluid transfer, 96, 245P
 Intestinal 5-hydroxytryptamine release, 96, 243P
 Intestinal smooth muscle, 96, 27P, 54P
 Intestine, 99, 876P
 Intracellular ATP, 99, 888P
 Intracellular calcium, 96, 132P; 97, 422P; 99, 913P
 Intracellular free calcium, 96, 179P
 Intracellular pH, 99, 945P
 Intracerebral microdialysis, 99, 819P
 Intracerebroventricular calcitonin, 99, 935P
 Intrapulmonary bronchi, rabbit, 97, 424P
 Intrasynaptosomal free [Ca²⁺]_i, 98, 615P
 Intrathecal administration, 97, 571P
 Inverse agonist, 98, 677P
 Ionic deterioration, 96, 204P
 Ionophore, 96, 77P; 97, 592P
 Ipecacuanha, 97, 460P
 Ipsapirone, 96, 308P; 97, 464P
 IPSP, 97, 591P
 Iris sphincter, bovine, 99, 867P

- Iron, 97, 382P
 Ischaemia, 96, 147P, 196P, 198P, 199P, 324P, 338P; 97, 389P, 508P; 98, 745P
 Ischaemia, lower limb, 99, 853P
 Isobols, 96, 367P
 3-Isobutyl-1-methylxanthine, 97, 444P
 Isolated tissues, 98, 767P
 Isolation stress, 97, 469P
 Isolated heart preparation, 96, 200P
 Isoprenaline, 96, 155P, 191P, 210P; 98, 627P, 732P

 Jejunum, rat, 99, 799P
 Jugular vein, rabbit, 99, 794P

 Kainic acid, 96, 316P, 320P
 KCL, 97, 566P
 Ketanserin, 98, 666P
 Ketotifen, 96, 76P
 Kidney, isolated, 96, 60P
 Kidney, rat, 96, 66P, 159P, 176P, 182P, 235P, 272P; 97, 518P; 98, 620P, 766P; 99, 821P, 863P
 Kindling, 96, 323P; 99, 837P, 929P
 Kynurenic acid, 96, 351P; 97, 374P

 L-671,152, 99, 820P
 Lactation, 96, 23P
 Lactulose, 96, 245P
 Lactulose metabolites, 96, 245
 L-amino-4-phosphonobutyrate, 97, 375P
 L-arginine, 96, 105P, 106P, 271P, 272P; 97, 514P
 Laser doppler flowmetry, 98, 620P
 L-DOPA, 97, 401P; 98, 608P, 705P, 706P; 99, 816P
 Learning, 96, 14P; 97, 384P
 Left-shift, 98, 772P
 Leptazol, 96, 319P
 Leukocytes, 97, 425P
 Leukotriene B₄, 96, 109P, 174P; 97, 431P
 Leukotriene D₄, 97, 418P, 556P
 Leukotriene antagonists, 97, 556P
 Leukotriene generation, 96, 77P
 Leukotrienes, 96, 36P; 97, 508P; 98, 760P
 Ligand binding, 98, 647P; 99, 843P
 Light:dark arena, 98, 679P
 Lignocaine, 98, 713P
 Liguistrazine, 99, 852P
 Lipids, 97, 431P
 Lipocortin 1, 96, 163P; 97, 426P
 Lipocortins, 97, 425P, 541P
 Lipoprotein, low density, 96, 120P
 5-Lipoxygenase, 96, 64P; 97, 419P; 98, 765P; 99, 838P

 Lipoxygenase inhibition, 98, 668P
 5-Lipoxygenase inhibitors, 96, 36P, 37P, 38P
 Lisuride, 97, 460P
 Lithium, 97, 405P, 494P; 98, 611P; 99, 834P, 909P
 Lithium transport, 96, 253P
 liver, isolated perfused rat, 96, 20P
 Liver cytochromes P-450, 98, 770P
 Liver perfusion, 96, 295P
 Locomotor activity, 97, 475P
 Locomotor behaviour, 97, 465P
 Locomotor disturbance, 96, 347P
 Locomotor stimulation, 98, 608P
 Locust foregut, 97, 516P
 Long-term potentiation, 97, 586P, 592P, 593P
 Loperamide, 96, 244P; 99, 875P, 953P
 Lorazepam, 97, 492P
 Low-density lipoproteins, 98, 622P, 712P
 Luminal ethanol, 96, 248P
 Lung, guinea-pig, 97, 418P, 556P; 98, 718P, 719P, 760P
 Lung, human, 96, 134P
 Lung, rat, 97, 539P, 542P, 551P; 99, 873P
 Lung hyperresponsiveness, 96, 73P
 Lymphocyte β_2 -adrenoceptors, human, 96, 126P
 Lymphocyte migration, 96, 290P
 Lymphocytes, 96, 26P

 Macrophages, 96, 41P; 98, 670P
 Malaria, 96, 296P
 Mammary tumourigenesis, 96, 22P
 Mast cell, 98, 665P
 M-current, 96, 125P
 Measurement, methods, 97, 553P
 Meclofenamate, 98, 671P
 α_2 -mediated behavioural responses, 96, 306P
 Medium chain triglyceride diet, 98, 613P
 Medulla, rat, 96, 345P
 Mefenamic acid, 96, 139P
 α -Melanocyte-stimulating hormone, 96, 297P
 Melatonin, 97, 462P; 99, 917P
 Membrane currents, 98, 742P
 Memory, 96, 14P; 97, 473P
 Memory impairment, 97, 471P
 Menstrually-related responsiveness, 96, 168P
 Mepyramine, 96, 317P
 Mesenteric arterioles, 96, 219P; 97, 525P; 99, 851P
 Mesenteric vasculature bed, 96, 217P; 97, 527P

- Mesenteric vasoconstriction, 96, 144P
 Mesentery, 96, 271P; 99, 905P
 Metabolic rate, 99, 838P
 Metabolism, 96, 72P; 99, 816P
 Methaemoglobinaemia, 98, 668P
 Methocramine, 96, 359P
 Methodology, 96, 229P
 Methotrexate, 96, 294P
 5-Methoxy-N,N-dimethyltryptamine, 99, 919P
 N-methyl D-aspartate, 96, 85P; 97, 370P, 376P, 585P, 589P; 99, 930P
 N-methyl-D-aspartate antagonists, 96, 86P; 97, 580P, 581P, 582P
 N-methyl-D-aspartate receptors, 96, 88P; 97, 377P, 579P; 98, 616P; 99, 837P
 α , β -Methylene ATP, 98, 737P
 1-Methyl-4-phenyl-pyridinium ion, 96, 332P, 333P; 97, 478P, 479P; 99, 912P
 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine, 96, 332P; 97, 404P, 478P, 479P; 98, 607P; 99, 912P
 1-Methyl-3-(2-indolyl) amino-5-phenyl-3h-1,4-benzodiazepine-2-one, 96, 15P
 Metoprolol, 96, 287P
 Microcirculatory effects, 97, 531P
 Microcomputer, 97, 598P
 Microcomputing aids, 97, 604P
 Microdialysis, 96, 91P, 343P; 97, 398P
 Midazolam, 99, 930P
 Middle cerebral artery, 99, 861P
 Milk, 96, 23P
 Mioflazine, 96, 147P, 197P
 Mitochondrial function, 98, 607P
 MK-329, 98, 632P, 633P; 99, 937P
 MK-801, 96, 324P; 97, 576P; 98, 616P
 Mode of action, 96, 307P
 Models, 97, 547P, 579P; 98, 753P
 Molluscan neurones, 99, 927P
 Monoamine oxidase, 96, 13P, 43P; 97, 387P, 567P
 Monocytes, 97, 532P
 N^G-monomethyl-L-arginine (L-NMMA), 98, 623P
 Monosynaptic excitations, 97, 587P
 Morphine, 96, 314P; 97, 486P; 99, 864P, 933P
 Morphine analgesia, 98, 631P
 Morphine tolerance, 98, 631P
 Motor deficits, 97, 404P
 Motor nerve, 96, 262P
 Mouse habituation, 98, 693P
 Mouse model, 96, 287P
 M receptor, 96, 247P
 M1 receptors, 96, 241P
 mRNA, 96, 363P; 97, 476P
 M₁/M₂ selective muscarinic antagonists, 96, 194P
 Muscarinic acetylcholine receptors, 98, 691P
 Muscarinic agonists, 99, 779P, 914P
 Muscarinic antagonists, 96, 195P, 241P
 Muscarinic receptors, 96, 46P, 113P, 130P, 132P, 195P, 257P, 359P; 97, 473P, 500P; 98, 662P, 718P; 99, 778P, 817P, 910P, 911P
 Muscarinic receptors, 99, 913P
 Muscarinic receptors, pre-junctional, 99, 777P
 Muscarinic receptors, pre & post-junctional, 98, 719P
 Muscarinic stimulation, 96, 131P
 (³H) muscimol binding, 97, 452P
 Muscle, 99, 856P
 Muscle fibres, 96, 25P
 Myeloperoxidase, 97, 548P
 Myenteric-plexus, 97, 370P
 Myocardium, 96, 202P
 Myocytes, 98, 731P, 742P
 Myofibroblasts, 96, 65P; 97, 536P, 538P, 767P
 Myo-inositol (1,4,5)trisphosphate, 96, 364P
 Myometrium, 97, 423P, 540P
 Myorelaxation, 96, 258P
 Na⁺,K⁺-pump, 96, 279P; 99, 882P
 Na⁺ removal, 98, 672P
 Naloxone, 97, 516P
 Nasal vascular resistance, canine, 98, 735P, 736P
 Natriuretic efficacy, 99, 822P, 824P
 NB-355, 98, 608P, 706P
 N- α -benzoyl-L-arginine ethyl ester, 96, 271P
 N1E-115 cells, 97, 415P
³H-NECA binding, 96, 129P
 Nedocromil sodium, 96, 73P
 Nerve growth factor, 96, 348P, 357P
 Nerve muscle preparation, frog, 98, 713P
 Nerve physiology, 97, 603P
 Nerve stimulation, 96, 50P
 Neural lobe, 97, 482P
 Neurogenic contraction, 97, 563P
 Neurohormone release, 97, 396P
 Neurohypophysis, 96, 28P
 Neurokinins, 98, 717P
 Neuroleptics, 97, 472P; 99, 813P
 Neuromuscular junction, 96, 257P; 99, 826P
 Neuronal tissue cultures, 96, 328P
 Neurone marker, 96, 356P
 Neurones, rat, 99, 830P
 Neuropeptide Y, 96, 159P, 218P, 219P, 234P, 235P, 344P, 345P; 97, 518P, 524P; 99, 781P
 Neurophysiology, 98, 640P
 Neurosecretion, 96, 273P

Neurotensin, 97, 466P; 98, 609P, 702P
 Neurotoxicity, 96, 320P
 Neurotransmission, 97, 421P
 Neurotransmitter release, 98, 656P
 Neurotransmitter uptake sites, 99, 928P
 Neutrophil-activating factor, 99, 789P
 Neutrophil chemoattractant activity, 96, 174P
 Neutrophils, 96, 40P, 68P, 164P, 284P; 97, 438P, 439P; 98, 671P
 N-formyl-methionyl-leucyl-phenylalanine, 96, 78P
 NG108-15 cells, 97, 454P; 99, 925P
 NGF, 97, 471P
 Nicotine, 96, 339P; 97, 480P; 98, 696P
 Nicotine metabolites, 97, 470P
 Nictitating membrane, 97, 600P
 Nifedipine, 96, 138P, 147P, 197P, 199P; 98, 651P
 Nigra cell culture, 96, 332P
 Nigro-striatal lesion, 98, 705P
 Nimodipine, 96, 19P, 138P
 Nitrendipine, 97, 493P
 Nitric oxide, 96, 68P, 105P, 106P, 272P; 98, 621P, 622P, 626P
 L-N(G)-nitro-arginine, 99, 904P, 905P
 6-nitro-7-cyano-quinoxaline-2,3-dione, 96, 82P
 Nitrovasodilators, 96, 109P; 98, 617P
 NMDA-Receptor, 96, 324P
 Nociception, 96, 81P; 97, 496P
 Non-adrenergic, non-cholinergic, 96, 55P; 97, 449P; 98, 617P; 99, 780P, 781P
 Non-adrenergic, non-cholinergic innervation, 96, 56P
 Non-adrenergic, non-cholinergic nerves, 97, 453P
 Non-adrenergic, non-cholinergic transmitters, 96, 230P; 98, 618P; 99, 904P
 Non-cholinergic bronchoconstriction, 96, 249P
 Non-dihydropyridine, 98, 673P
 Non-opioid analgesia, 96, 11P; 97, 437P
 Non-steroidal antiinflammatory drugs, 96, 229P; 98, 648P, 669P
 Noradrenaline, 96, 14P, 211P, 260P; 97, 386P, 459P, 480P; 98, 656P, 714P, 748P; 99, 895P
 Noradrenaline release, 96, 48P; 97, 393P, 575P; 98, 740P, 745P; 99, 776P
 Noradrenergic neurones, 98, 696P
 Notechis scutatus venom, 96, 25P
 Novel cytokine, 97, 440P
 Nuclear magnetic resonance imaging, 99, 903P
 Nucleus accumbens, 96, 10P, 92P, 94P; 97, 378P; 98, 609P
 Nucleus basalis lesions, 97, 471P
 Obesity, 99, 936P
 Object burying, 98, 684P
 Octanoate, 96, 362P; 98, 613P
 Ocular hypertension, 96, 18P
 Oedema, 97, 542P; 99, 903P
 Oesophagus, rat, 99, 800P
 Oestradiol, 99, 890P
 Oestrogen, 96, 292P
 Olfactory cortex, 96, 318P; 97, 587P; 98, 694P
 Operant behaviours, 97, 464P
 K-Opiate receptors, 98, 690P
 Opiates, 96, 35P, 145P; 97, 485P; 98, 707P
 Opioid, 98, 707P
 Opioid binding, 97, 483P
 Opioid peptides, 97, 398P
 κ -Opioid receptor, 96, 354P
 Opioid receptors, 96, 28P, 81P, 244P; 97, 484P
 Opioids, 96, 314P; 99, 783P, 865P
 Opioid withdrawal, 96, 242P
 Org 30029, 96, 110P, 111P, 186P
 Org 7797, 96, 185P
 Organ bath experiments, 96, 366P; 99, 952P
 Organophosphorus intoxication, 96, 19P
 Ortho-iodo sodium benzoate, 96, 268P
 Osteoblast function, 98, 666P
 Ouabain toxicity, 96, 204P
 Oxiracetam, 96, 80P
 Oxotremorine, 96, 337P
 Oxotremorine-M, 98, 694P
 Oxygen, 99, 873P
 Oxygen extraction, 96, 268P
 Oxygen tension, 98, 761P
 Ozone, 99, 790P
 Paddidum, 99, 819P
 Palmitoyl carnitine, 99, 851P
 Pancreas, perfused, 96, 264P
 Pancreatic acini, 97, 430P
 Panic, 97, 436P
 Papaverine, 97, 566P
 Papillary muscle, 96, 146P; 97, 500P; 99, 802P
 Papillary muscle, ferret, 97, 388P
 Paracetamol, 99, 825P
 Parafluorohexahydrosiladefenidol, (pFHSiD), 98, 662P
 Parkinson's disease, 96, 46P, 350P; 98, 607P, 706P; 99, 816P, 817P

Parkinsonism, 99, 911P
 [³H]Paroxetine, 98, 675P; 99, 812P, 922P
 Patch clamp, 97, 503P, 594P; 99, 939P
 Penile erectile response, 96, 52P
 Pentylene tetrazole, 96, 138P; 99, 927P
 Peptide interaction, 98, 715P
 Peptides, 96, 57P; 97, 395P, 397P
 Perfused pancreas, 98, 642P
 Perinephritis hypertension, 96, 179P
 Peripheral benzodiazepine, 98, 644P
 Pertussis toxin, 96, 62P
 Pethidine, 97, 402P
 Pharmacodynamics, 96, 365P; 99, 951P
 Pharmacokinetics, 96, 291P; 97, 401P; 99, 947P
 Pharmacology, 97, 578P; 99, 941P
 Phencyclidine, 99, 866P
 Phenelzine, 98, 701P
 Phenylephrine, 97, 522P; 98, 651P
 8-Phenyltheophylline, 98, 751P
 4- β -phorbol-12,13-diacetate, 96, 318P
 Phorbol esters, 96, 133P, 172P, 254P, 273P, 289P; 97, 449P, 513P, 590P; 99, 870P, 910P
 Phosphatidyl-inositol, 96, 134P
 Phosphatidyl inositol hydrolysis, 97, 530P
 Phosphodiesterase, 96, 54P, 161P; 98, 733P
 Phosphodiesterase inhibitors, 96, 225P, 226P, 227P, 267P; 97, 446P, 559P; 99, 802P
 Phosphoinositidase C, 96, 137P
 Phosphoinositide turnover, 96, 239P
 Phosphoinositides, 96, 131P; 97, 450P
 Phospholipase A₂, 96, 162P; 97, 543P; 98, 708P; 99, 849P, 879P
 Phospholipase inhibitor, 99, 849P
 Phospholipase C, 96, 134P; 97, 543P; 98, 667P
 Photoaffinity, 96, 317P
 Photodynamic drug action, 97, 430P
 Photodynamic therapy, 98, 771P
 Physiology teaching, 99, 940P
 Physostigmine, 97, 468P, 469P, 474P, 487P
 P.P., 96, 360P
 Pial arterioles, rat, 98, 685P
 Picrotoxin, 96, 319P
 Pinacidil, 96, 29P
 Pineal gland, rat, 97, 459P
 Pirenzepine, 96, 194P
 Pithed calcinotic rats, 96, 208P
 Pituitary cells, 97, 594P
 Placenta, rabbit, 97, 402P
 Plasma ACTH, 98, 686P
 Plasma catecholamines, 97, 570P
 Plasma noradrenaline, 96, 120P
 Platelet activating factor, 96, 35P, 58P, 74P, 75P, 76P; 97, 428P, 441P, 526P, 544P, 545P, 546P, 549P, 550P; 99, 783P, 844P, 873P
 Platelet activating factor antagonist, 97, 545P
 Platelet activating factor acether, 97, 551P
 Platelet aggregation, 96, 67P, 68P, 167P, 277P; 97, 443P, 544P; 98, 672P
 Platelet deposition, 96, 69P
 Platelet function, 97, 535P
 Platelets, 96, 70P, 74P, 128P, 179P, 207P; 97, 442P, 534P, 550P; 98, 674P, 675P, 764P; 99, 842P, 843P, 845P, 846P, 897P, 898P, 899P
 Plus-maze, 97, 437P
 Plus-maze test, 96, 313P
 Polyamines, 96, 294P
 Polymorphic oxidation, 96, 287P
 Polymorphonuclear, 96, 39P
 Polymorphonuclear leucocytes, 96, 109P
 Portal hypertension, 97, 520P
 Portal vein, guinea-pig, 97, 523P
 Portal venous pressure, 98, 758P
 Posterior hypothalamus, 98, 697P
 Postjunctional, 98, 727P, 728P
 Potassium, 96, 198P
 Potassium channel activators, 96, 222P; 97, 557P; 99, 805P
 Potassium channel blocker, 99, 881P
 Potassium channel openers, 98, 659P, 720P, 722P; 99, 803P, 807P, 882P, 885P, 887P
 Potassium channel opener cromakalim, 96, 114P
 Potassium channel opener pinacidil, 96, 181P
 Potassium channels, 96, 10P, 27P, 28P, 83P, 116P, 220P, 221P, 232P, 264P; 97, 392P, 523P; 98, 660P, 721P, 724P; 99, 888P
 Potassium channels, ATP-dependent, 99, 808P
 Potassium channels, ATP sensitive, 96, 256P
 Potassium efflux, 99, 885P
 Potassium influx, 99, 880P
 Potentiation, 96, 159P
 Prazosin, 96, 154P
 Precursor loading, 97, 456P
 Prefrontal cortex, 97, 379P
 Pregnancy, 97, 423P
 Pressor responses, 96, 187P
 Presynaptic M1 receptors, 98, 694P
 Presynaptic muscarinic receptor, 97, 585P
 Presynaptic ACTH receptors, 97, 455P

Primate, 97, 478P
 Probenecid, 98, 766P
 Prodrug, 98, 706P
 Progressive supranuclear palsy, 97
 382P
 Prolactin, 96, 3P
 Propofol, 97, 504P; 98, 742P
 Propranolol, 99, 880P
 (-)-N-n-propulnorapomorphine, 96, 94P
 Propylene glycol, 97, 558P
 Prostacyclin, 96, 108P; 97, 420P, 422P,
 423P; 99, 925P
 Prostacyclin agonists, 96, 67P
 Prostacyclin, *in vivo*, 96, 167P
 Prostacyclin release, 96, 170P
 Prostaglandin D₂, 97, 554P
 Prostaglandin E₂, 96, 62P; 98, 670P,
 708P, 762P, 766P
 Prostaglandin E analogues, 97, 540P
 9α- β -Prostaglandin F₂, 97, 539P
 Prostaglandin receptors, 97, 539P
 Prostaglandins, 96, 63P, 64P, 168P,
 263P; 97, 428P, 539P; 98, 669P, 764P;
99, 796P, 848P, 936P
 Prostanoid I₂, 98, 648P
 Prostanoid receptors, 96, 71P, 175P;
98, 649P, 763P
 Prostanoids, 97, 538P
 Protection, 99, 825P
 Protein kinase C, 96, 70P, 133P, 231P,
 254P, 273P; 97, 422P, 455P, 534P; 98,
 667P, 691P; 99, 844P, 845P, 846P,
 910P
 Proximal tubular cells, 96, 32P
 Psoriasis, 96, 42P
 Pulmonary artery, 97, 498P; 99, 902P
 Pulmonary effects, 96, 115P
 Pulmonary hypertension, 98, 659P
 Pulmonary resistance vessels, 99,
 839P, 852P
 Pulmonary sarcoidosis, 97, 426P
 Pupil diameter, 97, 475P
 Purine P₂, 96, 238P
 Purines, 96, 315P; 98, 739P
 Purinoceptor, 97, 498P
 Purkinje cells, 97, 584P
 Purposeless chewing, 98, 606P; 99,
 815P
 Pyrogens, 97, 429P
 Pyrrolidine-dione, 96, 292P

 Quin2, 98, 674P
 Quinidine/quinine, 96, 287P, 296P
 Quinine, 98, 724P, 769P
 Quinpirole, 97, 481P
 Quisqualate, 97, 375P; 98, 615P

 R 56865, 96, 203P
 R 70608, 96, 204P, 205P
 (R)-BOK-1, 96, 241P
 (R)-N-(4-pyrrolidino-2-butynyl)-5-
 methyl-2-pyrrolidone hydrogenoxalate,
96, 241P
 Raclopride, 97, 380P
 Radioautography, 96, 43P
 Radioimmunoassay, 96, 107P
 Radioligand binding, 98, 612P; 99,
 813P
 Reactive oxygen species, 98, 760P
 P₂_y-receptor agonist, 99, 794P
 Receptor antagonists, 96, 63P
 Receptor autoradiography, 97, 372P,
 589P
 Receptor binding, 97, 395P; 98, 629P
 Receptors, 97, 574P, 578P; 98, 646P,
 647P, 717P; 99, 850P, 860P
 B₁ and B₂ receptors, 99, 874P
 Receptor subtypes, 96, 140P; 98, 762P
 Rectocolon, 97, 548P
 Reflex, 97, 496P
 Reflex bronchoconstriction, 96, 157P
 Regional haemodynamics, 96, 224P
 Regulations, 96, 279P
 Relaxation, 98, 619P; 99, 871P
 Release, 97, 371P
 Renal artery, 96, 222P
 Renal blood flow, 99, 841P
 Renal clearance, 99, 857P
 Renal dopamine receptors, 98, 747P
 Renal failure, 96, 31P; 98, 753P
 Renal perfusion pressure, 96, 30P
 Renal vascular responses, 98, 650P
 Renin, 97, 599P
 Renin release, 96, 276P
 Renomedullary lipid, 97, 533P
 Renovascular, 98, 748P
 Reperfusion, 97, 509P
 Reperfusion injury, 99, 853P
 Residuals, method, 99, 942P
 Resistance vessels, 96, 114P, 189P;
99, 900P
 Retina, 96, 142P
 Retinal transmitters, 96, 143P
 Retinitis pigmentosa, 96, 363P
 Riluzole, 97, 583P, 584P
 Ritanerlin, 96, 301P; 98, 688P
 Ro 17-1812, 97, 491P
 Ro 31-6930, 98, 720P, 722P; 99, 808P
 Rodent, 97, 478P
 RS-30199, 98, 681P, 682P, 756P
 RU 24969, 97, 463P; 98, 680P
 Rubidium, 96, 232P, 233P, 260P
⁸⁶Rb efflux, 96, 321P; 99, 885P, 929P

 Salbutamol, 97, 391P
 Salmon calcitonin, 97, 549P

Saphenous artery, rabbit, 96, 188P;
98, 728P
 Saphenous vein, 97, 522P; 99, 847P
³H-SCH 23390, 98, 705P
 SC810433, 97, 419P
 SC-19220, 97, 421P
 Scratching, 98, 687P
 Secretion, 98, 665P
 Selectivity, 99, 778P
 Semicarbazide-sensitive amine oxidase,
97, 567P
 Seminal vesicle, 96, 260P, 261P; 97,
 566P; 98, 714P; 99, 895P
 Sensory neurones, 99, 783P
 Sibutramine HCl, 99, 877P
 Sigma receptor, 96, 125P; 99, 866P
 Sigma sites, 97, 488P
 Signal transduction, 99, 833P
 Simulation, 97, 597P, 601P
 Singlet oxygen, 97, 430P
 Skeletal muscle, 96, 268P; 97, 572P
 (+)SKF 10047, 97, 488P
 SK&F 96365, 98, 674P
 SK&F 101468-A, 96, 90P
 SK&F 104078, 98, 655P, 727P
 Skin inflammation, 96, 37P
 Skin, normal, 96, 26P, 33P
 Skin, rabbit, 97, 440P
 SL 81.0433, 97, 547P
 SL 82.0715, 97, 580P
 Small intestine, 96, 244P
 Smooth muscle, 96, 104P, 133P, 221P,
 227P, 231P; 97, 565P; 98, 621P, 654P;
98, 738P; 99, 784P, 792P, 796P, 906P,
 926P
 Smooth muscle activity, 99, 875P
 Smooth muscle cells, 99, 888P
 Social behaviour, 96, 12P
 Social conflict analgesia, 96, 15P
 Social isolation, 96, 13P
 Sodium, 96, 207P; 99, 870P
 Sodium lactate, 97, 573P
 Sodium/potassium pump, 96, 133P
 Somatostatin antibodies, 97, 465P
 Spatial learning, 97, 586P
 Species differences, 96, 270P; 97,
 427P, 541P
 Spinal cord, 97, 373P, 577P; 98, 610P;
99, 828P
 Spinal cord, neonatal, 96, 81P; 99,
 827P, 908P
 Spinal cord, sheep, 97, 483P
 Spontaneously hypertensive rats, 96,
 117P, 182P, 201P; 97, 390P, 394P; 98,
 747P
 SQ29852, 97, 467P
 SR95103, 97, 490P
 Statistics, 99, 941P
 ST-segment elevation, 97, 507P
 Steroids, 97, 542P, 489P, 539P
 Steroid metabolism, 96, 289P
 Stereoselectivity, 96, 181P
 Stimulus-secretion coupling, 96, 361P
 Stomach, 98, 669P
 Stomach, guinea-pig, 96, 248P
 Straub tail, 99, 934P
 Stress, 96, 336P
 Stress ulcer, 99, 935P
 Striatum, 97, 576P, 585P
 Structure-activity relationship, 99,
 894P
 Substance P, 96, 119P, 360P; 97, 562P;
98, 716P; 99, 828P, 829P, 864P, 867P
 Substantia nigra, 96, 342P
 Subthalamic nucleus, 99, 928P
 Subtypes α_{1A} and α_{1B} adrenoceptors,
98, 652P, 698P
 Suicide, 96, 1P; 99, 812P, 818P
 Sulphonylurea, 99, 806P, 830P
 Sumatriptan, 99, 797P
 Superoxide anions, 97, 443P
 Superoxide, 98, 671P
 Suramin, 98, 618P
 Sympathetic ganglion, 96, 359P; 98,
 739P
 Sympathetic nerve terminals, 99, 775P,
 868P
 Sympathetic nerves, 99, 776P, 777P
 Sympathetic nervous system activity,
99, 854P
 Sympathetic pressor response, 98, 737P
 Sympathetic stimulation, 96, 264P
 Synthetic peptides, 96, 124P
 Systolic blood pressure, 96, 118P
 Tachycardia, 96, 225P
 Tachykinin receptors, 96, 124P
 NK₃ tachykinin receptors, 99, 798P,
 908P
 Tachyphylaxis, 96, 216P
 Taenia caeci, guinea-pig, 99, 808P
 Tail docking, 97, 570P
 Tail-pinch, 96, 49P
 Tamoxifen, 96, 22P
 Tardive dyskinesia, 99, 938P
 T-cells, 98, 667P, 724P
 Temperature, 99, 876P
 Ternary complex, 97, 574P; 98, 646P
 Tetradecapeptide renin substrate, 98,
 711P
 Tetrahydroaminoacridine, 96, 352P,
 353P; 97, 473P, 474P
 Theophylline, 98, 751P
 Thermal threshold, 97, 598P
 Thermogenesis, 99, 936P
 Thrombin, 99, 896P
 Thromboembolism, 96, 277P
 Thromboxane, 96, 170P; 97, 555P, 563P;
98, 761P; 99, 843P
 Thromboxane A₂, 96, 70P, 173P

Thromboxane analogue, 98, 625P
 Thromboxane antagonists, 98, 764P
 Thromboxane receptor antagonist, 96, 69P
 Thromboxane A₂ receptor antagonists, 96, 67P; 97, 555P
 Thromboxane receptors, 96, 65P
 Thromboxane synthetase inhibitors, 96, 118P; 99, 842P
 Thymus, 96, 285P
 Thyroid hormones, 97, 572P
 Thyrotrophin-releasing hormone, 97, 413P
 Thyrotrophin-releasing hormone antibodies, 97, 571P
 Thyrotrophin releasing hormone binding, 96, 45P
 Tissue ACE, 98, 658P
 Tissue bath, 96, 293P
 Tissue distribution, 97, 541P
 Tissue kallikrein, 97, 439P
 Tissue plasminogen activator, 99, 892P, 893P
 T-maze, 96, 47P; 98, 636P
 TMB-8, 96, 108P
 Tobacco alkaloids, 97, 470P
 Tolerance, 96, 358P; 97, 390P, 464P, 492P; 99, 886P, 890P
 Total tritium release, 96, 5P
 Toxicity, 96, 32P, 333P; 99, 878P
 TP-receptor blocking drug, 99, 842P
 Trachea, bovine, 97, 444P, 560P; 98, 660P; 99, 804P
 Trachea, ferret, 97, 555P
 Trachea, guinea-pig, 96, 230P; 97, 449P, 558P; 98, 717P; 99, 777P, 779P, 780P, 786P, 881P, 882P
 Trachea, rat, 97, 562P; 99, 864P
 Tracheal cartilage, 97, 553P
 Tracheal contraction, 96, 103P
 Tracheal epithelium, 99, 784P
 Trachealis, 97, 446P, 448P, 551P
 Trachealis muscle, 96, 161P
 Tracheal smooth muscle, 96, 160P; 98, 720P; 99, 871P
 Trandolapril, 96, 201P
 Translocation, 99, 845P
 Transmitter release, 97, 455P; 99, 826P
 Tricyclic antidepressants, 97, 376P
 Trimetazidine, 96, 199P
 3,4,5-trimethoxybenzoic acid
 8-(diethylamino) octyl ester, TMB-8, 97, 396P
 Tryptamine analogues, 98, 750P
 Tryptamines, 98, 757P; 99, 868P
 Tryptophan pyrrolase, 98, 614P
 (+)-Tubocurarine, 97, 415P
 Tumours, breast, 99, 891P
 Tyrosine hydroxylase, 97, 476P; 98, 696P
 UK-52,046, 96, 183P
 UK-69,578, 99, 824P
 UK-79,300, 99, 823P
 Ulcer, rat, 97, 547P
 Umbilical artery, human, 97, 501P; 98, 761P
 Undergraduate teaching, 96, 366P
 Undernutrition, 99, 944P
 Uptake, 97, 511P, 551P
 Uptake-1 mechanism, 96, 192P
 Urinary bladder, 96, 234P; 97, 564P
 Uterine artery, guinea-pig, 96, 71P
 Uterine artery, human, 97, 540P; 98, 649P
 Uterine vasculature, 96, 168P
 Uterus, guinea-pig, 98, 763P
 Uterus, rat, 762P; 99, 807P, 887P
 Vagal bradycardia, 99, 811P
 Vagus nerve, 96, 252P, 269P; 98, 663P
 Variation, 99, 778P
 Vascular beds, 96, 165P
 Vascular control, 99, 850P
 Vascular muscle contraction, 99, 953P
 Vascular P_{2x}-purinoceptors, 96, 122P
 Vascular reactivity, 96, 150P, 209P; 97, 526P; 98, 628P; 99, 851P
 Vascular α -receptors, 96, 155P
 Vascular resistance, 96, 225P
 Vascular smooth muscle, 96, 211P, 256P; 98, 721P; 99, 901P
 Vascular tissue, 97, 528P
 Vasculature, 97, 518P
 Vas deferens, guinea-pig, 99, 775P
 Vas deferens, mouse, 96, 259P; 98, 755P
 Vas deferens, rat, 96, 360P; 97, 575P; 98, 618P; 99, 866P
 Vasoactive intestinal peptide, 99, 784P
 Vasoconstriction, 96, 34P, 100P, 148P, 159P, 219P; 98, 624P, 625P, 626P; 99, 901P
 Vasodilation, 96, 113P; 98, 623P, 625P; 99, 796P
 Vasodilators, 96, 99P, 190P, 214P
 Vasopressin, 99, 793P, 858P
 Vasorelaxants, 96, 112P
 Vasorelaxation, 96, 111P, 255P; 98, 723P
 Veins, 96, 148P
 Ventricle, guinea-pig, 98, 742P
 Ventricular cells, 98, 743P
 Verapamil, 99, 847P, 875P, 953P
 Veratridine, 96, 149P, 230P
 Vesamicol, 99, 826P
 Video disc, 97, 602P

Vitamin E, 98, 746P; 99, 894P
Voltage-activated sodium current, 97,
503P
Voltammetry, 96, 49P, 92P, 300P, 338P

Warfarin, 96, 23P, 291P
Western blotting, 96, 163P
Wet dog shake behaviour, 96, 303P;
97, 571P; 99, 829P
WHR1049, 97, 519P
Withdrawal, 96, 137P, 326P; 98, 676P

Xamoterol, 97, 512P; 98, 732P
Xanthines, 96, 41P, 97, 502P
Xanthine amine congener, 96, 265P

Yawning, 97, 468P, 469P
[³H]Yohimbine, 96, 177P; 98, 655P;
99, 868P

Zaprinast, 96, 267P
Zinc, 96, 134P, 328P; 97, 376P
Zymosan, 96, 39P