

# BRITISH JOURNAL OF PHARMACOLOGY

The *British Journal of Pharmacology* welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

*Edited for the British Pharmacological Society by*

**A.T. Birmingham**  
(Chairman)

**R.W. Horton      W.A. Large**  
(Secretaries)

## Editorial Board

P.I. Aaronson *London*  
J.A. Angus *Melbourne, Australia*  
G.W. Bennett *Nottingham*  
T.P. Blackburn *Harlow*  
N.G. Bowery *London*  
W.C. Bowman *Glasgow*  
S.D. Brain *London*  
K.D. Butler *Horsham*  
M. Caulfield *London*  
R. Chess-Williams *Sheffield*  
T. Cocks *Melbourne, Australia*  
S.J. Coker *Liverpool*  
R.A. Coleman *Ware*  
Helen M. Cox *London*  
A.J. Cross *London*  
V. Crunelli *Cardiff*  
T.C. Cunnane *Oxford*  
F. Cunningham *London*  
A. Dickenson *London*  
J.R. Docherty *Dublin*  
A. Dray *London*  
L. Edvinsson *Lund, Sweden*  
G. Edwards *Manchester*  
J.M. Edwardson *Cambridge*  
R.M. Eglen *Palo Alto, USA*  
P.C. Emson *Cambridge*  
A.C. Foster *San Diego, USA*  
J.R. Fozard *Basle, Switzerland*  
Allison D. Fryer *Baltimore, USA*

J.P. Gallagher *Galveston, USA*  
Sheila M. Gardiner *Nottingham*  
C.J. Garland *Bristol*  
A. Gibson *London*  
M.A. Gienbycz *London*  
W.R. Giles *Calgary, Canada*  
R.G. Goldie *Perth, Australia*  
R.J. Griffiths *Connecticut, USA*  
R.W. Gristwood *Cambridge*  
Judith M. Hall *London*  
D.W.P. Hay *Philadelphia, USA*  
P.G. Hellewell *London*  
P.E. Hicks *Edinburgh*  
S.J. Hill *Nottingham*  
K. Hillier *Southampton*  
S.M.O. Hourani *Guildford*  
J.C. Hunter *Palo Alto, USA*  
E.J. Johns *Birmingham*  
R.S.G. Jones *Oxford*  
C.C. Jordan *Ware*  
P.A.T. Kelly *Edinburgh*  
D.A. Kendall *Nottingham*  
C. Kennedy *Glasgow*  
P. Leff *Loughborough*  
A.T. McKnight *Cambridge*  
C.A. Maggi *Florence, Italy*  
Janice M. Marshall *Birmingham*  
G. Martin *Beckenham*  
W. Martin *Glasgow*

A. Mathie *London*  
D.N. Middlemiss *Harlow*  
P.K. Moore *London*  
C.D. Nicholson *Oss, The Netherlands*  
H. Osswald *Tübingen, Germany*  
F.L. Pearce *London*  
J.D. Pearson *London*  
A.G. Renwick *Southampton*  
P.J. Roberts *Bristol*  
G.J. Sanger *Harlow*  
W.C. Sessa *Connecticut, USA*  
P. Sneddon *Glasgow*  
K. Starke *Freiburg, Germany*  
R.J. Summers *Melbourne, Australia*  
P.V. Taberner *Bristol*  
J. Tamargo *Madrid, Spain*  
C. Thiemeermann *London*  
M.D. Tricklebank *Basle, Switzerland*  
T.J. Verbeuren *Suresnes, France*  
R.R. Vollmer *Pittsburgh, USA*  
K.J. Watling *Boston, USA*  
A.H. Weston *Manchester*  
J. Westwick *Bath*  
Eileen Winslow *Riom, France*  
E.H.F. Wong *Milan, Italy*  
B. Woodward *Bath*

## Corresponding Editors

P.R. Adams *Stony Brook, U.S.A.*  
C. Bell *Dublin*  
F.E. Bloom *La Jolla, U.S.A.*  
A.L.A. Boura *Newcastle, Australia*  
N.J. Dun *Toledo, U.S.A.*  
R.F. Furchgott *New York, U.S.A.*  
T. Godfraind *Brussels, Belgium*  
S.Z. Langer *Paris, France*

R.J. Miller *Chicago, U.S.A.*  
R.C. Murphy *Denver, U.S.A.*  
E. Muscholl *Mainz, Germany*  
R.A. North *Geneva, Switzerland*  
M. Otsuka *Tokyo, Japan*  
M.J. Rand *Melbourne, Australia*  
S. Rosell *Södertälje, Sweden*  
P. Seeman *Toronto, Canada*

L. Szekeres *Szeged, Hungary*  
B. Uvnäs *Stockholm, Sweden*  
P.A. Van Zwieten *Amsterdam, Netherlands*  
V.M. Varagić *Belgrade, Yugoslavia*  
G. Velo *Verona, Italy*  
Wang Zhen Gang *Beijing, China*  
M.B.H. Youdim *Haiifa, Israel*

**Submission of manuscripts:** Manuscripts (two copies) should be sent to The Editorial Office, British Journal of Pharmacology, St. George's Hospital Medical School, Cranmer Terrace, London SW17 0RE.

Authors should consult the Instructions to Authors and the Nomenclature Guidelines for Authors in Vol. 114, 245–255. These Instructions and Guidelines also appear with the journal Index for Volumes 111–113, 1994. A checklist of the essential requirements is summarised in each issue of the journal, or as the last page of the issue.

Whilst every effort is made by the publishers and editorial committee to see that no inaccurate or misleading data, opinion or statement appears in this Journal, they and the *British Pharmacological Society* wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned. Accordingly, the *British Pharmacological Society*, the publishers and the editorial committee and their respective employees, officers and agents accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

- L. Motin & M.R. Bennett.** Effect of P<sub>2</sub>-purinoceptor antagonists on glutamatergic transmission in the rat hippocampus 1276
- M.I. Colado, J.L. Williams. & A.R. Green.** The hyperthermic and neurotoxic effects of 'Ecstasy' (MDMA) and 3,4-methylenedioxymphetamine (MDA) in the Dark Agouti (DA) rat, a model of the CYP2D6 poor metabolizer phenotype 1281
- S. Kojima & Y. Shimo.** Calcitonin gene-related peptide (CGRP)-enhanced non-adrenergic non-cholinergic contraction of guinea-pig proximal colon 1290
- A. Jovanović, L. Grbovic, I. Žikić & I. Tulic.** Characterization of arginine vasopressin actions in human uterine artery: lack of role of the vascular endothelium 1295
- M. Morikawa, M. Inoue, S. Tokumaru & H. Kogo.** Enhancing and inhibitory effects of nitric oxide on superoxide anion generation in human polymorphonuclear leukocytes 1302
- E.A. Harley, D.N. Middlemiss & C.I. Ragan.** Relationship between inhibition of cyclic AMP production in Chinese hamster ovary cells expressing the rat D<sub>2(444)</sub> receptor and antagonist/agonist binding ratios 1307
- Q.-S. Yan, P.C. Jobe & J.W. Dailey.** Further evidence of anticonvulsant role for 5-hydroxytryptamine in genetically epilepsy-prone rats 1314
- N. Berthiaume, A. Claing, D. Regoli, T.D. Warner & P. D'Orleans-Juste.** Characterization of receptors for kinins and neurokinins in the arterial and venous mesenteric vasculatures of the guinea-pig 1319
- E. Barocelli, V. Ballabeni, M. Chiavarini & M. Impicciatore.** R- $\alpha$ -methylhistamine-induced inhibition of gastric acid secretion in pylorus-ligated rats via central histamine H<sub>3</sub> receptors 1326
- E. Tibiraça, M. Catelli, M.A. Lessa, J.C. Roegel, J. Feldman, L. Monassier & P. Bousquet.** Inhibition of the centrally induced increases in myocardial oxygen demand in rabbits by chronic treatment with baclofen, a selective GABA<sub>B</sub> agonist 1331
- Erratum** 1337

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

**Scope** The *British Journal of Pharmacology* is published twice a month. It welcomes contribution in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS and Index Medicus.

**Editorial** Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, St George's Hospital Medical School, Cranmer Terrace, London SW17 0RE, UK. Tel: +44 (0)181 767 6765; Fax: +44 (0)181 767 5645.

**Advertisements** Enquiries concerning advertisements should be addressed to: Michael Rowley, Hasler House, High Street, Great Dunmow, Essex CM6 1AP, UK. Tel: +44 (0)1371 874613; Fax: +44 (0)1371 872273.

**Publisher** All business correspondence, supplement enquiries and reprint requests should be addressed to British Journal of Pharmacology, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 2XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Karen Stuart.

**Subscriptions – EU/Rest of World** Subscription price per annum (3 volumes, 24 issues) £620, rest of world £820 (Airmail), £685 (Surface mail) or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Magazines and sent to: The Subscription Department Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 2XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment. Subscribers from EC territories should add sales tax at the local rate.

**Subscriptions – USA** USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 49, West 24th Street, New York, NY 10010; Tel: 212 627 5757, Fax: 212 627 9256, USA annual subscription rates: \$1230 Airmail; \$1030 Surface (Institutional/Corporate); \$225 (Individual making personal payment).

*British Journal of Pharmacology* (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1030 per annum (surface). 2nd class postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

**Reprints** of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 2XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

**Copyright** © 1995 Stockton Press  
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/95 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

## PREPARATION OF MANUSCRIPTS

Authors are strongly recommended to read the full *Instructions to Authors and Nomenclature Guidelines for Authors* (*Br. J. Pharmacol.* 1995, **114**, 245–255) before submitting a manuscript for publication in the *British Journal of Pharmacology*. The manuscript and cover letter should be checked against the following list before mailing.

The original and one copy of the manuscript must be supplied. Manuscripts must be typed in double-line spacing on one side of A4 paper, in type not smaller than 12 characters per inch or 10 point. Both copies to include Tables and a set of labelled Figures. One set of Figures without numbers or letters is also to be included. The text to be arranged in the following subsections:

1. **Title**—To have no more than 150 characters on a separate page, which should also include a Short Title (50 characters maximum) and the name and address of the author for correspondence.
2. **Summary**—To be arranged in numbered paragraphs (Full Papers) or a single paragraph (Special Reports).  
—to include aims, principal results and conclusions.  
—to include Key words (10 maximum) at end of summary.
3. **Introduction**—To contain concise statements of the problem and the aims of the investigation.
4. **Methods**—To have brief but adequate account of the procedures; *full names of drugs (including those referred to by manufacturer's code)*, sources of drugs and statistical tests to be stated.
5. **Results**—To have no repetition of data in Figures, Tables and text.
6. **Discussion**—Findings and conclusions to be placed in context of other relevant work.  
*NB* Simple repetition of results and unwarranted speculation are not acceptable.
7. **Acknowledgements**—Sources of support. Sources of drugs not widely available commercially.
8. **References**—All references in the text to be included in the Reference List and *vice versa*. References in alphabetical order with complete citations; Journals publishing 'in press' papers identified.

*References to manuscripts submitted to other journals but not yet accepted are not allowed.*

9. **Tables**—Each on a separate page and prepared in accordance with current requirements of the Journal.
10. **Figures**—Both labelled and non-labelled Figures to be prepared in accordance with current requirements of the Journal (see *Instructions to Authors*, 1994, **114**, 245–251) and provided with Figure Number and Authors' names on back (*in pencil*).  
—each legend to be typed on a separate page and carrying keys to symbols.  
—keys to symbols and histograms must not appear on the figures themselves, but in the respective legends.  
—'box style' figures are not in keeping with the Journal style; line drawings etc must have only left-hand and bottom axes.
11. **Manuscripts**—To be accompanied by a declaration signed by each author that
  - (a) results are original
  - (b) approval of all persons concerned has been given to submit manuscripts for consideration (see also 12b)
  - (c) the same material is neither 'in press' (i.e. is in proof or has definitely been accepted for publication) nor under consideration elsewhere. Furthermore it will not be submitted or published elsewhere before a decision has been reached by the Editorial Board of the *British Journal of Pharmacology* and will not be submitted elsewhere if accepted by the *British Journal of Pharmacology*.
  - (d) Copyright assignment is included.
12. **Cover letter**—To state clearly
  - (a) Corresponding author's full postal address, telephone, telex or Fax number
  - (b) where appropriate, that *either* ethical approval has been given for investigation or Company or Institutional permission to publish work has been received.
13. **Reminder**—Packaging to be sufficiently robust to protect Figures and to withstand mailing.

Failure to comply with *Instructions to Authors* may lead to substantial delays in processing, review and publication and may even jeopardize acceptance of the manuscript.

## NOMENCLATURE

Authors are reminded that accepted receptor and associated terminology is laid out in *Nomenclature Guidelines for Authors*, as published in the *British Journal of Pharmacology*, *Br. J. Pharmacol.*, 1995, **114**, 253–255.

## SPECIAL REPORTS

The purpose of *Special Reports* is to provide rapid publication for **new** and **important** results which the Editorial Board considers are likely to be of special pharmacological significance. *Special Reports* will have publication priority over all other material and so authors are asked to consider carefully the status of their work before submission.

In order to speed publication there is normally no revision allowed beyond very minor typographical or grammatical corrections. If significant revision is required, the Board may either invite rapid re-submission or, more probably, propose that it be re-written as a Full Paper and be re-submitted for consideration. In order to reduce delays, proofs of *Special Reports* will be sent to authors but **essential corrections must reach the Production Office within 48 hours of receipt**. Authors should ensure that their submitted material conforms exactly to the following requirements.

*Special Reports* should normally occupy no more than two printed pages of the Journal; two illustrations (Figures or Tables, with legends) are permitted. As a guideline, with type face of 12 pitch and double-line spacing, a page of A4 paper could contain about 400 words. The absolute maximum length of the *Special Report* is 1700 words. For each Figure or Table, please deduct 200 words. The manuscript should comprise a Title page with key words (maximum of 10), a Summary consisting of a single short paragraph, followed by Introduction, Methods, Results, Discussion and References (maximum of 10). In all other respects, the requirements are the same as for Full Papers (see current 'Instructions to Authors').

## SPECIAL REPORTS

D. Scherrer, L. Daefler, A. Trifilieff & J.-P. Gies. Effects of WIN 64338, a nonpeptide bradykinin B<sub>2</sub> receptor antagonist, on guinea-pig trachea 1127

P. Ferdinandy, Z. Szilvassy, T. Csont, C. Csonka, E. Nagy, M. Koltai & L. Dux. Nitroglycerin-induced direct protection of the ischaemic myocardium in isolated working hearts of rats with vascular tolerance to nitroglycerin 1129

## PAPERS

A.M. Elhawary, J. Poon & C.C.Y. Pang. Effects of calcitonin gene-related peptide receptor antagonists on renal actions of adrenomedullin 1133

Y. Kawano & T. Noma. Modulation of mite antigen-induced immune responses by lecithin-bound iodine in peripheral blood lymphocytes from patients with bronchial asthma 1141

L. Kasakov, S. Celtek & S. Moncada. Characterization of nitric oxide neurotransmission during short- and long-term electrical stimulation of the rabbit anococcygeus muscle 1149

K. Andersson & P. Arner. Cholinergic-mediated effects on glycerol output from human adipose tissue using *in situ* microdialysis 1155

S.P. Aiken, B.J. Lampe, P.A. Murphy & B.S. Brown. Reduction of spike frequency adaptation and blockade of M-current in rat CA1 pyramidal neurones by linopiridine (DuP 996), a neurotransmitter release enhancer 1163

S.N. Dijk, P.T. Francis, G.C. Stratmann & D.M. Bowen. NMDA-induced glutamate and aspartate release from rat cortical pyramidal neurones: evidence for modulation by a 5-HT<sub>1A</sub> antagonist 1169

P. Klemm, M. Hecker, H. Stockhausen, C.C. Wu & C. Thiermermann. Inhibition by N-acetyl-5-hydroxytryptamine of nitric oxide synthase expression in cultured cells and in the anaesthetized rat 1175

J. Rouru, M. Koulu, J. Peltonen, E. Santti, V. Hänninen, U. Pesonen & R. Huupponen. Effects of metformin treatment on glucose transporter proteins in subcellular fractions of skeletal muscle in (*fa/fa*) Zucker rats 1182

N. Morisaki, S. Watanabe, M. Tezuka, M. Zenibayashi, R. Shiina, N. Koyama, T. Kanzaki & Y. Saito. Mechanism of angiogenic effects of saponin from Ginseng *Radix rubra* in human umbilical vein endothelial cells 1188

G. Folkerts, H. van der Linde, A.K.C.P. Verheyen & F.P. Nijkamp. Endogenous nitric oxide modulation of potassium-induced changes in guinea-pig airway tone 1194

E. Feolde, P. Vigne, J.P. Breittmayer & C. Frelin. ATP, a partial agonist of atypical P<sub>2Y</sub> purinoceptors in rat brain microvascular endothelial cells 1199

Y. Amrani, C. Magnier, J. Enouf, F. Wuytack & C. Bronner. Ca<sup>2+</sup> increase and Ca<sup>2+</sup>-influx in human tracheal smooth muscle cells: role of Ca<sup>2+</sup> pools controlled by sarco-endoplasmic reticulum Ca<sup>2+</sup>-ATPase 2 isoform 1204

B.-K. Kim, H. Ozaki, S.-M. Lee & H. Karaki. Increased sensitivity of rat myometrium to the contractile effect of platelet activating factor before delivery 1211

H. Shirahase, M. Kanda, K. Kurahashi, S. Nakamura, H. Usui & Y. Shimizu. Endothelium-dependent contraction in intrapulmonary arteries: mediation by endothelial NK<sub>1</sub> receptors and TXA<sub>2</sub> 1215

A. García-Pascual, A. Labadía, E. Jimenez & G. Costa. Endothelium-dependent relaxation to acetylcholine in bovine oviductal arteries: mediation by nitric oxide and changes in apamin-sensitive K<sup>+</sup> conductance 1221

G.W. De Vries, P. Guarino, A. McLaughlin, J. Chen, S. Andres & D.F. Woodward. An EP receptor with a novel pharmacological profile in the T-cell line Jurkat 1231

P. Lacolley, N. Ghodsi, E. Glazer, P. Challande, A.M. Brissac, M.E. Safar & S. Laurent. Influence of graded changes in vasomotor tone on the carotid arterial mechanics in live spontaneously hypertensive rats 1235

M. Nobles, P.A. Revest, P.-O. Couraud & N.J. Abbott. Characteristics of nucleotide receptors that cause elevation of cytoplasmic calcium in immortalized rat brain endothelial cells (RBE4) and in primary cultures 1245

S. Appel, R.A.A. Mathôt, M.W.E. Langemeijer, A.P. IJzerman & M. Danhof. Modelling of the pharmacodynamic interaction of an A<sub>1</sub> adenosine receptor agonist and antagonist *in vivo*: N<sup>6</sup>-cyclopentyl-adenosine and 8-cyclopentyltheophylline 1253

S.A.B.E. van Acker, K. Kramer, J.A. Grimbergen, D.-J. van den Berg, W.J.F. van der Vijgh & A. Bast. Monohydroxyethylrutin as protector against chronic doxorubicin-induced cardiotoxicity 1260

B. Safieh-Garabedian, S. Poole, A. Allchorne, J. Winter & C.J. Woolf. Contribution of interleukin-1β to the inflammation-induced increase in nerve growth factor levels and inflammatory hyperalgesia 1265

L. Motin & M.R. Bennett. Effect of P<sub>2</sub>-purinoceptor antagonists on glutamatergic transmission in the rat hippocampus 1276

M.I. Colado, J.L. Williams & A.R. Green. The hyperthermic and neurotoxic effects of 'Ecstasy' (MDMA) and 3,4-methylenedioxymphetamine (MDA) in the Dark Agouti (DA) rat, a model of the CYP2D6 poor metabolizer phenotype 1281

S. Kojima & Y. Shimo. Calcitonin gene-related peptide (CGRP)-enhanced non-adrenergic non-cholinergic contraction of guinea-pig proximal colon 1290

A. Jovanović, L. Grbovic, I. Žikić & I. Tulic. Characterization of arginine vasopressin actions in human uterine artery: lack of role of the vascular endothelium 1295

M. Morikawa, M. Inoue, S. Tokumaru & H. Kogo. Enhancing and inhibitory effects of nitric oxide on superoxide anion generation in human polymorphonuclear leukocytes 1302

E.A. Harley, D.N. Middlemiss & C.I. Ragan. Relationship between inhibition of cyclic AMP production in Chinese hamster ovary cells expressing the rat D<sub>2(444)</sub> receptor and antagonist/agonist binding ratios 1307

Q.-S. Yan, P.C. Jobe & J.W. Dailey. Further evidence of anticonvulsant role for 5-hydroxytryptamine in genetically epilepsy-prone rats 1314

N. Berthiaume, A. Claing, D. Regoli, T.D. Warner & P. D'Orleans-Juste. Characterization of receptors for kinins and neurokinins in the arterial and venous mesenteric vasculatures of the guinea-pig 1319

E. Barocelli, V. Ballabeni, M. Chiavarini & M. Impicciatore. R-α-methylhistamine-induced inhibition of gastric acid secretion in pylorus-ligated rats via central histamine H<sub>3</sub> receptors 1326

E. Tibiraça, M. Catelli, M.A. Lessa, J.C. Roegel, J. Feldman, L. Monassier & P. Bousquet. Inhibition of the centrally induced increases in myocardial oxygen demand in rabbits by chronic treatment with baclofen, a selective GABA<sub>B</sub> agonist 1331

Erratum 1337