British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

University of Oxford

12th-14th July 1995

The British Journal of Pharmacology is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The British Journal of Pharmacology is published twice a month. It welcomes contribution in all field of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, St George's Hospital Medical School, Cranmer Terrace, London SW17 0RE, UK. Tel: +44 (0)181 767 6765; Fax: +44 (0)181 767 5645.

Advertisements Enquiries concerning advertisements should be addressed to: Michael Rowley, Hasler House, High Street, Great Dunmow, Essex CM6 1AP, UK. Tel: +44 (0)1371 874613; Fax: +44 (0)1371 872273.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to British Journal of Pharmacology, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley.

Subscriptions – EU/Rest of World Subscription price per annum (3 volumes, 24 issues) £620, rest of world £820 (Airmail), £685 (Surface mail) or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Magazines and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Gi.o Account No. 519 2455. Full details must accompany the payment. Subscribers from EU territories should add sales tax at the local rate.

Subscriptions – USA USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 49, West 24th Street, New York, NY 10010; Tel: 212 627 5757, Fax: 212 627 9256. USA annual subscription rates: \$1230 Airmail; \$1030 Surface (Institutional/Corporate); \$225 (Individual making personal payment).

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1030 per annum (surface). 2nd class postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

Copyright © 1995 Stockton Press ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press, for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/95 \$12.00+\$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.



E.M.M.S.

12 Woolmer Way Bordon, Hants GU35 9QF

Tel: 014204 79791 Fax: 488208
- ISDN Video 01420 487796
emms@infodisp.demon.co.uk

■ Data Collection, Analysis and Handling for the Life Scientist

E.M.M.S. offer complete systems for measuring, monitoring, and recording of physiological parameters. We have experience in cardio-vascular and pulmonary, both in-vitro and in-vivo models. We can supply complete systems, from transducers to post processing software. Our services include consultation, installation, training and inservice support. Maintenance and service agreements that include certified calibration are available. Systems may be purchased or leased.

■ Pulmonary

Unrestrained Dyspnea Monitoring Non-Invasive Airway Mechanics Pulmonary Mechanics Flow Derived Parameters

Cardiovascular

Multiple Channel Hemodynamics

■ In-Vitro Applications

Tissue Bath Preparations Konzett-Rossler Technique

INDEX TO PROCEEDINGS SUPPLEMENT **University of Oxford** 12–14 July, 1995

Author Index

thromboxane mimetics, U46619 and

I-BOP on the human umbilical

Arenson MS & Evans SO The increase

in quantal acetylcholine release

induced by a phorbol ester at the in

vitro frog neuromuscular junction is

Ancilewski A see Crofts A, 145P

Andrews J see Einstein R, 151P

Anwar N see Sugden D, 206P

Anwyl R see Hölscher C, 134P

artery, 202P

Abal M see Pintor J, 58P Abbas F, Clayton JK, Marshall K & Senior J A preliminary study on the effects of bradykinin and related compounds on the human isolated umbilical artery, 201P Adams D see Challiss RAJ, 80P Ahluwalia A & Vallance PJ Interaction between sympathetic and sensory nerves in rat small arteries, 68P Ahmad M, Ahmadi M, Smith HJ & Nicholls PJ Effect of some substituted azoles on the in vitro metabolism of retinoic acid, 212P Ahmad S, Fowler LJ, Leach MJ & Whitton PS The effects of chronic (21-day) lamotrigine treatment on basal and veratridine-evoked glutamate release in the rat ventral hippocampus in vivo, 121P Ahmadi M see Ahmad M, 212P Ajuebor MN, Brain SD & Cambridge H The mechanism of 6-hydroxydopamine (6-OHDA)-induced plasma extravasation in rat skin, 84P Alemany R, Olmos G & García-Sevilla JA Pharmacological and molecular discrimination of I2-imidazoline receptor subtypes, 135P Alexander B see Yang W, 156P Alexander SPH see Wallace KE, 137P Alfieri AB & Gardner CJ An antagonist of tachykinin NK₁ receptors inhibits cytotoxic-induced plasma protein extravasation in the ferret, 251P Allen MJ, Scott AC & Spraggs CF Effect of hypoxia and hypoxic preconditioning on barrier function

of isolated rat colonic mucosa, 181P

Senior J A comparative study of the

Allen R see Hughes B, 6P Allport JR see MacDermot J, 11P

Amin J see Khan RN, 200P

Amin Z, Clayton JK, Marshall K &

sensitive to nimodipine, 165P Argent CCH, Parsons ME & Raman V Rapid desensitzation of the inotropic response of the guinea-pig left atrium caused by short term exposure to low concentrations of isoprenaline, 149P Arkle S & White K Effects of P_{2Z}purinoceptor-selective agents on the rat parotid salivary gland in vitro, 270P Armah B see Blokland A, 144P Aronson JK see Murton RA, 154P Ashford MLJ see Khan RN, 200P Ashford MLJ see Lee K, 172P Askew M see Corkill DJ, 8P Aspley S, Duxon M, Beckett SRG, Fone KCF & Marsden CA C-Fos immunoreactivity produced by exposure to 20 kHz ultrasound in rats, 131P Aspley S see Beckett SRG, 130P Au BT, Danjou P, Larkin S & Rhodes KF The effects in the rat of the 5-HT₃ receptor antagonist, WAY-SEC-579, on increased microvascular blood flow induced by intradermal injection of 5-hydroxytryptamine, 265P Baird M see McCulloch KM, 190P

Bailey B see Collins GGS, 273P Bakhle YS see Barker JE, 198P Balcarek JM see Belelli D, 229P Balcarek JM see Hope AG, 82P Ball DI see Dale TJ, 91P Barker JE, Bakhle YS & Piper PJ The AT₁ receptor antagonist, losartan, inhibits contraction and enhances PGI₂ release in human saphenous vein stimulated by angiotensin II, 198P

Barkley LR, Bowers JS, Birch PJ & Trevethick MA Inhibition of carrageenan-induced increases in paw hyperalgesia, oedema and prostaglandin synthesis by selective inhibitors of cyclo-oxygenase-2, 83P Barnard EA see Grahames CBA, 138P

Barnes NM see Bentley KR, 231P Barnes NM see Fletcher S, 230P

Barnes NM see Ge J, 232P

Barnes NM see Ge J, 233P

Barnes NM see Ge J, 243P

Barnes NM see Ge J, 244P

Barnes NM see Ge J, 245P Barnes NM see Ge J, 246P

Barnes NM see Stowe RL, 234P

Bartlett IS & Marshall JM Comparison of the effect of acute hypoxia on iliac artery rings from normal and chronically hypoxic rats, 203P

Barton CL & Hutson PH The increase of hippocampal acetylcholine efflux by MK801 is mediated via dopamine D₁ but not D₂ receptors, 118P

Baxter GF, Wright MJ, Goodwin RW, Kerac M & Yellon DM Delayed effects of the endotoxin derivative, monophosphoryl lipid A, on responses to ischaemia-reperfusion in rabbit myocardium, 148P

Beattie DT, Connor HE, Hawcock AB, Perren MJ & Ward P Pharmacology of GR203040, a potent and selective non-peptide tachykinin NK₁ receptor antagonist, 37P

Beattie DT see Escott KJ, 87P

Beck-Sickinger AG see Cox HM, 179P Beckett P see Corkill DJ, 8P Beckett SRG, Aspley S & Marsden CA Attenuation of ultrasound-induced defence behaviour by diazepam treatment, 130P

Beckett SRG see Aspley S, 131P
Bedingfield JS, Hill PB, Jane DE, Tse
H-W, Roberts PJ & Watkins JC
Effect of increasing chain length of
phenylglycine derivatives on activity
at metabotropic glutamate receptors
linked to phosphoinositide
hydrolysis, 110P

Beech DJ Inhibition by D609 of histamine receptor coupling to Ca channels in smooth muscle cells isolated from guinea-pig ileum, 211P

Beech DJ see Prior HM, 30P
Belelli D, Hope AG, Peters JA, Lambert
JJ, Blackburn TP & Balcarek JM
Functional properties of a human
recombinant 5-HT₃ receptor expressed in Xenopus laevis oocytes,
229P

Benjamin IS see Yang W, 156P
Bennett T see Gardiner SM, 27P
Bentley KR, Johnston KD, Stowe RL &
Barnes NM No evidence that (S)zacopride displays intrinsic activity
at the 5-HT3 receptor in the rat vagus
nerve, 231P

Bernasconi R see Parry KP, 75P
Bertrand P, Böhme A, Piot O, Durieux
C, Jeantaud B, Boudeau P, Pauchet
C, Manfré F, Guyon C, Dubroeucq
MC & Doble A RPR 101367, a new
potent and selective non-peptide
CCKB receptor antagonist, 241P
Bevan S see Hedley L, 162P

Bill DJ, Cronin S, Grewal SS, McNicoll C & Fletcher A Behavioural effects of AHR-14042, a novel azetidine anxiolytic, in rodent models of anxiety, 125P

Bill DJ, Cronin S, Hartley JE, McNicoll C & Fletcher A Lack of with-drawal/dependence liability following chronic treatment with the novel azetidine anxiolytic AHR-14042 in rodents, 126P

Bill DJ, Forster EA, Grewal SS & Fletcher A Functional antagonistic and anxiolytic effects of the 5-HT_{2C/2B} receptor antagonist, SB-200646A, in rodents, 217P
Birch PJ see Barkley LR, 83P
Birdsall NJM see Cohen F, 48P
Birdsall NJM see Cohen F, 49P
Bischoff A, Stickan-Verfürth M & Michel MC Interaction between neuropeptide Y and nifedipine in the regulation of rat renal function, 153P
Black MD, Feniuk W & Humphrey PPA
Pharmacological analysis of the

effect of somatostatin and related analogues on noradrenaline release and firing rate in the rat locus coeruleus in vitro, 242P
Black MD see Stewart TL, 70P
Blackburn TP see Belelli D, 229P
Blackburn TP see Hope AG, 82P
Bland-Ward P see Pabla R, 147P
Blanks A, McAulay JA & Sneddon JM
The effect of cisplatin and/or probenecid on the G401, a human renal cell line, 213P

Blaylock NA, Kendall DA, Wright IK & Wilson VG Evidence for α₂-adrenoceptor-mediated inhibition of forskolin-stimulated cyclic AMP in the porcine isolated thoracic aorta, 186P

Blokland A, Hinz V, Gebert I, Armah B, van der Staay FJ & Schmidt BH
Effects of metrifonate and tacrine in the spatial Morris task and modified Irwin test: evaluation of the efficacy/safety ratio in rats, 144P

Bloxham D see Hughes B, 6P Bodmer M see Shaw S, 85P Bodmer M see Suitters AJ, 15P Boehrer A see Parry KP, 75P Böhme A see Bertrand P, 241P Bolsover SR see de-Allie FA, 168P Bolton TB see Gordienko DV, 31P Bonhaus D see Eglen RM, 235P

Borman RA & Burleigh DE Characterisation of the 5-HT receptor mediating contraction of the circular muscle of human small intestine, 261P

Borman RA & Burleigh DE Tetrodotoxin does not inhibit the shortcircuit current response of human ileal mucosa to cholera toxin, 178P Boudeau P see Bertrand P, 241P

Boulanger CM, Longmore J, Desta B, Schofield W, Hill RG & Taylor AA Further studies on the response of human coronary arteries to the 5-HT_{1D} receptor agonists sumatriptan and MK-462, 38P

Bowen DM see Qume M, 237P
Bowers JS see Barkley LR, 83P
Bowery NG see Parry KP, 75P
Bowmer CJ see Gould J, 152P
Boyle JP see Holland M, 28P
Bradford HF see Kaura S, 122P
Brady G see Green ME, 176P
Brain SD see Ajuebor MN, 84P
Brain SD see Escott KJ, 87P
Brain SD see Kajekar R, 18P
Brazell MP & Dourish CT The 5-HT_{1A}
receptor antagonist WAY-100635
selectively increases DA synthesis
rate in the rat striatum and pre-frontal
cortex, 223P

& Wilson KA The effect of eicosapentaenoic acid upon contractures of isolated aortic rings and calcium influx into cultured aortic cells from the rat, 150P

Brewster BS & Strong PN The effect of denervation on the expression of the apamin acceptor and the 52 kDa myotonic dystrophy gene product in rat skeletal muscle, 124P

Briddon SJ, Leslie RA & Elliott JM
Desensitisation of the transfected
human 5-HT_{2C} receptor is accompanied by a decreased affinity of the
receptor for [³H]5-HT, 218P

Bridgewater M, Ujvary G & Cunnane TC Relationship between electrical and mechanical activity in the guinea-pig isolated taenia caeci, 187P

Bristow LJ see Gay JC, 115P Bristow LJ see Murray F, 114P Broadley KJ see Danahay H, 89P Broadley KJ see Daniels S, 73P Broadley KJ see Maddock HL, 267P Brodacz B see Holzer-Petsche U, 92P Brooks R see Wickenden AD, 29P Brotherton D see McCourt M, 9P Brown AM see Hope AG, 82P Brown AM see Kaumann AJ, 39P Brown DA see Lamas JA, 123P Brown F see Carless AL, 271P Brown G see Hartley JE, 226P Brown HF see Lei M, 175P Browning C, Giles H & Martin GR The use of phenoxybenzamine to discriminate 5-HT receptors mediating endothelium-dependent and -independent vasorelaxation, 262P Brownlee DJA see Holden-Dye L, 260P Bucci MR see Cicala C, 7P Bullock AJ see Murphy CT, 161P Bunce KT see Procter MJ, 180P Bundey RA, Iredale PA & Kendall DA Characterisation of cyclic AMP responses in a locus coeruleus-like cell line, 94P Burleigh DE see Borman RA, 178P Burleigh DE see Borman RA, 261P Burnstock G see King BF, 50P Burnstock G see King BF, 51P

Cackett KS, Comer MB, Gladwell S, Dawson KM & Wood LM Thrombolytic activity of thrombin-activatable plasminogen in the anaesthetised rabbit, 10P

Burnstock G see Ralevic V, 53P

Burnstock G see Rubino A, 57P

Burnstock G see Ziganshin AU, 52P

Butcher SP see Marston HM, 116P

Bushfield M see Newgreen DT, 146P

Cambridge H see Ajuebor MN, 84P Carless AL, Owen DE, Stewart BR, Brown F & Roberts GW The adenosine A_{2B} receptor may modulate the release of tumour necrosis factor α (TNF α) from human THP-1 cells, 271P

Carotti A see McNaught KStP, 77P Carotti A see McNaught KStP, 99P

Cassidy EM & O'Connor JJ Effects of metabotropic glutamate receptors on paired pulse depression in the rat

metabotropic glutamate receptors of paired pulse depression in the rat dentate gyrus in vitro, 106P

Castro SW, Feniuk W & Humphrey PPA
The human somatostatin sst₂ receptor
mediates increases in the rate of
extracellular acidification in a mouse
fibroblast (Ltk⁻) cell line, 20P

Cecchi R see Croci T, 204P

Challiss RAJ, Mistry R, Adams D & Nicholson CD Muscarinic cholinoceptor-stimulated inositol 1,4,5,-trisphosphate generation and phasic contraction are inhibited by phosphodiesterase III/IV inhibition in airways smooth muscle, 80P

Challiss RAJ see Ellis KE, 166P

Chan KM see Jones RL, 12P Chapman AG see Smith SE, 72P

Chedrawy EG, Sullivan JA, Li G & Vohra MM Effects of University of

Wisconsin preservation solution on rabbit aortic endothelium and smooth muscle, 197P

Cheetham SC see Love R, 119P Cheng CHK see Parkins KJ, 143P

Chess-Williams R, Shepherd CE,
Couldwell AJ & Reynolds GP The
actions of clozapine, chlorpromazine
and thioridazine at the α₁-adrenoceptors of the rat vas deferens and
spleen, 205P

Chess-Williams R see Otter DJ, 45P Chess-Williams R see Otter DJ, 157P Chilvers H see Pinnock RD, 23P Chilvers H see Suman-Chauhan N, 22P Chilvers H see Suman-Chauhan N, 254P Christodoulou MS, Rothaul AL,

Whittaker M & Wood LM Effect of lexipafant, a selective PAF receptor antagonist, on ischaemia-induced cardiac arrhythmia and mortality in the anaesthetised rabbit, 40P

Cicala C, Iuvone T, Bucci MR & Cirino G Cell accumulation, TNF-α and nitrite production in a rat model of LPS-induced pleurisy, 7P

Cirino G see Cicala C, 7P
Clark A see Watson WP, 140P
Clark KL see Polley JS, 189P
Clark RD see Eglen RM, 235P
Clarke N see Green ME, 176P
Clayton JK see Abbas F, 201P
Clayton JK see Amin Z, 202P
Clement EM see Elliott JM, 228P
Coates J see Martin DP, 210P
Cockett W see Grimwood S, 113P
Cohen F, Kawashima E & Birdsall NJM
Construction and use of adenosine
A₁/A_{2A} receptor chimeras as probes

for the location of the allosteric site on the A₁ receptor, 49P

Cohen F, McLatchie L & Birdsall NJM

The coupling of adenosine A₁, A_{2A}

receptors and an A₁/A_{2A} chimeric

receptor to an inwardly rectifying K⁺

channel, 48P

Coleman J & Rhodes KF The effect of AHR-14042 on membrane potential of the rat isolated vagus nerve in vitro and its interactions with veratridine, 129P

Coleman RA see Dale TJ, 91P Coleman RA see Evans KS, 88P Collins G see Pinnock RD, 23P

Collins GGS, Dewhurst DG & Bailey B
The pharmacology of 5-HT: an interactive, computer-based tutorial program for undergraduate students,
273P

Comer MB see Cackett KS, 10P Comer MB see McCourt M, 9P Connor HE see Beattie DT, 37P Connor HE see Escott KJ, 87P Corkill DJ, Woolley K, Guard S, Wright

A, Galloway WA, Thomas SW,
Askew M, Beckett P, Davis MH,
Miller K, Stabler G, Gearing A &
Wood LM The effect of a novel
inhibitor of tumour necrosis factor α
(TNFα) processing, BB-1101, in experimental autoimmune encephalomyelitis, 8P

Corsi M see Crespi F, 238P Corsi M see van Amsterdam FThM, 240P

Costall B see Parkins KJ, 143P
Costanza RM & Ebenezer IS The
suppressant effect of atropine on
food intake in rats is attenuated by
pretreatment with the CCK_A receptor
antagonist devazepide, 239P

Couldwell AJ see Chess-Williams, 205P Coutts AA, Fernando SR, Griffin G, Nash JE & Pertwee RG Evidence that guinea-pig small intestine contains CB1 cannabinoid receptors and possibly also a cannabinoid receptor ligand, 46P

Cowen PJ see McQuade R, 220P
Cox HM, Tough IR & Beck-Sickinger
AG L-Alanine scan of neuropeptide
Y: effects of Ala-analogues upon
electrogenic ion transport in rat
jejunum mucosa, 179P

Cox HM see Holliday ND, 248P Crawford JH see Marston HM, 116P Crespi F, Trist DG, Ratti E, Corsi M, England T & Gaviraghi G Cholecystokinin-A receptor antagonism selectively reduces spontaneous preference for ethanol in naive rats, 238P

Crespi F & Trist DG Voltammetric monoaminergic and peptidergic

dynamics in the nucleus accumbens of rats during reward or drug (cocaine) seeking behaviour, 247P

Cribbes S see McCourt M, 9P
Croci T, Cecchi R, Guzzi U, Landi M,
Mennini T, Le Fur G & Manara L
The novel β₃-adrenoceptor agonists
SR 59119A and SR 59104A are
stereospecifically antagonised by SR

59230A, 204P
Crofts A, Ancilewski A, Ferry CB &
Smith ME The effect of cholinesterase inhibition and stimulation frequency on jitter of action potentials in mouse skeletal muscle, 145P

Cronin S see Bill DJ, 125P Cronin S see Bill DJ, 126P Cronin S see Oxley K, 215P

Croning MDR, Zetterström TSC & Newberry NR Actions of adenosine receptor antagonists on the rise in [K⁺]_e induced by combined oxygen and glucose deprivation in the rat hippocampus in vitro, 139P

Croucher MJ see Kaura S, 122P Cruwys SC see Garrett NE, 14P

Cummins M, Naughton Y & Ryan MP
Direct cytotoxicity of interferon α-2b
on the LLC-PK₁ renal cell line, 3P

Cunnane TC see Bridgewater M, 187P Cunningholz JR see Djamgoz MBA, 60P

Curtis MJ see Ellwood AJ, 62P Curtis MJ see Pabla R, 147P Cuthbert NJ see McDonald-Gibson, 4P Cutler DJ & Mason R Effects of opioid agonists on Syrian hamster suprachiasmatic nuclei (SCN) neurones in vitro, 93P

Czaplewski L see McCourt M, 9P

Dale TJ, Ball DI, Nials AT & Coleman RA The anti-inflammatory and emetogenic properties of phosphodiesterase (PDE) inhibitors in conscious ferrets, 91P

Dalley JW, Tolchard S, Lalies MD & Nutt DJ Activation of rat locus coeruleus neurones by halothane: a regional evaluation of terminal noradrenaline overflow and FOS protein immunoreactivity, 100P

Danahay H & Broadley KJ Effects of Ro 20-1724, a selective inhibitor of phosphodiesterase IV, on a long lasting bronchoconstriction and eosinophilia in chronically antigen challenged guinea-pigs, 89P

Daniels S, Roberts R & Shelton CJ The action of pentobarbitone at kainate, GABA_A and glycine receptors expressed in *Xenopus* oocytes, 73P Daniels S see Eglen RM, 235P

Danjou P see Au BT, 265P Daum P see Pinnock RD, 23P Davenport AP see Russell FD, 34P Davia K see Harding SE, 41P Davies CH see Harding SE, 41P Davis B & Reynolds GP 5-HT stimulates dopamine release from rat frontal cortex, 221P Davis MH see Corkill DJ, 8P Dawson KM see Cackett KS, 10P De Kimpe SJ see Kengatharan M, 66P de-Allie FA, Bolsover SR, Nowicky AV & Strong PN Calcium-activated 86Rb+ fluxes in the rat C6 glioma cell line, 168P Dent G, Magnussen H & Rabe KF Effects of a protein kinase C inhibitor, bisindolylmaleimide I, on respiratory burst responses to platelet

activating factor and phorbol ester in human eosinophils, 2P Desta B see Boulanger CM, 38P Dewhurst DG see Collins GGS, 273P Dewhurst M see Omawari N, 63P Djamgoz MBA, Cunningham JR, Hutson PH, Murray F & Neal MJ Nitric oxide donors inhibit release of endogenous dopamine in the rabbit

retina, 60P Doble A see Bertrand P, 241P Doble A see Flamand O, 252P Docherty CC & MacLean MR Effect of developmental age on endothelin receptor-mediated vasoconstriction in rabbit pulmonary resistance arteries, 194P

Donnelly LE see MacDermot J, 11P Dourish CT see Brazell MP, 223P Dourish CT see Goudie AJ, 127P Dourish CT see Goudie AJ, 128P Dourish CT see Hallett I, 224P Dourish CT see Hallett I, 225P Dourish CT see Hartley JE, 226P Dourish CT see Oxley K, 215P Doyle CA see Hölscher C, 134P Drake-Holland AJ see Harding SE, 41P Dray A see Thompson SWN, 86P Drew GM see Polley JS, 189P Dubroeucq MC see Bertrand P, 241P Dunn DS see Widdowson PS, 64P Durieux C see Bertrand P, 241P Duxon M see Aspley S, 131P

Eason S & Martin W Involvement of tyrosine kinase and protein kinase C in the induction of nitric oxide synthase by LPS and IFN-γ in J774 macrophages, 183P

Ebenezer IS & Tite R The dose-related effects of the 5-HT_{1A} agonist gepirone on operant and non-operant food intake in food-deprived rats, 227P

Ebenezer IS see Costanza RM, 239P

Edwards CM, Heptinstall S & Lowe KC Inhibitory effects of the co-polymer surfactant, Pluronic F-68, on spontaneous platelet aggregation in human whole blood, 159P Edwards G see Green ME, 176P Edwards RM see McCourt M, 9P Egan DA see Healy E, 47P Eglen RM, Bonhaus D, Clark RD, Daniels S, Leung E, Wong EHF & Fontana DJ Effects of a selective and potent 5-HT₄ receptor agonist, RS-67333, and antagonist, RS-67532, in a rodent model of spatial learning and memory, 235P Eglen RM see Leung E, 264P

Einstein R, Andrews J & Thomas RE Cardiac and toxic effects of digitalis glycosides in intact and vagotomised anaesthetised dogs, 151P

Elliott JM, Farrington L, Clement EM, Phipps SL & Grahame-Smith DG Effect of chronic administration of quinine and quinidine on 5-HT turnover and 5-HT_{2A} receptor number in rat frontal cortex, 228P Elliott JM see Briddon SJ, 218P

Ellis KE, Keys B, Nahorski SR & Challiss RAJ Effects of methacholine and isoprenaline on cyclic AMP and inositol 1,4,5-trisphosphate levels in CHO cells stably express M₃ muscarinic cholinoceptors and β₂adrenoceptors, 166P

Ellwood AJ & Curtis MJ Effect of saponin versus L-NAME on the relationship between coronary flow and nitric oxide production under basal and agonist-stimulated conditions in guinea-pig isolated heart, 62P

England T see Crespi F, 238P Erdbrügger W see Verfürth F, 208P Escott KJ, Beattie DT, Connor HE & Brain SD Interleukin-1β potentiates facial skin vasodilatation evoked by capsaicin but not by electrical stimulation of the trigeminal ganglion in anaesthetised rats, 87P

Evans KS, Coleman RA, Nials AT & Vardey CJ The anti-inflammatory and behavioural effects of phosphodiesterase inhibitors in the conscious rat, 88P

Evans SC see Arenson MS, 165P

Faber ESL see Marston HM, 116P Fallgren B see Gardiner SM, 27P Fan T-PD see Lauder H, 195P Fardin V see Flamand O, 252P Farnworth M see Widdowson PS, 64P Farrington L see Elliott JM, 228P Fenech C see Gordienko DV, 31P Feniuk W see Black MD, 242P

Feniuk W see Castro SW, 20P Feniuk W see Wyatt M, 21P Fernando SR see Coutts AA, 46P Ferry CB see Crofts A, 145P Ferry CB see Lintern MC, 81P Flamand O & Fardin V Estimation of brain penetration following oral administration of the NK₁ antagonist RPR 100893 using an ex vivo binding assay in the guinea-pig, 252P Fletcher A see Bill DJ, 125P Fletcher A see Bill DJ, 126P Fletcher A see Bill DJ, 217P Fletcher A see Forster EA. 216P Fletcher A see Hartley JE, 226P Fletcher S & Barnes NM Solubilisation of the 5-HT₃ receptor recognition site expressed in pig cerebral cortex, 230P

Foley P Veratrine-stimulated release of pre-loaded [3H]glutamate from guinea-pig cerebrocortical synaptosomes is inhibited by metabotropic glutamate receptor agonists, 111P Fone KCF see Aspley S, 131P Fontana DJ see Eglen RM, 235P Forster EA & Fletcher A Repeated administration of a selective 5-HT uptake inhibitor downregulates 5-HT_{2C} but not 5-HT_{1A} receptormediated behaviour in the rat, 216P Forster EA see Bill DJ, 217P Foulkes R see Shaw S, 85P Foulkes R see Suitters AJ, 15P Fouyas IP see Kelly PAT, 191P Fowler LJ see Ahmad S, 121P Francis PT see Qume M, 237P Franks R see Pinnock RD, 23P Franks R see Suman-Chauhan N, 22P Franks R see Suman-Chauhan N, 254P Fritschy JM, Paysan J & Hornung JP Area-specific distribution of GABA receptor α₁-subunit in prenatal rat and marmoset monkey neocortex, 71P

Frölich JC see Stichtenoth DO, 13P Frölich JC see Stichtenoth DO, 90P

Gale JD see Gardner CJ, 250P Gale JD see Maubach KA, 249P Gale JD see Procter MJ, 180P Galloway WA see Corkill DJ, 8P Gambino A see Wanstall JC, 61P García-Sevilla JA see Alemany R, 135P García-Sevilla JA see Ribas C, 136P Gardiner PJ see McDonald-Gibson, 4P Gardiner SM, Kemp PA, March JE, Fallgren B & Bennett T Effects of glibenclamide on resting haemodynamics and on responses to vasodilators in conscious rats, 27P Gardner CJ, Twissell DJ, Gale JD, Kilpatrick GJ & Ward P Effects of

racemic CP-99,994, a tachykinin

NK₁ receptor antagonist, on motioninduced emesis in *Suncus murinus*, 250P

Gardner CJ see Alfieri AB, 251P
Garland CJ see Plane F, 263P
Garrett NE, Kidd BL, Cruwys SC &
Tomlinson DR The effect of
capsaicin on substance P expression

in rats with chronic arthritis, 14P Gaviraghi G see Crespi F, 238P Gaviraghi G see van Amsterdam FThM,

Gay JC, Young L, Hutson PH & Bristow LJ Hyperactivity induced by competitive but not glycine/NMDA receptor antagonists following injection into rat medial prefrontal cortex, 115P

Ge J, Nielsen M & Barnes NM The apparent molecular size of angiotensin receptor subtypes in the rat and human brain, 246P

Ge J & Barnes NM 5-HT₄ receptormediated modulation of extracellular levels of 5-HT in the rat hippocampus *in vivo*, 232P

Ge J & Barnes NM Alteration in the levels of AT₁ and AT₂ receptor levels in brain tissues from patients with Huntington's disease, 245P

Ge J & Barnes NM Elevation in the levels of AT₂ receptors in the temporal cortex (Brodmann area 21) of patients with Alzheimer's disease, 243P

Ge J & Barnes NM Further characterisation of the 5-HT₄ receptor modulating extracellular levels of dopamine in the rat striatum *in vivo*, 233P

Ge J & Barnes NM Reductions of both AT₁ and AT₂ receptor levels in the caudate nucleus of patients with Parkinson's disease, 244P

Gearing A see Corkill DJ, 8P Gebert I see Blokland A, 144P Gilbert E see Grimwood S, 113P Giles H see Browning C, 262P Giuliani S see Santicioli P, 256P Gladwell S see Cackett KS, 10P

Gooch AJ & Terrar DA Block of cardiac delayed rectifier potassium current by R56865 and haloperidol in isolated guinea-pig ventricular myocytes, 171P

Goodwin RW see Baxter GF, 148P Gordienko DV, Tare M, Parveen S, Fenech C, Robinson C & Bolton TB Identification of voltage-activated proton currents in human eosinophils, 31P

Gosden J & Heal DJ An investigation of the possible influence of stress and anaesthesia on the learning and memory deficits produced by simulated electroconvulsive therapy, 142P

Goudie AJ, Leathley MJ & Dourish CT Analysis of the mode of action in rats of the putative anxiolytic AHR-14042 in an *in vivo* drug discrimination assay, 128P

Goudie AJ, Leathley MJ & Dourish CT Comparative discriminative stimulus properties of chlordiazepoxide and the putative anxiolytic AHR-14042 in rats, 127P

Gould J, Bowmer CJ & Yates MS
Binding of the nucleoside transport
inhibitor nitrobenzylthioinosine to rat
renal membranes: effect of acute
renal failure, 152P

Grahame-Smith DG see Elliott JM, 228P Grahames CBA, Kidd EJ, Simon J, Michel AD, Barnard EA & Humphrey PPA Localisation of P_{2X}-purinoceptor transcripts in the rat nervous system, 138P

Green ME, Edwards G, Brady G, Clarke N, O'Flynn K & Weston AH Potassium channel modulation by ZD6169, levcromakalim and NS 1619 in rat and human bladder detrusor muscle, 176P

Grewal SS see Bill DJ, 125P Grewal SS see Bill DJ, 217P Griffin G see Coutts AA, 46P

Grimson P, Suman-Chauhan N, Pinnock RD & Woodruff GN An autoradiographic comparison of NK₃ receptor binding sites in guinea-pig brain using [¹²⁵I]-[MePhe⁷]neurokinin B and [³H]senktide, 253P

Grimwood S, Gilbert E, Myers J, Le Bourdellès B, Cockett W, Ragan CI, Whiting PJ & Hutson PH Characterisation of stably expressed recombinant human N-methyl-Daspartate receptors using a ⁴⁵Ca²⁺influx assay, 113P

Grogan E see Khan S, 95P Gualix J see Pintor J, 58P Guard S see Corkill DJ, 8P Gupta P see Kajekar R, 18P Guyon C see Bertrand P, 241P Guzzi U see Croci T, 204P Gyte A see Widdowson PS, 64P Gyte A see Wyatt I, 102P

Hajós M & Sharp T Antidromic activation of burst-firing dorsal raphe neurones by stimulation of the medial forebrain bundle, 76P
Hall AC see Lee K, 172P
Hall M see Pinnock RD, 23P
Hall M see Suman-Chauhan N, 22P
Hallett I, Oxley K, Middlefell VC & Dourish CT Effects of the 5-HT_{1A} receptor agonist, 8-OH-DPAT, and restraint stress on blood pressure and

heart rate in the conscious rat, 224P
Hallett I, Potter JA, Middlefell VC &
Dourish CT Effects of the 5-HT_{1A}
receptor agonist, 8-OH-DPAT, and
social isolation on blood pressure and
heart rate measured by radiotelemetry in the conscious rat, 225P
Handley SL see McCreary AC, 219P

Harding SE, Davia K, Davies CH,
Drake-Holland AJ, Hynd JW, Noble
MI, O'Gara P & Ravens U Contraction characteristics of ventricular
cardiomyocytes from dogs with
pacing-induced heart failure, 41P

Hardy AM, Urenjak J & Obrenovitch TP High extracellular glycine does not potentiate depolarizations evoked by application of N-methyl-D-aspartate to the rat striatum in vivo, 112P

Harper C see McCourt M, 9P
Hartley JE, Brown G, Stanhope K,
Fletcher A & Dourish CT Hyperphagia induced by the NMDA receptor antagonists, MK-801 and CGS
19755, in the rat is blocked by the
selective 5-HT_{1A} receptor antagonist,
WAY-100635, 226P

Hartley JE see Bill DJ, 126P Hawcock AB see Beattie DT, 37P Headley PM see Jones MW, 104P Heal D see Mason K, 132P Heal DJ see Gosden J, 142P Heal DJ see Love R, 119P

Healy E, Egan DA & Ryan MP Cyclosporin A nephrotoxicity in established renal cell lines: the role of the immunophilin cyclophilin A, 47P

Heath B & Terrar DA Influence of E4031 on the deactivation of delayed rectifier potassium currents in guinea-pig isolated ventricular myocytes, 26P

Heath JK see Rees SA, 24P
Hedley L & James IF Measurement of
intracellular calcium in cell populations loaded with aequorin, 162P
Hellewell PG see Miotla JM, 5P
Heptinstall S see Edwards CM, 159P
Hernández F see Wallace KE, 137P
Hide E, Piper J, Ney P, Thiemermann C
& Vane JR Endothelin-1 has a
cardioprotective effect in a rabbit
model of acute myocardial ischaemia
and reperfusion, 158P

Higgs G see Hughes B, 6P Hiley CR see Lauder H, 195P Hill PB see Bedingfield JS, 110P Hill RG see Boulanger CM, 38P Hillier K see Lamura E, 177P Hind R see Lo S, 188P Hinz V see Blokland A, 144P Hishinuma S & Young JM Histamine-

Hishinuma S & Young JM Histamineinduced H₁-receptor internalisation in human U373 MG astrocytoma cells, 59P Ho JKS see Jones RL, 12P
Hodson HF see Smith SE, 72P
Hogg JE see Hutson PH, 117P
Holbrook M see Hughes B, 6P
Holden-Dye L, Brownlee DJA &
Walker RJ The neuropeptide LysPro-Asn-Phe-Ileu-Arg-Phe-amide
(KPNFIRFamide) hyperpolarises the
somatic muscle cells of the parasitic
nematode Ascaris suum, 260P

Holland M, Langton PD, Standen NB & Boyle JP Effects of an activator of large-conductance calcium activated potassium channels (NS 1619) on ion channels in isolated cerebral arterial myocytes, 28P

Holliday ND & Cox HM Functional investigation of HT-29 epithelia stably transfected with the human Y₁-neuropeptide Y receptor, 248P Hollingsworth M see Piper AS, 268P

Hölsche C, Doyle CA, McGlinchy L, Anwyl R & Rowan MJ A selective neuronal nitric oxide synthase inhibitor impairs spatial learning in the rat, 134P

Holzer-Petsche U & Brodacz B Mesenteric stretch as a model of visceral nociception, 92P

Hope AG, Brown AM, Peters JA, Lambert JJ, Balcarek JM & Blackburn TP Characterisation of a cloned human 5-HT₃ receptor subunit stably expressed in HEK 293 cells, 82P

Hope AG see Belelli D, 229P
Hornung JP see Fritschy JM, 71P
Horton RW see Rosser DJ, 101P
Hoult JRS & Pang L Prostaglandin
overproduction in drug-induced
cytolysis of macrophages without
COX-2 induction, 16P

Hoult JRS see Pang L, 17P Howat D see Hughes B, 6P Hoyle CHV see Pintor J, 58P

Huang C & Johns EJ The influence of calcium channel blockade on renal interstitital hydrostatic pressure in anaesthetised Wistar and strokeprone spontaneously hypertensive rats, 155P

Huddart H see Mukerji M, 196P
Hudson AL see Lione LA, 133P
Hughes B, Holbrook M, Allen R, Owens
R, Perry M, Warrellow G, Howat D,
Bloxham D & Higgs G Suppression
of antigen-induced airway responses
and bronchial hyperresponsiveness
by CDP840, a novel stereo-selective
inhibitor of phosphodiesterase type
IV, 6P

Hughes ZA & Stanford SC Lack of effect of a lesion of cortical noradrenergic neurones on inhibition of synaptosomal [³H]noradrenaline uptake by 5-HT uptake inhibitors ex

vivo, 236P

Humphrey PPA see Black MD, 242P Humphrey PPA see Castro SW, 20P Humphrey PPA see Grahames CBA, 138P

Humphrey PPA see Stewart TL, 70P Humphrey PPA see Wyatt M, 21P Hunter AJ see Lione LA, 133P Hunter MG see McCourt M, 9P Hutchins LJ see Love R, 119P Hutson PH & Hogg JE Effects of NMDA receptor antagonists on acetylcholine efflux in vivo, 117P Hutson PH see Barton CL, 118P Hutson PH see Djamgoz MBA, 60P

Hutson PH see Gay JC, 115P Hutson PH see Grimwood S, 113P Hutson PH see Murray F, 114P Hynd JW see Harding SE, 41P Hynes CL, Wood EG & Warner TD

Stretch of cultured bovine aortic endothelial cells increases the production of nitric oxide and so reduces stimulated platelet adhesion, 65P

Iredale PA see Bundey RA, 94P Iuvone T see Cicala C, 7P

Jackson HC see Love R, 119P James IF see Hedley L, 162P Jane DE see Bedingfield JS, 110P Jane DE see Kemp MC, 108P Jane DE see Toms NJ, 109P Jeantaud B see Bertrand P, 241P Jeffery PK see Miotla JM, 5P Jenner P see McNaught KStP, 77P Jenner P see McNaught KStP, 99P Jenner P see Pearce RKB, 78P Johns EJ see Huang C, 155P Johnson NR & Nahorski SR Effects of receptor density on phosphoinositidase C activation in CHO-k1 cells expressing recombinant human m3 muscarinic receptors, 79P Johnston KD see Bentley KR, 231P Jones MW & Headley PM Metabotropic glutamate receptor-mediated effects on responses of spinal neurones to ionotropic amino acid agonists and synaptic excitation, 104P Jones RL, Qian YM, Tam SFF, Chan

Jones RL, Qian YM, Tam SFF, Chan KM & Ho JKS Slowly developing block of the neuronal stimulant actions of cicaprost by BMY 45778, 12P

Jones RSG see Maubach KA, 249P Jordan R see Pinnock RD, 23P

Kajeka R, Gupta P, Shepperson NB & Brain SD Inhibition of neurogenic oedema by CP-122,288 is stereo-

specific and is sensitive to the 5-HT_{1D} antagonist GR127,935, 18P Kaumann A, Lynham J & Brown AM [¹²⁵I]-SB 207710 labels small 5-HT₄ receptor populations in porcine and human atrium, 39P

Kaumann AJ see Sanders L, 36P
Kaura S, Bradford HF, Young AMJ &
Croucher MJ Changes in extracellular levels of neurotransmitter
amino acids in the kindled amygdala
in vivo, 122P

Kawashima E see Cohen F, 49P Keen M Regulation of β-adrenoceptor and L-type calcium channel number in rat heart, 43P

Keen M see Matthews JS, 67P
Keen M see Pearce D, 19P
Kelly E see Wickenden AD, 29P
Kelly PAT, Fouyas IP, Ritchie IM &
Whittle IR Cerebrovascular
responsiveness to nitric oxide synthase inhibition in spontaneously
diabetic rats, 191P

Kemp MC, Jane DE, Tse H-W, Roberts PJ & Watkins JC mGluRs negatively coupled to adenylyl cyclase are potently antagonised by novel phosphono- and sulphono- but not tetrazolyl-substituted phenylglycine derivatives, 108P

Kemp PA see Gardiner SM, 27P
Kendall DA see Blaylock NA, 186P
Kendall DA see Bundey RA, 94P
Kendall DA see Wallace KE, 137P
Kengatharan M, de Kimpe SJ, Smith D,
Thiemermann C & Vane JR Polyclonal antibodies against TNF-α and
IL-1β prevent the circulatory failure elicited by lipoteichoic acid in anaesthetised rats, 66P

Kennedy C see McLaren GJ, 55P Kennedy C see Robertson SJ, 54P Kennedy C see Westfall TD, 272P Kerac M see Baxter GF, 148P Key BJ see Matthews JS, 67P Keys B see Ellis KE, 166P

Khan RN, Amin J, Smith SK & Ashford MLJ A comparison of ritodrine- and pinacidil-induced relaxation of the human myometrium, 200P

Khan RN see Lee K, 172P

Khan S, Grogan E, Whelpton R & Michael-Titus AT Substance P fragments (1-7) and (5-11) modulate endogenous dopamine outflow in striatal slices, 96P

Khan S, Whelpton R & Michael-Titus AT Substance P and its fragments (1-4) and (8-11) modulate striatal dopamine outflow via a cholinergic link mediated by muscarinic receptors, 95P

Kidd BL see Garrett NE, 14P Kidd EJ see Grahames CBA, 138P Kilpatrick GJ see Gardner CJ, 250P King AE see Liu XH, 105P King AE see Norris SK, 107P King BF, Pintor J, Wang S, Ziganshin AU, Ziganshina LE & Burnstock G A novel P₁ purinoceptor activates an outward K⁺ current in folliculated oocytes of Xenopus laevis, 51P King BF, Wang S & Burnstock G Two

King BF, Wang S & Burnstock G Two P₂ purinoceptor subtypes activate inward current in folliculated oocytes of *Xenopus laevis*, 50P

King BF see Ziganshin AU, 52P Kirk CNP & Widdowson PS Characterisation of [125]endothelin-1 and [125]BQ3020 binding to rat cerebellar ETB receptors, 193P

Klein DC see Sugden D, 206P Kombian SB, Zidichouski JA & Pittman QJ GABA_B receptors modulate fast excitatory synaptic transmission in the supraoptic nucleus in vitro, 74P

Krishek BJ & Smart TG Functional properties of murine β₁ homomeric GABA_A receptors expressed in Xenopus laevis oocytes, 258P Kumar P see Wickenden AD, 29P

Lal H, Woodward B & Williams KI
Effect of Nitro-L-arginine (LNOARG) on endothelin-1 (ET-1)
and sarafotoxin 6C (SX6C) responses
in rat isolated perfused lungs, 192P
Lalies MD see Dalley JW, 100P

Lamas JA & Brown DA Inhibition of M-type potassium current I_{K(M)} in rat sympathetic neurones by linopirdine (DuP996), 123P

Lambert JJ see Belelli D, 229P
Lambert JJ see Hope AG, 82P
Lamura E & Hillier K Phospholipase A₂
activity in human colonic mucosa,
177P

Landi M see Croci T, 204P
Langton PD see Holland M, 28P
Langton PD see Miller AL, 42P
Laouar L, Lowe KC & Mulligan BJ
Surfactant potentiation of the antibacterial action of ampicillin and
chlorhexidine, 214P

Large W see Loirand G, 266P
Larkin S see Au BT, 265P
Lauder H, Hiley CR & Fan TPD
Involvement of protein kinase C and
protein tyrosine kinase in endothelin3-induced proliferation of wounded

endothelial cells, 195P
Le Bourdellès B see Grimwood S, 113P
Le Fur G see Croci T, 204P
Leach MJ see Ahmad S, 121P
Leahy DJ see Newgreen DT, 146P
Leathard H see Mukerji M, 196P
Leathley MJ see Goudie AJ, 127P

Leathley MJ see Goudie AJ, 128P

Lee K, Khan RN, Rowe ICM, Hall AC & Ashford MLJ Inhibition of K_{ATP} channel currents by ciclazindol in the CRI-G1 insulin-secreting cell line, 172P

Lei M & Brown HF Two components of delayed rectifier current, i_K, in rabbit SA node cells, 175P

Leslie RA see Briddon SJ, 218P Leung E, Walsh LKM & Eglen RM Characterization of putative 5-HT₇ receptors in *Cynomolgus* monkey jugular vein, in vitro, 264P

Leung E see Eglen RM, 235P Li G see Chedrawy EG, 197P Lindley CJ see Murphy CT, 161P Lintern MC, Smith ME & Ferry CB The effect of repeated treatment with

pyridostigmine on the activity of acetylcholinesterase molecular forms in mouse skeletal muscle, 81P

Lione L, Hudson AL, Nutt DJ, Rogers DC & Hunter AJ BU224, a high affinity selective I₂ imidazoline site ligand: a behavioural study in models of spatial learning and memory, 133P

Little HJ see Manley SJ, 32P Little HJ see Manley SJ, 141P Little HJ see Watson WP, 33P Little HJ see Watson WP, 140P

Liu XH & King AE Both intrinsic membrane properties and synaptic transmission are modulated by activation of metabotropic glutamate receptors in spinal cord ventral horn neurones, 105P

Lo G see MacDermot J, 11P
Lo S, Lot TY, Hind R & Wilson VG N^Gnitro-L-arginine methyl ester can
elicit endothelium-independent contractions in the porcine isolated
coronary artery, 188P

Lo S, Lot TY & Wilson VG Evidence against a role for superoxide anions in N^G-nitro-L-arginine methyl esterinduced contractions of the porcine isolated splenic artery, 185P

Lock EA see Widdowson PS, 64P Lock EA see Wyatt I, 102P Loddick SA & Rothwell NJ The potent

effects of modulating interleukin-1 on neurodegeneration in the rat, 1P

Loirand G & Pacaud P ATP-induced Ca²⁺ entry releases Ca²⁺ from intracellular store in freshly isolated smooth muscle cells from human saphenous vein, 266P

Longmore J see Boulanger CM, 38P Lot TY see Lo S, 185P Lot TY see Lo S, 188P

Love R, Jackson HC, Hutchins LJ, Cheetham SC & Heal DJ Evaluation of glycine/NMDA receptor antagonists in an animal model of depression, 119P Lowe KC see Edwards CM, 159P Lowe KC see Laouar L, 214P Lynham J see Kaumann AJ, 39P Lynham JA see Sanders L, 36P

McAulay JA see Blanks A, 213P
McCourt M, Brotherton D, Comer MB,
Cribbes S, Czaplewski L, Edwards
RM, Harper C, Hunter MG, Wright E
& Wood LM BB10010, a demultimerised variant of LD 78, produces a
rapid increase in circulating white
blood cells and cells with bone
marrow repopulating ability, 9P

McCreary AC & Handley SL 5-HT_{2A} but not 5-HT_{2C} or 5-HT_{2B} receptors may modulate blinking induced by the TRH analogue MK771, 219P

McCulloch AI & Randall MD Modulation of vasorelaxation to potassium channel openers by basal nitric oxide in the isolated perfused rat superior mesenteric arterial bed, 174P

McCulloch KM, Baird M & MacLean MR Endothelium-dependent relaxation, nitric oxide and vascular tone in control and chronic hypoxic rat pulmonary arteries, 190P

McCurrie JR see Yeung CK, 169P
MacDermot J, Allport JR, Rendell NB,
Murray S, Lo G, Taylor GW &
Donnelly LE Mono(ADP-ribosyl)transferase activity in human neutrophils: a possible role in chemotaxis,
11P

McDonald-Gibson WJ, Cuthbert NJ, Poll CT & Gardiner PJ Dexamethasone and cyclosporin A inhibit cytokine release from human T-lymphocytes, 4P

McGlinchy L see Hölscher C, 134P McKendrick JD & Martin W Interactions of superoxide anion with nitric oxide produced by the inducible nitric oxide synthase in rat isolated aorta, 182P

McKnight AT see Pinnock RD, 23P McLaren GJ, Sneddon P & Kennedy C Comparison of the electrophysiological actions of ATP and UTP in single dissociated cells of the rat tail artery, 55P

McLatchie L see Cohen F, 48P
MacLean MR see Docherty CC, 194P
MacLean MR see McCulloch KM, 190P
MacLean MR see Morecroft I, 199P
McNaught KStP, Jenner P, Testa B,
Carotti A & Marsden CD Cytotoxicity of isoquinoline derivatives
towards PC12 cells, 99P

McNaught KStP, Jenner P, Testa B, Carotti A & Marsden CD Effects of isoquinoline derivatives on [³H]dopamine uptake by striatal synapto-

somes, 77P McNicoll C see Bill DJ, 125P McNicoll C see Bill DJ, 126P McQuade R, Cowen PJ & Sharp T In vivo evidence that d-fenfluramine releases 5-HT from nerve terminals of both the dorsal and median raphé nuclei, 220P Maddock HL & Broadley KJ The magnitude of relaxation of aortic smooth muscle by the A2 receptor agonist, NECA, is dependent on the α-adrenoceptor agonist used for precontraction, 267P Maggi CA see Santicioli P, 256P Magnussen H see Dent G, 2P Mahmood S see Omawari N, 63P Mamas MA & Terrar DA Actions of methylene blue on contraction and delayed rectifier potassium currents in guinea-pig isolated ventricular myocytes, 170P Man CM see Smith SE, 72P Manara L see Croci T, 204P Manfré F see Bertrand P, 241P Manley SJ & Little HJ No change in effects of amphetamine and cocaine after repeated withdrawal from chronic ethanol treatment, 141P Manley SJ & Little HJ Prolonged increases in effects of, and sensitisation to, amphetamine and cocaine after chronic ethanol treatment, 32P March JE see Gardiner SM, 27P Marescaux C see Parry KP, 75P Marsden CA see Aspley S, 131P Marsden CA see Beckett SRG, 130P Marsden CA see Rowley HL, 259P Marsden CD see McNaught KStP, 77P Marsden CD see McNaught KStP, 99P Marsden CD see Pearce RKB, 78P Marshall JM see Bartlett IS, 203P Marshall K see Abbas F, 201P Marshall K see Amin Z, 202P Marston HM, Faber ESL, Crawford JH, Butcher SP & Sharkey J Investigation of focal ischaemia in the rat: behavioural consequences and neuroprotection, 116P Martin DP & Pendleton A β₃-adrenoceptor agonist activity in rat isolated adipocytes is influenced by adenosine deaminase, 210P Martin GR see Browning C, 262P Martin KF see Rowley HL, 259P Martin W see Eason S, 183P Martin W see McKendrick JD, 182P Martin W see Mian KB, 184P Mason K, Heal D & Stanford SC An in vivo microdialysis study in frontal cortex of freely-moving rats: effects of FG7142 or yohimbine on spontaneous and stress-induced changes in noradrenaline efflux, 132P

Mason R see Cutler DJ, 93P Masood N & Naylor IL Effect of N⁶cyclopentyladenosine, N⁶cyclohexyladenosine, and N⁶-2phenylisopropyladenosine on rat superficial and deep fascia, 269P Mathivet P see Parry KP, 75P Matthews JS, Keen M & Key BJ The effect of nitrovasodilator drugs on the cAMP response to isoprenaline in cultured smooth muscle cells, 67P Maubach KA, Jones RSG, Scratton SC & Gale JD Autoradiographic distribution of substance P binding sites in the brainstem of rat and ferret, 249P Meldrum BS see Smith SE, 72P Melford SK & Watson SP Microtubule inhibitors interfere with calcium influx in HEL megakaryocyte-like cells, 163P Mennini T see Croci T, 204P Mian KB & Martin W 3-Amino-1,2,4triazole selectively inhibits relaxation by hydroxylamine and sodium azide but not hydrogen peroxide in rat aorta, 184P Michael-Titus AT see Khan S, 95P Michael-Titus AT see Khan S, 96P Michel AD see Grahames CBA, 138P Michel AD see Stewart TL, 70P Michel MC see Bischoff A, 153P Michel MC see Taguchi K, 207P Michel MC see Verfürth F, 208P Middlefell VC see Hallett I, 224P Middlefell VC see Hallett I, 225P Miller AL, Warren K & Langton PD Ro31-8220 inhibits dihydropyridinesensitive isometric force and whole cell Ba²⁺ current in rat isolated basilar artery, 42P Miller K see Corkill DJ, 8P Mills SJ see Murphy CT, 161P Miotla JM, Teixeira M, Jeffery PK & Hellewell PG Suppression of acute lung injury in the mouse by the phosphodiesterase IV inhibitor, rolipram, 5P Miralles A see Ribas C, 136P Miras-Portugal MT see Pintor J, 58P Mistry R see Challiss RAJ, 80P Moore PK see Pabla R, 147P Moore RB see Widdowson PS, 64P Moore RB see Wyatt I, 102P Morecroft I & MacLean MR Maturational changes in endotheliumdependent vasodilatation in rabbit pulmonary arteries, 199P Mukerji M, Leathard H & Huddart H Suppression of vasocontractility in rat aorta and portal vein caused by progesterone and pregnanediol, 196P Mulligan BJ see Laouar L, 214P Murphy CT, Bullock AJ, Lindley CJ, Mills SJ, Riley AM, Potter BVL &

Westwick J Chiral regioisomers of Ins(1,4,5)P₃: structure activity profile, 161P

Murray F, Bristow LJ & Hutson PH
Intracortical infusion of NMDA
receptor antagonists: neurochemical effects, 114P

Murray F see Djamgoz MBA, 60P

Murray S see MacDermot J, 11P

Murton RA & Aronson JK Upregulation of Na/K pumps by loop diuretics: non-involvement of Na/K/2Cl cotransport, 154P

Myers J see Grimwood S, 113P

Nahorski SR see Ellis KE, 166P Nahorski SR see Johnson NR, 79P Nash JE see Coutts AA, 46P Naughton Y see Cummins M, 3P Naylor AM see Newgreen DT, 146P Naylor IL see Masood N, 269P Naylor RJ see Parkins KJ, 143P Neal MJ see Djamgoz MBA, 60P Newberry NR, Papanastassiou V & Reynolds DJM Electrophysiological actions of 5-HT in the human cerebral cortex in vitro, 222P Newberry NR see Croning MDR, 139P Newgreen DT, Leahy DJ & Naylor AM Functional characterisation of muscarinic receptor subtypes in guineapig submandibular salivary gland, 146P Ney P see Hide E, 158P Nials AT see Dale TJ, 91P Nials AT see Evans KS, 88P Nicholls PJ see Ahmad M, 212P Nicholson CD see Challiss RAJ, 80P Nielsen M see Ge J, 246P Noble MI see Harding SE, 41P Norris SK & King AE The anticonvulsant FPL 12495 limits sustained repetitive firing of rat CA1 hippocampal neurones in vitro, 107P Nowicky AV see de-Allie FA, 168P Nutt DJ see Dalley JW, 100P

O'Connor JJ see Cassidy EM, 106P
O'Flynn K see Green ME, 176P
O'Gara P see Harding SE, 41P
Oliosi B see van Amsterdam FThM,
240P
Olmos G see Alemany R, 135P
Omawari N, Mahmood S, Dewhurst M,
Stevens EJ & Tomlinson DR
Deficient nitric oxide is responsible
for reduced nerve blood flow in
diabetic rats: prevention by essential
fatty acids, 63P
O'Reilly CM & Ryan MP P_{2u} purinoceptor activation of chloride

Obrenovitch TP see Hardy AM, 112P

Nutt DJ see Lione LA, 133P

transport in cystic fibrosis and CFTR-transfected pancreatic cell line, 56P

Osthaus WA see Stichtenoth DO, 90P Otter DJ & Chess-Williams R Discordant effects of two structurally different aldose reductase inhibitors on vascular function in control and diabetic rats, 45P

Otter DJ & Chess-Williams R The aldose reductase inhibitor sorbinil has effects on isolated atria from both control and streptozotocin-induced diabetic rats, 157P

Owen DE see Carless AL, 271P Owens R see Hughes B, 6P

Oxley K, Stanhope KJ, Shepherd JK, Cronin S & Dourish CT Absence of an anxiolytic effect of the 5-HT_{2C/2B} antagonist SB200646A in the conditioned emotional response model of anxiety in the rat, 215P

Oxley K see Hallett I, 224P

Pabla R, Bland-Ward P, Moore PK & Curtis MJ The cardioprotective effects of cyclic guanosine 3':5' monophosphate on reperfusion-induced ventricular arrhythmias in the rat isolated heart, 147P

Pacaud P see Loirand G, 266P
Pang L & Hoult JRS Activation of
COX-2 by endogenously formed
nitric oxide in J774 macrophages
stimulated by lipopolysaccharide and
interferon-γ: comparison with
exogenous NO from donors SNAP
and SNP, 17P

Pang L see Hoult JRS, 16P Papanastassiou V see Newberry NR, 222P

Parkins KJ, Cheng CHK, Costall B & Naylor RJ Simultaneous assessment of behaviour and in vivo acetylcholine release from the hippocampus of rats exposed to a novel, aversive environment, 143P

Parry KP, Boehrer A, Mathivet P,
Bernasconi R, Vergnes M,
Marescaux C & Bowery NG Intrathalamic pertussis toxin decreases the duration of spike wave discharges and GABA_B receptor binding in rats with spontaneous generalised nonconvulsive epilepsy, 75P
Parsons ME see Argent CCH, 149P
Parveen S see Gordienko DV, 31P

Parveen S see Gordienko DV, 31P
Patel S & Taylor CW Biphasic regulation of hepatic inositol 1,4,5-trisphosphate receptors by cytosolic Ca²⁺ is not mediated by phosphoryl-

Paternostro G see Rees SA, 24P Pauchet C see Bertrand P, 241P

ation, 44P

Paysan J see Fritschy JM, 71P
Pearce D & Keen M The effect of
cycloheximide on IP prostanoid
receptor down-regulation in NG10815 cells, 19P

Pearce RKB, Zeng B-Y, Jenner P & Marsden CD Altered striatal preproenkephalin mRNA levels in normal macaque monkeys (*Macaca fascicularis*) with dyskinesias induced by chronic L-DOPA administration, 78P

Pendleton A see Martin DP, 210P
Perren MJ see Beattie DT, 37P
Perry M see Hughes B, 6P
Pertwee RG see Coutts AA, 46P
Peters JA see Belelli D, 229P
Peters JA see Hope AG, 82P
Phipps SL see Elliott JM, 228P
Pickering H & Sugden D in vitro
comparison of 2-[125 I]iodomelatonin
binding sites in the chicken brain and

Pinnock RD, Suman-Chauhan N, Hall M, Webdale L, Franks R, Chilvers H, McKnight AT, Daum P, Woodruff GN, Collins G & Jordan R Characterisation of the [Ca²⁺]_i and acidification response to bombesin in CHO cells expressing the human NMB-receptor, 23P

peripheral tissues, 257P

Pinnock RD see Grimson P, 253P Pinnock RD see Suman-Chauhan N, 22P Pinnock RD see Suman-Chauhan N, 254P

Pintor J, Hoyle CHV, Puche JA, Abal M, Gualix J & Miras-Portugal MT Diadenosine polyphosphates evoke calcium signals in guinea-pig brain synaptosomes via receptors distinct from those for ATP, 58P

Pintor J see King BF, 51P Piot O see Bertrand P, 241P

Piper AS & Hollingsworth M Inward currents recorded on P_{2X}-purinoceptor activation in guinea-pig vas deferens isolated smooth muscle cells, 268P

Piper J see Hide E, 158P
Piper PJ see Barker JE, 198P
Pittman QJ see Kombian SB, 74P
Plane F, Seager JM & Garland CJ The
mechanism of 5-HT-evoked contraction in the rabbit mesenteric artery,
263P

Poll CT see McDonald-Gibson, 4P Polley JS, Clark KL & Drew GM Influence of indomethacin and N[∞]nitro-L-arginine methyl ester (L-NAME) on the renal effects of angiotensin II, 189P

Poole A see Rezaei E, 164P Potter BVL see Murphy CT, 161P Potter JA see Hallett I, 225P Poucher SM see Wickenden AD, 29P Powell T see Rees SA, 24P Povner DR see Tomlinson AE, 255P Pratt GD & Riddell DR Localization of sodium channel-encoding mRNAs in the rat central nervous system, 120P Pratt GD see Foley P, 111P Pratt GD see Fritschy JM, 71P Prior HM, Beech DJ & Yates MS Inhibition by ouabain of K⁺-induced dilation in the rabbit pressurised renal arcuate artery in vitro, 30P Procter AW see Qume M, 237P Procter MJ, Scott CM & Gale JD The effect of deoxycholic acid on the hypotensive response to colorectal distension in the anaesthetised rat, 180P

Puche JA see Pintor J, 58P

Qian YM see Jones RL, 12P
Qume M, Zeman S, Francis PT, Procter
AW & Bowen DM Changes in
cortical 5-HT_{1A} receptor binding in
lobar atrophies (Pick's disease and
dementia of the frontal lobe type),
237P

Rabe KF see Dent G. 2P Radda GK see Rees SA, 24P Ragan CI see Grimwood S, 113P Ralevic V & Burnstock G Characterization of P₂-purinoceptors in the isolated mesenteric arterial bed of the Golden hamster, 53P Raman V see Argent CCH, 149P Randall MD see McCulloch AI, 174P Randall MD The role of K_{ATP} -channels and adenosine in the regulation of coronary flow in the isolated buffer perfused rat heart, 173P Ratti E see Crespi F, 238P Ratti EA see van Amsterdam FThM, 240P

Ravens U see Harding SE, 41P
Rees SA, Paternostro G, Yoshida A,
Twist VW, Radda GK, Heath JK &
Powell T Basic fibroblast growth
factor decreases the guinea-pig
cardiac delayed rectifier potassium
current, 24P

Rees SA see Lei M, 175P
Rendell NB see MacDermot J, 11P
Reynolds DJM see Newberry NR, 222P
Reynolds GP see Chess-Williams, 205P
Reynolds GP see Davis B, 221P
Rezaei E, Poole A & Watson SP
Tyrosine kinase dependent and independent pathways of phospholipase C regulation in HEL megakaryocyte-like cells, 164P
Rhodes KF see Au BT, 265P
Rhodes KF see Coleman J, 129P
Ribas C, Miralles A & García-Sevilla JA

Chronic treatment with reserpine increases the density and the rate of appearance of the high-affinity form of brain α_2 -adrenoceptors, 136P Richardson AR see Bretherton N, 150P Riddall DR see Pratt GD, 120P Riley AM see Murphy CT, 161P Ritchie IM see Kelly PAT, 191P Roberts GW see Carless AL, 271P Roberts PJ see Bedingfield JS, 110P Roberts PJ see Kemp MC, 108P Roberts PJ see Toms NJ, 109P Roberts R see Daniels S, 73P Robertson SJ, Rowan ER & Kennedy C Characterisation of the electrophysiological actions of P2-purinoceptor agonists in cultured neurones in the rat dorsal root ganglia, 54P Robinson C see Gordienko DV, 31P Robinson E see Watson WP, 33P Rodríguez-Liñares B & Watson SP Thrombopoietin induces the phosphorylation of JAK2 in human platelets, 160P

Rogers DC see Lione LA, 133P Rosser DJ, Theodorou AE & Horton RW Brain corticosteroid receptors: a comparison of methods for their assessment in the rat cortex, 101P Rothaul AL see Christodoulou MS, 40P Rothwell NJ see Loddick SA, 1P Rowan ER see Robertson SJ, 54P Rowan MJ see Hölscher C, 134P Rowe ICM see Lee K, 172P Rowley HL, Martin KF & Marsden CA Differential effect of phenytoin and Na valproate on generalised seizureinduced changes in hippocampal GABA and glutamate release in vivo, 259P

Rubino A & Burnstock G Effects of diadenosine polyphosphates on capsaicin-sensitive sensory-motor neurotransmission in isolated guineapig atria, 57P

Ruetten H, Wu C-C, Thiemermann C & Vane JR The multiple organ failure syndrome (MOFS) caused by endotoxin in the rat: attenuation of liver dysfunction by inhibitors of nitric oxide synthase, 69P

Russell FD & Davenport AP Characterisation of endothelin receptors in the human pulmonary vasculature using bosentan, SB209670 and 97-139, 34P

Russell K see Wickenden AD, 29P Ryan MP see Cummins M, 3P Ryan MP see Healy E, 47P Ryan MP see O'Reilly CM, 56P

Sanders L, Lynham JA & Kaumann AJ Chronic β blocker treatment sensitises the histamine H₂ and H₁ receptor systems in human atrium: role of cyclic nucleotides, 36P Santicioli P, Giuliani S & Maggi CA Pacemaker potentials from the guinea-pig proximal and distal renal pelvis: different sensitivity to CGRP, 256P

Schmidt BH see Blokland A, 144P Schofield W see Boulanger CM, 38P Schulz R see Kombian SB, 74P Scott AC see Allen MJ, 181P Scott CM see Procter MJ, 180P Seager JM see Plane F, 263P Selve N see Stichtenoth DO, 13P Senior J see Abbas F, 201P Senior J see Amin Z, 202P Sharkey J see Marston HM, 116P Sharp T see Hajós M, 76P Sharp T see McQuade R, 220P Sharp T see Smith SE, 103P Shaw S, Woodger R, Suitters AJ, Bodmer M & Foulkes R Steroid sulphatase regulates cellular infiltration, but not oedema, in contact sensitisation in mice, 85P Shaw S see Suitters AJ, 15P Shelton CJ see Daniels S, 73P Shepherd CE see Chess-Williams, 205P Shepherd JK see Oxley K, 215P Shepperson NB see Kajekar R, 18P Shih M-F & Taberner PV Effects of the α₂ adrenoceptor agonist UK 14304 on adipose tissue lipase and cAMP in obese mice after chronic ethanol treatment, 209P

Simon J see Grahames CBA, 138P
Simpson MG see Widdowson PS, 64P
Smart TG see Krishek BJ, 258P
Smith D see Kengatharan M, 66P
Smith HJ see Ahmad M, 212P
Smith JW see Bretherton N, 150P
Smith JW see Tomlinson AE, 255P
Smith ME see Crofts A, 145P
Smith ME see Lintern MC, 81P
Smith RM, Williams KI & Woodward B
Evidence for endothelin involvement
in hypoxic vasoconstriction in the rat
isolated perfused lung, 35P

Smith SE, Man CM, Chapman AG, Hodson HF & Meldrum BS Anticonvulsant effect of 7-nitroindazole in DBA/2 mice and in genetically epilepsy-prone rats, 72P

Smith SE & Sharp T A method for measuring extracellular glutamate in the nucleus accumbens of the rat in vivo, 103P

Smith SK see Khan RN, 200P Sneddon JM see Blanks A, 213P Sneddon P see McLaren GJ, 55P Sneddon P see Westfall TD, 272P Spraggs CF see Allen MJ, 181P Stabler G see Corkill DJ, 8P Stamford JA see Toner CC, 97P Stamford JA see Toner CC, 98P Standen NB see Holland M, 28P
Stanford SC see Hughes ZA, 236P
Stanford SC see Mason K, 132P
Stanhope K see Hartley JE, 226P
Stanhope KJ see Oxley K, 215P
Stevens EJ see Omawari N, 63P
Stewart BR see Carless AL, 271P
Stewart TL, Black MD, Michel AD &
Humphrey PPA Nitric oxide,
released from Roussin's Black Salt,
increases the release of acetylcholine
from the rat striatum in vitro, 70P

Stichtenoth DO, Osthaus WA & Frölich JC Inhibition of nitric oxide synthesis is as effective as dexamethasone in treatment of adjuvant arthritis, 90P

Stichtenoth DO, Selve N, Tsikas D & Frölich JC Total body prostacyclin synthesis is enhanced in adjuvant arthritic rats, 13P

Stickan-Verfürth M see Bischoff A, 153P

Stowe RL & Barnes NM Further characterisation of the 5-HT₄ receptor modulating dopamine release from rat striatal slices, 234P Stowe RL see Bentley KR, 231P Stratton SC see Maubach KA, 249P Strong PN see Brewster BS, 124P Strong PN see de-Allie FA, 168P Sugden D, Anwar N & Klein DC Characterisation of the α₁-adrenoceptor subtype in the rat pineal gland, 206P

Sugden D see Pickering H, 257P

Suitters AJ, Shaw S, Bodmer M & Foulkes R Steroid sulphatase is a regulatory enzyme in contact sensitisation in mice, 15P
Suitters AJ see Shaw S, 85P
Sullivan JA see Chedrawy EG, 197P
Suman-Chauhan N, Hall M, Franks R, Webdale L, Chilvers H, Pinnock RD & Woodruff GN Stable expression and characterisation of cloned human bombesin receptors transfected into Chinese hamster ovary cells, 22P
Suman-Chauhan N, Webdale L, Franks R, Chilvers H, Pinnock RD &

R, Chilvers H, Pinnock RD & Woodruff GN Characterisation of bombesin receptors in human astrocytoma U373MG cells, 254P Suman-Chauhan N see Grimson P, 253P Suman-Chauhan N see Pinnock RD, 23P

Taberner PV see Shih M-F, 209P
Taguchi K & Michel MC α₁-Adrenoceptor subtype affinities of tamsulosin metabolites, 207P
Takahashi H & Terrar DA Effects of thiopentone on ATP-sensitive potassium currents in guinea-pig isolated ventricular myocytes, 25P
Tam SFF see Jones RL, 12P

Tare M see Gordienko DV, 31P
Taylor AA see Boulanger CM, 38P
Taylor CW see Patel S, 44P
Taylor GW see MacDermot J, 11P
Teixeira M see Miotla JM, 5P
Terrar DA see Gooch AJ, 171P
Terrar DA see Heath B, 26P
Terrar DA see Mamas MA, 170P
Terrar DA see Takahashi H, 25P
Testa B see McNaught KStP, 77P
Testa B see McNaught KStP, 99P
Theodorou AE see Rosser DJ, 101P
Thiemermann C see Hide E, 158P
Thiemermann C see Kengatharan M,
66P

Thiemermann C see Ruetten H, 69P
Thomas BJ see Wanstall JC, 61P
Thomas RE see Einstein R, 151P
Thomas SW see Corkill DJ, 8P
Thompson SWN, Dray A & Urban L
Leukaemia inhibitory factor (LIF)
induces mechanical allodynia but
not thermal hyperalgesia in the rat,
86P

Tite R see Ebenezer IS, 227P
Tolchard S see Dalley JW, 100P
Tomlinson AE & Poyner DR The
pharmacology of CGRP and amylin
receptors on guinea-pig vas deferens,
255P

Tomlinson DR see Garrett NE, 14P Tomlinson DR see Omawari N, 63P Toms NJ, Jane DE, Tse H-W & Roberts PJ Characterisation of metabotropic glutamate receptor coupled phosphoinositide hydrolysis in cultured rat cerebellar granule cells, 109P

Toner CC & Stamford JA Striatal dopamine release in an *in vitro* model of cerebral ischaemia: 1. Modulation of energy supply and demand, 97P

Toner CC & Stamford JA Striatal dopamine release in an *in vitro* model of cerebral ischaemia: 2. Effect of glucose supply during hypoxia, 98P

Tough IR see Cox HM, 179P
Trevethick MA see Barkley LR, 83P
Trist DG see Crespi F, 238P
Trist DG see Crespi F, 247P
Trist DG see van Amsterdam FThM, 240P

Tse H-W see Bedingfield JS, 110P Tse H-W see Kemp MC, 108P Tse H-W see Toms NJ, 109P Tsikas D see Stichtenoth DO, 13P Twissell DJ see Alfieri AB, 251P Twissell DJ see Gardner CJ, 250P Twist VW see Rees SA, 24P

Ujvary G see Bridgewater M, 187P Urban L see Thompson SWN, 86P Urenjak J see Hardy AM, 112P Vallance PJ see Ahluwalia A, 68P van Amsterdam FThM, Oliosi B, Corsi M, Ratti EA, Gaviraghi G & Trist DG Receptor binding characteristics of the selective CCK-B antagonist GV 150013, 240P van der Staay FJ see Blokland A, 144P Vane JR see Hide E, 158P Vane JR see Kengatharan M, 66P Vane JR see Ruetten H, 69P Vardey CJ see Evans KS, 88P Verfürth F, Erdbrügger W & Michel MC Comparison of Rec 15/2739 and terazosin α₁-adrenoceptor subtype

Vergnes M see Parry KP, 75P Vohra MM see Chedrawy EG, 197P

affinities, 208P

Walker RJ see Holden-Dye L, 260P Wallace KE, Hernandez F, Kendall DA & Alexander SPH The effects of isoprenaline on cyclic nucleotide levels in the guinea-pig brain, 137P Walsh LKM see Leung E, 264P Wang S see King BF, 50P Wang S see King BF, 51P Wanstall JC, Thomas BJ & Gambino A Vasorelaxation by nitric oxide donor drugs on pulmonary arteries from pulmonary hypertensive rats, 61P Ward P see Beattie DT, 37P Ward P see Gardner CJ, 250P Warellow G see Hughes B, 6P Warner TD see Hynes CL, 65P Warren K see Miller AL, 42P Watkins JC see Bedingfield JS, 110P Watkins JC see Kemp MC, 108P Watson SP see Melford SK, 163P Watson SP see Rezaei E, 164P Watson SP see Rodríguez-Liñares B,

Watson WP, Clark A & Little HJ
Potentiation of propofol and pentobarbitone anaesthesia by convulsant
drugs, 140P

Watson WP, Robinson E & Little HJ
Gabapentin reduces signs of anxietyrelated behaviour measured on the
elevated plus maze during withdrawal from chronic ethanol treatment, 33P

Webdale L see Pinnock RD, 23P Webdale L see Suman-Chauhan N, 22P Webdale L see Suman-Chauhan N, 254P

Westfall TD, Kennedy C & Sneddon P
The effect of the novel ecto-ATPase inhibitor FPL 67156 on contractile responses to nerve stimulation and to agonists in guinea-pig isolated vas deferens, 272P

Weston AH see Green ME, 176P Westwick J see Murphy CT, 161P Whelpton R see Khan S, 95P Whelpton R see Khan S, 96P White K see Arkle S, 270P Whiting PJ see Grimwood S, 113P Whittaker M see Christodoulou MS, 40P Whittle IR see Kelly PAT, 191P Whitton PS see Ahmad S, 121P Wickenden AD, Brooks R, Kelly E, Poucher SM, Russell K & Kumar P The effects of the potassium channel opener ZM260384 on ischaemic skeletal muscle function in the anaesthetised cat, 29P Widdowson P see Wyatt I, 102P Widdowson PS, Gyte A, Moore RB, Dunn DS, Farnworth M, Wyatt I, Simpson MG & Lock EA Evidence that L-2-chloropropionic acidinduced neurotoxicity is mediated by nitric oxide generation, 64P Widdowson PS see Kirk CNP, 193P Williams KI see Lal H, 192P Williams KI see Smith RM, 35P Wilson DA & Woodward B The effects of potassium channel blockers on the rat isolated perfused heart, 167P Wilson KA see Bretherton N, 150P Wilson VG see Blaylock NA, 186P Wilson VG see Lo S, 185P Wilson VG see Lo S, 188P Wong EHF see Eglen RM, 235P

Woodruff GN see Suman-Chauhan N, 254P

Woodruff GN see Suman-Chauhan N,

Woodruff GN see Pinnock RD, 23P

Wood D see Yeung CK, 169P

Wood EG see Hynes CL, 65P

Wood LM see Corkill DJ, 8P

Woodger R *see* Shaw S, 85P Woodruff GN *see* Grimson P, 253P

22P

Wood LM see McCourt M, 9P

Wood LM see Cackett KS, 10P

Wood LM see Christodoulou MS, 40P

Woodward B see Lal H, 192P
Woodward B see Smith RM, 35P
Woodward B see Wilson DA, 167P
Woolley K see Corkill DJ, 8P
Wright A see Corkill DJ, 8P
Wright E see McCourt M, 9P
Wright IK see Blaylock NA, 186P
Wright MJ see Baxter GF, 148P
Wu C-C see Ruetten H, 69P
Wyatt I, Widdowson PS, Gyte A, Moore
RB & Lock EA Is cerebellar granule
cell necrosis in the rat following L-2chloropropionic acid due to glutathione depletion?, 102P

Wyatt I see Widdowson PS, 64P
Wyatt M, Feniuk W & Humphrey PPA
Somatostatin sst₂ receptors mediate
inhibition of dimaprit- and isobutyl
methylxanthine-induced acid
secretion in rat isolated gastric
mucosa, 21P

Yang W, Benjamin IS & Alexander B
Vascular responses of the isolated
dual-perfused rat liver to hepatic
arterial injections of endotheliumdependent and independent
vasodilators, 156P
Yates MS see Gould J, 152P
Yates MS see Prior HM, 30P
Yellon DM see Baxter GF, 148P
Yeung CK, McCurrie JR & Wood D

Rubidium affects the actions of potassium channel modulators in the mouse intestine, 169P
Yoshida A see Rees SA, 24P
Young AMJ see Kaura S, 122P
Young JM see Hishinuma S, 59P
Young L see Gay JC, 115P

Zeman S see Qume M, 237P

Zeng B-Y see Pearce RKB, 78P
Zetterström TSC see Croning MDR, 139P
Zidichouski JA see Kombian SB, 74P
Ziganshin AU, Ziganshina LE, King BF
& Burnstock G Degradation of ATP
and ADP by ecto-enzymes in folliculated oocytes of Xenopus laevis, 52P
Ziganshin AU see King BF, 51P
Ziganshina LE see King BF, 51P
Ziganshina LE see Ziganshin AU, 52P

Keyword Index

Absence epilepsy 75P Acetylcholine 70P, 143P Acetylcholine efflux 117P, 118P Acetylcholine release 165P Acetylcholinesterase 81P, 145P Acid secretion 21P Actin polymerization 11P Acute hypoxia 203P Acute lung injury 5P Acute renal failure 152P Adenine nucleotides 52P Adenosine 139P, 173P Adenosine deaminase 210P Adenosine receptors 48P, 49P, 269P Adenosine A₂ receptor agonists 267P Adenylyl cyclase 108P Adipocytes 210P Adjuvant arthritis 13P, 90P α₁-Adrenoceptors 207P, 208P α₁-Adrenoceptor subtypes 205P, 206P α₂-Adrenoceptors 136P, 186P β-Adrenoceptors 43P, 137P β-Adrenoceptor density 39P β-Adrenoceptor blockade, chronic 36P β₁-Adrenoceptors 204P β₂-Adrenoceptors 204P β₂-Adrenoceptor interactions 166P β₃-Adrenoceptor agonists 204P, 210P β₃-Adrenoceptor antagonists 204P Aequorin 162P Agonist binding 218P AHR-14042 125P, 126P, 128P, 129P Airways smooth muscle 80P L-Alanine scan 179P Aldose reductase inhibitors 45P, 157P Allosteric enhancers 49P Alzheimer's disease 243P Amino acids 122P, 259P Amino acid neurotransmitters 104P Aminoguanidine 188P 3-Amino-1,2,4-triazole 184P **Amphetamines 32P** Amygdala 122P Amylin receptors 255P Angiotensin receptors 244P, 245P, 246P Angiotensin II 189P Angiotensin II receptors 243P Animal models 41P Animal model of depression 119P Antagonists 241P Anti-inflammatories 88P, 91P **Antibiotics 214P**

Anticonvulsants 72P, 259P **Antipsychotics 205P** Anxiety 33P, 215P Anxiogenic agents 132P Anxiolytics 125P, 127P, 128P, 217P Anxiolytic effects 126P Aorta, guinea-pig 267P Aorta, rabbit 197P Aorta, rat 150P Apamin 124P Arrhythmias 40P, 147P Arthritis 14P Asthma 4P, 6P ATP 50P, 51P, 268P, 270P, 272P ATP-sensitive potassium channels 25P, 27P, 29P, 173P, 174P Atria, guinea-pig 57P Atropine 239P Autoradiography 193P, 249P, 253P

Baclofen 74P Basilar arteries 28P, 42P Behaviour 116P Benzodiazepines 127P Binding 22P, 241P, 252P, 254P, 257P Bladder smooth muscle 176P Bleeding time 10P Blinking 219P Blood, human 159P Blood flow 265P Bombesin 23P, 254P Bombesin, human 22P Bone-marrow-repopulation 9P Brain 245P Brain, pig 230P Brain, rat 136P, 228P, 246P Brain corticosteroid receptors 101P Brain mapping 71P Brainstem 249P BU224 133P

C6 glioma cells 168P c-fos 131P Calcium 23P, 161P Calcium channels 165P, 211P Calcium channels, L-type 43P Calcium channel antagonists 155P Calcium influx 163P ⁴⁵Ca²⁺-influx 113P Calcium sources 267P Calcium-induced Ca2+ release 266P cAMP 67P, 94P, 137P, 186P, 209P Cannabinoid CB1 receptors 46P Capsaicin 14P, 68P, 87P, 129P Cardiac-delayed rectifier potassium current 24P Cardiac glycosides 151P Cardiac ischaemia 40P Cardiac ventricle 25P, 26P Cardioprotection 147P Cardiovascular effects 45P, 157P, 224P Cat, ischaemic skeletal muscle function 29P Catalase 184P CATH.a cells 94P Caudate nucleus 244P **CCK 239P** CCK-A antagonism 238P CCK-B antagonists 240P CCK-B receptors 241P CDP840 6P Cell accumulation 7P Cerebellar granule cells 109P Cerebral blood flow 191P Cerebral cortex, human 222P Cerebral ischaemia 1P Ceto-enzymes 52P cGMP 137P, 147P CGRP 57P, 256P CGRP receptors 255P Charybdotoxin 168P Chemotaxis 11P Chloride 260P Chloride channels 258P Chloride transport 56P L-2-Chloropropionic acid 64P, 102P Cholera toxin 178P Cholinergic side effects 144P Cholinesterase inhibition 144P Ciclazindol 172P Circulatory shock 69P Cisplatin 213P Clonal cell line 20P Cloning 22P Clorgyline 135P Clozapine 205P Cocaine 32P, 247P Cognition 133P, 235P

Cognition enhancement 144P

Colon mucosa, human 177P

Colon motility 204P

Colon mucosa 181P

Colorectal distension 180P Column chromatography 101P Computer-assisted learning (CAL) 273P Conditioned emotional response 215P Contact sensitisation 15P, 85P Contraction 170P, 261P Convulsant drugs 140P Coronary arteries, human 38P Coronary circulation 167P COX-2 16P Creatine 97P Cross-talk 137P Cultured aortic cells 150P Cyclic nucleotides 36P Cyclo-oxygenase 2 83P Cyclosporin 47P Cystic fibrosis 56P Cytokines 3P, 4P, 66P Cytosolic Ca²⁺ concentrations 44P Cytotoxicity 16P

Defence 130P, 131P Delayed rectifiers 24P, 171P, 175P Delayed rectifier potassium currents 26P, 170P Denervation 124P Dependence liability, lack of 126P Desensitization 19P, 149P, 218P Devazepide 239P Developmental changes 194P, 199P Dexamethasone 90P DHP-sensitive calcium channel 42P Diabetes 45P, 63P, 157P Diadenosine polyphosphates 57P Diazepam 130P Dofetilide 175P L-DOPA 78P Dopamine 60P, 97P, 98P, 221P, 233P Dopamine metabolism 114P Dopamine outflow 95P, 96P Dopamine receptors 118P Dopamine release 234P Dopamine synthesis rates 223P Dopamine uptake 77P Dorsal raphe 76P Dorsal root ganglia 54P Down-regulation 19P, 43P Drug discrimination 127P Drug metabolism 207P DSP-4 236P

E4031 26P
Ecto-ATPase 272P
Eicosanoids 16P, 17P
Eicosapentaenoic acid 150P
Electroconvulsive shock 142P
Electrogenic ion transport 248P
Electrophysiology 76P, 93P, 105P
Emesis 91P, 250P, 251P
Endogenous tone 190P
Endothelial cells 65P, 197P
Endothelial repair 195P

Dyskinesias 78P

Endothelins 35P, 192P, 195P Endothelin-1 158P Endothelin receptors 34P, 193P, 194P Endothelium 53P, 203P, 262P Endothelium-dependent relaxations 190P, 199P Endothelium-independent relaxation 264P Endotoxins 17P, 148P Enzyme inductors 17P Eosinophils 2P, 31P Epilepsy 107P, 259P Epithelia in culture 248P Escherichia coli 214P Ethanol 32P, 33P, 141P Ethanol intake 238P **Excitoxicity 112P** Experimental autoimmune encephalomyelitis 8P Extracardiac receptors 151P Extracellular acidification 20P

Fascia 269P Feeding, rat 226P d-Fenfluramine 220P Food intake 227P, 239P FOS protein 100P Frontal cortex 221P

G401 213P GABA_A receptors 71P, 128P GABA_B 75P GABA_B receptors 74P Gabapentin 33P Gastric muscosa, rat isolated 21P General anaesthetics 140P Gepirone 227P Glucocorticoids 15P, 85P Glucose 98P Glutamate 103P, 121P Glutamate release 111P Glutathione 102P Glycine 112P Glycine site antagonists 119P GR203040 37P Gram-positive sepsis 66P [3H] Granisetron binding 82P Growth factor 24P Guinea-pig 253P

Haemodynamics 27P
Haemotopoiesis 9P
Haloperidol 171P
Halothane 100P
Heart failure 41P
Hippocampus 117P, 139P
Hippocampus, rat 232P
Histamine 211P
Histamine H₁ receptors 59P
Histamine H₁ and H₂ receptors, human atrial 36P
Homomeric GABA_A receptors 258P

Hormone-sensitive lipase 209P 5-HT 221P, 222P, 228P, 237P, 261P, 263P, 273P 5-HT, electrophysiological actions of, in vivo, 222P 5-HT neurones 76P 5-HT release 220P, 232P 5-HT synthesis rates 223P 5-HT uptake inhibitors 216P 5-HT_{1A} agonists 227P 5-HT_{1A} receptors 216P 5-HT_{1A} receptor antagonists 223P, 226P 5-HT_{IB/ID} receptors 18P 5-HT_{1D} receptor agonists 38P 5-HT_{2A} 219P 5-HT_{2C} receptors 215P, 216P, 218P 5-HT_{2C/2B} antagonists 217P 5-HT₃ 265P 5-HT₃ receptors 230P, 231P 5-HT₃ receptor mediated currents 82P, 5-HT₃ receptor subunit, human 82P, 229P 5-HT₄ receptors 232P, 233P, 234P 5-HT₄ receptor agonists 235P 5-HT₄ receptor antagonists 235P 5-HT₄ receptor density, human and porcine atrial 39P 5-HT₇ receptors 264P Huntington's disease 245P Hyperactivity 115P Hyperalgesia 83P Hyperalgesia, rat paw 83P Hypothermia 97P Hypoxia 35P, 97P, 98P, 181P Hypoxia, chronic 203P

[3H]-Idazoxan binding 135P Ileal mucosa, human 178P Ileum, mouse 169P Imidazoline receptors 135P Imidazoline2 sites 133P Immunohistochemistry 71P Immunophilin 47P In situ hybridisation 120P, 138P Inducible nitric oxide synthase 69P, 182P, 183P Inflammatory mediators 13P Inhibitory junction potentials 187P Inositol phosphates 23P, 161P Inositol 1,4,5-trisphosphate 44P Inotropic response 149P Ins(1,4,5)P₃ 161P Insulin-dependent diabetes 191P Insulin-secreting cell line 172P Interferon 3P Interferon-y 17P Interleukin-1 1P, 87P Intestine, guinea-pig 46P Intracellular calcium 162P Intracellular calcium stores 266P **Invertebrates 260P** Ion transport 179P IP prostanoid receptors 19P

Ischaemia 29P, 116P Isolated heart, rat 173P Isoprenaline 149P Isoquinolines 77P, 99P

JAK2 160P Jitter 145P Jugular vein, cynomolgus monkey 264P

K_{ATP} channels 172P K(Ca) channels 168P Kidney 153P Kindling 122P, 141P

Lamotrigine 121P Large-conductance Ca2+-activated K+ channels 28P L-DOPA 78P Learning 134P Learning and memory deficits 142P Leukemia inhibitory factor 86P Light/dark box 143P Linopirdine 123P Liver 156P Locomotor activity 88P, 141P Locus coeruleus 94P, 242P Loop diuretics 154P Losartan 198P **LPS 271P** LPS-induced pleurisy 7P

Macrophage-inflammatory-protein 9P Macrophages 16P Mannitol 98P **MAP4 106P** Mast cells 180P Mechanical allodynia 86P Medial prefrontal cortex 114P, 115P Megakaryocytes 163P, 164P Melatonin 257P Mesenteric arterial bed 53P Metabotropic glutamate receptors 104P, 108P, 109P, 110P, 111P Methylene blue 170P mGLURs 106P Microdialysis 103P, 143P Microtubules 163P Migraine 37P Molecular size 246P Mono(ADP-ribosyl)transferase 11P Monophosphoryl lipid A 148P Motion-sickness 250P MPP⁺ 77P mRNA mapping 120P Multiple organ failure syndrome 69P Multiple sclerosis 8P Muscarinic receptors 79P, 80P, 95P, 146P Muscarinic M₃ receptor interactions 166P

Myocardial infarction 158P

Myocardial ischaemia 148P Myocytes 41P Myofibroblasts 269P Myometrium 200P Myotonic dystrophy 124P

Na/K/2Cl co-transport 154P Nervous system, rat 138P Neurochemistry 237P Neurodegeneration 237P Neurogenic inflammation 87P, 251P Neurogenic oedema 18P Neuronal cell death 64P Neuronal firing 242P Neurones 12P Neuropathy 63P Neuropeptides 241P Neuropeptide Y 153P, 179P Neuropeptide Y₁ receptors 248P Neuroprotection 116P Neurotoxicity 102P Neurotransmission 105P Nifedipine 153P Nitric oxide 17P, 60P, 62P, 63P, 64P, 65P, 66P, 68P, 70P, 90P, 174P, 182P, 187P, 189P, 191P, 203P Nitric oxide donors 61P Nitric oxide synthase 134P Nitric oxide synthase inhibitors 192P Nitrite production 7P Nitrobenzylthioinosine 152P 7-Nitroindazole 72P, 134P NG-Nitro-L-arginine methyl ester (L-NAME) 62P, 185P, 188P Nitrovasodilators 67P, 184P **NMDA 113P** NMDA receptors 107P, 119P NMDA-receptor complex 112P NMDA receptor antagonists 114P, 115P, 117P, 118P, 226P Non-benzodiazepines 125P Noradrenaline 100P Noradrenaline efflux 132P Noradrenaline uptake (synaptosomal) 236P NS 1619 28P Nucleoside transport 152P Nucleus accumbens 103P

Oedema 84P 8-OH-DPAT 224P, 225P Oocytes 73P Opioids 93P Ouabain 30P Ovalbumin challenge, chronic 89P

Purinergic contractions 272P
Purinoceptors 53P, 56P
P₁ purinoceptors 51P
P₂ purinoceptors 50P, 54P, 58P
P_{2x} purinoceptors 55P, 138P, 266P, 268P
P_{2z} purinoceptors 270P

Pain 92P Paired pulse depression 106P Parkinson's disease 244P Parotid salivary gland, rat 270P PC12 cells 99P PDE inhibitors 89P Pentobarbitone 73P Peptides 247P, 260P Perfused liver, rat 156P Perfused lung, rat 35P, 192P Pertussis toxin 75P pH 31P Phenoxybenzamine 262P Phenylglycine derivatives 108P, 110P Phorbol esters 165P Phosphodiesterases 80P Phosphodiesterase type-IV 6P Phosphodiesterase inhibitors 5P, 88P, 91P Phosphoinositide 110P Phosphoinositide hydrolysis 109P Phosphoinositide signalling 79P Phospholipase C 164P Phosphorylation 44P Pinacidil 200P Pineal gland, rat 206P PLA₂ 177P Platelets 65P Platelets, human 160P Platelet activating factor 2P, 40P Platelet aggregation 159P Pluronic F-68 159P Postsynaptic receptors 73P Potassium 139P Potassium channel modulators 169P, 176P Potassium channel openers 29P, 174P Potassium channels 167P Potassium channels, inwardly rectifying Potassium channels, large-conductance Ca²⁺-activated 28P Potassium currents 123P, 176P Potassium-induced vasodilation 30P Preconditioning 181P Pregnanediol 196P Presynaptic transmission 74P Primates 78P Probenecid 213P Progesterone 196P Propranolol 200P Prostacyclin 13P, 198P Prostacyclin mimetics 12P Prostaglandins 189P Prostanoid receptors 12P Prostate cancer 212P Protein kinases 195P Protein kinase C 2P, 183P Psychostimulants 141P Pulmonary arteries 61P, 190P Pulmonary arteries, rabbit 194P, 199P Pulmonary hypertension 34P, 61P

Quinine 228P

Pyridostigmine 81P

R56865 171P Radioligand binding 34P, 206P Radiotelemetry 225P

Raphe nuclei 220P Rec 15/2739 208P

Receptor autoradiography 75P
Receptor binding 37P, 193P, 240P
Receptor characterisation 146P
Receptor chimeras 48P, 49P
Receptor internalisation 59P
Receptor reserve 79P
Receptors 257P

β Receptors 201P β Receptor antagonists 201P Recombinant receptors 113P Reflex 92P

Regional effects, in rat CNS tissue 223P

Renal blood vessels 30P Renal cells 3P, 47P Renal cell line, human 213P Renal function 189P

Renal interstitial hydrostatic pressure 155P

Renal pelvis 256P Reserpine 136P Restraint stress 224P

Retina 60P Retinoic acid 212P Ritodrine 200P Ro31-8220 42P

Roussin's Black Salt 70P

RS 67333 235P RS 67532 235P Rubidium 169P

SA node 175P Salivary glands 146P Saponin 62P SB 200646A 217P

[¹²⁵I]-SB 207710 binding 39P Second messengers 166P

Selective serotonin reuptake inhibitors 236P

Sensitization 180P, 263P Sensitized guinea-pigs 89P Sensory fibres 68P Sensory nerves 18P Skeletal muscle 29P, 81P Skeletal muscle, mouse 145P

Skin 84P Skin, rat 265P Small arteries 68P
Small intestine, human 261P
Smooth muscle 211P, 262P, 263P
Smooth muscle cells 67P
Social isolation 225P

Sodium channels 107P, 120P, 121P, 129P

Sodium/potassium pumps 154P Solubilisation 230P

Somatostatin 20P, 21P, 242P Species selectivity 240P

Spinal synaptic responses 104P

SR141716A 46P

Steroid sulphatase 15P, 85P

Steroids 4P Stress 132P, 142P

Striatum 70P, 96P, 97P, 98P, 233P

Striatum, rat 234P Substance P 14P, 249P Substance P antagonists 252P Substance P fragments 95P, 96P Substituted azoles 212P Sucrose-gap 256P

Superoxide anions 182P Suprachiasmatic nucleus 93P Surfactants 214P

Sympathetic nerves 68P, 84P Sympathetic neurones 123P

Synaptosomes 111P

Tachykinins 250P, 251P
Tachykinin NK₁ receptors 252P
Tachykinin NK₃ receptors 253P
Taenia caeci 187P

Tail arteries, rat 55P
Tamsulosin 207P
Temperature 1P
Temporal cortex 243P
Terazosin 208P
Tetrandrine 16P
Tetrodotoxin 178P
Thermal hyperalgesia 86P

Thiopentone 25P THP-1 cells 271P

Thrombin activatable plasminogen 10P

Thrombolysis 10P Thrombopoietin 160P TNFa 5P, 7P, 8P, 271P Toxicity 99P

TP antagonists 202P TP receptors 202P TRH 140P, 219P
Trichloroethanol 231P
Trigeminal ganglion 87P
Turnover 136P
Tyrosine kinase 183P
Tyrosine phosphorylation 164P

U373 254P U373 MG 162P U373 MG astrocytoma cells 59P UK 14304 209P Ultrasound 130P, 131P Umbilical arteries 202P Umbilical arteries, human 201P Undergraduate teaching 273P

University of Wisconsin organ preservation solution 197P

UTP 54P, 55P

Vacuum filtration 101P Vagal activity 151P Vagus nerve 129P Vas deferens, guinea-pig 268P Vacquier 5 HT receptors 262P

Vascular 5-HT receptors 262P Vascular contractility 196P Vascular responses 156P

Vascular smooth muscle 185P, 186P,

188P, 197P

Vasoconstriction 38P, 167P

Vasodilators 27P Veins, human 198P Verapamil 16P Visceral nociception 92P

Voltage activated proton currents 31P

Voltammetry 247P

Wy 27587 216P

Xenopus laevis oocytes 50P, 51P, 52P, 229P, 258P

(S)-Zacopride 231P