



INDEX TO VOLUMES 114, 115 AND 116

AUTHOR INDEX

A

- Aalkjær, C. *see* Toma, C., 114, 1266
 Aaronson, P.I. *see* Halliday, F.C., 116, 3139
 Abbott, N.J. *see* Nobles, M., 115, 1245
 Abbracchio, M.P. *see* Bolego, C., 114, 1557
 Abdel-Hamid, K. *see* Fletcher, E.J., 116, 2791
 Abe, F., Mitsui, M., Karaki, H. and Endoh, M. Calcium compartments in vascular smooth muscle cells as detected by aequorin signal, 116, 3000
 Abe, I. *see* Setoguchi, M., 115, 198
 Abed, W.T. *see* Patsalos, P.N., 115, 503
 Abounader, R., Villemure, J.-G. and Hamel, E. Characterization of neuro-peptide Y (NPY) receptors in human cerebral arteries with selective agonists and the new Y₁ antagonist BIBP 3226, 116, 2245
 Abram, T.S. *see* Ortiz, J.L., 115, 1382
 Adachi, M. *see* Tanaka, H., 114, 673
 Adachi-Akahane, S. *see* Kitagawa, Y., 116, 1635
 Adam, A. *see* Lamontagne, D., 115, 476
 Adami, A. *see* Mariotto, S., 114, 1105
 Adami, A. *see* Mariotto, S., 115, 225
 Adami, A. *see* Mariotto, S., 116, 1713
 Adams, D.J. *see* Rusko, J., 115, 133
 Adeyemo, O. *see* Jain, N., 116, 2127
 Adodra, S. and Hales, T.G. Potentiation, activation and blockade of GABA_A receptors of clonal murine hypothalamic GT1-7 neurones by propofol, 115, 953
 Adolfs, M.J.P. *see* Leurs, R., 116, 2315
 Advenier, C. *see* Boichot, E., 114, 259
 Advenier, C. *see* Sarriá, B., 116, 2569
 Adzet, T. *see* Alegret, M., 114, 1351
 Adzet, T. *see* Vázquez, M., 116, 2067
 Adzet, T. *see* Vázquez, M., 116, 3337
 Agneter, E. *see* Boehm, S., 114, 1143
 Agteresch, H.J. *see* van Gelderen, E.M., 114, 1303
 Aguilera, G. *see* Chowdrey, H.S., 116, 2417
 Ahluwalia, A., Giuliani, S. and Maggi, C.A. Demonstration of a 'septide-sensitive' inflammatory response in rat skin, 116, 2170
 Ahmad, S. *see* Tay-Uyboco, J., 115, 569
 Ahn, S.C. *see* Kim, S.J., 115, 1407
 Aiken, S.P., Lampe, B.J., Murphy, P.A. and Brown, B.S. Reduction of spike frequency adaptation and blockade of M-current in rat CA1 pyramidal neurones by linopirdine (DuP 996), a neurotransmitter release enhancer, 115, 1163
 Aislaitner, G. *see* Silva, M.T., 114, 257
 Akaike, N. *see* Fujimoto, M., 116, 3014
 Akaishi, Y. *see* Hattori, Y., 114, 224
 Akarasereenont, P., Bakhle, Y.S., Thiemermann, C. and Vane, J.R. Cytokine-mediated induction of cyclo-oxygenase-2 by activation of tyrosine kinase in bovine endothelial cells stimulated by bacterial lipopolysaccharide, 115, 401
 Akasu, T. *see* Tokimasa, T., 114, 489
 Åkesson, B. *see* Panagiotidis, G., 114, 289
 Akhondzadeh, S. and Stone, T.W. Induction of a novel form of hippocampal long-term depression by muscimol: involvement of GABA_A but not glutamate receptors, 115, 527
 Alavijeh, M.S. *see* Patsalos, P.N., 115, 503
 Albillos, A. *see* Villarroya, M., 114, 369
 Albino-Teixeira, A. *see* Guimarães, S., 114, 1595
 Albino-Teixeira, A. *see* Soares-da-Silva, P., 114, 1403
 Alegret, M., Cerqueda, E., Ferrando, R., Vázquez, M., Sánchez, R.M., Adzet, T., Merlos, M. and Laguna, J.C. Selective modification of rat hepatic microsomal fatty acid chain elongation and desaturation by fibrates: relationship with peroxisome proliferation, 114, 1351
 Alegret, M. *see* Vázquez, M., 116, 2067
 Alegret, M. *see* Vázquez, M., 116, 3337
 Alemany, R., Olmos, G. and García-Sevilla, J.A. The effects of phenelzine and other monoamine oxidase inhibitor antidepressants on brain and liver I₂ imidazoline-preferring receptors, 114, 837
 Alexander, S.P.H. *see* Losinski, A., 116, 2425
 Alhava, E. *see* Kimonen, T., 114, 832
 Alhava, E. *see* Kinonen, T., 116, 2625
 Allam, M. *see* Gurney, A.M., 114, 238
 Allchorne, A. *see* Safieh-Garabedian, B., 115, 1265
 Allcock, G.H., Warner, T.D. and Vane, J.R. Roles of endothelin receptors in the regional and systemic vascular responses to ET-1 in the anaesthetized ganglion-blocked rat: use of selective antagonists, 116, 2482
 Allcock, G.H. *see* Bryant, C.E., 114, 1673
 Allgaier, C., Warnke, P., Stangl, A.P. and Feuerstein, T.J. Effects of 5-HT receptor agonists on depolarization-induced [³H]-noradrenaline release in rabbit hippocampus and human neocortex, 116, 1769
 Allix, M. *see* Margail, I., 116, 2344
 Alm, P. *see* Hedlund, P., 116, 2258
 Alm, P. *see* Ny, L., 116, 2873
 Alonso, A. *see* Steil, A.A., 114, 895
 Alps, B.J., Calder, C., Wilson, A.D., McBean, D.E. and Armstrong, J.M. Reduction by lifarizine of the neuronal damage induced by cerebral ischaemia in rodents, 115, 1439
 Alps, B.J. *see* McBean, D.E., 116, 3093
 Alt-Tebacher, M. *see* Barthelmebs, M., 116, 2166
 Altavilla, D. *see* Squadrito, F., 115, 395
 Alzueta, A.F. *see* Orallo, F., 114, 1419
 Amezcua, J.L. *see* Leafios, O.L., 116, 2048
 Amico, M.C. *see* Valeri, P., 114, 1206
 Ammendolia, L. *see* Squadrito, F., 115, 395
 Amrani, Y., Magnier, C., Enouf, J., Wuytack, F. and Bronner, C. Ca²⁺ increase and Ca²⁺-influx in human tracheal smooth muscle cells: role of Ca²⁺ pools controlled by sarco-endoplasmic reticulum Ca²⁺-ATPase 2 isoform, 115, 1204
 Amrani, Y., Martinet, N. and Bronner, C. Potentiation by tumour necrosis factor-α of calcium signals induced by bradykinin and carbachol in human tracheal smooth muscle cells, 114, 4
 Amrani, Y. *see* Da Silva, A., 114, 103
 Anania, V. *see* Madeddu, P., 115, 557
 Andersen, R.J. *see* Bramley, A.M., 115, 1433
 Anderson, E.M. *see* Hollingsworth, S.J., 114, 715
 Anderson, E.M. *see* Hollingsworth, S.J., 116, 1809
 Anderson, G.P. *see* O'Donnell, S.R., 116, 1571
 Anderson, I.K., Martin, G.R. and Ramage, A.G. Evidence that activation of 5-HT₂ receptors in the forebrain of anaesthetized cats causes sympathoexcitation, 116, 1751
 Anderson, W.P. *see* Evans, R.G., 116, 1557
 Andersson, K. and Arner, P. Cholinoceptor-mediated effects on glycerol output from human adipose tissue using *in situ* microdialysis, 115, 1155
 Andersson, K.-E. *see* Hedlund, P., 116, 2258
 Andersson, K.-E. *see* Ny, L., 115, 186
 Andersson, K.-E. *see* Ny, L., 116, 2873
 Andersson, K.-E. *see* Werkström, V., 116, 1599
 Andersson, K.-E. *see* Zygmunt, P.K.E., 115, 1020
 Andrews, P.L.R. *see* Watson, J.W., 115, 84
 Andrews, S. *see* De Vries, G.W., 115, 1231
 Anno, T. *see* Maruyama, K., 114, 19
 Antunes, E. *see* Landucci, E.C.T., 114, 578
 Aoki, H. *see* Kuroiwa, M., 116, 2040
 Aoki, H. *see* Nishimura, J., 115, 1369

- Aoyama, H. *see* Kohno, Y., 116, 2557
 Appel, S., Mathôt, R.A.A., Langemeijer, M.W.E., IJzerman, A.P. and Danhof, M. Modelling of the pharmacodynamic interaction of an A₁ adenosine receptor agonist and antagonist *in vivo*: N⁶-cyclopentyl-adenosine and 8-cyclopentyltheophylline, 115, 1253
 Arban, R. *see* Lipartiti, M., 114, 1159
 Archer, K. *see* Cook, S.J., 114, 143
 Argiolas, L., Fabi, F. and del Basso, P. Mechanisms of pulmonary vasoconstriction and bronchoconstriction produced by PAF in the guinea-pig: role of platelets and cyclo-oxygenase metabolites, 114, 203
 Arimura, A., Asanuma, F., Kurosawa, A. and Harada, M. Corrigendum, 116, 2785
 Arita, M. *see* Sato, T., 115, 381
 Armstrong, G. *see* Thwaites, D.T., 115, 761
 Armstrong, J.M. *see* Alps, B.J., 115, 1439
 Armstrong, J.M. *see* McBean, D.E., 116, 3093
 Armstrong, R.A. Investigation of the inhibitory effects of PGE₂ and selective EP agonists on chemotaxis of human neutrophils, 116, 2903
 Armstrong, R.A. *see* Talpain, E., 114, 1459
 Arner, P. *see* Andersson, K., 115, 1155
 Arrang, J.M., Drutel, G. and Schwartz, J.-C. Characterization of histamine H₃ receptors regulating acetylcholine release in rat entorhinal cortex, 114, 1518
 Arslan, B.Y. *see* Ulus, I.H., 116, 1911
 Artibani, W. *see* Palea, S., 114, 35
 Arvola, P. *see* Kähönen, M., 115, 859
 Arvola, P. *see* Mäkynen, H., 115, 1455
 Asai, F. *see* Takiguchi, Y., 116, 3056
 Asai, H. *see* Kinoshita, K., 116, 3274
 Asano, S. *see* Suzuki, M., 115, 703
 Asanuma, F. *see* Arimura, A., 116, 2785
 Ashford, M.L.J. *see* Lee, K., 115, 385
 Ashton, M.J. *see* Souness, J.E., 115, 39
 Aso, T. *see* Azuma, H., 114, 902
 Assreuy, J. *see* Rees, D.D., 114, 689
 Astarie-Dequeker, C., Korichneva, I. and Devynck, M.-A. Different effects of endothelin-3 on the Ca²⁺ discharge induced by agonists and Ca²⁺-ATPase inhibitors in human platelets, 114, 524
 Atgié, C. *see* D'Allaire, F., 114, 275
 Awane, Y. *see* Watanabe, T., 114, 949
 Ayata, C. *see* Lee, W.S., 116, 1661
 Ayata, G. *see* Cutrer, F.M., 116, 3199
 Azuma, H., Obayashi, S., Hamasaki, H., Koyama, T. and Aso, T. Role of endothelin-3 in the human uterine arteries during normal menstrual cycle, 114, 902
 Azuma, H., Sato, J., Hamasaki, H., Sugimoto, A., Isotani, E. and Obayashi, S. Accumulation of endogenous inhibitors for nitric oxide synthesis and decreased content of L-arginine in regenerated endothelial cells, 115, 1001
- ### B
- Baba, A. *see* Suzuki, M., 115, 703
 Bach, C. *see* Bonhaus, D.W., 115, 622
 Bachelard, H. and Pitre, M. Regional haemodynamic effects of μ -, δ -, and κ -opioid agonists microinjected into the hypothalamic paraventricular nuclei of conscious, unrestrained rats, 115, 613
 Bachvarov, D.R. *see* Levesque, L., 116, 1673
 Baeyens, J.M. *see* Ocaña, M., 114, 1296
 Baidan, L.V., Zholos, A.V. and Wood, J.D. Modulation of calcium currents by G-proteins and adenosine receptors in myenteric neurones cultured from adult guinea-pig small intestine, 116, 1882
 Bailey, S.J. and Hourani, S.M.O. Effects of suramin on contractions of the guinea-pig vas deferens induced by analogues of adenosine 5'-triphosphate, 114, 1125
 Baines, R. *see* Morton, C., 115, 361
 Baird, A.W. *see* Taylor, C.T., 116, 2667
 Bakhle, Y.S. *see* Akaraseenont, P., 115, 401
 Balcar, V.J., Li, Y., Killinger, S. and Bennett, M.R. Autoradiography of P_{2X} ATP receptors in the rat brain, 115, 302
 Baldwin, B.A. *see* Ebenezer, I.S., 116, 2371
 Balestra, B. *see* Messori, E., 115, 677
 Balfour, D.J.K. *see* Benwell, M.E.M., 114, 454
 Ballabeni, V. *see* Barocelli, E., 115, 1326
 Bani, D. *see* Bani-Sacchi, T., 116, 1589
 Bani-Sacchi, T., Bigazzi, M., Bani, D., Mannaioni, P.F. and Masini, E. Relaxin-induced increased coronary flow through stimulation of nitric oxide production, 116, 1589
 Banner, K.H., Roberts, N.M. and Page, C.P. Differential effect of phosphodiesterase 4 inhibitors on the proliferation of human peripheral blood mononuclear cells from normals and subjects with atopic dermatitis, 116, 3169
 Banner, K.H. and Page, C.P. Acute versus chronic administration of phosphodiesterase inhibitors on allergen-induced pulmonary cell influx in sensitized guinea-pigs, 114, 93
 Banner, S.E. and Sanger, G.J. Differences between 5-HT₃ receptor antagonists in modulation of visceral hypersensitivity, 114, 558
 Bara, A. *see* Mülsch, A., 116, 2743
 Barann, M. *see* Göthert, M., 114, 269
 Barber, P.C. *see* Steward, L.J., 116, 1781
 Barbieri, A. *see* Lucchelli, A., 114, 1017
 Barbieri, M. *see* Cerbai, E., 116, 1835
 Barjavel, M.J., Scherrmann, J.-M. and Bhargava, H.N. Relationship between morphine analgesia and cortical extracellular fluid levels of morphine and its metabolites in the rat: a microdialysis study, 116, 3205
 Barlow, R.B., Bond, S.M., Branthwaite, A.G., Jackson, O., McQueen, D.S., Smith, K.M. and Smith, P.J. Selective blockade of M₂ and M₃ muscarinic receptors by hexahydrobenzyl-fourdapine and a comparison with zamifenacin, 116, 2897
 Barnes, C.S. and Coker, S.J. Failure of nitric oxide donors to alter arrhythmias induced by acute myocardial ischaemia or reperfusion in anaesthetized rats, 114, 349
 Barnes, N.M. *see* Downie, D.L., 114, 1641
 Barnes, N.M. *see* Steward, L.J., 116, 1781
 Barnes, P.J. *see* Haddad, E.-B., 116, 2027
 Barocelli, E., Ballabeni, V., Chiavarini, M. and Impicciatore, M. R- α -methylhistamine-induced inhibition of gastric acid secretion in pylorus-ligated rats via central histamine H₃ receptors, 115, 1326
 Barrachina, M.D., Whittle, B.J.R., Moncada, S. and Esplugues, J.V. Endotoxin inhibition of distension-stimulated gastric acid secretion in rat: mediation by NO in the central nervous system, 114, 8
 Barrios, M. *see* Ocaña, M., 114, 1296
 Bartfai, T. *see* Xu, X.-J., 116, 2076
 Barthelmebs, M., Alt-Tebacher, M., Madonna, O., Grima, M. and Imbs, J.-L. Absence of a losartan interaction with renal lithium excretion in the rat, 116, 2166
 Barthelmebs, M., Grima, M. and Imbs, J.-L. Ramipril-induced decrease in renal lithium excretion in the rat, 116, 2161
 Bast, A. *see* van Acker, S.A.B.E., 115, 1260
 Battistini, B., Woods, M., O'Donnell, L.J.D., Warner, T.D., Corder, R., Fournier, A., Farthing, M.J.G. and Vane, J.R. Contractile activity of endothelin precursors in the isolated gallbladder of the guinea-pig: presence of an endothelin-converting enzyme, 114, 1383
 Bauer, V., Rekalov, V.V., Juránek, I., Gergel, D. and Bohov, P. Effect of illuminated nifedipine, a potent antioxidant, on intestinal and vascular smooth muscles, 115, 871
 Baumert, H.G. *see* Windscheif, U., 115, 1509
 Baumgartner-Parzer, S. *see* Sexl, V., 114, 1577
 Baumner, D. *see* Nawrath, H., 116, 3061
 Baxter, G.F., Goma, F.M. and Yellon, D.M. Involvement of protein kinase C in the delayed cytoprotection following sublethal ischaemia in rabbit myocardium, 115, 222
 Baxter, G.S., Clayton, J.K., Coleman, R.A., Marshall, K., Sangha, R. and Senior, J. Characterization of the prostanoid receptors mediating constriction and relaxation of human isolated uterine artery, 116, 1692
 Baxter, G.S. *see* Ellis, E.S., 114, 400
 Baydoun, A.R. *see* Wileman, S.M., 116, 3243
 Baylis, H.A. *see* Hosie, A.M., 115, 909
 Beani, L. *see* Bianchi, C., 116, 2724
 Beani, L. *see* Varani, K., 116, 3125
 Beart, P.M., Schousboe, A. and Frandsen, A. Blockade by polyamine

- NMDA antagonists related to ifenprodil of NMDA-induced synthesis of cyclic GMP, increases in calcium and cytotoxicity in cultured neurones, 114, 1359
- Beattie, D.T., Beresford, I.J.M., Connor, H.E., Marshall, F.H., Hawcock, A.B., Hagan, R.M., Bowers, J., Birch, P.J. and Ward, P. The pharmacology of GR203040, a novel, potent and selective non-peptide tachykinin NK₁ receptor antagonist, 116, 3149
- Beaufort, Ph. *see* Chatelain, P., 116, 1949
- Beaumont, K., Pittner, R.A., Moore, C.X., Wolfe-Lopez, D., Prickett, K.S., Young, A.A. and Rink, T.J. Regulation of muscle glycogen metabolism by CGRP and amylin: CGRP receptors not involved, 115, 713
- Beaver, K.M. *see* Hawkins, L.M., 116, 2033
- Beck Jr, G.R. *see* Douglas, S.A., 114, 1529
- Bedecs, K. *see* Xu, X.-J., 116, 2076
- Bedingfield, J.S., Kemp, M.C., Jane, D.E., Tse, H.-W., Roberts, P.J. and Watkins, J.C. Structure–activity relationships for a series of phenylglycine derivatives acting at metabotropic glutamate receptors (mGluRs), 116, 3323
- Beech, D.J. *see* McHugh, D., 114, 391
- Beech, D.J. *see* Sadraei, H., 115, 1447
- Belelli, D. *see* Downie, D.L., 114, 1641
- Bélichard, P. *see* Pruneau, D., 114, 115
- Bélichard, P. *see* Pruneau, D., 116, 2106
- Bell, B.A. *see* Stapleton, S.R., 114, 544
- Ben, A. *see* Cox, S.L., 114, 1057
- Bennett, A. *see* Hollingsworth, S.J., 114, 715
- Bennett, A. *see* Hollingsworth, S.J., 116, 1809
- Bennett, M.A. *see* Heygate, K.M., 116, 3251
- Bennett, M.R. *see* Balcar, V.J., 115, 302
- Bennett, M.R. *see* Motin, L., 115, 1276
- Bennett, T. *see* Constantin-Teodosiu, D., 116, 3288
- Bennett, T. *see* Gardiner, S.M., 114, 584
- Bennett, T. *see* Gardiner, S.M., 115, 579
- Bennett, T. *see* Gardiner, S.M., 116, 1718
- Bennett, T. *see* Gardiner, S.M., 116, 2005
- Bennett, T. *see* Gardiner, S.M., 116, 2237
- Bennett, T. *see* Gardiner, S.M., 116, 3042
- Bennett, T. *see* Waller, J., 116, 2487
- Benoni, G. *see* Mariotto, S., 114, 1105
- Benoni, G. *see* Mariotto, S., 115, 225
- Benoni, G. *see* Mariotto, S., 116, 1713
- Benthin, G. *see* Westfelt, U.N., 114, 1621
- Bentley, K.R. *see* Downie, D.L., 114, 1641
- Bentley, K.R. *see* Steward, L.J., 116, 1781
- Benwell, M.E.M., Balfour, D.J.K. and Birrell, C.E. Desensitization of the nicotine-induced mesolimbic dopamine responses during constant infusion with nicotine, 114, 454
- Bény, J.-L. *see* Frieden, M., 115, 95
- Berdeaux, A. *see* Ghaleh, B., 114, 496
- Beresford, I.J.M. *see* Beattie, D.T., 116, 3149
- Berg, T. *see* Wassdal, I., 115, 356
- Berg Nyborg, N.C. *see* Prieto, D., 116, 2729
- Bergendal, A., Lindén, A., Lötvall, J., Skoogh, B.-E. and Löfdahl, C.-G. Different effects of salmeterol, formoterol and salbutamol on cholinergic responses in the ferret trachea, 114, 1478
- Berger, A.J. *see* Umemiya, M., 116, 3227
- Bernardi, G. *see* Pisani, A., 116, 2053
- Berry, M.S. *see* Everill, B., 116, 1849
- Berthiaume, N., Claing, A., Regoli, D., Warner, T.D. and D'Orléans-Juste, P. Characterization of receptors for kinins and neurokinins in the arterial and venous mesenteric vasculatures of the guinea-pig, 115, 1319
- Bertlik, M. *see* Orser, B.A., 116, 1761
- Bertolino, F., Valentin, J.-P., Maffre, M., Grelac, F., Bessac, A.-M., Maclouf, J., Delhon, A., Lévy-Toledano, S., Patoiseau, J.-F., Colpaert, F.C. and John, G.W. Intrinsic activity of the non-prostanoid thromboxane A₂ receptor antagonist, daltroban (BM 13,505), in human platelets *in vitro* and in the rat vasculature *in vivo*, 115, 210
- Beslot, F. *see* Peyroux, J., 116, 3117
- Bessac, A.-M. *see* Bertolino, F., 115, 210
- Besson, J.-M. *see* Chapman, V., 116, 1628
- Besson, J.-M. *see* Honoré, P., 114, 77
- Betschart, J. *see* Piot, O., 116, 2496
- Beubler, E. *see* Schirgi-Degen, A., 114, 13
- Beukers, M.W. *see* Crack, B.E., 114, 475
- Beume, R. *see* Häfner, D., 115, 451
- Bhargava, H.N. *see* Barjavel, M.J., 116, 3205
- Bianchetti, A. *see* Croci, T., 115, 203
- Bianchi, C., Ferraro, L., Tanganelli, S., Morari, M., Spalluto, G., Simonato, M. and Beani, L. 5-Hydroxytryptamine-mediated effects of nicotine on endogenous GABA efflux from guinea-pig cortical slices, 116, 2724
- Bianchi, C. *see* Varani, K., 116, 3125
- Bieger, D. *see* Martin-Caraballo, M., 116, 3293
- Bigazzi, M. *see* Bani-Sacchi, T., 116, 1589
- Bill, D.J., Coleman, J., Hallett, I., Middlefell, V.C., Rhodes, K.F. and Fletcher, A. The enantiomers of zacopride: an intra-species comparison of their potencies in functional and anxiolytic models, 115, 775
- Bindi, D. *see* Gentilini, G., 115, 389
- Birch, P.J. *see* Beattie, D.T., 116, 3149
- Birch, P.J. *see* Chizh, B.A., 115, 1013
- Birnbaumer, L. *see* Day, N.S., 115, 822
- Birrell, C.E. *see* Benwell, M.E.M., 114, 454
- Bishop, L.A., Gerskowitch, V.P., Hull, R.A.D., Shankley, N.P. and Black, J.W. The use of receptor desensitization to analyse CCK_A and CCK_B/gastrin receptors coupled to contraction in guinea-pig stomach muscle, 114, 339
- Black, J.W. *see* Bishop, L.A., 114, 339
- Black, J.W. *see* Prentice, D.J., 115, 549
- Black, J.W. *see* Van der Graaf, P.H., 116, 3237
- Black, J.W. *see* Welsh, N.J., 115, 961
- Blackburn, T.P. *see* Steward, L.J., 116, 1781
- Blanc, T. *see* Richard, V., 115, 1532
- Blanchard, J.-C. *see* Piot, O., 116, 2496
- Bland-Ward, P. *see* Pabla, R., 116, 2923
- Blaylock, N.A. *see* Wright, I.K., 114, 678
- Blaylock, N.A. and Wilson, V.G. Pharmacological characterization of noradrenaline-induced contractions of the porcine isolated palmar lateral vein and palmar common digital artery, 114, 694
- Bleasdale, J.E. *see* Smith, R.J., 114, 1694
- Blommaert, A.G. *see* Maldonado, R., 114, 1031
- Blue Jnr, D.R., Bonhaus, D.W., Ford, A.P.D.W., Pfister, J.R., Sharif, N.A., Shieh, I.A., Vimont, R.L., Williams, T.J. and Clarke, D.E. Functional evidence equating the pharmacologically-defined α_{1A} - and cloned α_{1C} -adrenoceptor: studies in the isolated perfused kidney of rat, 115, 283
- Boarder, M.R. *see* Bowden, A., 116, 2563
- Boarder, M.R. *see* Brown, C., 116, 2413
- Boarder, M.R. *see* Morton, C., 115, 361
- Boddeke, H.G.W.M. *see* Seuwen, K., 114, 1613
- Boeckxstaens, G.E. *see* De Man, J.G., 114, 1179
- Boehm, S., Huck, S., Schwarz, K., Agneter, E., Drobny, H. and Singer, E.A. Rapid, agonist-induced desensitization of α_2 -autoreceptors modulating transmitter release, 114, 1143
- Boehm, S., Huck, S. and Illes, P. UTP- and ATP-triggered transmitter release from rat sympathetic neurones via separate receptors, 116, 2341
- Bohmann, C. *see* Rump, L.C., 116, 2617
- Bohn, H., Brendel, J., Martorana, P.A. and Schönafinger, K. Cardiovascular actions of the furoxan CAS 1609, a novel nitric oxide donor, 114, 1605
- Bohov, P. *see* Bauer, V., 115, 871
- Boichot, E., Germain, N., Lagente, V. and Advenier, C. Prevention by the tachykinin NK₂ receptor antagonist, SR 48968, of antigen-induced airway hyperresponsiveness in sensitized guinea-pigs, 114, 259
- Bolego, C., Pinna, C., Abbraccio, M.P., Cattabeni, F. and Puglisi, L. The biphasic response of rat vesical smooth muscle to ATP, 114, 1557
- Bolognese, B. *see* McCord, M., 116, 2575
- Bolognesi, M.L. *see* Chiarini, A., 114, 1507
- Bolser, D.C. *see* Hey, J.A., 114, 735
- Bolton, T.B. *see* Hughes, A.D., 116, 2148
- Bolton, T.B. *see* Prestwich, S.A., 114, 119
- Bolton, T.B. *see* Prestwich, S.A., 114, 602

- Bolton, T.B. *see* Prestwich, S.A., 115, 147
 Bolton, T.B. *see* Zhang, H., 114, 662
 Bolton, T.B. *see* Zhang, H., 114, 1657
 Bompert, G. *see* Damase-Michel, C., 116, 1704
 Bond, S.M. *see* Barlow, R.B., 116, 2897
 Bonhaus, D.W., Bach, C., DeSouza, A., Salazar, F.H.R., Matsuoka, B.D., Zuppan, P., Chan, H.W. and Eglen, R.M. The pharmacology and distribution of human 5-hydroxytryptamine_{2B} (5-HT_{2B}) receptor gene products: comparison with 5-HT_{2A} and 5-HT_{2C} receptors, 115, 622
 Bonhaus, D.W. *see* Blue Jnr, D.R., 115, 283
 Bonhaus, D.W. *see* Eglen, R.M., 115, 1387
 Bonhaus, D.W. *see* Hegde, S.S., 115, 1087
 Bonhaus, D.W. *see* To, Z.P., 115, 107
 Bonhaus, D.W. *see* Wong, E.H.F., 114, 851
 Bönisch, H. *see* Göthert, M., 114, 269
 Bonnafous, J.C. *see* Pruneau, D., 114, 115
 Booth, R.F.G. *see* Newby, A.C., 114, 1652
 Borda, E. *see* Sterin-Borda, L., 115, 1525
 Borea, P.A. *see* Cerbai, E., 116, 1835
 Borea, P.A. *see* Varani, K., 116, 3125
 Borman, R.A. and Burleigh, D.E. Functional evidence for a 5-HT_{2B} receptor mediating contraction of longitudinal muscle in human small intestine, 114, 1525
 Born, G.V.R. *see* Cardona-Sanclemente, L.E., 114, 1490
 Bornstein, J.C. *see* Yuan, S.Y., 114, 428
 Bosca, L. *see* Steil, A.A., 114, 895
 Botting, R.M. *see* Swierkosz, T.A., 114, 1335
 Bottrill, F.E. *see* Hiley, C.R., 116, 2641
 Boucher, R.C. *see* Lazarowski, E.R., 116, 1619
 Boulanger, C.M. *see* Day, N.S., 115, 822
 Boulou, R.G. *see* Margail, I., 116, 2344
 Bountra, C. *see* Gardner, C.J., 116, 3158
 Bousquet, P. *see* Tibiriça, E., 115, 1331
 Bouvier, M. *see* Nantel, F., 114, 1045
 Bouw, M.R. *see* de Lange, E.C.M., 116, 2538
 Bova, S. *see* Yang, Q., 114, 1745
 Bowden, A., Patel, V., Brown, C. and Boarder, M.R. Evidence for requirement of tyrosine phosphorylation in endothelial P_{2Y}- and P_{2U}-purinoceptor stimulation of prostacyclin release, 116, 2563
 Bowen, D.M. *see* Dijk, S.N., 115, 1169
 Bowers, J. *see* Beattie, D.T., 116, 3149
 Bowery, B.J. *see* Seabrook, G.R., 115, 368
 Boyce, S. *see* Rupniak, N.M.J., 116, 1937
 Boyer, J.L., O'Tuel, J.W., Fischer, B., Jacobson, K.A. and Harden, T.K. Potent agonist action of 2-thioether derivatives of adenine nucleotides at adenylyl cyclase-linked P_{2Y}-purinoceptors, 116, 2611
 Boyle, J.P. *see* Ellis, K.E., 116, 2510
 Boyle, J.P. *see* Ijioma, S.C., 115, 723
 Brading, A.F. *see* Werkström, V., 116, 1599
 Brain, S.D. *see* Cambridge, H., 115, 641
 Brain, S.D. *see* Hall, J.M., 114, 592
 Brain, S.D. *see* Kajekar, R., 115, 1
 Brain, S.D. *see* Lawrence, E., 115, 840
 Brain, S.D. *see* Newbold, P., 114, 570
 Bralow, R.A. *see* Marley, P.D., 114, 1687
 Bramley, A.M., Langlands, J.M., Jones, A.K., Burgoyne, D.L., Li, Y., Andersen, R.J. and Salari, H. Effects of IZP-94005 (contignasterol) on antigen-induced bronchial responsiveness in ovalbumin-sensitized guinea-pigs, 115, 1433
 Brandt, L. *see* Petersson, J., 115, 889
 Branthwaite, A.G. *see* Barlow, R.B., 116, 2897
 Bredberg, U. *see* Cross, A.J., 114, 1625
 Brefel, C., Lazartigues, E., Tran, M.A., Gauquelin, G., Geelen, G., Gharib, C., Montastruc, J.L., Montastruc, P. and Rascol, O. Central cardiovascular effects of acetylcholine in the conscious dog, 116, 2175
 Breimer, D.D. *see* de Lange, E.C.M., 116, 2538
 Breittmayer, J.P. *see* Feolde, E., 115, 1199
 Breittmayer, J.P. *see* Vigne, P., 114, 1014
 Brendel, J. *see* Bohn, H., 114, 1605
 Brett, R.R. and Pratt, J.A. Changes in benzodiazepine-GABA receptor coupling in an accumbens-habenula circuit after chronic diazepam treatment, 116, 2375
 Bridgewater, M. *see* Werkström, V., 116, 1599
 Brindle, N.P.J. *see* Newby, A.C., 114, 1652
 Brink, C. *see* Gorenne, I., 114, 935
 Brink, C. *see* Ortiz, J.L., 115, 1382
 Briscoe, J.A.K. *see* Longhurst, P.A., 116, 2279
 Brissac, A.M. *see* Lacolley, P., 115, 1235
 Broadley, K.J. *see* Lewis, C.A., 116, 2351
 Broadley, K.J. *see* Martin, S.W., 115, 349
 Brock, J.A., McLachlan, E.M., Jobling, P. and Lewis, R.J. Electrical activity in rat tail artery during asynchronous activation of post-ganglionic nerve terminals by ciguatoxin-I, 116, 2213
 Bronner, C. *see* Amrani, Y., 114, 4
 Bronner, C. *see* Amrani, Y., 115, 1204
 Brouwer, F. *see* de Boer, R.E.P., 116, 1945
 Brown, A.M. *see* Kaumann, A.J., 115, 933
 Brown, B.S. *see* Aiken, S.P., 115, 1163
 Brown, C., Tanna, B. and Boarder, M.R. PPADS: an antagonist at endothelial P_{2Y}-purinoceptors but not P_{2U}-purinoceptors, 116, 2413
 Brown, C. *see* Bowden, A., 116, 2563
 Brown, C.D.A. *see* Dudley, A.J., 116, 1685
 Brown, C.M., Calder, C., Linton, C., Small, C., Kenny, B.A., Spedding, M. and Patmore, L. Neuroprotective properties of lifarizine compared with those of other agents in a mouse model of focal cerebral ischaemia, 115, 1425
 Brown, C.M., MacKinnon, A.C., Redfern, W.S., Williams, A., Linton, C., Stewart, M., Clague, R.U., Clark, R. and Spedding, M. RS-45041-190: a selective, high-affinity ligand for I₂ imidazoline receptors, 116, 1737
 Brown, C.M. *see* MacKinnon, A.C., 115, 1103
 Brown, C.M. *see* MacKinnon, A.C., 116, 1729
 Brown, D. *see* Gupta, P., 116, 2385
 Brown, N.A., McAllister, G., Weinberg, D., Milligan, G. and Seabrook, G.R. Involvement of G-protein α subunits in activation of G-protein gated inward rectifying K⁺ channels (GIRK1) by human NPY₁ receptors, 116, 2346
 Brown, N.A. and Seabrook, G.R. Phosphorylation- and voltage-dependent inhibition of neuronal calcium currents by activation of human D_{2(short)} dopamine receptors, 115, 459
 Brown, Z. *see* Kolios, G., 116, 2866
 Brunn, G., Wessler, I. and Racké, K. Mucosa-dependent muscarinic liberation of prostaglandins from rat isolated trachea, 116, 1991
 Bryant, C.E., Allcock, G.H. and Warner, T.D. Comparison of effects of chronic and acute administration of N^G-nitro-L-arginine methyl ester to the rat on inhibition of nitric oxide-mediated responses, 114, 1673
 Bryant, C.E. *see* De Kimpe, S.J., 114, 1317
 Buchanan, P. *see* Jain, N., 116, 2127
 Bucher, B. *see* Butt, E., 116, 3110
 Buchheit, K.H. *see* Cook, S.J., 114, 143
 Buckingham, S.D. *see* Hosie, A.M., 115, 909
 Buckley, T.L. *see* Kraneveld, A.D., 114, 1483
 Buckley, T.L. *see* van Heuven-Nolsen, D., 115, 835
 Budriesi, R. *see* Chiarini, A., 114, 1507
 Bukowiecki, L.J. *see* D'Allaire, F., 114, 275
 Bult, H., De Meyer, G.R.Y. and Herman, A.G. Influence of chronic treatment with a nitric oxide donor on fatty streak development and reactivity of the rabbit aorta, 114, 1371
 Bunce, K.T. *see* Tam, F.S.-F., 115, 172
 Bunting, M.W. and Widdop, R.E. Lack of a centrally-mediated anti-hypertensive effect following acute or chronic central treatment with AT₁-receptor antagonists in spontaneously hypertensive rats, 116, 3181
 Burford, N.T. *see* Tobin, A.B., 116, 1723
 Burgoyne, D.L. *see* Bramley, A.M., 115, 1433
 Buritova, J. *see* Chapman, V., 116, 1628
 Buritova, J. *see* Honoré, P., 114, 77
 Bürki, E. *see* Burnier, M., 116, 2524
 Burleigh, D.E. *see* Borman, R.A., 114, 1525
 Burnier, M., Centeno, G., Waeber, G., Centeno, C. and Bürki, E. Effect of endotoxin on the angiotensin II receptor in cultured vascular smooth muscle cells, 116, 2524
 Burnstock, G. *see* Hasséssian, H., 114, 846
 Burnstock, G. *see* Karoon, P., 116, 1918

- Burnstock, G. *see* Knight, G.E., 114, 41
 Burnstock, G. *see* Ralevic, V., 116, 2983
 Burnstock, G. *see* Ralevic, V., 116, 3075
 Burnstock, G. *see* Rubino, A., 115, 415
 Burnstock, G. *see* Rubino, A., 115, 648
 Burnstock, G. *see* Windscheif, U., 115, 1509
 Burnstock, G. *see* Ziganshin, A.U., 114, 166
 Burnstock, G. *see* Ziganshin, A.U., 114, 632
 Burt, R.P., Chapple, C.R. and Marshall, I. Evidence for a functional α_{1A} - (α_{1C} -) adrenoceptor mediating contraction of the rat epididymal vas deferens and an α_{1B} -adrenoceptor mediating contraction of the rat spleen, 115, 467
 Burt, R.P., Chapple, C.R. and Marshall, I. The role of capacitative Ca^{2+} influx in the α_{1B} -adrenoceptor-mediated contraction to phenylephrine of the rat spleen, 116, 2327
 Burt, R.P. *see* Marshall, I., 115, 781
 Bushfield, M., Metcalfe, M. and Naylor, A.M. Activation of the micturition reflex by NK₂ receptor stimulation in the anaesthetized guinea-pig, 115, 875
 Busse, R. *see* Lischke, V., 115, 969
 Busse, R. *see* Mülsch, A., 116, 2743
 Butler, P. *see* Gupta, P., 116, 2385
 Butt, E., Pöhler, D., Genieser, H.-G., Huggins, J.P. and Bucher, B. Inhibition of cyclic GMP-dependent protein kinase-mediated effects by (Rp)-8-bromo-PET-cyclic GMPS, 116, 3110
 Butt, S.K., Dawson, L.G. and Hall, J.M. Bradykinin B₁ receptors in the rabbit urinary bladder: induction of responses, smooth muscle contraction, and phosphatidylinositol hydrolysis, 114, 612
 Butt, S.K. *see* Hall, J.M., 116, 3164
 Butterfield, L.J. *see* Cambridge, D., 114, 961
 Byrne, C. *see* Ellis, E.S., 114, 400
- C
- Cabrini, D.A., Silva, A.M. and Calixto, J.B. Mechanisms of bradykinin-induced contraction of the guinea-pig gallbladder *in vitro*, 114, 1549
 Calabresi, P. *see* Pisani, A., 116, 2053
 Calder, C. *see* Alps, B.J., 115, 1439
 Calder, C. *see* Brown, C.M., 115, 1425
 Caldwell, R.W. *see* Chiao, H., 114, 283
 Caliari, S. *see* Cirillo, R., 114, 1117
 Calixto, J.B. *see* Cabrini, D.A., 114, 1549
 Calixto, J.B. *see* Campos, M.M., 114, 1005
 Calixto, J.B. *see* Maas, J., 114, 1471
 Calleja, J.M. *see* Orallo, F., 114, 1419
 Calpista, A. *see* Palea, S., 114, 35
 Cambridge, D., Whiting, M.V., Butterfield, L.J. and Marston, C. Vascular 5-HT₁-like receptors mediating vasoconstriction and vasodilatation: their characterization and distribution in the intact canine cardiovascular system, 114, 961
 Cambridge, D. *see* Whiting, M.V., 114, 969
 Cambridge, H. and Brain, S.D. Mechanism of bradykinin-induced plasma extravasation in the rat knee joint, 115, 641
 Campo, G.M. *see* Squadrito, F., 115, 395
 Campos, M.M. and Calixto, J.B. Involvement of B₁ and B₂ receptors in bradykinin-induced rat paw oedema, 114, 1005
 Campos-Toimil, M. *see* Orallo, F., 114, 1419
 Canale, P. *see* Squadrito, F., 115, 395
 Candura, S.M. *see* Lucchelli, A., 114, 1017
 Candura, S.M. *see* Messori, E., 115, 677
 Cano, J. *see* Santiago, M., 116, 1545
 Cao, C.Q., Evans, R.H., Headley, P.M. and Udvarhelyi, P.M. A comparison of the effects of selective metabotropic glutamate receptor agonists on synaptically evoked whole cell currents of rat spinal ventral horn neurones *in vitro*, 115, 1469
 Caputi, A.P. *see* Squadrito, F., 115, 395
 Carhini, L.A. *see* Kitamura, S.-i., 114, 6
 Carcereri de Prati, A. *see* Mariotto, S., 116, 1713
 Cardona-Sanclemente, L.E. and Born, G.V.R. Effect of inhibition of nitric oxide synthesis on the uptake of LDL and fibrinogen by arterial walls and other organs of the rat, 114, 1490
 Carganico, G. *see* Santicioli, P., 114, 1149
 Carlson, E. *see* Rupniak, N.M.J., 116, 1937
 Carraway, R.E. *see* Miller, L.A., 114, 1466
 Carretero, O.A. *see* Kitamura, S.-i., 114, 6
 Carrón, R. *see* Pérez, O., 115, 787
 Carter, D.B. *see* Dillon, G.H., 115, 539
 Carter, D.B. *see* Im, H.K., 114, 1040
 Carter, D.B. *see* Im, H.K., 115, 19
 Castellucci, A. *see* Cirillo, R., 114, 1117
 Castillo, C. *see* Villalón, C.M., 116, 2778
 Castillo, C. *see* Villalón, C.M., 116, 3330
 Castillo, E. *see* Villalón, C.M., 116, 2778
 Catelli, M. *see* Tibiriçã, E., 115, 1331
 Catena, R. *see* Schulz, R., 114, 27
 Cattabeni, F. *see* Bolego, C., 114, 1557
 Caulkett, P.W.R. *see* Poucher, S.M., 115, 1096
 Caverio, I. *see* Gorenne, I., 114, 935
 Caverio, I. *see* Thuringer, D., 115, 117
 Cavet, M. *see* Thwaites, D.T., 114, 981
 Cawley, T., Geraghty, J., Osborne, H. and Docherty, J.R. Effects of portal hypertension on responsiveness of rat mesenteric artery and aorta, 114, 791
 Celtek, S. *see* Kasakov, L., 115, 1149
 Centeno, C. *see* Burnier, M., 116, 2524
 Centeno, G. *see* Burnier, M., 116, 2524
 Cerbai, E., Guerra, L., Varani, K., Barbieri, M., Borea, P.A. and Mugelli, A. β -Adrenoceptor subtypes in young and old rat ventricular myocytes: a combined patch-clamp and binding study, 116, 1835
 Cerdá, J.M. *see* Sarriá, B., 116, 2569
 Cerqueda, E. *see* Alegret, M., 114, 1351
 Chad, J.E. *see* Cross, K.M.L., 114, 1636
 Chad, J.E. *see* Cross, K.M.L., 116, 2838
 Challande, P. *see* Lacolley, P., 115, 1235
 Challiss, R.A.J. *see* Ellis, K.E., 116, 2510
 Challiss, R.A.J. *see* Ijioma, S.C., 115, 723
 Challiss, R.A.J. *see* Mistry, R., 114, 797
 Chalmers, D.H. *see* Kenny, B.A., 115, 981
 Champa-Rodriguez, M.L. *see* Chen, J., 116, 3035
 Chan, B. *see* Lindén, A., 115, 913
 Chan, H.W. *see* Bonhaus, D.W., 115, 622
 Chang, C.C. *see* Chiou, L.C., 116, 1870
 Chang, C.C. *see* Hong, S.J., 116, 1577
 Chang, W.Y. and Webster, R.A. Effects of 3-O-methyl dopa on L-dopa-facilitated synthesis and efflux of dopamine from rat striatal slices, 116, 2637
 Chanussot, F. *see* Clerc, T., 114, 624
 Chapman, R.W. *see* Hey, J.A., 114, 735
 Chapman, V., Honoré, P., Buritova, J. and Besson, J.-M. The contribution of NMDA receptor activation to spinal c-Fos expression in a model of inflammatory pain, 116, 1628
 Chapman, V. *see* Honoré, P., 114, 77
 Chapple, C.R. *see* Burt, R.P., 115, 467
 Chapple, C.R. *see* Burt, R.P., 116, 2327
 Chapple, C.R. *see* Furukawa, K., 116, 1605
 Chapple, C.R. *see* Marshall, I., 115, 781
 Charlesworth, P., Jacobson, I. and Richards, C.D. Pentobarbitone modulation of NMDA receptors in neurones isolated from the rat olfactory brain, 116, 3005
 Charlesworth, P. and Richards, C.D. Anaesthetic modulation of nicotinic ion channel kinetics in bovine chromaffin cells, 114, 909
 Charriaut-Marlangue, C. *see* Margail, I., 116, 2344
 Chatelain, P., Meysmans, L., Mattéazzi, J.R., Beaufort, Ph. and Clinet, M. Interaction of the antiarrhythmic agents SR 33589 and amiodarone with the β -adrenoceptor and adenylate cyclase in rat heart, 116, 1949
 Chau, N.-M. *see* Michel, A.D., 115, 767
 Chaudhuri, G. *see* Gelety, T.J., 114, 975
 Chaudhuri, G. *see* Nathan, L., 114, 955
 Chauvin, B., Richer, C. and Giudicelli, J.-F. Lack of involvement of bradykinin in the vascular sympathoinhibitory effects of angiotensin converting enzyme inhibitors in spontaneously hypertensive rats, 116, 2229

- Checler, F. *see* Vincent, B., 115, 1053
- Chen, C.-Y. *see* Downie, D.L., 114, 1641
- Chen, J., Champa-Rodriguez, M.L. and Woodward, D.F. Identification of a prostanoid FP receptor population producing endothelium-dependent vasorelaxation in the rabbit jugular vein, 116, 3035
- Chen, J. *see* De Vries, G.W., 115, 1231
- Chen, L., McNeill, J.R., Wilson, T.W. and Gopalakrishnan, V. Differential effects of phosphoramidon on contractile responses to angiotensin II in rat blood vessels, 114, 1599
- Chen, S.-J. *see* Wu, C.-C., 114, 1666
- Chen, X. and Lee, T.J.-F. Ginsenosides-induced nitric oxide-mediated relaxation of the rabbit corpus cavernosum, 115, 15
- Chen, X. *see* Nishimura, J., 115, 1369
- Cheng, X. *see* Wang, Y.-X., 114, 194
- Cheng, Z.-J. *see* Yu, S.-M., 114, 1227
- Chess-Williams, R. *see* Furukawa, K., 116, 1605
- Chiao, H. and Caldwell, R.W. Local cardiac effects of substance P: roles of acetylcholine and noradrenaline, 114, 283
- Chiarini, A., Budriesi, R., Bolognesi, M.L., Minarini, A. and Melchiorre, C. *In vitro* characterization of triptamine, a polymethylene tetraamine displaying high selectivity and affinity for muscarinic M₂ receptors, 114, 1507
- Chiavarini, M. *see* Barocelli, E., 115, 1326
- Chiba, K., Moriyama, S., Ishigai, Y., Fukuzawa, A., Irie, K. and Shibano, T. *Erratum*, 115, 1539
- Chiba, K. *see* Mori, T., 116, 1668
- Chieng, B. and Christie, M.J. Hyperpolarization by GABA_B receptor agonists in mid-brain periaqueductal gray neurones *in vitro*, 116, 1583
- Chilvers, E.R. *see* Macmillan, S., 116, 1656
- Chilvers, E.R. *see* Malarkey, K., 116, 2267
- Chinery, R. and Cox, H.M. Modulation of epidermal growth factor effects on epithelial ion transport by intestinal trefoil factor, 115, 77
- Chiou, L.C., Ling, J.Y. and Chang, C.C. Enhancement by benzodiazepines of the inhibitory effect of adenosine on skeletal neuromuscular transmission, 116, 1870
- Chizh, B.A., Cumberbatch, M.J., Birch, P.J. and Headley, P.M. Endogenous modulation of excitatory amino acid responsiveness by tachykinin NK₁ and NK₂ receptors in the rat spinal cord, 115, 1013
- Chizh, B.A. *see* Cumberbatch, M.J., 115, 1005
- Chong, N.W.S. *see* Sugden, D., 114, 618
- Choppin, A. and O'Connor, S.E. Presence of vasoconstrictor 5HT₁-like receptors revealed by precontraction of rabbit isolated mesenteric artery, 114, 309
- Chowdhury, J.U., Pang, Y.-W., Huang, S.-M., Tsugeno, M. and Tomita, T. Sustained contraction produced by caffeine after ryanodine treatment in the circular muscle of the guinea-pig gastric antrum and rabbit portal vein, 114, 1414
- Chowdrey, H.S., Larsen, P.J., Harbuz, M.S., Jessop, D.S., Aguilera, G., Eckland, D.J.A. and Lightman, S.L. Evidence for arginine vasopressin as the primary activator of the HPA axis during adjuvant-induced arthritis, 116, 2417
- Chrétien, L. *see* Picard, P., 114, 1563
- Christie, M.J. *see* Chieng, B., 116, 1583
- Chueh, S.-C. *see* Guh, J.-H., 115, 142
- Chulak, C., Couture, R. and Foucart, S. Modulatory effect of bradykinin on the release of noradrenaline from rat isolated atria, 115, 330
- Church, J. and Fletcher, E.J. Blockade by *sigma* site ligands of high voltage-activated Ca²⁺ channels in rat and mouse cultured hippocampal pyramidal neurones, 116, 2801
- Church, J. *see* Fletcher, E.J., 116, 2791
- Cioncolini, F. *see* Figini, M., 115, 128
- Cipollone, F. *see* Panara, M.R., 116, 2429
- Cirillo, R., Renzetti, A.R., Cucchi, P., Guelfi, M., Salimbeni, A., Caliarì, S., Castellucci, A., Evangelista, S., Subissi, A. and Giachetti, A. Pharmacology of LR-B/081, a new highly potent, selective and orally active, nonpeptide angiotensin II AT₁ receptor antagonist, 114, 1117
- Cirino, G. *see* Landucci, E.C.T., 114, 578
- Civelli, M. *see* Ferioli, R., 114, 816
- Clague, R.U. *see* Brown, C.M., 116, 1737
- Clague, R.U. *see* Redfern, W.S., 114, 1724
- Claing, A. *see* Berthiaume, N., 115, 1319
- Claing, A. *see* Gratton, J.-P., 114, 720
- Claperon, N. *see* Peyroux, J., 116, 3117
- Clark, E.A. and Hill, S.J. Differential effect of sodium ions and guanine nucleotides on the binding of thioperamide and clobenpropit to histamine H₃-receptors in rat cerebral cortical membranes, 114, 357
- Clark, K.L. and Pierre, L. Characterization of endothelin receptors in rat renal artery *in vitro*, 114, 785
- Clark, R. *see* Brown, C.M., 116, 1737
- Clark, R. *see* Eglen, R.M., 114, 860
- Clark, R. *see* Wong, E.H.F., 114, 851
- Clark, R.B., Sanchez-Chapula, J., Salinas-Stefanon, E., Duff, H.J. and Giles, W.R. Quinidine-induced open channel block of K⁺ current in rat ventricle, 115, 335
- Clark, R.D. *see* Eglen, R.M., 115, 1387
- Clark, R.D. *see* Hegde, S.S., 115, 1087
- Clarke, D.E. *see* Blue Jnr, D.R., 115, 283
- Clarke, D.E. *see* Williams, T.J., 114, 531
- Clarke, P.B.S. and Reuben, M. Inhibition by dizocilpine (MK-801) of striatal dopamine release induced by MPTP and MPP⁺: possible action at the dopamine transporter, 114, 315
- Clarke, P.B.S. *see* El-Bizri, H., 116, 2503
- Clarke, V.R.J. *see* Davies, C.H., 116, 1859
- Clayton, J.K. *see* Baxter, G.S., 116, 1692
- Clayton, R.A. *see* Nally, J.E., 114, 1391
- Clegg, J.A. *see* Humphries, R.G., 115, 1110
- Clerc, T., Sbarra, V., Diaconescu, N., Lafont, H., Jadot, G., Laruelle, C. and Chanussot, F. Effect of crivastatin, a new cholesterol lowering agent, on unesterified LDL-cholesterol metabolism into bile salts by rat isolated hepatocytes, 114, 624
- Clerico, L. *see* de Cupis, A., 116, 2391
- Cleton, A. *see* Mathôt, R.A.A., 114, 761
- Clinet, M. *see* Chatelain, P., 116, 1949
- Cobbold, P.H. *see* Dixon, C.J., 116, 1979
- Cochrane, D.E. *see* Miller, L.A., 114, 1466
- Cocks, T.M. *see* Drummond, G.R., 116, 2473
- Cocks, T.M. *see* Drummond, G.R., 116, 3083
- Cocks, T.M. *see* Kemp, B.K., 116, 2183
- Cocks, T.M. *see* Kemp, B.K., 116, 2457
- Codina, J. *see* Day, N.S., 115, 822
- Coker, S.J. *see* Barnes, C.S., 114, 349
- Colado, M.I., Williams, J.L. and Green, A.R. The hyperthermic and neurotoxic effects of 'Ecstasy' (MDMA) and 3,4-methylenedioxymphetamine (MDA) in the Dark Agouti (DA) rat, a model of the CYP2D6 poor metabolizer phenotype, 115, 1281
- Coleman, H.A. *see* Hammarström, A.K.M., 115, 717
- Coleman, J. *see* Bill, D.J., 115, 775
- Coleman, R.A. *see* Baxter, G.S., 116, 1692
- Coleman, R.A. *see* Talpain, E., 114, 1459
- Collingridge, G.L. *see* Davies, C.H., 116, 1859
- Collins, D.R., Pertwee, R.G. and Davies, S.N. Prevention by the cannabinoid antagonist, SR141716A, of cannabinoid-mediated blockade of long-term potentiation in the rat hippocampal slice, 115, 869
- Collins, F.M. *see* Kelly, P.A.T., 116, 2771
- Collis, M.G. *see* Poucher, S.M., 115, 1096
- Colpaert, F.C. *see* Bertolino, F., 115, 210
- Coméra, C. and Russo-Marie, F. Glucocorticoid-induced annexin I secretion by monocytes and peritoneal leukocytes, 115, 1043
- Connolly, G.P. Differentiation by pyridoxal 5-phosphate, PPADS and Iso-PPADS between responses mediated by UTP and those evoked by α,β -methylene-ATP on rat sympathetic ganglia, 114, 727
- Connolly, G.P. and Harrison, P.J. Discrimination between UTP- and P₂-purinoceptor-mediated depolarization of rat superior cervical ganglia by 4,4'-diisothiocyanoatostilbene-2,2'-disulphonate (DIDS) and unilblue A, 115, 427
- Connolly, G.P. and Harrison, P.J. Structure-activity relationship of a pyrimidine receptor in the rat isolated superior cervical ganglion, 116, 2764
- Connor, H.E. *see* Beattie, D.T., 116, 3149
- Constantin-Teodosiu, D., Greenhaff, P.L., Gardiner, S.M., Randall, M.D., March, J.E. and Bennett, T. Attenuation by creatine of myocardial

- metabolic stress in Brattleboro rats caused by chronic inhibition of nitric oxide synthase, 116, 3288
- Contreras, J. *see* Villalón, C.M., 116, 3330
- Cook, S.J., Archer, K., Martin, A., Buchheit, K.H., Fozard, J.R., Müller, T., Miller, A.J., Elliott, K.R.F., Foster, R.W. and Small, R.C. Further analysis of the mechanisms underlying the tracheal relaxant action of SCA40, 114, 143
- Cooper, A.C. *see* Pérez-Vizcaino, F., 114, 867
- Coraboeuf, E. *see* Thuringer, D., 115, 117
- Corder, R. *see* Battistini, B., 114, 1383
- Corder, R. *see* Pérez-Vizcaino, F., 114, 867
- Corsi, M. *see* Palea, S., 114, 35
- Corsi, M. *see* Palea, S., 115, 3
- Corsi, M. *see* Palea, S., 116, 2401
- Cortijo, J. *see* Ortiz, J.L., 115, 1382
- Cortijo, J. *see* Sarriá, B., 116, 2569
- Cosentino, M. *see* De Ponti, F., 114, 1447
- Costa, A. *see* De Ponti, F., 114, 1447
- Costa, G. *see* García-Pascual, A., 115, 1221
- Costall, B. and Naylor, R.J. Behavioural interactions between 5-hydroxytryptophan, neuroleptic agents and 5-HT receptor antagonists in modifying rodent responding to aversive situations, 116, 2989
- Coupar, I.M. *see* Hancock, D.L., 114, 152
- Coupar, I.M. *see* Hancock, D.L., 115, 739
- Coupar, I.M. *see* McLean, P.G., 115, 47
- Couraud, P.-O. *see* Nobles, M., 115, 1245
- Couture, R. *see* Chulak, C., 115, 330
- Couture, R. *see* Picard, P., 114, 1563
- Cox, H.M. *see* Chinery, R., 115, 77
- Cox, H.M. and Tough, I.R. Functional characterization of receptors with affinity for PYY, NPY, [Leu³¹, Pro³⁴]NPY and PP in a human colonic epithelial cell line, 116, 2673
- Cox, S.L., Ben, A., Story, D.F. and Ziogas, J. Evidence for the involvement of different receptor subtypes in the pre- and postjunctional actions of angiotensin II at rat sympathetic neuroeffector sites, 114, 1057
- Crack, B.E., Pollard, C.E., Beukers, M.W., Roberts, S.M., Hunt, S.F., Ingall, A.H., McKechnie, K.C.W., IJzerman, A.P. and Leff, P. Pharmacological and biochemical analysis of FPL 67156, a novel, selective inhibitor of ecto-ATPase, 114, 475
- Crema, A. *see* De Ponti, F., 114, 1447
- Crick, H. *see* Manuel, N.A., 116, 2647
- Croci, T., Giudice, A., Manara, L., Gully, D. and Le Fur, G. Promotion by SR 48692 of gastric emptying and defaecation in rats suggesting a role of endogenous neurotensin, 115, 383
- Croci, T., Landi, M., Bianchetti, A. and Manara, L. Drug-induced defaecation in rats: role of central 5-HT_{1A} receptors, 115, 203
- Croning, M.D.R., Zetterström, T.S.C., Grahame-Smith, D.G. and Newberry, N.R. Action of adenosine receptor antagonists on hypoxia-induced effects in the rat hippocampus *in vitro*, 116, 2113
- Cross, A.J., Jones, J.A., Snares, M., Jostell, K.-G., Bredberg, U. and Green, A.R. The protective action of chlormethiazole against ischaemia-induced neurodegeneration in gerbils when infused at doses having little sedative or anticonvulsant activity, 114, 1625
- Cross, A.J. *see* Sydserff, S.G., 114, 1631
- Cross, K.M.L., Foreman, R.C. and Chad, J.E. Enhancement by 5-hydroxytryptamine and analogues of desensitization of neuronal and muscle nicotinic receptors expressed in *Xenopus* oocytes, 114, 1636
- Cross, K.M.L., Jane, S.D., Wild, A.E., Foreman, R.C. and Chad, J.E. Activation of nicotinic acetylcholine receptors expressed in quail fibroblasts: effects on intracellular calcium, 116, 2838
- Csonka, C. *see* Ferdinandy, P., 115, 1129
- Csont, T. *see* Ferdinandy, P., 115, 1129
- Cucchi, P. *see* Cirillo, R., 114, 1117
- Cuccurullo, F. *see* Panara, M.R., 116, 2429
- Cuevas, J. *see* Nathan, L., 114, 955
- Culman, J., Wiegand, B., Spitznagel, H., Klee, S. and Unger, T. Effects of the tachykinin NK₁ receptor antagonist, RP 67580, on central cardiovascular and behavioural effects of substance P, neurokinin A and neurokinin B, 114, 1310
- Cumberbatch, M.J., Chizh, B.A. and Headley, P.M. Modulation of excitatory amino acid responses by tachykinins and selective tachykinin receptor agonists in the rat spinal cord, 115, 1005
- Cumberbatch, M.J. *see* Chizh, B.A., 115, 1013
- Cunha, F.Q. *see* Poole, S., 115, 684
- Cunha, F.Q. *see* Rees, D.D., 114, 689
- Currie, M.G. *see* Salvemini, D., 114, 1171
- Curtis, M.J. *see* Pabla, R., 116, 2923
- Cutrer, F.M., Limmroth, V., Ayata, G. and Moskowitz, M.A. Attenuation by valproate of c-fos immunoreactivity in trigeminal nucleus caudalis induced by intracisternal capsaicin, 116, 3199
- Cutrer, F.M., Schoenfeld, D., Limmroth, V., Panahian, N. and Moskowitz, M.A. Suppression by the sumatriptan analogue, CP-122,288 of c-fos immunoreactivity in trigeminal nucleus caudalis induced by intracisternal capsaicin, 114, 987
- Cutrer, F.M. *see* Lee, W.S., 116, 1661
- Cuzzolin, L. *see* Mariotto, S., 114, 1105
- Cuzzolin, L. *see* Mariotto, S., 115, 225
- Cuzzolin, L. *see* Mariotto, S., 116, 1713

D

- Da Silva, A., Amrani, Y., Trifilieff, A. and Landry, Y. Involvement of B₂ receptors in the bradykinin-induced relaxation of guinea-pig isolated trachea, 114, 103
- Daeffler, L. *see* Scherrer, D., 115, 1127
- Dailey, J.W. *see* Yan, Q.-S., 115, 1314
- Dale, T.J. *see* Gardner, C.J., 116, 3158
- Daley, J. *see* Gupta, S., 116, 2201
- D'Allaire, F., Atgié, C., Mauriège, P., Simard, P.-M. and Bukowiecki, L.J. Characterization of β₁- and β₃-adrenoceptors in intact brown adipocytes of the rat, 114, 275
- Dalley, J.W. and Stanford, S.C. Contrasting effects of the imidazol(in)e α₂-adrenoceptor agonists, medetomidine, clonidine and UK 14,304 on extraneuronal levels of noradrenaline in the rat frontal cortex: evaluation using *in vivo* microdialysis and synaptosomal uptake studies, 114, 1717
- Damase-Michel, C., Bompard, G., Durrieu, G., Montastruc, J.-L., Montastruc, P. and Girolami, J.-P. Relationships between kallikrein secretion, kallikrein excretion and β-adrenoceptors in kidney cortical slices from neurogenic hypertensive dogs, 116, 1704
- D'Amico, M. and Warner, T.D. Involvement of endothelin in the pressor response following injection of NMDA to the periaqueductal gray area of rats, 116, 2787
- D'Angelo, L. *see* De Ponti, F., 114, 1447
- Danhof, M. *see* Appel, S., 115, 1253
- Danhof, M. *see* de Lange, E.C.M., 116, 2538
- Danhof, M. *see* Mathôt, R.A.A., 114, 761
- Danhof, M. *see* Mathôt, R.A.A., 116, 1957
- Daniel, H. *see* Wenzel, U., 116, 3021
- D'Aprile, A.C. *see* Knott, P.G., 114, 1
- Darley-Usmar, V.M. *see* Moro, M.A., 116, 1999
- Davenport, A.P., O'Reilly, G. and Kuc, R.E. Endothelin ET_A and ET_B mRNA and receptors expressed by smooth muscle in the human vasculature: majority of the ET_A sub-type, 114, 1110
- Davenport, A.P. *see* Maguire, J.J., 115, 191
- Davenport, A.P. *see* Peter, M.G., 114, 297
- Davenport, A.P. *see* Plumpton, C., 116, 1821
- Davenport, A.P. *see* Yu, J.C.M., 114, 551
- Davenport, A.P. *see* Yu, J.C.M., 116, 2441
- Davidson, C. and Stamford, J.A. Evidence that 5-hydroxytryptamine release in rat dorsal raphe nucleus is controlled by 5-HT_{1A}, 5-HT_{1B} and 5-HT_{1D} autoreceptors, 114, 1107
- Davies, C.H., Clarke, V.R.J., Jane, D.E. and Collingridge, G.L. Pharmacology of postsynaptic metabotropic glutamate receptors in rat hippocampal CA1 pyramidal neurones, 116, 1859
- Davies, J.A. *see* Srinivasan, J., 116, 3087
- Davies, S.N. *see* Collins, D.R., 115, 869
- Dawson, L.A. and Routledge, C. Differential effects of potassium channel blockers on extracellular concentrations of dopamine and 5-HT in the striatum of conscious rats, 116, 3260
- Dawson, L.G. *see* Butt, S.K., 114, 612

- Day, N.S., Ge, T., Codina, J., Birnbaumer, L., Vanhoutte, P.M. and Boulanger, C.M. Gi proteins and the response to 5-hydroxytryptamine in porcine cultured endothelial cells with impaired release of EDRF, **115**, 822
- de Boer, A.G. *see* de Lange, E.C.M., **116**, 2538
- de Boer, R.E.P., Brouwer, F. and Zaagsma, J. Noradrenaline-induced relaxation of rat oesophageal muscularis mucosae: mediation solely by innervated β_3 adrenoceptors, **116**, 1945
- De Bruijne, E.L.E. *see* van Gelderen, E.M., **114**, 1303
- de Cupis, A., Noonan, D., Pirani, P., Ferrera, A., Clerico, L. and Favoni, R.E. Comparison between novel steroid-like and conventional non-steroidal antioestrogens in inhibiting oestradiol- and IGF-I-induced proliferation of human breast cancer-derived cells, **116**, 2391
- de Groat, W.C. *see* Somogyi, G.T., **114**, 1710
- De Keczer, S. *see* Reynolds, G.P., **114**, 993
- De Kimpe, S.J., Hunter, M.L., Bryant, C.E., Thiemermann, C. and Vane, J.R. Delayed circulatory failure due to the induction of nitric oxide synthase by lipoteichoic acid from *Staphylococcus aureus* in anaesthetized rats, **114**, 1317
- De Kimpe, S.J., Thiemermann, C. and Vane, J.R. Role for intracellular platelet-activating factor in the circulatory failure in a model of Gram-positive shock, **116**, 3191
- de Lange, E.C.M., Bouw, M.R., Mandema, J.W., Danhof, M., de Boer, A.G. and Breimer, D.D. Application of intracerebral microdialysis to study regional distribution kinetics of drugs in rat brain, **116**, 2538
- De Man, J.G., Boeckstaens, G.E., De Winter, B.Y., Moreels, T.G., Misset, M.E., Herman, A.G. and Pelckmans, P.A. Comparison of the pharmacological profile of *S*-nitrosothiols, nitric oxide and the nitrergic neurotransmitter in the canine ileocolonic junction, **114**, 1179
- De Meyer, G.R.Y. *see* Bult, H., **114**, 1371
- De Montpreville, V. *see* Gorenne, I., **114**, 935
- de Nucci, G. *see* Landucci, E.C.T., **114**, 578
- De Ponti, F., Cosentino, M., Costa, A., Girani, M., Gibelli, G., D'Angelo, L., Frigo, G. and Crema, A. Inhibitory effects of SR 58611A on canine colonic motility: evidence for a role of β_3 -adrenoceptors, **114**, 1447
- De Vries, G.W., Guarino, P., McLaughlin, A., Chen, J., Andrews, S. and Woodward, D.F. An EP receptor with a novel pharmacological profile in the T-cell line Jurkat, **115**, 1231
- De Winter, B.Y. *see* De Man, J.G., **114**, 1179
- Dear, J.W., Scadding, G.K. and Foreman, J.C. Reduction by *N*^G-nitro-L-arginine methyl ester (L-NAME) of antigen-induced nasal airway plasma extravasation in human subjects *in vivo*, **116**, 1720
- Defrène, E. *see* Pruneau, D., **116**, 2106
- del Basso, P. *see* Argiolas, L., **114**, 203
- del Carmen Garcia Rodriguez, M. *see* Steil, A.A., **114**, 895
- Del Pozo, E. *see* Ocaña, M., **114**, 1296
- Del Soldato, P. *see* Mariotto, S., **114**, 1105
- Del Soldato, P. *see* Mariotto, S., **115**, 225
- Delchambre, J. *see* Schmitt, A., **116**, 1985
- Delhon, A. *see* Bertolino, F., **115**, 210
- Deliconstantinos, G., Villiotou, V. and Stravrides, J.C. Release by ultra-violet B (u.v.B) radiation of nitric oxide (NO) from human keratinocytes: a potential role for nitric oxide in erythema production, **114**, 1257
- Delpón, E. *see* Pérez, O., **115**, 787
- Demontis, M.P. *see* Madeddu, P., **115**, 557
- den Hertog, A. *see* Sipma, H., **114**, 383
- den Hertog, A. *see* Sipma, H., **115**, 937
- DeSouza, A. *see* Bonhaus, D.W., **115**, 622
- Detimary, P. *see* Jonas, J.C., **114**, 872
- Deveney, A.M. and Waddington, J.L. Pharmacological characterization of behavioural responses to SK&F 83959 in relation to 'D₁-like' dopamine receptors not linked to adenylyl cyclase, **116**, 2120
- Devissaguet, M. *see* Ferreira, S.H., **114**, 303
- Devynck, M.-A. *see* Astarie-Dequeker, C., **114**, 524
- Dezaki, K. *see* Kimura, I., **114**, 461
- Dezaki, K. *see* Kimura, I., **116**, 2685
- di Giamberardino, M. *see* Panara, M.R., **116**, 2429
- Di Rosa, M. *see* Sautebin, L., **114**, 323
- Diaconescu, N. *see* Clerc, T., **114**, 624
- Dickenson, A.H. *see* Reeve, A.J., **116**, 2221
- Dickenson, J.M. and Hill, S.J. Coupling of an endogenous 5-HT_{1B}-like receptor to increases in intracellular calcium through a pertussis toxin-sensitive mechanism in CHO-K1 cells, **116**, 2889
- Dickenson, J.M. *see* Megson, A.C., **115**, 1415
- Dickinson, R., Lieb, W.R. and Franks, N.P. The effects of temperature on the interactions between volatile general anaesthetics and a neuronal nicotinic acetylcholine receptor, **116**, 2949
- Diener, M. *see* Strabel, D., **115**, 1071
- Dijk, S.N., Francis, P.T., Stratmann, G.C. and Bowen, D.M. NMDA-induced glutamate and aspartate release from rat cortical pyramidal neurones: evidence for modulation by a 5-HT_{1A} antagonist, **115**, 1169
- Dillon, G.H., Im, W.B., Carter, D.B. and McKinley, D.D. Enhancement by GABA of the association rate of picrotoxin and *tert*-butylbicyclophosphorothionate to the rat cloned $\alpha_1\beta_2\gamma_2$ GABA_A receptor subtype, **115**, 539
- Dimech, J. *see* Feniuk, W., **115**, 975
- Dinh-Xuan, A.T. *see* Sabry, S., **115**, 1038
- Dive, V. *see* Vincent, B., **115**, 1053
- Dixon, A.K. *see* Lee, K., **115**, 385
- Dixon, C.J., Cobbold, P.H. and Green, A.K. Actions of ADP, but not ATP, on cytosolic free Ca²⁺ in single rat hepatocytes mimicked by 2-methylthioATP, **116**, 1979
- do Carmo Gonçalves, M. *see* Souccar, C., **116**, 2817
- Docherty, C.C. *see* Nally, J.E., **114**, 1391
- Docherty, J.R. *see* Cawley, T., **114**, 791
- Docherty, J.R. *see* O'Rourke, M., **115**, 1399
- Docherty, J.R. *see* Smith, K., **115**, 316
- Donaghy, K.M. *see* Thornbury, K.D., **116**, 2451
- Donato, J.L. *see* Landucci, E.C.T., **114**, 578
- D'Orléans-Juste, P. *see* Berthiaume, N., **115**, 1319
- D'Orléans-Juste, P. *see* Gratton, J.-P., **114**, 720
- Douglas, S.A., Beck Jr, G.R., Elliott, J.D. and Ohlstein, E.H. Pharmacological evidence for the presence of three distinct functional endothelin receptor subtypes in the rabbit lateral saphenous vein, **114**, 1529
- Douglas, S.A., Edwards, R.M., Elliott, J.D. and Ohlstein, E.H. *In vivo* pharmacological characterization of the non-peptide endothelin receptor antagonist SB 209670, **114**, 405
- Downie, D.L., Hope, A.G., Belelli, D., Lambert, J.J., Peters, J.A., Bentley, K.R., Steward, L.J., Chen, C.-Y. and Barnes, N.M. The interaction of trichloroethanol with murine recombinant 5-HT₃ receptors, **114**, 1641
- Drapeau, G. *see* Godin, D., **115**, 903
- Drapeau, G. *see* Levesque, L., **116**, 1673
- Drieu la Rochelle, C. and O'Connor, S.E. Sumatriptan-induced saphenous venoconstriction in the anaesthetized dog through 5-HT₁-like receptor activation, **116**, 2207
- Drobny, H. *see* Boehm, S., **114**, 1143
- Droogmans, G. *see* Heinke, S., **115**, 1393
- Drummond, G.R. and Cocks, T.M. Endothelium-dependent relaxation to the B₁ kinin receptor agonist des-Arg⁹-bradykinin in human coronary arteries, **116**, 3083
- Drummond, G.R. and Cocks, T.M. Endothelium-dependent relaxations mediated by inducible B₁ and constitutive B₂ kinin receptors in the bovine isolated coronary artery, **116**, 2473
- Drutel, G. *see* Arrang, J.M., **114**, 1518
- du Souich, P. *see* Vergés, J., **116**, 2407
- Dubois-Randé, J.-L. *see* Ghaleh, B., **114**, 496
- Ducos, B. *see* Maldonado, R., **114**, 1031
- Dudley, A.J. and Brown, C.D.A. pH-dependent transport of procainamide in cultured renal epithelial monolayers of OK cells: consistent with nonionic diffusion, **116**, 1685
- Duff, H.J. *see* Clark, R.B., **115**, 335
- Duin, M. *see* Sipma, H., **114**, 383
- Durrieu, G. *see* Damase-Michel, C., **116**, 1704
- Duvoid, A. *see* Pruneau, D., **114**, 115
- Dux, L. *see* Ferdinandy, P., **115**, 1129

E

- Ebara, T. *see* Miura, K., **115**, 917
- Ebenezer, I.S. and Baldwin, B.A. 2-Naphthalenesulphonyl-L-aspartyl-2-

- (phenethyl) amide (2-NAP) and food intake in rats: evidence that endogenous peripheral CCK does not play a major role as a satiety factor, 116, 2371
- Echagüe, A.V. *see* Sterin-Borda, L., 115, 1525
- Eckland, D.J.A. *see* Chowdrey, H.S., 116, 2417
- Edwards, G., Schneider, J., Niederste-Hollenberg, A., Noack, Th. and Weston, A.H. Effects of BRL55834 in rat portal vein and bovine trachea: evidence for the induction of a glibenclamide-resistant, ATP-sensitive potassium current, 115, 1027
- Edwards, R.M. *see* Douglas, S.A., 114, 405
- Eglen, R.M., Bonhaus, D.W., Johnson, L.G., Leung, E. and Clark, R.D. Pharmacological characterization of two novel and potent 5-HT₄ receptor agonists, RS 67333 and RS 67506, *in vitro* and *in vivo*, 115, 1387
- Eglen, R.M., Lee, C.-H., Smith, W.L., Johnson, L.G., Clark, R., Whiting, R.L. and Hegde, S.S. Pharmacological characterization of RS 25259-197, a novel and selective 5-HT₃ receptor antagonist, *in vivo*, 114, 860
- Eglen, R.M. *see* Bonhaus, D.W., 115, 622
- Eglen, R.M. *see* Hegde, S.S., 115, 1087
- Eglen, R.M. *see* Reddy, H., 114, 49
- Eglen, R.M. *see* Reynolds, G.P., 114, 993
- Eglen, R.M. *see* To, Z.P., 115, 107
- Eglen, R.M. *see* Wong, E.H.F., 114, 851
- Ekström, P. *see* Hedlund, P., 116, 2258
- Ekström, P. *see* Ny, L., 116, 2873
- El Mallah, A.I. *see* Prior, C., 116, 3049
- El-Bizri, H., Rigdon, M.G. and Clarke, P.B.S. Intraneuronal accumulation and persistence of radiolabel in rat brain following *in vivo* administration of [³H]-chlorisondamine, 116, 2503
- Elder, M.G. *see* Rutherford, R.A.D., 116, 3099
- Elford, P.R., Heng, R., Révész, L. and MacKenzie, A.R. Reduction of inflammation and pyrexia in the rat by oral administration of SDZ 224-015, an inhibitor of the interleukin-1 β converting enzyme, 115, 601
- Elhawary, A.M., Poon, J. and Pang, C.C.Y. Effects of calcitonin gene-related peptide receptor antagonists on renal actions of adrenomedullin, 115, 1133
- Elliott, J. and Traynor, J.R. Evidence for lack of modulation of μ -opioid agonist action by δ -opioid agonists in the mouse vas deferens and guinea-pig ileum, 114, 1064
- Elliott, J.D. *see* Douglas, S.A., 114, 405
- Elliott, J.D. *see* Douglas, S.A., 114, 1529
- Elliott, K.R.F. *see* Cook, S.J., 114, 143
- Ellis, E.S., Byrne, C., Murphy, O.E., Tilford, N.S. and Baxter, G.S. Mediation by 5-hydroxytryptamine_{2B} receptors of endothelium-dependent relaxation in rat jugular vein, 114, 400
- Ellis, K.E., Mistry, R., Boyle, J.P. and Challiss, R.A.J. Correlation of cyclic AMP accumulation and relaxant actions of salmeterol and salbutamol in bovine tracheal smooth muscle, 116, 2510
- Ellis, P. *see* Gupta, P., 116, 2385
- Elton, C.D. *see* Griffiths, R., 116, 2310
- Elzinga, C.R.S. *see* Roffel, A.F., 115, 665
- Endo, N. *see* Tanaka, H., 116, 2298
- Endo, Y., Nakamura, M., Nitta, Y. and Kumagai, K. Effects of macrophage depletion on the induction of histidine decarboxylase by lipopolysaccharide, interleukin 1 and tumour necrosis factor, 114, 187
- Endoh, M. *see* Abe, F., 116, 3000
- Endoh, M. *see* Ishihata, A., 114, 447
- Engels, F. *see* van Heuven-Nolsen, D., 115, 835
- Enoki, T., Miwa, S., Sakamoto, A., Minowa, T., Komuro, T., Kobayashi, S., Ninomiya, H. and Masaki, T. Long-lasting activation of cation current by low concentration of endothelin-1 in mouse fibroblasts and smooth muscle cells of rabbit aorta, 115, 479
- Enouf, J. *see* Amrani, Y., 115, 1204
- Eriksen, L. and Thomsen, C. [³H]-L-2-amino-4-phosphonobutyrate labels a metabotropic glutamate receptor, mGluR4a, 116, 3279
- Esplugues, J.V. *see* Barrachina, M.D., 114, 8
- Esposito, E. *see* Prisco, S., 116, 1923
- Evangelista, S. *see* Cirillo, R., 114, 1117
- Evans, A.M. *see* Halliday, F.C., 116, 3139
- Evans, B.A. *see* Summers, R.J., 116, 2547
- Evans, M.A. *see* Newby, A.C., 114, 1652
- Evans, R.G. and Anderson, W.P. Renal effects of infusion of rilmenidine and guanabenz in conscious dogs: contribution of peripheral and central nervous system α_2 -adrenoceptors, 116, 1557
- Evans, R.G. *see* Telford, S.E., 114, 1185
- Evans, R.H. *see* Cao, C.Q., 115, 1469
- Evans, S.M. *see* Whittle, B.J.R., 116, 2286
- Everill, B. and Berry, M.S. Differential modulation of voltage-activated conductances by intracellular and extracellular cyclic nucleotides in leech salivary glands, 116, 1849

F

- Fabi, F. *see* Argiolas, L., 114, 203
- Fadda, E. *see* Lipartiti, M., 114, 1159
- Fahrenkrug, J. *see* Hedlund, P., 116, 2258
- Fahrenkrug, J. *see* Ny, L., 116, 2873
- Fan, T.-P.D. *see* Hu, D.E., 114, 262
- Fan, T.-P.D. *see* Michel, A.D., 115, 767
- Farkas, S. and Ono, H. Participation of NMDA and non-NMDA excitatory amino acid receptors in the mediation of spinal reflex potentials in rats: an *in vivo* study, 114, 1193
- Faro, R. *see* Landucci, E.C.T., 114, 578
- Farthing, M.J.G. *see* Battistini, B., 114, 1383
- Fatehi-Hassanabad, Z., Furman, B.L. and Parratt, J.R. The effect of endotoxin on sympathetic responses in the rat isolated perfused mesenteric bed: involvement of nitric oxide and cyclo-oxygenase products, 116, 3316
- Fattaccio, M.C. *see* Madeddu, P., 115, 557
- Favoni, R.E. *see* de Cupis, A., 116, 2391
- Feldberg, R.S. *see* Miller, L.A., 114, 1466
- Feldman, J. *see* Tiberiça, E., 115, 1331
- Feltz, A. *see* Nooney, J.M., 114, 648
- Feniuk, W., Dimech, J., Jarvie, E.M. and Humphrey, P.P.A. Further evidence from functional studies for somatostatin receptor heterogeneity in guinea-pig isolated ileum, vas deferens and right atrium, 115, 975
- Feolde, E., Vigne, P., Breittmayer, J.P. and Frelin, C. ATP, a partial agonist of atypical P_{2Y} purinoceptors in rat brain microvascular endothelial cells, 115, 1199
- Ferdinandy, P., Szilvassy, Z., Csont, T., Csonka, C., Nagy, E., Koltai, M. and Dux, L. Nitroglycerin-induced direct protection of the ischaemic myocardium in isolated working hearts of rats with vascular tolerance to nitroglycerin, 115, 1129
- Ferguson, D.R. and Marchant, J.S. Inhibitory actions of GABA on rabbit urinary bladder muscle strips: mediation by potassium channels, 115, 81
- Ferioli, R., Folco, G.C., Ferretti, C., Gasco, A.M., Medana, C., Fruttero, R., Civelli, M. and Gasco, A. A new class of furoxan derivatives as NO donors: mechanism of action and biological activity, 114, 816
- Fernandes, D. *see* Stewart, A.G., 116, 3219
- Fernandes, M.H. *see* Pestana, M., 115, 1349
- Fernandes, M.H. *see* Soares-da-Silva, P., 114, 1403
- Ferrando, R. *see* Alegret, M., 114, 1351
- Ferraro, L. *see* Bianchi, C., 116, 2724
- Ferré, F. *see* Sabry, S., 115, 1038
- Ferreira, S.H., Lorenzetti, B.B., Devissaguet, M., Lesieur, D. and Tsouderos, Y. S14080, a peripheral analgesic acting by release of an endogenous circulating opioid-like substance, 114, 303
- Ferreira, S.H. *see* Poole, S., 115, 684
- Ferrera, A. *see* de Cupis, A., 116, 2391
- Ferretti, C. *see* Ferioli, R., 114, 816
- Feuerstein, T.J. *see* Allgaier, C., 116, 1769
- Figini, M., Javdan, P., Cioncolini, F. and Geppetti, P. Involvement of tachykinins in plasma extravasation induced by bradykinin and low pH medium in the guinea-pig conjunctiva, 115, 128
- Figini, M. *see* Hall, J.M., 116, 3164
- Filep, J.G., Fournier, A. and Földes-Filep, É. Acute pro-inflammatory actions of endothelin-1 in the guinea-pig lung: involvement of ET_A and ET_B receptors, 115, 227
- Filep, J.G., Fournier, A. and Földes-Filep, É. Effects of the ET_A/ET_B receptor antagonist, bosentan on endothelin-1-induced myocardial

- ischaemia and oedema in the rat, 116, 1745
 Fischer, B. *see* Boyer, J.L., 116, 2611
 Fletcher, A. *see* Bill, D.J., 115, 775
 Fletcher, E.J., Church, J., Abdel-Hamid, K. and MacDonald, J.F. Blockade by σ site ligands of *N*-methyl-D-aspartate-evoked responses in rat and mouse cultured hippocampal pyramidal neurones, 116, 2791
 Fletcher, E.J. *see* Church, J., 116, 2801
 Foglar, R. *see* Horie, K., 116, 1611
 Folco, G.C. *see* Ferioli, R., 114, 816
 Földes-Filep, É. *see* Filep, J.G., 115, 227
 Földes-Filep, É. *see* Filep, J.G., 116, 1745
 Folkerts, G., van der Linde, H., Verheyen, A.K.C.P. and Nijkamp, F.P. Endogenous nitric oxide modulation of potassium-induced changes in guinea-pig airway tone, 115, 1194
 Folkerts, G. *see* Ladenius, A.R.C., 115, 1048
 Ford, A.P.D.W. *see* Blue Jnr, D.R., 115, 283
 Ford, A.P.D.W. *see* Reddy, H., 114, 49
 Foreman, J.C. *see* Dear, J.W., 116, 1720
 Foreman, R.C. *see* Cross, K.M.L., 114, 1636
 Foreman, R.C. *see* Cross, K.M.L., 116, 2838
 Forgez, P. *see* Oury-Donat, F., 116, 1899
 Fossa, A.A. *see* Watson, J.W., 115, 84
 Foster, M. *see* Souness, J.E., 115, 39
 Foster, R.W. *see* Cook, S.J., 114, 143
 Fotsis, T. *see* Pipili-Synetos, E., 116, 1829
 Foucart, S. *see* Chulak, C., 115, 330
 Fournie-Zaluski, M.-C. *see* Maldonado, R., 114, 1031
 Fournie-Zaluski, M.-C. *see* Peyroux, J., 116, 3117
 Fournier, A. *see* Battistini, B., 114, 1383
 Fournier, A. *see* Filep, J.G., 115, 227
 Fournier, A. *see* Filep, J.G., 116, 1745
 Fournier, A. *see* Pérez-Vizcaino, F., 114, 867
 Fozard, J.R. *see* Cook, S.J., 114, 143
 Fozard, J.R. *see* Hannon, J.P., 115, 945
 Franchi-Micheli, S. *see* Gentilini, G., 115, 389
 Francis, P.T. *see* Dijk, S.N., 115, 1169
 Frandsen, A. *see* Beart, P.M., 114, 1359
 Franks, N.P. *see* Dickinson, R., 116, 2949
 Franks, N.P. *see* McKenzie, D., 115, 275
 Franqueza, L. *see* Pérez, O., 115, 787
 Freissmuth, M. *see* Sexl, V., 114, 1577
 Frelin, C. *see* Feolde, E., 115, 1199
 Frelin, C. *see* Vigne, P., 114, 1014
 Frew, R. and Lundy, P.M. A role for Q type Ca^{2+} channels in neurotransmission in the rat urinary bladder, 116, 1595
 Friberg, S.G. *see* Persson, M.G., 116, 2957
 Frieden, M. and Bény, J.-L. Effect of 5-hydroxytryptamine on the membrane potential of endothelial and smooth muscle cells in the pig coronary artery, 115, 95
 Frigo, G. *see* De Ponti, F., 114, 1447
 Frossard, N. *see* Tavakoli, R., 114, 1428
 Frost, E.E. *see* Michel, A.D., 115, 767
 Fruttero, R. *see* Ferioli, R., 114, 816
 Fu, W.-M. *see* Liou, J.-C., 115, 563
 Fujimoto, M., Munakata, M. and Akaike, N. Dual mechanisms of GABA_A response inhibition by β -lactam antibiotics in the pyramidal neurones of the rat cerebral cortex, 116, 3014
 Fujino, M. *see* Watanabe, T., 114, 949
 Fujishima, M. *see* Setoguchi, M., 115, 198
 Fujita, K., Matsumura, Y., Kita, S., Miyazaki, Y., Hisaki, K., Takaoka, M. and Morimoto, S. Role of endothelin-1 and the ET_A receptor in the maintenance of deoxycorticosterone acetate-salt-induced hypertension, 114, 925
 Fujiwara, S. *see* Watanabe, T., 114, 949
 Fukao, M., Hattori, Y., Kanno, M., Sakuma, I. and Kitabatake, A. Evidence for selective inhibition by lysophosphatidylcholine of acetylcholine-induced endothelium-dependent hyperpolarization and relaxation in rat mesenteric artery, 116, 1541
 Fukao, M., Hattori, Y., Kanno, M., Sakuma, I. and Kitabatake, A. Thapsigargin- and cyclopiazonic acid-induced endothelium-dependent hyperpolarization in rat mesenteric artery, 115, 987
 Fukuda, H. *see* Shimizu, M., 114, 1282
 Fukuizumi, Y., Kobayashi, S., Nishimura, J. and Kanaide, H. Cytosolic calcium concentration-force relation during contractions in the rabbit femoral artery: time-dependency and stimulus specificity, 114, 329
 Fukuzawa, A. *see* Chiba, K., 115, 1539
 Fukuzawa, A. *see* Mori, T., 116, 1668
 Fulton, D., Mahboubi, K., McGiff, J.C. and Quilley, J. Cytochrome P450-dependent effects of bradykinin in the rat heart, 114, 99
 Furman, B.L. *see* Fatehi-Hassanabad, Z., 116, 3316
 Furman, B.L. *see* Shafiee-Nick, R., 115, 1486
 Furness, J.B. *see* Yuan, S.Y., 114, 428
 Furukawa, H. *see* Noda, Y., 116, 2531
 Furukawa, K., Rosario, D.J., Smith, D.J., Chapple, C.R., Uchiyama, T. and Chess-Williams, R. α_{1A} -Adrenoceptor-mediated contractile responses of the human vas deferens, 116, 1605
 Furukawa, K.-I. *see* Takahashi, Y., 114, 941
 Fuxe, K. *see* Odagaki, Y., 116, 2691

G

- Gaffen, Z.A. *see* Handy, R.L.C., 116, 2349
 Galbani, P. *see* Zucchi, R., 114, 85
 Gale, J.D. *see* Gardner, C.J., 116, 3158
 Galletta, L.J.V. *see* Zegarra-Moran, O., 114, 1052
 Gandía, L. *see* Villarroya, M., 114, 369
 Garcha, H.S. *see* Whiteaker, P., 116, 2097
 García, A.G. *see* Villarroya, M., 114, 369
 García-Pascual, A., Labadía, A., Jimenez, E. and Costa, G. Endothelium-dependent relaxation to acetylcholine in bovine oviductal arteries: mediation by nitric oxide and changes in apamin-sensitive K^{+} conductance, 115, 1221
 García-Sacristán, A. *see* Simonsen, U., 116, 2582
 García-Sevilla, J.A. *see* Alemany, R., 114, 837
 Gardiner, P.J. *see* Ortiz, J.L., 115, 1382
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Acute and chronic cardiac and regional haemodynamic effects of the novel bradycardic agent, S16257, in conscious rats, 115, 579
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Cardiac and regional haemodynamics, inducible nitric oxide synthase (NOS) activity, and the effects of NOS inhibitors in conscious, endotoxaemic rats, 116, 2005
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Enhancement of the haemodynamic effects of *N*^G-monomethyl-L-arginine by transforming growth factor- β_1 in conscious, normal, but not endotoxaemic, rats, 116, 3042
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Enhancement of the hypotensive and vasodilator effects of endotoxaemia in conscious rats by the endothelin antagonist, SB 209670, 116, 1718
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Regional haemodynamic effects of human and rat adrenomedullin in conscious rats, 114, 584
 Gardiner, S.M., March, J.E., Kemp, P.A., Mullins, J.J. and Bennett, T. Haemodynamic effects of losartan and the endothelin antagonist, SB 209670, in conscious, transgenic (mRen-2)27, hypertensive rats, 116, 2237
 Gardiner, S.M. *see* Constantin-Teodosiu, D., 116, 3288
 Gardiner, S.M. *see* Waller, J., 116, 2487
 Gardner, C.J., Twissell, D.J., Dale, T.J., Gale, J.D., Jordan, C.C., Kilpatrick, G.J., Bountra, C. and Ward, P. The broad-spectrum anti-emetic activity of the novel non-peptide tachykinin NK₁ receptor antagonist GR203040, 116, 3158
 Garland, C.J. *see* Kerr, P.M., 115, 1518
 Garland, C.J. *see* Plane, F., 115, 31
 Garret, C. *see* Piot, O., 116, 2496
 Gartside, S.E., Umbers, V., Hajós, M. and Sharp, T. Interaction between a selective 5-HT_{1A} receptor antagonist and an SSRI *in vivo*: effects on 5-HT cell firing and extracellular 5-HT, 115, 1064
 Gasco, A. *see* Ferioli, R., 114, 816
 Gasco, A.M. *see* Ferioli, R., 114, 816
 Gauquelin, G. *see* Brefel, C., 116, 2175
 Gavin, K. *see* Smith, K., 115, 316

- Gaw, A.J., Hills, D.M. and Spraggs, C.F. Characterization of the receptors and mechanisms involved in the cardiovascular actions of sCCK-8 in the pithed rat, **115**, 660
- Gay, P. *see* Pérez, O., **115**, 787
- Ge, J. *see* Steward, L.J., **116**, 1781
- Ge, T. *see* Day, N.S., **115**, 822
- Geelen, G. *see* Brefel, C., **116**, 2175
- Gelety, T.J. and Chaudhuri, G. Haemostatic mechanism in the endometrium: role of cyclo-oxygenase products and coagulation factors, **114**, 975
- Genaro, A. *see* Sterin-Borda, L., **115**, 1525
- Genieser, H.-G. *see* Butt, E., **116**, 3110
- Gentilini, G., Franchi-Micheli, S., Mugnai, S., Bindi, D. and Zilletti, L. GABA-mediated inhibition of the anaphylactic response in the guinea-pig trachea, **115**, 389
- Geppetti, P. *see* Figini, M., **115**, 128
- Geppetti, P. *see* Hall, J.M., **116**, 3164
- Geppetti, P. *see* Ricciardolo, F.L.M., **115**, 547
- Geraghty, J. *see* Cawley, T., **114**, 791
- Gergel, D. *see* Bauer, V., **115**, 871
- Germain, N. *see* Boichot, E., **114**, 259
- Gerskowitch, V.P. *see* Bishop, L.A., **114**, 339
- Gerskowitch, V.P. *see* Wassdal, I., **115**, 356
- Ghaleh, B., Dubois-Randé, J.-L., Hittinger, L., Giudicelli, J.-F. and Berdeaux, A. Comparisons of the effects of nicorandil, pinacidil, nicardipine and nitroglycerin on coronary vessels in the conscious dog: role of the endothelium, **114**, 496
- Gharib, C. *see* Brefel, C., **116**, 2175
- Ghods, N. *see* Lacolley, P., **115**, 1235
- Giachetti, A. *see* Cirillo, R., **114**, 1117
- Giachetti, A. *see* Santicioli, P., **114**, 1149
- Giachetti, A. *see* Zagorodnyuk, V., **115**, 237
- Gibelli, G. *see* De Ponti, F., **114**, 1447
- Gibson, A. *see* Lilley, E., **116**, 3231
- Gibson, K.J. *see* Stevenson, K.M., **114**, 1495
- Gies J.-P. *see* Scherrer, D., **115**, 1127
- Giles, W.R. *see* Clark, R.B., **115**, 335
- Gill, C.H., Peters, J.A. and Lambert, J.J. An electrophysiological investigation of the properties of a murine recombinant 5-HT₃ receptor stably expressed in HEK 293 cells, **114**, 1211
- Gilon, P. *see* Jonas, J.C., **114**, 872
- Girani, M. *see* De Ponti, F., **114**, 1447
- Girolami, J.-P. *see* Damase-Michel, C., **116**, 1704
- Giudice, A. *see* Croci, T., **115**, 383
- Giudicelli, J.-F. *see* Chauvin, B., **116**, 2229
- Giudicelli, J.-F. *see* Ghaleh, B., **114**, 496
- Giuliani, S. *see* Ahluwalia, A., **116**, 2170
- Giuliani, S. *see* Lecci, A., **114**, 708
- Giuliani, S. *see* Maggi, C.A., **114**, 127
- Giuliani, S. *see* Santicioli, P., **114**, 1149
- Giusti, P. *see* Lipartiti, M., **114**, 1159
- Glavin, G.B. and Smyth, D.D. Effects of the selective I₁ imidazoline receptor agonist, moxonidine, on gastric secretion and gastric mucosal injury in rats, **114**, 751
- Glavind, E.B. *see* Tøttrup, A., **115**, 158
- Glazer, E. *see* Lacolley, P., **115**, 1235
- Gleispach, H. *see* Leis, H.J., **114**, 598
- Glorioso, N. *see* Madeddu, P., **115**, 557
- Gniadecki, M. *see* Gniadecki, R., **114**, 1325
- Gniadecki, R., Gniadecki, M. and Serup, J. *Erratum*, **114**, 1325
- Godfraind, T. *see* Salomone, S., **114**, 1731
- Godin, D., Rioux, F., Marceau, F. and Drapeau, G. Mode of action of thrombin in the rabbit aorta, **115**, 903
- Godinot, N. *see* Tseng-Crank, J., **115**, 1475
- Goetz, A. *see* Tseng-Crank, J., **115**, 1475
- Goldie, R.G. *see* Henry, P.J., **114**, 563
- Goldie, R.G. *see* Knott, P.G., **114**, 1
- Goldstein, I. *see* Gupta, S., **116**, 2201
- Goma, F.M. *see* Baxter, G.F., **115**, 222
- Gomperts, B.D. *see* Martin, M.W., **115**, 1080
- Gonalons, N. *see* Oury-Donat, F., **116**, 1899
- Gonsalves, S.F. *see* Watson, J.W., **115**, 84
- González, M.P. *see* Parramón, M., **114**, 517
- González, M.P. *see* Parramón, M., **116**, 1875
- Gopalakrishnan, V. *see* Chen, L., **114**, 1599
- Gordge, M.P., Meyer, D.J., Hothersall, J., Neild, G.H., Payne, N.N. and Noronha-Dutra, A. Copper chelation-induced reduction of the biological activity of S-nitrosothiols, **114**, 1083
- Gorenne, I., Labat, C., Norel, X., De Montpreville, V., Guillet, M.-C., Caverio, I. and Brink, C. Effects of β_2 -adrenoceptor agonists on anti-IgE-induced contraction and smooth muscle reactivity in human airways, **114**, 935
- Gorenne, I. *see* Ortiz, J.L., **115**, 1382
- Gorrod, J.W. *see* Silva, M.T., **114**, 257
- Goss-Sampson, M.A. *see* Rubino, A., **115**, 415
- Göthert, M., Hamon, M., Barann, M., Bönsch, H., Gozlan, H., Laguzzi, R., Metzner, P., Nickel, B. and Szelenyi, I. 5-HT₃ receptor antagonism by anpirtoline, a mixed 5-HT₁ receptor agonist/5-HT₃ receptor antagonist, **114**, 269
- Gould, D.J., Vidovic, M. and Hill, C.E. Cross talk between receptors mediating contraction and relaxation in the arterioles but not the dilator muscle of the rat iris, **115**, 828
- Gozlan, H. *see* Göthert, M., **114**, 269
- Grabner-Weiss, C. *see* Luger, T.J., **114**, 1097
- Grahame-Smith, D.G. *see* Croning, M.D.R., **116**, 2113
- Grall, I. *see* Piot, O., **116**, 2496
- Gratton, J.-P., Rae, G.A., Claing, A., Télémaque, S. and D'Orléans-Juste, P. Different pressor and bronchoconstrictor properties of human big-endothelin-1, 2 (1-38) and 3 in ketamine/xylazine-anaesthetized guinea-pigs, **114**, 720
- Grayson, K.L. *see* Gupta, P., **116**, 2385
- Grbović, L. *see* Jovanović, A., **114**, 805
- Grbović, L. *see* Jovanović, A., **115**, 1295
- Greco, A. *see* Panara, M.R., **116**, 2429
- Green, A.K. *see* Dixon, C.J., **116**, 1979
- Green, A.R. *see* Colado, M.I., **115**, 1281
- Green, A.R. *see* Cross, A.J., **114**, 1625
- Green, A.R. *see* Sydserff, S.G., **114**, 1631
- Greenhaff, P.L. *see* Constantin-Teodosiu, D., **116**, 3288
- Greenwood, I.A., Hogg, R.C. and Large, W.A. Effect of frusemide, ethacrynic acid and indanyloxyacetic acid on spontaneous Ca-activated currents in rabbit portal vein smooth muscle cells, **115**, 733
- Greenwood, I.A. and Large, W.A. Comparison of the effects of fenamates on Ca-activated chloride and potassium currents in rabbit portal vein smooth muscle cells, **116**, 2939
- Greiff, J.M.C. *see* Griffiths, R., **116**, 2310
- Grelac, F. *see* Bertolino, F., **115**, 210
- Grierson, J.P. and Meldolesi, J. Calcium homeostasis in mouse fibroblast cells: affected by U-73122, a putative phospholipase C_β blocker, via multiple mechanisms, **115**, 11
- Griffith, O.W. *see* Joly, G.A., **115**, 491
- Griffiths, R., Greiff, J.M.C., Haycock, J., Elton, C.D., Rowbotham, D.J. and Norman, R.I. Inhibition by halothane of potassium-stimulated acetylcholine release from rat cortical slices, **116**, 2310
- Grima, M. *see* Barthelmebs, M., **116**, 2161
- Grima, M. *see* Barthelmebs, M., **116**, 2166
- Grimbergen, J.A. *see* van Acker, S.A.B.E., **115**, 1260
- Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D. and Ribes, G. Alterations of insulin response to different β cell secretagogues and pancreatic vascular resistance induced by N^ω-nitro-L-arginine methyl ester, **116**, 1965
- Grossman, C. *see* Tam, F.S.-F., **115**, 172
- Grundemar, L. *see* Ny, L., **115**, 186
- Guarino, P. *see* De Vries, G.W., **115**, 1231
- Guarneri, L. *see* Testa, R., **114**, 745
- Guelfi, M. *see* Cirillo, R., **114**, 1117
- Guerra, L. *see* Cerbai, E., **116**, 1835
- Guh, J.-H., Chueh, S.-C., Ko, F.-N. and Teng, C.-M. Characterization of α_1 -adrenoceptor subtypes in tension response of human prostate to electrical field stimulation, **115**, 142
- Guild, S.B. *see* McFerran, B.W., **114**, 1571
- Guild, S.B. *see* McFerran, B.W., **115**, 307

- Guild, S.B. *see* McFerran, B.W., 115, 696
 Guillet, M.-C. *see* Gorenne, I., 114, 935
 Guimarães, S., Albino-Teixeira, A. and Paiva, M.Q. Hypertension and enhanced β -adrenoceptor-mediated facilitation of noradrenaline release produced by chronic blockade of adenosine receptors, 114, 1595
 Gully, D. *see* Croci, T., 115, 383
 Gully, D. *see* Oury-Donat, F., 116, 1899
 Guo, J.-Z. *see* Zhao, F.-Y., 115, 25
 Gupta, P., Brown, D., Butler, P., Ellis, P., Grayson, K.L., Land, G.C., Macor, J.E., Robson, S.F., Wythes, M.J. and Shepperson, N.B. The *in vivo* pharmacological profile of a 5-HT₁ receptor agonist, CP-122,288, a selective inhibitor of neurogenic inflammation, 116, 2385
 Gupta, P. *see* Kajeckar, R., 115, 1
 Gupta, S., Moreland, R.B., Munarriz, R., Daley, J., Goldstein, I. and Saenz de Tejada, I. Possible role of Na⁺-K⁺-ATPase in the regulation of human corpus cavernosum smooth muscle contractility by nitric oxide, 116, 2201
 Gurney, A.M. and Allam, M. Inhibition of calcium release from the sarcoplasmic reticulum of rabbit aorta by hydralazine, 114, 238
 Gurney, A.M. *see* Halliday, F.C., 116, 3139
 Gustafsson, L.E. *see* Persson, M.G., 116, 2957
 Gynther, J. *see* Kinonen, T., 116, 2625
- ## H
- Haddad, E.-B., Rousell, J., Mak, J.C.W. and Barnes, P.J. Long-term carbachol treatment-induced down-regulation of muscarinic M₂-receptors but not m₂ receptor mRNA in a human lung cell line, 116, 2027
 Häfner, D., Beume, R., Kilian, U., Krasznai, G. and Lachmann, B. Dose-response comparisons of five lung surfactant factor (LSF) preparations in an animal model of adult respiratory distress syndrome (ARDS), 115, 451
 Hagan, R.M. *see* Beattie, D.T., 116, 3149
 Haizlip, J. *see* Tseng-Crank, J., 115, 1475
 Hajós, M. *see* Gartside, S.E., 115, 1064
 Håkanson, R. *see* Wang, Z.-Y., 116, 2447
 Hales, T.G. *see* Adodra, S., 115, 953
 Hall, J.M., Figini, M., Butt, S.K. and Geppetti, P. Inhibition of bradykinin-evoked trigeminal nerve stimulation by the non-peptide bradykinin B₂ receptor antagonist WIN 64338 *in vivo* and *in vitro*, 116, 3164
 Hall, J.M., Siney, L., Lipton, H., Hyman, A., Kang-Chang, J. and Brain, S.D. Interaction of human adrenomedullin₁₃₋₅₂ with calcitonin gene-related peptide receptors in the microvasculature of the rat and hamster, 114, 592
 Hall, J.M. *see* Butt, S.K., 114, 612
 Hallett, I. *see* Bill, D.J., 115, 775
 Halliday, F.C., Aaronson, P.I., Evans, A.M. and Gurney, A.M. The pharmacological properties of K⁺ currents from rabbit isolated aortic smooth muscle cells, 116, 3139
 Hamasaki, H. *see* Azuma, H., 114, 902
 Hamasaki, H. *see* Azuma, H., 114, 1001
 Hamasaki, H. *see* Azuma, H., 115, 1001
 Hamel, E. *see* Abounader, R., 116, 2245
 Hamilton, B.J. *see* Im, H.K., 115, 19
 Hammarström, A.K.M., Parkington, H.C. and Coleman, H.A. Release of endothelium-derived hyperpolarizing factor (EDHF) by M₃ receptor stimulation in guinea-pig coronary artery, 115, 717
 Hamon, M. *see* Göthert, M., 114, 269
 Hamstra, J.J. *see* ten Berge, R.E.J., 114, 881
 Hancock, D.L. and Coupar, I.M. Functional characterization of the adenosine receptor mediating inhibition of intestinal secretion, 114, 152
 Hancock, D.L. and Coupar, I.M. Functional characterization of the adenosine receptor mediating inhibition of peristalsis in the rat jejunum, 115, 739
 Handy, R.L.C., Wallace, P., Gaffen, Z.A., Whitehead, K.J. and Moore, P.K. The antinociceptive effect of 1-(2-trifluoromethylphenyl)imidazole (TRIM), a potent inhibitor of neuronal nitric oxide synthase *in vitro*, in the mouse, 116, 2349
 Hannibal, J. *see* Hedlund, P., 116, 2258
 Hannibal, J. *see* Ny, L., 116, 2873
 Hänninen, V. *see* Rouru, J., 115, 1182
 Hannon, J.P., Pfannkuche, H.J. and Fozard, J.R. A role for mast cells in adenosine A₃ receptor-mediated hypotension in the rat, 115, 945
 Hara, H. *see* Shimazawa, M., 115, 1359
 Hara, Y. and Nakaya, H. SD-3212, a new class I and IV antiarrhythmic drug: a potent inhibitor of the muscarinic acetylcholine-receptor-operated potassium current in guinea-pig atrial cells, 116, 2750
 Harada, M. *see* Arimura, A., 116, 2785
 Harbuz, M.S. *see* Chowdrey, H.S., 116, 2417
 Harden, T.K. *see* Boyer, J.L., 116, 2611
 Harden, T.K. *see* Lazarowski, E.R., 116, 1619
 Hardwick, J.C. and Parsons, R.L. Necessity of protein kinase C activity for maintenance of acetylcholine receptor function at snake twitch fibre endplates, 114, 433
 Hardwick, J.C. and Parsons, R.L. Requirement of a colchicine-sensitive component of the cytoskeleton for acetylcholine receptor recovery, 114, 442
 Hardy, S.P. *see* Zhang, J.J., 115, 1347
 Harley, E.A., Middlemiss, D.N. and Ragan, C.I. Relationship between inhibition of cyclic AMP production in Chinese hamster ovary cells expressing the rat D₂₍₄₄₄₎ receptor and antagonist/agonist binding ratios, 115, 1307
 Harling, R. *see* Wright, I.K., 114, 157
 Harris, S. *see* Summers, R.J., 116, 2547
 Harrison, P.J. *see* Connolly, G.P., 115, 427
 Harrison, P.J. *see* Connolly, G.P., 116, 2764
 Harrison, P.K. *see* Kelly, E., 114, 1433
 Harrison, S. *see* Spina, D., 116, 2334
 Harvey, A.L. *see* Vatanpour, H., 114, 1502
 Hasegawa, T. *see* Yamada, K., 115, 852
 Hasegawa, T. *see* Yokotani, K., 115, 672
 Hashimoto, M. and Kokubun, S. Contribution of P₂-purinoceptors to neurogenic contraction of rat urinary bladder smooth muscle, 115, 636
 Hashimoto, T. *see* Mita, M., 115, 522
 Hasséssian, H. and Burnstock, G. Interacting roles of nitric oxide and ATP in the pulmonary circulation of the rat, 114, 846
 Hattori, Y., Imamura, M., Akaishi, Y. and Kanno, M. Inotropic changes induced by fluoroaluminates in rabbit left atrial muscles: possible involvement of G proteins, 114, 224
 Hattori, Y. *see* Fukao, M., 115, 987
 Hattori, Y. *see* Fukao, M., 116, 1541
 Hatzelmann, A., Tenor, H. and Schudt, C. Differential effects of non-selective and selective phosphodiesterase inhibitors on human eosinophil functions, 114, 821
 Hawcock, A.B. *see* Beattie, D.T., 116, 3149
 Hawkins, L.M., Beaver, K.M., Jane, D.E., Taylor, P.M., Sunter, D.C. and Roberts, P.J. Characterization of the pharmacology and regional distribution of (S)-[³H]-5-fluorowillardiine binding in rat brain, 116, 2033
 Hay, D.W.P. *see* Knott, P.G., 114, 1
 Hayaishi, O. *see* Minami, T., 115, 73
 Hayashi, H. *see* Takiguchi, Y., 116, 3056
 Hayashi, T. *see* Luger, T.J., 114, 1097
 Haycock, J. *see* Griffiths, R., 116, 2310
 Haynes, W.G. *see* Plumptre, C., 116, 1821
 Hazum, S. *see* Tseng-Crank, J., 115, 1475
 Headley, P.M. *see* Cao, C.Q., 115, 1469
 Headley, P.M. *see* Chizh, B.A., 115, 1013
 Headley, P.M. *see* Cumberbatch, M.J., 115, 1005
 Hecker, M. *see* Klemm, P., 115, 1175
 Hecker, M. *see* Lischke, V., 115, 969
 Hedlund, H. *see* Hedlund, P., 116, 2258
 Hedlund, P., Alm, P., Ekström, P., Fahrenkrug, J., Hannibal, J., Hedlund, H., Larsson, B. and Andersson, K.-E. Pituitary adenylate cyclase-activating polypeptide, helospectin, and vasoactive intestinal polypeptide in human corpus cavernosum, 116, 2258
 Hedqvist, P. *see* Persson, M.G., 116, 2957
 Hedqvist, P. *see* Thorlacius, H., 116, 3175
 Hegde, S.S., Bonhaus, D.W., Johnson, L.G., Leung, E., Clark, R.D. and Eglen, R.M. RS 39604: a potent, selective and orally active 5-HT₄ receptor antagonist, 115, 1087
 Hegde, S.S. *see* Eglen, R.M., 114, 860

- Heinemann, A., Jocić, M., Holzer-Petsche, U., Pethő, G., Peskar, B.M., Horwell, D.C. and Holzer, P. Mediation by CCK_B receptors of the CCK-evoked hyperaemia in rat gastric mucosa, **116**, 2274
- Heinke, S., Szűcs, G., Norris, A., Droogmans, G. and Nilius, B. Inhibition of volume-activated chloride currents in endothelial cells by chromones, **115**, 1393
- Heng, R. *see* Elford, P.R., **115**, 601
- Henley, J.M. Subcellular localization and molecular pharmacology of distinct populations of [³H]-AMPA binding sites in rat hippocampus, **115**, 295
- Henning, R. *see* Klemm, P., **114**, 363
- Henquin, J.C. *see* Jonas, J.C., **114**, 872
- Henricks, P.A.J. *see* van Heuven-Nolsen, D., **115**, 835
- Henry, P.J. and Goldie, R.G. Potentiation by endothelin-1 of cholinergic nerve-mediated contractions in mouse trachea via activation of ET_B receptors, **114**, 563
- Henry, P.J. *see* Knott, P.G., **114**, 1
- Herbst, C., Tippler, B., Shams, H. and Simmet, Th. A role for endothelin in bicuculline-induced neurogenic pulmonary oedema in rats, **115**, 753
- Hérembert, T., Zhu, D.-L. and Marche, P. Mechanism of action of the inhibitory effect of nifedipine on the growth of cultured aortic cells from spontaneously hypertensive and normotensive rats, **114**, 1703
- Herman, A.G. *see* Bult, H., **114**, 1371
- Herman, A.G. *see* De Man, J.G., **114**, 1179
- Herman, A.G. *see* Rees, D.D., **114**, 689
- Héroux, L. *see* Vergés, J., **116**, 2407
- Heshikiri, M. *see* Uchida, S., **114**, 217
- Hey, J.A., Mingo, G., Bolser, D.C., Kreutner, W., Krobatsch, D. and Chapman, R.W. Respiratory effects of baclofen and 3-aminopropyl-phosphinic acid in guinea-pigs, **114**, 735
- Heygate, K.M., Lawrence, I.G., Bennett, M.A. and Thurston, H. Impaired endothelium-dependent relaxation in isolated resistance arteries of spontaneously diabetic rats, **116**, 3251
- Hicks, J. *see* Ho, C., **116**, 2909
- Hide, E.J., Ney, P., Piper, J., Thiemermann, C. and Vane, J.R. Reduction by prostaglandin E₁ or prostaglandin E₀ of myocardial infarct size in the rabbit by activation of ATP-sensitive potassium channels, **116**, 2435
- Hide, E.J., Piper, J. and Thiemermann, C. Endothelin-1-induced reduction of myocardial infarct size by activation of ATP-sensitive potassium channels in a rabbit model of myocardial ischaemia and reperfusion, **116**, 2597
- Higgins, C.F. *see* Zhang, J.J., **115**, 1347
- Hiley, C.R., Bottrill, F.E., Warnock, J. and Richardson, P.J. Effects of pH on responses to adenosine, CGS 21680, carbachol and nitroprusside in the isolated perfused superior mesenteric arterial bed of the rat, **116**, 2641
- Hill, C.E. *see* Gould, D.J., **115**, 828
- Hill, R.G. *see* Rupniak, N.M.J., **116**, 1937
- Hill, R.G. *see* Seabrook, G.R., **115**, 368
- Hill, S.J. *see* Clark, E.A., **114**, 357
- Hill, S.J. *see* Dickenson, J.M., **116**, 2889
- Hill, S.J. *see* Megson, A.C., **115**, 1415
- Hill, S.J. *see* Peakman, M.-C., **115**, 801
- Hillaire-Buys, D. *see* Gross, R., **116**, 1965
- Hillier, K. *see* Kerr, P.M., **115**, 1518
- Hillier, K. *see* Tam, F.S.-F., **115**, 172
- Hills, D.M. *see* Gaw, A.J., **115**, 660
- Hindmarsh, J.G. *see* Silva, M.T., **114**, 257
- Hirst, B.H. *see* Thwaites, D.T., **114**, 981
- Hirst, B.H. *see* Thwaites, D.T., **115**, 761
- Hirst, S.J. *see* Snetkov, V.A., **115**, 1117
- Hisaki, K. *see* Fujita, K., **114**, 925
- Hisatome, I. *see* Nawada, T., **116**, 1775
- Hishinuma, S. and Young, J.M. Characteristics of the binding of [³H]-mepyramine to intact human U373 MG astrocytoma cells: evidence for histamine-induced H₁-receptor internalisation, **116**, 2715
- Hittinger, L. *see* Ghaleh, B., **114**, 496
- Ho, C., Hicks, J. and Salter, M.W. A novel P₂-purinoceptor expressed by a subpopulation of astrocytes from the dorsal spinal cord of the rat, **116**, 2909
- Hodges, J.R. Obituary to A.M. Barrett, **114**, 733
- Hodgson, W.C. *see* James, G.M., **114**, 1236
- Högestätt, E.D. *see* Petersson, J., **115**, 889
- Högestätt, E.D. *see* Zygmunt, P.K.E., **115**, 1020
- Hogg, R.C. *see* Greenwood, I.A., **115**, 733
- Hohlfeld, T., Klemm, P., Thiemermann, C., Warner, T.D., Schrör, K. and Vane, J.R. The contribution of tumour necrosis factor- α and endothelin-1 to the increase of coronary resistance in hearts from rats treated with endotoxin, **116**, 3309
- Hoiting, B. *see* Sipma, H., **114**, 383
- Hollenberg, M.D. *see* Laniyonu, A.A., **114**, 1680
- Hollenberg, M.D. *see* Tay-Uyboco, J., **115**, 569
- Hollingsworth, M. *see* Hughes, S.J., **116**, 3028
- Hollingsworth, S.J., Anderson, E.M. and Bennett, A. The effect of folate on the methotrexate/indomethacin interaction in a murine cancer cell line, **116**, 1809
- Hollingsworth, S.J., Shankley, N.P., Anderson, E.M. and Bennett, A. Interaction between methotrexate and indomethacin on a human normal haemopoietic cell line, **114**, 715
- Holzer, P., Jocić, M. and Peskar, B.A. Mediation by prostaglandins of the nitric oxide-induced neurogenic vasodilatation in rat skin, **116**, 2365
- Holzer, P. *see* Heinemann, A., **116**, 2274
- Holzer-Petsche, U. and Rordorf-Nikolić, T. Central versus peripheral site of action of the tachykinin NK₁-antagonist RP 67580 in inhibiting chemonociception, **115**, 486
- Holzer-Petsche, U. *see* Heinemann, A., **116**, 2274
- Honda, K. *see* Mizuta, A., **116**, 2919
- Hong, C.Y. *see* Shen, Y.C., **116**, 1644
- Hong, E. *see* Leafios, O.L., **116**, 2048
- Hong, S.J. and Chang, C.C. Calcium channel subtypes for the sympathetic and parasympathetic nerves of guinea-pig atria, **116**, 1577
- Honoré, P., Chapman, V., Buritova, J. and Besson, J.-M. Reduction of carrageenin oedema and the associated c-Fos expression in the rat lumbar spinal cord by nitric oxide synthase inhibitor, **114**, 77
- Honoré, P. *see* Chapman, V., **116**, 1628
- Hope, A.G. *see* Downie, D.L., **114**, 1641
- Hope, A.G. *see* Steward, L.J., **116**, 1781
- Horie, K., Obika, K., Foglar, R. and Tsujimoto, G. Selectivity of the imidazoline α -adrenoceptor agonists (oxymetazoline and cirazoline) for human cloned α_1 -adrenoceptor subtypes, **116**, 1611
- Horwell, D.C. *see* Heinemann, A., **116**, 2274
- Hoshi, K. *see* Satoh, K., **116**, 1894
- Hosie, A.M., Baylis, H.A., Buckingham, S.D. and Sattelle, D.B. Actions of the insecticide fipronil, on dieldrin-sensitive and -resistant GABA receptors of *Drosophila melanogaster*, **115**, 909
- Hothersall, J. *see* Gorge, M.P., **114**, 1083
- Hourani, S.M.O. *see* Bailey, S.J., **114**, 1125
- Hoyle, C.H.V. *see* Windscheif, U., **115**, 1509
- Hoyle, C.H.V. *see* Ziganshin, A.U., **114**, 632
- Hrdina, P.D. *see* Mann, C.D., **115**, 595
- Hsia, H.-C. *see* Yang, C.M., **114**, 67
- Hu, D.E. and Fan, T.-P.D. Suppression of VEGF-induced angiogenesis by the protein tyrosine kinase inhibitor, lavendustin A, **114**, 262
- Huang, S.-M. *see* Chowdhury, J.U., **114**, 1414
- Huang, Y. BaCl₂- and 4-aminopyridine-evoked phasic contractions in the rat vas deferens, **115**, 845
- Huber, E. *see* Leis, H.J., **114**, 598
- Huck, S. *see* Boehm, S., **114**, 1143
- Huck, S. *see* Boehm, S., **116**, 2341
- Huger, F.P. *see* Tang, L., **116**, 2468
- Huggins, J.P. *see* Butt, E., **116**, 3110
- Hughes, A. *see* Toma, C., **114**, 1266
- Hughes, A.D. and Bolton, T.B. Action of angiotensin II, 5-hydroxy-tryptamine and adenosine triphosphate on ionic currents in single ear artery cells of the rabbit, **116**, 2148
- Hughes, A.D. Increase in tone and intracellular Ca²⁺ in rabbit isolated ear artery by platelet-derived growth factor, **114**, 138
- Hughes, A.D. *see* Parkinson, N.A., **115**, 1463
- Hughes, A.D. *see* Pickkers, P., **114**, 703
- Hughes, A.D. *see* Wijetunge, S., **115**, 534
- Hughes, H. *see* Joly, G.A., **115**, 255
- Hughes, I.E. *see* Wanstall, J.C., **114**, 109

- Hughes, S.J. and Hollingsworth, M. Cellular localization of the inhibitory action of relaxin against uterine spasm, **116**, 3028
 Huidobro-Toro, J.P. *see* Maas, J., **114**, 1471
 Hull, R. *see* Wassdal, I., **115**, 356
 Hull, R.A.D. *see* Bishop, L.A., **114**, 339
 Humphrey, P.P.A. *see* Feniuk, W., **115**, 975
 Humphrey, P.P.A. *see* Khakh, B.S., **115**, 177
 Humphrey, P.P.A. *see* Michel, A.D., **115**, 767
 Humphries, R.G., Tomlinson, W., Clegg, J.A., Ingall, A.H., Kindon, N.D. and Leff, P. Pharmacological profile of the novel P_{2U}-purinoceptor antagonist, FPL 67085 *in vitro* and in the anaesthetized rat *in vivo*, **115**, 1110
 Hunt, S.F. *see* Crack, B.E., **114**, 475
 Hunter, M.L. *see* De Kimpe, S.J., **114**, 1317
 Hussain, J.F. *see* Pinthong, D., **115**, 689
 Huupponen, R. *see* Rouru, J., **115**, 1182
 Hyman, A. *see* Hall, J.M., **114**, 592
 Hyodo, M. *see* Minami, T., **115**, 73
 Hyslop, S. *see* Landucci, E.C.T., **114**, 578

I

- Ialenti, A. *see* Sautebin, L., **114**, 323
 Ianaro, A. *see* Sautebin, L., **114**, 323
 Ichihara, K. *see* Satoh, K., **116**, 1894
 Ichikawa, A. *see* Oida, H., **116**, 2828
 Ido, T. *see* Yanai, K., **116**, 1649
 Ienaga, Y. *see* Nakagawa, T., **116**, 2661
 Iijima, S.C., Challiss, R.A.J. and Boyle, J.P. Comparative effects of activation of soluble and particulate guanylyl cyclase on cyclic GMP elevation and relaxation of bovine tracheal smooth muscle, **115**, 723
 IJzerman, A.P. *see* Appel, S., **115**, 1253
 IJzerman, A.P. *see* Crack, B.E., **114**, 475
 IJzerman, A.P. *see* Mathôt, R.A.A., **114**, 761
 IJzerman, A.P. *see* Mathôt, R.A.A., **116**, 1957
 Ikeda, S. *see* Watanabe, T., **114**, 949
 Illes, P. *see* Boehm, S., **116**, 2341
 Im, H.K., Im, W.B., Carter, D.B. and McKinley, D.D. Interaction of β_1 -carboline inverse agonists for the benzodiazepine site with another site on GABA_A receptors, **114**, 1040
 Im, H.K., Im, W.B., Pregenzer, J.F., Carter, D.B., Jacobsen, E.J. and Hamilton, B.J. Characterization of U-97775 as a GABA_A receptor ligand of dual functionality in cloned rat GABA_A receptor subtypes, **115**, 19
 Im, W.B. *see* Dillon, G.H., **115**, 539
 Im, W.B. *see* Im, H.K., **114**, 1040
 Im, W.B. *see* Im, H.K., **115**, 19
 Imaizumi, A. *see* Masuda, K.-i., **115**, 883
 Imaizumi, Y. *see* Masuda, Y., **114**, 769
 Imaizumi, Y. *see* Nagano, N., **116**, 1887
 Imaizumi, Y. *see* Yamahara, N.S., **114**, 777
 Imamura, M. *see* Hattori, Y., **114**, 224
 Imanaga, I. *see* Inoue, M., **114**, 419
 Imanaga, I. *see* Inoue, M., **115**, 1337
 Imbs, J.-L. *see* Barthelmebs, M., **116**, 2161
 Imbs, J.-L. *see* Barthelmebs, M., **116**, 2166
 Impicciatore, M. *see* Barocelli, E., **115**, 1326
 Improtta, G. *see* Negri, L., **116**, 2931
 Ingall, A.H. *see* Crack, B.E., **114**, 475
 Ingall, A.H. *see* Humphries, R.G., **115**, 1110
 Inoue, K. *see* Koizumi, S., **115**, 1502
 Inoue, K. *see* Nakazawa, K., **116**, 2603
 Inoue, M. and Imanaga, I. *Erratum*, **115**, 1337
 Inoue, M. and Imanaga, I. Mechanism of activation of nonselective cation channels by putative M₄ muscarinic receptor in guinea-pig chromaffin cells, **114**, 419
 Inoue, M. *see* Morikawa, M., **115**, 1302
 Ioculano, M. *see* Squadrito, F., **115**, 395
 Irie, K. *see* Chiba, K., **115**, 1539
 Ishibashi, M. *see* Takahashi, Y., **114**, 941
 Ishida, H. *see* Ueno, A., **114**, 1250

- Ishigai, Y. *see* Chiba, K., **115**, 1539
 Ishigai, Y. *see* Mori, T., **116**, 1668
 Ishihata, A. and Endoh, M. Species-related differences in inotropic effects of angiotensin II in mammalian ventricular muscle: receptors, subtypes and phosphoinositide hydrolysis, **114**, 447
 Ishii, K. *see* Murakoshi, H., **116**, 2062
 Ishikawa, M. *see* Itoh, S., **114**, 1090
 Isotani, E. *see* Azuma, H., **115**, 1001
 Ito, K. *see* Nakazawa, K., **116**, 2603
 Ito, K. *see* Yanai, K., **116**, 1649
 Ito, M. *see* Tokimasa, T., **114**, 489
 Ito, S. *see* Minami, T., **115**, 73
 Ito, S. *see* Ohta, T., **114**, 1165
 Ito, Y., Takagi, K. and Tomita, T. Relaxant actions of isoprenaline on guinea-pig isolated tracheal smooth muscle, **116**, 2738
 Itoh, M. *see* Yanai, K., **116**, 1649
 Itoh, S., Mori, T., Tominaga, M., Ishikawa, M., Koga, K. and Yabuuchi, Y. Differential effects of OPC-18790, amrinone and dobutamine on cardiac function and energy metabolism in the guinea-pig isolated ischaemic heart, **114**, 1090
 Itoh, T. *see* Kamei, K., **115**, 1493
 Iwao, H. *see* Miura, K., **115**, 917
 Iwata, R. *see* Yanai, K., **116**, 1649

J

- Jackson, O. *see* Barlow, R.B., **116**, 2897
 Jacob, T.J.C. *see* Zhang, J.J., **115**, 1347
 Jacobsen, E.J. *see* Im, H.K., **115**, 19
 Jacobson, I. *see* Charlesworth, P., **116**, 3005
 Jacobson, K.A. *see* Boyer, J.L., **116**, 2611
 Jadot, G. *see* Clerc, T., **114**, 624
 Jain, N., Kemp, N., Adeyemo, O., Buchanan, P. and Stone, T.W. Anxiolytic activity of adenosine receptor activation in mice, **116**, 2127
 Jakeman, L. *see* Wong, E.H.F., **114**, 851
 Jakeman, L.B. *see* To, Z.P., **115**, 107
 James, G.M. and Hodgson, W.C. Potentiation by endothelin-1 of 5-hydroxytryptamine responses in aortae from streptozotocin-diabetic rats: a role for thromboxane A₂, **114**, 1236
 Jane, D.E. *see* Bedingfield, J.S., **116**, 3323
 Jane, D.E. *see* Davies, C.H., **116**, 1859
 Jane, D.E. *see* Hawkins, L.M., **116**, 2033
 Jane, D.E. *see* Toms, N.J., **116**, 2824
 Jane, S.D. *see* Cross, K.M.L., **116**, 2838
 Jansakul, C. Effect of swimming on vascular reactivity to phenylephrine and KCl in male rats, **115**, 587
 Jansen, F.P. *see* Rodrigues, A.A., **114**, 1523
 Jarrott, B. *see* Lawrence, A.J., **114**, 1329
 Jarvie, E.M. *see* Feniuk, W., **115**, 975
 Järvinen, T. *see* Kinonen, T., **116**, 2625
 Jarvis, J.E. *see* Reeves, J.J., **114**, 999
 Javdan, P. *see* Figini, M., **115**, 128
 Jenkinson, K.M. and Reid, J.J. Effect of diabetes on relaxations to non-adrenergic, non-cholinergic nerve stimulation in longitudinal muscle of the rat gastric fundus, **116**, 1551
 Jenner, P. *see* Silva, M.T., **114**, 257
 Jensen, P.E. *see* Toma, C., **114**, 1266
 Jessop, D.S. *see* Chowdrey, H.S., **116**, 2417
 Jimenez, E. *see* García-Pascual, A., **115**, 1221
 Jobe, P.C. *see* Yan, Q.-S., **115**, 1314
 Jobling, P. *see* Brock, J.A., **116**, 2213
 Jocić, M. *see* Heinemann, A., **116**, 2274
 Jocić, M. *see* Holzer, P., **116**, 2365
 John, G.W. *see* Bertolino, F., **115**, 210
 Johnson, L.G. *see* Eglen, R.M., **114**, 860
 Johnson, L.G. *see* Eglen, R.M., **115**, 1387
 Johnson, L.G. *see* Hegde, S.S., **115**, 1087
 Joly, G.A., Narayanan, K., Griffith, O.W. and Kilbourn, R.G. Characterization of the effects of two new arginine/citrulline analogues on constitutive and inducible nitric oxide synthases in rat aorta, **115**, 491
 Joly, G.A., Schini, V.B., Hughes, H. and Vanhoutte, P.M. Potentiation of

- the hyporeactivity induced by *in vivo* endothelial injury in the rat carotid artery by chronic treatment with fish oil, 115, 255
- Jonas, J.C., Plant, T.D., Gilon, P., Detimary, P., Nenquin, M. and Henquin, J.C. Multiple effects and stimulation of insulin secretion by the tyrosine kinase inhibitor genistein in normal mouse islets, 114, 872
- Jones, A.K. *see* Bramley, A.M., 115, 1433
- Jones, G. *see* Poucher, S.M., 115, 1096
- Jones, J.A. *see* Cross, A.J., 114, 1625
- Jones, J.F.X., Martin, G.R. and Ramage, A.G. Evidence that 5-HT_{1D} receptors mediate inhibition of sympathetic ganglionic transmission in anaesthetized cats, 116, 1715
- Jones, J.F.X. *see* Wang, Y., 116, 2291
- Jones, R.L. *see* Qian, Y.-m., 115, 163
- Jordan, C.C. *see* Gardner, C.J., 116, 3158
- Jordan, D. *see* Wang, Y., 116, 2291
- Jose, J. *see* Waller, J., 116, 2487
- Jostell, K.-G. *see* Cross, A.J., 114, 1625
- Jovanović, A., Grbović, L., Žikić, I. and Tulic, I. Characterization of arginine vasopressin actions in human uterine artery: lack of role of the vascular endothelium, 115, 1295
- Jovanović, A., Grbović, L. and Jovanović, S. Effect of the vascular endothelium on noradrenaline-induced contractions in non-pregnant and pregnant guinea-pig uterine arteries, 114, 805
- Jovanović, S. *see* Jovanović, A., 114, 805
- Juránek, I. *see* Bauer, V., 115, 871
- Justen, J.M. *see* Smith, R.J., 114, 1694
- Juvonen, R.O. *see* Kimonen, T., 114, 832
- Juvonen, R.O. *see* Kinonen, T., 116, 2625
- K**
- Kaeffer, N. *see* Richard, V., 115, 1532
- Kageyama, M., Yanagisawa, T. and Taira, N. Effects of semotiadil fumarate, a novel Ca²⁺ antagonist, on cytosolic Ca²⁺ level and force of contraction in porcine coronary arteries, 114, 1289
- Kähönen, M., Mäkynen, H., Wu, X., Arvola, P. and Pörsti, I. Endothelial function in spontaneously hypertensive rats: influence of quinapril treatment, 115, 859
- Kähönen, M. *see* Mäkynen, H., 115, 1455
- Kajekar, R., Gupta, P., Shepperson, N.B. and Brain S.D. Effect of a 5-HT₁ receptor agonist, CP-122,288, on oedema formation induced by stimulation of the rat saphenous nerve, 115, 1
- Kamei, K., Nabata, H., Kuriyama, H., Watanabe, Y. and Itoh, T. Effect of KC399, a newly synthesized K⁺ channel opener, on acetylcholine-induced electrical and mechanical activities in rabbit tracheal smooth muscle, 115, 1493
- Kamimura, T. *see* Masuda, K.-i., 115, 883
- Kamiya, H.-o. *see* Mizuta, A., 116, 2919
- Kanaide, H. *see* Fukuizumi, Y., 114, 329
- Kanaide, H. *see* Kuroiwa, M., 116, 2040
- Kanaide, H. *see* Nishimura, J., 115, 1369
- Kanaide, H. *see* Ushio-Fukai, M., 114, 171
- Kanda, M. *see* Shirahase, H., 115, 1215
- Kanesaki, M. *see* Masuda, K.-i., 115, 883
- Kang, Y.-F. *see* Ko, F.-N., 116, 1801
- Kang-Chang, J. *see* Hall, J.M., 114, 592
- Kanno, M. *see* Fukao, M., 115, 987
- Kanno, M. *see* Fukao, M., 116, 1541
- Kanno, M. *see* Hattori, Y., 114, 224
- Kanno, M. *see* Takeda, Y., 116, 2134
- Kanno, M. *see* Tohse, N., 114, 1076
- Kanzaki, T. *see* Morisaki, N., 115, 1188
- Karaki, H. *see* Abe, F., 116, 3000
- Karaki, H. *see* Kim, B.-K., 115, 1211
- Karakiulakis, G. *see* Pipili-Synetos, E., 116, 1829
- Karlsson, J.-A. *see* Souness, J.E., 115, 39
- Karoon, P., Rubino, A. and Burnstock G. Enhanced sympathetic neurotransmission in the tail artery of 1,3-dipropyl-8-sulphophenylxanthine (DPSPX)-treated rats, 116, 1918
- Kasakov, L., Cellek, S. and Moncada, S. Characterization of nitroergic neurotransmission during short- and long-term electrical stimulation of the rabbit anococcygeus muscle, 115, 1149
- Katsumata, S. *see* Nakagawa, T., 116, 2661
- Kaumann, A.J., Lynham, J.A. and Brown, A.M. Labelling with [¹²⁵I]-SB 207710 of a small 5-HT₄ receptor population in piglet right atrium: functional relevance, 115, 933
- Kawai, K. *see* Ohta, T., 114, 1165
- Kawai, T. *see* Masuda, Y., 114, 769
- Kawano, Y. and Noma, T. Modulation of mite antigen-induced immune responses by lecithin-bound iodine in peripheral blood lymphocytes from patients with bronchial asthma, 115, 1141
- Kearns, S. *see* O'Rourke, M., 115, 1399
- Keddie, J.R. *see* Poucher, S.M., 115, 1096
- Kelly, E., Harrison, P.K. and Williams, R.J. Effects of acute and chronic ethanol on cyclic AMP accumulation in N^G108-15 cells: differential dependence of changes on extracellular adenosine, 114, 1433
- Kelly, P.A.T., Ritchie, I.M. and Collins, F.M. Cerebrovascular consequences of repeated exposure to N^G-nitro-L-arginine methyl ester, 116, 2771
- Kemp, B.K., Smolich, J.J., Ritchie, B.C. and Cocks, T.M. Endothelium-dependent relaxations in sheep pulmonary arteries and veins: resistance to block by N^G-nitro-L-arginine in pulmonary hypertension, 116, 2457
- Kemp, B.K. and Cocks, T.M. Effects of U46619 on contractions to 5-HT, sumatriptan and methysergide in canine coronary artery and saphenous vein *in vitro*, 116, 2183
- Kemp, M.C. *see* Bedingfield, J.S., 116, 3323
- Kemp, N. *see* Jain, N., 116, 2127
- Kemp, P.A. *see* Gardiner, S.M., 114, 584
- Kemp, P.A. *see* Gardiner, S.M., 115, 579
- Kemp, P.A. *see* Gardiner, S.M., 116, 1718
- Kemp, P.A. *see* Gardiner, S.M., 116, 2005
- Kemp, P.A. *see* Gardiner, S.M., 116, 2237
- Kemp, P.A. *see* Gardiner, S.M., 116, 3042
- Kendall, D.A. *see* Pinthong, D., 115, 689
- Kendall, D.A. *see* Wright, I.K., 114, 157
- Kendall, D.A. *see* Wright, I.K., 114, 678
- Kenny, B.A., Chalmers, D.H., Philpott, P.C. and Naylor, A.M. Characterization of an α_{1D}-adrenoceptor mediating the contractile response of rat aorta to noradrenaline, 115, 981
- Kenny, B.A. *see* Brown, C.M., 115, 1425
- Kerkhof, C.J.M. *see* van Mil, H.G.J., 116, 2881
- Kerr, P.M., Hillier, K., Wallis, R.M. and Garland, C.J. Characterization of muscarinic receptors mediating contractions of circular and longitudinal muscle of human isolated colon, 115, 1518
- Khakh, B.S., Surprenant, A. and Humphrey, P.P.A. A study on P_{2X} purinoceptors mediating the electrophysiological and contractile effects of purine nucleotides in rat vas deferens, 115, 177
- Kigoshi, S. *see* Kohn, Y., 116, 2557
- Kigoshi, S. *see* Noguchi, H., 114, 1026
- Kikuchi, T. *see* Watanabe, T., 114, 949
- Kilbourn, R.G. *see* Joly, G.A., 115, 491
- Kilfeather, S.A., Tagoe, S., Perez, A.C., Okona-Mensa, K., Matin, R. and Page, C.P. Inhibition of serum-induced proliferation of bovine tracheal smooth muscle cells in culture by heparin and related glycosaminoglycans, 114, 1442
- Kilian, U. *see* Häfner, D., 115, 451
- Killinger, S. *see* Balcar, V.J., 115, 302
- Kilpatrick, G.J. *see* Gardner, C.J., 116, 3158
- Kim, B.-K., Ozaki, H., Lee, S.-M. and Karaki, H. Increased sensitivity of rat myometrium to the contractile effect of platelet activating factor before delivery, 115, 1211
- Kim, K.W. *see* Kim, S.J., 115, 1407
- Kim, S. *see* Miura, K., 115, 917
- Kim, S.J., Ahn, S.C., So, I. and Kim, K.W. Quinidine blockade of the carbachol-activated nonselective cationic current in guinea-pig gastric myocytes, 115, 1407
- Kimonen, T., Juvonen, R.O., Alhava, E. and Pasanen, M. The inhibition of CYP enzymes in mouse and human liver by pilocarpine, 114, 832
- Kimura, I., Dezaki, K., Tsuneki, H. and Kimura, M. Postsynaptic nicotinic receptor desensitized by non-contractile Ca²⁺ mobilization via protein kinase-C activation at the mouse neuromuscular junction, 114, 461
- Kimura, I., Tsuneki, H., Dezaki, K. and Kimura, M. Diabetic state-induced

- rapid inactivation of noncontractile Ca^{2+} mobilization operation by nicotinic acetylcholine receptor in mouse diaphragm muscle, 116, 2685
- Kimura, I. *see* Nojima, H., 116, 1680
- Kimura, M. *see* Kimura, I., 114, 461
- Kimura, M. *see* Kimura, I., 116, 2685
- Kimura, M. *see* Nojima, H., 116, 1680
- Kimura, R. *see* Uchida, S., 114, 217
- Kindon, N.D. *see* Humphries, R.G., 115, 1110
- Kinnaird, A.A.A. *see* Man, R.Y.K., 116, 2359
- Kinonen, T., Pasanen, M., Gynther, J., Poso, A., Järvinen, T., Alhava, E. and Juvonen, R.O. Competitive inhibition of coumarin 7-hydroxylation by pilocarpine and its interaction with mouse CYP 2A5 and human CYP 2A6, 116, 2625
- Kinoshita, K., Watanabe, Y., Asai, H., Yamamura, M. and Matsuoka, Y. Anti-ataxic effects of TRH and its analogue, TA-0910, in Rolling mouse Nagoya by metabolic normalization of the ventral tegmental area, 116, 3274
- Kiran, B.K. *see* Ulus, I.H., 116, 1911
- Kirk, I.P. and Richardson, P.J. Further characterization of [^3H]-CGS 21680 binding sites in the rat striatum and cortex, 114, 537
- Kita, S. *see* Fujita, K., 114, 925
- Kitabatake, A. *see* Fukao, M., 115, 987
- Kitabatake, A. *see* Fukao, M., 116, 1541
- Kitagawa, Y., Adachi-Akahane, S. and Nagao, T. Determination of β -adrenoceptor subtype on rat isolated ventricular myocytes by use of highly selective β -antagonists, 116, 1635
- Kitamura, S.-i., Carhini, L.A., Carretero, O.A., Simmons, W.H. and Scicli, A.G. Potentiation by aminopeptidase P of blood pressure response to bradykinin, 114, 6
- Klee, S. *see* Culman, J., 114, 1310
- Klemm, P., Hecker, M., Stockhausen, H., Wu, C.C. and Thiernemann, C. Inhibition by *N*-acetyl-5-hydroxytryptamine of nitric oxide synthase expression in cultured cells and in the anaesthetized rat, 115, 1175
- Klemm, P., Thiernemann, C., Winklmaier, G., Martorana, P.A. and Henning, R. Effects of nitric oxide synthase inhibition combined with nitric oxide inhalation in a porcine model of endotoxin shock, 114, 363
- Klemm, P., Warner, T.D., Willis, D., Moore, A.R. and Vane, J.R. Coronary vasoconstriction *in vitro* in the hearts of polyarthritic rats: effectiveness of *in vivo* treatment with the endothelin receptor antagonist SB 209670, 114, 1327
- Klemm, P. *see* Hohlfeld, T., 116, 3309
- Knight, G.E. and Burnstock, G. Responses of the aorta of the garter snake (*Thamnophis sirtalis parietalis*) to purines, 114, 41
- Knock, G.A. *see* Lawrence, E., 115, 840
- Knott, P.G., D'Aprile, A.C., Henry, P.J., Hay, D.W.P. and Goldie, R.G. Receptors for endothelin-1 in asthmatic human peripheral lung, 114, 1
- Knowles, R.G. *see* Moro, M.A., 116, 1999
- Ko, F.-N., Yu, S.-M., Kang, Y.-F. and Teng, C.-M. Characterization of the thromboxane (TP-) receptor subtype involved in proliferation in cultured vascular smooth muscle cells of rat, 116, 1801
- Ko, F.-N. *see* Guh, J.-H., 115, 142
- Ko, F.-N. *see* Wu, C.-C., 116, 1973
- Kobayashi, J. *see* Takahashi, Y., 114, 941
- Kobayashi, S. *see* Enoki, T., 115, 479
- Kobayashi, S. *see* Fukuizumi, Y., 114, 329
- Kobayashi, S. *see* Kuroiwa, M., 116, 2040
- Kobayashi, S. *see* Nishimura, J., 115, 1369
- Kobayashi, S. *see* Ushio-Fukai, M., 114, 171
- Kobayashi, T., Mikala, G. and Yatani, A. A novel enhancing effect of clofilium on transient outward-type cloned cardiac K^+ channel currents, 114, 1222
- Kodama, I., Suzuki, R., Maruyama, K. and Toyama, J. Electrophysiological effects of SD-3212, a new antiarrhythmic agent with vasodilator action, on guinea-pig ventricular cells, 114, 503
- Kodama, I. *see* Maruyama, K., 114, 19
- Koga, K. *see* Itoh, S., 114, 1090
- Kogo, H. *see* Morikawa, M., 115, 1302
- Kohno, Y., Saito, T., Saito, H., Aoyama, H., Nojyo, Y., Kigoshi, S. and Muramatsu, I. Heterogeneity of neurogenic responses in intra- and extrameningeal arteries of dogs, 116, 2557
- Koizumi, S., Nakazawa, K. and Inoue, K. Inhibition by Zn^{2+} of uridine 5'-triphosphate-induced Ca^{2+} -influx but not Ca^{2+} -mobilization in rat pheochromocytoma cells, 115, 1502
- Koizumi, S. *see* Nakazawa, K., 116, 2603
- Kojima, S.-i. and Shimo, Y. Calcitonin gene-related peptide (CGRP)-enhanced non-adrenergic non-cholinergic contraction of guinea-pig proximal colon, 115, 1290
- Kojima, S.-i. and Shimo, Y. An enhancing effect of 5-hydroxytryptamine on electrically evoked atropine-resistant contraction of guinea-pig proximal colon, 114, 73
- Kokubun, S. *see* Hashimoto, M., 115, 636
- Kolios, G., Brown, Z., Robson, R.L., Robertson, D.A.F. and Westwick, J. Inducible nitric oxide synthase activity and expression in a human colonic epithelial cell line, HT-29, 116, 2866
- Koltai, M. (deceased) *see* Ferdinandy, P., 115, 1129
- Komori, Y. *see* Yamada, K., 115, 852
- Komuro, T. *see* Enoki, T., 115, 479
- Kongsamut, S. *see* Tang, L., 116, 2468
- Konishi, S. *see* Zhao, F.-Y., 115, 25
- Korichneva, I. *see* Astarie-Dequeker, C., 114, 524
- Kost, T. *see* Tseng-Crank, J., 115, 1475
- Koster, A.Sj. *see* Kraneveld, A.D., 114, 1483
- Kotake, H. *see* Nawada, T., 116, 1775
- Kotsonis, P. *see* Schroeder, G.E., 116, 2757
- Koulu, M. *see* Rouru, J., 115, 1182
- Koyama, N. *see* Morisaki, N., 115, 1188
- Koyama, T. *see* Azuma, H., 114, 902
- Kozutsumi, D. *see* Takahashi, Y., 114, 941
- Kramer, K. *see* van Acker, S.A.B.E., 115, 1260
- Kraneveld, A.D., Buckley, T.L., van Heuven-Nolsen, D., van Schaik, Y., Koster, A.Sj. and Nijkamp, F.P. Delayed-type hypersensitivity-induced increase in vascular permeability in the mouse small intestine: inhibition by depletion of sensory neuropeptides and NK_1 receptor blockade, 114, 1483
- Krasznai, G. *see* Häfner, D., 115, 451
- Kreutner, W. *see* Hey, J.A., 114, 735
- Krier, J. *see* Venkova, K., 116, 3265
- Krobatsch, D. *see* Hey, J.A., 114, 735
- Kromer, W. Unexpected prosecretory action component of loperamide at μ -opioid receptors in the guinea-pig colonic mucosa *in vitro*, 114, 739
- Krstew, E. *see* Lawrence, A.J., 114, 1329
- Kruk, Z.L. *see* Patel, J., 115, 421
- Krumme, B. *see* von Kügelgen, I., 116, 1932
- Kubo, K. *see* Watanabe, T., 114, 949
- Kuc, R.E. *see* Davenport, A.P., 114, 1110
- Kumagai, K. *see* Endo, Y., 114, 187
- Kundsen, M.A. *see* Tøttrup, A., 115, 158
- Kuo, S.-C. *see* Wu, C.-C., 116, 1973
- Kuo, S.-C. *see* Yu, S.-M., 114, 1227
- Kuo, S.-C. *see* Yu, S.-M., 114, 1587
- Kurahashi, K. *see* Shirahase, H., 115, 1215
- Kuriyama, H. *see* Kamei, K., 115, 1493
- Kuroiwa, M., Aoki, H., Kobayashi, S., Nishimura, J. and Kanaide, H. Mechanism of endothelium-dependent relaxation induced by substance P in the coronary artery of the pig, 116, 2040
- Kurosawa, A. *see* Arimura, A., 116, 2785
- Kurosawa, M., Messlinger, K., Pawlak, M. and Schmidt, R.F. Increase of meningeal blood flow after electrical stimulation of rat dura mater encephali: mediation by calcitonin gene-related peptide, 114, 1397
- Kusumoto, K. *see* Watanabe, T., 114, 949

L

- Labadía, A. *see* García-Pascual, A., 115, 1221
- Labat, C. *see* Gorenne, I., 114, 935
- Labat, C. *see* Ortiz, J.L., 115, 1382
- Lachmann, B. *see* Häfner, D., 115, 451
- Lacolley, P., Ghodsi, N., Glazer, E., Challande, P., Brissac, A.M., Safar, M.E. and Laurent, S. Influence of graded changes in vasomotor tone on the carotid arterial mechanics in live spontaneously hypertensive rats, 115, 1235

- Ladenius, A.R.C., Folkerts, G., van der Linde, H.J. and Nijkamp, F.P. Potentiation by viral respiratory infection of ovalbumin-induced guinea-pig tracheal hyperresponsiveness: role for tachykinins, **115**, 1048
- Laffling, A.J., Scherr, P., McGivern, J.G., Patmore, L. and Sheridan, R.D. Electrophysiological actions of phenytoin on *N*-methyl-D-aspartate receptor-mediated responses in rat hippocampus *in vitro*, **115**, 67
- Lafont, H. *see* Clerc, T., **114**, 624
- Lagente, V. *see* Boichot, E., **114**, 259
- Laguna, J.C. *see* Alegret, M., **114**, 1351
- Laguna, J.C. *see* Vázquez, M., **116**, 2067
- Laguna, J.C. *see* Vázquez, M., **116**, 3337
- Laguzzi, R. *see* Göthert, M., **114**, 269
- Lal, H., Woodward, B. and Williams, K.I. Actions of endothelins and sarafotoxin 6c in the rat isolated perfused lung, **115**, 653
- Lamarque, D. and Whittle, B.J.R. Involvement of superoxide and xanthine oxidase in neutrophil-independent rat gastric damage induced by NO donors, **116**, 1843
- Lambert, C. Mechanisms of angiotensin II chronotropic effect in anaesthetized dogs, **115**, 795
- Lambert, D.G. *see* Smart, D., **116**, 1797
- Lambert, D.G. *see* Smart, D., **116**, 2655
- Lambert, J.J. *see* Downie, D.L., **114**, 1641
- Lambert, J.J. *see* Gill, C.H., **114**, 1211
- Lambert, J.J. *see* Steward, L.J., **116**, 1781
- Lambrecht, G. *see* Windschief, U., **115**, 1509
- Lamontagne, D., Nadeau, R. and Adam, A. Effect of enalaprilat on bradykinin and des-Arg⁹-bradykinin release following reperfusion of the ischaemic rat heart, **115**, 476
- Lampe, B.J. *see* Aiken, S.P., **115**, 1163
- Land, G.C. *see* Gupta, P., **116**, 2385
- Landi, M. *see* Croci, T., **115**, 203
- Landry, Y. *see* Da Silva, A., **114**, 103
- Landucci, E.C.T., Antunes, E., Donato, J.L., Faro, R., Hyslop, S., Marangoni, S., Oliveira, B., Cirino, G. and de Nucci, G. Inhibition of carrageenin-induced rat paw oedema by crotapotin, a polypeptide complexed with phospholipase A₂, **114**, 578
- Langel, Ü. *see* Xu, X.-J., **116**, 2076
- Langemeijer, M.W.E. *see* Appel, S., **115**, 1253
- Langlands, J.M. *see* Bramley, A.M., **115**, 1433
- Laniyonu, A.A. and Hollenberg, M.D. Vascular actions of thrombin receptor-derived polypeptides: structure-activity profiles for contractile and relaxant effects in rat aorta, **114**, 1680
- Lapa, A.J. *see* Souccar, C., **116**, 2817
- Lara, B. *see* Villarroja, M., **114**, 369
- Large, W.A. *see* Greenwood, I.A., **115**, 733
- Large, W.A. *see* Greenwood, I.A., **116**, 2939
- Larrivé, J.-F. *see* Levesque, L., **116**, 1673
- Larsen, P.J. *see* Chowdrey, H.S., **116**, 2417
- Larsson, B. *see* Hedlund, P., **116**, 2258
- Larsson, B. *see* Ny, L., **116**, 2873
- Laruelle, C. *see* Clerc, T., **114**, 624
- László, F., Whittle, B.J.R. and Moncada, S. Attenuation by nitrosothiol NO donors of acute intestinal microvascular dysfunction in the rat, **115**, 498
- László, F. *see* Whittle, B.J.R., **116**, 2286
- Lattanzi, R. *see* Negri, L., **114**, 57
- Lattanzi, R. *see* Negri, L., **116**, 2931
- Laurent, S. *see* Lacolley, P., **115**, 1235
- Lavidis, N.A. Effect of chronic morphine treatment on transmitter release from sympathetic varicosities of the mouse vas deferens, **116**, 2860
- Lavidis, N.A. Effect of morphine on the nerve terminal impulse and transmitter release from sympathetic varicosities innervating the mouse vas deferens, **116**, 2852
- Lavidis, N.A. The effect of opiates on the terminal nerve impulse and quantal secretion from visualized amphibian nerve terminals, **115**, 441
- Lawrence, A.J., Krstew, E. and Jarrott, B. Functional dopamine D₂ receptors on rat vagal afferent neurones, **114**, 1329
- Lawrence, E., Siney, L., Wilsoncroft, P., Knock, G.A., Terenghi, G., Polak, J.M. and Brain, S.D. Evidence for ET_A and ET_B receptors in rat skin and an investigation of their function in the cutaneous microvasculature, **115**, 840
- Lawrence, I.G. *see* Heygate, K.M., **116**, 3251
- Lawson, M.F. *see* Malarkey, K., **116**, 2267
- Lazarowski, E.R., Watt, W.C., Stutts, M.J., Boucher, R.C. and Harden, T.K. Pharmacological selectivity of the cloned human P_{2U}-purinoceptor: potent activation by diadenosine tetraphosphate, **116**, 1619
- Lazartigues, E. *see* Brefel, C., **116**, 2175
- Le Fur, G. *see* Croci, T., **115**, 383
- Le Fur, G. *see* Oury-Donat, F., **116**, 1899
- Leafios, O.L., Hong, E. and Amezcua, J.L. Reflex circulatory collapse following intrapulmonary entrapment of activated platelets: mediation via 5-HT₃ receptor stimulation, **116**, 2048
- Lebrun, I. *see* Souccar, C., **116**, 2817
- Lecci, A., Giuliani, S., Meini, S. and Maggi, C.A. Pharmacological analysis of the local and reflex responses to bradykinin on rat urinary bladder motility *in vivo*, **114**, 708
- Lee, C.-H. *see* Eglén, R.M., **114**, 860
- Lee, F.-Y. *see* Wu, C.-C., **116**, 1973
- Lee, K., Dixon, A.K., Rowe, I.C.M., Ashford, M.L.J. and Richardson, P.J. Direct demonstration of sulphonylurea-sensitive K_{ATP} channels on nerve terminals of the rat motor cortex, **115**, 385
- Lee, S.-M. *see* Kim, B.-K., **115**, 1211
- Lee, S.-S. *see* Wu, M.-H., **116**, 3211
- Lee, T.J.-F. *see* Chen, X., **115**, 15
- Lee, W.S., Limmroth, V., Ayata, C., Cutrer, F.M., Waeber, C., Yu, X. and Moskowitz, M.A. Peripheral GABA_A receptor-mediated effects of sodium valproate on dural plasma protein extravasation to substance P and trigeminal stimulation, **116**, 1661
- Lefebvre, R.A., Smits, G.J.M. and Timmermans, J.-P. Study of NO and VIP as non-adrenergic non-cholinergic neurotransmitters in the pig gastric fundus, **116**, 2017
- Lefebvre, R.A. *see* Smits, G.J.M., **114**, 640
- Leff, P. *see* Crack, B.E., **114**, 475
- Leff, P. *see* Humphries, R.G., **115**, 1110
- Leggett, R.E. *see* Longhurst, P.A., **116**, 2279
- Leijendekker, W.J. *see* Metzinger, L., **116**, 2811
- Leiros, C.P. *see* Sterin-Borda, L., **115**, 1525
- Leis, H.J., Zach, D., Huber, E., Ziermann, L., Gleispach, H. and Windischhofer, W. On the inhibition of prostanoid formation by SK&F 96365, a blocker of receptor-operated calcium entry, **114**, 598
- Leonardi, A. *see* Testa, R., **114**, 745
- Lepor, H. *see* Takeda, M., **116**, 2517
- Lesieur, D. *see* Ferreira, S.H., **114**, 303
- Lessa, M.A. *see* Tibiriçá, E., **115**, 1331
- Leung, E. *see* Eglén, R.M., **115**, 1387
- Leung, E. *see* Hegde, S.S., **115**, 1087
- Leung, E. *see* Wong, E.H.F., **114**, 851
- Leurs, R., Tulp, M.Th.M., Menge, W.M.B.P., Adolfs, M.J.P., Zuiderveld, O.P. and Timmerman, H. Evaluation of the receptor selectivity of the H₃ receptor antagonist, iodophenpropit and thioperamide: an interaction with the 5-HT₃ receptor revealed, **116**, 2315
- Leurs, R. *see* Rodrigues, A.A., **114**, 1523
- Levesque, L., Larrivé, J.-F., Bachvarov, D.R., Rioux, F., Drapeau, G. and Marceau, F. Regulation of kinin-induced contraction and DNA synthesis by inflammatory cytokines in the smooth muscle of the rabbit aorta, **116**, 1673
- Levy, M. *see* Sabry, S., **115**, 1038
- Lévy-Toledano, S. *see* Bertolino, F., **115**, 210
- Lew, M.J. Extended concentration-response curves used to reflect full agonist efficacies and receptor occupancy-response coupling ranges, **115**, 745
- Lew, R.A. *see* Telford, S.E., **114**, 1185
- Lewis, C.A. and Broadley, K.J. Airway hyper- or hyporeactivity to inhaled spasmogens 24 h after ovalbumin challenge of sensitized guinea-pigs, **116**, 2351
- Lewis, C.J. *see* Neild, T.O., **115**, 220
- Lewis, D.F.V. *see* Sugden, D., **114**, 618
- Lewis, R.J. *see* Brock, J.A., **116**, 2213
- Leza, J.C. *see* Villamor, E., **115**, 261
- Li, C.G. *see* Rand, M.J., **116**, 1906

- Li, J.-S. *see* Schifffrin, E.L., 115, 1377
- Li, Q., Zhang, J., Pfaffendorf, M. and van Zwieten, P.A. Comparative effects of angiotensin II and its degradation products angiotensin III and angiotensin IV in rat aorta, 116, 2963
- Li, Y. *see* Balcar, V.J., 115, 302
- Li, Y. *see* Bramley, A.M., 115, 1433
- Lieb, W.R. *see* Dickinson, R., 116, 2949
- Lieb, W.R. *see* McKenzie, D., 115, 275
- Lightman, S.L. *see* Chowdrey, H.S., 116, 2417
- Lilley, E. and Gibson, A. Inhibition of relaxations to nitrenergic stimulation of the mouse anococcygeus by duroquinone, 116, 3231
- Lim, K. *see* Newby, A.C., 114, 1652
- Lim, S.L. *see* Waite, R.P., 116, 2322
- Lim, S.L. *see* Wang, Y.-X., 114, 1454
- Limberger, N. *see* Rump, L.C., 116, 2617
- Limmroth, V. *see* Cutrer, F.M., 114, 987
- Limmroth, V. *see* Cutrer, F.M., 116, 3199
- Limmroth, V. *see* Lee, W.S., 116, 1661
- Lin, L.-T. *see* Wu, M.-H., 116, 3211
- Lin, R.H. *see* Liu, S.H., 116, 1757
- Lin-Shiau, S.Y. *see* Liu, S.H., 116, 1757
- Lindbom, L. *see* Thorlacius, H., 116, 3175
- Linde, C. and Quast, U. Potentiation of P1075-induced K⁺ channel opening by stimulation of adenylate cyclase in rat isolated aorta, 115, 515
- Lindén, A., Yoshihara, S., Chan, B. and Nadel, J.A. Inhibition of bronchoconstriction by pituitary adenylate cyclase activating polypeptide (PACAP 1-27) in guinea-pigs *in vivo*, 115, 913
- Lindén, A. *see* Bergendal, A., 114, 1478
- Ling, J.Y. *see* Chiou, L.C., 116, 1870
- Linton, C. *see* Brown, C.M., 115, 1425
- Linton, C. *see* Brown, C.M., 116, 1737
- Liou, J.-C. and Fu, W.-M. Additive effect of ADP and CGRP in modulation of the acetylcholine receptor channel in *Xenopus* embryonic myocytes, 115, 563
- Lipartiti, M., Arban, R., Fadda, E., Zanotti, A. and Giusti, P. Characterization of [³H]-imidazenil binding to rat brain membranes, 114, 1159
- Lippton, H. *see* Hall, J.M., 114, 592
- Lischke, V., Busse, R. and Hecker, M. Selective inhibition by barbiturates of the synthesis of endothelium-derived hyperpolarizing factor in the rabbit carotid artery, 115, 969
- Liu, S.H., Sheu, T.J., Lin, R.H. and Lin-Shiau, S.Y. The *in vivo* effect of lipopolysaccharide on the spontaneous release of transmitter from motor nerve terminals, 116, 1757
- Liu, Y.-L. and Stock, M.J. Acute effects of the β_3 -adrenoceptor agonist, BRL 35135, on tissue glucose utilisation, 114, 888
- Lizasoain, I. *see* Moro, M.A., 116, 1999
- Loesch, A. *see* Rubino, A., 115, 415
- Löfdahl, C.-G. *see* Bergendal, A., 114, 1478
- Longhurst, P.A., Leggett, R.E. and Briscoe, J.A.K. Characterization of the functional muscarinic receptors in the rat urinary bladder, 116, 2279
- Lopaschuk, G.D. *see* Schulz, R., 114, 27
- López, M. *see* Vázquez, M., 116, 3337
- López, M.G. *see* Villarroya, M., 114, 369
- Lopez-Belmonte, J. and Whittle, B.J.R. Aminoguanidine-provoked leukocyte adherence to rat mesenteric venules: role of constitutive nitric oxide synthase inhibition, 116, 2710
- López-Muñoz, F.J. *see* Villalón, C.M., 116, 2778
- Lorenz, I.H. *see* Luger, T.J., 114, 1097
- Lorenzetti, B.B. *see* Ferreira, S.H., 114, 303
- Lorenzetti, B.B. *see* Poole, S., 115, 684
- Losinski, A. and Alexander, S.P.H. Adenosine receptor-mediated relaxation of guinea-pig precontracted, isolated trachea, 116, 2425
- Lötvall, J. *see* Bergendal, A., 114, 1478
- Loury, D. *see* Wong, E.H.F., 114, 851
- Luccarini, J.M. *see* Pruneau, D., 114, 115
- Luccarini, J.M. *see* Pruneau, D., 116, 2106
- Lucchelli, A., Santagostino-Barbone, M.G., Barbieri, A., Candura, S.M. and Tonini, M. The interaction of antidepressant drugs with central and peripheral (enteric) 5-HT₂ and 5-HT₁ receptors, 114, 1017
- Lucchelli, A. *see* Messori, E., 115, 677
- Luchetti, F. *see* Negri, L., 116, 2931
- Luger, T.J., Lorenz, I.H., Grabner-Weiss, C. and Hayashi, T. Effect of the NMDA-antagonist, MK 801, on benzodiazepine-opioid interactions at the spinal and supraspinal level in rats, 114, 1097
- Lumbers, E.R. *see* Stevenson, K.M., 114, 1495
- Lundberg, J.M. and Modin, A. Inhibition of sympathetic vasoconstriction in pigs *in vivo* by the neuropeptide Y-Y₁ receptor antagonist BIBP 3226, 116, 2971
- Lundin, S. *see* Westfelt, U.N., 114, 1621
- Lundquist, I. *see* Panagiotidis, G., 114, 289
- Lundy, P.M. *see* Frew, R., 116, 1595
- Luo, S.-F. *see* Yang, C.M., 114, 67
- Lupini, M. *see* Masini, E., 115, 629
- Lynham, J.A. *see* Kaumann, A.J., 115, 933

M

- Maas, J., Rae, G.A., Huidobro-Toro, J.P. and Calixto, J.B. Characterization of kinin receptors modulating neurogenic contractions of the mouse isolated vas deferens, 114, 1471
- McAllister, G. *see* Brown, N.A., 116, 2346
- McBean, D.E., Winters, V., Wilson, A.D., Oswald, C.B., Alps, B.J. and Armstrong, J.M. Neuroprotective efficacy of lifarizine (RS-87476) in a simplified rat survival model of 2 vessel occlusion, 116, 3093
- McBean, D.E. *see* Alps, B.J., 115, 1439
- McCarthy, A. *see* Rutherford, R.A.D., 116, 3099
- McCord, M., Bolognese, B. and Marshall, L.A. Prostaglandin E₂ requirement for transforming growth factor β_1 inhibition of elicited macrophage 14 kDa phospholipase A₂ release, 116, 2575
- McCormack, J.G. *see* May, G.R., 114, 1365
- McCulloch, A.I. *see* Randall, M.D., 115, 607
- MacDonald, J.F. *see* Fletcher, E.J., 116, 2791
- MacDonald, J.F. *see* Orser, B.A., 116, 1761
- MacEwan, D.J. *see* McFerran, B.W., 115, 307
- McFerran, B.W., MacEwan, D.J. and Guild, S.B. Involvement of multiple protein kinase C isozymes in the ACTH secretory pathway of AtT-20 cells, 115, 307
- McFerran, B.W. and Guild, S.B. Effects of mastoparan upon the late stages of the ACTH secretory pathway of AtT-20 cells, 115, 696
- McFerran, B.W. and Guild, S.B. The effects of calyculin A upon calcium-, guanine nucleotides- and phorbol 12-myristate 13-acetate-stimulated ACTH secretion from AtT-20 cells, 114, 1571
- McGarry, S.J., Scheufler, E. and Williams, A.J. Effect of R56865 on cardiac sarcoplasmic reticulum function and its role as an antagonist of digoxin at the sarcoplasmic reticulum calcium release channel, 114, 231
- McGiff, J.C. *see* Fulton, D., 114, 99
- McGivern, J.G., Patmore, L. and Sheridan, R.D. Actions of the novel neuroprotective agent, lifarizine (RS-87476), on voltage-dependent sodium currents in the neuroblastoma cell line, N1E-115, 114, 1738
- McGivern, J.G. *see* Laffling, A.J., 115, 67
- McGivern, J.G. *see* MacKinnon, A.C., 115, 1103
- McGrath, J.C. *see* Redfern, W.S., 114, 1724
- Machado, A. *see* Santiago, M., 116, 1545
- McHugh, D. and Beech, D.J. Inhibition of delayed rectifier K⁺-current by levcromakalim in single intestinal smooth muscle cells: effects of cations and dependence on K⁺-flux, 114, 391
- McKay, A.M. and Poyser, N.L. A comparison of the effects of exogenous and endogenous prostaglandins on fast and slow contractions of field-stimulated guinea-pig vas deferens, 116, 2679
- McKechnie, K.C.W. *see* Crack, B.E., 114, 475
- MacKenzie, A.R. *see* Elford, P.R., 115, 601
- McKenzie, D., Franks, N.P. and Lieb, W.R. Actions of general anaesthetics on a neuronal nicotinic acetylcholine receptor in isolated identified neurones of *Lymnaea stagnalis*, 115, 275
- McKinley, D.D. *see* Dillon, G.H., 115, 539
- McKinley, D.D. *see* Im, H.K., 114, 1040
- MacKinnon, A.C., Redfern, W.S. and Brown, C.M. [³H]-RS-45041-190: a selective high-affinity radioligand for I₂ imidazoline receptors, 116, 1729
- MacKinnon, A.C., Wyatt, K.M., McGivern, J.G., Sheridan, R.D. and

- Brown, C.M. [^3H]-lifarizine, a high affinity probe for inactivated sodium channels, 115, 1103
- MacKinnon, A.C. *see* Brown, C.M., 116, 1737
- McLachlan, E.M. *see* Brock, J.A., 116, 2213
- McLaughlin, A. *see* De Vries, G.W., 115, 1231
- McLean, M.R. *see* Redfern, W.S., 114, 1724
- McLean, P.G., Coupar, I.M. and Molenaar, P. A comparative study of functional 5-HT₄ receptors in human colon, rat oesophagus and rat ileum, 115, 47
- McLean, S. *see* Watson, J.W., 115, 84
- MacIouf, J. *see* Bertolino, F., 115, 210
- Macmillan, S., Sheridan, R.D., Chilvers, E.R. and Patmore, L. A comparison of the effects of SCA40, NS 004 and NS 1619 on large conductance Ca²⁺-activated K⁺ channels in bovine tracheal smooth muscle cells in culture, 116, 1656
- McNeill, J.R. *see* Chen, L., 114, 1599
- Macor, J.E. *see* Gupta, P., 116, 2385
- McQueen, D.S. *see* Barlow, R.B., 116, 2897
- Madden, A.C. *see* Telford, S.E., 114, 1185
- Madeddu, P., Anania, V., Varoni, M.V., Parpaglia, P.P., Demontis, M.P., Fattaccio, M.C., Palomba, D., Pollock, D. and Glorioso, N. Prevention by blockade of angiotensin subtype₁-receptors of the development of genetic hypertension but not its heritability, 115, 557
- Madonna, O. *see* Barthelmebs, M., 116, 2166
- Maffre, M. *see* Bertolino, F., 115, 210
- Maggi, C.A., Giuliani, S. and Santicioli, P. Effect of the Ca²⁺-ATPase inhibitor, cyclopiazonic acid, on electromechanical coupling in the guinea-pig ureter, 114, 127
- Maggi, C.A. *see* Ahluwalia, A., 116, 2170
- Maggi, C.A. *see* Lecci, A., 114, 708
- Maggi, C.A. *see* Santicioli, P., 114, 1149
- Maggi, C.A. *see* Zagorodnyuk, V., 115, 237
- Magnier, C. *see* Amrani, Y., 115, 1204
- Magnolfi, G. *see* Yang, Q., 114, 1745
- Magnoli, F. *see* Souccar, C., 116, 2817
- Maguire, J.J. and Davenport, A.P. ET_A receptor-mediated constrictor responses to endothelin peptides in human blood vessels *in vitro*, 115, 191
- Mahboubi, K. *see* Fulton, D., 114, 99
- Majewski, H. *see* Schroeder, G.E., 116, 2757
- Mak, J.C.W. *see* Haddad, E.-B., 116, 2027
- Mäkynen, H., Kähönen, M., Arvola, P., Wuorela, H., Vapaatalo, H. and Pörsti, I. Dietary calcium and magnesium supplements in spontaneously hypertensive rats and isolated arterial reactivity, 115, 1455
- Mäkynen, H. *see* Kähönen, M., 115, 859
- Malarkey, K., Chilvers, E.R., Lawson, M.F. and Plevin, R. Stimulation by endothelin-1 of mitogen-activated protein kinases and DNA synthesis in bovine tracheal smooth muscle cells, 116, 2267
- Maldonado, R., Valverde, O., Ducos, B., Blommaert, A.G., Fournie-Zaluski, M.-C. and Roques, B.P. Inhibition of morphine withdrawal by the association of RB 101, an inhibitor of enkephalin catabolism, and the CCK_B antagonist PD-134,308, 114, 1031
- Maldonado, R. *see* Vincent, B., 115, 1053
- Malmberg, A.B. and Yaksh, T.L. The effect of morphine on formalin-evoked behaviour and spinal release of excitatory amino acids and prostaglandin E₂ using microdialysis in conscious rats, 114, 1069
- Man, R.Y.K. and Kinnaid, A.A.A. Similar coronary vascular effects in the rat perfused heart of platelet-activating factor structural analogues with agonist and antagonist properties, 116, 2359
- Manara, L. *see* Croci, T., 115, 203
- Manara, L. *see* Croci, T., 115, 383
- Mancusi, G. *see* Sexl, V., 114, 1577
- Mandema, J.W. *see* de Lange, E.C.M., 116, 2538
- Manita, S. *see* Tanaka, H., 114, 673
- Mann, C.D., Vu, T.B. and Hrdina, P.D. Protein kinase C in rat brain cortex and hippocampus: effect of repeated administration of fluoxetine and desipramine, 115, 595
- Mann, G.E. *see* Wileman, S.M., 116, 3243
- Mannaioni, P.F. *see* Bani-Sacchi, T., 116, 1589
- Mannaioni, P.F. *see* Masini, E., 115, 629
- Manteghetti, M. *see* Gross, R., 116, 1965
- Manuel, N.A., Wallis, D.I. and Crick, H. Ketanserin-sensitive depressant actions of 5-HT receptor agonists in the neonatal rat spinal cord, 116, 2647
- Maragoudakis, M.E. *see* Pipili-Synetos, E., 116, 1829
- Marangoni, S. *see* Landucci, E.C.T., 114, 578
- Marceau, F. *see* Godin, D., 115, 903
- Marceau, F. *see* Levesque, L., 116, 1673
- March, J.E. *see* Constantin-Teodosiu, D., 116, 3288
- March, J.E. *see* Gardiner, S.M., 114, 584
- March, J.E. *see* Gardiner, S.M., 115, 579
- March, J.E. *see* Gardiner, S.M., 116, 1718
- March, J.E. *see* Gardiner, S.M., 116, 2005
- March, J.E. *see* Gardiner, S.M., 116, 2237
- March, J.E. *see* Gardiner, S.M., 116, 3042
- Marchant, J.S. *see* Ferguson, D.R., 115, 81
- Marche, P. *see* Hérembert, T., 114, 1703
- Margail, I., Allix, M., Charriaut-Marlangue, C., Boulu, R.G. and Plotkine, M. Loss of NADPH-diaphorase containing neurones after reversible focal ischaemia in rats delayed by L-NAME, 116, 2344
- Mariani, M. *see* Zucchi, R., 114, 85
- Mariotto, S., Cuzzolin, L., Adami, A., Del Soldato, P., Suzuki, H. and Benoni, G. Effect of a new non-steroidal anti-inflammatory drug, nitroflurbiprofen, on the expression of inducible nitric oxide synthase in rat neutrophils, 115, 225
- Mariotto, S., Cuzzolin, L., Adami, A., Del Soldato, P., Suzuki, H. and Benoni, G. Inhibition by sodium nitroprusside of the expression of inducible nitric oxide synthase in rat neutrophils, 114, 1105
- Mariotto, S., Menegazzi, M., Carcereri de Prati, A., Cuzzolin, L., Adami, A., Suzuki, H. and Benoni, G. Protective effect of NO on gastric lesions and inhibition of expression of gastric inducible NOS by flurbiprofen and its nitro-derivative, nitroflurbiprofen, 116, 1713
- Marley, P.D., Thomson, K.A. and Bralow, R.A. Protein kinase A and nicotinic activation of bovine adrenal tyrosine hydroxylase, 114, 1687
- Marsden, C.D. *see* Silva, M.T., 114, 257
- Marshall, F.H. *see* Beattie, D.T., 116, 3149
- Marshall, I., Burt, R.P. and Chapple, C.R. Noradrenaline contractions of human prostate mediated by α_{1A} -(α_{1C}) adrenoceptor subtype, 115, 781
- Marshall, I. *see* Burt, R.P., 115, 467
- Marshall, I. *see* Burt, R.P., 116, 2327
- Marshall, K. *see* Baxter, G.S., 116, 1692
- Marshall, L.A. *see* McCord, M., 116, 2575
- Marston, C. *see* Cambridge, D., 114, 961
- Martin, A. *see* Cook, S.J., 114, 143
- Martin, G.R. *see* Anderson, I.K., 116, 1751
- Martin, G.R. *see* Jones, J.F.X., 116, 1715
- Martin, M.W., O'Sullivan, A.J. and Gomperts, B.D. Inhibition by cromoglycate and some flavonoids of nucleoside diphosphate kinase and of exocytosis from permeabilized mast cells, 115, 1080
- Martin, S.C. and Shuttleworth, T.J. Activation by ATP of a P_{2U} 'nucleotide' receptor in an exocrine cell, 115, 321
- Martin, S.W. and Broadley, K.J. Renal vasodilatation by dopexamine and fenoldopam due to α_1 -adrenoceptor blockade, 115, 349
- Martin, W. *see* Mian, K.B., 115, 993
- Martin, W. *see* Mian, K.B., 116, 3302
- Martin-Caraballo, M., Triggle, C.R. and Bieger, D. Photosensitization of oesophageal smooth muscle by 3-NO₂-1,4-dihydropyridines: evidence for two cyclic GMP-dependent effector pathways, 116, 3293
- Martinet, N. *see* Amrani, Y., 114, 4
- Martinez-Cuesta, M.A., Massuda, H., Whittle, B.J.R. and Moncada, S. Impairment of nitrgic-mediated relaxation of rat isolated duodenum by experimental diabetes, 114, 919
- Martorana, P.A. *see* Bohn, H., 114, 1605
- Martorana, P.A. *see* Klemm, P., 114, 363
- Marullo, S. *see* Nantel, F., 114, 1045
- Maruyama, K., Kodama, I., Anno, T., Suzuki, R. and Toyama, J. Electrophysiological effects of Ro 22-9194, a new antiarrhythmic agent, on guinea-pig ventricular cells, 114, 19
- Maruyama K. *see* Kodama, I., 114, 503
- Masaki, T. *see* Enoki, T., 115, 479
- Masferrer, J.L. *see* Salvemini, D., 114, 1171
- Mashiba, H. *see* Nawada, T., 116, 1775

- Masini, E., Lupini, M., Mugnai, L., Raspanti, S. and Mannaioni, P.F. Polydeoxyribonucleotides and nitric oxide release from guinea-pig hearts during ischaemia and reperfusion, **115**, 629
- Masini, E. *see* Bani-Sacchi, T., **116**, 1589
- Maslen, C. *see* Souness, J.E., **115**, 39
- Mason, S.L. *see* Reynolds, G.P., **114**, 993
- Masood, I. *see* Morton, C., **115**, 361
- Massuda, H. *see* Martinez-Cuesta, M.A., **114**, 919
- Masuda, K.-i., Kamimura, T., Watanabe, K., Suga, T., Kanesaki, M., Takeuchi, A., Imaizumi, A. and Suzuki, Y. Pharmacological activity of the C-terminal and N-terminal domains of secretory leukoprotease inhibitor *in vitro*, **115**, 883
- Masuda, Y., Yamahara, N.S., Tanaka, M., Ryang, S., Kawai, T., Imaizumi, Y. and Watanabe, M. Characterization of muscarinic receptors mediating relaxation and contraction in the rat iris dilator muscle, **114**, 769
- Mathie, A. *see* Wooltorton, J.R.A., **116**, 2191
- Mathôt, R.A.A., Cleton, A., Soudijn, W., IJzerman, A.P. and Danhof, M. Pharmacokinetic modelling of the haemodynamic effects of the A_{2a} adenosine receptor agonist CGS 21680C in conscious normotensive rats, **114**, 761
- Mathôt, R.A.A., Van der Wenden, E.M., Soudijn, W., IJzerman, A.P. and Danhof, M. Deoxyribose analogues of N⁶-cyclopentyladenosine (CPA): partial agonists at the adenosine A₁ receptor *in vivo*, **116**, 1957
- Mathôt, R.A.A. *see* Appel, S., **115**, 1253
- Matin, R. *see* Kilfeather, S.A., **114**, 1442
- Matsuda, T. *see* Suzuki, M., **115**, 703
- Matsuda, T. *see* Tanaka, H., **114**, 673
- Matsuki, N. *see* Okada, F., **114**, 931
- Matsumoto, T. *see* Mizuta, A., **116**, 2919
- Matsumura, Y. *see* Fujita, K., **114**, 925
- Matsuoka, B.D. *see* Bonhaus, D.W., **115**, 622
- Matsuoka, Y. *see* Kinoshita, K., **116**, 3274
- Matsuura, T. *see* Miura, K., **115**, 917
- Mattéazzi, J.R. *see* Chatelain, P., **116**, 1949
- Maurice, H. *see* Vergés, J., **116**, 2407
- Mauriège, P. *see* D'Allaire, F., **114**, 275
- May, G.R., Rowand, W.S., McCormack, J.G. and Sheridan, R.D. Neuroprotective profile of lifarizine (RS-87476) in rat cerebrocortical neurones in culture, **114**, 1365
- Medana, C. *see* Ferioli, R., **114**, 816
- Megson, A.C., Dickenson, J.M., Townsend-Nicholson, A. and Hill, S.J. Synergy between the inositol phosphate responses to transfected human adenosine A₁-receptors and constitutive P₂-purinoceptors in CHO-K1 cells, **115**, 1415
- Meini, S. *see* Lecci, A., **114**, 708
- Meini, S. *see* Santicioli, P., **114**, 1149
- Melchiorre, C. *see* Chiarini, A., **114**, 1507
- Melchiorri, P. *see* Negri, L., **114**, 57
- Melchiorri, P. *see* Negri, L., **116**, 2931
- Meldolesi, J. *see* Grierson, J.P., **115**, 11
- Meldrum, A. *see* Reynolds, G.P., **114**, 993
- Menegazzi, M. *see* Mariotto, S., **116**, 1713
- Menge, W.M.B.P. *see* Leurs, R., **116**, 2315
- Mercuri, N.B. *see* Pisani, A., **116**, 2053
- Merlos, M. *see* Alegret, M., **114**, 1351
- Merlos, M. *see* Vázquez, M., **116**, 2067
- Merlos, M. *see* Vázquez, M., **116**, 3337
- Messlinger, K. *see* Kurosawa, M., **114**, 1397
- Messori, E., Rizzi, C.A., Candura, S.M., Lucchelli, A., Balestra, B. and Tonini, M. 5-Hydroxytryptamine receptors that facilitate excitatory neuromuscular transmission in the guinea-pig isolated detrusor muscle, **115**, 677
- Metcalfe, M. *see* Bushfield, M., **115**, 875
- Metzenauer, P. *see* Göthert, M., **114**, 269
- Metzinger, L., Passaquin, A.-C., Leijendekker, W.J., Poindron, P. and Rüegg, U.T. Modulation by prednisolone of calcium handling in skeletal muscle cells, **116**, 2811
- Meurs, H. *see* Roffel, A.F., **115**, 665
- Meurs, H. *see* Santing, R.E., **114**, 414
- Meyer, D.J. *see* Gordge, M.P., **114**, 1083
- Meysmans, L. *see* Chatelain, P., **116**, 1949
- Mian, K.B. and Martin, W. Differential sensitivity of basal and acetylcholine-stimulated activity of nitric oxide to destruction by superoxide anion in rat aorta, **115**, 993
- Mian, K.B. and Martin, W. The inhibitory effect of 3-amino-1,2,4-triazole on relaxation induced by hydroxylamine and sodium azide but not hydrogen peroxide or glyceryl trinitrate in rat aorta, **116**, 3302
- Michel, A.D., Chau, N.-M., Fan, T.-P.D., Frost, E.E. and Humphrey, P.P.A. Evidence that [³H]- α , β -methylene ATP may label an endothelial-derived cell line 5'-nucleotidase with high affinity, **115**, 767
- Middlefell, V.C. *see* Bill, D.J., **115**, 775
- Middlemiss, D.N. *see* Harley, E.A., **115**, 1307
- Mikala, G. *see* Kobayashi, T., **114**, 1222
- Milla, P. *see* Rubino, A., **115**, 415
- Milla, P.J. *see* Ralevic, V., **116**, 2983
- Milla, P.J. *see* Ralevic, V., **116**, 3075
- Miller, A.J. *see* Cook, S.J., **114**, 143
- Miller, L.A., Cochrane, D.E., Carraway, R.E. and Feldberg, R.S. Blockade of mast cell histamine secretion in response to neurotensin by SR 48692, a nonpeptide antagonist of the neurotensin brain receptor, **114**, 1466
- Milligan, G. *see* Brown, N.A., **116**, 2346
- Min, S.A.L. and Tabrizchi, R. Effects of 8-bromoguanosine 3':5'-cyclic monophosphate on phenylephrine-induced phosphatidylinositol hydrolysis and contraction in rat caudal artery, **116**, 1697
- Minami, M. *see* Nakagawa, T., **116**, 2661
- Minami, T., Nishihara, I., Sakamoto, K., Ito, S., Hyodo, M. and Hayaishi, O. Blockade by ONO-NT-012, a unique prostanoid analogue, of prostaglandin E₂-induced allodynia in conscious mice, **115**, 73
- Minarini, A. *see* Chiarini, A., **114**, 1507
- Mingo, G. *see* Hey, J.A., **114**, 735
- Minoshima, T. *see* Tanaka, H., **116**, 2298
- Minowa, T. *see* Enoki, T., **115**, 479
- Miras-Portugal, M.T. *see* Pintor, J., **115**, 895
- Misset, M.E. *see* De Man, J.G., **114**, 1179
- Mistry, R., Wilke, R. and Challiss, R.A.J. Modulation of NMDA effects on agonist-stimulated phosphoinositide turnover by memantine in neonatal rat cerebral cortex, **114**, 797
- Mistry, R. *see* Ellis, K.E., **116**, 2510
- Mita, M. and Hashimoto, T. All-or-none augmentation of Ca²⁺ sensitivity in α -toxin-permeabilized single smooth muscle cells from guinea-pig taenia caecum, **115**, 522
- Mitchell, J.A. *see* Swierkosz, T.A., **114**, 1335
- Mitsui, M. *see* Abe, F., **116**, 3000
- Miura, K., Ebara, T., Okumura, M., Matsuura, T., Kim, S., Yukimura, T. and Iwao, H. Attenuation of adrenomedullin-induced renal vasodilatation by N^G-nitro L-arginine but not glibenclamide, **115**, 917
- Miwa, S. *see* Enoki, T., **115**, 479
- Miyazaki, H. *see* Prestwich, S.A., **115**, 147
- Miyazaki, Y. *see* Fujita, K., **114**, 925
- Mizuno, K., Nakahata, N. and Ohizumi, Y. Mastoparan-induced phosphatidylcholine hydrolysis by phospholipase D activation in human astrocytoma cells, **116**, 2090
- Mizuta, A., Takano, Y., Honda, K., Saito, R., Matsumoto, T. and Kamiya, H.-o. Nitric oxide is a mediator of tachykinin NK₃ receptor-induced relaxation in rat mesenteric artery, **116**, 2919
- Modin, A. *see* Lundberg, J.M., **116**, 2971
- Molenaar, P. *see* McLean, P.G., **115**, 47
- Molenaar, P. *see* Roberts, S.J., **116**, 2549
- Monassier, L. *see* Tibiriça, E., **115**, 1331
- Moncada, S. *see* Barrachina, M.D., **114**, 8
- Moncada, S. *see* Kasakov, L., **115**, 1149
- Moncada, S. *see* László, F., **115**, 498
- Moncada, S. *see* Martinez-Cuesta, M.A., **114**, 919
- Moncada, S. *see* Moro, M.Á., **116**, 1999
- Moncada, S. *see* Rees, D.D., **114**, 689
- Moncada, S. *see* Schulz, R., **114**, 27
- Moncada, S. *see* Whittle, B.J.R., **116**, 2286
- Mondon, F. *see* Sabry, S., **115**, 1038
- Montastruc, J.-L. *see* Damase-Michel, C., **116**, 1704
- Montastruc, J.L. *see* Brefel, C., **116**, 2175
- Montastruc, P. *see* Brefel, C., **116**, 2175

- Montastruc, P. *see* Damase-Michel, C., 116, 1704
 Montero, M.J. *see* Palacios, B., 115, 57
 Moore, A.R. *see* Klemm, P., 114, 1327
 Moore, C.X. *see* Beaumont, K., 115, 713
 Moore, P.K. *see* Handy, R.L.C., 116, 2349
 Moore, P.K. *see* Pabla, R., 116, 2923
 Moore, P.K. *see* Silva, M.T., 114, 257
 Morari, M. *see* Bianchi, C., 116, 2724
 Morcillo, E. *see* Ortiz, J.L., 115, 1382
 Morcillo, E.J. *see* Sarriá, B., 116, 2569
 Mordvintcev, P. *see* Mülsch, A., 116, 2743
 Moreau, J. *see* Sarriá, B., 116, 2569
 Moreels, T.G. *see* De Man, J.G., 114, 1179
 Morel, N. *see* Salomone, S., 114, 1731
 Moreland, R.B. *see* Gupta, S., 116, 2201
 Mori, T., Ishigai, Y., Fukuzawa, A., Chiba, K. and Shibano, T. Pharmacological profile of semotiadil fumarate, a novel calcium antagonist, in rat experimental angina model, 116, 1668
 Mori, T. *see* Itoh, S., 114, 1090
 Morikawa, M., Inoue, M., Tokumaru, S. and Kogo, H. Enhancing and inhibitory effects of nitric oxide on superoxide anion generation in human polymorphonuclear leukocytes, 115, 1302
 Morimoto, S. *see* Fujita, K., 114, 925
 Morisaki, N., Watanabe, S., Tezuka, M., Zenibayashi, M., Shiina, R., Koyama, N., Kanzaki, T. and Saito, Y. Mechanism of angiogenic effects of saponin from Ginseng *Radix rubra* in human umbilical vein endothelial cells, 115, 1188
 Moriya, H. *see* Suzuki, T., 116, 1815
 Moriyama, S. *see* Chiba, K., 115, 1539
 Moro, M. *see* Villamor, E., 115, 261
 Moro, M.Á., Darley-Usmar, V.M., Lizasoain, I., Su, Y., Knowles, R.G., Radomski, M.W. and Moncada, S. The formation of nitric oxide donors from peroxynitrite, 116, 1999
 Morris, C.E. *see* Small, D.L., 114, 180
 Morrone, L.A. *see* Valeri, P., 114, 1206
 Morton, C., Baines, R., Masood, I., Ng, L. and Boarder, M.R. Stimulation of two vascular smooth muscle-derived cell lines by angiotensin II: differential second messenger responses leading to mitogenesis, 115, 361
 Moskowitz, M.A. *see* Cutrer, F.M., 114, 987
 Moskowitz, M.A. *see* Cutrer, F.M., 116, 3199
 Moskowitz, M.A. *see* Lee, W.S., 116, 1661
 Motin, L. and Bennett, M.R. Effect of P₂-purinoceptor antagonists on glutamatergic transmission in the rat hippocampus, 115, 1276
 Mue, S. *see* Watanabe, M., 116, 2141
 Mugelli, A. *see* Cerbai, E., 116, 1835
 Mugnai, L. *see* Masini, E., 115, 629
 Mugnai, S. *see* Gentilini, G., 115, 389
 Muis, T. *see* van Heuven-Nolsen, D., 115, 835
 Müller, T. *see* Cook, S.J., 114, 143
 Mullins, J.J. *see* Gardiner, S.M., 116, 2237
 Mülsch, A., Bara, A., Mordvintcev, P., Vanin, A. and Busse, R. Specificity of different organic nitrates to elicit NO formation in rabbit vascular tissues and organs *in vivo*, 116, 2743
 Mulvany, M.J. *see* Toma, C., 114, 1266
 Munakata, M. *see* Fujimoto, M., 116, 3014
 Munarriz, R. *see* Gupta, S., 116, 2201
 Muñoz, S. *see* Vázquez, M., 116, 2067
 Murai, A. *see* Rho, M.-C., 115, 433
 Murakami, Y. *see* Yokotani, K., 115, 672
 Murakoshi, H., Nunoki, K., Ishii, K. and Taira, N. Determination of K_A values by controlled receptor expression in *Xenopus* oocytes, 116, 2062
 Murakoshi, T. *see* Zhao, F.-Y., 115, 25
 Muramatsu, I. *see* Kohno, Y., 116, 2557
 Muramatsu, I. *see* Noguchi, H., 114, 1026
 Muramatsu, I. *see* Ohmura, T., 116, 2591
 Muraoka, R. *see* Noguchi, H., 114, 1026
 Murphy, O.E. *see* Ellis, E.S., 114, 400
 Murphy, P.A. *see* Aiken, S.P., 115, 1163
 Muscholl, E. The evolution of experimental pharmacology as a biological science: the pioneering work of Buchheim and Schmiedeberg, 116, 2155
 Musgrave, I.F. *see* Schroeder, G.E., 116, 2757
 Mutschler, E. *see* Windscheif, U., 115, 1509
- ## N
- Nabata, H. *see* Kamei, K., 115, 1493
 Nabeshima, T. *see* Noda, Y., 116, 2531
 Nabeshima, T. *see* Yamada, K., 115, 852
 Nadeau, R. *see* Lamontagne, D., 115, 476
 Nadel, J.A. *see* Lindén, A., 115, 913
 Nadel, J.A. *see* Ricciardolo, F.L.M., 115, 547
 Nagano, N., Imaizumi, Y. and Watanabe, M. Modulation of calcium channel currents by arachidonic acid in single smooth muscle cells from vas deferens of the guinea-pig, 116, 1887
 Nagao, T. *see* Kitagawa, Y., 116, 1635
 Nagy, E. *see* Ferdinandy, P., 115, 1129
 Nahorski, S.R. *see* Tobin, A.B., 116, 1723
 Nahorski, S.R. *see* Willars, G.B., 114, 1133
 Nakagawa, T., Minami, M., Katsumata, S., Ienaga, Y. and Satoh, M. Suppression of naloxone-precipitated withdrawal jumps in morphine-dependent mice by stimulation of prostaglandin EP₃ receptor, 116, 2661
 Nakahata, N. *see* Mizuno, K., 116, 2090
 Nakahata, N. *see* Rho, M.-C., 115, 433
 Nakai, T. *see* Satoh, K., 116, 1894
 Nakamura, H. *see* Rho, M.-C., 115, 433
 Nakamura, M. *see* Endo, Y., 114, 187
 Nakamura, S. *see* Shirahase, H., 115, 1215
 Nakano, T. *see* Tokimasa, T., 114, 489
 Nakashima, M. *see* Takiguchi, Y., 116, 3056
 Nakaya, H. *see* Hara, Y., 116, 2750
 Nakaya, H. *see* Suzuki, T., 116, 1815
 Nakaya, H. *see* Takeda, Y., 116, 2134
 Nakaya, H. *see* Tohse, N., 114, 1076
 Nakayama, S. *see* Yamada, K., 115, 852
 Nakazato, Y. *see* Ohta, T., 114, 1165
 Nakazawa, K., Ito, K., Koizumi, S., Ohno, Y. and Inoue, K. Characterization of inhibition by haloperidol and chlorpromazine of a voltage-activated K⁺ current in rat pheochromocytoma cells, 116, 2603
 Nakazawa, K. *see* Koizumi, S., 115, 1502
 Naline, E. *see* Sarriá, B., 116, 2569
 Nally, J.E., Docherty, C.C., Clayton, R.A. and Thomson, N.C. Bronchodilator and pre-protective effects of urotilatin in bovine bronchi *in vitro*: comparison with atrial natriuretic peptide, 114, 1391
 Namba, T. *see* Oida, H., 116, 2828
 Nantel, F., Bouvier, M., Strosberg, A.D. and Marullo, S. Functional effects of long-term activation on human β_2 - and β_3 -adrenoceptor signalling, 114, 1045
 Narayanan, K. *see* Joly, G.A., 115, 491
 Narumiya, S. *see* Oida, H., 116, 2828
 Nathan, L., Cuevas, J. and Chaudhuri, G. The role of nitric oxide in the altered vascular reactivity of pregnancy in the rat, 114, 955
 Nawada, T., Tanaka, Y., Hisatome, I., Sasaki, N., Ohtahara, A., Kotake, H., Mashiba, H. and Sato, R. Mechanism of inhibition of the sodium current by bepridil in guinea-pig isolated ventricular cells, 116, 1775
 Nawrath, H., Bäumner, D., Rupp, J. and Oelert, H. The ineffectiveness of the NO-cyclic GMP signalling pathway in the atrial myocardium, 116, 3061
 Naylor, A.M. *see* Bushfield, M., 115, 875
 Naylor, A.M. *see* Kenny, B.A., 115, 981
 Naylor, R.J. *see* Costall, B., 116, 2989
 Needleman, P. *see* Salvemini, D., 114, 1171
 Nègre-Salvayre, A. *see* Schmitt, A., 116, 1985
 Negri, L., Improta, G., Lattanzi, R., Potenza, R.L., Luchetti, F. and Melchiorri, P. Interaction between the μ -agonist dermorphin and the δ -agonist [D-Ala², Glu⁴]deltorphin in supraspinal antinociception and δ -opioid receptor binding, 116, 2931
 Negri, L., Lattanzi, R. and Melchiorri, P. Production of antinociception by peripheral administration of [Lys⁷]deltorphin, a naturally occurring

- peptide with high affinity for μ -opioid receptors, 114, 57
- Neild, G.H. *see* Gordge, M.P., 114, 1083
- Neild, T.O. and Lewis, C.J. Reduction of vasoconstriction mediated by neuropeptide Y Y₂ receptors in arterioles of the guinea-pig small intestine, 115, 220
- Nelemans, A. *see* Sipma, H., 114, 383
- Nelemans, A. *see* Sipma, H., 115, 937
- Nemoto, T. *see* Suzuki, T., 116, 1815
- Nenquin, M. *see* Jonas, J.C., 114, 872
- Newberry, N.R. *see* Croning, M.D.R., 116, 2113
- Newbold, P. and Brain, S.D. An investigation into the mechanism of capsaicin-induced oedema in rabbit skin, 114, 570
- Newby, A.C., Lim, K., Evans, M.A., Brindle, N.P.J. and Booth, R.F.G. Inhibition of rabbit aortic smooth muscle cell proliferation by selective inhibitors of protein kinase C., 114, 1652
- Ney, P. *see* Hide, E.J., 116, 2435
- Ng, L. *see* Morton, C., 115, 361
- Nickel, B. *see* Göthert, M., 114, 269
- Niederste-Hollenberg, A. *see* Edwards, G., 115, 1027
- Nijkamp, F.P. *see* Folkerts, G., 115, 1194
- Nijkamp, F.P. *see* Kraneveld, A.D., 114, 1483
- Nijkamp, F.P. *see* Ladenius, A.R.C., 115, 1048
- Nijkamp, F.P. *see* van Heuven-Nolsen, D., 115, 835
- Nilius, B. *see* Heinke, S., 115, 1393
- Ninomiya, H. *see* Enoki, T., 115, 479
- Nishida, A. *see* Shimizu, M., 114, 1282
- Nishihara, I. *see* Minami, T., 115, 73
- Nishihara, M. *see* Yokotani, K., 115, 672
- Nishimura, J., Aoki, H., Chen, X., Shikasho, T., Kobayashi, S. and Kanaide, H. Evidence for the presence of endothelin ET_A receptors in endothelial cells *in situ* on the aortic side of porcine aortic valve, 115, 1369
- Nishimura, J. *see* Fukuizumi, Y., 114, 329
- Nishimura, J. *see* Kuroiwa, M., 116, 2040
- Nishimura, J. *see* Ushio-Fukai, M., 114, 171
- Nitta, Y. *see* Endo, Y., 114, 187
- Noack, Th. *see* Edwards, G., 115, 1027
- Nobles, M., Revest, P.A., Couraud, P.-O. and Abbott, N.J. Characteristics of nucleotide receptors that cause elevation of cytoplasmic calcium in immortalized rat brain endothelial cells (RBE4) and in primary cultures, 115, 1245
- Noda, Y., Yamada, K., Furukawa, H. and Nabeshima, T. Enhancement of immobility in a forced swimming test by subacute or repeated treatment with phencyclidine: a new model of schizophrenia, 116, 2531
- Noda, Y. *see* Yamada, K., 115, 852
- Noguchi, H., Muraoka, R., Kigoshi, S. and Muramatsu, I. Pharmacological characterization of α_1 -adrenoceptor subtypes in rat heart: a binding study, 114, 1026
- Nojima, H., Tsuneki, H., Kimura, I. and Kimura, M. Accelerated desensitization of nicotinic receptor channels and its dependence on extracellular calcium in isolated skeletal muscles of streptozotocin-diabetic mice, 116, 1680
- Nojyo, Y. *see* Kohno, Y., 116, 2557
- Noma, T. *see* Kawano, Y., 115, 1141
- Noonan, D. *see* de Cupis, A., 116, 2391
- Nooney, J.M. and Feltz, A. Inhibition by cyclothiazide of neuronal nicotinic responses in bovine chromaffin cells, 114, 648
- Norel, X. *see* Gorenne, I., 114, 935
- Norman, R.I. *see* Griffiths, R., 116, 2310
- Noronha-Dutra, A. *see* Gordge, M.P., 114, 1083
- Norris, A. *see* Heinke, S., 115, 1393
- Nourshargh, S. *see* Walsh, D.T., 114, 1343
- Nunoki, K. *see* Murakoshi, H., 116, 2062
- Ny, L., Andersson, K.-E. and Grundemar, L. Inhibition by zinc protoporphyrin-IX of receptor-mediated relaxation of the rat aorta in a manner distinct from inhibition of haem oxygenase, 115, 186
- Ny, L., Larsson, B., Alm, P., Ekström, P., Fahrénkrug, J., Hannibal, J. and Andersson, K.-E. Distribution and effects of pituitary adenylate cyclase activating peptide in cat and human lower oesophageal sphincter, 116, 2873
- Ny, L. *see* Werkström, V., 116, 1599
- Obach, S. *see* Watson, J.W., 115, 84
- Obayashi, S. *see* Azuma, H., 114, 902
- Obayashi, S. *see* Azuma, H., 115, 1001
- Obika, K. *see* Horie, K., 116, 1611
- Ocaña, M., Del Pozo, E., Barrios, M. and Baeyens, J.M. Subgroups among μ -opioid receptor agonists distinguished by ATP-sensitive K⁺ channel-acting drugs, 114, 1296
- O'Connell, M.T. *see* Patsalos, P.N., 115, 503
- O'Connor, S.E. *see* Choppin, A., 114, 309
- O'Connor, S.E. *see* Drieu la Rochelle, C., 116, 2207
- Odagaki, Y. and Fuxe, K. Functional coupling between A₁ adenosine receptors and G-proteins in rat hippocampal membranes assessed by high-affinity GTPase activity, 116, 2691
- O'Donnell, L.J.D. *see* Battistini, B., 114, 1383
- O'Donnell, S.R. and Anderson, G.P. The effects of formoterol on plasma exudation produced by a localized acute inflammatory response to bradykinin in the tracheal mucosa of rats *in vivo*, 116, 1571
- O'Donnell, S.R. *see* Wanstall, J.C., 114, 109
- Oelert, H. *see* Nawrath, H., 116, 3061
- Oh-ishi, S. *see* Ueno, A., 114, 1250
- Ohishi, H. *see* Oida, H., 116, 2828
- Ohizumi, Y. *see* Mizuno, K., 116, 2090
- Ohizumi, Y. *see* Rho, M.-C., 115, 433
- Ohizumi, Y. *see* Takahashi, Y., 114, 941
- Ohkura, T. *see* Uchida, S., 114, 217
- Ohlstein, E.H. *see* Douglas, S.A., 114, 405
- Ohlstein, E.H. *see* Douglas, S.A., 114, 1529
- Ohmura, T. and Muramatsu, I. Two distinct α_1 -adrenoceptor subtypes in rabbit liver: a binding study, 116, 2591
- Ohno, Y. *see* Nakazawa, K., 116, 2603
- Ohta, T., Kawai, K., Ito, S. and Nakazato, Y. Ca²⁺ entry activated by emptying of intracellular Ca²⁺ stores in ileal smooth muscle of the rat, 114, 1165
- Ohtahara, A. *see* Nawada, T., 116, 1775
- Ohuchi, K. *see* Watanabe, M., 116, 2141
- Ohya, Y. *see* Setoguchi, M., 115, 198
- Oida, H., Namba, T., Sugimoto, Y., Ushikubi, F., Ohishi, H., Ichikawa, A. and Narumiya, S. *In situ* hybridization studies of prostacyclin receptor mRNA expression in various mouse organs, 116, 2828
- Okada, F., Saito, H. and Matsuki, N. Blockade of motion- and cisplatin-induced emesis by a 5-HT₂ receptor agonist in *Suncus murinus*, 114, 931
- Okona-Mensa, K. *see* Kilfeather, S.A., 114, 1442
- Okuma, Y. *see* Yokotani, K., 115, 672
- Okumura, M. *see* Miura, K., 115, 917
- Oliveira, B. *see* Landucci, E.C.T., 114, 578
- Olley, P.M. *see* Schulz, R., 114, 27
- Olmos, G. *see* Alemany, R., 114, 837
- Olymulder, C.G. *see* Santing, R.E., 114, 414
- Ono, H. *see* Farkas, S., 114, 1193
- Orallo, F., Alzueta, A.F., Campos-Toimil, M. and Calleja, J.M. Study of the *in vivo* and *in vitro* cardiovascular effects of (+)-glaucine and N-carbethoxysecoglaucine in rats, 114, 1419
- O'Reilly, G. *see* Davenport, A.P., 114, 1110
- O'Rourke, M., Kearns, S. and Docherty, J.R. Investigation of the actions of chloroethylclonidine in rat aorta, 115, 1399
- Orser, B.A., Bertlik, M., Wang, L.-Y. and MacDonald, J.F. Inhibition by propofol (2,6 di-isopropylphenol) of the N-methyl-D-aspartate subtype of glutamate receptor in cultured hippocampal neurones, 116, 1761
- Ortiz, J.L., Gorenne, I., Cortijo, J., Seller, A., Labat, C., Sarria, B., Abram, T.S., Gardiner, P.J., Morcillo, E. and Brink, C. Leukotriene receptors on human pulmonary vascular endothelium, 115, 1382
- Osborne, H. *see* Cawley, T., 114, 791
- Osborne, P.B. and Williams, J.T. Characterization of acute homologous desensitization of μ -opioid receptor-induced currents in locus coeruleus neurones, 115, 925
- Oset-Gasque, M.J. *see* Parramón, M., 114, 517
- Oset-Gasque, M.J. *see* Parramón, M., 116, 1875
- Östman-Smith, I. Reduction by β -adrenoceptor blockade of hypoxia-

- induced right heart hypertrophy in the rat, 116, 2698
- Östman-Smith, I. Reduction by oral propranolol treatment of left ventricular hypertrophy secondary to pressure-overload in the rat, 116, 2703
- O'Sullivan, A.J. *see* Martin, M.W., 115, 1080
- Osumi, Y. *see* Yokotani, K., 115, 672
- Oswald, C.B. *see* McBean, D.E., 116, 3093
- Otsuka, M. *see* Zhao, F.-Y., 115, 25
- O'Tuel, J.W. *see* Boyer, J.L., 116, 2611
- Oury-Donat, F., Thurneyssen, O., Gonalons, N., Forgez, P., Gully, D., Le Fur, G. and Soubrie, P. Characterization of the effect of SR48692 on inositol monophosphate, cyclic GMP and cyclic AMP responses linked to neurotensin receptor activation in neuronal and non-neuronal cells, 116, 1899
- Ozaki, H. *see* Kim, B.-K., 115, 1211
- P**
- Pabla, R., Bland-Ward, P., Moore, P.K. and Curtis, M.J. An endogenous protectant effect of cardiac cyclic GMP against reperfusion-induced ventricular fibrillation in the rat heart, 116, 2923
- Padovano, R. *see* Panara, M.R., 116, 2429
- Padrini, R. *see* Yang, Q., 114, 1745
- Page, C.P. *see* Banner, K.H., 114, 93
- Page, C.P. *see* Banner, K.H., 116, 3169
- Page, C.P. *see* Kilfeather, S.A., 114, 1442
- Page, C.P. *see* Spina, D., 116, 2334
- Paiva, M.Q. *see* Guimarães, S., 114, 1595
- Palacios, B., Montero, M.J., Sevilla, M.A. and Román, L.S. JB-9322, a new selective histamine H₂-receptor antagonist with potent gastric mucosal protective properties, 115, 57
- Palade, P. *see* Yasui, K., 114, 468
- Palea, S., Corsi, M., Rimland, J.M., Trist, D.G. and Ratti, E. Failure of the putative neuropeptide Y antagonists, benextramine and PYX-2, to inhibit Y₂ receptors in rat isolated prostatic vas deferens, 116, 2401
- Palea, S., Corsi, M., Rimland, J.M. and Trist, D.G. Discrimination by benextramine between the NPY-Y₁ receptor subtypes present in rabbit isolated vas deferens and saphenous vein, 115, 3
- Palea, S., Pietra, C., Trist, D.G., Artibani, W., Calpista, A. and Corsi, M. Evidence for the presence of both pre- and postjunctional P₂-purinoceptor subtypes in human isolated urinary bladder, 114, 35
- Palfreyman, M.N. *see* Souness, J.E., 115, 39
- Palij, P. *see* Patel, J., 115, 421
- Palomba, D. *see* Madeddu, P., 115, 557
- Panagiotidis, G., Åkesson, B., Rydell, E.L. and Lundquist, I. Influence of nitric oxide synthase inhibition, nitric oxide and hydroperoxide on insulin release induced by various secretagogues, 114, 289
- Panahian, N. *see* Cutrer, F.M., 114, 987
- Panara, M.R., Greco, A., Santini, G., Sciulli, M.G., Rotondo, M.T., Padovano, R., di Giamberardino, M., Cipollone, F., Cuccurullo, F., Patrono, C. and Patrignani, P. Effects of the novel anti-inflammatory compounds, *N*-[2-(cyclohexyloxy)-4-nitrophenyl] methanesulphonamide (NS-398) and 5-methanesulphonamido-6-(2,4-difluorothiophenyl)-1-indanone (L-745,337), on the cyclo-oxygenase activity of human blood prostaglandin endoperoxide synthases, 116, 2429
- Panas, D.L. *see* Schulz, R., 114, 27
- Pang, C.C.Y. *see* Elhawary, A.M., 115, 1133
- Pang, C.C.Y. *see* Waite, R.P., 116, 2322
- Pang, C.C.Y. *see* Wang, Y.-X., 114, 194
- Pang, C.C.Y. *see* Wang, Y.-X., 114, 1454
- Pang, Y.-W. *see* Chowdhury, J.U., 114, 1414
- Papageorgiou, A. *see* Pipili-Synetos, E., 116, 1829
- Papaioannou, M. *see* Summers, R.J., 116, 2547
- Papp, J.G. *see* Udvary, É., 114, 656
- Paquet, J.L. *see* Pruneau, D., 116, 2106
- Parkington, H.C. *see* Hammarström, A.K.M., 115, 717
- Parkinson, N.A. and Hughes, A.D. The mechanism of actions of α_2 -adrenoceptors in human isolated subcutaneous resistance arteries, 115, 1463
- Parnes, H. *see* Reynolds, G.P., 114, 993
- Parnes, H. *see* Wong, E.H.F., 114, 851
- Parpaglia, P.P. *see* Madeddu, P., 115, 557
- Parramón, M., González, M.P. and Oset-Gasque, M.J. A reassessment of the modulatory role of cyclic AMP in catecholamine secretion by chromaffin cells, 114, 517
- Parramón, M., González, M.P. and Oset-Gasque, M.J. Pharmacological modulation of adrenal medullary GABA_A receptor: consistent with its subunit composition, 116, 1875
- Parratt, J.R. *see* Fatehi-Hassanabad, Z., 116, 3316
- Parratt, J.R. *see* Piacentini, L., 114, 755
- Parsons, M.E. *see* Williams, S.J., 116, 1789
- Parsons, R.L. *see* Hardwick, J.C., 114, 433
- Parsons, R.L. *see* Hardwick, J.C., 114, 442
- Pasanen, M. *see* Kimonen, T., 114, 832
- Pasanen, M. *see* Kinonen, T., 116, 2625
- Pasman, Y. *see* Santing, R.E., 114, 414
- Passaquin, A.-C. *see* Metzinger, L., 116, 2811
- Patel, J., Trout, S.J., Palij, P., Whelpton, R. and Kruk, Z.L. Biphasic inhibition of stimulated endogenous dopamine release by 7-OH-DPAT in slices of rat nucleus accumbens, 115, 421
- Patel, V. *see* Bowden, A., 116, 2563
- Patmore, L. *see* Brown, C.M., 115, 1425
- Patmore, L. *see* Laffling, A.J., 115, 67
- Patmore, L. *see* McGivern, J.G., 114, 1738
- Patmore, L. *see* Macmillan, S., 116, 1656
- Patoiseau, J.-F. *see* Bertolino, F., 115, 210
- Patrignani, P. *see* Panara, M.R., 116, 2429
- Patrono, C. *see* Panara, M.R., 116, 2429
- Patsalos, P.N., Abed, W.T., Alavijeh, M.S. and O'Connell, M.T. The use of microdialysis for the study of drug kinetics: some methodological considerations illustrated with antipyrine in rat frontal cortex, 115, 503
- Paul, A., Pendreigh, R.H. and Plevin, R. Protein kinase C and tyrosine kinase pathways regulate lipopolysaccharide-induced nitric oxide synthase activity in RAW 264.7 murine macrophages, 114, 482
- Pawlak, M. *see* Kurosawa, M., 114, 1397
- Payne, N.N. *see* Gordge, M.P., 114, 1083
- Peake, J. *see* Thornbury, K.D., 116, 2451
- Peakman, M.-C. and Hill, S.J. Adenosine A₁ receptor-mediated changes in basal and histamine-stimulated levels of intracellular calcium in primary rat astrocytes, 115, 801
- Pearson, T. *see* Plane, F., 115, 31
- Peck, A.W. Obituary, Franz Hobbiger (1920–1994), 115, 217
- Pelckmans, P.A. *see* De Man, J.G., 114, 1179
- Peltonen, J. *see* Rouru, J., 115, 1182
- Pendreigh, R.H. *see* Paul, A., 114, 482
- Penner, S.B. and Smyth, D.D. The role of the peripheral sympathetic nervous system in the natriuresis following central administration of an I₁ imidazoline agonist, moxonidine, 116, 2631
- Perez, A.C. *see* Kilfeather, S.A., 114, 1442
- Pérez, O., Gay, P., Franqueza, L., Carrón, R., Valenzuela, C., Delpón, E. and Tamargo, J. Effects of the two enantiomers, S-16257-2 and S-16260-2, of a new bradycardic agent on guinea-pig isolated cardiac preparations, 115, 787
- Pérez-Vizcaino, F., Cooper, A.C., Corder, R., Fournier, A. and Warner, T.D. Rapid degradation of endothelin-1 by an enzyme released by the rat isolated perfused mesentery, 114, 867
- Pérez-Vizcaino, F. *see* Villamor, E., 115, 261
- Perich, R.B. *see* Telford, S.E., 114, 1185
- Perretti, M., Szabó, C. and Thiemermann, C. Effect of interleukin-4 and interleukin-10 on leucocyte migration and nitric oxide production in the mouse, 116, 2251
- Persson, K. *see* Werkström, V., 116, 1599
- Persson, M.G., Friberg, S.G., Gustafsson, L.E. and Hedqvist, P. The promotion of patent airways and inhibition of antigen-induced bronchial obstruction by endogenous nitric oxide, 116, 2957
- Pertwee, R.G. *see* Collins, D.R., 115, 869
- Perusquía, M. *see* Villalón, C.M., 116, 3330
- Peskar, B.A. *see* Holzer, P., 116, 2365
- Peskar, B.M. *see* Heinemann, A., 116, 2274
- Pesonen, U. *see* Rouru, J., 115, 1182
- Pestana, M., Vieira-Coelho, M.A., Pinto-do-Ó, P.C., Fernandes, M.H. and Soares-da-Silva, P. Assessment of renal dopaminergic system activity during cyclosporine A administration in the rat, 115, 1349

- Pestana, M. *see* Soares-da-Silva, P., 114, 1403
- Peter, M.G. and Davenport, A.P. Selectivity of [125 I]-PD151242 for human, rat and porcine endothelin ET_A receptors in the heart, 114, 297
- Peters, J.A. *see* Downie, D.L., 114, 1641
- Peters, J.A. *see* Gill, C.H., 114, 1211
- Peters, J.A. *see* Steward, L.J., 116, 1781
- Petersson, J., Zygmunt, P.M., Brandt, L. and Högestätt, E.D. Substance P-induced relaxation and hyperpolarization in human cerebral arteries, 115, 889
- Pethö, G. *see* Heinemann, A., 116, 2274
- Peyroux, J., Beslot, F., Claperon, N., Fournie-Zaluski, M.-C. and Roques, B.P. Effect of endopeptidase-24.11 inhibitors and C-ANP receptor ligand on responses evoked in arterioles of rat cremaster muscle by atrial natriuretic peptide, 116, 3117
- Pfaff, O. *see* Windscheif, U., 115, 1509
- Pfaffendorf, M. *see* Li, Q., 116, 2963
- Pfannkuche, H.J. *see* Hannon, J.P., 115, 945
- Pfister, J.R. *see* Blue Jnr, D.R., 115, 283
- Philpott, P.C. *see* Kenny, B.A., 115, 981
- Piacentini, L., Wainwright, C.L. and Parratt, J.R. Effects of *Bordetella pertussis* toxin pretreatment on the antiarrhythmic action of ischaemic preconditioning in anaesthetized rats, 114, 755
- Picard, P., Chrétien, L. and Couture, R. Functional interaction between losartan and central tachykinin NK₃ receptors in the conscious rat, 114, 1563
- Pickard, J.D. *see* Yu, J.C.M., 116, 2441
- Pickkers, P. and Hughes, A.D. Relaxation and decrease in [Ca²⁺]_i by hydrochlorothiazide in guinea-pig isolated mesenteric arteries, 114, 703
- Pierre, L. *see* Clark, K.L., 114, 785
- Pietra, C. *see* Palea, S., 114, 35
- Pinna, C. *see* Bolego, C., 114, 1557
- Pinthong, D., Hussain, J.F., Kendall, D.A. and Wilson, V.G. Comparison of the interaction of agmatine and crude methanolic extracts of bovine lung and brain with α_2 -adrenoceptor binding sites, 115, 689
- Pinto, A. *see* Sorrentino, R., 115, 510
- Pinto-do-Ó, P.C. *see* Pestana, M., 115, 1349
- Pintor, J. and Miras-Portugal, M.T. A novel receptor for diadenosine polyphosphates coupled to calcium increase in rat midbrain synaptosomes, 115, 895
- Piot, O., Betschart, J., Grall, I., Ravard, S., Garret, C. and Blanchard, J.-C. Comparative behavioural profile of centrally administered tachykinin NK₁, NK₂ and NK₃ receptor agonists in the guinea-pig, 116, 2496
- Piovan, D. *see* Yang, Q., 114, 1745
- Piper, J. *see* Hide, E.J., 116, 2435
- Piper, J. *see* Hide, E.J., 116, 2597
- Pipili-Synetos, E., Papageorgiou, A., Sakkoula, E., Sotiropoulou, G., Fotsis, T., Karakioulakis, G. and Maragoudakis, M.E. Inhibition of angiogenesis, tumour growth and metastasis by the NO-releasing vasodilators, isosorbide mononitrate and dinitrate, 116, 1829
- Pirani, P. *see* de Cupis, A., 116, 2391
- Pisani, A., Stefani, A., Siniscalchi, A., Mercuri, N.B., Bernardi, G. and Calabresi, P. Electrophysiological actions of felbamate on rat striatal neurones, 116, 2053
- Pitre, M. *see* Bachelard, H., 115, 613
- Pittner, R.A. *see* Beaumont, K., 115, 713
- Plane, F., Pearson, T. and Garland, C.J. Multiple pathways underlying endothelium-dependent relaxation in the rabbit isolated femoral artery, 115, 31
- Plant, T.D. *see* Jonas, J.C., 114, 872
- Plevin, R. *see* Malarkey, K., 116, 2267
- Plevin, R. *see* Paul, A., 114, 482
- Plotkine, M. *see* Margaill, I., 116, 2344
- Plumpton, C., Haynes, W.G., Webb, D.J. and Davenport, A.P. Phosphoramidon inhibition of the *in vivo* conversion of big endothelin-1 to endothelin-1 in the human forearm, 116, 1821
- Pogessi, E. *see* Testa, R., 114, 745
- Pöhler, D. *see* Butt, E., 116, 3110
- Poindron, P. *see* Metzinger, L., 116, 2811
- Polak, J.M. *see* Lawrence, E., 115, 840
- Polak, J.M. *see* Rutherford, R.A.D., 116, 3099
- Pollard, C.E. *see* Crack, B.E., 114, 475
- Pollock, D. *see* Madeddu, P., 115, 557
- Poole, A.W. and Watson, S.P. Regulation of cytosolic calcium by collagen in single human platelets, 115, 101
- Poole, S., Cunha, F.Q., Selkirk, S., Lorenzetti, B.B. and Ferreira, S.H. Cytokine-mediated inflammatory hyperalgesia limited by interleukin-10, 115, 684
- Poole, S. *see* Safieh-Garabedian, B., 115, 1265
- Poon, J. *see* Elhawary, A.M., 115, 1133
- Poon, M.-C. *see* Tay-Uyboco, J., 115, 569
- Pörsti, I. *see* Kähönen, M., 115, 859
- Pörsti, I. *see* Mäkinen, H., 115, 1455
- Poso, A. *see* Kinonen, T., 116, 2625
- Potenza, R.L. *see* Negri, L., 116, 2931
- Poucher, S.M., Keddie, J.R., Singh, P., Stoggall, S.M., Caulkett, P.W.R., Jones, G. and Collis, M.G. The *in vitro* pharmacology of ZM 241385, a potent, non-xanthine, A_{2A} selective adenosine receptor antagonist, 115, 1096
- Poyser, N.L. *see* McKay, A.M., 116, 2679
- Prakash, C. *see* Yang, T., 115, 267
- Pratt, J.A. *see* Brett, R.R., 116, 2375
- Pregenzer, J.F. *see* Im, H.K., 115, 19
- Prell, G.D. *see* Rodrigues, A.A., 114, 1523
- Prentice, D.J., Shankley, N.P. and Black, J.W. Pharmacological analysis of the interaction between purinoceptor agonists and antagonists in the guinea-pig taenia caecum, 115, 549
- Prestwich, S.A., Miyazaki, H. and Bolton, T.B. Effects of GTPγS on muscarinic receptor-stimulated inositol phospholipid hydrolysis in permeabilized smooth muscle from the small intestine, 115, 147
- Prestwich, S.A. and Bolton, T.B. G-protein involvement in muscarinic receptor-stimulation of inositol phosphates in longitudinal smooth muscle from the small intestine of the guinea-pig, 114, 119
- Prestwich, S.A. and Bolton, T.B. Inhibition of muscarinic receptor-induced inositol phospholipid hydrolysis by caffeine, β -adrenoceptors and protein kinase C in intestinal smooth muscle, 114, 602
- Price, R. *see* Yeadon, M., 116, 2545
- Prickett, K.S. *see* Beaumont, K., 115, 713
- Prieto, D., Simonsen, U. and Berg Nyborg, N.C. Regional involvement of an endothelium-derived contractile factor in the vasoactive actions of neuropeptide Y in bovine isolated retinal arteries, 116, 2729
- Prieto, D. *see* Simonsen, U., 116, 2582
- Prieto, D. *see* Toma, C., 114, 1266
- Prior, C., Tian, L., El Mallah, A.I., Young, L. and Ward, J.M. Neuro-muscular blocking profile of the vecuronium analogue, Org-9487, in the rat isolated hemidiaphragm preparation, 116, 3049
- Prisco, S. and Eposito, E. Differential effects of acute and chronic fluoxetine administration on the spontaneous activity of dopaminergic neurones in the ventral tegmental area, 116, 1923
- Pruneau, D., Duvoid, A., Luccarini, J.M., Bélichard, P. and Bonnafous, J.C. The kinin B₁ receptor antagonist des-Arg⁹-[Leu⁸]bradykinin: an antagonist of the angiotensin AT₁ receptor which also binds to the AT₂ receptor, 114, 115
- Pruneau, D., Luccarini, J.M., Defrène, E., Paquet, J.L. and Bélichard, P. Pharmacological evidence for a single bradykinin B₂ receptor in the guinea-pig, 116, 2106
- Przewlocki, R. *see* Sowa, G., 116, 1711
- Puglisi, L. *see* Bolego, C., 114, 1557
- Pugsley, M.K. and Saint, D.A. Tonic and use-dependent block of sodium currents in isolated cardiac myocytes by bisaramil, 114, 377
- Pyne, N.J. *see* Shafiee-Nick, R., 115, 1486

Q

- Qian, Y.-m. and Jones, R.L. Inhibition of rat colon contractility by prostacyclin (IP-) receptor agonists: involvement of NANC neurotransmission, 115, 163
- Quast, U. *see* Linde, C., 115, 515
- Quilley, J. *see* Fulton, D., 114, 99

R

- Racké, K. *see* Brunn, G., 116, 1991

- Radomski, M.W. *see* Moro, M.Á., 116, 1999
- Rac, G.A. *see* Gratton, J.-P., 114, 720
- Rac, G.A. *see* Maas, J., 114, 1471
- Raeburn, D. *see* Souness, J.E., 115, 39
- Ragan, C.I. *see* Harley, E.A., 115, 1307
- Ralevic, V. Modulation by nicotinamide adenine dinucleotide of sympathetic and sensory-motor neurotransmission via P₁-purinoceptors in the rat mesenteric arterial bed, 114, 1541
- Ralevic, V., Milla, P.J. and Burnstock, G. Effects of chronic vitamin E deficiency and a high polyunsaturated fatty acid diet on rat mesenteric arterial function, 116, 3075
- Ralevic, V., Milla, P.J. and Burnstock, G. Effects of chronic vitamin E deficiency on vascular function – a study of sympathetic nerves, smooth muscle and endothelium of the mesenteric arterial bed of the rat, 116, 2983
- Ralevic, V. *see* Rubino, A., 115, 648
- Ralevic, V. *see* Ziganshin, A.U., 114, 166
- Ramage, A.G. *see* Anderson, I.K., 116, 1751
- Ramage, A.G. *see* Jones, J.F.X., 116, 1715
- Ramage, A.G. *see* Wang, Y., 116, 2291
- Ramírez-San Juan, E. *see* Villalón, C.M., 116, 2778
- Ramírez-San Juan, E. *see* Villalón, C.M., 116, 3330
- Rand, M.J. and Li, C.G. Discrimination by the NO-trapping agent, carboxy-PTIO, between NO and the nitrenergic transmitter but not between NO and EDRF, 116, 1906
- Randall, M.D. and McCulloch, A.I. The involvement of ATP-sensitive potassium channels in β -adrenoceptor-mediated vasorelaxation in the rat isolated mesenteric arterial bed, 115, 607
- Randall, M.D. *see* Constantin-Teodosiu, D., 116, 3288
- Randall, M.D. The involvement of ATP-sensitive potassium channels and adenosine in the regulation of coronary flow in the isolated perfused rat heart, 116, 3068
- Rascol, O. *see* Brefel, C., 116, 2175
- Raspanti, S. *see* Masini, E., 115, 629
- Ratti, E. *see* Palea, S., 116, 2401
- Raud, J. *see* Thorlacius, H., 116, 3175
- Ravard, S. *see* Piot, O., 116, 2496
- Reddy, H., Watson, N., Ford, A.P.D.W. and Eglen, R.M. Characterization of the interaction between muscarinic M₂ receptors and β -adrenoceptor subtypes in guinea-pig isolated ileum, 114, 49
- Redfern, W.S., MacLean, M.R., Clague, R.U. and McGrath, J.C. The role of α_2 -adrenoceptors in the vasculature of the rat tail, 114, 1724
- Redfern, W.S. *see* Brown, C.M., 116, 1737
- Redfern, W.S. *see* MacKinnon, A.C., 116, 1729
- Redfern, W.S. and Williams, A. A re-evaluation of the role of α_2 -adrenoceptors in the anxiogenic effects of yohimbine, using the selective antagonist dequalamine in the rat, 116, 2081
- Rees, D.D., Cunha, F.Q., Assreuy, J., Herman, A.G. and Moncada, S. Sequential induction of nitric oxide synthase by *Corynebacterium parvum* in different organs of the mouse, 114, 689
- Reeve, A.J. and Dickenson, A.H. The roles of spinal adenosine receptors in the control of acute and more persistent nociceptive responses of dorsal horn neurones in the anaesthetized rat, 116, 2221
- Reeves, J.J., Jarvis, J.E., Sheehan, M.J. and Strong, P. Further investigations into adenosine A₁ receptor-mediated contraction in rat colonic muscularis mucosae and its augmentation by certain alkylxanthine antagonists, 114, 999
- Regoli, D. *see* Berthiaume, N., 115, 1319
- Reid, J.J. *see* Jenkinson, K.M., 116, 1551
- Reid, J.J. *see* Way, K.J., 115, 409
- Rekalov, V.V. *see* Bauer, V., 115, 871
- Renzetti, A.R. *see* Cirillo, R., 114, 1117
- Reuben, M. *see* Clarke, P.B.S., 114, 315
- Reudelhuber, T. *see* Schifffrin, E.L., 115, 1377
- Revest, P.A. *see* Nobles, M., 115, 1245
- Révész, L. *see* Elford, P.R., 115, 601
- Reynolds, G.P., Mason, S.L., Meldrum, A., De Keczer, S., Parnes, H., Eglen, R.M. and Wong, E.H.F. 5-Hydroxytryptamine (5-HT)₄ receptors in *post mortem* human brain tissue: distribution, pharmacology and effects of neurodegenerative diseases, 114, 993
- Rho, M.-C., Nakahata, N., Nakamura, H., Murai, A. and Ohizumi, Y. Activation of rabbit platelets by Ca²⁺ influx and thromboxane A₂ release in an external Ca²⁺-dependent manner by zooxanthellatoxin-A, a novel polyol, 115, 433
- Rhodes, K.F. *see* Bill, D.J., 115, 775
- Ribes, G. *see* Gross, R., 116, 1965
- Ricciardolo, F.L.M., Nadel, J.A., Yoshihara, S. and Geppetti, P. *Erratum*, 115, 547
- Richard, V., Blanc, T., Kaeffer, N., Tron, C. and Thuillez, C. Myocardial and coronary endothelial protective effects of acetylcholine after myocardial ischaemia and reperfusion in rats: role of nitric oxide, 115, 1532
- Richards, C.D. *see* Charlesworth, P., 114, 909
- Richards, C.D. *see* Charlesworth, P., 116, 3005
- Richards, M.H. and van Giersbergen, P.L.M. Human muscarinic receptors expressed in A9L and CHO cells: activation by full and partial agonists, 114, 1241
- Richardson, P.J. *see* Hiley, C.R., 116, 2641
- Richardson, P.J. *see* Kirk, I.P., 114, 537
- Richardson, P.J. *see* Lee, K., 115, 385
- Richens, A. *see* Srinivasan, J., 116, 3087
- Richer, C. *see* Chauvin, B., 116, 2229
- Rigdon, M.G. *see* El-Bizri, H., 116, 2503
- Rimland, J.M. *see* Palea, S., 115, 3
- Rimland, J.M. *see* Palea, S., 116, 2401
- Rink, T.J. *see* Beaumont, K., 115, 713
- Rioux, F. *see* Godin, D., 115, 903
- Rioux, F. *see* Levesque, L., 116, 1673
- Ritchie, B.C. *see* Kemp, B.K., 116, 2457
- Ritchie, I.M. *see* Kelly, P.A.T., 116, 2771
- Rizzi, C.A. *see* Messori, E., 115, 677
- Roberson, K.M. *see* Tseng-Crank, J., 115, 1475
- Roberts, N.M. *see* Banner, K.H., 116, 3169
- Roberts, P.J. *see* Bedingfield, J.S., 116, 3323
- Roberts, P.J. *see* Hawkins, L.M., 116, 2033
- Roberts, P.J. *see* Toms, N.J., 116, 2824
- Roberts, S.J., Russell, F.D., Molenaar, P. and Summers, R.J. Characterization and localization of atypical β -adrenoceptors in rat ileum, 116, 2549
- Roberts, S.M. *see* Crack, B.E., 114, 475
- Robertson, C.N. *see* Tseng-Crank, J., 115, 1475
- Robertson, D.A.F. *see* Kolios, G., 116, 2866
- Robson, R.L. *see* Kolios, G., 116, 2866
- Robson, S.F. *see* Gupta, P., 116, 2385
- Roden, D.M. *see* Yang, T., 115, 267
- Rodrigues, A.A., Jansen, F.P., Leurs, R., Timmerman, H. and Prell, G.D. Interaction of clozapine with the histamine H₃ receptor in rat brain, 114, 1523
- Rodríguez, C. *see* Vázquez, M., 116, 3337
- Roeder, T. Pharmacology of the octopamine receptor from locust central nervous tissue (OAR3), 114, 210
- Roegel, J.C. *see* Tibiriçá, E., 115, 1331
- Roffel, Ad.F. *see* ten Berge, R.E.J., 114, 881
- Roffel, A.F., Meurs, H., Elzinga, C.R.S. and Zaagsma, J. No evidence for a role of muscarinic M₂ receptors in functional antagonism in bovine trachea, 115, 665
- Roffel, A.F. *see* Santing, R.E., 114, 414
- Román, L.S. *see* Palacios, B., 115, 57
- Romanelli, L. *see* Valeri, P., 114, 1206
- Romeo, G. *see* Zegarra-Moran, O., 114, 1052
- Ronca, G. *see* Zucchi, R., 114, 85
- Ronca-Testoni, S. *see* Zucchi, R., 114, 85
- Roques, B.P. *see* Maldonado, R., 114, 1031
- Roques, B.P. *see* Peyroux, J., 116, 3117
- Rordorf-Nikolić, T. *see* Holzer-Petsche, U., 115, 486
- Rosario, D.J. *see* Furukawa, K., 116, 1605
- Rose, S. *see* Silva, M.T., 114, 257
- Rotondo, M.T. *see* Panara, M.R., 116, 2429
- Rouru, J., Koulu, M., Peltonen, J., Santti, E., Hänninen, V., Pesonen, U. and Huupponen, R. Effects of metformin treatment on glucose transporter proteins in subcellular fractions of skeletal muscle in (*fa/fa*) Zucker rats, 115, 1182
- Rousell, J. *see* Haddad, E.-B., 116, 2027
- Routledge, C. *see* Dawson, L.A., 116, 3260

- Rowand, W.S. *see* May, G.R., 114, 1365
 Rowbotham, D.J. *see* Griffiths, R., 116, 2310
 Rowe, I.C.M. *see* Lee, K., 115, 385
 Roye, M. *see* Gross, R., 116, 1965
 Rubino, A., Loesch, A., Goss-Sampson, M.A., Milla, P. and Burnstock, G. Effects of vitamin E deficiency on vasomotor activity and ultrastructural organisation of rat thoracic aorta, 115, 415
 Rubino, A., Ralevic, V. and Burnstock, G. Contribution of P₁- (A_{2b} sub-type) and P₂-purinoceptors to the control of vascular tone in the rat isolated mesenteric arterial bed, 115, 648
 Rubino, A. *see* Karoon, P., 116, 1918
 Rüegg, U.T. *see* Metzinger, L., 116, 2811
 Ruetten, H. *see* Thiemermann, C., 116, 2845
 Ruiz, T. *see* Villamor, E., 115, 261
 Rump, L.C., Bohmann, C., Schaible, U., Schöllhorn, J. and Limberger, N. α_{2C} -Adrenoceptor-modulated release of noradrenaline in human right atrium, 116, 2617
 Rump, L.C. *see* von Kügelgen, I., 116, 1932
 Rupniak, N.M.J., Webb, J.K., Williams, A.R., Carlson, E., Boyce, S. and Hill, R.G. Antinociceptive activity of the tachykinin NK₁ receptor antagonist, CP-99,994, in conscious gerbils, 116, 1937
 Rupp, J. *see* Nawrath, H., 116, 3061
 Rusko, J., Van Slooten, G. and Adams, D.J. Caffeine-evoked, calcium-sensitive membrane currents in rabbit aortic endothelial cells, 115, 133
 Rusko, J., Wang, X. and van Breemen, C. Regenerative caffeine-induced responses in native rabbit aortic endothelial cells, 115, 811
 Russell, F.D. *see* Roberts, S.J., 116, 2549
 Russo-Marie, F. *see* Coméra, C., 115, 1043
 Rutherford, R.A.D., McCarthy, A., Sullivan, M.H.F., Elder, M.G., Polak, J.M. and Wharton, J. Nitric oxide synthase in human placenta and umbilical cord from normal, intrauterine growth-retarded and pre-eclamptic pregnancies, 116, 3099
 Ryang, S. *see* Masuda, Y., 114, 769
 Rydell, E.L. *see* Panagiotidis, G., 114, 289
 Ryu, J.H. *see* Yanai, K., 116, 1649
- S**
- Sabry, S., Mondon, F., Levy, M., Ferré, F. and Dinh-Xuan, A.T. Endothelial modulation of vasoconstrictor responses to endothelin-1 in human placental stem villi small arteries, 115, 1038
 Sadraei, H. and Beech, D.J. Ionic currents and inhibitory effects of glibenclamide in seminal vesicle smooth muscle cells, 115, 1447
 Saenz de Tejada, I. *see* Gupta, S., 116, 2201
 Sáenz de Tejada, I. *see* Simonsen, U., 116, 2582
 Safar, M.E. *see* Lacolley, P., 115, 1235
 Safieh-Garabedian, B., Poole, S., Allchorne, A., Winter, J. and Woolf, C.J. Contribution of interleukin-1 β to the inflammation-induced increase in nerve growth factor levels and inflammatory hyperalgesia, 115, 1265
 Saint, D.A. *see* Pugsley, M.K., 114, 377
 Saito, H. *see* Kohno, Y., 116, 2557
 Saito, H. *see* Okada, F., 114, 931
 Saito, H. *see* Shimizu, M., 114, 1282
 Saito, K. *see* Zhao, F.-Y., 115, 25
 Saito, R. *see* Mizuta, A., 116, 2919
 Saito, T. *see* Kohno, Y., 116, 2557
 Saito, Y. *see* Morisaki, N., 115, 1188
 Saïtta, A. *see* Squadrito, F., 115, 395
 Sakamoto, A. *see* Enoki, T., 115, 479
 Sakamoto, K. *see* Minami, T., 115, 73
 Sakkoula, E. *see* Pipili-Synetos, E., 116, 1829
 Sakuma, I. *see* Fukao, M., 115, 987
 Sakuma, I. *see* Fukao, M., 116, 1541
 Salari, H. *see* Bramley, A.M., 115, 1433
 Salazar, F.H.R. *see* Bonhaus, D.W., 115, 622
 Salimbeni, A. *see* Cirillo, R., 114, 1117
 Salinas-Stefanon, E. *see* Clark, R.B., 115, 335
 Salomone, S., Morel, N. and Godfraind, T. Effects of 8-bromo cyclic GMP and verapamil on depolarization-evoked Ca²⁺ signal and contraction in rat aorta, 114, 1731
 Salter, M.W. *see* Ho, C., 116, 2909
 Salvayre, R. *see* Schmitt, A., 116, 1985
 Salvemini, D., Settle, S.L., Masferrer, J.L., Seibert, K., Currie, M.G. and Needleman, P. Regulation of prostaglandin production by nitric oxide; an *in vivo* analysis, 114, 1171
 Sánchez, R.M. *see* Alegret, M., 114, 1351
 Sanchez Crespo, M. *see* Steil, A.A., 114, 895
 Sanchez-Chapula, J. *see* Clark, R.B., 115, 335
 Sanger, G.J. *see* Banner, S.E., 114, 558
 Sangha, R. *see* Baxter, G.S., 116, 1692
 Santagostino-Barbone, M.G. *see* Lucchelli, A., 114, 1017
 Santiago, M., Machado, A. and Cano, J. 5-HT₃ receptor agonist induced carrier-mediated release of dopamine in rat striatum *in vivo*, 116, 1545
 Santicoli, P., Carganico, G., Meini, S., Giuliani, S., Giachetti, A. and Maggi, C.A. Modulation by stereoselective inhibition of cyclooxygenase of electromechanical coupling in the guinea-pig isolated renal pelvis, 114, 1149
 Santicoli, P. *see* Maggi, C.A., 114, 127
 Santicoli, P. *see* Zagorodnyuk, V., 115, 237
 Santing, R.E., Pasma, Y., Olymulder, C.G., Roffel, A.F., Meurs, H. and Zaagsma, J. Contribution of a cholinergic reflex mechanism to allergen-induced bronchial hyperactivity in permanently instrumented, unrestrained guinea-pigs, 114, 414
 Santing, R.E. *see* ten Berge, R.E.J., 114, 881
 Santini, G. *see* Panara, M.R., 116, 2429
 Santi, E. *see* Rouru, J., 115, 1182
 Sarriá, B., Naline, E., Cortijo, J., Moreau, J., Cerdá, J.M., Morcillo, E.J. and Advenier, C. Functional, biochemical and morphological studies on human bronchi after cryopreservation, 116, 2569
 Sarria, B. *see* Ortiz, J.L., 115, 1382
 Sasaki, N. *see* Nawada, T., 116, 1775
 Sato, J. *see* Azuma, H., 115, 1001
 Sato, R. *see* Nawada, T., 116, 1775
 Sato, T., Shigematsu, S. and Arita, M. Mexiletine-induced shortening of the action potential duration of ventricular muscles by activation of ATP-sensitive K⁺ channels, 115, 381
 Satoh, K., Yamato, A., Nakai, T., Hoshi, K. and Ichihara, K. Effects of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors on mitochondrial respiration in ischaemic dog hearts, 116, 1894
 Satoh, M. *see* Nakagawa, T., 116, 2661
 Sattelle, D.B. *see* Hosie, A.M., 115, 909
 Saussy, D. *see* Tseng-Crank, J., 115, 1475
 Sautebin, L., Ialenti, A., Ianaro, A. and Di Rosa, M. Modulation by nitric oxide of prostaglandin biosynthesis in the rat, 114, 323
 Savci, V. *see* Ulus, I.H., 116, 1911
 Sawai, Y. *see* Yanai, K., 116, 1649
 Saxena, P.R. *see* Van der Graaf, P.H., 116, 3237
 Saxena, P.R. *see* van Gelderen, E.M., 114, 1303
 Sbarra, V. *see* Clerc, T., 114, 624
 Scadding, G.K. *see* Dear, J.W., 116, 1720
 Schaible, U. *see* Rump, L.C., 116, 2617
 Schaible, U. *see* von Kügelgen, I., 116, 1932
 Scherr, P. *see* Laffling, A.J., 115, 67
 Scherrer, D., Daeffler, L., Trifilieff, A. and Gies, J.-P. Effects of WIN 64338, a nonpeptide bradykinin B₂ receptor antagonist, on guinea-pig trachea, 115, 1127
 Scherrmann, J.-M. *see* Barjavel, M.J., 116, 3205
 Scheufler, E. *see* McGarry, S.J., 114, 231
 Schiffrin, E.L., Sveteck, P., Li, J.-S., Turgeon, A. and Reudelhuber, T. Antihypertensive effect of an endothelin receptor antagonist in DOCA-salt spontaneously hypertensive rats, 115, 1377
 Schini, V.B. *see* Joly, G.A., 115, 255
 Schirgi-Degen, A. and Beubler, E. Significance of nitric oxide in the stimulation of intestinal fluid absorption in the rat jejunum *in vivo*, 114, 13
 Schmidt, R.F. *see* Kurosawa, M., 114, 1397
 Schmitt, A., Salvayre, R., Delchambre, J. and Nègre-Salvayre, A. Prevention by α -tocopherol and rutin of glutathione and ATP depletion induced by oxidized LDL in cultured endothelial cells, 116, 1985
 Schneider, C.R. *see* Tokimasa, T., 114, 489
 Schneider, J. *see* Edwards, G., 115, 1027
 Schoenfeld, D. *see* Cutrer, F.M., 114, 987

- Schöllhorn, J. *see* Rump, L.C., 116, 2617
 Schollmeyer, P.J. *see* von Kügelgen, I., 116, 1932
 Schönafinger, K. *see* Bohn, H., 114, 1605
 Schousboe, A. *see* Beart, P.M., 114, 1359
 Schroeder, G.E., Kotsonis, P., Musgrave, I.F. and Majewski, H. Protein kinase C involvement in maintenance and modulation of noradrenaline release in the mouse brain cortex, 116, 2757
 Schrör, K. *see* Hohlfeld, T., 116, 3309
 Schudt, C. *see* Hatzelmann, A., 114, 821
 Schulz, R., Panas, D.L., Catena, R., Moncada, S., Olley, P.M. and Lopaschuk, G.D. The role of nitric oxide in cardiac depression induced by interleukin-1 β and tumour necrosis factor- α , 114, 27
 Schütz, W. *see* Sexl, V., 114, 1577
 Schwartz, J.-C. *see* Arrang, J.M., 114, 1518
 Schwarz, K. *see* Boehm, S., 114, 1143
 Scicli, A.G. *see* Kitamura, S.-i., 114, 6
 Sciulli, M.G. *see* Panara, M.R., 116, 2429
 Scott, R.H. *see* Stapleton, S.R., 114, 544
 Seabrook, G.R., Bowery, B.J. and Hill, R.G. Bradykinin receptors in mouse and rat isolated superior cervical ganglia, 115, 368
 Seabrook, G.R. *see* Brown, N.A., 115, 459
 Seabrook, G.R. *see* Brown, N.A., 116, 2346
 Seeger, T. *see* Watson, J.W., 115, 84
 Seibert, K. *see* Salvemini, D., 114, 1171
 Sekikawa, T. *see* Suzuki, T., 116, 1815
 Selkirk, S. *see* Poole, S., 115, 684
 Seller, A. *see* Ortiz, J.L., 115, 1382
 Senior, J. *see* Baxter, G.S., 116, 1692
 Serup, J. *see* Gniadecki, R., 114, 1325
 Setoguchi, M., Ohya, Y., Abe, I. and Fujishima, M. Inhibitory action of betaxolol, a β_1 -selective adrenoceptor antagonist, on voltage-dependent calcium channels in guinea-pig artery and vein, 115, 198
 Settle, S.L. *see* Salvemini, D., 114, 1171
 Seuwen, K. and Boddeke, H.G.W.M. Heparin-insensitive calcium release from intracellular stores triggered by the recombinant human parathyroid hormone receptor, 114, 1613
 Sevilla, M.A. *see* Palacios, B., 115, 57
 Sexl, V., Mancusi, G., Baumgartner-Parzer, S., Schütz, W. and Freissmuth, M. Stimulation of human umbilical vein endothelial cell proliferation by A $_2$ -adenosine and β_2 -adrenoceptors, 114, 1577
 Shafiee-Nick, R., Pyne, N.J. and Furman, B.L. Effects of type-selective phosphodiesterase inhibitors on glucose-induced insulin secretion and islet phosphodiesterase activity, 115, 1486
 Shams, H. *see* Herbst, C., 115, 753
 Shankley, N.P. *see* Bishop, L.A., 114, 339
 Shankley, N.P. *see* Hollingsworth, S.J., 114, 715
 Shankley, N.P. *see* Prentice, D.J., 115, 549
 Shankley, N.P. *see* Van der Graaf, P.H., 116, 3237
 Shankley, N.P. *see* Welsh, N.J., 115, 961
 Sharif, N.A. *see* Blue Jnr, D.R., 115, 283
 Sharp, T. *see* Gartside, S.E., 115, 1064
 Sheehan, M.J. *see* Reeves, J.J., 114, 999
 Shen, Y.C. and Hong, C.Y. Effect of trilinolein on cyclic nucleotide formation in human platelets: relationship with its antiplatelet effect and nitric oxide synthesis, 116, 1644
 Shepperson, N.B. *see* Gupta, P., 116, 2385
 Shepperson, N.B. *see* Kajekar, R., 115, 1
 Sheridan, R.D. *see* Laffling, A.J., 115, 67
 Sheridan, R.D. *see* McGivern, J.G., 114, 1738
 Sheridan, R.D. *see* MacKinnon, A.C., 115, 1103
 Sheridan, R.D. *see* Macmillan, S., 116, 1656
 Sheridan, R.D. *see* May, G.R., 114, 1365
 Sheu, T.J. *see* Liu, S.H., 116, 1757
 Shibano, T. *see* Chiba, K., 115, 1539
 Shibano, T. *see* Mori, T., 116, 1668
 Shieh, I.A. *see* Blue Jnr, D.R., 115, 283
 Shigematsu, S. *see* Sato, T., 115, 381
 Shigenobu, K. *see* Tanaka, H., 114, 673
 Shiina, R. *see* Morisaki, N., 115, 1188
 Shikasho, T. *see* Nishimura, J., 115, 1369
 Shimazawa, M., Hara, H., Watano, T. and Sukamoto, T. Effects of Ca $^{2+}$ channel blockers on cortical hypoperfusion and expression of c-Fos-like immunoreactivity after cortical spreading depression in rats, 115, 1359
 Shimizu, M., Nishida, A., Fukuda, H., Saito, H. and Yamawaki, S. Enhancement of cyclic AMP accumulation mediated by 5-HT after chronic amitriptyline treatment in N G 108-15 cells, 114, 1282
 Shimizu, Y. *see* Shirahase, H., 115, 1215
 Shimo, Y. *see* Kojima, S.-i., 114, 73
 Shimo, Y. *see* Kojima, S.-i., 115, 1290
 Shirahase, H., Kanda, M., Kurahashi, K., Nakamura, S., Usui, H. and Shimizu, Y. Endothelium-dependent contraction in intrapulmonary arteries: mediation by endothelial NK $_1$ receptors and TXA $_2$, 115, 1215
 Shirahase, H. *see* Uchida, S., 114, 217
 Shuttleworth, T.J. *see* Martin, S.C., 115, 321
 Silva, A.M. *see* Cabrini, D.A., 114, 1549
 Silva, M.T., Rose, S., Hindmarsh, J.G., Aislaitner, G., Gorrod, J.W., Moore, P.K., Jenner, P. and Marsden, C.D. Increased striatal dopamine efflux *in vivo* following inhibition of cerebral nitric oxide synthase by the novel monosodium salt of 7-nitro indazole, 114, 257
 Simard, P.-M. *see* D'Allaire, F., 114, 275
 Simmet, Th. *see* Herbst, C., 115, 753
 Simmons, M.A. *see* Tokimasa, T., 114, 489
 Simmons, N.L. *see* Thwaites, D.T., 114, 981
 Simmons, N.L. *see* Thwaites, D.T., 115, 761
 Simmons, W.H. *see* Kitamura, S.-i., 114, 6
 Simonato, M. *see* Bianchi, C., 116, 2724
 Simonato, M. *see* Varani, K., 116, 3125
 Simonazzi, I. *see* Testa, R., 114, 745
 Simonsen, U., Prieto, D., Sáenz de Tejada, I. and García-Sacristán, A. Involvement of nitric oxide in the non-adrenergic non-cholinergic neurotransmission of horse deep penile arteries: role of charybdotoxin-sensitive K $^{+}$ -channels, 116, 2582
 Simonsen, U. *see* Prieto, D., 116, 2729
 Siney, L. *see* Hall, J.M., 114, 592
 Siney, L. *see* Lawrence, E., 115, 840
 Singer, E.A. *see* Boehm, S., 114, 1143
 Singh, P. *see* Poucher, S.M., 115, 1096
 Siniscalchi, A. *see* Pisani, A., 116, 2053
 Sipma, H., den Hertog, A. and Nelemans, A. Ca $^{2+}$ -dependent and -independent mechanism of cyclic-AMP reduction: mediation by bradykinin B $_2$ receptors, 115, 937
 Sipma, H., Duin, M., Hoiting, B., den Hertog, A. and Nelemans, A. Regulation of histamine- and UTP-induced increases in Ins(1,4,5)P $_3$, Ins(1,3,4,5)P $_4$ and Ca $^{2+}$ by cyclic AMP in DDT $_1$ MF-2 cells, 114, 383
 Sipma, H., Duin, M., Hoiting, B., den Hertog, A. and Nelemans, A. Regulation of histamine- and UTP-induced increases in Ins(1, 4, 5)P $_3$, Ins(1, 3, 4, 5)P $_4$ and Ca $^{2+}$ by cyclic AMP in DDT $_1$ MF-2 cells, 114, 383
 Skoogh, B.-E. *see* Bergendal, A., 114, 1478
 Sly, L.M. *see* Smith, R.J., 114, 1694
 Smadja, C. *see* Vincent, B., 115, 1053
 Small, C. *see* Brown, C.M., 115, 1425
 Small, D.L. and Morris, C.E. Pharmacology of stretch-activated K channels in *Lymnaea* neurones, 114, 180
 Small, R.C. *see* Cook, S.J., 114, 143
 Smart, D., Wandless, A. and Lambert, D.G. Activation of phospholipase C in SH-SY5Y neuroblastoma cells by potassium-induced calcium entry, 116, 1797
 Smart, D. and Lambert, D.G. Desensitization of the μ -opioid activation of phospholipase C in SH-SY5Y cells: the role of protein kinases C and A and Ca $^{2+}$ -activated K $^{+}$ currents, 116, 2655
 Smith, A.I. *see* Telford, S.E., 114, 1185
 Smith, C.P. *see* Tang, L., 116, 2468
 Smith, D.J. *see* Furukawa, K., 116, 1605
 Smith, K., Gavin, K. and Docherty, J.R. Investigation of the subtype of α_2 -adrenoceptor mediating prejunctional inhibition of cardioacceleration in the pithed rat heart, 115, 316
 Smith, K.M. *see* Barlow, R.B., 116, 2897
 Smith, P.J. *see* Barlow, R.B., 116, 2897
 Smith, R.J., Justen, J.M., Bleasdale, J.E. and Sly, L.M. NPC 15669-modulated human polymorphonuclear neutrophil functional responsiveness: effects on receptor-coupled signal transduction, 114, 1694
 Smith, W.L. *see* Eglen, R.M., 114, 860

- Smits, G.J.M. and Lefebvre, R.A. Influence of age on the signal transduction pathway of non-adrenergic non-cholinergic neurotransmitters in the rat gastric fundus, **114**, 640
- Smits, G.J.M. *see* Lefebvre, R.A., **116**, 2017
- Smolich, J.J. *see* Kemp, B.K., **116**, 2457
- Smyth, D.D. *see* Glavin, G.B., **114**, 751
- Smyth, D.D. *see* Penner, S.B., **116**, 2631
- Snares, M. *see* Cross, A.J., **114**, 1625
- Snetkov, V.A., Hirst, S.J., Twort, C.H.C. and Ward, J.P.T. Potassium currents in human freshly isolated bronchial smooth muscle cells, **115**, 1117
- Snyders, D.J. *see* Yang, T., **115**, 267
- So, I. *see* Kim, S.J., **115**, 1407
- Soares-da-Silva, P., Pestana, M., Vieira-Coelho, M.A., Fernandes, M.H. and Albino-Teixeira, A. Assessment of renal dopaminergic system activity in the nitric oxide-deprived hypertensive rat model, **114**, 1403
- Soares-da-Silva, P. *see* Pestana, M., **115**, 1349
- Somboonthum, P. *see* Suzuki, M., **115**, 703
- Somogyi, G.T., Tanowitz, M. and de Groat, W.C. Prejunctional facilitatory α_1 -adrenoceptors in the rat urinary bladder, **114**, 1710
- Sørensen, F.H. *see* Tøstrup, A., **115**, 158
- Sorrentino, R. and Pinto, A. Effect of methylguanidine on rat blood pressure: role of endothelial nitric oxide synthase, **115**, 510
- Sotiropoulou, G. *see* Pipili-Synetos, E., **116**, 1829
- Soubrie, P. *see* Oury-Donat, F., **116**, 1899
- Souccar, C., do Carmo Gonçalves, M., Lapa, A.J., Troncone, L.R.P., Lebrun, I. and Magnoli, F. Blockade of acetylcholine release at the motor endplate by a polypeptide from the venom of *Phoneutria nigriventer*, **116**, 2817
- Soudijn, W. *see* Mathôt, R.A.A., **114**, 761
- Soudijn, W. *see* Mathôt, R.A.A., **116**, 1957
- Souness, J.E., Maslen, C., Webber, S., Foster, M., Raeburn, D., Palfreyman, M.N., Ashton, M.J. and Karlsson, J.-A. Suppression of eosinophil function by RP 73401, a potent and selective inhibitor of cyclic AMP-specific phosphodiesterase: comparison with rolipram, **115**, 39
- Southan, G.J., Szabó, C. and Thiemermann, C. Isothioureas: potent inhibitors of nitric oxide synthases with variable isoform selectivity, **114**, 510
- Sowa, G. and Przewlocki, R. Enhancing effect of staurosporine on NO production in rat peritoneal macrophages via a protein kinase C-independent mechanism, **116**, 1711
- Spalluto, G. *see* Bianchi, C., **116**, 2724
- Spedding, M. *see* Brown, C.M., **115**, 1425
- Spedding, M. *see* Brown, C.M., **116**, 1737
- Sperandeo, A. *see* Squadrito, F., **115**, 395
- Spina, D., Harrison, S. and Page, C.P. Regulation by phosphodiesterase isoenzymes of non-adrenergic non-cholinergic contraction in guinea-pig isolated main bronchus, **116**, 2334
- Spitznagel, H. *see* Culman, J., **114**, 1310
- Spraggs, C.F. *see* Gaw, A.J., **115**, 660
- Squadrito, F., Altavilla, D., Ammendolia, L., Squadrito, G., Campo, G.M., Sperandeo, A., Canale, P., Ioculano, M., Saitta, A. and Caputi, A.P. Improved survival and reversal of endothelial dysfunction by the 21-aminosteroid, U-74389G in splanchnic ischaemia-reperfusion injury in the rat, **115**, 395
- Squadrito, G. *see* Squadrito, F., **115**, 395
- Srinivasan, J., Richens, A. and Davies, J.A. The effect of the desglycyl metabolite of remacemide hydrochloride (FPL 12495AA) and dizolciline (MK-801) on endogenous amino acid release from mouse cortex, **116**, 3087
- Stamford, J.A. *see* Davidson, C., **114**, 1107
- Stanford, S.C. *see* Dalley, J.W., **114**, 1717
- Stangl, A.P. *see* Allgaier, C., **116**, 1769
- Stapleton, S.R., Bell, B.A., Wootton, J.F. and Scott, R.H. Modulation of Ca^{2+} -dependent currents in metabolically stressed cultured sensory neurones by intracellular photorelease of ATP, **114**, 544
- Starke, K. *see* von Kügelgen, I., **115**, 247
- Stefani, A. *see* Pisani, A., **116**, 2053
- Steil, A.A., del Carmen García Rodríguez, M., Alonso, A., Sanchez Crespo, M. and Bosca, L. Platelet-activating factor: the effector of protein-rich plasma extravasation and nitric oxide synthase induction in rat immune complex peritonitis, **114**, 895
- Stenqvist, O. *see* Westfelt, U.N., **114**, 1621
- Sterin-Borda, L., Echagüe, A.V., Leiros, C.P., Genaro, A. and Borda, E. Endogenous nitric oxide signalling system and the cardiac muscarinic acetylcholine receptor-inotropic response, **115**, 1525
- Stevens, E.J. and Tomlinson, D.R. Effects of endothelin receptor antagonism with bosentan on peripheral nerve function in experimental diabetes, **115**, 373
- Stevenson, K.M., Gibson, K.J. and Lumbers, E.R. Comparison of the transplacental transfer of enalapril, captopril and losartan in sheep, **114**, 1495
- Steward, L.J., Ge, J., Bentley, K.R., Barber, P.C., Hope, A.G., Lambert, J.J., Peters, J.A., Blackburn, T.P. and Barnes, N.M. Evidence that the atypical 5-HT₃ receptor ligand, [³H]-BRL46470, labels additional 5-HT₃ binding sites compared to [³H]-granisetron, **116**, 1781
- Steward, L.J. *see* Downie, D.L., **114**, 1641
- Stewart, A.G., Fernandes, D. and Tomlinson, P.R. The effect of glucocorticoids on proliferation of human cultured airway smooth muscle, **116**, 3219
- Stewart, M. *see* Brown, C.M., **116**, 1737
- Stock, M.J. *see* Liu, Y.-L., **114**, 888
- Stockhausen, H. *see* Klemm, P., **115**, 1175
- Stoffel, D. *see* von Kügelgen, I., **115**, 247
- Stoggall, S.M. *see* Poucher, S.M., **115**, 1096
- Stolerman, I.P. *see* Whiteaker, P., **116**, 2097
- Stone, T.W. *see* Akhondzadeh, S., **115**, 527
- Stone, T.W. *see* Jain, N., **116**, 2127
- Story, D.F. *see* Cox, S.L., **114**, 1057
- Strabel, D. and Diener, M. The effect of neuropeptide Y on sodium, chloride and potassium transport across the rat distal colon, **115**, 1071
- Stratmann, G.C. *see* Dijk, S.N., **115**, 1169
- Stravrides, J.C. *see* Deliconstantinos, G., **114**, 1257
- Strong, P. *see* Reeves, J.J., **114**, 999
- Strosberg, A.D. *see* Nantel, F., **114**, 1045
- Stutts, M.J. *see* Lazarowski, E.R., **116**, 1619
- Su, M.-J. *see* Wu, M.-H., **116**, 3211
- Su, Y. *see* Moro, M.Á., **116**, 1999
- Subissi, A. *see* Cirillo, R., **114**, 1117
- Suga, T. *see* Masuda, K.-i., **115**, 883
- Sugden, D., Chong, N.W.S. and Lewis, D.F.V. Structural requirements at the melatonin receptor, **114**, 618
- Sugihara, H. *see* Yamada, K., **115**, 852
- Sugimoto, A. *see* Azuma, H., **115**, 1001
- Sugimoto, Y. *see* Oida, H., **116**, 2828
- Sukamoto, T. *see* Shimazawa, M., **115**, 1359
- Sullivan, M.H.F. *see* Rutherford, R.A.D., **116**, 3099
- Summers, R.J., Papaioannou, M., Harris, S. and Evans, B.A. Expression of β_3 -adrenoceptor mRNA in rat brain, **116**, 2547
- Summers, R.J. *see* Roberts, S.J., **116**, 2549
- Sunter, D.C. *see* Hawkins, L.M., **116**, 2033
- Surprenant, A. *see* Khakh, B.S., **115**, 177
- Suzuki, H. *see* Mariotto, S., **114**, 1105
- Suzuki, H. *see* Mariotto, S., **115**, 225
- Suzuki, H. *see* Mariotto, S., **116**, 1713
- Suzuki, M., Matsuda, T., Asano, S., Somboonthum, P., Takuma, K. and Baba, A. Increase of noradrenaline release in the hypothalamus of freely moving rat by postsynaptic 5-hydroxytryptamine_{1A} receptor activation, **115**, 703
- Suzuki, R. *see* Kodama, I., **114**, 503
- Suzuki, R. *see* Maruyama, K., **114**, 19
- Suzuki, T., Sekikawa, T., Nemoto, T., Moriya, H. and Nakaya, H. Effects of nicorandil on the recovery of reflex potentials after spinal cord ischaemia in cats, **116**, 1815
- Suzuki, Y. *see* Masuda, K.-i., **115**, 883
- Sventek, P. *see* Schifffrin, E.L., **115**, 1377
- Swierkosz, T.A., Mitchell, J.A., Warner, T.D., Botting, R.M. and Vane, J.R. Co-induction of nitric oxide synthase and cyclo-oxygenase: interactions between nitric oxide and prostanoids, **114**, 1335
- Sydes, S.G., Cross, A.J., West, K.J. and Green, A.R. The effect of chlor-methiazole on neuronal damage in a model of transient focal ischaemia,

- 114, 1631
Szabó, C. *see* Perretti, M., 116, 2251
Szabó, C. *see* Southan, G.J., 114, 510
Szabó, C. *see* Wu, C.-C., 114, 1666
Szelenyi, I. *see* Göthert, M., 114, 269
Szilvássy, Z. *see* Ferdinandy, P., 115, 1129
Szűcs, G. *see* Heinke, S., 115, 1393
- T
- Tabrizchi, R. *see* Min, S.A.L., 116, 1697
Taché, Y. *see* Yoneda, M., 116, 2303
Taddei, C. *see* Testa, R., 114, 745
Tagoe, S. *see* Kilfeather, S.A., 114, 1442
Taira, N. *see* Kageyama, M., 114, 1289
Taira, N. *see* Murakoshi, H., 116, 2062
Takagi, K. *see* Ito, Y., 116, 2738
Takahashi, Y., Furukawa, K.-I., Kozutsumi, D., Ishibashi, M., Kobayashi, J. and Ohizumi, Y. 4,6-Dibromo-3-hydroxycarbazole (an analogue of caffeine-like Ca^{2+} releaser), a novel type of inhibitor of Ca^{2+} -induced Ca^{2+} release in skeletal muscle sarcoplasmic reticulum, 114, 941
Takano, Y., *see* Mizuta, A., 116, 2919
Takaoka, M. *see* Fujita, K., 114, 925
Takeda, M. and Lapor, H. Nitric oxide synthase in dog urethra: a histochemical and pharmacological analysis, 116, 2517
Takeda, Y., Tohse, N., Nakaya, H. and Kanno, M. Voltage-dependence of Ca^{2+} agonist effect of YC-170 on cardiac L-type Ca^{2+} channels, 116, 2134
Takeda, Y. *see* Tohse, N., 114, 1076
Takeshita, N. and Yamaguchi, I. *Meta*-chlorophenylpiperazine attenuates formalin-induced nociceptive responses through 5-HT_{1/2} receptors in both normal and diabetic mice, 116, 3133
Takeuchi, A. *see* Masuda, K.-i., 115, 883
Takiguchi, Y., Asai, F., Wada, K., Hayashi, H. and Nakashima, M. Antithrombotic effect of a novel recombinant hirudin analogue, CX-397, in a rat arterial thrombosis model, 116, 3056
Takuma, K. *see* Suzuki, M., 115, 703
Talpain, E., Armstrong, R.A., Coleman, R.A. and Vardey, C.J. Characterization of the PGE receptor subtype mediating inhibition of superoxide production in human neutrophils, 114, 1459
Tam, F.S.-F., Hillier, K., Bunce, K.T. and Grossman, C. Differences in response to 5-HT₄ receptor agonists and antagonists of the 5-HT₄-like receptor in human colon circular smooth muscle, 115, 172
Tamargo, J. *see* Pérez, O., 115, 787
Tamargo, J. *see* Villamor, E., 115, 261
Tanaka, H., Manita, S., Matsuda, T., Adachi, M. and Shigenobu, K. Sustained negative inotropism mediated by α -adrenoceptors in adult mouse myocardia: developmental conversion from positive response in the neonate, 114, 673
Tanaka, H., Minoshima, T. and Endo, N. The effect of a synthetic 7-thiaprostaglandin E₁ derivative, TEI-6122, on monocyte chemoattractant protein-1 induced chemotaxis in THP-1 cells, 116, 2298
Tanaka, M. *see* Masuda, Y., 114, 769
Tanaka, M. *see* Yamahara, N.S., 114, 777
Tanaka, T. *see* Tokimasa, T., 114, 489
Tanaka, Y. *see* Nawada, T., 116, 1775
Tang, L., Smith, C.P., Huger, F.P. and Kongsamut, S. Effects of besipirdine at the voltage-dependent sodium channel, 116, 2468
Tanganelli, S. *see* Bianchi, C., 116, 2724
Tanna, B. *see* Brown, C., 116, 2413
Tanowitz, M. *see* Somogyi, G.T., 114, 1710
Tansey, E.M. An F4-vescent episode: Sir Henry Dale's laboratory 1919–1942, 115, 1339
Tavakoli, R. and Frossard, N. 5-HT₂-mediated bronchial responses after syngeneic lung transplantation in the rat, 114, 1428
Tay-Uyboco, J., Poon, M.-C., Ahmad, S. and Hollenberg, M.D. Contractile actions of thrombin receptor-derived polypeptides in human umbilical and placental vasculature: evidence for distinct receptor systems, 115, 569
Taylor, C.T. and Baird, A.W. Berberine inhibition of electrogenic ion transport in rat colon, 116, 2667
Taylor, P.M. *see* Hawkins, L.M., 116, 2033
Télémaque, S. *see* Gratton, J.-P., 114, 720
Telford, S.E., Smith, A.I., Lew, R.A., Perich, R.B., Madden, A.C. and Evans, R.G. Role of angiotensin converting enzyme in the vascular effects of an endopeptidase 24.15 inhibitor, 114, 1185
ten Berge, R.E.J., Santing, R.E., Hamstra, J.J., Roffel, Ad.F. and Zaagsma, J. Dysfunction of muscarinic M₂ receptors after the early allergic reaction: possible contribution to bronchial hyperresponsiveness in allergic guinea-pigs, 114, 881
Teng, C.-M. *see* Guh, J.-H., 115, 142
Teng, C.-M. *see* Ko, F.-N., 116, 1801
Teng, C.-M. *see* Wu, C.-C., 116, 1973
Tenor, H. *see* Hatzelmann, A., 114, 821
Tepperman, B.L. *see* Tripp, M.A., 115, 344
Terenghi, G. *see* Lawrence, E., 115, 840
Terrón, J.A. *see* Villalón, C.M., 116, 2778
Terrón, J.A. *see* Villalón, C.M., 116, 3330
Testa, R., Guarneri, L., Pogessi, E., Simonazzi, I., Taddei, C. and Leonardi, A. Mediation of noradrenaline-induced contractions of rat aorta by the α_{1B} -adrenoceptor subtype, 114, 745
Tezuka, M. *see* Morisaki, N., 115, 1188
Thiemermann, C., Ruetten, H., Wu, C.-C. and Vane, J.R. The multiple organ dysfunction syndrome caused by endotoxin in the rat: attenuation of liver dysfunction by inhibitors of nitric oxide synthase, 116, 2845
Thiemermann, C. *see* Akarasereenont, P., 115, 401
Thiemermann, C. *see* De Kimpe, S.J., 114, 1317
Thiemermann, C. *see* De Kimpe, S.J., 116, 3191
Thiemermann, C. *see* Hide, E.J., 116, 2435
Thiemermann, C. *see* Hide, E.J., 116, 2597
Thiemermann, C. *see* Hohlfeld, T., 116, 3309
Thiemermann, C. *see* Klemm, P., 114, 363
Thiemermann, C. *see* Klemm, P., 115, 1175
Thiemermann, C. *see* Perretti, M., 116, 2251
Thiemermann, C. *see* Southan, G.J., 114, 510
Thiemermann, C. *see* Wu, C.-C., 114, 1273
Thiemermann, C. *see* Wu, C.-C., 114, 1666
Thomsen, C. *see* Eriksen, L., 116, 3279
Thomson, K.A. *see* Marley, P.D., 114, 1687
Thomson, N.C. *see* Nally, J.E., 114, 1391
Thorlacius, H., Raud, J., Xie, X., Hedqvist, P. and Lindbom, L. Microvascular mechanisms of histamine-induced potentiation of leukocyte adhesion evoked by chemoattractants, 116, 3175
Thornbury, K.D., Donaghy, K.M. and Peake, J. Characteristics of the NANC post-stimulus ('rebound') contraction of the urinary bladder neck muscle in sheep, 116, 2451
Thuillez, C. *see* Richard, V., 115, 1532
Thüringer, D., Cavero, I. and Coraboeuf, E. Time-dependent fading of the activation of K_{ATP} channels, induced by aprikalim and nucleotides, in excised membrane patches from cardiac myocytes, 115, 117
Thurneyssen, O. *see* Oury-Donat, F., 116, 1899
Thurston, H. *see* Heygate, K.M., 116, 3251
Thwaites, D.T., Armstrong, G., Hirst, B.H. and Simmons, N.L. D-Cycloserine transport in human intestinal epithelial (Caco-2) cells: mediation by a H⁺-coupled amino acid transporter, 115, 761
Thwaites, D.T., Cavet, M., Hirst, B.H. and Simmons, N.L. Angiotensin-converting enzyme (ACE) inhibitor transport in human intestinal epithelial (Caco-2) cells, 114, 981
Thwaites, D.T. *see* Wenzel, U., 116, 3021
Tian, L. *see* Prior, C., 116, 3049
Tibiriça, E., Catelli, M., Lessa, M.A., Roegel, J.C., Feldman, J., Monassier, L. and Bousquet, P. Inhibition of the centrally induced increases in myocardial oxygen demand in rabbits by chronic treatment with baclofen, a selective GABA_B agonist, 115, 1331
Tilford, N.S. *see* Ellis, E.S., 114, 400
Timmerman, H. *see* Leurs, R., 116, 2315
Timmerman, H. *see* Rodrigues, A.A., 114, 1523
Timmermans, J.-P. *see* Lefebvre, R.A., 116, 2017
Tippler, B. *see* Herbst, C., 115, 753
To, Z.P., Bonhaus, D.W., Eglén, R.M. and Jakeman, L.B. Characterization and distribution of putative 5-HT₇ receptors in guinea-pig brain, 115,

- 107
- Tobin, A.B., Willars, G.B., Burford, N.T. and Nahorski, S.R. Relationship between agonist binding, phosphorylation and immunoprecipitation of the m₃-muscarinic receptor, and second messenger responses, **116**, 1723
- Tohse, N., Nakaya, H., Takeda, Y. and Kanno, M. Cyclic GMP-mediated inhibition of L-type Ca²⁺ channel activity by human natriuretic peptide in rabbit heart cells, **114**, 1076
- Tohse, N. *see* Takeda, Y., **116**, 2134
- Tokimasa, T., Ito, M., Simmons, M.A., Schneider, C.R., Tanaka, T., Nakano, T. and Akasu, T. Inhibition by wortmannin of M-current in bullfrog sympathetic neurones, **114**, 489
- Tokumaru, S. *see* Morikawa, M., **115**, 1302
- Toma, C., Jensen, P.E., Prieto, D., Hughes, A., Mulvany, M.J. and Aalkjær, C. Effects of tyrosine kinase inhibitors on the contractility of rat mesenteric resistance arteries, **114**, 1266
- Tominaga, M. *see* Itoh, S., **114**, 1090
- Tomita, T. *see* Chowdhury, J.U., **114**, 1414
- Tomita, T. *see* Ito, Y., **116**, 2738
- Tomlinson, D.R. *see* Stevens, E.J., **115**, 373
- Tomlinson, P.R. *see* Stewart, A.G., **116**, 3219
- Tomlinson, W. *see* Humphries, R.G., **115**, 1110
- Toms, N.J., Jane, D.E., Tse, H.-W. and Roberts, P.J. Characterization of metabotropic glutamate receptor-stimulated phosphoinositide hydrolysis in rat cultured cerebellar granule cells, **116**, 2824
- Tonini, M. *see* Lucchelli, A., **114**, 1017
- Tonini, M. *see* Messori, E., **115**, 677
- Tøttrup, A., Knudsen, M.A., Sørensen, F.H. and Glavind, E.B. Pharmacological identification of different inhibitory mediators involved in the innervation of the internal anal sphincter, **115**, 158
- Tough, I.R. *see* Cox, H.M., **116**, 2673
- Townsend-Nicholson, A. *see* Megson, A.C., **115**, 1415
- Toyama, J. *see* Kodama, I., **114**, 503
- Toyama, J. *see* Maruyama, K., **114**, 19
- Tran, M.A. *see* Brefel, C., **116**, 2175
- Traynor, J.R. *see* Elliott, J., **114**, 1064
- Trifilieff, A. *see* Da Silva, A., **114**, 103
- Trifilieff, A. *see* Scherrer, D., **115**, 1127
- Triggle, C.R. *see* Martin-Caraballo, M., **116**, 3293
- Tripp, M.A. and Tepperman, B.L. Effect of nitric oxide on integrity, blood flow and cyclic GMP levels in the rat gastric mucosa: modulation by sialoadenectomy, **115**, 344
- Trist, D.G. *see* Palea, S., **114**, 35
- Trist, D.G. *see* Palea, S., **115**, 3
- Trist, D.G. *see* Palea, S., **116**, 2401
- Tron, C. *see* Richard, V., **115**, 1532
- Troncone, L.R.P. *see* Souccar, C., **116**, 2817
- Trout, S.J. *see* Patel, J., **115**, 421
- Tse, H.-W. *see* Bedingfield, J.S., **116**, 3323
- Tse, H.-W. *see* Toms, N.J., **116**, 2824
- Tseng-Crank, J., Kost, T., Goetz, A., Hazum, S., Roberson, K.M., Haizlip, J., Godinot, N., Robertson, C.N. and Saussy, D. The α_{1C} -adrenoceptor in human prostate: cloning, functional expression, and localization to specific prostatic cell types, **115**, 1475
- Tsouderos, Y. *see* Ferreira, S.H., **114**, 303
- Tsugeno, M. *see* Chowdhury, J.U., **114**, 1414
- Tsujimoto, G. *see* Horie, K., **116**, 1611
- Tsuneki, H. *see* Kimura, I., **114**, 461
- Tsuneki, H. *see* Kimura, I., **116**, 2685
- Tsuneki, H. *see* Nojima, H., **116**, 1680
- Tulic, I. *see* Jovanović, A., **115**, 1295
- Tulp, M.Th.M. *see* Leurs, R., **116**, 2315
- Turgeon, A. *see* Schiffrin, E.L., **115**, 1377
- Twissell, D.J. *see* Gardner, C.J., **116**, 3158
- Twort, C.H.C. *see* Snetkov, V.A., **115**, 1117
- U
- Uchida, S., Yamada, S., Ohkura, T., Heshikiri, M., Yoshimi, A., Shirahase, H. and Kimura, R. The receptor occupation and plasma concentration of NKY-722, a water-soluble dihydropyridine-type calcium antagonist, in spontaneously hypertensive rats, **114**, 217
- Uchiyama, T. *see* Furukawa, K., **116**, 1605
- Udvarhelyi, P.M. *see* Cao, C.Q., **115**, 1469
- Udvary, É., Papp, J.G. and Végh, Á. Cardiovascular effects of the calcium sensitizer, levosimendan, in heart failure induced by rapid pacing in the presence of aortic constriction, **114**, 656
- Ueno, A., Ishida, H. and Oh-ishi, S. Comparative study of endotoxin-induced hypotension in kininogen-deficient rats with that in normal rats, **114**, 1250
- Ulus, I.H., Arslan, B.Y., Savci, V. and Kiran, B.K. Restoration of blood pressure by choline treatment in rats made hypotensive by haemorrhage, **116**, 1911
- Umbers, V. *see* Gartside, S.E., **115**, 1064
- Umemiya, M. and Berger, A.J. Inhibition by riluzole of glycinergic postsynaptic currents in rat hypoglossal motoneurons, **116**, 3227
- Unger, T. *see* Culman, J., **114**, 1310
- Ushikubi, F. *see* Oida, H., **116**, 2828
- Ushio-Fukai, M., Nishimura, J., Kobayashi, S. and Kanaide, H. Endothelin-1 and endothelin-3 regulate differently vasoconstrictor responses of smooth muscle of the porcine coronary artery, **114**, 171
- Usui, H. *see* Shirahase, H., **115**, 1215
- V
- Valentin, J.-P. *see* Bertolino, F., **115**, 210
- Valenzuela, C. *see* Pérez, O., **115**, 787
- Valeri, P., Morrone, L.A., Romanelli, L. and Amico, M.C. Acute withdrawal after bremazocine and the interaction between μ - and κ -opioid receptors in isolated gut tissues, **114**, 1206
- Valverde, M.A. *see* Zhang, J.J., **115**, 1347
- Valverde, O. *see* Maldonado, R., **114**, 1031
- van Acker, S.A.B.E., Kramer, K., Grimbergen, J.A., van den Berg, D.-J., van der Vijgh, W.J.F. and Bast, A. Monohydroxyethylrutoside as protector against chronic doxorubicin-induced cardiotoxicity, **115**, 1260
- van Breemen, C. *see* Rusko, J., **115**, 811
- van den Berg, D.-J. *see* van Acker, S.A.B.E., **115**, 1260
- Van der Graaf, P.H., Saxena, P.R., Shankley, N.P. and Black, J.W. Exposure and characterization of the action of noradrenaline at dopamine receptors mediating endothelium-independent relaxation of rat isolated small mesenteric arteries, **116**, 3237
- van der Linde, H. *see* Folkerts, G., **115**, 1194
- van der Linde, H.J. *see* Ladenius, A.R.C., **115**, 1048
- van der Vijgh, W.J.F. *see* van Acker, S.A.B.E., **115**, 1260
- Van der Wenden, E.M. *see* Mathôt, R.A.A., **116**, 1957
- van Gelderen, E.M., De Bruijne, E.L.E., Agteresch, H.J. and Saxena, P.R. The effect of nitric oxide donors on haemodynamics and blood flow distribution in the porcine carotid circulation, **114**, 1303
- van Giersbergen, P.L.M. *see* Richards, M.H., **114**, 1241
- van Heukelom, J.S. *see* van Mil, H.G.J., **116**, 2881
- van Heuven-Nolsen, D., Muis, T., Engels, F., Henricks, P.A.J., Buckley, T.L. and Nijkamp, F.P. Hypotensive effect of 13-hydroxylinoleic acid in the rat: mediation via the release of a CGRP-like mediator from capsaicin-sensitive nerves, **115**, 835
- van Heuven-Nolsen, D. *see* Kraneveld, A.D., **114**, 1483
- van Mil, H.G.J., Kerkhof, C.J.M. and van Heukelom, J.S. Modulation of the isoprenaline-induced membrane hyperpolarization of mouse skeletal muscle cells, **116**, 2881
- van Schaik, Y. *see* Kraneveld, A.D., **114**, 1483
- Van Slooten, G. *see* Rusko, J., **115**, 133
- van Zwieten, P.A. *see* Li, Q., **116**, 2963
- Vane, J.R. *see* Akarasereenont, P., **115**, 401
- Vane, J.R. *see* Allcock, G.H., **116**, 2482
- Vane, J.R. *see* Battistini, B., **114**, 1383
- Vane, J.R. *see* De Kimpe, S.J., **114**, 1317
- Vane, J.R. *see* De Kimpe, S.J., **116**, 3191
- Vane, J.R. *see* Hide, E.J., **116**, 2435
- Vane, J.R. *see* Hohlfeld, T., **116**, 3309
- Vane, J.R. *see* Klemm, P., **114**, 1327
- Vane, J.R. *see* Swierkosz, T.A., **114**, 1335
- Vane, J.R. *see* Thiemeermann, C., **116**, 2845
- Vane, J.R. *see* Wu, C.-C., **114**, 1273
- Vane, J.R. *see* Wu, C.-C., **114**, 1666

- Vanhoutte, P.M. *see* Day, N.S., 115, 822
 Vanhoutte, P.M. *see* Joly, G.A., 115, 255
 Vanin, A. *see* Mülsch, A., 116, 2743
 Vapaatalo, H. *see* Mäkyinen, H., 115, 1455
 Varani, K., Beani, L., Bianchi, C., Borea, P.A. and Simonato, M. Changes in [³H]-UK14304 binding to α_2 -adrenoceptors in morphine-dependent guinea-pigs, 116, 3125
 Varani, K. *see* Cerbai, E., 116, 1835
 Vardey, C.J. *see* Talpain, E., 114, 1459
 Varoni, M.V. *see* Madeddu, P., 115, 557
 Vatanpour, H. and Harvey, A.L. Modulation of acetylcholine release at mouse neuromuscular junctions by interaction of three homologous scorpion toxins with K⁺ channels, 114, 1502
 Vázquez, M., Alegret, M., López, M., Rodríguez, C., Adzet, T., Merlos, M. and Laguna, J.C. Different effects of fibrates on the microsomal fatty acid chain elongation and the acyl composition of phospholipids in guinea-pigs, 116, 3337
 Vázquez, M., Muñoz, S., Alegret, M., Adzet, T., Merlos, M. and Laguna, J.C. Differential effects of fibrates on the acyl composition of microsomal phospholipids in rats, 116, 2067
 Vázquez, M. *see* Alegret, M., 114, 1351
 Végh, Á. *see* Udvary, É., 114, 656
 Venkova, K. and Krier, J. Postjunctional α_1 - and β -adrenoceptor effects of noradrenaline on electrical slow waves and phasic contractions of cat colon circular muscle, 116, 3265
 Vergés, J., Héroux, L., Maurice, H. and du Souich, P. Extrahepatic metabolism of frusemide in anaesthetized rabbits, 116, 2407
 Verheyen, A.K.C.P. *see* Folkerts, G., 115, 1194
 Vidovic, M. *see* Gould, D.J., 115, 828
 Vieira-Coelho, M.A. *see* Pestana, M., 115, 1349
 Vieira-Coelho, M.A. *see* Soares-da-Silva, P., 114, 1403
 Vigne, P., Breittmayer, J.P. and Frelin, C. Sensitization by calyculin A of brain capillary endothelial cells to endothelin-1, 114, 1014
 Vigne, P. *see* Feolde, E., 115, 1199
 Villalón, C.M., Contreras, J., Ramírez-San Juan, E., Castillo, C., Perusquía, M. and Terrón, J.A. Characterization of prejunctional 5-HT receptors mediating inhibition of sympathetic vasopressor responses in the pithed rat, 116, 3330
 Villalón, C.M., Ramírez-San Juan, E., Castillo, C., Castillo, E., López-Muñoz, F.J. and Terrón, J.A. Pharmacological profile of the receptors that mediate external carotid vasoconstriction by 5-HT in vago-sympathectomized dogs, 116, 2778
 Villamor, E., Pérez-Vizcaino, F., Ruiz, T., Leza, J.C., Moro, M. and Tamargo, J. Group B *Streptococcus* and *E. coli* LPS-induced NO-dependent hyporesponsiveness to noradrenaline in isolated intrapulmonary arteries of neonatal piglets, 115, 261
 Villarroja, M., Gandía, L., Lara, B., Albillos, A., López, M.G. and García, A.G. Dotarizine versus flunarizine as calcium antagonists in chromaffin cells, 114, 369
 Villemure J.-G. *see* Abounader, R., 116, 2245
 Villiotou, V. *see* Deliconstantinos, G., 114, 1257
 Vimont, R.L. *see* Blue Jnr, D.R., 115, 283
 Vincent, B., Dive, V., Yiotakis, A., Smadja, C., Maldonado, R., Vincent, J.-P. and Checler, F. Phosphorus-containing peptides as mixed inhibitors of endopeptidase 3.4.24.15 and 3.4.24.16: effect on neurotensin degradation *in vitro* and *in vivo*, 115, 1053
 Vincent, J.-P. *see* Vincent, B., 115, 1053
 von Kügelgen, I., Krumme, B., Schaible, U., Schollmeyer, P.J. and Rump, L.C. Vasoconstrictor responses to the P_{2X}-purinoceptor agonist β , γ -methylene-L-ATP in human cutaneous and renal blood vessels, 116, 1932
 von Kügelgen, I., Stoffel, D. and Starke, K. P₂-purinoceptor-mediated inhibition of noradrenaline release in rat atria, 115, 247
 Vu, T.B. *see* Mann, C.D., 115, 595
- W**
- Wada, K. *see* Takiguchi, Y., 116, 3056
 Waddington, J.L. *see* Deveney, A.M., 116, 2120
 Waerber, C. *see* Lee, W.S., 116, 1661
 Waerber, G. *see* Burnier, M., 116, 2524
 Wainwright, C.L. *see* Piacentini, L., 114, 755
 Waite, R.P., Lim, S.L. and Pang, C.C.Y. Effects of pinacidil on arterial and venous resistances and mean circulatory filling pressure in rats, 116, 2322
 Wakimasu, M. *see* Watanabe, T., 114, 949
 Wallace, P. *see* Handy, R.L.C., 116, 2349
 Waller, J., Gardiner, S.M., Jose, J. and Bennett, T. Lack of effect of TNF antibodies on the cardiovascular sequelae of lipopolysaccharide infusion in conscious rats, 116, 2487
 Wallis, D.I. *see* Manuel, N.A., 116, 2647
 Wallis, R.M. *see* Kerr, P.M., 115, 1518
 Walsh, D.T., Weg, V.B., Williams, T.J. and Nourshargh, S. Substance P-induced inflammatory responses in guinea-pig skin: The effect of specific NK₁ receptor antagonists and the role of endogenous mediators, 114, 1343
 Wandless, A. *see* Smart, D., 116, 1797
 Wang, L.-Y. *see* Orser, B.A., 116, 1761
 Wang, X. *see* Rusko, J., 115, 811
 Wang, Y., Jones, J.F.X., Ramage, A.G. and Jordan, D. Effects of 5-HT and 5-HT_{1A} receptor agonists and antagonists on dorsal vagal preganglionic neurones in anaesthetized rats: an ionophoretic study, 116, 2291
 Wang, Y.-X., Cheng, X. and Pang, C.C.Y. Vascular pharmacology of methylene blue *in vitro* and *in vivo*: a comparison with N^G-nitro-L-arginine and diphenyleneiodonium, 114, 194
 Wang, Y.-X., Lim, S.L. and Pang, C.C.Y. Increase by N^G-nitro-L-arginine methyl ester (L-NAME) of resistance to venous return in rats, 114, 1454
 Wang, Z.-Y. and Håkanson, R. Role of nitric oxide (NO) in ocular inflammation, 116, 2447
 Wanstall, J.C., Hughes, I.E. and O'Donnell, S.R. Evidence that nitric oxide from the endothelium attenuates inherent tone in isolated pulmonary arteries from rats with hypoxic pulmonary hypertension, 114, 109
 Ward, J.M. *see* Prior, C., 116, 3049
 Ward, J.P.T. *see* Snetkov, V.A., 115, 1117
 Ward, P. *see* Beattie, D.T., 116, 3149
 Ward, P. *see* Gardner, C.J., 116, 3158
 Warner, T.D. *see* Allcock, G.H., 116, 2482
 Warner, T.D. *see* Battistini, B., 114, 1383
 Warner, T.D. *see* Berthiaume, N., 115, 1319
 Warner, T.D. *see* Bryant, C.E., 114, 1673
 Warner, T.D. *see* D'Amico, M., 116, 2787
 Warner, T.D. *see* Hohlfeld, T., 116, 3309
 Warner, T.D. *see* Klemm, P., 114, 1327
 Warner, T.D. *see* Pérez-Vizcaino, F., 114, 867
 Warner, T.D. *see* Swierkosz, T.A., 114, 1335
 Warnke, P. *see* Allgaier, C., 116, 1769
 Warnock, J. *see* Hiley, C.R., 116, 2641
 Wassdal, I., Hull, R., Gerskowitch, V.P. and Berg, T. Kallikrein rK10-induced kinin-independent, direct activation of NO-formation and relaxation of rat isolated aortic rings, 115, 356
 Watanabe, K. *see* Masuda, K.-i., 115, 883
 Watanabe, M., Yamada, M., Mue, S. and Ohuchi, K. Enhancement by cyclo-oxygenase inhibitors of platelet-activating factor production in thapsigargin-stimulated macrophages, 116, 2141
 Watanabe, M. *see* Masuda, Y., 114, 769
 Watanabe, M. *see* Nagano, N., 116, 1887
 Watanabe, M. *see* Yamahara, N.S., 114, 777
 Watanabe, S. *see* Morisaki, N., 115, 1188
 Watanabe, T., Awane, Y., Ikeda, S., Fujiwara, S., Kubo, K., Kikuchi, T., Kusumoto, K., Wakimasu, M. and Fujino, M. Pharmacology of a non-selective ET_A and ET_B receptor antagonist, TAK-044 and the inhibition of myocardial infarct size in rats, 114, 949
 Watanabe, T. *see* Yanai, K., 116, 1649
 Watanabe, Y. *see* Kamei, K., 115, 1493
 Watanabe, Y. *see* Kinoshita, K., 116, 3274
 Watano, T. *see* Shimazawa, M., 115, 1359
 Watkins, J.C. *see* Bedingfield, J.S., 116, 3323
 Watson, J.W., Gonsalves, S.F., Fossa, A.A., McLean, S., Seeger, T., Obach, S. and Andrews, P.L.R. The anti-emetic effects of CP-99,994 in the ferret and the dog: role of the NK₁ receptor, 115, 84
 Watson, N. *see* Reddy, H., 114, 49

- Watson, S.P. *see* Poole, A.W., 115, 101
- Watt, W.C. *see* Lazarowski, E.R., 116, 1619
- Way, K.J. and Reid, J.J. Effect of diabetes and elevated glucose on nitric oxide-mediated neurotransmission in rat anococcygeus muscle, 115, 409
- Webb, D.J. *see* Plumptre, C., 116, 1821
- Webb, J.K. *see* Rupniak, N.M.J., 116, 1937
- Webber, S. *see* Souness, J.E., 115, 39
- Webster, R.A. *see* Chang, W.Y., 116, 2637
- Weg, V.B. *see* Walsh, D.T., 114, 1343
- Weinberg, D. *see* Brown, N.A., 116, 2346
- Welsh, N.J., Shankley, N.P. and Black, J.W. Application of a model to explore interspecies differences in acetylcholine M-receptor-stimulated gastric acid secretion, 115, 961
- Wennmalm, A. *see* Westfelt, U.N., 114, 1621
- Wenzel, U., Thwaites, D.T. and Daniel, H. Stereoselective uptake of β -lactam antibiotics by the intestinal peptide transporter, 116, 3021
- Werkström, V., Persson, K., Ny, L., Bridgewater, M., Brading, A.F. and Andersson, K.-E. Factors involved in the relaxation of female pig urethra evoked by electrical field stimulation, 116, 1599
- Wessler, I. *see* Brunn, G., 116, 1991
- West, K.J. *see* Sydserff, S.G., 114, 1631
- Westfelt, U.N., Benthin, G., Lundin, S., Stenqvist, O. and Wennmalm, A. Conversion of inhaled nitric oxide to nitrate in man, 114, 1621
- Weston, A.H. *see* Edwards, G., 115, 1027
- Westwick, J. *see* Kolios, G., 116, 2866
- Wharton, J. *see* Rutherford, R.A.D., 116, 3099
- Whelpton, R. *see* Patel, J., 115, 421
- Whiteaker, P., Garcha, H.S., Wonnacott, S. and Stoleran, I.P. Locomotor activation and dopamine release produced by nicotine and isorecologne in rats, 116, 2097
- Whitehead, K.J. *see* Handy, R.L.C., 116, 2349
- Whiting, M.V. and Cambridge, D. Canine renovascular responses to sumatriptan and 5-carboxamidotryptamine: modulation through endothelial 5-HT₁-like receptors by endogenous nitric oxide, 114, 969
- Whiting, M.V. *see* Cambridge, D., 114, 961
- Whiting, R.L. *see* Eglen, R.M., 114, 860
- Whiting, R.L. *see* Wong, E.H.F., 114, 851
- Whittle, B.J.R., László, F., Evans, S.M. and Moncada, S. Induction of nitric oxide synthase and microvascular injury in the rat jejunum provoked by indomethacin, 116, 2286
- Whittle, B.J.R. *see* Barrachina, M.D., 114, 8
- Whittle, B.J.R. *see* Lamarque, D., 116, 1843
- Whittle, B.J.R. *see* László, F., 115, 498
- Whittle, B.J.R. *see* Lopez-Belmonte, J., 116, 2710
- Whittle, B.J.R. *see* Martinez-Cuesta, M.A., 114, 919
- Widdop, R.E. *see* Bunting, M.W., 116, 3181
- Wiegand, B. *see* Culman, J., 114, 1310
- Wiesenfeld-Hallin, Z. *see* Xu, X.-J., 116, 2076
- Wijetunge, S. and Hughes, A.D. Effect of platelet-derived growth factor on voltage-operated calcium channels in rabbit isolated ear artery cells, 115, 534
- Wild, A.E. *see* Cross, K.M.L., 116, 2838
- Wileman, S.M., Mann, G.E. and Baydoun, A.R. Induction of L-arginine transport and nitric oxide synthase in vascular smooth muscle cells: synergistic actions of pro-inflammatory cytokines and bacterial lipopolysaccharide, 116, 3243
- Wilke, R. *see* Mistry, R., 114, 797
- Willars, G.B. and Nahorski, S.R. Quantitative comparisons of muscarinic and bradykinin receptor-mediated Ins (1,4,5)P₃ accumulation and Ca²⁺ signalling in human neuroblastoma cells, 114, 1133
- Willars, G.B. *see* Tobin, A.B., 116, 1723
- Williams, A. *see* Brown, C.M., 116, 1737
- Williams, A. *see* Redfern, W.S., 116, 2081
- Williams, A.J. *see* McGarry, S.J., 114, 231
- Williams, A.R. *see* Rupniak, N.M.J., 116, 1937
- Williams, J.L. *see* Colado, M.I., 115, 1281
- Williams, J.T. *see* Osborne, P.B., 115, 925
- Williams, K.I. *see* Lal, H., 115, 653
- Williams, R.J. *see* Kelly, E., 114, 1433
- Williams, S.J. and Parsons, M.E. Nitric oxide, an enteric nonadrenergic-noncholinergic relaxant transmitter: evidence using phosphodiesterase V and nitric oxide synthase inhibition, 116, 1789
- Williams, T.J. and Clarke, D.E. Characterization of α_1 -adrenoceptors mediating vasoconstriction to noradrenaline and nerve stimulation in the isolated perfused mesentery of rat, 114, 531
- Williams, T.J. *see* Blue Jr, D.R., 115, 283
- Williams, T.J. *see* Walsh, D.T., 114, 1343
- Willis, D. *see* Klemm, P., 114, 1327
- Wilson, A.D. *see* Alps, B.J., 115, 1439
- Wilson, A.D. *see* McBean, D.E., 116, 3093
- Wilson, T.W. *see* Chen, L., 114, 1599
- Wilson, V.G. *see* Blaylock, N.A., 114, 694
- Wilson, V.G. *see* Pinthong, D., 115, 689
- Wilson, V.G. *see* Wright, I.K., 114, 157
- Wilson, V.G. *see* Wright, I.K., 114, 678
- Wilsoncroft, P. *see* Lawrence, E., 115, 840
- Windischhofer, W. *see* Leis, H.J., 114, 598
- Windscheif, U., Pfaff, O., Ziganshin, A.U., Hoyle, C.H.V., Bäumert, H.G., Mutschler, E., Burnstock, G. and Lambrecht, G. Inhibitory action of PPADS on relaxant responses to adenine nucleotides or electrical field stimulation in guinea-pig taenia coli and rat duodenum, 115, 1509
- Winklmaier, G. *see* Klemm, P., 114, 363
- Winter, J. *see* Safieh-Garabedian, B., 115, 1265
- Winters, V. *see* McBean, D.E., 116, 3093
- Wolfe-Lopez, D. *see* Beaumont, K., 115, 713
- Wong, E.H.F., Clark, R., Leung, E., Loury, D., Bonhaus, D.W., Jakeman, L., Parnes, H., Whiting, R.L. and Eglen, R.M. The interaction of RS 25259-197, a potent and selective antagonist, with 5-HT₃ receptors, *in vitro*, 114, 851
- Wong, E.H.F. *see* Reynolds, G.P., 114, 993
- Wonnacott, S. *see* Whiteaker, P., 116, 2097
- Wood, J.D. *see* Baidan, L.V., 116, 1882
- Woods, M. *see* Battistini, B., 114, 1383
- Woodward, B. *see* Lal, H., 115, 653
- Woodward, D.F. *see* Chen, J., 116, 3035
- Woodward, D.F. *see* De Vries, G.W., 115, 1231
- Woolf, C.J. *see* Safieh-Garabedian, B., 115, 1265
- Wooltorton, J.R.A. and Mathie, A. Potent block of potassium currents in rat isolated sympathetic neurones by the uncharged form of amitriptyline and related tricyclic compounds, 116, 2191
- Wootton, J.F. *see* Stapleton, S.R., 114, 544
- Wright, I.K., Blaylock, N.A., Kendall, D.A. and Wilson, V.G. The relationship between density of α -adrenoceptor binding sites and contractile responses in several porcine isolated blood vessels, 114, 678
- Wright, I.K., Harling, R., Kendall, D.A. and Wilson, V.G. Examination of the role of inhibition of cyclic AMP in α_2 -adrenoceptor mediated contractions of the porcine isolated palmar lateral vein, 114, 157
- Wu, C.-C., Chen, S.-J., Szabó, C., Thiernemann, C. and Vane, J.R. Aminoguanidine attenuates the delayed circulatory failure and improves survival on rodent models of endotoxic shock, 114, 1666
- Wu, C.-C., Ko, F.-N., Kuo, S.-C., Lee, F.-Y. and Teng, C.-M. YC-1 inhibited human platelet aggregation through NO-independent activation of soluble guanylate cyclase, 116, 1973
- Wu, C.-C., Thiernemann, C. and Vane, J.R. Glibenclamide-induced inhibition of the expression of inducible nitric oxide synthase in cultured macrophages and in the anaesthetized rat, 114, 1273
- Wu, C.-C. *see* Thiernemann, C., 116, 2845
- Wu, C.C. *see* Klemm, P., 115, 1175
- Wu, M.-H., Su, M.-J., Lee, S.-S., Lin, L.-T. and Young, M.-L. Electrophysiological basis for antiarrhythmic efficacy, positive inotropy and low proarrhythmic potential of (-)-caryachine, 116, 3211
- Wu, X. *see* Kähönen, M., 115, 859
- Wuorela, H. *see* Mäkinen, H., 115, 1455
- Wuytack, F. *see* Amrani, Y., 115, 1204
- Wyatt, K.M. *see* MacKinnon, A.C., 115, 1103
- Wythes, M.J. *see* Gupta, P., 116, 2385

X

- Xie, X. *see* Thorlacius, H., 116, 3175
- Xu, X.-J., Wiesenfeld-Hallin, Z., Langel, Ü., Bedecs, K. and Bartfai, T.

New high affinity peptide antagonists to the spinal galanin receptor, **116**, 2076

Y

- Yabuuchi, Y. *see* Itoh, S., **114**, 1090
 Yaksh, T.L. *see* Malmberg, A.B., **114**, 1069
 Yamada, K., Noda, Y., Nakayama, S., Komori, Y., Sugihara, H., Hasegawa, T. and Nabeshima, T. Role of nitric oxide in learning and memory and in monoamine metabolism in the rat brain, **115**, 852
 Yamada, K. *see* Noda, Y., **116**, 2531
 Yamada, M. *see* Watanabe, M., **116**, 2141
 Yamada, S. *see* Uchida, S., **114**, 217
 Yamaguchi, I. *see* Takeshita, N., **116**, 3133
 Yamahara, N.S., Tanaka, M., Imaizumi, Y. and Watanabe, M. Pertussis toxin-sensitive muscarinic relaxation in the rat iris dilator muscle, **114**, 777
 Yamahara, N.S. *see* Masuda, Y., **114**, 769
 Yamamura, M. *see* Kinoshita, K., **116**, 3274
 Yamato, A. *see* Satoh, K., **116**, 1894
 Yamawaki, S. *see* Shimizu, M., **114**, 1282
 Yan, Q.-S., Jobe, P.C. and Dailey, J.W. Further evidence of anticonvulsant role for 5-hydroxytryptamine in genetically epilepsy-prone rats, **115**, 1314
 Yanagisawa, T. *see* Kageyama, M., **114**, 1289
 Yanai, K., Ryu, J.H., Watanabe, T., Iwata, R., Ido, T., Sawai, Y., Ito, K. and Itoh, M. Histamine H₁ receptor occupancy in human brains after single oral doses of histamine H₁ antagonists measured by positron emission tomography, **116**, 1649
 Yang, C.M., Luo, S.-F. and Hsia, H.-C. Pharmacological characterization of bradykinin receptors in canine cultured tracheal smooth muscle cells, **114**, 67
 Yang, Q., Padrini, R., Bova, S., Piovani, D. and Magnolfi, G. Electrocardiographic interactions between pinacidil, a potassium channel opener and class I antiarrhythmic agents in guinea-pig isolated perfused heart, **114**, 1745
 Yang, T., Prakash, C., Roden, D.M. and Snyders, D.J. Mechanism of block of a human cardiac potassium channel by terfenadine racemate and enantiomers., **115**, 267
 Yasui, K. and Palade, P. Inhibitory action of SR33557 on L-type calcium current in single ventricular myocytes of rat, **114**, 468
 Yatani, A. *see* Kobayashi, T., **114**, 1222
 Yeadon, M. and Price, R. Induction of calcium-independent nitric oxide synthase by allergen challenge in sensitized rat lung *in vivo*, **116**, 2545
 Yellon, D.M. *see* Baxter, G.F., **115**, 222
 Yiotakis, A. *see* Vincent, B., **115**, 1053
 Yokotani, K., Nishihara, M., Murakami, Y., Hasegawa, T., Okuma, Y. and Osumi, Y. Elevation of plasma noradrenaline levels in urethane-anaesthetized rats by activation of central prostanoid EP₃ receptors, **115**, 672
 Yoneda, M. and Taché, Y. SMS 201-995-induced stimulation of gastric acid secretion via the dorsal vagal complex and inhibition via the hypothalamus in anaesthetized rats, **116**, 2303
 Yoshihara, S. *see* Lindén, A., **115**, 913
 Yoshihara, S. *see* Ricciardolo, F.L.M., **115**, 547
 Yoshimi, A. *see* Uchida, S., **114**, 217
 Yoshioka, K. *see* Zhao, F.-Y., **115**, 25
 Young, A.A. *see* Beaumont, K., **115**, 713
 Young, J.M. *see* Hishinuma, S., **116**, 2715
 Young, L. *see* Prior, C., **116**, 3049
 Young, M.-L. *see* Wu, M.-H., **116**, 3211
 Yu, G. *see* Zucchi, R., **114**, 85
 Yu, J.C.M., Pickard, J.D. and Davenport, A.P. Endothelin ET_A receptor expression in human cerebrovascular smooth muscle cells, **116**, 2441
 Yu, J.C.M. and Davenport, A.P. Secretion of endothelin-1 and endothelin-3 by human cultured vascular smooth muscle cells, **114**, 551

- Yu, S.-M., Cheng, Z.-J. and Kuo, S.-C. Antiproliferative effects of A02011-1, an adenylyl cyclase activator, in cultured vascular smooth muscle cells of rat, **114**, 1227
 Yu, S.-M. and Kuo, S.-C. Vasorelaxant effect of isoliquiritigenin, a novel soluble guanylate cyclase activator, in rat aorta, **114**, 1587
 Yu, S.-M. *see* Ko, F.-N., **116**, 1801
 Yu, X. *see* Lee, W.S., **116**, 1661
 Yuan, S.Y., Bornstein, J.C. and Furness, J.B. Pharmacological evidence that nitric oxide may be a retrograde messenger in the enteric nervous system, **114**, 428
 Yukimura, T. *see* Miura, K., **115**, 917

Z

- Zaagsma, J. *see* de Boer, R.E.P., **116**, 1945
 Zaagsma, J. *see* Roffel, A.F., **115**, 665
 Zaagsma, J. *see* Santing, R.E., **114**, 414
 Zaagsma, J. *see* ten Berge, R.E.J., **114**, 881
 Zach, D. *see* Leis, H.J., **114**, 598
 Zagorodnyuk, V., Santicoli, P., Maggi, C.A. and Giachetti, A. Evidence that tachykinin NK₁ and NK₂ receptors mediate non-adrenergic non-cholinergic excitation and contraction in the circular muscle of guinea-pig duodenum, **115**, 237
 Zanolini, A. *see* Lipartiti, M., **114**, 1159
 Zegar-Moran, O., Romeo, G. and Galletta, L.J.V. Regulation of trans-epithelial ion transport by two different purinoceptors in the apical membrane of canine kidney (MDCK) cells, **114**, 1052
 Zenibayashi, M. *see* Morisaki, N., **115**, 1188
 Zetterström, T.S.C. *see* Croning, M.D.R., **116**, 2113
 Zhang, H. and Bolton, T.B. Activation by intracellular GDP, metabolic inhibition and pinacidil of a glibenclamide-sensitive K-channel in smooth muscle cells of rat mesenteric artery, **114**, 662
 Zhang, H. and Bolton, T.B. Effect of UK-84149 on voltage-activated calcium currents of single smooth muscle cells from guinea-pig and rabbit jejunum and rabbit coronary artery, **114**, 1657
 Zhang, J. *see* Li, Q., **116**, 2963
 Zhang, J.J., Jacob, T.J.C., Hardy, S.P., Higgins, C.F. and Valverde, M.A. Lens opacification by antioestrogens: tamoxifen vs ICI 162,780, **115**, 1347
 Zhao, F.-Y., Saito, K., Yoshioka, K., Guo, J.-Z., Murakoshi, T., Konishi, S. and Otsuka, M. Subtypes of tachykinin receptors on tonic and phasic neurones in coeliac ganglion of the guinea-pig, **115**, 25
 Zholos, A.V. *see* Baidan, L.V., **116**, 1882
 Zhu, D.-L. *see* Hérembert, T., **114**, 1703
 Ziermann, L. *see* Leis, H.J., **114**, 598
 Ziganshin, A.U., Ralevic, V. and Burnstock, G. Contractility of urinary bladder and vas deferens after sensory denervation by capsaicin treatment of newborn rats, **114**, 166
 Ziganshin, A.U., Ziganshina, L.E., Hoyle, C.H.V. and Burnstock, G. Effects of divalent cations and La³⁺ on contractility and ecto-ATPase activity in the guinea-pig urinary bladder, **114**, 632
 Ziganshin, A.U. *see* Windscheif, U., **115**, 1509
 Ziganshina, L.E. *see* Ziganshin, A.U., **114**, 632
 Žikić, I. *see* Jovanović, A., **115**, 1295
 Zilletti, L. *see* Gentilini, G., **115**, 389
 Ziogas, J. *see* Cox, S.L., **114**, 1057
 Zucchi, R., Ronca-Testoni, S., Yu, G., Galbani, P., Ronca, G. and Mariani, M. Interaction between gallopamil and cardiac ryanodine receptors, **114**, 85
 Zuiderveld, O.P. *see* Leurs, R., **116**, 2315
 Zuppan, P. *see* Bonhaus, D.W., **115**, 622
 Zygmunt, P.K.E., Zygmunt, P.M., Högestätt, E.D. and Andersson, K.-E. NANC neurotransmission in lamina propria of the rabbit urethra: regulation by different subsets of calcium channels, **115**, 1020
 Zygmunt, P.M. *see* Petersson, J., **115**, 889
 Zygmunt, P.M. *see* Zygmunt, P.K.E., **115**, 1020