

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, St George's Hospital Medical School, Cranmer Terrace, London SW17 0RE, UK. Tel: +44 (0)181 767 6765; Fax: +44 (0)181 767 5645.

Advertisements Enquiries concerning advertisements should be addressed to: Michael Rowley, Hasler House, High Street, Great Dunmow, Essex CM6 1AP, UK. Tel: +44 (0)1371 874613; Fax: +44 (0)1371 872273.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley. Supplement Production Controller: Simone Larché

Subscriptions – EU/Rest of World Subscription price per annum (3 volumes, 24 issues) £655, rest of world £735 (Surface mail) £880 (Airmail), or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to *Macmillan Magazines* and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment. Subscribers from EC territories should add sales tax at the local rate.

Subscriptions – USA USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 345 Park Avenue South, 10th Floor, New York, NY 10010-1707; Tel: +1 212 689 9200, Fax: +1 212 689 9711. USA annual subscription rates (institutional/corporate): \$1170 (surface) \$1400 (airmail). Individual making personal payment: \$240.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1170 per annum (surface). 2nd class postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

Copyright © 1996 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/96 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

Brighton Centre
(The Royal Free Hospital School of Medicine/University College London)

13th–15th December 1995

INDEX TO PROCEEDINGS SUPPLEMENT

Brighton Centre (The Royal Free Hospital School of Medicine/University College London)

13th–15th December, 1995

Author Index

- Abate A, Kengatharan M, Ruetten H, Hirschelmann R, Thiemermann C & Vane JR Induction of cyclo-oxygenase-2 by lipoteichoic acid in bovine endothelial cells involves the activation factor NF- κ B, 239P
- Abate A *see* Ruetten H, 145P
- Abogadie FC, Haley JE, Vallis Y, Caulfield MP & Buckley NJ Use of antisense constructs directed against G α subunits to attenuate G-protein expression, 14P
- Abogadie FC *see* Caulfield MP, 13P
- Aherne AM, Vaughan CJ, Murphy MB & O'Connell DP Co-localisation of dopamine D $_{1A}$ receptor protein and mRNA in rat colon, 124P
- Aherne AM *see* Vaughan CJ, 125P
- Ahluwalia A & Vallance PJ Sensory nerve activation of rat small mesenteric veins, 102P
- Ahmad M, Ahmadi M, Smith HJ & Nicholls PJ *In vitro* metabolism of retinoic acid by various rat tissues: implications for inhibitors, 151P
- Ahmad M, Ahmadi M, Smith HJ & Nicholls PJ Species comparison of the *in vitro* hepatic metabolism of retinoic acid, 150P
- Ahmad S, Fowler LJ, Leach MJ & Whitton PS The effects of lamotrigine and sodium valproate (VPA) co-administration on veratridine-evoked glutamate and GABA release in the rat ventral hippocampus *in vivo*, 302P
- Ahmadi M *see* Ahmad M, 150P
- Ahmadi M *see* Ahmad M, 151P
- Ainsworth K, Trail B, Blackburn TP, Baxter GS & Kennett GA Is BW 723C86-induced hyperphagia an *in vivo* model of rat central 5-HT $_2$ B receptor function?, 178P
- Aitchison KA & Coker SJ Effects of SIN-1 and iloprost, alone and in combination, on myocardial infarct size in anaesthetized rabbits, 54P
- Al-Zahrani SSA, Ho M-Y, Velazquez-Martinez DN, Lopez Cabrera M, Bradshaw CM & Szabadi E Effect of lesions of the 5-hydroxytryptaminergic pathways on performance in an operant timing task, 157P
- Alexander B, Browse DJ, Mathie RT & Benjamin IS The role of adenosine in hepatic arterial vasodilatation induced by portal venous injections of ATP in the isolated dual-perfused rabbit liver, 50P
- Alexander SPH *see* Cadogan AK, 316P
- Alexander SPH *see* Neil KE, 97P
- Alexander SPH *see* Neil KE, 289P
- Amos BJ *see* Mathie A, 65P
- Anderson SMP *see* Snape MF, 163P
- Andrews JS, de Boer Th & Nicholson CD Antidepressant drug effects on differential reinforcement of low rate responding 72 secs (DRL) and learning assessed by autoshaping (AUTO) using Long Evans rats, 19P
- Andriantsitohaina R *see* Côtés SF, 255P
- Andriantsitohaina R *see* Lagaud GJL, 256P
- Aronson JK *see* de Silva HA, 115P
- Asghar AUR *see* Kelly DC, 90P
- Asonganyi B, Borkowski J, Hess JF, Shaw D, Hill RG & Longmore J Induction of B $_1$ -receptor-mediated functional responses in mouse urinary bladder: effects of genetic depletion of the B $_2$ -receptor gene, 196P
- Aspley S *see* Beckett SRG, 17P
- Assié MB & Koek W 8-OH-DPAT may have 5-HT uptake blocking properties in rat hippocampus, 92P
- Astolfi M, Mak JCW, Barnes PJ, Evangelista S & Manzini S Tracheobronchial distribution and density of tachykinin NK $_1$ and NK $_2$ receptors in normal and multiple antigen-challenged guinea-pigs, 194P
- Atack J *see* Grimwood S, 61P
- Atkinson J *see* Needham PL, 140P
- Attwell PJE, Kaura S, Sigala G, Bradford HF, Croucher MJ, Jane DH & Watkins JC Blockade of both glutamate release and seizure activity by the presynaptic glutamate receptor agonist (1S,3S)-ACPD, 154P
- Austin RH *see* Fone KCF, 18P
- Babbedge R *see* Gentry CT, 247P
- Babbedge R *see* Patel S, 248P
- Babbedge R *see* West KJ, 246P
- Bäck M *see* Dahlén S-E, 81P
- Bagust J *see* Hilton JEBP, 206P
- Bagust J *see* Huang EY-K, 314P
- Bagust J *see* Yianni NC, 205P
- Bailey CP, Molleman A & Little HJ The antiepileptic, gabapentin, and the CCK $_B$ antagonist, C1988, decrease hyperexcitability in hippocampal slices during ethanol withdrawal, 29P
- Bailey S & Elliott J Characterisation of 5-HT receptors mediating vasoconstriction of isolated equine digital arteries, 269P
- Baker GB *see* Tanay VA-MI, 15P
- Baker R *see* Razzaque Z, 119P
- Baker S *see* Saigusa T, 318P
- Baker SR *see* Lodge D, 69P
- Ballard TM, Hunter AJ & Bennett GW The TRH analogue, RX77368, improves a working memory deficit in AMPA-induced septal-hippo-

- campal lesioned rats, 174P
- Banerji T, Pearce RKB, Jackson MJ, Jenner P & Marsden CD Cholinergic manipulation of L-DOPA-induced dyskinesias in the MPTP-treated common marmoset (*Callithrix jacchus*), 24P
- Barnes NM *see* Bruton RK, 294P
- Barnes NM *see* Fletcher S, 241P
- Barnes PJ *see* Astolfi M, 194P
- Barnes PJ *see* Bernareggi M, 52P
- Barnes PJ *see* Saunders MA, 80P
- Barnes PJ *see* Saunders MA, 82P
- Barone FC *see* Campbell CA, 156P
- Barton CL & Hutson PH L-701,324, a selective antagonist at the glycine/NMDA site, attenuates stress-induced activation of mesocortical dopamine neurones, 328P
- Bateson AN *see* Tanay VA-MI, 15P
- Batink HD *see* Dubois EA, 219P
- Batink HD *see* Somsen GA, 220P
- Batink HD *see* Zwaveling J, 253P
- Baxter GS *see* Ainsworth K, 178P
- Baxter GS *see* Ellis ES, 204P
- Baxter GS *see* Thomas DR, 137P
- Bayley PJ, Bentley G & Dawson GR Behavioural evaluation of SX-3228, a potent anticonvulsant, 171P
- Bearham MC *see* Jackson HC, 168P
- Beckett S *see* Giustino A, 176P
- Beckett SRG, Aspley S & Marsden CA The effect of mCPP and yohimbine on 20 kHz ultrasound-induced defence behaviour, 17P
- Bedingfield JS, Roberts PJ & Watkins JC Potentiation of 4-aminopyridine-stimulated [3 H]glutamate release from rat cerebrocortical synaptosomes by (RS)-3,5-dihydroxyphenylglycine in the absence of arachidonic acid, 333P
- Beenen OEM *see* Pfaffendorf M, 251P
- Beenen OHM, Pfaffendorf M & van Zwieten PA Blunted inhibitory effects of cholinergic agents in isolated hearts from hypertensive-diabetic rats, 252P
- Beer MS *see* Razzaque Z, 119P
- Behr D *see* Rupin A, 86P
- Belvisi MG *see* Bernareggi M, 52P
- Belvisi MG *see* Saunders MA, 80P
- Belvisi MG *see* Saunders MA, 82P
- Benjamin IS *see* Alexander B, 50P
- Bennett GW *see* Ballard TM, 174P
- Bennett GW *see* Moss SH, 27P
- Bennett T, Kemp PA, March JE & Gardiner SM Haemodynamic effects of lipopolysaccharide (LPS) infusion in conscious, vasopressin-deficient Brattleboro rats, 228P
- Bennett T *see* Gardiner SM, 49P
- Bennett T *see* March JE, 227P
- Bentley G *see* Bayley PJ, 171P
- Beresford IJM *see* Stratton SC, 295P
- Beresford IJM *see* Stratton SC, 296P
- Bergsma D *see* Boyland PS, 132P
- Bernareggi M, Mitchell JA, Barnes PJ & Belvisi MG Dual action of nitric oxide on airway inflammation: differential effects at different airway levels, 52P
- Bertrand C *see* Geppetti P, 88P
- Bevan P *see* Sundaram H, 300P
- Bevan P *see* Thomas P, 299P
- Bhagat K, Collier J & Vallance P Endothelial dysfunction following a brief exposure to endotoxin, 58P
- Biggs CS, Pearce BR, Fowler IJ & Whitton PS Prolonged treatment with sodium valproate results in changes of amino acids and monoamines in rat hippocampal dialysates, 301P
- Bingham S *see* Wardle KA, 126P
- Birrell M *see* Flynn DA, 221P
- Birrell M *see* Sargent CA, 37P
- Birrell MA, Wong ML, Handscombe C, Flynn DA, Sargent CA, Brazdil R, Brown TJ & Roach AG A bioassay for measurement of levels of ET receptor antagonists in plasma and correlation with *in vivo* potency, 222P
- Bishop-Bailey D, Larkin SW, Pepper JR Yacoub M, Warner TJ & Mitchell JA Comparison of the ability of human, rat and rabbit vessels to produce nitric oxide and prostanoids in response to LPS, 78P
- Bishop-Bailey D, Larkin SW, Williams TJ & Mitchell JA Inducible isoforms of NOS and COX contribute to the sustained release of NO and PGE₂ by segments of rat aorta exposed to LPS in organ culture, 79P
- Bishop-Bailey D *see* Gates SC, 85P
- Bitar MS *see* Pilcher CWT, 244P
- Black JW *see* Harper EA, 286P
- Black JW *see* Harper EA, 287P
- Black JW *see* Hills DM, 195P
- Black JW *see* Van der Graaf PH, 234P
- Black JW *see* Van der Graaf PH, 281P
- Black JW *see* Welsh NJ, 258P
- Black MD *see* Chessell IP, 322P
- Black MD *see* Trezise DJ, 319P
- Blackburn T *see* Bright F, 153P
- Blackburn T *see* Getova D, 175P
- Blackburn TP *see* Ainsworth K, 178P
- Blackburn TP *see* Boyfield I, 139P
- Blackburn TP *see* Gager TL, 133P
- Blackburn TP *see* Kennett GA, 16P
- Blackburn TP *see* Ward JL, 180P
- Blackham A *see* Liu YJ, 51P
- Boarder MR *see* Charlton S, 105P
- Boarder MR *see* Morton C, 273P
- Boarder MR *see* Wilkie N, 41P
- Bobinac I *see* Schoeffter P, 138P
- Boddeke HWGM Pharmacological and kinetic properties of calcium transients induced by mGluR agonists in various regions of rat hippocampus *in vitro*, 66P
- Boden T *see* Ward PS, 100P
- Bodmer M *see* Ward PS, 100P
- Boess FG *see* Steward LJ, 96P
- Bon C Electrophysiological characterisation of GABA_B agonists and antagonists in rat dorsolateral septal neurones *in vitro*, 305P
- Bond A *see* Lodge D, 69P
- Boobis AR *see* Riedl AG, 186P
- Borkowski J *see* Asonganyi B, 196P
- Borkowski JA *see* Boyce S, 245P
- Borman RA & Burleigh DE Characterisation of the receptors mediating 5-HT-induced fluid secretion in human colonic mucosa, 136P
- Bourson A, Wanner D & Petit N Metabotropic glutamate receptor (mGluRs) Group 1 agonists induce catalepsy in mice, 165P
- Bourson A *see* Lorez HP, 166P
- Bowery BJ *see* Seabrook GR, 71P
- Bowery N *see* Getova D, 175P
- Bowery NG *see* Bon C, 305P
- Bowery NG *see* Meoni P, 162P
- Bowery NG *see* Mugnaini M, 336P
- Bowery NG *see* Parry KP, 304P
- Boxall SJ, Thompson SWN, Dray A, Dickenson AH & Urban L Metabotropic glutamate receptor activation contributes to the nociceptive reflex response in the neonatal rat spinal cord *in vitro*, 330P
- Boyce S, Rupniak NMJ, Carlson EJ, Webb JK, Borkowski JA, Hess JF, Strader CD & Hill RG Nociception and inflammatory hyperalgesia in B₂ bradykinin receptor knockout mice, 245P
- Boyce S *see* Rupniak NMJ, 101P
- Boyfield I, Gager TL & Coldwell MC Functional potencies of novel human 5-HT_{2C/2B} receptor antagonists determined in the Cytosensor Microphysiometer, 139P
- Boyland PS, Eastwood S, Ellis C, Bergsma D, Jones BJ, Gloger IS, Upton N & Middlemiss DN High specific activity [3 H]5-CT binding: correlation of guinea-pig cortex with human cloned 5-HT₇ receptors, 132P
- Bradford HF *see* Attwell PJE, 154P
- Bradshaw CM *see* Al-Zahrani SSA, 157P
- Brain SD *see* Ridger VC, 240P
- Brandsma K *see* Somsen GA, 220P
- Brazdil R *see* Birrell MA, 222P
- Brazdil R *see* Flynn DA, 221P
- Brett L *see* Burns NJ, 91P
- Brett L *see* Burns NJ, 267P
- Bright F, Cilia J, Piper D, Blackburn TP & Kennett G Effects of SB 206553, a 5-HT_{2C/2B} receptor antagonist, in a marmoset conflict model of anxiety,

- Bright F *see* Kennett GA, 16P
 Bristow DR *see* Staton PC, 189P
 Bristow LJ *see* Bayley PJ, 171P
 Bristow LJ *see* Saywell KL, 173P
 Bristow LJ *see* Young L, 172P
 Broadley KJ *see* Danahay H, 207P
 Broadley KJ *see* Gardner N, 275P
 Brown AM *see* Wardle KA, 126P
 Brown C *see* Charlton S, 105P
 Brown CM *see* Gillard NP, 298P
 Brown JE *see* Rahal MK, 274P
 Brown TJ *see* Birrell MA, 222P
 Brown TJ *see* Flynn DA, 221P
 Brown TJ *see* Sargent CA, 37P
 Brownlie RP, Brownrigg NJ, Butcher HM, Garcia R, Jessup R, Lee VJ, Moors JA & Wayne MG ZD9583: a dual acting thromboxane A₂ synthase inhibitor/receptor antagonist suppresses neointimal hyperplasia in the rat, 233P
 Brownlie RP, Brownrigg NJ, Butcher HM, Garcia R, Jessup R, Lee VJ, Tunstall S & Wayne MG ZD2486: a potent and selective antagonist of platelet fibrinogen receptors (glycoprotein IIb/IIIa), 232P
 Brownrigg NJ *see* Brownlie RP, 232P
 Brownrigg NJ *see* Brownlie RP, 233P
 Browse DJ *see* Alexander B, 50P
 Bruckdorfer KR *see* Gates SC, 85P
 Bruckdorfer KR *see* Naseem KM, 84P
 Bruton RK, Ge J & Barnes NM Elevation of *in vivo* striatal dopamine release in the rat via activation of metabotropic glutamate receptors, 294P
 Buckett WR *see* Gosden J, 169P
 Buckett WR *see* Heal DJ, 325P
 Buckett WR *see* Jackson HC, 168P
 Buckett WR *see* Jackson HC, 323P
 Buckley NJ *see* Abogadie FC, 14P
 Buckley NJ *see* Caulfield MP, 13P
 Bufton HR, Lodge D & Kilpatrick IC Evidence for a preferential blockade of inhibitory synaptic transmission by ω -agatoxin IVA in the *in vitro* spinal cord of the neonatal rat, 98P
 Bunday RA, Iredale PA, Duman RS & Kendall DA Dexamethasone modulation of second messenger responses in a locus coeruleus-like cell line, 288P
 Bungay PJ *see* Jones EH, 213P
 Burke-Gaffney AC & Hellewell PG Nitric oxide synthase inhibitors potentiate cytokine-induced damage of murine lung epithelial cells, 75P
 Burleigh DE *see* Borman RA, 136P
 Burlet C *see* Stricker-Krongrad A, 167P
 Burley JR & Dolphin AC Inhibition of whole-cell calcium channel currents in rat cerebellar granule neurones by nicardipine and the Conus peptide ω -conotoxin-MVIIIC, 315P
 Burns NJ, Brett L, Kelly PAT, Lawrence JA Olverman HK & Williams BC Specific localisation of the 5-HT transporter in the rat adrenal medulla, 91P
 Burns NJ, Sephton C, Brett L, Olverman HJ & Williams BC Role of L-aromatic amino acid decarboxylase in the regulation of aldosterone secretion by 5-HT, 267P
 Burt RP *see* Green M, 259P
 Burt RP *see* Marshall I, 110P
 Busatto GF *see* Pilowsky LS, 129P
 Bushfield M, Kenny BA & Parker N Facilitation by 5-HT of ATP-mediated electrically-stimulated contractions in the pig urinary bladder, 201P
 Butcher HM *see* Brownlie RP, 232P
 Butcher HM *see* Brownlie RP, 233P
 Cadogan AK, Latif ML, Alexander SPH & Kendall DA Evidence that cannabinoids have no effect on acetylcholine release in the rat cerebral cortex, 316P
 Campbell CA, King PD, Price WJ, Barone FC, Feuerstein GZ, Hamilton TC & Hunter AJ Neuroprotective and cardiovascular effects of SB 206284A in rats, 156P
 Campbell EA *see* Gentry CT, 247P
 Campbell EA *see* Patel S, 248P
 Campbell EA *see* West KJ, 246P
 Carey JE *see* Thomas DR, 137P
 Carlson E *see* Rupniak NMJ, 101P
 Carlson EJ *see* Boyce S, 245P
 Carr IC *see* Gillard NP, 298P
 Carver JE & Robinson C Dexamethasone attenuates gelatinase activity in stimulated human lung fibroblasts and epithelial cells, 83P
 Carver JG *see* de Silva HA, 115P
 Casati C *see* Monopoli A, 279P
 Caulfield MP, Haley JE, Abogadie FC, Vallis Y & Buckley NJ Antisense constructs directed against G $\alpha_{q/11}$ attenuate G protein and reduce muscarinic M-current inhibition following intranuclear injection in rat sympathetic neurones, 13P
 Caulfield MP *see* Abogadie FC, 14P
 Cawley T *see* Ruiz E, 265P
 Centuri3n D *see* Villal3n CM, 45P
 Chad JE *see* Cross KML, 148P
 Challiss RAJ *see* Willars GB, 143P
 Chapman AG *see* Smith SE, 236P
 Chapple CR *see* Chess-Williams R, 109P
 Chapple CR *see* Martin SW, 200P
 Charlton S, Brown C & Boarder MR Transfected P_{2U}- and P_{2Y}-purinoceptors: differential sensitivity to suramin, 105P
 Chatterjee PK, Weerackody RP, Mistry SK, Hawksworth GM & McLay JS Angiotensin II-stimulated DNA, RNA and protein synthesis in human proximal tubular cells is inhibited by the AT₁ receptor antagonist DuP753, 40P
 Chatterjee PK *see* Mistry SK, 38P
 Chatterjee PK *see* Weerackody RP, 39P
 Chatterjee PK *see* Weerackody RP, 42P
 Chazot PL, Cik & Stephenson FA Evidence for at least two NR1 subunits per NMDA receptor as deduced from the radioligand binding properties of wild-type and mutant NR1.NR2a receptors, 68P
 Chazot PL *see* Sundaram H, 300P
 Cheetham SC *see* Love RM, 329P
 Cheetham SC *see* Needham PL, 140P
 Cheetham SC *see* Viggers JA, 134P
 Chess-Williams R, Noble AJ, Couldwell C, Rosario DJ & Chapple CR The α_1 -adrenoceptor antagonist SB216469 (REC 15/2739) discriminates between α_{1A} -adrenoceptors and the α_1 -adrenoceptors of the human prostate, 109P
 Chess-Williams R *see* Martin SW, 200P
 Chessell IP, Black MD, Feniuk W & Humphrey PPA Operational characteristics of somatostatin receptors mediating inhibition of spontaneous firing of rat locus coeruleus neurones, 322P
 Chow BS *see* Wise H, 144P
 Cik M *see* Chazot PL, 68P
 Cilia J *see* Bright F, 153P
 Clement ME *see* McCall RB, 47P
 Cockett W *see* Grimwood S, 61P
 Cohen RA *see* Plane F, 77P
 Coker SJ *see* Aitchison KA, 54P
 Coldwell MC *see* Boyfield I, 139P
 Coleman RA *see* Dahl3n S-E, 81P
 Coleman T, Ellis SW, Martin IJ, Lennard MS & Tucker GT MPTP is N-demethylated by CYPs 2D6, 1A2 and 3A4: implications for susceptibility to Parkinson's disease, 127P
 Coley C, Woodward R, Naylor LH & Strange PG The role of conserved serine residues in the binding of antagonists to the D₂ dopamine receptor, 283P
 Collier J *see* Bhagat K, 58P
 Connoley IP, Frost I, Heal DJ & Stock MJ Role of β -adrenoceptors in mediating the thermogenic effects of sibutramine, 170P
 Connor MA, Jones A & Henderson G Somatostatin and neuropeptide Y elevate intracellular calcium in SH-SY5Y cells when applied in the presence of carbachol, 11P
 Connors SC, Mamas MA & Terrar DA Actions of phorbol dibutyrate on

- spontaneous electrical activity in guinea-pig isolated ventricular myocytes, 4P
- Cook D *see* Shephard SL, 268P
- Cook GP *see* Saywell KL, 173P
- Coote JE *see* Thurlow RJ, 9P
- Coote JE *see* Williams AJ, 10P
- Cordi A *see* Verbeuren TJ, 277P
- Cordi AA *see* Vayssettes-Courchay C, 225P
- Côrtes SF, Andriantsitohaina R & Stoclet JC Implication of endothelial and nonendothelial cyclooxygenase products in responses to angiotensin II of resistance arteries from spontaneously hypertensive rats, 255P
- Costa DC *see* Pilowsky LS, 129P
- Costall B *see* Smith JK, 158P
- Costall B *see* Smythe JW, 182P
- Costall B *see* Wilson AW, 159P
- Couldwell C *see* Chess-Williams R, 109P
- Cox B *see* Brownlie RP, 232P
- Cox B *see* Brownlie RP, 233P
- Criddle DN, Soares de Moura R, Domingos LR & de Lima Maia E Vasorelaxant effects of SR 47063 in human saphenous vein and rat aorta, 263P
- Croning MDR & Newberry NR Effect of dantrolene on the perturbations in ionic homeostasis induced by combined oxygen and glucose deprivation in the rat hippocampus *in vitro*, 99P
- Cross AJ *see* Misra A, 306P
- Cross AJ *see* Murray TK, 20P
- Cross AJ *see* Snape MF, 163P
- Cross KML, Jane SD, Wild AE, Foreman RC & Chad JE Non-depolarizing muscle relaxants differentiate between mouse muscle nicotinic acetylcholine receptors expressed in *Xenopus* oocytes and quail fibroblasts, 148P
- Croucher MJ *see* Attwell PJE, 154P
- Cuomo V *see* Giustino A, 176P
- Curtis MJ *see* Ellwood AJ, 264P
- Curtis MJ *see* Pabla R, 74P
- Dahlén S-E, Bäck M, Rosenqvist U & Wikström-Jonson E Observations on functional receptors for cysteinyl-leukotrienes in selected smooth muscles, 81P
- Dalley JW *see* Lallies MD, 341P
- D'Amico M, Dashwood MR & Warner TD Endothelin-1 and rat periaqueductal gray area: an autoradiographic and functional pharmacological study, 12P
- Danahay H & Broadley KJ Effects of Ro 20-1724, a selective inhibitor of phosphodiesterase IV, on the development of acute antigen-induced bronchial hyperreactivity and airway leukocyte infiltration in sensitised guinea-pigs, 207P
- Dando SB, Jordan D & Ramage AG Central 5-HT_{1A} and 5-HT_{1D} receptors have opposing roles in the reflex activation of cardiac vagal motoneurons by upper airway stimulation in anaesthetized rabbits, 48P
- D'Arcy S *see* Kennett GA, 16P
- Dashwood MR *see* D'Amico M, 12P
- Davenport AP *see* Maguire JJ, 35P
- Davenport AP *see* Peter MG, 270P
- Davenport AP *see* Pierre LN, 33P
- Davenport AP *see* Plumpton C, 32P
- Davenport AP *see* Russell FD, 36P
- Davies CL, Gold MG, Merner PA & Rankin AJ *In vivo* bladder selectivity of the novel muscarinic antagonist, darifenacin, in the conscious minipig, 202P
- Davies JA *see* Srinivasan J, 164P
- Dawe G *see* Hamid S, 317P
- Dawson G *see* Seabrook GR, 71P
- Dawson GR *see* Bayley PJ, 171P
- Dawson O *see* Dewhurst DG, 345P
- de Boer Th *see* Andrews JS, 19P
- de Graeff BD & Reinders JH Endothelin-1-mediated A7r5 smooth muscle cell activation: separation of dual effect by verapamil and cyclic-GMP, 192P
- de Jong J *see* Somsen GA, 220P
- De Kimpe SJ *see* Kengatharan M, 53P
- de Lima Maia E *see* Criddle DN, 263P
- De Mey JGR, Zidek W, Struijker Boudier HAJ, Raat H & Spiering W Diadenosine-pentaphosphate contracts and relaxes rat resistance arterial smooth muscle through P_{2X}-purinoceptors, 257P
- De Mey JGR *see* Stassen FRM, 121P
- de Silva HA, Carver JG & Aronson JK Stimulation of potassium (⁸⁶Rubidium) efflux from human platelets by external potassium and its inhibition by bumetanide: evidence for Na/K/Cl co-transport, 115P
- Descombes J-J *see* Verbeuren TJ, 277P
- Dewhurst DG, Hughes IE & Williams AD A computer simulation to demonstrate the effects of pharmacological agents or procedures on blood pressure and heart rate of the anaesthetized rat *in vivo*, 344P
- Dewhurst DG & Dawson O A computer-based interactive tutorial program to teach the physiology of the circulatory vessels, blood flow and blood pressure to undergraduate students, 345P
- Dewhurst M, Omawari N & Tomlinson DR Endoneurial nitric oxide deficiency in diabetic rats: effects of aminoguanidine treatment, 55P
- Dickenson AH *see* Boxall SJ, 330P
- Dickinson SL *see* Mirza NR, 177P
- Dillon JF *see* Hadoke PWF, 111P
- Dinnis D *see* Needham PL, 140P
- Dionisotti S, Zocchi C, Ferrara S & Ongini E Binding of [³H]SCH 58261, a new A_{2A} receptor antagonist, in rat striatum, 339P
- Docherty JR *see* Ruiz E, 265P
- Dodd MG *see* Davies CL, 202P
- Doherty AM *see* Maguire JJ, 35P
- Dolphin AC *see* Burley JR, 315P
- Domingos LR *see* Criddle DN, 263P
- Dosanjh SS, Wiczorek WJ, Patel J, Iravani MM & Kruk ZL Fluorogold and dopaminergic function in the rat caudate putamen, 312P
- Douek DC *see* Riedl AG, 186P
- Draper LM *see* Marsh KA, 230P
- Dray A *see* Boxall SJ, 330P
- Drinkenburg WHIM *see* Parry KP, 304P
- Dryden WF *see* Tanay VA-MI, 15P
- Dubois EA, Somsen GA, Janssen AFM, van de Bos JC, Batink HD, Pfaffendorf M, van Royen EA & van Zwieten PA Affinity and biodistribution of an iodinated derivative CGP 12177 developed for the imaging of cardiac β -adrenoceptors *in vivo*, 219P
- Dubois EA *see* Somsen GA, 220P
- Duman RS *see* Bunday RA, 288P
- Eastwood S *see* Boyland PS, 132P
- Edwards G *see* Green ME, 193P
- Edwards G *see* Zygmunt PM, 120P
- Edwards RJ *see* Riedl AG, 186P
- Eglen RM, Peelle B, Pulido-Rios MT & Leung E Muscarinic M₂ receptors modulate relaxant responses to 5-HT₄ receptor and β_3 -adrenoceptor agonism in isolated oesophageal muscularis mucosae of rat, 108P
- Eglen RM *see* Hunter JC, 237P
- Ell PJ *see* Pilowsky LS, 129P
- Elliott J *see* Bailey S, 269P
- Elliott JM *see* Meller R, 291P
- Ellis C *see* Boyland PS, 132P
- Ellis ES, Tilford NS, Baxter GS & Sanger GJ A comparison of N-type calcium channels in human and rat isolated vas deferens by rank order of ω -conotoxin activity, 204P
- Ellis ES *see* Wardle KA, 126P
- Ellis SW *see* Coleman T, 127P
- Ellwood A & Curtis MJ Sumatriptan evokes 5-HT_{1D}-like receptor-mediated coronary vasoconstriction and mesulergine-sensitive, NO-dependent, coronary vasodilatation in guinea-pig isolated heart, 264P
- Emanuelli C *see* Geppetti P, 88P

- Emerson M, Page CP & Paul W *In vivo* effect of dopamine on platelet aggregation in the rabbit, 231P
- Emson PC *see* Schindler M, 8P
- Erdrügger W *see* Goepel M, 198P
- Erdrügger W *see* Yang M, 131P
- Evangelista S *see* Astolfi M, 194P
- Evans BA *see* Summers RJ, 60P
- Fan T-PD *see* Lauder H, 34P
- Fazzi GE *see* Stassen FRM, 121P
- Feniuk W *see* Chessell IP, 322P
- Feniuk W *see* Holloway S, 320P
- Feniuk W *see* Thurlow RJ, 9P
- Feniuk W *see* Williams AJ, 10P
- Ferrara S *see* Dionisotti S, 339P
- Ferro CJ *see* Plumptre C, 32P
- Feuerstein GZ *see* Campbell CA, 156P
- Figini M *see* Geppetti P, 88P
- Fink K *see* Göthert M, 62P
- Fischer G *see* Lorez HP, 166P
- Fletcher S & Barnes NM Autoradiographic localisation of [³H]-(S)-zacopride labelled 5-HT₃ receptor sites in the pig forebrain, 241P
- Flynn DA, Birrell MA, Brazdil R, McCormick J, Layland K, Handscombe C, Brown TJ, Roach AG & Sargent CA Comparison of the ET_A receptor potency of selective and non-selective ET antagonists *in vivo* and *in vitro*, 221P
- Flynn DA *see* Birrell MA, 222P
- Fone KCF, Austin RH & Punhani T Changes in behaviour, corticosterone release and 5-HT_{2C} receptor levels following chronic *m*-CPP infusion in the rat, 18P
- Fontana DJ *see* Hunter JC, 237P
- Ford GA *see* O'Shea D, 128P
- Foreman RC *see* Cross KML, 148P
- Foreman RC *see* Garland CM, 149P
- Forlani A *see* Monopoli A, 279P
- Forster C & Le Tran Y Angiotensin-(1-7): Vasodilator or antagonist?, 43P
- Foster JR *see* Widdowson PS, 183P
- Foulkes R *see* Ward PS, 100P
- Fowler LJ *see* Ahmad S, 302P
- Fowler LJ *see* Biggs CS, 301P
- Fozard JR *see* Hannon JP, 235P
- Freedman SB *see* Patel S, 243P
- Freitag A, Wessler I & Racké K Adrenoceptor-mediated modulation of 5-HT release from neuroepithelial cells of trachea of newborn rabbits, 197P
- Frost I *see* Connoley IP, 170P
- Fry JR *see* Waterfall AH, 327P
- Gabbiani G *see* Schoeffter P, 138P
- Gager TL, Holland V, Thomas DR, Blackburn TP & Wood MD The novel 5-HT_{2C/2B} receptor antagonist SB206553 is a potent and surmountable antagonist at cloned human receptors, 133P
- Gager TL *see* Boyfield I, 139P
- Gager TL *see* Thomas DR, 137P
- Gale DG *see* Thomas DR, 137P
- Gallacher M & Ramage AG Evidence which indicates that the activation of central 5-HT_{1Dα} receptors can cause hypotension in anaesthetized rats, 142P
- Garcia R *see* Brownlie RP, 232P
- Garcia R *see* Brownlie RP, 233P
- Gardiner PJ *see* Grix SP, 147P
- Gardiner SM, Kemp PA, March JE & Bennett T Influence of dexamethasone on the regional haemodynamic responses to lipopolysaccharide in conscious rats: effects of the non-selective endothelin antagonist, SB 209670, 49P
- Gardiner SM *see* Bennett T, 228P
- Gardiner SM *see* March JE, 227P
- Gardner BR & Strange PG On the quantification of receptor function and the molecular mechanisms of agonist action at G-protein linked receptors, 1P
- Gardner N & Broadley KJ Comparison of antagonism of adenosine receptor mediated responses by 8-(*p*-sulphophenyl) theophylline in four guinea-pig isolated cardiac preparations, 275P
- Garland CJ *see* Parsons SJW, 278P
- Garland CJ *see* Plane F, 77P
- Garland CM, Foreman RC, Holden-Dye L & Walker RJ The effect of pancuronium bromide on muscle and neuronal nicotinic acetylcholine receptors (nAChRs) expressed in *Xenopus* oocytes, 149P
- Gaster LM *see* Wardle KA, 126P
- Gates SC, Bruckdorfer KR, Mitchell J, Bishop-Bailey D & Jacobs M Nitrite production in the endotoxin-treated isolated aorta from the Watanabe hereditary hyperlipidaemic rabbit, 85P
- Ge J *see* Bruton RK, 294P
- Gentry CT, Patel S, Winter J & Campbell EA 4-Methylcatechol, an inducer of endogenous nerve growth factor (NGF) synthesis, has analgesic actions in a model of neuropathic pain, 247P
- Gentry CT *see* Patel S, 248P
- Geppetti P, Figini M, Emanuelli C, Javdan P & Bertrand C Tachykinins relax the guinea-pig trachea by stimulating an epithelial 'septide-insensitive' NK₁ receptor which releases NO: evidence for NK₁ receptor subtypes?, 88P
- Gerskowitch VP *see* Hills DM, 195P
- Getova D, Bowery NG & Blackburn TP Effects of 5-HT₃ antagonists BRL 46470A and ondansetron on learning and memory in mice, 175P
- Gibson A *see* Lilley E, 215P
- Giembycz MA *see* Teixeira MM, 114P
- Gillard NP, Linton CJ, Milligan G, Carr IC, Patmore L & Brown CM [³H]RS-79948-147: a potent and selective α -adrenoceptor radioligand, 298P
- Giustino A, Cuomo V, Beckett S & Marsden CA Reduced novel object exploration in rats perinatally exposed to cocaine, 176P
- Gloger IS *see* Boyland PS, 132P
- Glover DR *see* Vaughan TJ, 276P
- Goepel M, Erdrügger W, Wittmann A & Michel MC Atypical affinities of ICI 118,551 at porcine β_2 -adrenoceptors, 198P
- Goldsworthy J *see* Lodge D, 69P
- Gosden J, Buckett WR & Heal DJ *d*-Amphetamine-cued drug discrimination in rats: predictive value for detecting stimulant drugs of abuse, 169P
- Göthert M & Finck K Differential ethanol sensitivity of native NMDA receptors stimulating neurotransmitter release: probable relationship to subunit composition, 62P
- Grahames CBA, Michel AD & Humphrey PPA ATP-stimulated ⁴⁵Ca uptake as a means of measuring P_{2X} purinoceptor activation in PC12 cells, 106P
- Grahames CBA *see* Trezise DJ, 319P
- Grandy DK *see* Lambert DG, 6P
- Gray JA *see* Hamid S, 317P
- Green AR *see* Misra A, 306P
- Green AR *see* Snape MF, 163P
- Green M, Burt RP & Marshall I α_{1A} -Adrenoceptor subtype mediates tonic contractions to phenylephrine in rat hepatic portal vein, 259P
- Green M *see* Marshall I, 110P
- Green ME, Edwards G & Weston AH Pharmacological characterisation of the inwardly-rectifying current in the smooth muscle cells of rat bladder, 193P
- Greengrass PM *see* Jones EH, 213P
- Greengrass PM *see* Newgreen DT, 107P
- Greengrass PM *see* Nunn PA, 130P
- Greenshaw AJ *see* Tanay VA-MI, 15P
- Griebel G, Perrault G & Sanger GJ Further evidence for behavioural differences between selective BZ-1 (ω 1) and non-selective BZ (ω) receptor ligands in rats, 179P
- Griengl S *see* Griesbacher T, 89P
- Griesbacher T, Rainer I & Griengl S Contribution of 5-hydroxytryptamine release from mast cells to rat paw oedema induced by wasp venom and synthetic kinins, 89P

- Griffin E *see* Harper EA, 287P
 Grimwood S, Le Bourdellès B, Cockett W, Atack J, Hutson PH & Whiting PJ Homomeric and heteromeric NMDA receptor subunit assemblies can coexist within the same stable cell line, 61P
 Grimwood S *see* Wingrove PB, 309P
 Grix SP, Gardiner PJ, Westwick J & Poll CT Investigation of signal transduction processes involved in agonist-induced leukotriene C4 generation in human eosinophils, 147P
 Gyte A *see* Widdowson PS, 183P
 Gyte A *see* Wyatt I, 343P
- Hadoke PWF, Dillon JF, Walker SW, Williams BC, John TG & Hayes PC Hyporesponsiveness to α -adrenoceptor agonists in cirrhotic patients is not evident when human hepatic and mesenteric arteries are studied *in vitro*, 111P
 Hagan RM *see* Stratton SC, 295P
 Hagan RM *see* Stratton SC, 296P
 Hajós M & Sharp T 5-HT neuronal lesion dramatically reduces the incidence of burst-firing dorsal raphe neurones in the rat, 290P
 Hála O *see* Varró A, 226P
 Haley JE *see* Abogadie FC, 14P
 Haley JE *see* Caulfield MP, 13P
 Hall DA & Strange PG Inverse agonism of the neuroleptic drug (+)-butaclamol at the short isoform of the human D₂-dopamine receptor heterologously expressed in CHO cells, 282P
 Halliwell B *see* Warren DL, 187P
 Halliwell RF *see* Patten D, 135P
 Hamid S, Daw G, Gray JA & Stephenson JD Nicotine-induced long-lasting potentiation in the rat dentate gyrus, 317P
 Hamilton TC *see* Campbell CA, 156P
 Hamilton TC *see* Samson NA, 160P
 Hamon G & Jouquey S Effects of sub-chronic administration of niravoline, a novel aquaretic compound, on water and electrolyte renal excretion in cirrhotic rats, 224P
 Handscombe C *see* Birrell MA, 222P
 Handy RLC, Whitehead KJ & Moore PK Inhibition of nitric oxide synthase isoforms by 1-(2-trifluoromethyl-phenyl) imidazole (TRIM) and related phenylimidazoles, 208P
 Handy RLC *see* Harb HL, 280P
 Hannon JP & Fozard JR Selective suppression of adenosine A₁ receptor-mediated hypotensive responses in the rat by dexamethasone, 235P
 Harb HL, Handy RLC, Whitehead KJ & Moore PK Lack of effect of 1-(2-trifluoromethylphenyl) imidazole (TRIM) on endothelium-dependent vasodilatation in rabbit aorta and perfused rat mesentery, 280P
 Hardingham N & Randall AD Biophysical analysis of the interaction of Ro 405967-15 with K⁺ channels in the rat NG108 cell-line, 116P
 Hardy AM *see* Obrenovitch TP, 26P
 Hargreaves AC, Taylor SW & Lummis SCR Modulation of 5-HT₃ receptor-evoked currents by L-type Ca²⁺ channel antagonists, 313P
 Hargreaves RJ *see* Mason GS, 242P
 Hargreaves RJ *see* Shepherd SL, 268P
 Hargreaves RJ *see* Williamson DJ, 271P
 Harkin S *see* Poyner DR, 44P
 Harper EA, Griffin E, Sykes DA, Shankley NP & Black JW Characterisation of the binding of a novel CCK_B/gastrin receptor antagonist (JB93182) in mouse and rat cerebral cortex and guinea-pig pancreas, 287P
 Harper EA, Shankley NP & Black JW Characterisation of the binding of a novel radioligand to CCK_B/gastrin receptors in rat cerebral cortical membranes, 286P
 Harris A *see* Patel S, 3P
 Harrison PJ *see* Meller R, 291P
 Hashmi MP *see* Key BJ, 223P
 Hawkins LM, Jane DE & Roberts PJ The effect of a 6-aza substitution on the affinity of willardiine analogues for the AMPA receptor, 332P
 Hawksworth GM *see* Chatterjee PK, 40P
 Hawksworth GM *see* Mistry SK, 38P
 Hawksworth GM *see* Weerackody RP, 39P
 Hawksworth GM *see* Weerackody RP, 42P
 Hay DWP *see* Medhurst AD, 203P
 Hayes PC *see* Hadoke PWF, 111P
 Haynes JM & Hill SJ α -Adrenoceptor-mediated responses in the cauda epididymis of the guinea-pig, 112P
 Haynes WG *see* Plumpton C, 32P
 Heal DJ, Prow MR, Hearson M & Buckett WR Efflux of [³H]dopamine from superfused rat striatal slices: predictive value for detecting stimulant drugs of abuse, 325P
 Heal DJ *see* Connoley IP, 170P
 Heal DJ *see* Godsen J, 169P
 Heal DJ *see* Jackson HC, 168P
 Heal DJ *see* Jackson HC, 323P
 Heal DJ *see* Liu Y-L, 324P
 Heal DJ *see* Love RM, 329P
 Heal DJ *see* Needham PL, 140P
 Heal DJ *see* Phillips I, 338P
 Heal DJ *see* Smith SL, 181P
 Heal DJ *see* Viggers JA, 134P
 Hearson M *see* Heal DJ, 325P
 Heath BM & Terrar DA Block of min K current by propofol and thiopentone in *Xenopus* oocytes, 152P
 Hellewell PG *see* Burke-Gaffney AC, 75P
 Hellewell PG *see* Teixeira MM, 73P
 Hellewell PG *see* Teixeira MM, 114P
 Hemati AA & Hicks RR Chromate-induced fibrogenesis associated with the development of contractile myofibroblasts, 211P
 Henderson G *see* Connor MA, 11P
 Henderson G *see* Hepworth MB, 321P
 Hepworth MB & Henderson G Possible involvement of a G-protein receptor kinase in the rapid desensitization of somatostatin receptors in NG108-15 cells, 321P
 Hernández F *see* Neil KE, 289P
 Hess JF *see* Asonganyi B, 196P
 Hess JF *see* Boyce S, 245P
 Heys C *see* Slee S-J, 217P
 Hicks R *see* Hemati AA, 211P
 Hiley CR *see* Lauder H, 34P
 Hill RG *see* Asonganyi B, 196P
 Hill RG *see* Boyce S, 245P
 Hill RG *see* Mason GS, 242P
 Hill RG *see* Razzaque Z, 119P
 Hill RG *see* Rupniak NMJ, 101P
 Hill RG *see* Shepherd SL, 268P
 Hill RG *see* Stevenson A, 308P
 Hill RG *see* Thompson SA, 310P
 Hill RG *see* Williamson DJ, 271P
 Hill SJ *see* Haynes JM, 112P
 Hill SJ *see* Marsh KA, 230P
 Hill SJ *see* Sanderson EM, 7P
 Hills DM, Gerskowitch VP, Roberts SP, Welsh NJ, Shankley NP & Black JW Pharmacological analysis of the CCK_B/gastrin receptors involved in pentagastrin-stimulated gastric acid secretion in the isolated immature rat stomach, 195P
 Hilton JEBP & Williams RG Characterisation of the receptors that mediate the adrenergic component of non-nicotinic vagally-evoked relaxation of the rat stomach *in vitro*, 206P
 Hindmarsh JG *see* Silva MT, 21P
 Hirota K & Lambert DG Comparison of the binding of [³H]PN200-110 to rat brain, SH-SY5Y and NK108-15 membranes, 292P
 Hirschelmann R *see* Abate A, 239P
 Hirst RA *see* Lambert DG, 6P
 Hirst SJ *see* Saunders MA, 82P
 Hirst WD, Rattray M, Price GW & Wilkin GP Astrocytes *in vitro* express functional 5-HT₇ receptors, 93P
 Hirst WD, Rattray M, Price GW & Wilkin GP Regional differences in functional 5-HT₇ receptor expression by cultured astrocytes, 141P
 Ho M-Y *see* Al-Zahrani SSA, 157P
 Hodgkiss JP *see* Selvarajah J, 284P
 Hodson H *see* MacAllister RJ, 76P

- Högestätt ED & Zygmunt PM Role of potassium channels in endothelium-dependent relaxation resistant to nitroarginine in the rat hepatic artery, 118P
- Högestätt ED *see* Petersson J, 117P
- Högestätt ED *see* Zygmunt PM, 120P
- Holden-Dye L *see* Cross KML, 148P
- Holden-Dye L *see* Garland CM, 149P
- Holland V *see* Gager TL, 133P
- Holland V *see* Thomas DR, 137P
- Holloway S, Feniuk W, Kidd EJ & Humphrey PPA Autoradiographical studies with the somatostatin sst₂-receptor-selective novel radioligand [¹²⁵I]BIM-23027 in rat brain, 320P
- Holsboer F *see* Steffertl A, 188P
- Hope PJ *see* Macmillan S, 335P
- Howitt S *see* Poyner DR, 44P
- Hoyer D *see* Boddeke HWGM, 66P
- Hoyer D *see* Schoeffter P, 138P
- Huang C & Johns EH Effect of nitrendipine on pressure-natriuresis curves in anaesthetised 2K1C Goldblatt and DOCA-salt hypertensive rats, 59P
- Huang EY-K, Bagust J, Sharma RP & Walker RJ Naloxone and des-aminoYFLFQPQR-amide block potentiation by FLFQPQRFamide (NPFF) of the rat isolated spinal cord monosynaptic reflex (MSR), 314P
- Hudson AL *see* Lallies MD, 341P
- Hudson AL *see* Lione LA, 297P
- Hughes IE *see* Dewhurst DG, 344P
- Humphrey PPA *see* Chessell KP, 322P
- Humphrey PPA *see* Grahames CBA, 106P
- Humphrey PPA *see* Holloway S, 320P
- Humphrey PPA *see* Schindler M, 8P
- Humphrey PPA *see* Thurlow RJ, 9P
- Humphrey PPA *see* Trezise DJ, 103P
- Humphrey PPA *see* Trezise DJ, 319P
- Humphrey PPA *see* Williams AJ, 10P
- Hunter AJ *see* Ballard TM, 174P
- Hunter AJ *see* Campbell CA, 156P
- Hunter AJ *see* Samson NA, 160P
- Hunter JC, Lewis R, Eglén RM & Fontana DJ The role of α and β adrenoceptors in a rodent model of neuropathic pain, 237P
- Husband C *see* Lallies MD, 341P
- Hüsken BCP, van der Wal AC, Teeling P, Mathy M-J, Pijl AJ, Pfaffendorf M & van Zwieten PA Influence of the hypertensive state on the pharmacological and morphological characteristics of rat isolated coronary arteries and aortae, 254P
- Hussain MB *see* Marshall I, 110P
- Hutchins LJ *see* Jackson HC, 323P
- Hutchins LJ *see* Love RM, 329P
- Hutson PH *see* Barton CL, 328P
- Hutson PH *see* Grimwood S, 61P
- Hutson PH *see* Patel S, 161P
- Iravani MM & Kruk ZL Effects of NMDA receptor antagonists on 5-HT release in rat substantia nigra, 95P
- Iravani MM *see* Dosanjh SS, 312P
- Iravani MM *see* Williams M, 311P
- Iredale PA *see* Bunday RA, 288P
- Iredale PA *see* Sanderson EM, 7P
- Irving G *see* Rahal MK, 274P
- Isaac LM *see* McArdle S, 210P
- Jackson DM *see* Liu YJ, 51P
- Jackson HC, Bearham MC, Mazurkiewicz SE, Heal DJ & Buckett WR Investigation of the mechanisms underlying the hypophagic effects of the 5-HT and NA reuptake inhibitor sibutramine in the rat, 168P
- Jackson HC, Hutchins LJ, Mazurkiewicz SE, Heal DJ & Buckett WR Comparison of the effects of sibutramine and other monoamine reuptake inhibitors on food intake in the rat, 323P
- Jackson HC *see* Love RM, 329P
- Jackson HC *see* Mirza NR, 177P
- Jackson HC *see* Stricker-Krongrad A, 167P
- Jackson MJ *see* Banerji T, 24P
- Jackson MJ *see* MacKenzie GM, 22P
- Jacobs M *see* Gates SC, 85P
- Jakobs KH *see* Zhang C, 146P
- Jane DE *see* Hawkins LM, 332P
- Jane DE *see* Kemp MC, 334P
- Jane DE *see* Thomas NK, 70P
- Jane DE *see* Thompson GA, 331P
- Jane DH *see* Attwell PJE, 154P
- Jane SD *see* Cross KML, 148P
- Janssen AFM *see* Dubois EA, 219P
- Janssen GMJ *see* Stassen FRM, 121P
- Javdan P *see* Geppetti P, 88P
- Jelic P & Taberner PV Effects of isradipine on hormone-sensitive lipase activity of brown adipose tissue in mice during withdrawal from chronic ethanol treatment, 185P
- Jenner P *see* Banerji T, 24P
- Jenner P *see* Kunikowska GM, 23P
- Jenner P *see* MacKenzie GM, 22P
- Jenner P *see* Riedl AG, 186P
- Jenner P *see* Silva MT, 21P
- Jenner P *see* Warren DL, 187P
- Jessup R *see* Brownlie RP, 232P
- Jessup R *see* Brownlie RP, 233P
- John TG *see* Hadoke PWF, 111P
- Johns EJ *see* Huang C, 59P
- Johnson KS *see* Vaughan TJ, 276P
- Jones A *see* Connor MA, 11P
- Jones BJ *see* Boyland PS, 132P
- Jones EH, Bungay PJ, Greengrass PM & Smith CM Comparison of the effects of various methods of cell culture on the activation of the transfected human NK₂ receptor, 213P
- Jordan D *see* Dando SB, 48P
- Jordan D *see* Wang Y, 46P
- Jordan NJ, Watson ML, Williams RJ, Roach AG, Yoshimura T & Westwick J Chemokine production by human vascular smooth muscle cells: modulation by IL-13, 113P
- Jouquey S *see* Hamon G, 224P
- Kashani SMZ *see* Liu Y-L, 324P
- Kaura S *see* Attwell PJE, 154P
- Keen M & Krane A The effect of K⁺-depleted medium on iloprost- and forskolin-mediated down-regulation of IP prostanoid receptors in NG108-15 cells, 72P
- Kelly DC, Asghar AUR, McQueen DS Perkins MN Effects of bradykinin and desArg⁹-bradykinin on afferent neural discharge in interleukin-1 β -treated rat knee joints, 90P
- Kelly JS *see* Selvarajah J, 284P
- Kelly PAT *see* Burns NJ, 91P
- Kemp MC, Jane DE, Tse H-W & Roberts PJ α -methyl-3-phosphonophenylalanine and α -cyclopropyl-4-phosphonophenylglycine are potent antagonists at mGluRs negatively coupled to adenylyl cyclase, 334P
- Kemp PA *see* Bennett T, 228P
- Kemp PA *see* Gardiner SM, 49P
- Kemp PA *see* March JE, 227P
- Kendall DA *see* Bunday RA, 288P
- Kendall DA *see* Cadogan AK, 316P
- Kendall DA *see* Neil KE, 97P
- Kendall DA *see* Neil KE, 289P
- Kengatharan M, De Kimpe SJ, Thiernemann C & Vane JR Effect of aminoguanidine on the circulatory failure and organ injury elicited by staphylococcal lipoteichoic acid and peptidoglycan in the anaesthetised rat, 53P
- Kengatharan M *see* Abate A, 239P
- Kennedy C *see* Westfall TD, 104P
- Kennedy C *see* Westfall TD, 191P
- Kennett G *see* Bright F, 153P
- Kennett GA, Bright F, D'Arcy S & Blackburn TP The 5-HT_{2C/2B} receptor antagonist, SB 206553, has anxiolytic-like properties in two rat models, 16P
- Kennett GA *see* Ainsworth K, 178P
- Kennett GA *see* Ward JL, 180P
- Kenny BA *see* Bushfield M, 201P
- Kerwin RW *see* Pilowsky LS, 129P
- Key BJ & Hashmi MP The influence of nitric oxide in the rostral ventrolateral medulla of the anaesthetised rat during temperature regulation, 223P
- Key BJ *see* Lovick TA, 94P
- Kidd EJ *see* Holloway S, 320P
- Kilpatrick IC *see* Bufton HR, 98P
- Kim RB *see* O'Shea D, 128P

- Kimoto M *see* MacAllister RJ, 76P
King PD *see* Campbell CA, 156P
Knott RM *see* Mistry SK, 38P
Koek W *see* Assié MB, 92P
Kolios G, Murphy CT, Robertson DAF & Westwick J Modulation of inducible nitric oxide synthase (iNOS) activity in the human colon epithelial cell line HT-29: dual effect of interleukin-13 (IL-13), 87P
Korstanje C *see* Martin SW, 200P
Krane A *see* Keen M, 72P
Krassó I *see* Varró A, 226P
Krishek BJ *see* Thomas P, 299P
Kruk ZL *see* Dosanjh SS, 312P
Kruk ZL *see* Iravani MM, 95P
Kruk ZL *see* Williams M, 311P
Kuc RE *see* Maguire JJ, 35P
Kumar A, McAulay JA & Sneddon JM Effect of neomycin or streptomycin on enzyme activities in a human renal cell line, 272P
Kumar R *see* Saigusa T, 318P
Kunikowska GM, Toffa S, Zeng B-Y, Jenner P & Marsden CD The effect of chronic GSH depletion induced by L-buthionine-(S,R)-sulphoximine (BSO) on the nigrostriatal pathway in rats, 23P
Lacoste J-M *see* Vayssettes-Courchay C, 225P
Lacoste J-M *see* Verbeuren TJ, 277P
Lagaud GJL, Stoclet JC & Andriantsitohaina R Characterization of calcium stores and influx mechanisms involved in the contraction induced by noradrenaline in rat resistance arteries, 256P
Lalies MD, Husband C, Dalley JW, Nutt DJ & Hudson AL An investigation of the effect of imidazoline₂-site selective compounds 2BFI and BU224 on [³H]noradrenaline uptake in rat brain slices, 341P
Lambert DG, Hirst RA, Smart D & Grandy DK Characterisation of CHO cells expressing the cloned rat μ opioid receptor, 6P
Lambert DG *see* Hirota K, 292P
Lambert DG *see* Nicol B, 293P
Larkin SW *see* Bishop-Bailey D, 78P
Larkin SW *see* Bishop-Bailey D, 79P
Lassmann H *see* Steffertl A, 188P
Latham CJ *see* Sundaram H, 300P
Latham CJ *see* Thomas P, 299P
Latif ML *see* Cadogan AK, 316P
Laubie M *see* Vayssettes-Courchay C, 225P
Laubie M *see* Verbeuren TJ, 277P
Lauder H, Fan T-PD & Hiley CR Action of endothelin ET_B receptor antagonists on endothelin-3-induced proliferation of wounded endothelial cells, 34P
Lawrence JA *see* Burns NJ, 91P
Layland K *see* Flynn DA, 221P
Le Bourdellès B *see* Grimwood S, 61P
Le Tran Y *see* Forster C, 43P
Leach MJ *see* Ahmad S, 302P
Lee VJ *see* Brownlie RP, 232P
Lee VJ *see* Brownlie RP, 233P
Leeuwijn RS *see* Zeegers A, 266P
Lennard MS *see* Coleman T, 127P
Leonard J *see* Ward PS, 100P
Leung E *see* Eglen RM, 108P
Lewis R *see* Hunter JC, 237P
Li Q, Zhang J, Pfaffendorf M & van Zwieten PA Direct positive chronotropic effect of angiotensin III in pithed rats and isolated rat atria, 218P
Li Q *see* Zhang J, 57P
Li SW *see* Lydford SJ, 190P
Lie KI *see* Somsen GA, 220P
Lightowler S *see* Ward JL, 180P
Lilley EA & Gibson A Protection of NO from hydroquinone by some physiological antioxidants, 215P
Linington C *see* Steffertl A, 188P
Linton CJ *see* Gillard NP, 298P
Lione L, Nutt DJ & Hudson AH Affinity and selectivity of BU224 and BU239 for rat and guinea-pig brain I₂ imidazoline sites, 297P
Little HJ *see* Bailey CP, 30P
Little HJ *see* Manley SJ, 28P
Little HJ *see* Smith J, 214P
Little HJ *see* Wilson J, 29P
Liu Y-L, Kashani SMZ, Heal DJ & Stock MJ Effect of sibutramine on tissue glucose utilisation in the rat, 324P
Liu YJ, Jackson DM & Blackham A Effects of BW A868C on exogenous PGD₂-induced nasal congestion in anaesthetised dogs, 51P
Lock EA *see* Widdowson PS, 183P
Lock EA *see* Wyatt I, 343P
Lodge D, Bond A, Goldsworthy J, Baker SR, Schoepp DD & Monn JA Potentiation of AMPA-induced excitation by selective metabotropic glutamate receptor agonists on rat spinal neurones *in vivo*, 69P
Lodge D *see* Bufton HR, 98P
Long S *see* de Graeff BD, 192P
Longmore J *see* Asonganyi B, 196P
Longmore J *see* Razzaque Z, 119P
Lopez Cabrera M *see* Al-Zahrani SSA, 157P
Lorez HP, Fischer G & Bourson A Neuroprotective properties of the NMDA receptor open channel blocker Ro 24-6173 in rats, 166P
Loro JF *see* Zhang J, 57P
Love RM, Hutchins LJ, Jackson HC, Heal DJ & Cheetham SC Evidence that dizocilpine (MK-801) does not down-regulate either β_1 -adrenoceptors or 5-HT_{2A} receptors in rat brain, 329P
Lovick TA & Schenburger LC 5-HT_{1A} receptors are involved in inhibition of the midbrain-evoked cardiovascular defence response by nucleus raphe obscurus, 94P
Lübbert H *see* Schoeffter P, 138P
Luheshi GN *see* Steffertl A, 188P
Lummis SCR *see* Hargreaves AC, 313P
Lydford SJ, Li SW & McKechnie KCW Comparison of prostanooid DP-receptors in the rabbit isolated saphenous vein and human neutrophil, 190P
McAllister KHM & Pratt JA Effect of ondansetron on apomorphine-induced conditioned taste aversions in rats, 184P
MacAllister RJ, Whitley GSTJ, Parry H, Kimoto M, Ogala T, Hodson H, Moncada S & Vallance P Regulation of NO synthesis by dimethylarginine dimethylaminohydrolase, 76P
McArdle S, Isaac LM & Small RC Effects of iberoitoxin on the mechanical and electrical activity of guinea-pig trachealis muscle, 210P
Macaulay AJ *see* Priestley T, 337P
McAulay JA *see* Kumar A, 272P
McBean DE, Redfern WS, Winters V, Williams A & Oswald CB Further studies on the link between the loss of neuroprotective effect of lifarizine at a high dose and its hypotensive effects, using rats implanted with telemetry transducers, 155P
McCall RB & Clement ME The role of 5-HT and GABA in the regulation of the 10-Hz rhythm in sympathetic nerve discharge, 47P
McCormick J *see* Flynn DA, 221P
McCormick J *see* Sargent CA, 37P
McCulloch AI & Randall MD Characterisation of endothelium-dependent relaxations in the isolated perfused rat superior mesenteric arterial bed: the involvement of EDHF, 229P
McCurrie JR *see* Yeung CK, 199P
McDermott K *see* Whitaker LA, 285P
MacDonald E Both isomers of medetomidine inhibit synaptosomal noradrenaline uptake *in vitro* but not at therapeutically relevant concentrations *in vivo*, 340P
McIntyre CA *see* Westfall TD, 104P
McIntyre CA *see* Westfall TD, 191P
McKay NG *see* Mistry SK, 38P
McKechnie KCW *see* Lydford SJ, 190P
MacKenzie GM, Jackson MJ, Jenner P & Marsden CD L-Name does not protect against MPTP toxicity in the

- common marmoset, 22P
- McLay JS *see* Chatterjee PK, 40P
- McLay JS *see* Mistry SK, 38P
- McLay JS *see* Weerackody RP, 39P
- McLay JS *see* Weerackody RP, 42P
- Macmillan S, Hope P, Patmore L & Sheridan RD State-dependent block of neuronal sodium channels by (+)- and (-)-MK-801, 335P
- McQueen DS *see* Kelly DC, 90P
- Maggi CA *see* Patacchini R, 212P
- Maguire JJ, Kuc RE, Doherty AM & Davenport AP Affinity of the ET_A selective non-peptide antagonist PD156707 for endothelin receptors in human renal and cardiovascular tissues, 35P
- Mak JCW *see* Astolfi M, 194P
- Mamas MA *see* Connors SC, 4P
- Man CM *see* Smith SE, 236P
- Manley SJ & Little HJ Prolonged changes in effects of cocaine after chronic ethanol treatment, 30P
- Manzini S *see* Astolfi M, 194P
- March JE, Gardiner SM, Kemp PA & Bennett T Regional haemodynamic responses to vasodilators in conscious, transgenic [(mRen-2)27], hypertensive rats, 227P
- March JE *see* Bennett T, 228P
- March JE *see* Gardiner SM, 49P
- Marques C *see* Soares-da-Silva P, 122P
- Marsden C *see* Giustino A, 176P
- Marsden CA *see* Beckett SRG, 17P
- Marsden CA *see* Moss SH, 27P
- Marsden CA *see* Rowley HL, 303P
- Marsden CA *see* Stratton SC, 296P
- Marsden CA *see* Waterfall AH, 327P
- Marsden CD *see* Banerji T, 24P
- Marsden CD *see* Kunikowska GM, 23P
- Marsden CD *see* MacKenzie GM, 22P
- Marsden CD *see* Silva MT, 21P
- Marsh KA, Draper LM, Rubin PC & Hill SJ Characteristics of human umbilical artery endothelial cells maintained in a low oxygen environment, 230P
- Marshall DL, Redfern PH & Wonnacott S Differences in the nature of nicotine-stimulated dopamine (DA) release from the terminal regions of three ascending dopaminergic pathways, 342P
- Marshall I, Green M, Hussain MB & Burt RP Differences in affinity for the antagonist RS 17053 at α_{1A} -adrenoceptors between rat tissues, 110P
- Marshall I, Morrison JJ, Perera D & Rodeck CH The effects of GTN, GSNO, SNAP, SIN-1 and L-arginine on contractility of isolated human pregnant myometrium, 260P
- Marshall I *see* Green M, 259P
- Marshall I *see* Sooch S, 261P
- Marshall I *see* Wisskirchen F, 262P
- Martin GR *see* Smith RR, 250P
- Martin IJ *see* Coleman T, 127P
- Martin IL *see* Steward LJ, 96P
- Martin KF *see* Patten D, 135P
- Martin KF *see* Phillips I, 338P
- Martin KF *see* Rowley HL, 303P
- Martin SW, Radley SC, Chess-Williams R, Chapple CR & Korstanje C Relaxant effects of levcromakalim and YM 934 in human isolated detrusor strips from stable and unstable bladders, 200P
- Marzanatti M *see* Monopoli A, 279P
- Mason GS, Tattersall FD, Hill RG & Hargreaves RJ Effect of the NK₁ receptor antagonists, L-733,060 and CP-99,994, and morphine in the rabbit spinal reflex preparation, 242P
- Mason K *see* Smith SL, 181P
- Matassa VG *see* Razzaque Z, 119P
- Mathie A, Amos BJ & Richards CD Pharmacological characterisation of metabotropic glutamate receptor-induced increases in intracellular [Ca²⁺] in cultured rat cortical neurones and glial cells, 65P
- Mathie A *see* Hardingham N, 116P
- Mathie RT *see* Alexander B, 50P
- Mathy M-J *see* Höskén BCP, 254P
- Mathy M-J *see* Pfaffendorf M, 251P
- Maxwell MP *see* Smith RR, 250P
- Mazurkiewicz SE *see* Jackson HC, 168P
- Mazurkiewicz SE *see* Jackson HC, 323P
- Medhurst AD, Hay DWP & Parsons AA Evidence for NK₃ receptor subtypes in rabbit isolated iris sphincter muscle using the NK₃ receptor antagonists SR 142801 and SR 48968, 203P
- Meldrum BS *see* Smith SE, 236P
- Meller R, Elliott JM, Harrison PJ & Sharp T Investigation of the turnover rate of 5-HT_{2A} receptors in C₆ rat glioma cells using phenoxybenzamine, 291P
- Meoni P & Bowery NG Mutual interaction between dextromethorphan and paroxetine in rat brain, 162P
- Merner PA *see* Davies CL, 202P
- Mester L *see* Varró A, 226P
- Michel AD *see* Grahames CBA, 106P
- Michel AD *see* Williams AJ, 10P
- Michel MC *see* Goepel M, 198P
- Michel MC *see* Yang M, 131P
- Michel MC *see* Zhang C, 146P
- Middlemiss DN *see* Boyland PS, 132P
- Milligan G *see* Gillard NP, 298P
- Mirza NR, Jackson HC, Dickinson SL & Nutt DJ Effect of the I₂-ligand 2-BFI on passive avoidance performance in the rat, 177P
- Misra A, Snape MF, Murray TK, Cross AJ & Green AR The interaction of loreclezole with the GABA_A receptor complex, an *in vivo* and *in vitro* study, 306P
- Misra A *see* Snape MF, 163P
- Mistry SK, Chatterjee PK, Weerackody RP, McKay NG, Knott RM, Hawksworth GM & McLay JS Growth-induced natriuretic peptide receptor subtype switching and natriuretic peptide expression in primary cultures of rat proximal tubular cells, 38P
- Mistry SK *see* Chatterjee PK, 40P
- Mistry SK *see* Weerackody RP, 39P
- Mistry SK *see* Weerackody RP, 42P
- Mitchell J *see* Gates SC, 85P
- Mitchell JA *see* Bernareggi M, 52P
- Mitchell JA *see* Bishop-Bailey D, 78P
- Mitchell JA *see* Bishop-Bailey D, 79P
- Mitchell JA *see* Saunders MA, 80P
- Mitchell JA *see* Saunders MA, 82P
- Molleman A *see* Bailey CP, 30P
- Moncada S *see* MacAllister RJ, 76P
- Monn JA *see* Lodge D, 69P
- Monopoli A, Casati C, Forlani A, Marzanetti M & Ongini E The *in vivo* cardiovascular pharmacology of the selective A_{2A} adenosine antagonist SCH 58261 in the rat and rabbit, 279P
- Moore PK *see* Handy RLC, 208P
- Moore PK *see* Harb HL, 280P
- Moore UM *see* Pleass RD, 238P
- Moors JA *see* Brownlie RP, 233P
- Morrison JJ *see* Marshall I, 260P
- Morton C, Ng LL & Boarder MR Evidence that the mitogenic response to angiotensin II in vascular smooth muscle cells from the hypertensive rat involves a tyrosine kinase dependent stimulation of phospholipase D activity, 273P
- Moss SH, Bennett GW & Marsden CA Characterisation of the developmental changes in neurotensin metabolism in the rat telencephalon, 27P
- Mugnaini M, van Amsterdam FTh, Ratti E, Trist DG & Bowery NG Regionally different N-methyl-D-aspartate receptor distinguished by *in vitro* binding and quantitative autoradiography of [³H]CGP 39653 in rat brain, 336P
- Muir A *see* Thomas DR, 137P
- Murphy CT & Westwick J Modulation of Ins(1,4,5)P₃-induced Ca²⁺ release from permeabilised platelets by cGMP-dependent kinase activity, 2P
- Murphy CT *see* Kolios G, 87P
- Murphy D *see* Smythe JW, 182P
- Murphy MB *see* Aherne AM, 124P
- Murphy MB *see* Vaughan CJ, 125P
- Murphy MB *see* Whitaker LA, 285P
- Murray TK & Cross AJ The effect of dizocilpine and selective hippocampal lesions in the elevated plus-

- maze, 20P
Murray TK *see* Misra A, 306P
Murray TK *see* Snape MF, 163P
- Nahorski SR *see* Willars GB, 143P
Najibi S *see* Plane F, 77P
Naseem KM & Bruckdorfer KR The influence of organic peroxides on platelet aggregation and sensitivity to nitric oxide, 84P
Naylor AM *see* Newgreen DT, 107P
Naylor AM *see* Nunn PA, 130P
Naylor LH *see* Coley C, 283P
Naylor RJ *see* Rahal MK, 274P
Needham PL, Atkinson J, Cheetham SC, Dinnis D, Slater NA, O'Brien EC & Heal DJ Binding of zotepine, clozapine and haloperidol to 5-HT receptor subtypes, 140P
Neil KE, Alexander SPH & Kendall DA Binding of the β -adrenoceptor antagonist radioligand [125 I]-iodocyanopindolol to particulate preparations from the guinea-pig cerebral cortex and cerebellum, 97P
Neil KE, Hernández F, Kendall DA & Alexander SPH The effects of the isoenzyme-selective phosphodiesterase inhibitors, rolipram and zaprinast, on cyclic nucleotide levels in the guinea-pig cerebellum, 289P
Neill JC *see* Smith JK, 158P
Neill JC *see* Wilson AW, 159P
Németh M *see* Varró A, 226P
Newberry NR *see* Croning MDR, 99P
Newgreen DT & Naylor AM Comparison of the functional muscarinic receptor selectivity of darifenacin with tolterodine and oxybutinin, 107P
Newgreen DT *see* Nunn PA, 130P
Ng LL *see* Morton C, 273P
Ng LL *see* Wilkie N, 41P
Ngambi GLO *see* Welsh NJ, 258P
Nicholls PJ *see* Ahmad M, 150P
Nicholls PJ *see* Ahmad M, 151P
Nicholson CD *see* Andrews JS, 19P
Nicol B, Rowbotham DJ & Lambert DG Morphine inhibits glutamate release from rat cerebrocortical slices, 293P
Noble AJ *see* Chess-Williams R, 109P
Nohria V *see* Pilowsky LS, 129P
Nunn PA, Greengrass PM, Newgreen DT, Naylor AM & Wallis RM The binding profile of the novel muscarinic receptor antagonist darifenacin against the five cloned human muscarinic receptors expressed in CHO cells, 130P
Nutt DJ *see* Lallies MD, 341P
Nutt DJ *see* Lione LA, 297P
Nutt DJ *see* Mirza NR, 177P
- Obeid S *see* Westfall TD, 104P
Obeid S *see* Westfall TD, 191P
Obrenovitch TP, Hardy AM & Zilkha E Effects of L-701,324, a novel antagonist at the glycine site of the N-methyl-D-aspartate (NMDA) receptor, on the electroencephalogram and NMDA-evoked responses in the rat striatum, 26P
Obrenovitch TP *see* Urenjak J, 67P
O'Brien EC *see* Needham PL, 140P
Ochu E *see* Priestley T, 337P
O'Connell DP *see* Vaughan CJ, 125P
O'Connell DP *see* Whitaker LA, 285P
Ogawa T *see* MacAllister RJ, 76P
Olufsen KF *see* Samson NA, 160P
Olverman HJ *see* Burns NJ, 91P
Olverman HJ *see* Burns NJ, 267P
Omawari N *see* Dewhurst M, 55P
Ongini E *see* Dionisotti S, 339P
Ongini E *see* Monopoli A, 279P
Ortiz de Montellano PR *see* Zygmunt PM, 120P
O'Shea D, Kim RB & Wilkinson GR Modulation of CYP2E1 activity by isoniazid in fast and slow N-acetylators, 128P
Oswald CB *see* McBean DE, 155P
- Pabla R & Curtis MJ Effect of L-NAME and L-arginine on cardiac stunning (recovery of systolic and diastolic contractile function during reperfusion following normothermic global ischaemia) in rat isolated heart, 74P
Paccagnini PJ *see* Snape MF, 163P
Page CP *see* Emerson M, 231P
Papaioannou M *see* Summers RJ, 60P
Papp JGy *see* Varró A, 226P
Parker N *see* Bushfield M, 201P
Parry H *see* MacAllister RJ, 76P
Parry KP, Drinkenburg WHIM & Bowery NG Lack of alteration of GABA_B receptor binding in the absence epileptic WAG/Rij strain of rat, 304P
Parsons AA *see* Medhurst AD, 203P
Parsons ME *see* Williams SJ, 216P
Parsons SJW, Sumner M & Garland CJ Apamin-sensitive responses to acetylcholine in rabbit isolated mesenteric arteries, 278P
Patacchini R & Maggi CA Effect of cyclo-piazonic acid on contractions produced by tachykinin NK₁ and NK₂ receptor agonists in the circular muscle of guinea-pig colon, 212P
Patel J *see* Dosanjh SS, 312P
Patel J *see* Williams M, 311P
Patel S, Gentry CT & Campbell EA A model for the *in vivo* evaluation of tachykinin NK₁ receptor antagonists using carrageenan-induced hyperalgesia in the guinea-pig paw, 248P
- Patel S, Harris A & Taylor CW Ca²⁺-regulated calmodulin binding to purified inositol 1,4,5-trisphosphate (InsP₃) receptors, 3P
Patel S & Hutson PH Inhibition by galanin of 5-HT₂ receptor-mediated PI hydrolysis and head twitch behaviour, 161P
Patel S *see* Gentry CT, 247P
Patel S *see* Patel S, 243P
Patel Shil, Freedman SB & Patel Smita [3 H]Epibatidine: a novel high affinity ligand at neuronal nicotinic acetylcholine receptors, 243P
Patmore L *see* Gillard NP, 298P
Patmore L *see* Macmillan S, 335P
Patten D, Martin KF & Halliwell RF A study of the effect of propofol on neuronal GABA_A, 5-HT₃, P_{2x} and nACh receptors, 135P
Patterson LH *see* Rahal MK, 274P
Paul W *see* Emerson M, 231P
Pearce BR *see* Biggs CS, 301P
Pearce RKB *see* Banerji T, 24P
Peele B *see* Eglen RM, 108P
Pepper JR *see* Bishop-Bailey D, 78P
Perera D *see* Marshall I, 260P
Perkins MN *see* Kelly DC, 90P
Perkinton MS & Sihra TA ω -Conotoxin MVIIC reversibly inhibits high-K⁺- and 4-aminopyridine-evoked glutamate release from isolated nerve terminals (synaptosomes), 63P
Perrault G *see* Griebel G, 179P
Pestana M *see* Soares-da-Silva P, 123P
Peter MG & Davenport AP Upregulation of the endothelin ET_A receptors in left ventricle from failing human hearts demonstrated using competition binding studies with FR139317, 270P
Petersson J, Zygmunt PM & Högestätt ED Charybdotoxin and apamin inhibit relaxations mediated by EDHF in the guinea-pig basilar artery, 117P
Petit N *see* Bourson A, 165P
Pfaffendorf M, Beenen OEM, Mathy M-J & van Zwieten PA Vascular reactivity of renal arteries from spontaneously hypertensive rats with streptozotocin-induced diabetes mellitus, 251P
Pfaffendorf M *see* Beenen OHM, 252P
Pfaffendorf M *see* Dubois EA, 219P
Pfaffendorf M *see* Hüsken BCP, 254P
Pfaffendorf M *see* Li Q, 218P
Pfaffendorf M *see* Somsen GA, 220P
Pfaffendorf M *see* Winkler Prins EA, 249P
Pfaffendorf M *see* Zhang J, 57P
Pfaffendorf M *see* Zwaveling J, 253P
Phillips I, Thompson KSJ, Martin KF & Heal DJ Phenytoin inhibits non-NMDA glutamate receptor agonist-

- induced depolarisation in rat cortical wedges, 338P
- Pierre LN & Davenport AP Investigation of endothelin receptor subtypes in human isolated middle meningeal artery, 33P
- Pijl AJ *see* Hüsken BCP, 254P
- Pilcher CWT & Bitar MS Attenuation of α_2 adrenoceptor-mediated nociception in diabetic rats, 244P
- Pilowsky LS, Busatto GF, Taylor M, Costa DC, Sharma T, Sigmundsson T, Ell PJ, Nohria V & Kerwin RW Striatal dopamine D₂ receptor binding estimated *in vivo* in olanzapine-treated schizophrenic patients by ¹²³I IBZM single photon emission tomography (SPET), 129P
- Piper D *see* Bright F, 153P
- Plane F, Najibi S, Cohen RA & Garland CJ Role of nitric oxide in repolarization and relaxation to acetylcholine in the rabbit isolated carotid artery, 77P
- Pleass RD, Moore UM, Roach AG & Williams RJ Quantification of chemokine-induced changes in extracellular acidification rate of THP-1 cells using a microphysiometer, 238P
- Plumpton C, Ferro CJ, Haynes WG, Webb DJ & Davenport AP The endothelin antagonist TAK-044 increases human plasma immunoreactive endothelin but not big endothelin-1 or C-terminal fragment of big endothelin-1, 32P
- Pocock TM & Small RC Studies of the effects of SCA40 in relaxing bovine trachealis muscle and in inhibiting isoenzymes of cyclic nucleotide phosphodiesterase, 209P
- Poll CT *see* Grix SP, 147P
- Porter J *see* Ward PS, 100P
- Poyner DR, Howitt S & Harkin S Calcitonin gene-related peptide increases glucose uptake in L6 skeletal myocytes by cyclic AMP, 44P
- Pratt JA *see* McAllister KHM, 184P
- Price GW *see* Hirst WD, 93P
- Price GW *see* Hirst WD, 141P
- Price WJ *see* Campbell CA, 156P
- Priestley T, Ochu E & Macaulay AJ NMDA receptor subtypes expressed by rat cultured cortical neurones change with time *in vitro*, 337P
- Pritchard K *see* Vaughan TJ, 276P
- Prow MR *see* Heal DJ, 325P
- Prow MR *see* Smith SL, 181P
- Pulido-Rios MT *see* Eglen RM, 108P
- Punhani T *see* Fone KCF, 18P
- Raat H *see* De Mey JGR, 257P
- Racké K *see* Freitag A, 197P
- Radley SC *see* Martin SW, 200P
- Rahal MK, Irving G, Patterson LH & Brown JE Comparison of the cardiotoxicity of new anthraquinone anti-tumour agents and their N-oxides prodrugs with doxorubicin and epirubicin using isolated rat cardiac myocytes, 274P
- Rainer I *see* Griesbacher T, 89P
- Ramage AG *see* Dando SB, 48P
- Ramage AG *see* Gallacher M, 142P
- Ramage AG *see* McCall RB, 47P
- Ramage AG *see* Perkinson MS, 63P
- Ramage AG *see* Wang Y, 46P
- Randall AD *see* Hardingham N, 116P
- Randall MD *see* McCulloch AI, 229P
- Rankin AJ *see* Davies CL, 202P
- Raport CJ *see* Turner SJ, 5P
- Ratti E *see* Mugnaini M, 336P
- Rattray M *see* Hirst WD, 93P
- Rattray M *see* Hirst WD, 141P
- Razzaque Z, Baker R, Beer MS, Hill RG, Matassa VG, Stagg AT, Sternfeld F, Street L & Longmore J *In vitro* pharmacological effects of two novel 5-HT_{1D}-receptor agonists L-741,519 and L-741,604: comparison with sumatriptan and BW311C, 119P
- Redfern PH *see* Marshall DL, 342P
- Redfern WS *see* McBean DE, 155P
- Reinders JH *see* de Graeff BD, 192P
- Riaz SS & Tomlinson DR Clenbuterol stimulates nerve growth factor expression in control and diabetic rats: effects on neuropeptides, 56P
- Richards CD *see* Mathie A, 65P
- Richens A *see* Srinivasan J, 164P
- Ridger VC & Brain SD The effect of L-N^G-(1-iminoethyl)lysine on zymosan-induced oedema in rat dorsal skin, 240P
- Riedl AG, Watts PM, Couek DC, Edwards RJ, Boobis AR & Jenner P CYP2E1 is expressed in dopaminergic neurones in the rat substantia nigra, 186P
- Roach AG *see* Birrell MA, 222P
- Roach AG *see* Flynn DA, 221P
- Roach AG *see* Jordan NJ, 113P
- Roach AG *see* Pleass RD, 238P
- Roach AG *see* Sargent CA, 37P
- Roberts PJ *see* Bedingfield JS, 333P
- Roberts PJ *see* Hawkins LM, 332P
- Roberts PJ *see* Kemp MC, 334P
- Roberts SJ *see* Summers RJ, 60P
- Roberts SP *see* Hills DM, 195P
- Robertson DAF *see* Kolios G, 87P
- Robinson C *see* Carver JE, 83P
- Rodeck CH *see* Marshall I, 260P
- Rosario DJ *see* Chess-Williams R, 109P
- Rose S *see* Silva MT, 21P
- Rosenqvist U *see* Dahlén S-E, 81P
- Routledge C *see* Taylor SG, 326P
- Rowbotham DJ *see* Nicol B, 293P
- Rowley HL, Martin KF & Marsden CA Repeated generalised seizures in the rat potentiate changes in hippocampal glutamate but not GABA release, 303P
- Rubin PC *see* Marsh KA, 230P
- Ruck A *see* Viggers JA, 134P
- Ruetten H, Southan GJ, Abate A & Thiemermann C Effects of 1-amino-2-hydroxy-guanidine, a potent inhibitor of inducible nitric oxide synthase, on multiple organ dysfunction caused by endotoxin, 145P
- Ruetten H, Thiemermann C & Vane JR Endothelin-1 enhances the synthesis of tumour-necrosis factor- α in cultured macrophages and in the anaesthetised rat, 31P
- Ruetten H *see* Abate A, 239P
- Ruiz E, Cawley T & Docherty JR Effects of nitric oxide synthase inhibition and methylene blue on vasoconstrictor responses in the rat, 265P
- Rupin A, Behr D & Verbeuren TJ Expression of functional brain and macrophagic NO-synthases in the atherosclerotic rabbit aorta, 86P
- Rupniak NMJ, Carlson E, Boyce S, Webb JK & Hill RG Enantioselective inhibition of the formalin paw late phase by the NK₁ receptor antagonist L-773,060 in gerbils, 101P
- Rupniak NMJ *see* Boyce S, 245P
- Rushant B *see* Wardle KA, 126P
- Russell FD & Davenport AP Binding characteristics of ET_B selective compounds in human and rat heart, 36P
- Saigusa T, Takada K, Baker S, Kumar R & Stephenson JD Modulation by oestrogen and progesterone of the response to stimulation of dopamine receptors in the entorhinal cortex on dopamine efflux in the nucleus accumbens of OVX rats, 318P
- Salt TE & Turner JP Antagonism of the presynaptic action of L-AP4 on GABAergic inhibitory transmission by ($\pm$)- α -methyl-4-phosphonophenylglycine (MPPG) in the rat ventro-basal thalamus, 64P
- Salt TE *see* Shaw PJ, 25P
- Samson NA, Olufsen KF, Hamilton TC & Hunter AJ The effect of renzapride and its enantiomers on learning in the common marmoset, 160P
- Sánchez-López A *see* Villalón CM, 45P
- Sanderson EM, Iredale PA & Hill SJ Role of Ca²⁺ ions in the stimulation of cAMP accumulation by histamine in CHO-K1 cells transfected with the bovine H₁ receptor, 7P
- Sanger DJ *see* Griebel G, 179P
- Sanger GJ *see* Ellis ES, 204P
- Sanger GJ *see* Wardle KA, 126P
- Sargent CA, Birrell M, McCormick J, Brown TJ & Roach AG Characterisa-

- tion of endothelin receptors in porcine pulmonary tissue, 37P
Sargent CA *see* Birrell MA, 222P
Sargent CA *see* Flynn DA, 221P
Saunders MA, Belvisi MG, Barnes PJ, Williams TJ, Mitchell JA Comparison of the effects of nonsteroidal anti-inflammatory drugs as inhibitors of COX-2 metabolites derived from endogenous versus exogenous arachidonic acid, 80P
Saunders MA, Mitchell JA, Hirst SJ, Williams TJ, Yacoub MH, Barnes PJ & Belvisi MG Characterisation of cyclo-oxygenase-2 induction in human airway smooth muscle cells, 82P
Saywell KL, Cook GP & Bristow LJ The glycine/NMDA receptor antagonist, L-701,324, attenuates the deficit in prepulse inhibition of acoustic startle responding induced by amphetamine in the rat, 173P
Scatton B *see* Griebel G, 179P
Schenberg LC *see* Lovick TA, 94P
Schindler M, Humphrey PPA & Emson PC Immunohistochemical localisation of the somatostatin sst₂ receptor in the rat brain and spinal cord, 8P
Schmidt M *see* Zhang C, 146P
Schoeffter P, Bobirnac I, Ullmer C, Gabbiani G & Lübbert H Functional, endogenously expressed 5-HT₇ receptors in human vascular smooth muscle cells, 138P
Schoepp DD *see* Lodge D, 69P
Schweickart V *see* Turner SJ, 5P
Seabrook GR, Dawson G & Bowery BJ Modulation of long-term potentiation in CA1 region of hippocampal brain slices by benzodiazepines, 71P
Sellers L *see* Thurlow RJ, 9P
Sellers L *see* Williams AJ, 10P
Selvarajah J, Hodgkiss JP & Kelly JS The effect of an adenosine A₁ receptor agonist and antagonist on long-term depression (LTD) in the rat hippocampus, 284P
Sephton C *see* Burns NJ, 267P
Serrão MP *see* Soares-da-Silva P, 122P
Serrão MP *see* Soares-da-Silva P, 123P
Shankley NP *see* Harper EA, 286P
Shankley NP *see* Harper EA, 287P
Shankley NP *see* Hills DM, 195P
Shankley NP *see* Van der Graaf PH, 234P
Shankley NP *see* Van der Graaf PH, 281P
Shankley NP *see* Welsh NJ, 258P
Sharma RP *see* Huang EY-K, 314P
Sharma T *see* Pilowsky LS, 129P
Sharp T *see* Hajós M, 290P
Sharp T *see* Meller R, 291P
Shaw PJ & Salt TE The effects of the nitric oxide-donors sodium nitroprusside (SNP) and S-nitrosoglutathione (GSNO) on rat ventro-basal thalamus neurones *in vivo*, 25P
Shepherd SL, Williamson DJ, Cook D, Hill RG & Hargreaves RJ Studies on the sympatholytic effects of some 5-HT_{1D} receptor agonists in pithed rats and guinea-pigs, 268P
Shepherd SL *see* Williamson DJ, 271P
Sheridan RD *see* Macmillan S, 335P
Sigala G *see* Attwell PJE, 154P
Sigmundsson T *see* Pilowsky LS, 129P
Sihra TS *see* Perkinson MS, 63P
Silva MT, Rose S, Hindmarsh JG, Jenner P & Marsden CD Altered striatal dopamine efflux produced by high concentrations of L-arginine is not dependent on nitric oxide formation, 21P
Simmonds MA *see* Chazot PL, 68P
Simmonds MA *see* Zhong Y, 307P
Simonet S *see* Verbeuren TJ, 277P
Singh G *see* Waterfall AH, 327P
Slater NA *see* Needham PL, 140P
Slee S-J, Heys C & Wilson C ET receptors involved in the blood pressure response to endothelins in the rat, 217P
Small RC *see* McArdle S, 210P
Small RC *see* Pocock TM, 209P
Smart D *see* Lambert DG, 6P
Smart TG *see* Sundaram H, 300P
Smart TG *see* Thomas P, 299P
Smith CM *see* Jones EH, 213P
Smith G *see* Turner SJ, 5P
Smith HJ *see* Ahmad M, 150P
Smith HJ *see* Ahmad M, 151P
Smith J & Little HJ The calcium channel antagonist, nimodipine, given before practice in a test of ataxia, increases the development of tolerance to ethanol, 214P
Smith JK, Neill JC & Costall B The effect of dopamine receptor antagonists on responding for a conditioned reinforcer in the rat, 158P
Smith JW *see* Poynor DR, 44P
Smith MI *see* Wardle KA, 126P
Smith RR, Maxwell MP & Martin GR Further investigation into amplifying interactions between 5-HT_{1D} and angiotensin AT₁ receptors in vascular smooth muscle, 250P
Smith SE, Man CM, Yip PK, Tang E, Chapman AG & Meldrum BS The nitric oxide synthase product, L-citrulline and the nitric oxide donor, SIN-1 are convulsant, whilst L-arginine is anticonvulsant in rodents with inbred reflex epilepsy, 236P
Smith SL, Mason K, Stanford SC, Prow MR & Heal DJ DSP-4 neurotoxicity in rat brain: effect on heat-shock protein expression and *in vivo* nor-adrenaline efflux, 181P
Smythe JW, Murphy D, Timothy C & Costall B Exogenous corticosterone administration increases anxiety in rats, 182P
Snape MF, Anderson SMP, Misra A, Paccagnini PJ, Murray TK, Cross AJ & Green AR A comparison of the cholinesterase inhibitors tacrine and E-2020, 163P
Snape MF *see* Misra A, 306P
Sneddon JM *see* Kumar A, 272P
Sneddon P *see* Westfall TD, 104P
Sneddon P *see* Westfall TD, 191P
Soares de Moura R *see* Criddle DN, 263P
Soares-da-Silva P, Serrão MP & Marques C Kinetics of L-DOPA uptake in LLC-PK1 cells in culture, 122P
Soares-da-Silva P, Serrão MP & Pestana M Effects of short- and long-term exposure of LLC-PK1 cells to cyclosporine A on the formation and outflow of dopamine, 123P
Somsen GA, Dubois EA, Brandsma K, de Jong J, van der Wouw PA, Batink HD, van Royen EA, Pfaffendorf PA, Lie KI & van Zwieten PA Cardiac sympathetic neuronal activity and function in the early phase of left ventricular volume and pressure overload, 220P
Somsen GA *see* Dubois EA, 219P
Sooch S & Marshall I Evidence for atypical β -adrenoceptors in the rat vasculature, 261P
Souquet A-M *see* Stricker-Krongrad A, 167P
Southan GJ *see* Ruetten H, 145P
Spiering W *see* De Mey JGR, 257P
Srinivasan J, Richens A & Davies JA Losigamone reduces glutamate and aspartate release from mouse cortex, 164P
Stagg AT *see* Razzaque Z, 119P
Stanford SC *see* Smith SL, 181P
Stassen FRM, Fazzi GE, Willemsen MJMF, Janssen GMJ & De Mey JGR Progressive reduction of maximal active wall stress in rat mesenteric resistance arteries following myocardial infarction, 121P
Staton P & Bristow DR Mechanisms of β -methylamino-L-alanine (BMAA)- and β -oxalylamino-L-alanine (BOAA)-induced death in rat cerebellar granule cells, 189P
Steele JA *see* Steward LJ, 96P
Steffel A, Storch M, Lassmann H, Holsboer F, Wekerle H & Linington C Myelin oligodendrocyte glycoprotein (MOG) induces chronic relapsing experimental allergic encephalomyelitis (CR-EAE) in the DA rat, 188P

- Stephenson FA *see* Chazot PL, 68P
 Stephenson FA *see* Sundaram H, 300P
 Stephenson FA *see* Thomas P, 299P
 Stephenson JD *see* Hamid S, 317P
 Stephenson JD *see* Saigusa T, 318P
 Sternfeld F *see* Razzaque Z, 119P
 Stevenson A, Wingrove PB, Whiting PJ & Wafford β -Carbolines modulate GABA_A receptors via the loreclezole site as well as the benzodiazepine site, 308P
 Steward LJ, Boess FG, Steele JA & Martin IL Agonist/antagonist recognition properties of the 5-HT₃ receptor: importance of glutamate 106, 96P
 Stock MJ *see* Connoley IP, 170P
 Stock MJ *see* Liu Y-L, 324P
 Stoclet JC *see* C  rtes SF, 255P
 Stoclet JC *see* Lagaud GJL, 256P
 Storch M *see* Stefferl A, 188P
 Strader CD *see* Boyce S, 245P
 Strange PG *see* Coley C, 283P
 Strange PG *see* Gardner BR, 1P
 Strange PG *see* Hall DA, 282P
 Stratton SC, Beresford IM, Hagan RM & Marsden CA GR159897, a non-peptide tachy-kinin NK₂ receptor antagonist, decreases 5-hydroxytryptaminergic cell firing in the dorsal raphe nucleus of the rat, 296P
 Stratton SC, Beresford IM & Hagan RM Autoradiographic localization of tachykinin NK₂ receptors in adult rat brain using [³H]SR48968, 295P
 Street L *see* Razzaque Z, 119P
 Stricker-Krongrad A, Souquet A-M, Jackson HC & Burlet C Effect of various monoamine receptor antagonists on the decrease in food intake induced by sibutramine in the rat, 167P
 Struijker Boudier HAJ *see* De Mey JGR, 257P
 Summers RJ, Roberts SJ, Papaioannou M & Evans BA Functional and molecular evidence for β_3 -adrenoceptors in human and rat gastrointestinal tissues, 60P
 Sumner M *see* Parsons SJW, 278P
 Sundaram H, Thomas P, Chazot PL, Latham CJ, Bevan P, Smart TG & Stephenson FA Xenovulene A, a novel compound active at GABA_A receptors: characterisation by radioligand binding, 300P
 Sundaram H *see* Thomas P, 299P
 Sykes DA *see* Harper EA, 287P
 Szabadi E *see* Al-Zahrani SSA, 157P
 Taberner PV *see* Jelic P, 185P
 Taguchi K *see* Yang M, 131P
 Takada K *see* Saigusa T, 318P
 Tanay VA-MI, Baker GB, Greenshaw AJ & Bateson AN Differential effects of chronic treatment with phenelzine, imipramine or buspirone on GABA_A receptor subunit gene expression in rat brain, 15P
 Tang E *see* Smith SE, 236P
 Tattersall FD *see* Mason GS, 242P
 Taylor CW *see* Hargreaves AC, 313P
 Taylor CW *see* Patel S, 3P
 Taylor M *see* Pilowsky LS, 129P
 Taylor SG & Routledge C Lack of effect of systemically administered 5-HT₄ agonists on dopamine levels measured from the nucleus accumbens and striatum: an *in vivo* microdialysis study in freely-moving rats, 326P
 Teeling P *see* H  sken BCP, 254P
 Teixeira MM, Gienbycz MA & Hellewell PG Mechanisms involved in the activation of eosinophil aggregation by arachidonic acid, 114P
 Teixeira MM & Hellewell PG Differential effects of protein kinase C inhibition on PAF- and C5a-induced eosinophil activation, 73P
 Terrar DA *see* Connors SC, 4P
 Terrar DA *see* Heath BM, 152P
 Thiernemann C *see* Abate A, 239P
 Thiernemann C *see* Kengatharan M, 53P
 Thiernemann C *see* Ruetten H, 31P
 Thiernemann C *see* Ruetten H, 145P
 Thomas DR, Baxter GS, Carey JE, Gager TL, Gale DG, Holland V, Muir A, Wilson S & Wood MD SB 204741 is a selective antagonist at the cloned human 5-HT_{2B} receptor stably expressed in HEK 293 cells, 137P
 Thomas DR *see* Gager TL, 133P
 Thomas NK, Jane DE, Tse H-W & Watkins JC (*S*)- α -ethyl-glutamic acid and (*RS*)- α -cyclopropyl-4-phosphonophenylglycine as antagonists of L-AP4- and (1*S*,3*S*)-ACPD-induced depression of monosynaptic excitation of neonatal rat motoneurons, 70P
 Thomas P, Sundaram H, Krishek BJ, Latham CJ, Bevan P, Stephenson FA & Smart TG Xenovulene A, a novel compound active at GABA_A receptors: functional studies on expressed recombinant and mammalian neuronal GABA_A receptors, 299P
 Thomas P *see* Sundaram H, 300P
 Thompson GA, Jane DE & Watkins JC Depolarising effects of certain analogues of (*S*)-willardiine upon neonatal rat dorsal roots *in vitro*, 331P
 Thompson KSJ *see* Phillips I, 338P
 Thompson SA, Wingrove PB, Whiting PJ & Wafford KA Cloning of cDNA encoding the α_4 subunit of the human γ -aminobutyric acid type A receptor and characterisation of the pharmacology of α_4 -containing receptors, 310P
 Thompson SWN *see* Boxall SJ, 330P
 Thurlow RJ, Sellers L, Coote JE, Feniuk W & Humphrey PPA Human recombinant sst₅ receptors expressed in CHO-K1 cells mediate increases in extracellular acidification by pertussis toxin-sensitive and -insensitive pathways, 9P
 Tilford NS *see* Ellis ES, 204P
 Timothy C *see* Smythe JW, 182P
 Toffa S *see* Kunikowska GM, 23P
 Tomlinson DR *see* Dewhurst M, 55P
 Tomlinson DR *see* Riaz SS, 56P
 Trail B *see* Ainsworth K, 178P
 Trezise DJ, Black MD, Grahames CBA & Humphrey PPA Novel pharmacological characteristics of P₂ purinoceptors mediating increases in firing rate of rat locus coeruleus neurones *in vitro*, 319P
 Trezise DJ & Humphrey PPA Activation of peripheral sensory neurones in the neonatal rat tail by ATP, 103P
 Trist DG *see* Mugnaini M, 336P
 Tse H-W *see* Kemp MC, 334P
 Tse H-W *see* Thomas NK, 70P
 Tucker GT *see* Coleman T, 127P
 Tunstall S *see* Brownlie RP, 232P
 Turner JP *see* Salt TE, 64P
 Turner SJ, Ward SG, Smith G, Raport CJ, Schweickart V & Westwick J Disparate signalling pathways utilised by HEK 293 cells transfected with MCP-1 type A or type B receptors, 5P
 Ullmer C *see* Schoeffter P, 138P
 Upton N *see* Boyland PS, 132P
 Upton R *see* Widdowson PS, 183P
 Urban L *see* Boxall SJ, 330P
 Urenjak J, Zilkha E & Obrenovitch TP Origin of depolarizations evoked in the rat striatum by competitive inhibition of glutamate uptake with L-trans-pyrrolidine-2,4-dicarboxylate (L-trans-PDC), 67P
 Vallance P *see* Bhagat K, 58P
 Vallance P *see* MacAllister RJ, 76P
 Vallance PJ *see* Ahluwalia A, 102P
 Vallis Y *see* Abogadie FC, 14P
 Vallis Y *see* Caulfield MP, 13P
 van Amsterdam FThM *see* Mugnaini M, 336P
 van de Bos JC *see* Dubois EA, 219P
 Van der Graaf PH, Shankley NP & Black JW Analysis of antagonism of phenylephrine-mediated contraction

- of the rat small mesenteric artery, 234P
- Van der Graaf PH, Shankley NP & Black JW Effect of dopamine D₁ receptor blockade on noradrenaline-mediated contraction of the rat small mesenteric artery, 281P
- van der Wal AC *see* Hüsken BCP, 254P
- van der Wouw PA *see* Somsen GA, 220P
- van Royen EA *see* Dubois EA, 219P
- van Royen EA *see* Somsen GA, 220P
- van Wilgenburg H *see* Zeegers A, 266P
- van Zwieten PA *see* Beenen OHM, 252P
- van Zwieten PA *see* Dubois EA, 219P
- van Zwieten PA *see* Hüsken BCP, 254P
- van Zwieten PA *see* Li Q, 218P
- van Zwieten PA *see* Pfaffendorf M, 251P
- van Zwieten PA *see* Somsen GA, 220P
- van Zwieten PA *see* Winkler Prins EA, 249P
- van Zwieten PA *see* Zhang J, 57P
- van Zwieten PA *see* Zwaveling J, 253P
- Vane JR *see* Abate A, 239P
- Vane JR *see* Kengatharan M, 53P
- Vane JR *see* Ruetten H, 31P
- Varró A, Papp JGy, Németh M, Krassó I, Mester L & Hála O Direct and long-term electrophysiological effects of amiodarone in dog cardiac Purkinje and ventricular muscle fibres, 226P
- Vaughan CJ, Aherne AM, Murphy MB & O'Connell DP Immunohistochemical mapping of a novel dopamine D_{1B} receptor in rat kidney, 125P
- Vaughan CJ *see* Aherne AM, 124P
- Vaughan TJ, Williams AJ, Pritchard K, Glover DR & Johnson KS Accelerating drug discovery: high affinity human monoclonal antibodies on filamentous bacteriophage, 276P
- Vayssettes-Courchay C, Lacoste J-M, Cordi AA, Laubie M & Verbeuren TJ *In vivo* cardiovascular effects of the α -adrenoceptor agonist S 18149 in the anaesthetized dog, 225P
- Vayssettes-Courchay C *see* Verbeuren TJ, 277P
- Velazquez Martinez DN *see* Al-Zahrani SSA, 157P
- Verbeuren TJ, Vayssettes-Courchay C, Descombes J-J, Simonet S, Lacoste J-M, Cordi A & Laubie M S 18149 is a partial agonist at α -adrenoceptors: studies in pithed rats and isolated canine and human blood vessels, 277P
- Verbeuren TJ *see* Rupin A, 86P
- Verbeuren TJ *see* Vayssettes-Courchay C, 225P
- Viggers JA, Cheetham SC, Ruck A & Heal DJ Effect of antidepressant drugs on 5-HT_{2A} receptors in cultured rat glioma C₆ cells, 134P
- Villalón CM, Sánchez-López A & Centurión D 5-HT receptors mediating the increases in external carotid blood flow in vagosympathectomized dogs pretreated with GR127935, 45P
- Wafford KA *see* Stevenson A, 308P
- Wafford KA *see* Thompson SA, 310P
- Walker RJ *see* Garland CM, 149P
- Walker RJ *see* Huang EY-K, 314P
- Walker SW *see* Hadoke PWF, 111P
- Wallis RM *see* Nunn PA, 130P
- Wang Y, Ramage AG & Jordan D 5-HT₃ receptors mediate an excitatory action of 5-HT on dorsal vagal pre-ganglionic neurones in anaesthetized rats: an *in vivo* ionophoretic study, 46P
- Wanner D *see* Bourson A, 165P
- Ward JL, Lightowler S, Kennett GA & Blackburn TP Effect of the selective 5-HT_{2B/2C} receptor antagonist, SB 206553, on mCPP- and environmental stress-induced increase in plasma adrenocorticotrophic hormone in rats, 180P
- Ward PS, Boden T, Woodger R, Porter J, Leonard J, Bodmer M & Foulkes R Steroid sulphatase inhibition ameliorates collagen-II arthritis in mice, 100P
- Ward SG *see* Turner SJ, 5P
- Wardle KA, Bingham S, Ellis ES, Gaster LM, Rushant B, Smith MI, Brown AM, Young TJ & Sanger GJ SB 207266: The first potent and selective 5-HT₄ receptor antagonist amide with oral activity, 126P
- Warner TD *see* D'Amico M, 12P
- Warren DL, Jenner P & Halliwell B *In vitro* antioxidant actions of anti-parkinsonian agents, 187P
- Waterfall AH, Singh G, Fry JR & Marsden CA Aromatic hydroxylation of phenylalanine to measure oxidative stress in rat brain *in vivo*, 327P
- Watkins JC *see* Attwell PJE, 154P
- Watkins JC *see* Bedingfield JS, 333P
- Watkins JC *see* Thomas NK, 70P
- Watkins JC *see* Thompson GA, 331P
- Watson ML *see* Jordan NJ, 113P
- Watson WP *see* Wilson J, 29P
- Watts PM *see* Riedl AG, 186P
- Wayne MG *see* Brownlie RP, 232P
- Wayne MG *see* Brownlie RP, 233P
- Webb DJ *see* Plumpton C, 32P
- Webb JK *see* Boyce S, 245P
- Webb JK *see* Rupniak NMJ, 101P
- Weerackody RP, Chatterjee PK, Mistry SK, Hawksworth GM & McLay JS Aldosterone stimulates DNA, RNA and protein synthesis in primary cultures of rat proximal tubular cells, 39P
- Weerackody RP, Chatterjee PK, Mistry SK, Hawksworth GM & McLay JS Angiotensin IV stimulates protein synthesis in primary cultures of rat proximal tubular cells, 42P
- Weerackody RP *see* Chatterjee PK, 40P
- Weerackody RP *see* Mistry SK, 38P
- Wekerle H *see* Steffertl A, 188P
- Welsh NJ, Ngambi GLO, Shankley NP & Black JW Potentiating interactions between noradrenaline and angiotensin II in rabbit femoral artery are dependent on order of agonist incubation and assay conditions, 258P
- Welsh NJ *see* Hills DM, 195P
- Wessler I *see* Freitag A, 197P
- West KJ & Campbell EA 4-Methylcatechol induces mechanical hyperalgesia in naïve adult rats by a nerve growth factor-dependent mechanism, 246P
- Westfall TD, McIntyre CA, Obeid S, Kennedy C & Sneddon P Characterisation of P_{2X}-purinoceptors in guinea-pig isolated vas deferens using agonists, antagonists and the ecto-ATPase inhibitor ARL 67156, 104P
- Westfall TD, Obeid S, McIntyre CA, Kennedy C & Sneddon P Characterisation of P_{2X} purinoceptors in guinea-pig isolated urinary bladder strips using agonists, antagonists and the ecto-ATPase inhibitor ARL 67156, 191P
- Weston AH *see* Green ME, 193P
- Weston AH *see* Högestätt ED, 118P
- Weston AH *see* Petersson J, 117P
- Weston AH *see* Zygmunt PM, 120P
- Westwick J *see* Grix SP, 147P
- Westwick J *see* Jordan NJ, 113P
- Westwick J *see* Kolios G, 87P
- Westwick J *see* Murphy CT, 2P
- Westwick J *see* Turner SJ, 5P
- Whitaker LA, Murphy MB, McDermott K & O'Connell DP Accelerated apoptosis in mesencephalic neurons: a role in Parkinson's disease?, 285P
- Whitehead KJ *see* Handy RLC, 208P
- Whitehead KJ *see* Harb HL, 280P
- Whiting PJ *see* Grimwood S, 61P
- Whiting PJ *see* Stevenson A, 308P
- Whiting PJ *see* Thompson SA, 310P
- Whiting PJ *see* Wingrove PB, 309P
- Whitley GSTJ *see* MacAllister RJ, 76P
- Whitton PS *see* Ahmad S, 302P
- Whitton PS *see* Biggs CS, 301P
- Widdowson PS, Gyte A, Upton R, Wyatt I, Foster JR & Lock EA L-2-Chloropropionic acid-induced cerebellar necrosis is not the result of lipid peroxidation or DNA damage, 183P
- Widdowson PS *see* Wyatt I, 343P
- Wieczorek WJ *see* Dosanjh SS, 312P

- Wieczorek WJ *see* Williams M, 311P
 Wikström-Jonson E *see* Dahlén S-E, 81P
 Wild AE *see* Cross KML, 148P
 Wilkie N, Ng LL & Boarder MR Angiotensin II stimulation of MAP kinases in cultured vascular smooth muscle cells from hypertensive rats: protein kinase C-dependent and -independent mechanisms, 41P
 Wilkin GP *see* Hirst WD, 93P
 Wilkin GP *see* Hirst WD, 141P
 Wilkinson GR *see* O'Shea D, 128P
 Willars GB, Challiss RAJ & Nahorski SR Effects of phorbol ester versus agonist-mediated protein kinase C activation on muscarinic receptor-stimulated phosphoinositide turnover in SH-SY5Y cells, 143P
 Willemsen MJMF *see* Stassen FRM, 121P
 Williams A *see* McBean DE, 155P
 Williams AD *see* Dewhurst DG, 344P
 Williams AJ, Michel AD, Coote JE, Sellers L, Feniuk W & Humphrey PPA Characterisation of the human recombinant sst₂ receptor in CHO-K1 cells by quantification of guanosine-5'-O-(3-[³⁵S]thio)triphosphate binding, 10P
 Williams AJ *see* Vaughan TJ, 276P
 Williams BC *see* Burns NJ, 91P
 Williams BC *see* Burns NJ, 267P
 Williams BC *see* Hadoke PWF, 111P
 Williams M, Patel J, Wieczorek WJ, Iravani MM & Kruk ZL Effect of striatal Fluoro-Gold injection in the rat neonate on dopamine release and autoreceptor function, 311P
 Williams RG *see* Hilton JEBP, 206P
 Williams RG *see* Yianni NC, 205P
 Williams RJ *see* Jordan NJ, 113P
 Williams RJ *see* Pleass RD, 238P
 Williams SH & Parsons ME Nitric oxide mediates relaxations of the frog oesophagus to transmural electrical stimulation, 216P
 Williams TJ *see* Bishop-Bailey D, 78P
 Williams TJ *see* Bishop-Bailey D, 79P
 Williams TJ *see* Saunders MA, 80P
 Williams TJ *see* Saunders MA, 82P
 Williamson DJ, Hargreaves RJ, Hill RG & Shepherd SL Direct measurement of dural blood vessel diameter in the rat using intravital microscopy, 271P
 Williamson DJ *see* Shepherd SL, 268P
 Wilson AW, Neill JC & Costall B A comparison of acquisition and expression of the ethanol discriminative cue in female rats of Sprague Dawley and Lister-Hooded strain, 159P
 Wilson C *see* Slee S-J, 217P
 Wilson J, Watson WP & Little HJ A CCK antagonist reduces signs of anxiety-related behaviour in the elevated plus-maze during withdrawal from chronic ethanol treatment, 28P
 Wilson S *see* Thomas DR, 137P
 Wingrove PB & Whiting PJ Identification of a single amino acid on the γ subunit of the GABA-A receptor required for high affinity binding of [³H]Ro15-1788, 309P
 Wingrove PB *see* Stevenson A, 308P
 Wingrove PB *see* Thompson SA, 310P
 Winkler Prins EA, Zwaveling J, Pfaffendorf M & van Zwieten PA The effect of hyperthyroidism on β -adrenoceptors in rat isolated thoracic aortae, 249P
 Winkler Prins EA *see* Zwaveling J, 253P
 Winter J *see* Gentry CT, 247P
 Winters V *see* McBean DE, 155P
 Wise H & Chow BS The lack of effect of nitric oxide on rat peritoneal neutrophil aggregation, 144P
 Wisskirchen F & Marshall I Calcitonin gene-related peptide (CGRP) receptors in rat vas deferens, pulmonary artery, internal anal sphincter and thoracic aorta, 262P
 Wittmann A *see* Goepel M, 198P
 Wong ML *see* Birrell MA, 222P
 Wonnacott S *see* Marshall DL, 342P
 Wood D *see* Yeung CK, 199P
 Wood MD *see* Gager TL, 133P
 Wood MD *see* Thomas DR, 137P
 Woodger R *see* Ward PS, 100P
 Woodward R *see* Coley C, 283P
 Wyatt I, Gyte A, Widdowson PS & Lock EA Characterisation of cystine accumulation into rat cerebellar slices and inhibitory characteristics of 2-S-L-cysteinyl propionic acid, 343P
 Wyatt I *see* Widdowson PS, 183P
 Yacoub M *see* Bishop-Bailey D, 78P
 Yacoub MH *see* Saunders MA, 82P
 Yang M, Taguchi K, Erdbrügger W & Michel MC Is protein kinase C involved in agonist-induced down-regulation of MDCK cell α_1 -adrenoceptors?, 131P
 Yeung CK, McCurrie JR & Wood D Inhibitory effects of rubidium on the actions of potassium channel modulators in mouse ileum are apparent at a physiological potassium concentration, 199P
 Yianni NC & Williams RG L-NAME has no effect on the length-tension relationship of rat detrusor muscle *in vitro*, 205P
 Yip PK *see* Smith SE, 236P
 Yoshimura T *see* Jordan NJ, 113P
 Young L & Bristow LJ The glycine/NMDA receptor antagonist, L-701,324, reverses isolation rearing-induced hyperlocomotion in the rat, 172P
 Young TJ *see* Warde KA, 126P
 Zeegers A, Leeuwijn RS & van Wilgenburg H PK 11195 modifies responses of isolated hearts to both centrally and peripherally acting benzodiazepines, 266P
 Zeng B-Y *see* Kunikowska GM, 23P
 Zhang C, Schmidt M & Jakobs KH Inhibition by toxin B of G protein-coupled and tyrosine kinase receptor-mediated phospholipase C stimulation, 146P
 Zhang JJ, Loro JF, Li Q, Pfaffendorf M & van Zwieten PA Positive chronotropic effect of bradykinin in pithed rats and in isolated rat atria, 57P
 Zhang J *see* Li Q, 218P
 Zhong Y & Simmonds MA Interactions between loreclezole, chlormethiazole and pentobarbitone at GABA_A receptors in rat cuneate nucleus *in vitro*, 307P
 Zidek W *see* De Mey JGR, 257P
 Zilkha E *see* Obrenovitch TP, 26P
 Zilkha E *see* Urenjak J, 67P
 Zocchi C *see* Dionisotti S, 339P
 Zwaveling J, Batink HD, Winkler Prins EA, Pfaffendorf M & van Zwieten PA The influence of hyperthyroidism on the number of β -adrenoceptors in left ventricle and kidney is transient and time-dependent, 253P
 Zwaveling J *see* Winkler Prins EA, 249P
 Zygmunt PG, Högestätt ED, Edwards G Ortiz de Montellano PR & Weston AH Effects of cytochrome P450 inhibitors on endothelium-dependent and levromakalim-induced responses in rat blood vessels, 120P
 Zygmunt PM *see* Högestätt ED, 118P
 Zygmunt PM *see* Petersson J, 117P

Keyword Index

- Acetylcholine 163P, 316P
 Acid secretion 195P
 ACPD 69P
 (1S,3S)-ACPD 154P
 ACTH 180P
 Adenosine 50P
 Adenosine receptors 275P, 339P
 Adenosine A₁ receptors 284P
 Adenosine A_{2A} antagonists 279P
 Adenosine A_{2A} receptors 279P, 339P
 Adenosine A_{2A} receptor antagonists 339P
 Adenosine A₃ receptors 235P
 Adenosine 5'-triphosphate 103P
 Adenylyl cyclase 7P, 334P
 Adrenal cortex 267P
 Adrenal glands 91P
 Adrenoceptors 206P, 237P
 α -Adrenoceptors 112P
 α_1 -Adrenoceptors 109P, 110P, 131P, 234P, 259P, 281P
 α_1 -Adrenoceptor agonists 277P
 α_2 -Adrenoceptors 244P, 298P
 β -Adrenoceptors 97P, 219P, 220P, 249P
 β -Adrenoceptors, atypical 261P
 β -Adrenoceptor density 253P
 β_2 -Adrenoceptors 198P
 β_3 -Adrenoceptors 60P
 Affinity 276P
 Agonists 33P, 331P
 Airway epithelium 83P
 Airway mucosa 197P
 Aldosterone 39P, 267P
 Allodynia 237P
 Amino acids 301P, 303P
 Aminoglycosides 272P
 Aminoguanidine 55P
 Amiodarone 226P
 AMPA 332P
 Amphetamines 173P
 d-Amphetamine-cued drug discrimination 169P
 Anaesthetised rabbits 48P
 Angiotensin 258P
 Angiotensin II 40P, 41P, 255P, 273P
 Angiotensin III 218P
 Angiotensin IV 42P
 Angiotensin-(1-7) 43P
 Antagonists 32P, 33P, 116P, 133P, 283P
 Anthracyclines 274P
 Anthraquinones 274P
 Anti-migraine agents 268P, 271P
 Anti-muscarinics 202P
 Antiarrhythmics 226P
 Antibodies 276P
 Anticonvulsants 164P, 171P, 301P
 Antidepressants 15P, 19P, 134P
 Antinociception 244P
 Antiobesity drugs 169P, 170P, 324P, 325P
 Antioxidants 187P, 215P
 Antipsychotics, atypical 129P, 140P
 Antisense constructs 13P, 14P
 Anxiety 16P, 29P, 153P, 179P, 182P
 Aortae 249P
 Aortae, rabbit 280P
 Aortae, rat 79P, 263P
 Apomorphine 184P
 Apoptosis 285P
 Aquaretic effects, in cirrhotic rats 224P
 Arachidonic acid 114P
 L-Arginine 21P
 Arteries, equine digital 269P
 Arteries, hepatic 111P
 Arteries, mesenteric, rat 121P, 265P
 Arteries, middle meningeal, human 33P
 Arteries, renal 251P
 Arteries, resistance 255P, 256P
 Arteries, small mesenteric, rat 234P
 Aspartate 164P
 Asthma 52P, 82P
 Astrocytes *in vitro* 93P, 141P
 Atherosclerosis 85P
 ATP 50P, 201P
 ATP receptors 105P
 Atria, rat 57P, 218P
 Autoradiography 194P, 241P, 295P, 320P
 Behaviour 182P, 236P
 Behaviour, operant 157P
 Behaviour, timing 157P
 Benzodiazepines 71P, 266P, 299P, 300P, 309P
 Benzodiazepine receptors 171P, 179P
 2-BFI 177P, 341P
 BIM-23027 320P
 Binding 298P
 Bioassays 222P
 Bladder 107P, 202P
 Bladder, rat 193P
 Bladder, urinary 201P
 Bladder, urinary, mouse 196P
 Bladder instability 200P
 Blood flow 45P
 Blood flow, cutaneous 225P
 Blood pressure 142P, 217P, 225P
 Blood pressure simulation, rat 344P
 Blood vessels 120P
 Blood vessels, dural 271P
 Bradykinin 57P, 90P, 245P
 Bradykinin B₁-receptor response 196P
 Bradykinin B₂-receptor knockout gene 196P
 Brain 186P
 Brain, guinea-pig 97P
 Brain, rat 320P, 342P
 Brain slices, rat 311P
 BRL 46470A 175P
 Bronchial hyperreactivity 207P
 BU224 297P
 Bumetanide 115P
 Burst-firing 290P
 Butaclamol 282P
 L-Buthionine-(SR)-sulphoximine 23P
 BW 723C86 178P
 BW A868C 51P, 190P
 C-fibres 102P
 CAL 344P, 345P
 Calcitonin gene-related peptide 44P
 Calcium 2P, 3P, 5P, 65P, 256P
 Calcium, intracellular 11P, 148P, 213P
 Calcium channels 63P, 98P
 Calcium channels, L-type 292P
 Calcium channels, N-type 204P
 Calcium channel antagonists 214P, 313P
 Calcium channel blockers 59P, 156P
 Calcium channel currents 315P
 Calcium ions 7P
 Calcium oscillations 4P
 Calcium responses 66P
 Calcium stores 212P
⁴⁵Calcium influx 106P
 Calmodulin 3P
 cAMP 6P, 44P, 93P, 138P, 289P
 Cannabinoids 316P
 Capsaicin 102P
 Cardiac contractility 74P
 Cardiac myocytes 274P
 Cardiac overload 220P
 Cardiac vagal motoneurons 48P
 Cardiac ventricular myocytes 4P
 Cardiovascular defence responses 12P,

46P, 94P
 Cardiovascular disease 270P
 Catalepsy 165P
 CATH.a cells 288P
 Caudate putamen 311P
 CCK 29P
 CCK_B/gastrin 195P
 CCK_B/gastrin receptors 286P, 287P
 Cell cultures 213P, 272P, 291P
 Cell death mechanisms 189P
 Cellular hypertrophy 40P
 Cellular proliferation 40P
 Central nervous system 12P
 Central tachykinin NK₂ receptors 295P
 Cerebellar glutathione 343P
 Cerebellar granule neurones 315P
 Cerebral hypoxia 99P
 Cerebral ischaemia 156P
 Cerebrocortical slices 293P
 cGMP 2P, 86P, 144P, 289P
 CGP 12177 219P
 CGP 39653 336P
 CGRP 271P
 CGRP receptors 262P
 [Cys(ACM)^{2,7}]hα-CGRP 262P
 hα-CGRP₈₋₃₇ 262P
 Characterisation 190P
 Chemokines 113P, 238P
 Chinese Hamster ovary cells 10P
 Chlormethiazole 306P, 307P
m-Chlorophenylpiperazine 18P
 Chlorzoxazone 128P
 Cholinergic agents 252P
 Chromium 211P
 Chronic-relapsing 188P
 Chronotropic effect 57P, 218P
 CI988 30P
 Circulatory vessels, physiology of 345P
 Cirrhosis 111P
 Clenbuterol 56P
 Cloned opioid receptors 6P
 Cocaine 28P, 176P
 Cognition 174P
 Collagen-induced arthritis 100P
 Colon 124P
 Colon, guinea-pig 212P
 Colon, human 60P, 136P
 Colon epithelial cells, human 87P
 Conditioned reinforcement 158P
 Conditioned taste aversions 184P
 Conotoxins 204P
 ω-Conotoxin-MV1C 315P
 Contraction 254P, 256P
 Cortex, guinea-pig 132P
 Cortical wedge 338P
 Cortical neurones 337P
 Corticosteroids 288P
 Corticosterone 182P
 L-CPA 343P
 Cyclic AMP 6P, 44P, 93P, 138P, 289P
 Cyclic GMP 2P, 86P, 144P, 289P
 Cyclo-oxygenase-2 78P, 79P, 239P
 Cyclosporine A 123P
 CYP2E1 128P
 [Cys(ACM)^{2,7}]hα-CGRP 262P

Cystine 343P
 Cytochrome P450 120P, 150P, 151P, 186P
 Cytokines 75P, 80P, 113P

 D7288 193P
 Defence behaviour 17P
 Dehydroepiandrosterones 100P
 DesaminoYFLFQPQRamide 314P
 Detrusor muscle 205P
 Development 27P
 Dexamethasone 49P, 83P, 235P
 Dextromethorphan 162P
 Diabetes 55P, 56P, 244P, 251P
 Diadenosine pentaphosphate 257P
 Dietary excitotoxins 189P
 Dihydropyridines 292P
 Dimethylarginine 76P
 Dizocilpine 20P, 329P
 DMCM 308P
 DNA damage 183P
 L-DOPA 24P, 122P
 Dopamine 122P, 123P, 124P, 125P, 231P, 283P, 285P, 312P, 318P, 326P
 Dopamine antagonists 158P
 Dopamine autoreceptors 311P
 Dopamine efflux 21P
 Dopamine receptors 282P
 Dopamine D₁ receptors 281P
 Dopamine release 294P, 311P, 325P, 342P
 Dorsal raphe nucleus 296P
 Dorsal vagal motoneurons 46P
 Dorsal-lateral septum 305P
 Down-regulation 72P, 131P
 DRL-72 19P
 Drug discrimination 159P
 DSP-4 340P
 Dysfunction 58P
 Dyskinesia 24P

 E-2020 163P
 EAE 188P
 Ecto-ATPase 104P, 191P
 EDHF 117P, 118P, 120P, 229P, 278P
 EEG 26P
 Electrophysiology 30P, 116P, 210P, 226P, 242P, 290P, 305P
 Elevated plus-maze 20P, 179P
 Endothelial cells 34P, 230P
 Endothelin 32P, 34P, 36P, 49P, 192P, 217P, 221P, 222P
 Endothelin antagonists 34P
 Endothelin ET antagonists 221P
 Endothelin ET_A selective non-peptide antagonists 35P
 Endothelin receptors 35P, 37P, 270P
 Endothelin receptor subtypes 33P
 Endothelin-1 12P, 31P
 Endothelium 43P, 58P, 76P, 77P
 Endothelium-dependent relaxation 254P
 Endothelium-derived hyperpolarising factor 117P, 118P, 120P, 229P, 278P

Endotoxins 52P, 58P, 85P, 145P
 Eosinophils 73P, 114P, 147P
 [³H]-Epibatidine 243P
 Epilepsy 236P
 Epithelial cells 75P
 Ethanol 28P, 29P, 62P, 159P, 185P, 214P
 Ethanol withdrawal 30P
 Excitatory amino acids 25P
 Excitatory amino acid antagonists 335P

 Fast cyclic voltammetry 312P
 Feeding 178P
 Fibrinogen 232P
 Fibrogenesis 211P
 Fluid secretion 136P
 Fluorogold 312P
 Focal ischaemia 166P
 Food intake 167P, 168P, 323P
 Forebrain, pig 241P
 Free radicals 327P
 Functional selectivity 139P
 Functional studies 81P, 107P

 G-proteins 13P, 14P
 G-protein receptor kinase 321P
 GABA 171P, 302P
 GABA_A receptors 15P, 299P, 300P, 306P, 307P, 308P, 309P, 310P
 GABA_B receptors 305P
 GABA_B receptor binding 304P
 Gabapentin 30P
 Galanin 161P
 Gelatinase 83P
 Gene expression 15P
 Generalised seizures 303P
 Glioma C₆ cells, rat 134P
 Glucose utilisation 324P
 Glutamate 68P, 69P, 154P, 164P, 336P
 Glutamate receptors 338P
 Glutamate release 63P, 293P
 [³H]-Glutamate release 333P
 Glutamate uptake 67P
 Glutathione 23P
 Glycine receptors 336P
 Glycine/NMDA antagonists 172P, 173P
 Glycoprotein IIb/IIIa 232P
 GR127935 45P
 GR159897 296P
 Gram-positive sepsis 53P
 Growth 39P, 42P
 [³⁵S]-GTPγS binding 10P
 Guinea-pig 248P

 Haemodynamics 227P
 Haemodynamic effects 156P
 Heart, human 36P
 Heat-shock protein 181P
 Hippocampal CA1 neurones 284P
 Hippocampal lesions 20P
 Hippocampus 30P, 66P, 71P, 317P
 Histamine H₁ receptors 7P

Hormone-sensitive lipase 185P
 5-HT 46P, 47P, 95P, 136P, 157P, 201P, 267P, 291P
 5-HT levels 92P
 5-HT neurones 290P
 5-HT release 89P, 197P
 5-HT receptors 45P, 138P
 5-HT receptors, central 48P
 5-HT receptor subtypes 140P
 5-HT transporter 91P
 5-HT uptake inhibitors 92P
 5-HT₁-like receptors 269P
 5-HT_{1A} receptors 94P
 5-HT_{1D} agonists 268P
 5-HT_{1D} receptors 142P, 250P, 264P
 5-HT_{1D} receptor agonists 119P
 5-HT₂ receptors 161P
 5-HT₂ receptors, cloned 137P
 5-HT_{2A} receptors 134P
 5-HT_{2B/2C} 178P, 180P
 5-HT_{2C} 133P
 5-HT_{2C} behaviours 18P
 5-HT_{2C} receptors 18P, 139P
 5-HT_{2C/2B} 16P, 153P
 5-HT₃ antagonists 175P
 5-HT₃ receptors 96P, 184P, 241P, 313P
 5-HT₄ 326P
 5-HT₄ receptors 108P
 5-HT₄ receptor antagonists 126P
 5-HT₇ receptors 93P, 141P
 5-HT₇ receptors, human cloned 132P
 Hydrogen peroxide 84P
 Hydroquinone 215P
 Hyperalgesia 246P, 248P
 Hyperlocomotion 172P
 Hyperpolarisation 77P
 Hypertension 251P, 255P
 Hypertensive diabetic rats 252P
 Hypertensive rats, 2K1C and DOCA-salt 59P
 Hyperthyroidism 249P, 253P

 Iberiotoxin 210P
 ICI 118,551 198P
 Idazoxan 297P
 Ileum, mouse 199P
 Ileum, rat 60P
 Imidazoline-2 (I₂)-sites 177P, 297P, 341P
 Immunofluorescence 86P
 Immunohistochemistry 8P, 91P
 Inducible nitric oxide synthase 78P, 79P, 87P
 Inducible nitric oxide synthase inhibitors 240P
 Infarct size 54P
 Inflammation 80P, 82P, 240P, 245P
 Inhibition 98P
 Inositol 1,4,5-trisphosphate 2P
 Inositol 1,4,5-trisphosphate receptors 3P
 Inotropic glutamate receptors 67P
 Inotropy 266P
 Ins(1,4,5)P₃ 6P
 Interleukin-1 β 90P

Interleukin-13 87P
 Intracellular calcium 11P, 99P, 148P, 213P
 Inverse agonism 282P
 Inward rectifiers 193P
 Ionic homeostasis 99P
 Iontophoresis 64P
 IP-prostanoid receptors 72P
 Iris sphincter muscle, rabbit 203P
 Isolated cardiac tissues 275P
 Isolated hearts 252P
 Isolation rearing 172P
 Isoniazid 128P
 Isoprenaline 261P
 Isradipine 185P

 Kainate receptors 331P
 Ketoconazole 150P, 151P
 Kidney 125P
 Kinins 89P

 L6 myocytes 44P
 Lamotrigine 302P
 Learning 19P, 160P
 Learning and memory 175P, 177P
 Lesioning 181P
 Leukocyte infiltration 207P
 Leukotrienes 81P, 114P
 Leukotriene C₄ 147P
 Levromakalim 200P
 Ligand binding 130P
 Ligand recognition 96P
 Ligand-gated ion channels 135P
 Lipid peroxidation 183P, 187P
 Lipopolysaccharides 49P, 228P
 Lipoteichoic acid 239P
 Liver 50P
 LLC-PK₁ 122P, 123P
 Locomotor activity 28P
 Locus coeruleus 288P, 319P, 322P
 Long-term depression 284P
 Long-term potentiation 71P, 317P
 Loreclezole 306P, 307P
 Low oxygen 230P
 Lung fibroblasts 83P
 Lung and trachea, sensitised guinea-pig 194P

 M-currents 13P
 Map kinases 41P
 Mast cells 235P
 MCP-1 5P
 (+)-MCPG 165P
 mCPP 17P
 Medetomidine 340P
 Medullary raphe 94P
 Mesentery, rat 280P
 Mesocortical dopamine 328P
 Metabotropic glutamate receptors 64P, 65P, 69P, 70P, 294P
 Methylene blue 265P
 $\alpha\beta$ -Methylene ADP 319P

mGluRs 333P
 mGluRs group 1 165P
 mGluR activation 330P
 mGluR agonists 66P
 mGluR antagonists 334P
 Microdialysis 67P, 301P, 303P, 326P, 327P
 Microphysiometers 139P, 238P
 Microphysiometry 9P, 192P
 MK-801 20P, 95P, 329P
 Monoamine receptor antagonists 167P, 168P
 Monoamine reuptake inhibition 323P
 Monoamines 301P
 Monocytes 238P
 Morphology 254P
 Morris water maze 174P
 MPTP 22P, 127P
 Multiple sclerosis 188P
 Muscarinic antagonists 107P, 130P
 Muscarinic receptors 143P
 Muscarinic M₂ receptors 108P
 Mutagenesis 96P, 309P
 Myocardial infarction 121P
 Myofibroblasts 211P
 Myometrium, human 260P

 Naloxone 314P
 L-NAME 22P
 Nasal congestion 51P
 Natriuretic peptides 38P
 Natriuretic peptide receptors 38P
 Neointimal hyperplasia 233P
 Neonatal rat 331P
 Nephrotoxicity 272P
 Nerve growth factor 56P, 246P, 247P
 Neuroendocrine cells 197P
 Neurokinin NK₁ receptor antagonists 242P
 Neurokinin NK₂ receptors 213P
 Neurokinin NK₃ receptors 203P
 Neuronal cells 292P
 Neuronal cells, central nervous system 189P
 Neuronal cell death 183P
 Neurones 65P, 285P
 Neuropathic pain 237P, 247P
 Neuropeptide Y 11P
 Neuroprotection 26P, 155P
 Neurotensin metabolism 27P
 Neurotransmitter release 62P, 316P
 Neutrophils 144P
 NF- κ B 239P
 NG-108 cells 116P
 NG-108-15 cells 321P
 Nicotine 317P, 342P
 Nicotinic receptors 149P, 243P
 Nitric oxide 21P, 22P, 25P, 53P, 54P, 55P, 74P, 75P, 76P, 77P, 88P, 144P, 145P, 205P, 208P, 215P, 216P, 223P, 229P, 236P, 260P, 264P, 278P
 Nitric oxide donors 260P
 Nitric oxide synthase 86P, 208P, 265P
 Nitric oxide synthase inhibitors 145P

- Nitrite 85P
 S-Nitrosoglutathione 84P
 NMDA 61P, 68P, 95P, 336P
 NMDA antagonists 335P
 NMDA receptors 62P
 NMDA receptor antagonists 26P, 329P
 NMDA receptor blockers 166P
 NMDA receptor subtypes 337P
 NMDA/glycine sites 328P
 Nociception 90P, 103P, 242P, 245P, 330P
 Noradrenaline 43P, 258P
 Noradrenaline uptake 340P
 [³H]-Noradrenaline uptake 341P
 Novel antagonists 70P
 NPFF 314P
 NPLC-RIA 27P
 Nucleus accumbens 318P
- Oedema 240P
 Oesophagus 108P, 216P
 8-OH-DPAT 92P
 Olanzapine 129P
 Ondansetron 175P
 Operational efficacy 1P
 Operational models 1P
 Opioids 293P
 Oral activity 126P
 Organ injuries 53P
- pA₂ values 275P
 Pain 101P
 Pancuronium 148P, 149P
 Parkinson's disease 23P, 127P, 186P, 187P
 Paroxetine 162P
 PC12 cells 106P
 PDE IV inhibitors 207P
 Perinatal exposure 176P
 Pertussis toxin 9P, 322P
 PGD₂ 51P
 Phages 276P
 Phenytoin 338P
 Phorbol dibutyrate 4P
 Phosphodiesterases 209P, 289P
 Phosphoinositides 143P
 Phosphoinositide 3-kinase 5P
 Phospholipase C 146P
 Phospholipase D 273P
 PI hydrolysis 137P, 161P, 230P
 Pithed rats 57P, 218P, 221P, 222P, 268P
 PK 11195 266P
 Plasma exudation 52P
 Platelet aggregation 84P
 Platelets 115P, 231P, 232P
 Potassium channel modulators 199P
 Potassium channels 116P, 117P, 118P, 229P
 Potassium currents, delayed rectifier 152P
 Potentiation 258P
 Prepulse inhibition 173P
- Pressure-natriuresis curves 59P
 Propofol 135P, 152P
 Prostacyclin 54P
 Prostanoids 80P, 82P
 Prostanoid DP-receptors 190P
 Prostate 109P
 Protection 166P
 Protein kinase 73P
 Protein kinase C 131P, 143P
 Proximal tubular cells, rat 39P, 42P
 Proximal tubule 38P
 Pulmonary tissue 37P
 Purinoceptor P₂ subtypes 103P, 104P, 105P, 191P, 319P
 Purinoceptor P_{2X} subtypes 106P, 257P
- Radioimmunoassay 32P
 Radioligand binding 97P, 132P, 253P, 286P, 287P, 332P
 Raphe neurones 47P
 Receptors 68P, 81P, 124P, 125P, 217P
 Receptors, human 130P
 Receptor subtypes 88P
 Receptor autoradiography 336P
 Receptor binding 137P, 140P, 329P
 Receptor internalisation 72P
 Recombinant receptors 61P
 Renin-angiotensin systems 228P
 Renzapride 160P
 Reperfusion 74P
 Restenosis 233P
 Retinoic acid metabolism 150P, 151P
 Rho proteins 146P
 Rose Bengal 155P
 Rostral ventrolateral medulla 223P
 RS 17053 110P
 [³H]-RS 79948-197 298P
 RT-PCR 141P
 Rubidium 199P
- SB 206553 16P
 SB 207266 126P
 SB 216469 109P
 SB 206553 133P, 153P
 SCA40 209P
 SCGs 14P
 SCH 58261 279P
 [³H]-SCH 58261 339P
 Schild analysis 234P, 281P
 Schizophrenia 129P
 Second messengers 288P
 Seizures 154P
 Sensitised guinea-pigs 207P
 Septal-hippocampal lesions 174P
 Serine 283P
 Sex hormones 318P
 Short-term memory 176P
 SHR rats 41P
 SH-SY5Y cells 11P
 Sibutramine 167P, 168P, 169P, 170P, 323P, 324P, 325P
 Signal transduction 73P, 147P
 Smooth muscle 112P
- Smooth muscle cells 192P
 Sodium channels 335P
 Sodium valproate 302P
 Sodium/potassium/chloride co-transport 115P
 Somatosensory systems 64P
 Somatostatin 8P, 9P, 11P, 321P, 322P
 Somatostatin receptors 320P
 Somatostatin sst₂ receptors 8P
 Somatostatin sst₅ receptors 10P
 Species differences 36P
 SPECT 219P
 Spinal cord 98P
 Spinal cord, neonatal rat 70P
 Spinal cord, rat 330P
 SR 47063 263P
 SR 48968 295P
 SR 142801 203P
 Stable cell line 61P
 Steroid sulphatase 100P
 Stomach 206P
 Stomach, immature, rat 195P
 Stress 180P, 181P, 328P
 Striatum, rat 294P
 Subchronic treatment 224P
 Substance P 101P, 271P
 Substantia nigra 95P
 Subtype selectivity 299P, 300P
 α₄ Subunits 310P
 8-(*p*-Sulphophenyl) theophylline 275P
 Sumatriptan 142P, 264P, 269P
 Suramin 105P
 Sympathetic nerve activity 220P, 225P
 Sympathetic nervous system 47P
 Sympatho-inhibition 119P, 268P
 Synaptic transmission 98P
 Synaptosomes 63P, 333P
 Synergy 250P
- Tachykinins 102P, 248P
 Tachykinin receptors 88P, 194P
 Tachykinin NK₁ receptors 212P
 Tachykinin NK₂ receptors 212P, 296P
 Tacrine 163P
 Telemetry 155P
 Temperature changes 277P
 Thalamus 25P
 Thermogenesis 170P
 Thermoregulation 223P
 Thiopentone 152P
 Thrombosis 231P
 Thromboxane 233P
 Tissues, human 35P
 Tolerance 214P
 Toxin B 146P
 Trachealis muscle 209P, 210P
 Transgenic rats 227P
 1-(2-Trifluoromethylphenyl) imidazole 208P, 280P
d-Tubocurarine 148P
 Tumour-necrosis factor-α 31P
 Two-state models 1P
 Tyrosine 327P
 Tyrosine kinase 31P, 273P

Undergraduate practical teaching 344P
Undergraduate teaching 345P
Urinary bladder 191P

Vagus 206P
Vagus nerve 135P
Vas deferens 104P, 204P
Vascular endothelium 117P, 118P
Vascular resistance 251P
Vascular smooth muscle 113P, 138P,

278P
Vasculature 50P, 250P
Vasculature, rat 261P
Vasoconstriction 119P
Vasoconstrictors 111P
Vasodilators 227P
Vasopressin 228P
Vasorelaxants 263P
Veins, portal, rat 110P, 259P
Veins, saphenous, human 277P
Ventricles, left, human 270P
Vessels 78P

WAG/Rij epileptic rat 304P
Wasp venom 89P
Whole-cell voltage-clamp 313P
Willardiine 332P
Withdrawal 29P

Xenopus oocytes 149P, 308P, 310P

YM 934 200P
Yohimbine 17P