The British Journal of Pharmacology is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The British Journal of Pharmacology is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, St George's Hospital Medical School, Cranmer Terrace, London SW17 ORE. UK. Tel: +44 (0)181 767 6765: Fax: +44 (0)181 767 5645.

Advertisements Enquiries concerning advertisements should be addressed to: Michael Rowley, Hasler House, High Street, Great Dunmow, Essex CM6 1AP, UK. Tel: +44 (0)1371 874613; Fax: +44 (0)1371 872273.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley. Supplement Production Controller: Simone Larché

Subscriptions – EU/Rest of World Subscription price per annum (3 volumes, 24 issues) £655, rest of world £735 (Surface mail) £880 (Airmail), or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Magazines and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment. Subscribers from EC territories should add sales tax at the local rate.

Subscriptions – USA USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 345 Park Avenue South, 10th Floor, New York, NY 10010-1707; Tel: +1 212 689 9200, Fax: +1 212 689 9711. USA annual subscription rates (institutional/corporate): \$1170 (surface) \$1400 (airmail). Individual making personal payment: \$240.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1170 per annum (surface). 2nd class postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

Copyright © 1996 Stockton Press ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007 – 1188/96 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the joint meeting of the British Pharmacological Society, the Pharmacological Society of Canada and the Canadian Society for Clinical Pharmacology

University of Bath

10th - 12th July 1996

INDEX TO PROCEEDINGS SUPPLEMENT University of Bath 10th-12th July, 1996

Author Index

Abdulla FA & Smith PA Increased excitability of damaged rat sensory neurones involves altered coupling between calcium channels and adrenoceptors, 37P

Abdulla FA, Colmers WF & Smith PA Axotomy increases the response of rat sensory neurones to Y₂ agonists, 162P

Abraham S see Barrett TD, 115P Abraham S see McLarnon J, 114P Abraham S see Walker ML, 118P Abraham S see Yong SL, 117P Abraham S see Yong SL, 119P Abram TS see Thompson AM, 267P Aiello EA see Clément-Chomienne O,

Ajuebor MN, Flower RJ & Perretti M Strict relationship between MCP-1 and monocyte recruitment in the mouse peritoneal cavity, 57P

Akam EC, Carruthers AM, Nahorski SR & Challiss RAJ Use of [35S]-GTPγS binding to assess type 1α metabotropic glutamate receptor activity in baby hamster kidney cell membranes, 231P

Akam EC, Challiss RAJ & Nahorski SR Inverse agonist activity of atropine at human M₂ and M₄ muscarinic acetylcholine receptors revealed by [³⁵S]-GTPγS binding, 6P

Aleixandre MA, López-Miranda V, Puerro M & Ortega A α-pressor responses in pithed rats after the inhibition of nitric oxide synthesis, 127P

Aleixandre MA see López-Miranda V,

Alexander SPH, Boyd EA, Loh V & Kendall DA Second messenger responses of the rigid glutamate analogues (RS)-DHPG and (RS)-DHBAP in guinea-pig cerebral cortex

slices, 8P

Alexander SPH see Cadogan AK, 31P Alexander SPH see Neil KE, 246P Ali BH, Bashir AK & Tanira MOM Effect of Rhazya stricta extract on forced swimming test in rats, 216P

the expression of cocaine-induced place preference in the mouse, 207P Allen GV see Tasker RAR, 252P Allen SJ see Asopa V, 273P Allfree JM see Blaylock NA, 93P Almeida AF & Guidotti TL Sulphideinduced apnoea: peripheral or central

Ali I & Kelly ME 8-OH-DPAT enhances

Anderson CM & Parkinson FE Identification of mRNA encoding an N1/cif nucleoside transporter in rat brain, 228P

mechanism and its prevention, 49P

Anderson KG & Wallace HM Effects of L-arginine on tumour cell growth: a role for polyamines or nitric oxide?, 245P

245P Andrews TJ see Laight DW, 237P Angelini GD see George SJ, 78P

Angelini GD see Jeremy JY, 84P Angelini GD see Mehta D, 132P

Angelini GD see Milnes J, 133P Angelini GD see Wigmore S, 17P

Änggård EE see Dwivedi A, 13P

Änggård EE see Konneh M, 136P

Änggård EE see Laight DW, 128P Änggård EE see Laight DW, 129P

Änggård EE see Laight DW, 130P

Änggård EE see Laight DW, 237P

Änggård EE see Quine LA, 137P

Änggård EE see Rutherford C, 138P Angus D see Sutton B, 187P

Appleton I see Bryant CE, 236P Arkle S see Yardley RJ, 283P

Arnot MI, Bateson AN & Martin IL Effects of diazepam on GABA_A receptor subunit mRNA levels: drug delivery via osmotic minipumps, 64P Asopa V, Allen SJ, Holden PH,
Robertson AGS, Smith SKF, Tyler S
& Dawbarn D Expression, purification, refolding and characterisation of the immunoglobulin-like subdomains of the nerve growth factor receptor (TrkA), 273P

Aspley S sea Spencer EL 183P

Aspley S see Spencer EL, 183P Aston N see Chess-Williams R, 28P

Bailey SR & Elliott J 5-HT₁-like receptors mediating vasoconstriction in equine digital blood vessels: evidence for different receptor subtypes, 23P

Baird DF see Williams BA, 169P
Ballard SA see Jeremy JY, 84P
Banerji T, Pearce RKB, Tresedar S,
Jackson M, Jenner P & Marsden CD
Effects of central and peripheral
cholinergic drugs on locomotor
activity and L-DOPA-induced
dyskinesia in MPTP-treated common
marmosets (Callithrix jacchus), 29P

Barnes PJ see Patel HJ, 42P Barnes PJ see Saunders MA, 46P Barnes PJ see Seldon PM, 159P Barrett D see Milnes J, 133P

Barnes PJ see Meja K, 158P

Barrett TD & Walker MJA Glibenclamide possesses transient, ischaemia selective class III antiarrhythmic actions but does not prevent ischaemic arrhythmias, 116P

Barrett TD, Abraham S, Hayes ES, Yong SL, Walker ML & Walker MJA Atypical dose response curves for antiarrhythmic drugs, 115P Barrett TD see Walker ML, 118P Bashir AK see Ali BH, 216P Bateson AN see Arnot MI, 64P Bateson AN see Holt RA, 63P

Bates AJ, Lambert JP, Edwards G &

Coker SJ The effects of halofantrine on haemodynamics and ECG intervals in the anaesthetized guineapig, 121P Batey AJ see Coker SJ, 95P Batev AJ see Lightbown ID, 122P Beatch GN Antihistamine-induced ventricular arrhythmias, 120P Beatch GN see Williams BA, 169P Beckett SRG & Marsden CA The effect of alprazolam on 20 kHz ultrasoundinduced defence behaviour, 211P Beecroft MD & Taylor CW Effects of temperature on inositol 1,4,5-trisphosphate-stimulated Ca2+ mobilization, 222P Beer MS see Shaw D, 112P Belham CM, Scott PH, Tate RJ, Wadsworth RM & Plevin R Proteinase-activated receptor-2dependent activation of mitogenactivated protein kinases in rat aortic smooth muscle cells, 10P Belmonte KE, Jacoby DB & Fryer AD Increased function of neuronal M2 muscarinic receptors in diabetic rat lungs is associated with increased agonist affinity, 43P Belvisi MG see Patel HJ, 42P Belvisi MG see Saunders MA, 46P Beninger RJ see Connop BP, 221P Bennett BM see McGuire JJ, 123P Bennett BM see Ratz JD, 124P Bennett GS & Brain SD Nerve growth factor induces an immediate and also a late phase of oedema formation in rat skin, 55P Bennett T see Gardiner SM, 20P Bennett T see Gardiner SM, 106P Bennett T see Tarpey SB, 107P Birkett S see Milnes J, 133P Bishop J see Lewis EJ, 188P Bishop-Bailey D, Larkin SW, Williams TJ & Mitchell JA Roles of nitric oxide and COX-metabolites in proliferation of rat aortic segments in organ culture, 77P Black JW see Welsh NJ, 105P Blackburn GM see Delaney SM, 281P Blagbrough IS see Hardick DJ, 255P Blaylock NA, Allfree JM, Kendall DA, Wright IK & Wilson VG Preliminary evidence for the α_{1B} - and α_{2A} adrenoceptor binding sites on the porcine isolated thoracic aorta, 93P Blease K, Hellewell PG & Burke-Gaffney AC Induction of adhesion molecule expression on human lung microvascular endothelial cells by cytokines or lipopolysaccharide,

189P

Boarder MR see Brown CA, 235P

Boarder MR see Charlton SJ, 234P

Boarder MR see Wilkie N, 232P

Bochner BS see Fryer AD, 44P

Borman RA see Trout SJ, 195P Borman RA, Trout SJ & Hillier K Investigation of the effects of SB 204741 at the 5-HT_{2B} receptor in the longitudinal muscle layer of human small intestine, 196P Bose D see Bose R, 96P Bose R, Guia A & Bose D Mechanism of positive inotropy by phenamil in canine ventricular muscle: possible indirect effect on the Na⁺-Ca²⁺ exchanger, 96P Bottomley KM see Lewis EJ, 188P Boulougouris G, Edmead C, McLeod JD & Sansom DM Sensitivity of T cell activation to wortmannin, rapamycin and chloroquine, 266P Bowery NG see Hand K, 66P Boyd EA see Alexander SPH, 8P Boyd EA see Cadogan AK, 31P Bradshaw D see Lewis EJ, 188P Brain SD see Bennett GS, 55P Brain SD see Hall JM, 274P Brain SD see Ridger VC, 56P Brain SD see Towler PK, 203P Bretherton N, Smith JW & Wilson KA The effect of eicosapentaenoic acid upon contractures of rat isolated aortic rings pre-treated with αadrenoceptor antagonists, 91P Brien JF see Hussain AS, 238P Bristow DR see Savidge JR, 251P Bristow LJ. Savwell KL. Cook GP. Kulagowski JJ, Leeson PD, Ragan CI & Tricklebank MD Lack of effect of the dopamine D₄ receptor antagonist, L-745,870 on amphetamine-induced behaviours in rodents, 210P British Pharmacological Society, Education Sub-committee, Preliminary Results of a Survey of BSc Pharmacology Courses in the UK, 284P Broadhurst MJ see Lewis EJ, 188P Brotchie JM see Hill MP, 171P Brown AM, Parsons AA, Raval P, Porter R, Tilford NS, Gager TL, Price GW, Wood MD, Kaumann AJ, Young RA, Rana K, Warrington BH & King FD SB 209509 (VML 251), a potent constrictor of rabbit basilar artery with high affinity and selectivity for human 5-HT_{1D} receptors, 110P Brown AMG, Edwards CM, Lowe KC, Davey MR, Power JB & Heptinstall S Effects of parthenolide and feverfew (Tanacetum parthenium) extracts on human neutrophils in vitro, 265P Brown CA, Charlton SJ & Boarder MR PPADS reveals P2Y purinergic responses in transfected 1321N1 cells, 235P Brown CA see Charlton SJ, 234P Brown G see Callingham BA, 22P

Boegman RJ see Connop BP, 221P

Brown PA see Lewis EJ, 188P Brown T see Smith RM, 190P Bruton R see Richmond SA, 253P Bryan AJ see Mehta D, 132P Bryant CE, Appleton I & Vane JR Effects of vascular endothelial growth factor on nitric oxide synthase and cyclooxygenase expression in endothelial cells, 236P Bryson A see Sutton B, 187P Buchan KW see Parsons SJW, 239P Buckingham JC see Christian HC, 61P Budd JM see Lewis EJ, 188P Bullock AJ see Murphy CT, 225P Bundey R see Hudson AL, 39P Burden D see Sutton B, 187P Burgess GM see Davis CL, 83P Burka JF see Horsberg TE, 94P Burke-Gaffney AC see Blease K, 189P Bushfield M see Newgreen DT, 45P Bushfield M see Williamson IJR, 201P Butler SA see Spencer EL, 183P

Cadogan A-K see Roberts RE, 223P Cadogan AK, Boyd EA, Alexander SPH & Kendall DA Influence of cannabinoids on dopamine release and cAMP generation in the rat striatum, Cadogan AK see Neil KE, 246P Cai F. Jiang ZY & Tomlinson DR Altered COX-1 mRNA levels in nerve, aorta, kidney and retina of STZ-diabetic rats: effects of evening primrose oil (EPO) or an aldose reductase inhibitor, 140P Callingham BA, White R, Scarlett JA & Brown G Seasonal differences in the actions of vasoactive agents on segments of digital arteries of the fallow deer, 22P

Camacho J see Patel K, 269P
Cambon A see Edwards CM, 264P
Campbell CA see Parsons AA, 109P
Campbell EM, Watson ML, Proudfoot
AEI, Wells TNC, Yoshimura T &
Westwick J Guinea-pig RANTES
activates human, but not guinea-pig,
eosinophils, 50P
Carey J see Mitchell AL, 262P

Carpenter TG see Thompson AM, 267P Carrier MJ see Dwivedi A, 13P Carrier MJ see Konneh M, 136P Carrier MJ see Laight DW, 128P Carrier MJ see Laight DW, 129P Carrier MJ see Laight DW, 130P Carrier MJ see Laight DW, 237P Carrier MJ see Quine LA, 137P Carrier MJ see Rutherford C, 138P Carruthers AM see Akam EC, 231P Carruthers AM see Mistry R, 4P Cebulla G see Hey C, 3P Challiss RAJ see Akam EC, 6P Challiss RAJ see Akam EC, 231P

Challiss RAJ see Mistry R, 4P
Challiss RAJ see Stanford RFJ, 230P
Chan HW see Jones RL, 193P
Charlton SJ, Brown CA & Boarder MR
Differential activity of cloned P2Y₁,
P2Y₂ and P2Y₄ purinoceptors to
suramin, 234P

Charlton SJ see Brown CA, 235P Cheetham SC see Spencer EL, 183P Chen H see Kurennyi DE, 163P Chen L see Liu S-Y, 240P

Chesnoy-Marchais D Modulation of chloride responses to glycine by 5-HT₃ receptor ligands, 69P

Chess-Williams R, Couldwell C, Jackson AJ, O'Brien HL, Aston N & Johnson DR WB4101 discriminates between subtypes of α_1 -adrenoceptor with a low affinity for prazosin, 28P

Chess-Williams R see Mason SL, 277P Cheung C, Collier J & MacAllister RJ Effects of Cu⁺ chelation or glutathione on nitroso-glutathione-induced relaxation of rat aorta, 131P

Choice E, Meloche M & Madden TD Liposomal cyclosporine: biodistribution in the rat heart transplant model, 155P

Chokkukannan J, Wainwright CL & Zeitlin IJ Effect of the ET_A receptor antagonist BQ123 on infarct size and endothelin release in isolated perfused rabbit hearts, 21P

Chong LK, Cooper E, Vardey CJ & Peachell PT Effect of salmeterol on mediator release from human lung mast cells, 150P

Choy PC see Liu S-Y, 240P

Christian HC, Goulding NJ, Kahan M,
Wang H, Morris JF, Flower RJ &
Buckingham JC Detection of lipocortin 1 (LC1) and LC1 binding sites
in the rat anterior pituitary gland by
fluorescent activated cell
analysis/sorting (FACS), 61P

Clanachan AS see Almeida AF, 49P Clément-Chomienne O, Aiello EA, Walsh MP & Cole WC Diacylglycerol analogue and angiotensin II activation of PKC decreases delayed rectifier K⁺ current in rabbit portal vein, 97P

Coker SJ & Batey AJ Mefloquine, an anti-malarial drug: effects on the contractile function and effective refractory period of guinea-pig isolated cardiac muscle preparations,

Coker SJ see Batey AJ, 121P Coker SJ see Hughes DA, 152P Coker SJ see Lightbown ID, 122P Cole WC see Clément-Chomienne O, 97P

Cole WC see Waldron GJ, 98P Collier J see Cheung C, 131P Collingridge GL see Richmond SA, 253P

Colmers WF see Abdulla FA, 162P
Connell EAH Case study I, 286P
Connop BP, Boegman RJ, Beninger RJ
& Jhaman-das K Role of glutamate in
malonate-induced degeneration of
basal forebrain cholinergic neurons,

Cook DA, Gergawy M & Vollrath B
Aminoglycoside antibiotics reverse
the effects of oxyhaemoglobin in
cerebrovascular smooth muscle, 101P

Cook GP see Bristow LJ, 210P Cooke E see Shaw D, 112P

221P

Cooper E see Chong LK, 150P

Cooper EJ, Richardson AG, Smith JW & Wilson KA The effect of eicosapentaenoic acid and docosahexaenoic acid on contractures of rat aorta, 153P

Cooper G see Hardick DJ, 255P Corden MB see Saunders MA, 46P Costall B see Murphy D, 212P Costall B see Smith AG, 206P Costall B see Smythe JW, 213P Costall B see Timothy C, 214P Costall B see Wilson AW, 217P Costello RW see Fryer AD, 44P Couldwell C see Chess-Williams R, 28P Craven RM, Grahame-Smith DG & Newberry NR Muscarinic receptormediated responses of guinea-pig dorsal raphe neurones in vitro, 218P Critchley T see Hardick DJ, 255P Crossman AR see Hil MP, 171P Cui Y, Galione A & Terrar DA Actions of 8-Br-cADP ribose on contractions in guinea-pig isolated ventricular mvocvtes, 227P Cui Y see Iino S. 226P

Dainty IA see McKay GD, 14P
Dalley JW, Parker CA, Hudson AL &
Nutt DJ Synergistic suppression of
extracellular noradrenaline content in
the rat forebrain by sodium pentobarbitone and α_2 -adrenoceptor
agonists, 38P

Cunnane TC see Smith AB, 170P

Cunningham FM see Foster AP, 54P

Das A, Flower RJ & Perretti M Modulation of allergen-induced mouse eosinophil migration by dexamethasone in a novel model, 58P

Davenport AP see Pierre LN, 103P Davenport AP see Russell FD, 146P Davey MR see Brown AMG, 265P Davey PT see Lione LA, 205P

Davidson C & Stamford JA Effects of chronic paroxetine on 5-HT_{1A} autoreceptors controlling dorsal raphe cell firing and 5-HT release, 70P Davis CL & Burgess GM Dibutyryl cAMP increases responsiveness to a B₁ bradykinin receptor agonist in primary cultures of rat urinary bladder smooth muscle cells, 83P Dawbarn D see Asopa V, 273P De Kimpe SJ see Kengatharan M, 62P De Kimpe SJ see Kengatharan M, 244P de Vries DJ & Lang TK Demonstration of sub-nanomolar binding of domoic acid to the [³H]kainic acid binding

site in rat brain cortex, 278P
Delagrange P see Ting KN, 113P
Delaney SM & Geiger JD Ionotropic
glutamate receptor stimulation
increases endogenous levels of
adenosine in rat striatum, 280P

Delaney SM, Blackburn GM & Geiger JD The effect of diadenosine polyphosphates on enzymes involved in adenosine metabolism and on endogenous adenosine levels in rat brain, 281P

Dempster J see Tian L, 173P
Dev KK, Honoré T, Nielsen M &
Henley JM Phospholipase A₂ and
irradiation inactivation treatments of
rat brain sections display similar
regional effects on [³H]AMPA
binding, 254P

Dewhurst M see Omawari N, 139P
Diamond J & MacDonell KL Cyclic
GMP-dependent protein kinase
activity does not correlate with
negative inotropy in rat cardiomyocytes, 9P

Dickenson DR see Williams BA, 169P
Dickenson JM see Selbie LA, 7P
Docherty JR see Gavin KT, 89P
Dodd S see Watson ML, 48P
Doherty AJ see Richmond SA, 253P
Domeney AM see Woodall KL, 65P
Dong H see Waldron GJ, 98P
Dougall IG see McKay GD, 14P
Dowdall MJ see Green AC, 250P
Duce IR see Green AC, 250P
Duncan J see Hand K, 66P
Dunnill RJ, Kakizawa K, McKnight AT
& Henderson G Characterization of
the actions of naloxone benzoyl-

from rat and guinea-pig, 275P
Dwivedi A, Carrier MJ & Änggård EE,
Regulation of TNFα-mediated
expression of ICAM-1 and VCAM-1
in EA.hy 926 cells, 13P

hydrazone at μ -opioid, κ -opioid and

ORL1 receptors in isolated tissues

Earle ML, Li XF & Triggle CR Activation of spontaneous transient outward currents (STOCs) by phenylephrine in vascular smooth muscle from the rat tail artery, 87P

Eastham HM, Lind RJ, Wolstenholme AJ, Reynolds SE & Wonnacott S

Binding studies on the nicotinic acetylcholine receptor of *Manduca* sexta: a nicotine-insensitive, tobacco feeding insect, 256P

Edmead C see Boulougouris G, 266P
Education Sub-Committee, British
Pharmacological Society, Preliminary
results of a survey of BSc Pharmacology courses in the UK, 284P

Edwards CM, Lowe KC, Heptinstall S, Trabelsi H, Lucas Ph & Cambon A Novel fluorinated surfactants for perfluorochemical emulsification: inhibitory effects on human platelet aggregation in vitro, 264P

Edwards CM see Brown AMG, 265P Edwards G see Batey AJ, 121P Edwards G see Green ME, 200P Edwards G see Walker SD, 80P El Mallah AI see Prior C, 172P

El-Hashim AZ, Jacques CA, Herd CM, Lee TH & Page CP Effect of R15.7, an anti CD18 antibody, on the cellular recruitment, the late airway response (LAR) and airway hyperresponsiveness (AHR) in an allergic rabbit model, 191P

Elliott J see Bailey SR, 23P Elliott JM see Mitchell AL, 262P Elliott L see Lewis EJ, 188P Ellis KE see Stanford RFJ, 230P Emerson M. Page CP & Paul W. Effec

Emerson M, Page CP & Paul W Effect of a dopamine (D₁) agonist upon platelet accumulation in the rabbit, 149P

Eshragi HR, Zeitlin IJ, Fitzpatrick J, Ternent H & Logue D Bradykinin in milk from cows with clinical and subclinical mastitis, 202P

Euzger HS, Perretti M, Flower RJ & Goulding NJ The lipocortin-1 binding site on human monocytes is sensitive to proteolytic enzymes, 60P

Evans RH The depressant actions of carbamazepine, lamotrigine and phenytoin on the rat spinal cord in vitro, 67P

Evans TW see Saunders MA, 46P

Feniuk W see Williams AJ, 11P
Feniuk W see Wyatt MA, 248P
Ferns GAA see Rutherford C, 138P
Ferrari PF see Siddiqui A, 282P
Ferrell WR see McMurdo L, 82P
Fitzgerald MF see Thompson AM, 267P
Fitzpatrick J see Eshraghi HR, 202P
Flanigan TP see Mitchell AL, 262P
Fletcher AE see Patel S, 30P
Fletcher EJ see Gunthorpe MJ, 259P
Flower RJ see Ajuebor MN, 57P
Flower RJ see Christian HC, 61P
Flower RJ see Das A, 58P
Flower RJ see Getting SJ, 160P

Flower RJ see Tailor A, 59P
Fone KCF see Tan MP, 184P
Foord SM see Patel K, 269P
Forsling ML see Hartley DE, 142P
Forster C & Le Tran Y Do α_{1B}-adrenoceptors play a role in the exaggerated vascular response to α-agonists in experimental heart failure?, 26P

Forster C, Le Tran YL, Harding S & Grupp LA Blood pressure and vascular endothelial response in alcohol-preferring rats, 72P

Foster AP & Cunningham FM Substance P induces equine eosinophil superoxide anion generation via NK₁ receptor activation, 54P

Foster SJ see Kengatharan M, 18P
Foster SJ see Kengatharan M, 62P
Foster SJ see Robson C, 243P
Foulkes R see Gascoigne MH, 156P
Fouyas IP, Kelly PAT, Ritchie IM &
Whittle IR The effects of 3-morpholinosydnonimine upon local cerebral blood flow in normotensive and spontaneously hypertensive rats,

Fox AJ see Saunders MA, 46P
Freedman SB see Patel S, 30P
Freeman D, Ozcay N, Zhong R, Grant D,
Garcia B & Fryer J Prevention of
small bowel allograft rejection with
cyclosporine and budesonide, a
locally acting glucocorticoid, 81P

126P

Freitag A, Wessler I & Racké K Phosphodiesterase inhibitors suppress α₂ receptor-stimulated 5-HT release from neuroepithelial cells of tracheae of newborn rabbits, 181P

Fryer AD & Jacoby DB Primary cultures of parasympathetic nerves from guinea-pig trachea contain functional M₂ muscarinic receptors, 40P

Fryer AD, Costello RW & Bochner BS
Monoclonal antibody to very late
activation antigen-4 protects the
neuronal M₂ muscarinic receptors
from antigen challenge in the guineapig, 44P

Fryer AD see Belmonte KE, 43P Fryer AD see Jacoby DB, 41P Fryer J see Freeman D, 81P

Gager TL see Brown AM, 110P
Galione A see Cui Y, 227P
Galione A see Iino S, 226P
Garcia B see Freeman D, 81P
Gardiner SM, Kemp PA, March JE &
Bennett T Enhanced haemodynamic
effects of SB 209670 and losartan in
conscious, endotoxaemic rats, 20P

Gardiner SM, March JE, Kemp PA & Bennett T Influence of captopril and losartan on the haemodynamic responses to endotoxaemia in Gardiner SM see Tarpey SB, 107P
Garland CJ see Hill PB, 24P
Garland CJ see Mistry DK, 167P
Garland CJ see Parsons SJW, 239P
Garland CJ see Plane F, 79P
Gascoigne MH, Nesbitt AM, Foulkes R
& Ward PS A novel method for the
quantification of tumour necrosis
factor and lymphotoxin in collageninduced arthritis, 156P

conscious rats, 106P

Gavin KT & Docherty JR Investigations of post-junctional α_2 -adrenoceptor subtypes mediating vascular responses, 89P

Geiger JD see Delaney SM, 280P Geiger JD see Delaney SM, 281P George SJ, Jeremy JY & Angelini GD Thapsigargin inhibits smooth muscle cell proliferation and intima formation but not metalloproteinase ex-

pression in human saphenous vein organ culture, 78P

Gergawy M see Cook DA, 101P
Getting SJ, Flower RJ & Perretti M
Dexamethasone inhibits monocyte
recruitment during acute inflammation via endogenous lipocortin 1,
160P

Gibson VM see Lewis EJ, 188P
Giembycz MA see Meja K, 158P
Giembycz MA see Patel HJ, 42P
Giembycz MA see Seldon PM, 159P
Goralski KB, Smyth DD & Sitar DS
Evaluation of bicarbonate effects on
the renal clearance of amantadine and
kynurenic acid in the uninephrectomized rat, 145P

Goudie AJ & Leathley MJ Lack of effect of the CCK B antagonist CI-988 on benzodiazepine withdrawal-induced weight loss, 215P

Goulding NJ see Christian HC, 61P Goulding NJ see Euzger HS, 60P Grahame-Smith DG see Craven RM, 218P

Grahame-Smith DG see Mitchell AL, 262P

Grant D see Freeman D, 81P
Green AC, Dowdall MJ & Richardson
CM ATP stimulates increases of
[Ca²⁺] in skate (Raja) electric organ
Schwann cells via P_{2Y}-like purinoceptors, 250P

Green ME, Edwards G & Weston AH
Characterisation of potassium
currents in rat ureter smooth muscle
cells, 200P

Green ME see Walker SD, 80P
Greenham AK see Lewis EJ, 188P
Greenlees C, Wainwright CL &
Wadsworth RM L-Arginine administration reduces balloon angioplastyinduced intimal hyperplasia in the
Froxfield Heritable Hyperlipidaemic

rabbit, 134P Grix SP see Watson ML, 48P Grupp LA see Forster C, 72P Guia A see Bose R, 96P Guidotti TL see Almeida AF, 49P Gunthorpe MJ, Fletcher EJ & Lummis SCR Conversion of the ion selectivity of the 5-HT₃ receptor from cationic to anionic: a conserved feature of the ligand gated ion channel superfamily?, 259P

Gyte AJ see Smith JCE, 166P

- Hall DA & Strange PG Neuroleptic drugs behave as inverse agonists at the short isoform of the human D₂ dopamine receptor heterologously expressed in CHO cells, 268P
- Hall JM, Palframan R, Reynia S & Brain SD Inhibition of the inflammatory response to antigen challenge in the hamster cheek pouch by the tachykinin NK₁ receptor antagonist SR140333, 274P
- Halliwell B see Warren DL, 279P Hamilton TC see Parsons AA, 109P Hammond JR Adenosine-mediated enhancement of the functional activity and stability of solubilized/ reconstituted nucleoside transporters, 229P
- Hand K, Bowery NG, Van Paesschen W & Duncan J Central benzodiazepine receptor autoradiography in human resected epileptic temporal lobe: changes in receptor density and affinity, 66P
- Handy RLC & Moore PK The nitric oxide synthase inhibitor, 7-nitro indazole, inhibits carrageenaninduced hindpaw oedema in the rat, 157P
- Hanson GC see Petersson J, 102P Hardick DJ, Cooper G, Critchley T, Blagborough IS, Potter BVL & Wonnacott S Importance of the 2-(methylsuccinimido) benzoyl moiety for the potency of norditerpenoid ligands at α 7-type neuronal nicotinic acetylcholine receptors, 255P

Harding S see Forster C, 72P Hargreaves AC see Richmond SA, 253P Harris S see Sutton B, 187P

- Harrison S, Spina D & Page CP The role of protein phosphatases in the modulation of neuronal activity in guinea-pig airways, 192P
- Hartell NA The intracellular mechanisms underlying parallel fibre-induced, heterosynaptic long-term depression in the cerebellum, 68P
- Hartley DE, Stafford G, Zaman Z & Forsling ML Does the renal responsiveness to vasopressin change

- during pregnancy and lactation in the rat?, 142P
- Hasséssian H The energy requirement for depletion-activated Ca2+ influx is not rate-limiting, 249P Hayes ES see Barrett TD, 115P

Hayes ES see Yong SL, 117P Headley PM see Jones MW, 34P Heal DJ see Phillips I, 219P

Heal DJ see Spencer EL, 183P Heeps G see Sutton B, 187P

Hellewell PG see Blease K, 189P Hellewell PG see Teixeira MM. 52P

Henderson G see Dunnill RJ, 275P Henderson G see Yeo A, 32P

Henley JM see Dev KK, 254P

Henley JM see Keir MJ, 276P Henley JM see Richmond SA, 253P

Heptinstall S see Brown AMG, 265P Heptinstall S see Edwards CM, 264P

Herd CM see El-Hashim AZ, 191P Hey C, Cebulla G, Stichnote C, Wessler

I & Racké K Differential control of L-arginine uptake, arginase and nitric oxide synthase in rabbit alveolar macrophages (AMs), 3P

Hiley CR see Otley CE, 73P Hill CH see Lewis EJ, 188P

Hill MP & Brotchie JM Multiple calcium channel sub-types are involved in glutamate release from rodent and primate striatal synaptosomes: modulation by κ-opioid receptor activation, 171P

Hill PB & Garland CJ Tyrosine kinase inhibitors reduce the contractile response of the rabbit isolated renal artery to 5-HT, 24P

Hill RG see Shaw D, 112P Hill SJ see Sanderson EM, 247P Hill SJ see Selbie LA, 7P Hillier K see Borman RA, 196P Hillier K see Trout SJ, 195P Hindmarsh JG see Rose S, 33P

Hinton JM & Osborne RH Cycloproctolin antagonises proctolinstimulated inositol trisphosphate production in the locust foregut, 224P

Ho JKS see Jones RL, 193P Högestätt ED see Petersson J, 102P Högestätt ED see Zygmunt PM, 76P Holden PH see Asopa V, 273P Holden-Dye L see Trim N, 186P Hollingsworth M Recent changes in pharmacology courses, 288P

Holt RA, Bateson AN & Martin IL The effect of chronic diazepam or zolpidem treatment on the levels of GABA_A receptor subunit mRNAs in rat cortex, 63P

Honoré T see Dev KK, 254P Hooper H see Sutton B, 187P Hope PJ, Patmore L & Sheridan RD Sciatic nerve constriction in rats

induces up-regulation of Na⁺ currents in ipsilateral L₄₋₅ dorsal root ganglion (DRG) neuronal somata, 168P

Horsberg TE, Burka JF & Tasker RAR Sedative effects and pharmacokinetics of medetomidine and atipamezole in rainbow trout (Onchorhynchus mykiss), 94P

Horspool F see Sutton B, 187P Howitt S & Poyner DR Potency of antagonists at the calcitonin generelated peptide receptor of rat L6 cells, 272P

Howlett SE & Mapplebeck C Contractions initiated by the cardiac voltage sensitive release mechanism are selectively depressed in myocytes from young cardiomyopathic hamsters, 99P

Hudson AL, Bundey R, Nutt DJ & Tyacke RJ The identification of putative imidazoline₂ binding sites in frog brain, 39P

Hudson AL see Dalley JW, 38P Hudson AL see Lione LA, 205P Hughes DA & Coker SJ Effects of diazepam on chloroquine intoxicated, anaesthetized rats, 152P

Hughes IE & Markham A Knowledge and skills needs in pharmacology graduates in first employment, 285P Humphrey PPA see Williams AJ, 11P Humphrey PPA see Wyatt MA, 248P Hunter AJ see Lione LA, 205P Hunter AJ see Parsons AA, 109P Hunter AJ see Raval P, 111P Hurrell A see Plane F, 79P Hussain AS, Brien JF, Marks GS &

Nakatsu K A nitric oxide adduct may be produced by the metabolic activation of glyceryl trinitrate in vascular smooth muscle, 238P

Iino S, Cui Y, Galione A & Terrar DA Actions of cADP-ribose on contractions in guinea-pig isolated ventricular myocytes, 226P

Intengan HD & Smyth DD Identification of a novel function for the α_{2a} adrenoceptor subtype in the rat kidney: mediation of osmolar clearance, 25P

Iravani MM, Millar J & Kruk ZL Effects of local application of nitric oxide on dopamine release in sub-regions of the rat caudate putamen brain slices measured using fast cyclic voltammetry, 177P

Iravani MM, Millar J & Kruk ZL Simultaneous real-time detection of dopamine and a nitric oxide-like signal in rat caudate putamen slices following local electrical stimulation: the effects of 7-nitro indazole, 178P

Jackson AJ see Chess-Williams R, 28P Jackson MJ see Banerji T, 29P Jacoby DB, Lee NH & Fryer AD Viral infection of cultured airway parasympathetic nerves increases acetylcholine release and decreases ma muscarinic receptor expression, 41P Jacoby DB see Belmonte KE, 43P Jacoby DB see Fryer AD, 40P Jacques CA see El-Hashim AZ, 191P Javid FA, Naylor RJ & Tuladhar BR Response of the isolated intestine of Suncus murinus to 5-HT and characterisation of the 5-HT receptor(s) mediating contraction, 197P Jenkins DJ see Murphy CT, 225P

Jenner P see Banerii T, 29P Jenner P see Rose S, 33P Jenner P see Silva MT, 179P Jenner P see Warren DL, 279P Jeremy J, Ballard SA, Naylor AM, Miller MAW & Angelini GD The effects of sildenafil, an inhibitor of type 5 cGMP phosphodiesterase, on cGMP and cAMP levels in rabbit corpus cavernosum, in vitro, 84P Jeremy JY see George SJ, 78P Jeremy JY see Mehta D, 132P Jeremy JY see Milnes J, 133P Jeremy JY see Wigmore S, 17P Jhamandas K see Connop BP, 221P Jiang ZY see Cai F, 140P Johns EJ see Zhang T, 143P Johns EJ see Zhang T, 144P Johnson DR see Chess-Williams R, 28P Johnson JL see Milnes J, 133P Johnson WH see Lewis EJ, 188P

Jollimore CAB see Ryan JS, 165P

Jollimore CAB see Yiu SC, 271P

Jones MW, McClean M & Headley PM

Do differing levels of the voltage

dependence of NMDA open channel-

blockers affect their in vivo actions

on spinal neurones in anaesthetised

rats?, 34P
Jones RL, Qian YM, Wise H, Wong
HNC, Chan HW, Lam WWL, Ho
JKS & Yim APC Relaxant actions of
prostanoid and non-prostanoid IPreceptor agonists on the human
pulmonary artery, 193P
Jones SJ see Markham T, 289P
Jordan NJ see Watson ML, 48P

Kahan M see Christian HC, 61P Kakizawa K see Dunnill RJ, 275P Kamal M, Vojnovic I, Wood EG, Warner TD & Vane JR Potencies of nonsteroid antiinflammatory drugs as inhibitors of PGE₂ production by COX-2 containing A549 cells vary with cellular stimuli, 241P Kaumann AJ see Brown AM, 110P Kaumann AJ see Raval P, 111P Kaur S, Özer H & Starr MS Site of anticataleptic action of dizocilpine in the rat, 208P Kaw AV see Laight DW, 128P

Keeling JEA see Patel HJ, 42P
Keir MJ, Kirkham DM & Henley JM
Characterisation of [³H]CGP 54626A
binding to GABA_B receptors in rat
cerebellar synaptic membranes, 276P
Kelly ME see Ali I, 207P
Kelly ME see Woodall KL, 65P

Kelly ME see Woodall KL, 65P
Kelly MEM see Ryan JS, 165P
Kelly MEM see Yiu SC, 271P
Kelly PAT see Fouyas IP, 126P
Kemp PA see Gardiner SM, 20P
Kemp PA see Gardiner SM, 106P
Kendall DA see Alexander SPH, 8P
Kendall DA see Blaylock NA, 93P
Kendall DA see Cadogan AK, 31P
Kendall DA see Neil KE, 246P
Kendall DA see Roberts RE, 223P
Kengatharan M, De Kimpe SJ, Foster SJ
& Thiemermann C Importance of
lipoteichoic acid and peptidoglycan

Gram-positive organisms, 62P
Kengatharan M, DeKimpe SJ, Willis D,
Thiemermann C & Vane JR Larginine or tiron attenuate the
induction of hemeoxygenase-1 in
lungs and the *in vivo* oxidation of
dihydrorhodamine 123 in a model of

synthase in murine macrophages by

in the induction of nitric oxide

Gram-positive shock, 244P
Kengatharan M, Robson C, Foster SJ &
Thiemermann C Lipoteichoic acid
from S. aureus, but not from B.
subtilis, synergises with B. subtilis
peptidoglycan to cause hyporeactivity
to noradrenaline and organ injury in
rats, 18P

Kengatharan M see Robson C, 243P
Khan S, Sandhu J, Whelpton R &
Michael-Titus AT Substance P
fragments, SP1-9 and SP6-11,
modulate endogenous dopamine
outflow in rat striatum, 175P
King FD see Brown AM, 110P
King FD see Parsons AA, 109P
King FD see Raval P, 111P
King NV see Selbie LA, 7P
Kirkham DM see Keir MJ, 276P
Kirkpatrick JJR see Pipelzadeh MH,
104P

Klapproth H, Racké K & Wessler I
Cellular mechanisms controlling GMCSF release from cultured human
airway epithelial cells, 161P
Kolios G see Whittley KL, 2P
Konneh M see Laight DW, 129P
Konneh M, Stewart-Lee A, Laight DW,

Carrier MJ & Änggård EE Restoration of normal endothelial function *in vivo* in cholesterol-fed rabbits by the novel phosphodiesterase V inhibitor, ONO 1505, 136P

Koubanakis M & Leake LD Leech
Retzius cells as a model for epileptiform activity, 220P
Kroeger EA see Liu S-Y, 240P
Kruk ZL see Iravani MM, 177P
Kruk ZL see Iravani MM, 178P
Kruk ZL see Patel J, 176P
Kulagowski J see Patel S, 30P
Kulagowski JJ see Bristow LJ, 210P
Kurennyi DE, Chen H & Smith PA Mcurrent potentiation by low muscarine
concentrations in bullfrog sympathetic ganglia, 163P

Laight DW, Andrews TJ, Carrier MJ & Änggård EE Microassay for the assessment of novel superoxide dismutase-mimetics in vitro, 237P

Laight DW, Carrier MJ & Änggård EE Characterisation of vasorelaxation to the novel phosphodiesterase type V inhibitor, ONO-1505, in the rat isolated aorta, 130P

Laight DW, Kaw AV, Carrier MJ & Änggård EE Regulation of endogenous nitric oxide vasodilator function by insulin *in vitro*, 128P

Laight DW, Konneh M, Carrier MJ & Änggård EE Vasorelaxation to the novel phosphodiesterase type V inhibitor, ONO-1505, in the carotid artery of the cholesterol-fed rabbit, 129P

Laight DW see Konneh M, 136P Lam WWL see Jones RL, 193P Lambert JP see Batey AJ, 121P Lang TK see de Vries DJ, 278P Large WA see Chesnoy-Marchais D, 69P

Larkin SW see Bishop-Bailey D, 77P Lautt WW see Macedo PM, 15P Lautt WW see Macedo PM, 16P Laverty R see de Vries DJ, 278P Lawton G see Lewis EJ, 188P Le Tran Y see Forster C, 26P Leake LD see Koubanakis M, 220P Leathley MJ see Goudie AJ, 215P Lee JJ & Parsons ME Agonist interactions at presynaptic histamine H₃-, GABA_B- and somatostatin receptors on the guinea-pig ileum, 199P Lee MG see Patel K, 269P Lee NH see Jacoby DB, 41P Lee TH see El-Hashim AZ, 191P Leeson PD see Bristow LJ, 210P Leeson PD see Patel S, 30P Leithead J see Watson ML, 48P Leslie RA see Moorman JM, 263P

Lewis EJ, Bishop J, Bottomley KM, Bradshaw D, Brown PA, Broadhurst MJ, Budd JM, Elliott L, Gibson VM, Greenham AK, Hill CH, Johnson WH, Lawton G & Nixon JS Efficacy of the cartilage protective agent Ro32-3555 in in vitro and in vivo models of cartilage degradation, 188P

Li XF see Earle ML, 87P Lightbown ID, Batey AJ & Coker SJ Effects of halofantrine on the effective refractory period in guineapig isolated cardiac tissues, 122P Lim SL see Pang CCY, 100P Lind RJ see Eastham HM, 256P Lindberg BF see Petersson J, 102P Lindley CJ see Murphy CT, 225P Lione LA, Hudson AL, Nutt DJ, Rogers DC, Davey PT & Hunter AJ The effects of tacrine and the imidazoline 2 site ligand BU224 in the rat delayed T maze, 205P

Little HJ see Watson WP, 71P Liu JT, Paul W, Powling MJ & Page CP Sustained platelet entrapment in rabbit pulmonary vasculature following activation of the intrinsic coagulation pathway with ellagic acid, 194P

Liu S-Y, Chen L, Xu F, Kroeger EA, Choy PC & Man RYK Protection of low density lipoprotein against copper-mediated oxidative modification: the importance of lipoxygenase inhibition and antioxidant action, 240P

Lockhart JC see McMurdo L, 82P Logue D see Eshraghi HR, 202P Loh V see Alexander SPH, 8P Longmore J see Shaw D, 112P López-Miranda V, Puerro M & Ortega A α-pressor responses in pithed rats after the inhibition of nitric oxide synthesis, 127P

López-Miranda V, Puerro M, Ortega A & Aleixandre MA α-pressor responses in pithed rats fed on a lowcalcium diet, 88P

López-Miranda V see Aleixandre MA, 127P

Lowe KC see Brown AMG, 265P Lowe KC see Edwards CM, 264P Lucas Ph see Edwards CM, 264P Lummis SCR see Gunthorpe MJ, 259P Lummis SCR see Niemeyer M-I, 261P Lummis SCR see Spier AD, 260P Lundstrom K see Patel K, 269P

MacAllister RJ see Cheung C, 131P McClean M see Jones MW, 34P McCulloch AI & Randall MD The modulation of EDHF activity by nitric oxide in the rat isolated

superior mesenteric arterial bed, 135P

MacDonell KL see Diamond J, 9P Macedo PM & Lautt WW Modulation of vasoconstriction in the hepatic circulation by nitric oxide, 15P

Macedo PM & Lautt WW Shear-induced modulation of vasoconstriction in the hepatic circulation by nitric oxide. 16P

McGrath JC see Smith KM, 92P McGuire JJ & Bennett BM An autoradiographic study of [125I]-diphenyleneiodonium sulfate labelling of rat aortic proteins involved in the biotransformation of glyceryl trinitrate, 123P

McIntyre P see Quinn P, 198P McKay GD & Dainty IA Classification of P₂-purinoceptors on cystic fibrosis sub-mucosal epithelial (CFSME) cells, 14P

McKnight AT see Dunnill RJ, 275P McKnight AT see Nicholson JR, 36P McKnight AT see Paterson SJ, 35P McLarnon J, Xu L, Abraham S & Walker MJA Mixed block of K⁺ and Na⁺ currents by KC8851, a structural analogue of tedisamil: in vitro and in vivo studies, 114P

McLeod JD see Boulougouris G, 266P Macmillan JB see Smith KM, 92P McMurdo L, Lockhart JC & Ferrell WR Modulation of rat synovial blood flow by the CGRP receptor antagonist, CGRP (8-37), 82P McNeill JR see Tatchum Talom R,

Madden TD see Choice E, 155P Malone N see Watson WP. 71P Mamas MA & Terrar DA Actions of BrcGMP on the delayed rectifier potassium current in guinea-pig isolated ventricular myocytes, 233P Man RYK see Liu S-Y, 240P

Mapplebeck C see Howlett SE, 99P March JE see Gardiner SM, 20P March JE see Gardiner SM, 106P Markham A & Jones SJ Knowledge and skills needs in pharmacology graduates: an overview, 289P

Markham A see Menton K, 270P Markham T see Hughes I, 285P Marks GS see Hussain AS, 238P Marsden CA see Beckett SRG, 211P Marsden CA see Roberts RE, 223P

Marsden CA see Tan MP, 184P Marsden CD see Banerji T, 29P

Marsden CD see Rose S, 33P

Marsden CD see Silva MT, 179P Marshall DL, Redfern PH & Wonnacott

S Comparison of continuous vs intermittent nicotine administration on the responsiveness of the terminal regions of ascending dopamine path-

ways to a subsequent local nicotine challenge in vivo, 209P Marshall DL see Soliakov L. 174P Marshall FH see Patel K, 269P Marshall IG see Tian L, 173P Martin IL see Arnot MI, 64P Martin IL see Holt RA, 63P Martin KF see Phillips I, 219P Martin KF see Spencer EL, 183P Martin W see Rutherford C, 138P Marwood R see Patel S, 30P Mason SL, Chess-Williams R & Wyllie M [3H]-Doxazosin as a radioligand

for the labelling of α_{1A} , α_{1B} and α_{1L} adrenoceptor sites using rat salivary gland, liver and brain, 277P Matthews JS & O'Neill LAJ, The effect

of MAPKK inhibitor PD98059, the p38MAPK inhibitor SB203580 and the small G protein Rac 1 on interleukin 1 signal transduction in T lymphocytes, 12P

Mehta D, Jeremy JY, Izzat MB, Bryan AJ & Angelini GD Prostacyclin, nitric oxide and cyclic nucleotide synthesis in stented and unstented porcine vein grafts, 132P

Meja K, Seldon PM, Barnes PJ & Giembycz MA Characterisation of the prostanoid receptors that mediate inhibition of lipopolysaccharideinduced tumour necrosis factor-a generation from human monocytes, 158P

Meloche M see Choice E, 155P Menton K & Markham A The ability of spermine to reduce the protective action of cyclosporin A within rat hepatic mitochondria, 270P Michael-Titus AT see Khan S, 175P Michel AD see Williams AJ, 11P Miles JJ see Yardley RJ, 283P Millar J see Iravani MM, 177P Millar J see Iravani MM, 178P Miller MAW see Jeremy JY, 84P Milnes J, Sandeman F, Barrett D, Birkett S, Johnson JL, Angelini GD & Jeremy JY Effect of in vitro angioplasty on vascular defence mechanisms in rat cultured aortae, 133P

Miner WD see Quinn P, 198P Mistry DK & Garland CJ Large conductance but not apamin-sensitive K⁺ channels in smooth muscle cells isolated from the rabbit mesenteric artery, 167P

Mistry R, Carruthers AM, Nahorski SR & Challiss RAJ Agonist-independent increases in inositol 1,4,5-trisphosphate following pertussis toxin treatment of baby hamster kidney cells expressing recombinant type 1\alpha metabotropic glutamate receptors, 4P

Mistry R see Stanford RFJ, 230P

Mitchell A see Sutton B, 187P
Mitchell AL, Carey J, Flanigan TP,
Grahame-Smith DG & Elliott JM
Characterisation of the human 5HT_{2B} receptor expressed in the
human neuroblastoma cell-line SHSY5Y, 262P

Mitchell JA see Bishop-Bailey D. 77P

Mitchell JA see Saunders MA, 46P
Moore PK see Handy RLC, 157P
Moore RB see Smith JCE, 166P
Moorman JM & Leslie RA Chronic
lithium treatment of rats enhances 5HT_{2A} receptor function but not via an
increase in receptor density, 263P
Morris JF see Christian HC, 61P
Murphy CT, Riley AM, Jenkins DJ,
Bullock AJ, Lindley CJ, Potter BVL
& Westwick J Ca²⁺ release and
binding studies of compounds

structurally related to inositol 1,4,5-

trisphosphate and adenophostin,

225P

Murphy D, Costall B & Smythe JW
Electrophysiological activity in the
hippocampus is regulated by
mineralocorticoid receptors in
urethane-anaesthetized rats, 212P
Murphy D see Smythe JW, 213P

Nahorski SR see Akam EC, 6P Nahorski SR see Akam EC, 231P Nahorski SR see Mistry R, 4P Nakatsu K see Hussain AS, 238P Naylor AM see Jeremy JY, 84P Naylor AM see Newgreen DT, 45P Navlor AM see Williamson IJR, 201P Navlor I see Pipelzadeh MH, 104P Navlor RJ see Javid FA, 197P Neil KE, Cadogan A-K, Kendall DA & Alexander SPH Developmental profile of IBMX-sensitive cyclic GMP accumulation in the rat cerebellum, 246P Neill JC see Smith AG, 206P Neill JC see Wilson AW, 217P Nesbitt AM see Gascoigne MH, 156P Newberry NR see Craven RM, 218P Newgreen DT & Naylor AM Characterisation of functional muscarinic receptors in human bladder, 45P Newgreen DT see Williamson IJR, 201P Newton BB see Thompson AM, 267P Ng LL see Wilkie N, 232P Nicholson JR, Paterson SJ & McKnight AT Characterisation of the response in the rat vas deferens to the ORL₁ agonist nociceptin, 36P Nielsen M see Dev KK, 254P Niemeyer M-I & Lummis SCR Effects of agonists on the long and short

splice variants of 5-HT₃ receptor

261P

stably expressed in HEK 293 cells,

Nixon JS see Lewis EJ, 188P Nourshargh S see Walsh DT, 53P Nutt DJ see Dalley JW, 38P Nutt DJ see Hudson AL, 39P Nutt DJ see Lione LA, 205P

O'Beirne G see Patel S, 5P
O'Brien HL see Chess-Williams R, 28P
Omawari N, Dewhurst M, Vo P &
Tomlinson DR Effects of ONO-1505,
a novel phosphodiesterase type V and
thromboxane synthase inhibitor, on
reduced nerve blood flow and
conduction velocity in diabetic rats,
139P

O'Neill LAJ see Matthews JS, 12P Ortega A see Aleixandre MA, 127P Ortega A see López-Miranda V, 88P Osborne RH see Hinton JM, 224P Otley CE, Richardson PJ & Hiley CR Adenosine receptors in the left anterior descending coronary artery of the rat, 73P

Ozcay N see Freeman D, 81P Özer H see Kaur S, 208P

Page CP see El-Hashim AZ, 191P
Page CP see Emerson M, 149P
Page CP see Harrison S, 192P
Page CP see Liu JT, 194P
Palacios B & Pang CCY Haemodynamic
effects of 17α-ethynylestradiol on
endotoxaemic rats, 141P
Palacios B see Pang CCY, 100P
Palframan R see Hall JM, 274P
Pallotta M see Segieth J, 180P
Pallotta M, Segieth J & Whitton PS Nmethyl-D-aspartate receptors regulate
5-HT release in the raphe nuclei and
terminal 5-HT release in frontal
cortex, 182P

Pang CCY, Lim SL & Palacios B Endothelin-1 on arterial and venous resistances in anaesthetized rats, 100P

Pang CCY see Palacios B, 141P
Pang CY see Choice E, 155P
Parker CA see Dalley JW, 38P
Parker SG see Parsons AA, 109P
Parkinson FE see Anderson CM, 228P
Parry RV, Westwick J & Ward SG

Phorbol ester treatment inhibits phosphoinositide 3-kinase activation by, and association with, the T cell molecule CD28, 1P

Parsons AA, Parker SG, Raval P, Campbell CA, Hunter AJ, Hamilton TC & King FD Comparison of the cardiovascular effects of SB 209509 (VML 251) and sumatriptan in dogs,

Parsons AA see Brown AM, 110P Parsons AA see Raval P, 111P Parsons ME see Lee JJ, 199P
Parsons SJW, Buchan KW, Garland CJ
& Sumner MJ Cyclic GMP-independent responses to nitric oxide in
human platelets, 239P

Patel H, Giembycz MA, Keeling JEA, Barnes PJ & Belvisi MG Role of large-conductance calcium-activated potassium channels in the regulation of acetylcholine release by prejunctional M₂-muscarinic receptors, 42P

Patel J & Kruk ZL Biphasic inhibition of stimulated dopamine release by selective D₃ receptor agonists in slices of rat caudate putamen and nucleus accumbens, 176P

Patel K, Marshall FH, Camacho J, Lundstrom K, Foord SM & Lee MG Characterisation of [³H]-prostaglandin E₂ binding to prostaglandin EP₄ receptors expressed using Semliki Forest Virus, 269P

Patel S, O'Beirne G & Taylor CW Ca²⁺independent calmodulin binding to
purified inositol 1,4,5-trisphosphate
(InsP₃) receptors inhibits InsP₃
binding, 5P

Patel S see Patel Smita, 30P
Patel Smita, Patel Shil, Marwood R,
Fletcher AE, Kulagowski J, Ragan
CI, Leeson PD & Freedman SB L745,870 (3-[4-(4-chloro-phenyl)piperazin-1-yl]methyl-1*H*-pyrrolo[2,3-b]pyridine): a high affinity and
selective dopamine D₄ receptor antagonist, 30P

Paterson SJ & McKnight AT Characterisation of the binding of [3H]-nociceptin in the guinea-pig, 35P Paterson SJ see Nicholson JR, 36P Patmore L see Hope PJ, 168P Paul W see Emerson M, 149P Paul W see Liu JT, 194P Peachell PT see Chong LK, 150P Pearce BR see Segieth J, 180P Pearce RKB see Banerji T, 29P Perkins MN see Davis CL, 83P Perretti M see Ajuebor MN, 57P Perretti M see Das A, 58P Perretti M see Euzger HS, 60P Perretti M see Getting SJ, 160P Perretti M see Tailor A, 59P Petersson J, Hanson GC, Lindberg BF &

Högestätt E Contractile effect of big endothelin-1 in rabbit cerebral arteries, 102P Petersson J see Zygmunt PM, 76P

Petersson J see Zygmunt PM, 76P
Phillips I, Martin KF & Heal DJ The
effects of carbamazepine and
lamotrigine on excitatory amino acid
responses in the rat cortical wedge,
219P

Pierre LN & Davenport AP Vasoconstrictor endothelin receptors in human small coronary arteries in vitro, 103P

Pipelzadeh MH, Kirkpatrick JJR & Naylor I Silicone-induced granulation tissue: the contractile effectiveness of angiotensin and mepyramine, 104P

Pitts MR see Smith JCE, 166P
Place GA see Watson ML, 48P
Plane F, Hurrell A & Garland CJ
Evidence for the involvement of
potassium channels in the relaxation
of rat isolated mesenteric arteries to
the NO donor SIN-1, 79P

Plane F see Wigmore S, 17P Plevin R see Belham CM, 10P Poll CT see Thompson AM, 267P Poll CT see Watson ML, 48P

Poon A & Sawynok J Spinal analgesia by adenosine agonists and inhibitors of adenosine metabolism, with synergy between an adenosine kinase and an adenosine deaminase inhibitor, 204P

Porter R see Brown AM, 110P
Porter R see Raval P, 111P
Potter BVL see Hardick DJ, 255P
Potter BVL see Murphy CT, 225P
Power JB see Brown AMG, 265P
Powling MJ see Liu JT, 194P
Poyner DR see Howitt S, 272P
Price GW see Brown AM, 110P
Prior C & El Mallah AI Effects of the
vecuronium analogue, Org-9643, on
the quantal release of acetylcholine
from rat motor nerve terminals, 172P
Prior C see Tian L, 173P

Prior C see Tian L, 173P
Proudfoot AEI see Campbell EM, 50P
Puerro M see Aleixandre MA, 127P
Puerro M see López-Miranda V, 88P
Pugsley MK see Yong SL, 117P
Puil E see Tennigkeit F, 164P

Qian YM see Jones RL, 193P Quine LA, Carrier MJ & Änggård EE Use of SIN-1 to analyse interactions between nitric oxide and superoxide, 137P

Quinn P, McIntyre P, Miner WD & Wallis RM *In vivo* profile of darifenacin, a selective muscarinic M₃ receptor antagonist, 198P

Racké K see Freitag A, 181P
Racké K see Hey C, 3P
Racké K see Klapproth H, 161P
Ragan CI see Bristow LJ, 210P
Ragan CI see Patel S, 30P
Rana K see Brown AM, 110P
Randall MD Enhanced cardiac preconditioning in isolated perfused hearts from transgenic ((mREN-2)27)
hypertensive rats, 148P
Randall MD see McCulloch AI, 135P

Randall MD see Tarpey SB, 108P
Ratz JD & Bennett BM Enantioselective inhibition of the biotransformation and pharmacological actions of isoidide dinitrate by diphenylene-iodonium sulfate, 124P

Raval P see Brown AM, 110P Raval P see Parsons AA, 109P Raval P, Tilford NS, Smith SJ, Porter R, King FD, Kaumann AJ, Hunter AJ &

Parsons AA A comparison of the agonist profile of SB 209509 (VML 251) and sumatriptan in human isolated basilar and coronary arteries, 111P

Redfern PH see Marshall DL, 209P Redfern PH see Soliakov L, 174P Reynia S see Hall JM, 274P Reynolds SE see Eastham HM, 256P Richardson AG see Cooper EJ, 153P Richardson CM see Green AC, 250P Richardson PJ see Otley CE, 73P Richmond SA, Hargreaves AC, Doherty AJ, Bruton R, Collingridge GL & Henley JM Characterization of antibodies directed against metabotropic glutamate receptor mGluR5, 253P

Ridger VC & Brain SD Peroxynitrite induces plasma extravasation in rat dorsal skin, 56P

Riley AM see Murphy CT, 225P
Ritchie IM see Fouyas IP, 126P
Roach AG see Smith RM, 190P
Roberts RE, Cadogan A-K, Marsden CA
& Kendall DA Studies of inositol
1,4,5-trisphosphate export in vivo and
in vitro, 223P

Robertson AGS see Asopa V, 273P
Robson C, Kengatharan M, Foster SJ &
Thiemermann C Lipoteichoic acid
from various Gram-positive bacteria
either alone or in combination with a
fragment of peptidoglycan induce
nitric oxide synthase in murine
macrophages, 243P

Robson C see Kengatharan M, 18P Rogers AT & Wonnacott S Pharmacological characterisation of the upregulation of α7-type nicotinic acetylcholine receptors (AChR) in rat hippocampal cultures, 258P

Rogers DC see Lione LA, 205P Rose S see Silva MT, 179P

Rose S, Silva MT, Hindmarsh JG, Wong C-K, Jenner P & Marsden CD Inhibition of nitric oxide synthase potentiates NMDA-evoked dopamine release in rat striatum both *in vitro* and *in vivo*, 33P

Ruetten H & Thiemermann C Prevention of the expression of inducible nitric oxide synthase by aminoguanidine or aminoethylisothiourea, 242P

Ruetten H, Smith D, Thiemermann C & Vane JR Effects of polyclonal anti-

bodies against TNF α or IL-1 β on the multiple organ failure syndrome elicited by endotoxin in the anaesthetised rat, 19P

Russell FD & Davenport AP Binding of [125]-AB-MECA to low affinity sites in human kidney, 146P

Rutherford C, Martin W, Carrier MJ, Ferns GAA & Änggård EE Almost complete inhibition of the neointimal response to balloon catheter injury in the rat carotid by a combination of antibodies to PDGF-BB and bFGF, 138P

Ryan JS, Tao Q-P, Jollimore CAB & Kelly MEM Adrenergic modulation of calcium-activated potassium current in rabbit pigmented ciliary epithelial cells, 165P

Salicioni A-M see Siddiqui A, 282P Sandeman F see Milnes J, 133P Sanderson EM & Hill SJ Role of protein kinase C in the stimulation of cAMP accumulation by histamine in CHO-K1 cells transfected with the bovine H₁ receptor, 247P

Sandhu J see Khan S, 175P
Sansom DM see Boulougouris G, 266P
Saunders MA, Belvisi MG, Corden MB,
Fox AJ, Evans TW, Barnes PJ &
Mitchell JA Exacerbation of the
release of prostaglandin E₂ by
bradykinin after COX-2 induction in
human airway epithelial cells, 46P

Savidge JR & Bristow DR Agonist regulation of N-methyl-D-aspartate (NMDA)-induced intracellular calcium elevations in rat cerebellar granule cells, 251P

Sawynok J see Poon A, 204P
Saxena PR see Stam WB, 27P
Saxena PR see Stam WB, 90P
Saywell KL see Bristow LJ, 210P
Scalbert E see Ting KN, 113P
Scarlett JA see Callingham BA, 22P
Schwarz DWF see Tennigkeit F, 164P
Scott PH see Belham CM, 10P
Segieth J, Pallotta M, Pearce BR &
Whitton PS Regulation of hippocampal dopamine release by nitric

Whitton PS Regulation of hippocampal dopamine release by nitric oxide in the rat, 180P Segieth J see Pallotta M, 182P

Segieth J see Pallotta M, 182P
Selbie LA, King NV, Dickenson JM &
Hill SJ Role of G-protein βγ subunits
in the augmentation by neuropeptide
Y-Y1 receptors of ATP-mediated
increases in arachidonic acid release
from CHO-K1 cells, 7P

Seldon PM, Barnes PJ & Giembycz MA
The inhibitory effect of cyclic AMPelevating drugs on LPS-induced
TNFα generation from human
monocytes is not mediated by IL-10,

159P Seldon PM see Meja K, 158P Shankley NP see Welsh NJ, 105P Sharp S see Sutton B, 187P Sharples CGV see Whiteaker P, 257P Shaw D, Stanton JA, Beer MS, Sternfeld F, Street L, Hill RG, Cooke E & Longmore J In vitro assessment of the vascular effects of 5-HT_{1D}receptor agonists: relationships with 5-HT_{1Dα}- or 5-HT_{1Dβ}- receptor binding affinity, 112P Shepherd SE Case study II, 287P Sheridan RD see Hope PJ, 168P Siddiqui A, Ferrari PF, Salicioni A-M & Wilson CA The inhibitory effects of 5-HT on LH release in the rat may be mediated via 5-HT_{1A} and 5-HT₇ receptors, 282P Silva MT, Rose S, Jenner P & Marsden CD L-arginine-induced changes in DOPAC, HVCA and hydroxyl radical formation are NO-independent in the rat striatum in vivo, 179P Silva MT see Rose S, 33P Sitar DS see Goralski KB, 145P Sitsapesan R & Williams AJ Suramin modifies the conductance and gating of ryanodine receptor channels, 75P Slater NA see Spencer EL, 183P Smith AB & Cunnane TC On the nature of the calcium channels controlling noradrenaline release in the rat isolated anococcygeus muscle: an electropharmacological study, 170P Smith AG, Neill JC & Costall B Intraaccumbens dopamine infusion induces behavioural sensitivity to 7-OH-DPAT in the rat, 206P Smith AW see White A-M, 47P Smith D see Ruetten H, 19P Smith JCE, Wyatt I, Gyte AJ, Upton R, Pitts MR, Moore RB & Widdowson PS Possible interactions of L-2chloropropionic acid with voltagesensitive calcium channels in the rat cerebellum, 166P Smith JW see Bretherton N, 91P Smith JW see Cooper EJ, 153P Smith JW see Hartell NA, 68P Smith JW see Howitt S, 272P Smith KM, Macmillan JB & McGrath JC Investigation of α_1 -adrenoceptor subtypes in rabbit cutaneous arteries, 92P Smith PA see Abdulla FA, 37P Smith PA see Abdulla FA, 162P Smith PA see Kurennyi DE, 163P Smith RM, Roach AG, Brown T, Williams KI & Woodward B Hypoxia increases endothelin-1 release from an isolated perfused rat

lung model, 190P

Smith SJ see Raval P, 111P

Smith SKF see Asopa V, 273P

Smyth DD see Goralski KB, 145P Smyth DD see Intengan HD, 25P Smythe JW, Murphy D, Timothy C & Costall B Effects of intrahippocampal spironolactone and RU38486 on anxiety-like behaviour (ALB) in rats: test specificity, 213P Smythe JW see Murphy D, 212P Smythe JW see Timothy C, 214P Soliakov L, Marshall DL, Redfern PH & Wonnacott S Tetrodotoxin-sensitivity of nicotine-evoked dopamine release from rat striatum, 174P Spencer EL, Butler SA, Slater NA, Aspley S, Cheetham SC, Martin KF & Heal DJ Effect of the selective 5-HT_{1B/1D} receptor antagonist, GR127935, in combination with fluoxetine on rat brain 5-hydroxytryptophan levels, 183P Spier AD & Lummis SCR Immunological characterization of 5-HT₃ receptor transmembrane topology, 260P Spina D see Harrison S, 192P Stafford G see Hartley DE, 142P Stam WB, Van der Graaf PH & Saxena PR Characterisation of the receptors mediating the contraction of rat isolated small mesenteric artery to arginine vasopressin and oxytocin, 90P Stam WB, Van der Graaf PH & Saxena PR The α_1 -adrenoceptors mediating contraction of rat small mesenteric artery are different from those mediating pressor responses in rat perfused mesentery, 27P Stamford JA see Davidson C, 70P Stamford JA see Toner CC, 185P Stanford RFJ, Mistry R, Ellis KE & Challiss RAJ Facilitation of βadrenoceptor- and forskolinstimulated cyclic AMP accumulation by methacholine in Chinese hamster ovary cells co-expressing M₃-230P Stanton JA see Shaw D, 112P Starr MS see Kaur S, 208P Sternfeld F see Shaw D, 112P Stichnote C see Hey C, 3P Strange PG see Hall DA, 268P Street L see Shaw D, 112P

muscarinic and β₂-adrenoceptors, Stewart-Lee A see Konneh M, 136P Strain SM see Tasker RAR, 252P Sumner MJ see Parsons SJW, 239P Sutton B, Horspool F, Bryson A, Burden D, Heeps G, Mitchell A, Hooper H, Angus D, Sharp S & Harris S Pharmacokinetics and metabolism of a new cartilage protective agent, 187P Tabrizchi R Effects of the selective

adenosine A2 agonist, CGS 21680, on venous tone, 147P

Tailor A. Flower RJ & Perretti M Intercellular adhesion molecule-1 (ICAM-1) expression on rat monocytes and macrophages is controlled by dexamethasone, 59P

Tamargo J see Aleixandre MA, 127P Tamargo J see López-Miranda V, 88P Tan MP, Fone KCF & Marsden CA Chronic paroxetine: effects on raphé serotonin turnover and ex vivo release in the rat, 184P

Tanira MOM see Ali BH, 216P Tao Q-P see Ryan JS, 165P Tarpey SB & Randall MD Vascular activities of angiotensin II and vasopressin in isolated perfused mesenteric arterial beds from endotoxaemic rats, 108P

Tarpey SH, Bennett T & Gardiner SM Dissociation of changes in pressor and constrictor effects of angiotensin II and of vasopressin in conscious, endotoxaemic rats, 107P

Tasker RAR see Horsberg TE, 94P Tasker RAR, Strain SM & Allen GV Changes in behaviour and C-Fos expression following administration of domoic acid at different stages of rat development, 252P

Tatchum Talom R & McNeill JR Nitric oxide (NO) does not mediate the withdrawal-induced antihypertensive effect of vasopressin (AVP) in spontaneously hypertensive rats (SHR), 125P

Tate RJ see Belham CM, 10P

Tatton NA see Yiu SC, 271P

52P

Taylor CW see Beecroft MD, 222P Taylor CW see Patel S, 5P Teixeira MM, Williams TJ & Hellewell PG Recruitment of eosinophils by chemokines and other chemoattractants in an in vivo mouse model,

Tennigkeit F, Schwarz DWF & Puil E Intrinsic membrane properties determine firing patterns of neurons in the rat auditory thalamus, 164P Ternent H see Eshraghi HR, 202P Terrar DA see Cui Y, 227P Terrar DA see Iino S, 226P Terrar DA see Mamas MA, 233P Thiemermann C see Kengatharan M, 18P

Thiemermann C see Kengatharan M, 62P

Thiemermann C see Kengatharan M, 244P

Thiemermann C see Robson C, 243P Thiemermann C see Ruetten H, 19P Thiemermann C see Ruetten H, 242P Thompson AM, Abram TS, Carpenter TG, Newton BB, Poll CT &

Fitzgerald MF Effect of orally administered BAY x7195 upon leukotriene C₄-induced eosinophilia in the guinea-pig, 267P

Tian L, Prior C, Dempster J & Marshall JG Stimulation frequency-dependent effects of (-)-vesamicol on quantal release parameters at a rat neuro-muscular junction, 173P

Tilford NS see Brown AM, 110P Tilford NS see Raval P, 111P

Timothy C, Costall B & Smythe JW
Dopamine D₂, but not D₁, receptors
modulate anxiety-like behaviour
(ALB) in rats tested in the black—
white box, 214P

Timothy C see Smythe JW, 213P
Ting KN, Scalbert E, Delagrange P &
Wilson VG The effect of melatonin
against agonist-induced and neurogenic contractions of tail arteries
from juvenile Wistar rats, 113P
Tomlinson DR see Cai F, 140P

Tomlinson DR see Omawari N, 139P Toner CC & Stamford JA Effects of ωagatoxin and ω-conotoxin GVIA on ischaemia-induced dopamine release in vitro, 185P

Towler PK & Brain SD Inhibition of neurogenic oedema formation by a tachykinin NK₁ receptor antagonist, SR140333, but not by a bradykinin antagonist, HOE140, in rat skin, 203P

Trabelsi H see Edwards CM, 264P
Tran YL see Forster C, 72P
Tresedar S see Banerji T, 29P
Tricklebank MD see Bristow LJ, 210P
Triggle CR see Earle ML, 87P
Triggle CR see Waldron GJ, 98P
Trim N, Holden-Dye L & Walker RJ
The effects of the peptides, Ala-Val-Pro-Gly-Val-Leu-Arg-Phe-amide
(AF3) and Gly-Asp-Val-Pro-Gly-Val-Leu-Arg-Phe-amide (AF4) on the muscle of Ascaris suum, 186P

Trout SJ, Borman RA & Hillier K Effect of isoprenaline on electrogenic ion transport across the mucosa of human small and large intestine, 195P Trout SJ see Borman RA, 196P Tuladhar BR see Javid FA, 197P Turner SJ, Ward SG & Westwick J Monocyte chemotactic peptide-1: signalling studies in THP-1 cells, 51P

Tyacke RJ see Hudson AL, 39P Tyler S see Asopa V, 273P

Upton R see Smith JCE, 166P

Van der Graaf PH Development and application of a graphical test to detect receptor distribution from non-

rectangular agonist concentrationeffect curves, 86P Van der Graaf PH Exposure of negative

correlation between the operational affinity and efficacy of noradrenaline at α₁-adrenoceptors in the rat small mesenteric artery, 85P
Van der Graaf PH see Stam WB, 27P
Van der Graaf PH see Stam WB, 90P
Van Paesschen W see Hand K, 66P
Vane JR see Bryant CE, 236P
Vane JR see Kamal M, 241P
Vane JR see Kengatharan M, 244P
Vane JR see Ruetten H, 19P
Vardey CJ see Chong LK, 150P
Vo P see Omawari N, 139P
Vojnovic I see Kamal M, 241P
Vollrath B see Cook DA, 101P

Wadsworth RM see Belham CM, 10P Wadsworth RM see Greenlees C, 134P Wainwright CL see Chokkukannan J, 21P

Wainwright CL see Greenlees C, 134P Waldron GJ, Dong H, Cole WC & Triggle CR Effect of K⁺ channel blockers and inhibitors of cytochrome P450 on endothelium-dependent relaxation of rabbit carotid artery, 98P

Walker M see Yong SL, 119P

Walker MJA see Barrett TD, 115P

Walker MJA see Barrett TD, 116P
Walker MJA see Beatch GN, 120P
Walker MJA see McLarnon J, 114P
Walker MJA see Walker ML, 118P
Walker MJA see Williams BA, 169P
Walker MJA see Yong SL, 117P
Walker MJA see Yong SL, 119P
Walker ML, Abraham S, Yong SL,
Zolotoy A, Barrett TD & Walker
MJA Increased electrophysiological
activity in raised K⁺ and low pH
improves antiarrhythmic efficacy for
a group of morpholinocyclohexyl
derivatives, 118P

Walker ML see Barrett TD, 115P
Walker RJ see Trim N, 186P
Walker SD, Edwards G, Green ME &
Weston AH Characterisation of
potassium currents in rat pulmonary
arterial smooth muscle cells, 80P
Wallace HM see Anderson KG, 245P

Wallis RM see Quinn P, 198P
Walsh DT, Yagaloff KA, Williams TJ &
Nourshargh S The role of LTB₄ and
LTD₄ in substance P-induced

eosinophil accumulation in guineapig skin as determined by novel and specific antagonists, 53P

Walsh MP see Clément-Chomienne O, 97P

Wang H see Christian HC, 61P Ward PS see Gascoigne MH, 156P Ward SG see Parry RV, 1P
Ward SG see Turner SJ, 51P
Ward SG see Whittley KL, 2P
Warner TD see Kamal M, 241P
Warren DL, Zeng B-Y, Jenner P &
Halliwell B Intrastriatal injection of
6-hydroxydopamine does not induce
lipid peroxidation in the rat: histochemical analysis, 279P
Warrington BH see Brown AM, 110P

Warrington BH see Brown AM, 110P
Watson ML, Grix SP, Jordan NJ, Place
GA, Dodd S, Leithead J, Poll CT &
Westwick J IL-8 production by
human cultured airway smooth
muscle, 48P

Watson ML see Campbell EM, 50P Watson ML see White A-M, 47P Watson WP, Malone N & Little HJ Prolonged ethanol intake alters the effects of repeated administration of nicotine on locomotor activity, 71P

Wells TNC see Campbell EM, 50P Welsh NJ, Shankley NP & Black JW Analysis of complexity in the potentiating interaction between angiotensin II and B-HT 933 in rabbit saphenous vein, 105P

Wessler I see Klapproth H, 161P Weston AH see Green ME, 200P Weston AH see Petersson J, 102P Weston AH see Walker SD, 80P Weston AH see Zygmunt PM, 76P Westwick J see Campbell EM, 50P Westwick J see Hasséssian H, 249P Westwick J see Murphy CT, 225P Westwick J see Parry RV, 1P Westwick J see Turner SJ, 51P Westwick J see Watson ML, 48P

Wessler I see Freitag A, 181P

Wessler I see Hey C, 3P

Westwick J see White A-M, 47P
Westwick J see Whittley KL, 2P
Whelpton R see Khan S, 175P
White A-M, Westwick J, Smith AW,
Yoshimura T & Watson ML Guineapig tumour necrosis factor-induced
airway inflammation: inhibition by

interleukin-13, 47P

White R see Callingham BA, 22P
Whiteaker P, Sharples CGV &
Wonnacott S Upregulation by
chronic agonist treatment of (±)-[³H]epibatidine binding sites on M10
cells expressing the α4β2 subtype of
neuronal nicotinic acetylcholine
receptors, 257P

Whittle IR see Fouyas IP, 126P
Whittley KL, Ward SG, Kolios G,
Westwick J Interleukin-13 inhibits
nitric oxide synthase induction by the
activation of phosphatidyl-inositol-3kinase in HT-29 cells, 2P

Whitton PS see Pallotta M, 182P Whitton PS see Segieth J, 180P Widdowson PS see Smith JCE, 166P Wigmore S, Plane F, Angelini GD & Jeremy JY The role of copper in mediating nitric oxide and prostacyclin synthesis in the rat aorta, 17P

Wilkie N, Ng LL & Boarder MR Effect of the MEK inhibitor, PD 098059, on AII-stimulated thymidine incorporation in vascular smooth muscle cells, 232P

Williams AJ, Michel AD, Feniuk W & Humphrey PPA The human recombinant somatostatin sst, receptor couples to pertussis toxin-sensitive and -insensitive G proteins, 11P Williams AJ see Sitsapesan R, 75P Williams AJ see Wyatt MA, 248P Williams BA, Dickenson DR, Baird DF & Beatch GN Actions of terikalant on the kinetics of shortening of action potential duration following a rapid and sustained increase in pacing rate, 169P

Williams KI see Smith RM, 190P
Williams TJ see Bishop-Bailey D, 77P
Williams TJ see Teixeira MM, 52P
Williams TJ see Walsh DT, 53P
Williamson IJR, Newgreen DT,
Bushfield M & Naylor AM The
effects of the GABA_B agonists
baclofen and 3-APPi on micturition
parameters in a conscious rat
cystometry model, 201P

Willis D see Kengatharan M, 244P
Wilson AW, Neill JC & Costall B The
effect of serotonergic agonists on the
discriminative stimulus cue produced
by ethanol in the rat, 217P

Wilson CA see Siddiqui A, 282P
Wilson DA & Woodward B Acidosisinduced coronary constriction in the
isolated rat heart is specifically
attenuated by L-type calcium channel
blockers, 74P

Wilson DA & Woodward B Species variation in the responses of rat, guinea-pig and pig coronary vessels to metabolic acidosis, 151P Wilson KA see Bretherton N, 91P

Wilson KA see Cooper EJ, 153P Wilson VG see Blaylock NA, 93P Wilson VG see Ting KN, 113P Wise H see Jones RL, 193P Wolstenholme AJ see Eastham HM, 256P

Wong C-K see Rose S, 33P Wong CLJ see Yardley RJ, 283P Wong HNC see Jones RL, 193P Wonnacott S see Eastham HM, 256P Wonnacott S see Hardick DJ, 255P Wonnacott S see Marshall DL, 209P Wonnacott S see Rogers AT, 258P Wonnacott S see Soliakov L, 174P Wonnacott S see Whiteaker P, 257P Wood EG see Kamal M, 241P Wood MD see Brown AM, 110P Woodall KL, Domeney AM & Kelly ME The effect of social competition and exposure to an open field on plasma corticosterone levels in the rat, 65P Woodward B see Smith RM, 190P Woodward B see Wilson DA, 74P Woodward B see Wilson DA, 151P Woodward B see Yew SF, 154P Wright IK see Blaylock NA, 93P Wyatt I see Smith JCE, 166P Wyatt MA, Williams AJ, Feniuk W & Humphrey PPA The paradoxical effects of 8-(4-chloro-phenylthio)cAMP and forskolin on rates of extracellular acidification in rat isolated gastric glands, 248P Wyllie M see Mason SL, 277P

Xu F see Liu S-Y, 240P Xu L see McLarnon J, 114P

Yagaloff KA see Walsh DT, 53P Yardley RJ, Miles JJ, Arkle S & Wong CLJ Video-based laboratory guides for undergraduate pharmacology students, 283P

Yeo A, Henderson G SH-SY5Y cells express sst₂ somatostatin receptors, 32P Yew SF & Woodward B Effects of prostaglandin F₂α on contractility in the rat isolated heart and calcium transients in the cardiac myocyte, 154P

Yim APC see Jones RL, 193P Yiu SC, Jollimore CAB, Tatton NA & Kelly MEM (-)-Deprenyl prevents apoptosis induced by trophic withdrawal in primary cultures of rat retinal ganglion cells, 271P

Yong SL, Abraham S, Pugsley MK, Hayes ES, Zolotoy AB & Walker MJA SAR evidence that antiarrhythmic activity is unrelated to opioid κ agonist activity, 117P

Yong SL, Abraham S, Walker M & Walker MJA RSD1000: A novel antiarrhythmic agent with an improved therapeutic index, 119P Yong SL see Barrett TD, 115P Yong SL see Walker ML, 118P Yoshimura T see Campbell EM, 50P Yoshimura T see White A-M, 47P Young RA see Brown AM, 110P

Zaman Z see Hartley DE, 142P
Zeitlin IJ see Chokkukannan J, 21P
Zeitlin IJ see Eshraghi HR, 202P
Zeng B-Y see Warren DL, 279P
Zhang T & Johns EJ Influence of
rilmenidine on reflex activation of the
renal sympathetic nerves in anaesthetised Wistar rats, 143P
Zhang T & Johns EJ The action of

rilmenidine on somatosensoryinduced renal sympathoexcitation in
anaesthetised hypertensive rats, 144P
Zhong R see Freeman D, 81P
Zolotoy A see Walker ML, 118P
Zolotoy AB see Yong SL, 117P
Zygmunt PM, Petersson J, Weston AH
& Högestätt ED Effects of
ciclazindol on EDHF-mediated
relaxations in the rat hepatic and

guinea-pig basilar arteries, 76P

Keyword Index

Acetylcholine 186P Acetylcholine release 172P, 173P Acidosis 74P, 151P Adenophostin 225P Adenosine 15P, 73P, 146P, 280P, 281P Adenosine A₂ receptors 147P Adenosine analogues 204P Adenosine transport 228P Adhesion molecules 13P, 59P, 189P Adrenergic agonists 165P Adrenoceptors 25P, 87P α-Adrenoceptors 26P, 88P, 93P, 105P, α-Adrenoceptor antagonists 91P α₁-Adrenoceptors 27P, 28P, 85P, 86P, 92P, 277P α₂-Adrenoceptors 37P, 89P α₂-Adrenoceptor agonists 38P **B-Adrenoceptors** 195P Agmatine 39P α₂-Agonists 94P β-Agonists 150P . Airways 42P, 46P, 161P Airway inflammation 47P Airway responsiveness 43P, 191P Airway smooth muscle 48P, 192P Alcohol intake 72P Allergy 191P Alprazolam 211P Alveolar macrophages 3P Alzheimer's disease 273P Amantadine 145P Amiloride analogues 96P Aminoglycoside 101P AMPA receptors 254P Amylin 272P Analgesia 117P, 204P Angioplasty 133P Angiotensin 104P Angiotensin II 20P, 105P, 106P, 107P, 108P, 232P Animal models 120P Anterior pituitary glands 61P Antiarrhythmics 115P, 116P, 117P, 118P, 119P Antibodies 138P Anticonvulsants 67P Antihistamines 120P Antioxidants 137P, 240P Antipeptide antibodies 253P

Anxiety 65P, 213P, 214P

Aorta, rat 91P

Agonism, operational models of 85P, Aorta, thoracic, porcine isolated 93P Aortic rings 153P Apamin 167P Apnoea prevention 49P Apoptosis 271P Arginase 3P Arginine vasopressin 90P L-Arginine 134P, 179P L-Arginine uptake 3P Arrhythmias 121P, 122P Arteries 92P, 98P, 103P Arteries, cerebral, rabbit 102P Arteries, coronary 73P Arteries, coronary, human 103P Arteries, cutaneous 92P Arteries, digital, deer 22P Arteries, isolated, human 111P Arteries, mesenteric, rabbit 167P Arteries, pulmonary 80P Arteries, small mesenteric, rat 27P, 86P, Arteries, tail 113P Auditory thalamus 164P Autoradiography 146P Balloon angioplasty 134P Basal ganglia 208P

Bathocuproine 131P Behaviour 71P Behavioural pharmacology 252P Behavioural sensitivity 206P Benzodiazepines 64P, 215P Benzodiazepine autoradiography 66P Benzodiazepine tolerance 63P Benzoylhydrazone 275P [3H]2-BFI 39P Big endothelin-1 102P Binding 262P, 276P Black-white box 214P Bladder 45P Bladder function 201P Blood, human 264P Blood flow 109P Blood flow, cerebral 126P **Blood pressure 72P Blood vessels 23P** Blood vessels, equine digital 23P BPS survey 284P **BQ123 21P**

8-Br-cADPR 227P
Bradykinin 46P, 106P, 202P
Bradykinin, bovine 202P
Bradykinin B₁ receptors 83P
Brain 280P, 281P
Brain, human 66P
Brain cortex, rat 278P
Brain tissue, rat 254P
BU224 205P
Budesonide 81P
α-Bungarotoxin binding 255P, 256P

cADPR 226P Calcitonin gene related peptide 82P Calcitonin gene related peptide antagonists 272P Calcitonin gene related peptide receptors Calcitonin gene related peptide receptor antagonists 82P Calcium 87P, 166P, 225P, 251P Calcium activated potassium currents 165P Calcium antagonists 74P Calcium channels 170P, 171P Calcium channels, voltage-gated 185P Calcium currents 162P Calcium influx 249P Calcium mobilisation 222P Calcium release 75P Calmodulin 5P **cAMP 8P, 83P** cAMP, regulation of 230P cAMP accumulation 11P, 247P cAMP elevating drugs 159P Cannabinoid receptors 31P Carbamazepine 67P, 219P Cardiac action potential duration 169P Cardiac contractile function 95P Cardiac contractility 9P Cardiac output 100P, 147P Cardiac preconditioning 148P Cardiac ryanodine receptors 99P Cardiomyopathy 99P Cardiotoxicity 152P Cardiovascular system 123P, 124P Careers 286P Carrageenan 204P Cartilage protective agents 187P, 188P Catalepsy 208P Causalgia 37P, 162P

CCK 215P CD28 1P Cell migration 57P, 58P, 160P Cerebellum 68P Cerebellum, rat 246P, 276P cGMP 84P, 135P cGMP-dependent protein kinase 9P 8-Br-cGMP 233P Chemokines 48P, 51P, 52P, 57P L-2-Chloropropionic acid 166P Chinese hamster ovary cells 268P Chloroquine 152P, 266P Cholinergic drugs 29P Cholinergic mechanism 163P Cholinergic neurotransmission 42P Cholinergic receptor antagonists 212P Cholinergic toxicity 221P Ciclazindol 76P Ciliary epithelium 165P Class I compounds 115P, 119P Class III compounds 116P Clearance 145P Cocaine 207P Cognition 205P Collagen-induced arthritis 156P Conditioned place preferences 207P Conscious rat 201P Constitutive activity 4P Contraction 24P, 196P, 226P, 227P Convulsants 220P Copper 17P Coronary constriction 74P Coronary vessels 151P Cortical wedge 219P Corticosteroids 61P Corticosterones 65P, 212P, 213P CPT-cAMP 248P Crosstalk mechanisms 230P Cyclo-oxygenase 77P, 236P, 241P Cyclo-oxygenase 1 140P Cyclosporin A 270P Cyclosporine 81P, 155P Cystic fibrosis cells 14P

Defence 211P Delayed rectifier potassium currents 233P Dependence 215P (-)-Deprenyl 271P **Depression 263P** Depression, long-term 68P Desensitisation 251P Diabetes 43P, 140P Diabetic neuropathy 139P Diadenosine polyphosphates 281P Diazepam 152P Dietary calcium 88P Dizocilpine 208P Docosahexaenoic acid 153P Domoic acid 278P L-DOPA-induced dyskinesia 29P Dopamine 30P, 33P, 149P, 174P, 175P, 177P, 178P, 180P, 185P, 209P, 214P

Cytokines 189P

Dopamine D₂ receptors 176P, 268P Dopamine D₃ receptors 176P, 206P Dopamine D₄ receptors 210P Dopamine D₄ receptor antagonists 30P Dopamine release 31P, 176P Dorsal raphe nucleus 70P Dorsal raphe neurones 218P Dorsal root ganglion 37P, 168P Dose response 115P [³H]-Doxazosin 277P 8-OH-DPAT 207P Drug discrimination 217P Dyskinesia, L-DOPA-induced 29P

Effective refractory period 95P, 122P Eicosapentaenoic acid 91P, 153P Ellagic acid 194P Endothelial cells 189P **Endothelial modulation 72P** Endothelin 20P, 21P Endothelin receptor subtypes 103P Endothelin-1 100P, 190P Endothelin-1, big 102P **Endothelium 13P** Endothelium-derived hyperpolarising factor 76P, 135P Endotoxaemia 20P, 106P, 107P, 108P **Endotoxic shock 19P** Eosinophil recruitment 52P Eosinophils 44P, 50P, 53P, 267P Eosinophils, equine 54P **Eotaxin 52P** EP₂ receptors 158P (±)-[3H]-Epibatidine binding 257P **Epileptiform activity 220P** Ethanol 71P, 72P, 217P 17α-Ethynylestradiol 141P Evening primrose oil 140P Excitation-contraction coupling 99P Excitatory amino acids 252P

FaRPs 186P
Fast cyclic voltammetry 176P, 177P, 178P
Feverfew extracts 265P
Firing modes 164P
Fluorinated surfactants 264P
Fluoxetine 183P
Forced swimming test 216P
Forskolin 248P
Frontal cortex 182P

G-proteins 7P
GABA_A receptors 63P, 64P
GABA_B receptors 201P, 276P
Gastric gland, rat isolated 248P
Gastrointestinal motility 198P
Gene expression 63P, 64P
Glibenclamide 116P
Glucocorticoid hormones 58P, 59P, 160P
Glutamate 280P

Glyceryl trinitrate 238P Glycine response 69P GM-CSF release 161P GR 127935 183P Graduate employment 289P Gram-positive bacteria 18P Gram-positive shock 62P Granulation tissue 104P Growth factors 138P [³⁵S]-GTPγS binding 6P, 231P Guanfacine 25P Guinea pig RANTES 50P, 267P

Halofantrine 121P, 122P Heart, isolated 148P Heart, rat 154P Heart failure 26P Hepatic arteries 15P, 16P Hippocampal cultures 258P Hippocampal theta activity 212P Hippocampus 180P, 182P, 212P, 213P Histamine H₁ receptors 247P 5-HT 24P, 70P, 182P, 184P, 197P, 217P, 218P 5-HT release 181P 5-HT₁-like receptors 23P 5-HT_{1A} 282P 5-HT_{1D}, human 110P 5-HT_{1D} receptor subtypes 112P 5-HT_{2A} receptors 263P 5-HT_{2B} receptors 196P, 262P 5-HT₃ agonists 69P 5-HT₃ antagonists 69P 5-HT₃ receptors 259P, 260P, 261P 5-HT₇ receptors 282P Hydrogen sulphide 49P 6-Hydroxydopamine 279P Hydroxyl radicals 179P 5-Hydroxytryptophan 183P Hyperactivity 210P Hypercholesterolaemia 129P Hyperkalemia 118P Hyperplasia, intimal 134P Hyperreactivity 44P Hypertension 126P, 144P, 148P Hypoxia 190P

Ileum 199P Imidazoline binding sites 39P Imidazoline 2 sites 205P Immunofluorescence 253P In vitro efficacy 188P In vitro studies 45P In vivo efficacy 188P In vivo studies 198P **Industrial placement 287P** Infarct size 21P Inflammation 46P, 55P, 57P, 58P, 59P, 60P, 241P, 274P Inositol trisphosphate 224P Inositol 1,4,5-trisphosphate 4P, 5P, 222P, 225P Inositol 1,4,5-trisphosphate export 223P **Inotropy 96P** Insulin 128P Integrins 191P Interaction 199P Interleukin-1 signal transduction 12P Interleukin-8 48P Interleukin-10 159P Interleukin-13 2P. 47P Intestine 197P Intestine, human 195P Intracellular calcium 32P, 163P Intracellular calcium concentration 250P Intracellular signalling 7P Inverse agonism 6P Inward rectifier 169P Ion channels 75P, 169P Ion channel blockers 164P Ion transport 195P IP receptors 158P Ischaemia 118P, 185P

Job needs 285P

Kainic acid 278P KC 8851 114P Kidney 25P, 145P Kidney function 143P Kinetics 222P

Laboratory guides 283P Lactation 142P Lamotrigine 67P, 219P Leukotriene antagonists 53P **LH 282P** Ligand binding 146P, 260P Ligand gated ion channels 259P Lipid peroxidation 279P Lipocortin-1 60P, 61P Lipopolysaccharides 141P Lipoprotein, low density 240P Liposomes 155P Lipoteichoic acid 243P Lipoxygenase inhibitors 240P Lithium 263P Locomotor activity 29P LTC₄ 267P Lung, rat 190P Lymphotoxin 156P

Macrophages 3P, 62P, 243P
Malonate 221P
Manganese 270P
MAPK 12P, 232P
Mast cells 150P
Mastitis 202P
Mefloquine 95P
Melatonin 113P
Metabolism 187P
Metabotropic glutamate receptors 4P, 8P, 231P, 253P
Methyllycoctonine 255P

N-Methyl-D-aspartate 33P Microphysiometer 248P Mitochondria 270P Mitogen-activated protein kinases 10P Mitogenesis 232P Mixed block of K⁺ and Na⁺ currents Monocytes 51P, 60P, 158P, 159P Multiple organ failure syndrome 19P Muscarinic agonists 9P Muscarinic receptors 6P, 40P, 41P, 43P, 44P, 45P, 198P, 218P, 230P Muscle relaxants 172P Myocardial ischaemia 119P Myocytes, ventricular, guinea-pig 226P, 227P, 233P Myofibroblasts 104P

1321N1 cells Naloxone 275P Nematodes 186P Neointima 78P Nerve growth factor 55P, 273P Neuroepithelial cells 181P Neurogenic contractions 113P Neurogenic inflammation 55P, 203P Neuroleptics 268P Neuromuscular junction, rat 172P, 173P Neuropeptides 203P Neuropeptide Y 7P, 162P Neurotoxicology 252P Neurotransmitter release 170P Neutrophil chemiluminescence 265P Nicotine 71P, 174P, 209P, 256P Nicotinic acetylcholine receptors, in Manduca sexta 256P α7-Nicotinic acetylcholine receptors 255P, 258P Nitric oxide 2P, 15P, 16P, 17P, 33P, 56P, 62P, 77P, 79P, 98P, 123P, 124P, 125P, 126P, 127P, 128P, 129P, 130P, 131P, 132P, 133P, 134P, 135P, 136P, 137P, 157P, 177P, 178P, 179P, 180P, 221P, 236P, 238P, 239P, 243P, 244P, 245P Nitric oxide synthase 18P Nitric oxide synthase, inducible 19P, 242P Nitric oxide synthase expression,

Oedema 157P

inducible 242P

7-Nitro indazole 157P, 178P

Nitrosoglutathione 131P

NMDA receptors 251P

Nociceptin 35P, 36P, 275P

Non-excitable cells 249P

Nucleoside transport 229P

Nucleus accumbens 206P

NMDA 34P, 182P

Nociception 34P

Noradrenaline 38P

Nitric oxide synthase inhibitors 242P

Oestrogen 141P
Okadaic acid 192P
ONO-1505 139P
Ontogeny 246P
Operational model of agonism 85P, 86P
Opioids 117P
κ-Opioids 171P
Opioid receptors 35P
Optical Mark Reader (OMR) 289P
Organic nitrates 123P, 124P
ORL₁ receptors 36P, 275P
Orphan receptors 35P
Oxyhaemoglobin 101P
Oxytocin 90P

P₂ purinoceptors 14P, 234P, 235P P_{2Y} purinoreceptors 250P Parasympathetic nerves 40P, 41P Parkinson's disease 279P Paroxetine 70P Parthenolide 265P Patch clamp 249P, 259P, 261P Penis 84P Pentobarbitone 38P Peripheral mononeuropathy 168P Peroxynitrite 56P, 244P Pertussis toxin sensitivity 231P Pharmacokinetics 187P Pharmacology courses 284P, 285P Pharmacology Higher Education Network (PHEN) 285P Pharmacology teaching 286P, 287P, 288P Phenytoin 67P Phosphodiesterases 246P Phosphodiesterase inhibitors 181P Phosphodiesterase type V 130P, 136P, 139P Phosphoinositide hydrolysis 8P Phospholipase A₂ 254P Phospholipase C 235P Phospholipid hydrolysis 223P Photoplethysmography 136P PI3K 1P PI response 154P, 262P Pithed rat 88P, 89P, 127P Plasma extravasation 56P Platch clamp 114P Platelets 149P, 194P, 239P Platelet aggregation 264P Polyamines 245P Polymorphonuclear leucocytes 160P Positive inotropy 154P, 262P Potassium channels 42P, 76P, 79P, 80P, 97P, 98P, 167P, 200P, 239P Potassium currents 114P, 163P Potentiation 105P Prazosin 28P, 277P Pregnancy 142P Presynaptic receptors 199P Proctolin 224P Prostacyclin 17P, 132P, 133P, 193P Prostaglandins 241P

Prostaglandin EP₄ 269P

Prostaglandin $F_{2\alpha}$ 154P Prostanoid receptors 158P, 193P Protein kinases 68P Protein kinase C 97P, 247P Protein solubilization 229P Proteinase-activated receptor-2 10P Pulmonary artery relaxation 193P

QT prolongation 121P

Raclopride 214P Radio-ligand binding 93P **RANTES 50P, 267P** Rapamycin 266P Raphe 184P Receptors 224P Receptor classification 14P Receptor theory 85P Reconstitution 229P Renal nerve activity 143P Renal sympathetic nerves 144P Resistance 103P Resources 288P Retinal ganglion cells 271P Retzius cells 220P Rhazva stricta 216P Rilmenidine 143P, 144P RS 17053 27P RT-PCR 228P RU 38486 213P Ryanodine receptors 75P

Salmeterol 150P
Saphenous vein 78P
SB 209509 (VML 251) 109P, 110P, 111P
Scavengers 237P
SCH 23390 214P
Schizophrenia 30P
Schwann cells 250P
Scintillation proximity assay 5P
Seasonal differences 22P
Second messenger 161P
Sedatives 94P
Semliki Forest Virus 269P
Sensory nerves 192P, 274P
Septic shock 18P, 244P

SH-SY5Y cells 32P Shear stress 16P, 235P Signalling 2P, 51P Sildenafil 84P Skills 284P, 286P, 287P, 288P Small bowel transplantation 81P Small G-protein 12P Small intestine, human 196P Smooth muscle 79P, 200P Smooth muscle cells 138P Sodium channels 168P Sodium currents 114P Sodium-calcium exchange 96P Sodium-nucleoside cotransport 228P Somatostatin 32P Somatostatin sst₅ receptors 11P Species variation 112P, 151P Spermine 270P Spinal cord 34P Spironolactone 213P Splice variants 261P Spontaneously hypertensive rats 125P SSRI 184P Stereotyped behaviour 210P Stress 65P Striatum 171P Striatum, rat 31P, 175P, 176P Substance P 53P, 54P, 203P Substance P fragments 175P Sumatriptan 109P, 110P, 111P Suncus murinus 197P Superoxide 137P Superoxide anion 237P Superoxide anion production 54P Suramin 75P, 234P Sympathetic nerves 170P Synovial blood flow 82P

T-lymphocytes 266P
T-cells 1P
Tachykinin 274P
Tedisamil, analogues of 114P
Temporal lobe epilepsy 66P
Terfenadine 80P
Thapsigargin 78P
Thrombin inhibitors 194P
Thrombosis 149P
Tissues, isolated 112P
Toxicity 49P

Transfected mid-cell line 257P
Transmembrane topology 260P
Transplantation 155P
TrkA 273P
TTX 174P
Tumour growth 245P
Tumour necrosis factor 47P, 156P
Tumour necrosis factor-α 13P, 158P, 159P

Ultrasound 211P
Undergraduate pharmacology teaching 283P
Upregulation 83P, 257P, 258P
Ureter, rat 200P
Urethane 212P
UTP 234P

Vas deferens 36P

Vascular endothelial growth factor 236P Vascular proliferation 77P Vascular reactivity 26P Vascular smooth muscle 10P, 24P, 238P Vasoactive agents 22P Vasoconstriction 113P Vasodilatation 73P Vasopressin 107P, 108P, 125P, 142P Vasorelaxation 128P, 129P, 130P Vasospasm 101P Veins, portal 97P Veins, saphenous, human 89P Vein grafts 132P Venous pressure 147P Venous resistance 100P Ventricular arrhythmias 120P (-)-Vesamicol 173P Video-based learning 283P Viral infection 41P Voltage clamp 87P

WB 4101 28P Wortmannin 266P

Xanthine oxidase 237P