

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

The contents page of this journal is now available on the Internet before publication at: <http://www.stockton-press.co.uk>.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, St George's Hospital Medical School, Cranmer Terrace, London SW17 0RE, UK. Tel: +44 (0)181 767 6765; Fax: +44 (0)181 767 5645.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arncliffe Grove, Southgate, London N14 7AR, UK. Tel: +44(0)181 882 7199; Fax: +44(0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley. Supplement Production Controller: Simone Larché

Subscriptions - EU/Rest of World Subscription price per annum (3 volumes, 24 issues) £655, rest of world £735 (Surface mail) £880 (Airmail), or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to *Macmillan Journals Subscriptions Ltd* and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment. Subscribers from EC territories should add sales tax at the local rate.

Subscriptions - USA USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 345 Park Avenue South, 10th Floor, New York, NY 10010-1707; Tel: +1 212 689 9200, Fax: +1 212 689 9711. USA annual subscription rates (institutional/corporate): \$1170 (surface) \$1400 (airmail). Individual making personal payment: \$240.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1170 per annum (surface). 2nd class postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

Copyright © 1996 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/96 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

British Journal of Pharmacology

Proceedings Supplement

**Proceedings of the joint meeting of the British Pharmacological Society
and the Nordic Pharmacological Societies**

University of Dundee

11th – 13th September, 1996

INDEX TO PROCEEDINGS SUPPLEMENT

University of Dundee
11th–13th September, 1996

Author Index

- Abogadie FC *see* Caulfield MP, 295P
Ahtee L, Salminen O & Seppä T
Metabolism of dopamine and expression of Fos protein in striatal and limbic rat brain areas following acute and chronic nicotine, 299P
Aitchison KA & Coker SJ Combined administration of *N*^ω-nitro-L-arginine and indomethacin increases infarct size in rabbit Langendorff perfused hearts, 302P
Andersen GØ, Enger M, Skomedal T & Osnes J-B Both the α_{1A} , α_{1B} and α_{1D} sub-types are involved in the α_1 -adrenoceptor-mediated increase in ⁸⁶Rb efflux from the rat heart, 331P
Andersen GØ, Enger M, Skomedal T & Osnes J-B Involvement of the Na/K/Cl co-transporter and K-channels in the α_1 -adrenoceptor-mediated increase in ⁸⁶Rb efflux from the rat heart, 330P
Ang KL & Antoni FA Rolipram-inhibitable cyclic nucleotide phosphodiesterase (PDE) in rat adenohipophysis: potential functional role in corticotrophs and somatotrophs, 361P
Aniszewski C, Simmonds MA Bicuculline-sensitive and -insensitive effects of pregnanolone and alphaxalone on [³⁵S]-TBPS binding to the picrotoxin site on the GABA_A receptor, 363P
Antoni FA *see* Ang KL, 361P
Ashford MLJ *see* Dulock KA, 371P
Ashford MLJ *see* Rowe ICM, 294P
Ayar A, Storer C, Tatham EL & Schott RH Ryanodine, caffeine and intracellular flash photolysis of DM-nitrophen and diazo-2 modulate excitability of rat cultured sensory neurones, 315P
Baird M *see* Johnston E, 320P
Balfour DJK *see* Benwell MEM, 297P
Balfour DJK *see* Birrell CE, 345P
Bandera M, Wolf CR, Burchell B & Friedburg T Functional co-expression of CYP2D6 and CYP3A4 with rat NADPH-cytochrome P450 reductase in *S. cerevisiae*, 335P
Barlow RB *see* Bream E, 317P
Barnes NM *see* Stowe RL, 366P
Belelli D, Hill-Venning C, Peters JA, Lambert JJ, Wafford KA & Whiting PJ The subunit selective actions of the anaesthetic etomidate at human recombinant GABA_A receptors are determined by a single amino acid, 296P
Belelli D *see* Hope AG, 292P
Belelli D *see* Pistis M, 362P
Bell JO *see* Tregova A, 336P
Benwell MEM & Balfour DJK The effect of ABT-418 on mesolimbic dopamine systems and locomotion in the rat, 297P
Birrell CE & Balfour DJK The influence of nicotine pretreatment on meso-accumbens dopamine responses to nicotine given into the ventral tegmental area of the rat, 345P
Boess FG *see* Steward LJ, 290P
Boonen HCM, Roed B & Carr RD Heterogeneity of K⁺-induced relaxations in rat small mesenteric arteries and coronary septal arteries, 306P
Bowery NG *see* Meoni P, 368P
Boyfield I *see* Coldwell MC, 346P
Bream E, Macfarlane L, Barlow RB & McQueen DS Antagonist inhibition curves, dissociation constants and the degree of agonist stimulation during physiological release, 317P
Brodie MJ *see* Ross FM, 338P
Brown C & Shaw AM L-NAME exposes a ketanserin-sensitive 5-HT-induced contractile response in the 1st branch pulmonary artery of the rat, 324P
Buckley NJ *see* Caulfield MP, 295P
Bunnemann B *see* Meoni P, 368P
Bunton DC, Fisher A, Shaw AM, MacDonald A, Montgomery I & McGrath JC Musculo-elastic structure at origin of pulmonary supernumerary artery resembles a baffle valve, 323P
Burchell B *see* Bandera M, 335P
Burke KS *see* McLaren GJ, 370P
Burton MJ *see* Price GW, 301P
Butterworth AR *see* Watson WP, 300P
Carr RD *see* Boonen HCM, 306P
Caulfield MP, Abogadie FC, Delmas P, Haley JE, Vallis Y & Buckley NJ Intranuclear injection of selective antisense-generating plasmids shows G-protein G_{q12} couples M₁ muscarinic receptors to inhibit M-type K⁺ current in rat sympathetic neurones, 295P
Chang DJ *see* Daniels DV, 360P
Clanachan AS, Gandhi M, Lopaschuk GD & Finegan BA Reversal of the beneficial metabolic effects of adenosine in isolated working rat hearts: role of endogenous catecholamines, 321P
Coker SJ *see* Aitchison KA, 302P
Coldwell MC, Hagan J, Middlemiss D, Tulloch I & Boyfield I Ropinirole is a D₃ selective agonist at cloned human D_{2long}, D₃ and D_{4.4} receptors in functional studies using microphysiometry, 346P
Corbett AD, Menzies JRW, MacDonald A, Paterson SJ & Duwiejua M The opioid activity of akuammine, akuammicine and akuammidine: alkaloids extracted from *Picralima nitida* (fam. Apocynaceae), 334P
Bacon EJ *see* Henderson CJ, 333P

- Costall B & Naylor RJ 5-HT₄ receptor antagonists attenuate the disinhibitory effects of diazepam in the mouse light/dark test, 352P
- Costall B & Naylor RJ Interaction of fluoxetine with 5-hydroxytryptophan to modify mouse behaviour in the light/dark test, 351P
- Costall B & Naylor RJ Interactions of *m*-chlorophenylpiperazine and *m*-chlorophenyl-biguanide with 5-hydroxytryptophan in the mouse light/dark test, 350P
- Costall B *see* Smith AG, 354P
- Costall B *see* Smythe JW, 353P
- Coutts AA, Pertwee RG Effect of cannabinoid agonists and SR141716A on acetylcholine release from the myenteric plexus of the guinea-pig small intestine, 312P
- Daniels DV, Gever JR, Meloy TD, Chang DJ, Kosaka AH, Clarke DE & Ford APDW Functional pharmacological characteristics of human, rat and rabbit cloned α_{1A} -adrenoceptors expressed in Chinese hamster ovary (CHO-K1) cells, 360P
- Day A *see* Williams A, 356P
- Delmas P *see* Caulfield MP, 295P
- Dempster J *see* Tian L, 339P
- Diethart S *see* Legat FJ, 308P
- Dillon JF *see* Hadoke PWF, 319P
- Dobson MY, Sewell RDE & Spencer PSJ Analgesic activity of the 5-HT_{1AT} agonists buspirone and 8-hydroxy-2-(di-*n*-propyl-amino)tetralin (8-OH-DPAT) and their differing antagonist interactions, 348P
- Docherty CC & MacLean MR Effect of SB209670 on endothelin responses in isolated pulmonary resistance arteries from heart failure rabbits, 326P
- Dominiczak AF *see* McPherson KL, 332P
- Dowell FJ & Martin W Peroxynitrite-induced relaxation of rat aortic rings: the role of glucose, 303P
- Duckworth M *see* Price GW, 301P
- Dulock KA, Herson PS, Rowe ICM & Ashford MLJ Activation of a NAD⁺-activated non-selective cation channel by ATP and its non-hydrolyzable analogues in CRI-G1 insulin-secreting cells, 371P
- Duwiejua M *see* Corbett AD, 334P
- Dybvik T, Schiander IG, Skomedal T & Osnes J-B Similar location of myocardial α_1 - and β -adrenoceptors in relation to sympathetic nerve endings in rabbit myocardium, 329P
- Edwards G *see* Tregova A, 336P
- Enger M *see* Andersen GØ, 330P
- Enger M *see* Andersen GØ, 331P
- Finegan BA *see* Clanachan AS, 321P
- Fisher A *see* Bunton DC, 323P
- Fletcher EJ *see* Lummis SCR, 291P
- Ford APDW *see* Daniels DV, 360P
- Ford APDW *see* Williams TJ, 359P
- Fouyas IP, Kelly PAT, Ritchie IM & Whittle IR The role of endothelin in the evolution of ischaemia following haemorrhagic stroke in spontaneously diabetic (BB) and non-diabetic rats, 311P
- Friedberg T *see* Bandera M, 335P
- Gale J *see* Halfpenny P, 341P
- Gandhi M *see* Clanachan AS, 321P
- Gaster L *see* Price GW, 301P
- Gever JR *see* Daniels DV, 360P
- Gracie KJ *see* Williams A, 356P
- Gray GA *see* Ang KL, 361P
- Griesbacher T & Legat FJ The pharmacology of FR173657, a new, potent and selective non-peptide bradykinin antagonist: *in vivo* studies in rats and guinea-pigs, 309P
- Griesbacher T *see* Legat FJ, 308P
- Griffith TM *see* Pitman MR, 305P
- Haapalinna A *see* MacDonald E, 344P
- Hadoke PWF, Tse Y, Dillon JF, Walker SW, Williams BC, John TG & Hayes PC Induction of angiotensin II (AII)-mediated contraction of hepatic arteries *in vitro*, 319P
- Hadoke PWF *see* McIntyre CA, 318P
- Hagan J *see* Coldwell MC, 346P
- Haley JE *see* Caulfield MP, 295P
- Halfpenny P, Searle TJ & Richards WJ Inhibitory effects of somatostatin and related peptides on electrically-evoked contractions of the rat anococcygeus muscle *in vitro*, 341P
- Halliwell RF *see* Patten D, 365P
- Hamilton CA *see* McPherson KL, 332P
- Hammer S *see* Legat FJ, 308P
- Hassanali A, Stamford IF, Tavares IA & Rennie JA Nitric oxide synthase inhibition affects nonadrenergic-noncholinergic relaxation in human colon, 307P
- Hayes PC *see* Hadoke PWF, 319P
- Henderson CJ, Bacon EJ, Smith AG & Wolf CR Deletion of mouse glutathione S-transferase Pi from the mouse genome, 333P
- Herson PS *see* Dulock KA, 371P
- Hill-Venning C *see* Beelli D, 296P
- Holme AD *see* Tregova A, 336P
- Hope AG, Beelli D, Peters JA & Lambert JJ Structural determinants of the antagonist potency of (+)-tubocurarine at recombinant 5-HT₃ receptor subunits, 292P
- Houslay MD *see* Johnston E, 320P
- Husum H *see* Zetterström TSC, 347P
- Hutchings R, Pache DM, Sewell RDE & Spencer PSJ The effect of the endopeptidase inhibitor RB38A on hippocampal expression of APP mRNA isoforms, 367P
- Hutchings R *see* Pache DM, 349P
- Javid FA & Wood D Inhibition of GABA responses of mouse ileum by electrical field stimulation: effect of inhibitors of GABA uptake and metabolism, 342P
- Jenner P *see* Zeng B-Y, 355P
- John TG *see* Hadoke PWF, 319P
- Johnston E, Sweeney G, McCulloch K, Baird M, Pooley L, Houslay MD & Maclean M Modulation of phosphodiesterase activity in pulmonary arteries from chronic hypoxic rats, 320P
- Jones BJ *see* Price GW, 301P
- Jones PA, Smith RA & Stone TW Protection against kainate excitotoxicity by adenosine A_{2a} receptor agonists in the rat hippocampus, 337P
- Karlsson JOG *see* Pitman MR, 305P
- Kelly JP *see* McNamara MG, 372P
- Kelly PAT *see* Fouyas IP, 311P
- Kennedy C *see* McLaren GJ, 370P
- Kennedy C *see* Rae MG, 369P
- Kosaka AH *see* Daniels DV, 360P
- Lähdesmäki J *see* Sjöholm B, 322P
- Lambert JJ *see* Beelli D, 296P
- Lambert JJ *see* Hope AG, 292P
- Lambert JJ *see* Mair ID, 293P
- Lambert JJ *see* Pistis M, 362P
- Lambert JJ *see* Shepherd SE, 364P
- Lees GM *see* López-Redondo F, 316P
- Legat FJ, Sametz W, Diethart S, Hammer S & Griesbacher T The pharmacology of FR173657, a new, potent and selective non-peptide bradykinin antagonist: *in vitro* studies in guinea-pig, rat and rabbit tissues, 308P
- Legat FJ *see* Griesbacher T, 309P
- Leonard BE *see* McNamara MG, 372P
- Lewis MJ *see* Pitman MR, 305P
- Lindsay M *see* McIntyre CA, 318P
- Little HJ *see* Watson WP, 300P
- Liu D *see* Steward LJ, 290P
- Lopaschuk GD *see* Clanachan AS, 321P
- Lummis SCR & Fletcher EJ Functional and binding studies of glycosylation

- site mutants of 5-HT₃ receptors, 291P
 López-Redondo F, Pertwee RG & Lees GM Effects of the cannabinoid receptor agonist, WIN 55,212-2, on fast synaptic transmission in myenteric plexus neurones of the guinea-pig ileum, 316P
 Lyles GA *see* Zhou J, 313P
 Lyles GA *see* Zhou J, 314P
- McAllister KHM & Pratt JA Blockade of amphetamine-induced conditioned taste aversions by GR205171, 298P
 McCulloch K *see* Johnston E, 320P
 McCurrie JR *see* Yeung CK, 343P
 MacDonald A *see* Bunton DC, 323P
 MacDonald A *see* Corbett AD, 334P
 MacDonald A *see* Pitt CM, 325P
 MacDonald E, Virtanen S, Sirviö J & Haapalinna A Augmentation by the α_2 -adrenoceptor antagonist, atipamezole, of apomorphine-induced circling in rats with combined DSP-4 and unilateral substantia nigra lesions, 344P
 McEwen G, Ogg GD & Stevenson IH A CAL system for teaching elementary drug disposition and pharmacokinetics: Version 2, 373P
 Macfarlane L *see* Bream E, 317P
 McGrath JC *see* Bunton DC, 323P
 McGrath JC *see* Smith KM, 340P
 McIntyre CA, Williams BC, McKnight J, Lindsay M & Hadoke PWF Conservation of endothelial cell response in rat mesenteric artery stored in physiological salt solution (PSS) at 4°C, 318P
 MacKenzie GM *see* Zeng B-Y, 355P
 McKnight J *see* McIntyre CA, 318P
 McLaren GJ, Burke KS, Sneddon P & Kennedy C Characterisation of the sites at which ATP acts to evoke contraction of the rat tail artery, 370P
 MacLean M *see* Johnston E, 320P
 MacLean MR *see* Docherty CC, 326P
 MacLean MR *see* Morecroft I, 327P
 McLean WG *see* Tregova A, 336P
 MacLennan SJ *see* Martin GR, 310P
 McNamara MG, Kelly JP & Leonard BE An investigation of the antidepressant properties of 8-OH-DPAT and ipsapirone in rats, 372P
 McPheat JC *see* Tunstall S, 358P
 McPherson KL, Hamilton CA, Dominiczak AF & Reid JL Modification of nitric oxide response by lipoproteins and dexamethasone in the rat aorta, 332P
 McQueen DS *see* Bream E, 317P
 Mair ID, Peters JA & Lambert JJ Pharmacological characterization of a 5-HT₃ receptor subunit derived from rat superior cervical ganglion, 293P
 Marsden CD *see* Zeng B-Y, 355P
 Marshall IG *see* Tian L, 339P
 Martin GR, MacLennan SJ, Maxwell M & Smith RR A general operational model of pharmacological synergism, 310P
 Martin IL *see* Steward LJ, 290P
 Martin KF *see* Patten D, 365P
 Martin W & Mian KB Potentiation of hydrogen peroxide-induced impairment of vasodilator activity of rat aorta by 3-amino-1,2,4-triazole, 304P
 Martin W *see* Dowell FJ, 303P
 Maxwell M *see* Martin GR, 310P
 Meloy TD *see* Daniels DV, 360P
 Menzies JRW *see* Corbett AD, 334P
 Meoni P, Bunneman B, Trist DG & Bowery NG Expression of the NMDAR1 receptor subunit in human brain studied with *in situ* hybridization on human whole-brain sections, 368P
 Mian KB *see* Martin W, 304P
 Middlemiss D *see* Coldwell MC, 346P
 Middlemiss DN *see* Price GW, 301P
 Montgomery I *see* Bunton DC, 323P
 Morecroft I & MacLean MR Protection of endothelium-dependent relaxation in newborn rabbit pulmonary arteries by superoxide dismutase, 327P
 Murphy D *see* Smythe JW, 353P
- Nally JE *see* Pitt CM, 325P
 Naylor RJ *see* Costall B, 350P
 Naylor RJ *see* Costall B, 351P
 Naylor RJ *see* Costall B, 352P
 Neill JC *see* Smith AG, 354P
- Ogg GD *see* McEwen G, 373P
 Osnes J-B *see* Andersen GØ, 330P
 Osnes J-B *see* Andersen GØ, 331P
 Osnes J-B *see* Dybvik T, 329P
 Osnes J-B *see* Viko H, 328P
- Pache DM, Hutchings R, Sewell RDE & Spencer PSJ Effect of scopolamine on delayed non-matching-to-position performance following central 5,7-dihydroxytryptamine treatment, 349P
 Pache DM *see* Hutchings R, 367P
 Paterson SJ *see* Corbett AD, 334P
 Patmore L *see* Williams A, 356P
 Patten D, Martin KF & Halliwell RF The effects of propofol on neuronal GABA_A and glycine receptors in the rat optic nerve: an *in vitro* electrophysiological study, 365P
 Pearce RKB *see* Zeng B-Y, 355P
 Pei Q & Zetterström TSC Effects of chronic antidepressant administration on gene expression of the voltage-dependent potassium channel subunit Kv 4.2 in the rat hippocampus, 357P
 Pertwee RG *see* Coutts AA, 312P
 Pertwee RG *see* López-Redondo F, 316P
 Peters JA *see* Belelli D, 296P
 Peters JA *see* Hope AG, 292P
 Peters JA *see* Mair ID, 293P
 Peters JA *see* Pistis M, 362P
 Peters JA *see* Shepherd SE, 364P
 Phipps BP *see* Steward LJ, 290P
 Pistis M, Belelli D, Peters JA & Lambert JJ Positive allosteric modulation of recombinant glycine and GABA_A receptors by general anaesthetic: a comparative study, 362P
 Pitman MR, Karlsson JOG & Griffith TM Iodinated radiographic contrast media (IRCM) cause both endothelium-independent relaxation and contraction of rabbit aorta, 305P
 Pitt CM, MacDonald A, Thomson NC & Nally JE Potentiation of endothelin-1-evoked contractions by angiotensin II: the effects of MK886 in bovine bronchi, 325P
 Pooley L *see* Johnston E, 320P
 Pratt JA *see* McAllister KHM, 298P
 Price GW, Burton MJ, Roberts C, Watson J, Duckworth M, Gaster L, Middlemiss DN & Jones BJ SB 216641 and BRL 15572 pharmacologically discriminate between 5-HT_{1B} and 5-HT_{1D} receptors, 301P
 Prior C *see* Tian L, 339P
- Rae MG, Rowan EG & Kennedy C Characterisation of P_{2X}-purinoceptors in neurones of the neonatal rat dorsal root ganglia, 369P
 Redfern WS *see* Williams A, 356P
 Reid JL *see* McPherson KL, 332P
 Rennie JA *see* Hassanali A, 307P
 Richards WJ *see* Halfpenny P, 341P
 Ritchie IM *see* Fouyas IP, 311P
 Roberts C *see* Price GW, 301P
 Roed B *see* Boonen HCM, 306P
 Ross FM, Brodie MJ & Stone TW Modulation of epileptiform activity in the hippocampus by nucleotides, 338P
 Rowan EG *see* Rae MG, 369P
 Rowe ICM & Ashford MLJ The inhibition of K_{ATP} channels in the rat insulinoma cell line CRI-G1 by the intracellular application of purinergic antagonists, 294P
 Rowe ICM *see* Dulock KA, 371P
- Salminen O *see* Ahtee L, 299P
 Sametz W *see* Legat FJ, 308P
 Sandnes D *see* Viko H, 328P
 Scheinin M *see* Sjöholm B, 322P
 Schiander IG *see* Dybvik T, 329P
 Scott RH *see* Ayar A, 315P

- Searle TJ *see* Halfpenny P, 341P
 Seppä T *see* Ahtee L, 299P
 Sewell RDE *see* Dobson MY, 348P
 Sewell RDE *see* Hutchings R, 367P
 Sewell RDE *see* Pache DM, 349P
 Sharp T *see* Zetterström TSC, 347P
 Shaw AM *see* Brown C, 324P
 Shaw AM *see* Bunton DC, 323P
 Shaw JS *see* Tunstall S, 358P
 Shepherd SE, Peters JA & Lambert JJ
 The interaction of intravenous anaesthetics with rat inhibitory and excitatory amino acid receptors expressed in *Xenopus laevis* oocytes, 364P
 Simmonds MA *see* Aniszewski C, 363P
 Sirviö J *see* MacDonald E, 344P
 Sjöholm B, Lähdesmäki J & Scheinin M
 Non-adrenoceptor binding of [³H]atipamezole in rat kidney, 322P
 Skomedal T *see* Andersen GØ, 330P
 Skomedal T *see* Andersen GØ, 331P
 Skomedal T *see* Dybvik T, 329P
 Skomedal T *see* Viko H, 328P
 Smith AG, Neill JC & Costall B 7-OH-DPAT induces biphasic effects on locomotor behaviour in the common marmoset, 354P
 Smith AG *see* Henderson CJ, 333P
 Smith KM & McGrath JC Investigation of developmental changes in α_1 -adrenoceptor subtypes in rat mesenteric resistance arteries, 340P
 Smith RA *see* Jones PA, 337P
 Smith RR *see* Martin GR, 310P
 Smith S *see* Zetterström TSC, 347P
 Smythe JW, Murphy D, Timothy C & Costall B Mineralocorticoid receptor blockade ameliorates retention deficits in a learning task induced by cholinergic blockade, 353P
 Sneddon P *see* McLaren GJ, 370P
 Spencer PSJ *see* Dobson MY, 348P
 Spencer PSJ *see* Hutchings R, 367P
 Spencer PSJ *see* Pache DM, 349P
 Stamford IF *see* Hassanali A, 307P
 Steele JA *see* Steward LJ, 290P
 Stevenson IH *see* McEwen G, 373P
 Steward LJ, Boess FG, Steele JA, Phipps BP, Liu D & Martin IL The importance of the amino acid phenylalanine 107 for function and ligand recognition at the 5-HT₃ receptor, 290P
 Stone TW *see* Jones PA, 337P
 Stone TW *see* Ross FM, 338P
 Storer C *see* Ayar A, 315P
 Stowe RL & Barnes NM Further pharmacological characterisation of [³H]5-CT binding in rat brain tissues, 366P
 Struthers AD *see* Zhou J, 313P
 Struthers AD *see* Zhou J, 314P
 Sweeney G *see* Johnston E, 320P
 Tatham EL *see* Ayar A, 315P
 Tatum C *see* Tunstall S, 358P
 Tavares IA *see* Hassanali A, 307P
 Tel BC *see* Zeng B-Y, 355P
 Thomson NC *see* Pitt CM, 325P
 Tian L, Prior C, Dempster J & Marshall IG The effects of hexamethonium and methyl-lycaconitine on acetylcholine release at the rat neuromuscular junction, 339P
 Timothy C *see* Smythe JW, 353P
 Tregova A, Holme AD, Bell JO, McLean WG, Edwards G & Ward SA The influence of hepatic metabolism on the neurotoxicity of artemisinin derivatives on cultured NB2a neuroblastoma cells, 336P
 Trist DG *see* Meoni P, 368P
 Tse Y *see* Hadoke PWF, 319P
 Tulloch I *see* Coldwell MC, 346P
 Tunstall S, Shaw JS, McPheat JC & Tatum C Binding to the high- and low-affinity states of rat recombinant α_2 -adrenoceptor subtypes, 358P
 Vallis Y *see* Caulfield MP, 295P
 Viko H, Sandnes D, Skomedal T & Osnes J-B α_{1A} -Adrenoceptor stimulation increases ⁸⁶Rb⁺-influx rate in rat cardiomyocytes while both α_{1A} - and α_{1B} -adrenoceptor stimulation increase inositol 1,4,5-trisphosphate, 328P
 Virtanen S *see* MacDonald E, 344P
 Wafford KA *see* Belelli D, 296P
 Walker SW *see* Hadoke PWF, 319P
 Ward SA *see* Tregova A, 336P
 Watson J *see* Price GW, 301P
 Watson WP, Butterworth AR & Little HJ Investigations into the existence of mice of the C57 strain with a low preference for ethanol, and the modification of such preference, 300P
 Whiting PJ *see* Belelli D, 296P
 Whittle IR *see* Fouyas IP, 311P
 Williams A, Redfern WS, Day A, Gracie KJ & Patmore L Prolongation of QTc interval by ketoconazole in conscious guinea-pigs implanted with ECG telemetry transducers, 356P
 Williams BC *see* Hadoke PWF, 319P
 Williams BC *see* McIntyre CA, 318P
 Williams TJ, Clarke DE & Ford APDW Whole-cell radioligand binding assay reveals α_{1L} -adrenoceptor (AR) antagonist profile for the human cloned α_{1A} -AR in Chinese hamster ovary (CHO-K1) cells, 359P
 Wolf CR *see* Bandera M, 335P
 Wolf CR *see* Henderson CJ, 333P
 Wood D *see* Javid FA, 342P
 Wood D *see* Yeung CK, 343P
 Xu Q-L *see* Zeng B-Y, 355P
 Yeung CK, McCurrie JR & Wood D Comparison of the effects of potassium channel openers on elevated gastrointestinal transit in the mouse, 343P
 Zeng B-Y, Pearce RKB, Xu Q-L, MacKenzie GM, Tel BC, Jenner P & Marsden CD Glutamic acid decarboxylase 65 and 67 mRNA in the pallidum of normal monkeys exhibiting L-DOPA-induced dyskinesias, 355P
 Zetterström TSC *see* Pei Q, 357P
 Zetterström TSC, Husum H, Smith S & Sharp T Local application of 5-HT₄ antagonists inhibits potassium-stimulated GABA efflux from rat substantia nigra *in vivo*, 347P
 Zhou J, Struthers AD & Lyles GA Effects of signal transduction inhibitors upon lipopolysaccharide-induced nitrite formation in rat aortic cultured smooth muscle cells, 314P
 Zhou J, Struthers AD & Lyles GA Lipopolysaccharide-induced nitrite formation in rat anococcygeus cultured smooth muscle cells, 313P

Keyword Index

- ABT-418 297P
 Acetylcholine release 312P, 339P
 Adenosine 321P, 337P, 338P
 α -Adrenoceptors 328P, 329P, 330P
 α_1 -Adrenoceptors 340P, 359P, 360P
 α_{1A} -Adrenoceptor, human cloned 359P
 α_2 -Adrenoceptors 358P
 β -Adrenoceptors 329P
 Agonist stimulation, degree of 317P
 Airway smooth muscle 325P
 Amphetamines 298P
 Anaesthesia 296P, 362P, 364P
 Analgesia 348P
 Angiotensin II 319P, 325P
 Anococcygeus, rat 341P
 Antagonist inhibition curves 317P
 Anterior pituitary 361P
 Anti-depressive treatments 357P
 Antimalarials 336P
 Apomorphine 344P
 APP 367P
 Artemisinin 336P
 Arteries, hepatic 319P
 Arteries, mesenteric 340P
 Arteries, pulmonary 324P, 326P, 327P
 Arteries, tail, rat 370P
 Atipamezole 322P, 344P
 ATP 338P, 371P
 Na^+/K^+ -ATPase 306P
 Autoreceptors 301P
- Binding 358P
 Binding sites, high affinity 322P
 Binding assays 334P
 Bioassays 334P
 Bradykinin antagonists 308P, 309P
 Brain, human 368P
- cAMP 320P
 Cannabinoid CB1 receptors, 312P, 316P
 Cardioprotection 321P
 Catalase 304P
 cDNAs 335P
 cGMP 320P
 Charcoal meal test 343P
m-Chlorophenylbiguanide 350P
m-Chlorophenylpiperazine 350P
 Cholinergic blockade 353P
 Colon, human 307P
 Computer-assisted learning 373P
- Conditioned taste aversion 298P
 Contrast media 305P
 Corticosterones 353P
 $[^3\text{H}]5$ -CT 366P
 Cyclic nucleotide phosphodiesterase 361P
- Degree of agonist stimulation 317P
 Depression, models of 372P
 Design criteria 373P
 Dexamethasone 332P
 Diabetes mellitus 311P
 Diazepam 352P
 5,7-Dihydroxytryptamine 349P
 Disinhibition 351P, 352P
 Dopamine 299P
 Dopamine receptors, human 346P
 Dopamine D_3 receptors 354P
 Dorsal root ganglia 369P
 Dorsal root ganglion neurones 315P
 8-OH-DPAT 372P
 Drug disposition 373P
 Drug metabolising enzymes, human 335P
 Drug metabolism studies 335P
 DSP-4 344P
 Dyskinesia 355P
- Efficacy 358P
 Electrical field stimulation 342P
 Electrophysiology 315P, 365P
 Emesis 354P
 Endopeptidase inhibitors 367P
 Endothelins 311P, 326P
 Environmental conditions 300P
 Epileptiform activity 338P
 Ethanol preference 300P
 Etomidate 296P
 Evaluation 373P
- Fluoxetine 351P
 Fos protein 299P
 FR173657 308P, 309P
- G-Proteins 295P
 GABA 342P, 347P
 GABA $_A$ receptors 296P, 363P, 365P
 GAD 65 mRNA 355P
- GAD 67 mRNA 355P
 Gastrointestinal transit 343P
 General anaesthetics 296P
 Genetics 300P
 Genome, mouse 333P
 Glucose 303P
 Glutathione *S*-transferase 333P
 Glycine receptors 365P
 Guinea-pig 356P
- Haemorrhagic stroke 311P
 Heart, rat 331P
 Heart failure 326P
 Hexamethonium 339P
 High affinity binding sites 322P
 5-HT 293P, 301P, 324P
 5-HT $_{1A}$ agonists 348P
 5-HT $_{1B}$ 301P
 5-HT $_{1B/1D}$ receptors 310P
 5-HT $_3$ receptors 290P, 292P
 5-HT $_4$ receptors 347P
 5-HT $_4$ receptor antagonists 352P
 5-HT $_7$ receptors, rat 366P
 Human cloned α_{1A} -adrenoceptor 359P
 Hybridisation *in situ* 355P, 357P, 367P, 368P
 Hydrogen peroxide 304P
 5-Hydroxytryptophan 350P, 351P
- Ileum, mouse 342P
 Inositol-1,4,5-trisphosphate 328P
In-situ hybridisation 355P, 357P, 367P, 368P
 Infarct size 302P
 Intracellular calcium 315P
 Intravenous general anaesthetics 362P, 364P
 Ionotropic amino acid receptors 364P
 Ipsapirone 372P
 Ischemia-reperfusion injury 321P
- Kainate 337P
 K $_{ATP}$ channels 294P
 Ketoconazole 356P
 Kidney, rat 322P
- Ligand-gated ion channels 290P, 291P
 Lipopolysaccharides 313P, 314P

Lipoproteins 332P
Locomotion 297P
Locomotor activity 354P

Memory 349P
Mesenteric arteries, rat 318P
Mesolimbic dopamine 297P, 345P
Methyllycaconitine 339P
Microdialysis 347P
Microphysiometry 346P
MK886 325P
Models 310P
Mutagenesis 290P
Mutant recombinant 5-HT₃ receptors
292P
Myenteric plexus, guinea-pig 312P
Myenteric plexus neurones, guinea-pig
316P

NAD 371P
L-NAME 324P
NANC relaxation 307P
Neurodegeneration 337P
Neuromuscular junction, rat 339P
Neurotoxicity 336P
Neurotransmitters 329P
Nicotine 299P, 345P
Nitric oxide 302P, 307P, 327P, 332P
Nitric oxide synthase 313P, 314P
NK₁ antagonists 298P
NMDA receptors 368P
Non-selective cation channels 371P
Noradrenaline 360P

8-OH-DPAT 372P

Opioid pathways 348P
Opioid receptors 334P

Patch clamp 291P
Peroxynitrite 303P
Pharmacokinetics 373P
Phosphodiesterase 320P
Physiological release 317P
Picralima nitida 334P
Picrotoxin site 363P
Potassium channels 295P
Potassium_{ATP} channels 294P
Potassium channel openers 343P
Potassium relaxations 306P
PPADS 369P
Pregnanolone 363P
Propofol 365P
Prostacyclin 302P
Pulmonary hypertension 320P
Pulmonary supernumerary artery 323P
P_{2U}-Purinoceptors 370P
P_{2X}-Purinoceptors 369P, 370P

QTc 356P

Radioligand binding 366P
⁸⁶Rb⁺ efflux 330P, 331P
⁸⁶Rb⁺ influx 328P
Reactive Blue 2 294P
Receptor subtypes 331P
Recombinant 5-HT₃ receptors 293P
Recombinant GABA_A receptors 362P
Recombinant glycine receptors 362P
Relaxation 305P

Resistance arteries 306P
Rolipram 361P
Ropinirole 346P

Scopolamine 349P, 353P
Second messenger analysis 360P
Sensitisation 345P
Signal transduction 295P
Smooth muscle 305P
Smooth muscle cells 313P, 314P
Sodium/potassium-ATPase 306P
Somatostatin 341P
SRIF receptor agonists 341P
Steroidal anaesthetics 364P
Storage 318P
Supernumerary artery 323P
Superoxide dismutase 327P
Suramin 294P
Synaptic transmission 316P
Synergy 310P

TP receptors 310P
Translocation mechanisms 330P
(+)-Tubocurarine 292P, 293P

Valve 323P
Vasoconstriction 319P
Vasodilatation 318P
Vasodilation 303P, 304P
Voltage dependent K⁺-channels 357P

Water maze 353P
Whole cell binding 359P