

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

The contents page of this journal is now available on the Internet before publication at: <http://www.stockton-press.co.uk>.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, St George's Hospital Medical School, Cranmer Terrace, London SW17 0RE, UK. Tel: +44 (0)181 767 6765; Fax: +44 (0)181 767 5645.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44(0)181 882 7199; Fax: +44(0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley. Supplement Production Controller: Simone Larché

Subscriptions – EU/Rest of World Subscription price per annum (3 volumes, 24 issues) £725, rest of world £800 (Surface mail) £960 (Airmail), or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to *Macmillan Journals Subscriptions Ltd* and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment. Subscribers from EC territories should add sales tax at the local rate.

Subscriptions – USA USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 345 Park Avenue South, 10th Floor, New York, NY 10010-1707; Tel: +1 212 689 9200, Fax: +1 212 689 9711. USA annual subscription rates (institutional/corporate): \$1240 (surface) \$1490 (airmail). Individual making personal payment: \$260.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1240 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

Copyright © 1997 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/97 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

The Brighton Centre
(Glaxo Wellcome)

18th – 20th December, 1996

INDEX TO PROCEEDINGS SUPPLEMENT

University of Brighton

18th–20th December, 1996

Author Index

- Adcock I *see* Blease K, 57P
 Adul J *see* Davies AM, 377P
 Ahmad M, Zeitlin IJ, Hu D-E & Fraser PA Bradykinin release during cerebral ischaemia in anaesthetised rats, 77P
 Ainsworth K, Smith SE & Sharp T Effect of repeated treatment with antidepressant drugs on the behavioural response to D₁-like and D₂-like dopamine receptor agonists in the rat, 252P
 Al-Haboubi HA & Ward BJ Differential effects of acute hyperosmotic glucose and mannitol on microvascular structure and permeability to small and large molecular weight solutes, 168P
 Al-Ruwaitea ASA, Al-Zahrani SSA, Ho M-Y, Bradshaw CM & Szabadi E Effect of destruction of the ascending 5-hydroxytryptaminergic pathways on switching between alternative responses in an operant schedule, 260P
 Al-Zahrani SSA *see* Al-Ruwaitea ASA, 260P
 Albert JL, Gubby SE, Boarder MR & Boyle JP Regulation of inositol polyphosphate accumulation by endothelin-1, histamine and nucleotides in primary cultures of rat brain endothelial cells, 301P
 Albert JL *see* Gubby SE, 300P
 Alderton F *see* Feniuk W, 43P
 Aleixandre MA, Ortega A, Lopez-Miranda V & Puerro M α -Adrenoceptor-induced contractions of rat aorta after the inhibition of nitric oxide synthesis, 163P
 Aleixandre MA *see* López-Miranda V, 161P
 Aleixandre MA *see* Ortega A, 162P
 Alexander B, Yang W & Benjamin IS Acetylcholine induces NO-dependent vasodilatation in the hepatic arterial vasculature of the isolated dual-perfused rat liver preparation, 100P
 Alexander SPH *see* Neil KE, 306P
 Ali A, Haylor J, Sanai T & El Nahas AM Insulin-like growth factor I (IGF-I) increases collagen IV in the rat kidney *in vivo*: potentiation in the glomerulus by the NOS inhibitor, L-NAME, 332P
 Ali I & Kelly ME Aversive property of clozapine revealed in a murine place-conditioning paradigm, 243P
 Allen MJ, Smith JR, Mills A & Giles H Characterisation of oestrogen-dependent oxytocin receptor expression in an immortalised human myometrial smooth muscle cell line, 339P
 Ambler SJ *see* O'Neill MJ, 240P
 Anderson GP *see* Norman KE, 1P
 Anderson IK, Choudry S, Waslidge N & Rupniak HTR Immunohistochemical and functional characterisation of NTW8 microglial cells, 272P
 Anderson IK *see* Chessell IP, 127P
 Anderson R, Mayes A & Higgins GA Mice lacking the apolipoproteinE gene do not show any marked cholinergic deficits, 133P
 Andersson MB, Carrier MJ & Änggård EE Activation of mitogen-activated protein kinase by tumour necrosis factor- α and hydrogen peroxide in endothelial cells, 311P
 Änggård EE *see* Andersson MB, 311P
 Änggård EE *see* Carrier MJ, 313P
 Änggård EE *see* Dwivedi A, 312P
 Änggård EE *see* Laight DW, 314P
 Änggård EE *see* Laight DW, 315P
 Änggård EE *see* Quine LA, 331P
 Änggård EE *see* Rutherford C, 322P
 Anthony DM *see* Jones RB, 352P
 Apaydin S *see* De Vries P, 67P
 Appadu BL *see* Cembala TM, 183P
 Arch JRS *see* Kelly J, 207P
 Ardayfio PA *see* Commissaris RL, 373P
 Arslan G *see* Dionisotti S, 304P
 Aspley S, Broughton DM, Prow MR, Martin KF & Heal DJ Sibutramine and its active metabolites do not release [³H]-noradrenaline from rat heart or brain slices *in vitro*: comparison with other weight reducing and sympathomimetic drugs, 353P
 Aspley S *see* Butler SA, 350P
 Aspley S *see* Prow MR, 351P
 Astolfi M, Parlani M, Lopez G, Conte B, Cirillo R, Fincham CI, Terraciano R & Manzini S MEN 11149, a potent antagonist of the tachykinin NK₁ receptor, 202P
 Avella MA *see* Grieve DJ, 157P
 Avramidis P *see* Bischoff A, 111P
 Bagetta G, Piccirilli S, Palma E, Rotiroli D Nisticò G & Dolly JO A free radical scavenger, U-74389G, attenuates seizures and neuronal damage induced by intrahippocampal injection of dendrotoxin-K into rat, 358P
 Bagetta G *see* Nucci C, 238P
 Bagrij T *see* Neo S-Y, 340P
 Bagust J *see* Huang EY-K, 233P
 Bagust J *see* Vehovszky A, 206P
 Bailey C, Molleman A & Little HJ Prolonged changes in activity of ventral tegmental neurones after chronic ethanol treatment, 136P
 Baird JD *see* Lindsay RM, 167P
 Bakhle YS *see* Hamilton LC, 49P
 Banner KH & Page CP Prostaglandins contribute to the anti-proliferative effect of isoenzyme-selective phosphodiesterase 4 inhibitors but not theophylline in human mono-

- nuclear cells, 11P
- Barker JE, Brand MP, Strangeward HM, Land JM, Clark JB & Heales SJR Increased nitrate formation in LPS/ γ IFN-stimulated astrocytes of the *hph-1* (tetrahydrobiopterin deficient) mouse, 336P
- Barker S *see* Corder R, 316P
- Barker S *see* Lambert GL, 317P
- Barnard EA *see* Smith FM, 129P
- Barnes JC *see* Gray RA, 144P
- Barnes NM *see* Fletcher S, 122P
- Barrand MA *see* Francis I, 341P
- Barrand MA *see* Neo S-Y, 340P
- Barrett VJ, Raghieb A, Butler A & Connor HE Effect of analogues of CGRP on piglet isolated basilar arteries and I-CGRP binding to SKNMC cell membranes, 234P
- Bartrup JT, Moorman JM & Newberry NR BDNF promotes the growth and survival of hippocampal GABAergic neurones in primary culture, 280P
- Bashforth PM, Davies RE & Docherty RJ Non-adrenergic, non-cholinergic (NANC) relaxation of the rat anococcygeus muscle *in vitro* due to activation of capsaicin-sensitive neurones, 215P
- Bath CP *see* O'Neill MJ, 240P
- Batink HD *see* Pfaffendorf M, 103P
- Batink HD *see* Zwaveling J, 105P
- Baumgärtner B *see* Reinheimer T, 60P
- Bax WA *see* Maassen Van Den Brink A, 68P
- Baxter GF *see* Imagawa J, 356P
- Baxter GF *see* Pell TJ, 151P
- Baxter GS *see* Read SJ, 214P
- Beck-Sickinger AG *see* Tough IR, 289P
- Beckett SRG *see* Graham M, 256P
- Beckey VE *see* Relton JK, 75P
- Bee D *see* Muxworthy RO, 200P
- Beer MS *see* Razzaque Z, 211P
- Beer MS *see* Stanton JA, 121P
- Befort K *see* Kitchen I, 124P
- Bell D & McDermott BJ D-Myoinositol 1,2,6 trisphosphate (pp56) can discriminate between phospholipase C-dependent and phospholipase C-independent mechanisms of contraction in cardiac myocytes, 88P
- Bell JP, Lang D, Prendergast BD & Lewis MJ Left ventricular hypertrophy and coronary microvascular endothelium in the guinea-pig: phenotypic changes in nitric oxide synthase and angiotensin converting enzyme activity, 99P
- Bell-Quilley CP, Quilley J & Hilchey SD Functional evidence for heterogeneity of renal angiotensin receptors, 146P
- Benjamin IS *see* Alexander B, 100P
- Bennett GW *see* Thongsaard W, 247P
- Beresford IJM, Starkey SJ, Oakley NR Stratton SC & Hagan RM GR196429, a non-indolic agonist at high affinity melatonin receptors which mediate the actions of melatonin on the rat circadian clock, 360P
- Beresford IJM *see* Browning C, 361P
- Berman RS & Griffith TM Differential actions of charybdotoxin on rabbit central ear and daughter branch arteries, 54P
- Bichet D *see* Hamon G, 194P
- Biggs CS, Fowler LJ, Whitton PS & Starr MS Extracellular glutamate and aspartate are abnormally elevated in the entopeduncular nucleus of Parkinsonian rats: reversal with dopamine D_{2/3} but not D₁ agonists, 246P
- Biggs CS *see* Fisher A, 239P
- Bischoff A, Avramadis P & Michel MC Which receptor subtype mediates renal neuropeptide Y effects?, 111P
- Bishop-Bailey D, Haddad E-B, Larkin S, Newton R, Pepper JR, Evans TW & Mitchell JA Induction of cyclooxygenase-2 in human internal mammary artery and saphenous vein in organ culture, 72P
- Bishop-Bailey D, Pepper JR, Larkin S, Evans TW & Mitchell JA Cyclooxygenase-2 accounts for the sustained release of prostaglandin E₂ from cytokine stimulated human vascular smooth muscle cells, 73P
- Bispham JR *see* Sanderson EM, 305P
- Bittinger F *see* Klapproth H, 61P
- Black JW *see* Van der Graaf PH, 173P
- Blackburn TP *see* Bright F, 244P
- Blackburn TP *see* Jones DNC, 364P
- Blackburn TP *see* Kennett GA, 138P
- Blackburn TP *see* Lightowler S, 254P
- Bleakman D *see* Gillard SE, 32P
- Bleakman D *see* O'Neill MJ, 240P
- Bleakman D *see* Small BG, 302P
- Blease K, Seybold H, Adcock I, Hellewell P & Burke-Gaffney A Synergism between interleukin-4 and lipopolysaccharide in the induction of VCAM-1 on human lung microvascular endothelial cells, 57P
- Blue DR, Ford APDW, Morgans DJ, Williams TJ, Zhu QM & Clarke DE The conscious 'reflex-compromised' rat: a model for evaluating the hypotensive potencies of the α_1 -adrenoceptor antagonists prazosin, tamsulosin and RS-100975, 107P
- Blue DR *see* Williams TJ, 106P
- Boarder MR *see* Albert JL, 301P
- Boarder MR *see* Gubby SE, 300P
- Boddeke HWGM & Seuwen K Effects of calcium-sensing receptor activation in primary cultured cortical neurons, 33P
- Boersma JI *see* Brown CJ, 338P
- Bogle RG & Vallance P Effects of endotoxin on endothelium-dependent and independent responses in the rat isolated perfused heart, 95P
- Bolam JP *see* Clarke NP, 281P
- Bolton TB *see* Tare M, 15P
- Bond A, O'Neill MJ, Hicks CA & Lodge D Block of AMPA receptor-induced desensitisation by cyclothiazide does not potentiate neuronal damage following cerebral ischaemia, 355P
- Bonhaus D *see* Whiting RL, 170P
- Bonhaus DW *see* Eglen RM, 63P
- Boobis AR *see* Watts PM, 123P
- Borman RA, Jewell R & Hillier K Effect of platelet-activating factor (PAF) on fluid secretion in human colon *in vitro*, 188P
- Botham KM *see* Grieve DJ, 157P
- Boucher JL *see* Hey C, 48P
- Boughton-Smith NK *see* Li SW, 80P
- Bountra C *see* Clayton NM, 219P
- Bountra C *see* Evans KS, 218P
- Bountra C *see* Scott CM, 221P
- Bountra C *see* Thompson SL, 220P
- Bouthillier A *see* Thorin E, 101P
- Bowen WP *see* Wright CE, 197P
- Bowery NG *see* Hand K, 282P
- Bowes J & Thiernemann C 3-Aminobenzamide reduces infarct size and attenuates dysfunction in the isolated, perfused heart of the rabbit, 319P
- Bowes J & Thiernemann C 3-Aminobenzamide reduces infarct size in a rabbit model of myocardial ischaemia and reperfusion, 318P
- Bowes J & Thiernemann C Inhibition of the activity of poly(ADP-ribose) synthetase reduces infarct size in a rabbit model of myocardial ischaemia and reperfusion, 87P
- Boxall DK, Ford APDW, Challiss RAJ, Nahorski SR & Eglen RJ Atypical muscarinic cholinergic receptor (mAChR) mediating carbachol-induced contraction of the guinea-pig uterus, 62P
- Boyle JP *see* Albert JL, 301P
- Boyle JP *see* Davie CS, 89P
- Boyle JP *see* Gubby SE, 300P
- Bradshaw CM *see* Al-Ruwaitea ASA, 260P
- Brand MP *see* Barker JE, 336P
- Brand MP *see* Zeng B-Y, 329P
- Brett RR *see* Lamberth M, 267P
- Briddon SJ, Leslie RA & Elliott JM Desensitisation-induced changes in the binding of agonist and antagonist radioligands to the transfected human 5-HT_{2A} receptor, 292P
- Bright F, Trail B, Blackburn TP & Kennett GA Effects of clozapine and MDL 100,907 in the rat Geller-Seifter model of anxiety, 244P
- Bright F *see* Kennett GA, 138P
- Bright F *see* Lightowler S, 254P
- Bril A *see* Maddock HL, 19P

- Brink C *see* Norel X, 58P
- Bristow LJ, Gay JC, Cook GP, Patel S, Emms F, Mawer I & Kulagowski JJ Discriminative stimulus properties of the putative dopamine D₃ receptor agonist, (+)-PD 128907, in the rat, 245P
- Broadley KJ *see* Danahay H, 201P
- Broadley KJ *see* Gardner NM, 179P
- Broadley KJ *see* Maddock HL, 19P
- Brodde O-E *see* Heinroth-Hoffmann I, 347P
- Broughton DM *see* Aspley S, 353P
- Brown AM *see* Coldwell MC, 344P
- Brown CJ, Boersma JI & Crankshaw DJ Effects of AH6809 on prostanoid-induced relaxation of human myometrium *in vitro*, 338P
- Brown JD *see* Browning C, 361P
- Brown S *see* Patel K, 279P
- Brown S *see* Scott MGH, 9P
- Brownhill VR *see* Smart D, 310P
- Browning C, Brown JD, Beresford IJM & Giles H, Pharmacological characterisation of [³H]-melatonin binding to human recombinant melatonin Mel_{1A} and Mel_{1B} receptors, 361P
- Brownlee DJA *see* Vehovszky A, 206P
- Brugger F *see* Faber ESL, 35P
- Bruinvels AT *see* Scott EE, 297P
- Bruinvels AT *see* Watson JM, 278P
- Buchy D *see* Richards JG, 39P
- Buckett WR *see* Jones RB, 352P
- Buckingham JC *see* Christian HC, 3P
- Buckingham JC *see* Rhodes KF, 212P
- Buckingham JC *see* Taylor AD, 2P
- Buckingham JC *see* Taylor AD, 345P
- Buckton J *see* Fleetwood G, 217P
- Bulmer DCE *see* Read SJ, 214P
- Burke-Gaffney A & Hellewell PG Eosinophil adhesion to human bronchial epithelial cells: modulation by eotaxin, 14P
- Burke-Gaffney A *see* Bleas K, 57P
- Burleigh DE *see* Darko SKA, 195P
- Burnstock G *see* King BF, 132P
- Burnstock G *see* Wildman SS, 130P
- Butler A *see* Barrett VJ, 234P
- Butler AR *see* Megson IL, 52P
- Butler SA, Slater NA, Prow MR, Aspley S, Martin KF & Heal DJ *d*-Fenfluramine-induced depletion of rat brain 5-HT is prevented by fluoxetine or sibutramine pretreatment, 350P
- Butterworth AR *see* Wilson J, 135P
- Calixto JJ *see* Eglen RM, 63P
- Callingham BA *see* Skamarauskas JT, 337P
- Cambridge D *see* Fleetwood G, 217P
- Campbell EA *see* Gentry CT, 231P
- Campbell EA *see* Panesar MS, 230P
- Carignani C, Trist DG, Reggiani A & Corsi M Comparison between the NMDA glycine site antagonists GV150526 and 7-chlorokynurenic acid in a functional preparation of neurons from embryonic rat hippocampus, 226P
- Carlson EJ *see* Rupniak NMJ, 363P
- Carpenter TG *see* Newton BB, 203P
- Carrier MJ, Konneh M, Rutherford C, Laight DW, Dwivedi A, Quine L & Ånggård EE Effect of ONO-1505, a novel phosphodiesterase type V inhibitor, on vascular smooth muscle cell proliferation *in vitro*, 313P
- Carrier MJ *see* Andersson MB, 311P
- Carrier MJ *see* Dwivedi A, 312P
- Carrier MJ *see* Laight DW, 314P
- Carrier MJ *see* Laight DW, 315P
- Carrier MJ *see* Quine LA, 331P
- Carrier MJ *see* Rutherford C, 322P
- Carroll M *see* Bell-Quilley CP, 146P
- Carruthers AM, Nahorski SR & Challiss RAJ Enhancement of metabotropic glutamate receptor-stimulated phosphoinositide signalling following pertussis toxin treatment of baby hamster kidney cells expressing mGluR1 α , 30P
- Cascieri MA *see* Rupniak NMJ, 363P
- Cembala TM, Tidmarsh MD, Appadu BL & Lambert DG Interaction of neuromuscular blocking drugs with recombinant human m1-m3 muscarinic receptors, 183P
- Cerulli L *see* Nucci C, 238P
- Challiss RAJ *see* Boxall DK, 62P
- Challiss RAJ *see* Carruthers AM, 30P
- Challiss RAJ *see* Gardiner NJ, 71P
- Chalmers DH, Miller AM & Kenny BA Characterization of the α -mediated responses of isolated rabbit corpus cavernosum, 210P
- Chambers JP *see* Faber ESL, 35P
- Chang DJ *see* Japser JR, 298P
- Chao J *see* Madeddu P, 21P
- Chapple CR *see* Mason SL, 108P
- Chatterjee PK, Mistry SK, Hawksworth GM & McLay JS The natriuretic peptides BNP and CNP are potent inhibitors of cytokine-stimulated nitric oxide production in primary cultures of human proximal tubular cells, 92P
- Chatterjee PK *see* Mistry SK, 93P
- Chazot PL, Reiss C & Stephenson FA Use of the novel glycine site antagonist, [³H]MDL 105,919, to study properties of native and cloned NMDA receptor subtypes, 37P
- Chedrawy EG *see* Vohra MM, 153P
- Cheetham SC, Viggars JA, Slater NA & Heal DJ [³H]-Paroxetine binding indicates that sibutramine is not neurotoxic and, like fluoxetine, it protects against the deficits in 5-HT reuptake sites produced by *d*-fenfluramine, 349P
- Cheetham SC *see* Jones RB, 352P
- Chen H *see* Fetscher C, 324P
- Cheng Z & Nolan AM The effects of flunixin, meglumine and phenylbutazone on cyclooxygenase in inflamed tissue and platelets, 236P
- Cheronis JC *see* Siebeck M, 182P
- Chess-Williams R *see* Mason SL, 108P
- Chessell IP, Anderson IK, Rupniak HTR & Humphrey PPA Pharmacological characteristics of microglial P2X₇ purinoceptors, 127P
- Chessell IP *see* Kirkup AJ, 18P
- Chessell IP *see* Sansum AJ, 128P
- Chessell IP *see* Smith FM, 129P
- Chevillard C *see* Hamroun D, 147P
- Chong LK & Peachell PT Protection by dexamethasone of the functional desensitization to β -adrenoceptor agonist responses in human lung mast cells, 13P
- Choppin A *see* Eglen RM, 63P
- Choudry S *see* Anderson IK, 272P
- Christian HC, Goulding NJ, Morris JF, Flower RJ & Buckingham JC A novel method for the detection and estimation of intracellular lipocortin 1 in the anterior pituitary gland by FAC-analysis/sorting, 3P
- Cirillo R *see* Astolfi M, 202P
- Civantos B *see* López-Miranda V, 161P
- Clapp LH *see* Lambert M, 152P
- Clark JB *see* Barker JE, 336P
- Clark JB *see* Zeng B-Y, 329P
- Clarke DE *see* Blue DR Jr, 107P
- Clarke DE *see* Williams TJ, 106P
- Clarke NP & Bolam JP Colocalization of neurotransmitters in the basal ganglia of the rat, 281P
- Clayton NM, Oakley IG, Thompson S, Wheeldon A, Sargent B & Bountra C Validation of the dual channel weight averager as an instrument of the measurement of clinically relevant pain, 219P
- Clayton NM *see* Thompson SL, 220P
- Clemett DA, Kendall DA, Marsden CA, Cockett MI & Fone KCF Differential effects of chronic clozapine and haloperidol on 5-HT_{2C} and 5-HT₇ receptor levels in the rat brain, 294P
- Clifford J, Tighe O, Croke DT, Drago J, Sibley DR & Waddington JL Phenotype of spontaneous behaviour in transgenic mice with D_{1A} dopamine receptor 'knockout', 134P
- Clifton PG *see* Vickers SP, 348P
- Cockett MI *see* Clemett DA, 294P
- Cogolludo A *see* Pérez-Vizcaíno F, 160P
- Cohen RA *see* Plane F, 98P
- Coker SJ *see* Hughes DA, 24P
- Colado MI, O'Shea E, Granados R, Murray TK, Williams JL & Green AR Evidence that MDMA

- ('Ecstasy'), but not fenfluramine, increases free radical formation in rat brain, 264P
- Colado MI, O'Shea E, Granados R, Murray TK & Green AR Effect of prenatal exposure to MDMA ('Ecstasy') on cerebral 5-HT content of neonate rats, 263P
- Coldwell MC, Hicks F, Jerman J, Kearns I & Brown AM The human CRF1 receptor expressed in HEK 293 cells stimulated [³⁵S]-GTPγS binding as well as cAMP accumulation, 344P
- Coleman RA *see* Brown CJ, 338P
- Coley C, Woodward R, Strange PG & Naylor LH Antagonist binding to the D₂ dopamine receptor and the role of conserved serine residues, 276P
- Colgan M-P *see* Gavin KT, 104P
- Commissaris RL, Ardayfio PA, Meadows KD & Normile HJ Classically conditioned reward results in potentiated startle in rats, 373P
- Connolly JG *see* Covernton PJO, 274P
- Connor HE *see* Barrett VJ, 234P
- Constanti A *see* Libri V, 354P
- Conte B *see* Astolfi M, 202P
- Cook GP *see* Bristow LJ, 245P
- Coope H, Coote J, Rees ES, Sheehan MJ & Giles H The relationship between responses of a reporter gene linked to the adenosine A1 receptor and the underlying changes in cyclic AMP, 303P
- Cooper JA, Homewood N, Rees S, Lee MG & Hill SJ Isoprenaline-stimulated cAMP accumulation and reporter gene activation in Chinese hamster ovary (CHO-K1) cells expressing β₂-adrenoceptors to different levels, 291P
- Coote J *see* Coope H, 303P
- Cordeaux Y & Strange PG Sodium sensitivity of substituted benzamide binding at D₂ dopamine receptors expressed in CHO and SF21 cells, 277P
- Corder R, Hibbert T, Khan N, Barker S, Wood E & Lees D Proteasome inhibitors block tumor necrosis factor-α and transforming growth factor-β-stimulated endothelin-1 synthesis in bovine aortic endothelial cells, 316P
- Corder R *see* Lambert GL, 317P
- Corsi M *see* Carignani C, 226P
- Costall B & Naylor RJ Fluoxetine in the presence of ritanserin enhances the potency of diazepam to disinhibit behaviour in the mouse light dark test, 255P
- Costall B & Naylor RJ Interaction of GR113808 with anxiolytic and putative anxiolytic agents in the mouse light dark test, 262P
- Costall B & Naylor RJ The action of *m*-chlorophenylbiguanide and its interactions with 5-HT receptor antagonists in the rat social interaction test, 253P
- Costall B *see* Murphy D, 271P
- Costall B *see* Smith AG, 250P
- Costall B *see* Smith JK, 249P
- Costall B *see* Smythe JW, 268P
- Costall B *see* Smythe JW, 269P
- Costall B *see* Timothy C, 270P
- Cottrell GA The FMRFamide precursor protein encodes an agonist, a partial agonist and an antagonist of the FaNaCh, 42P
- Covernton PJO & Connolly JG Differential modulation of the α₄-1β₂ and α₇ neuronal nicotinic receptor subtypes by ethanol, 274P
- Cox H *see* Bashforth PM, 215P
- Cox H *see* Piper AS, 227P
- Cox HM *see* Holliday ND, 290P
- Cox HM *see* Tough IR, 289P
- Crankshaw DJ *see* Brown CJ, 338P
- Craven RM, Grahame-Smith DG & Newberry NR 5-HT₂-like receptor-mediated depolarization of 5-HT-containing dorsal raphe neurones *in vitro*, 261P
- Crawford SP, Richardson PJ & Hiley CR Adenosine receptors mediating vasorelaxation in the small mesenteric artery of the rat, 178P
- Crawford SP *see* Otley CE, 55P
- Croke DT *see* Clifford J, 134P
- Cumberbatch MJ, Hill RG & Hargreaves RJ Rizatriptan inhibits trigeminal nociceptive responses in an electrophysiological assay in the anaesthetized rat, 213P
- Cunnane TC *see* Trout SJ, 187P
- Cunningham FM *see* Foster AP, 326P
- Cunningham FM *see* Marr KA, 343P
- Cunningham JR *see* Matthews KL, 216P
- Curzen NP *see* Jourdan KB, 166P
- Dainty IA, Dougall IG, McKay GD & Leff P Pharmacological characterisation of a cloned bovine P2Y₁-purinoceptor transfected into Jurkat cells, 299P
- D'Amico M, Rossi F & Warner TD Cardiovascular events following micro-injection of angiotensin II, endothelin-1 or L-NAME to the superior colliculus of rats, 118P
- Danahay H, Broadley KJ, Nials AT, McCabe PJ & Sanjar S The effect of the selective phosphodiesterase 4 inhibitor, Ro 20-1724, on antigen-induced IL-5 release in guinea-pig airways, 201P
- Danhof M *see* Van der Graaf PH, 173P
- Daniels DV *see* Williams TJ, 106P
- Danser AHJ, de Vries R & Saxena PR NO release by the isolated perfused rat heart: is quantification with an on-line amperometric system possible?, 97P
- Danser AHJ *see* de Lannoy LM, 117P
- Darko SKA, Palmerley ND & Burleigh DE Inhibition of potassium (K_{ATP}) channels reduces short-circuit current response of rat colonic mucosa to acetylcholine, 195P
- Das AM, Flower RJ & Perretti M Eotaxin recruits eosinophils in sensitised mice, 4P
- Davenport AP *see* Maguire JJ, 115P
- Davenport AP *see* Pierre LN, 148P
- Davenport AP *see* Russell FD, 116P
- Davidson HJ, Richardson PJ & Hiley CR Adenosine receptors in the basilar artery of the rat, 17P
- Davidson HJ *see* Otley CE, 55P
- Davie CS Millar JA Standen NB Functional studies on the mechanism of action of nicorandil in the rat mesenteric artery and its potentiation during impaired metabolism, 89P
- Davies AM, Korsmeyer S, Pinon L, Adul J & Middleton G The role of the BCL-2 family of proteins in regulating neuronal survival, 377P
- Davies JA *see* Phillips I, 367P
- Davies JA *see* Shakesby AC, 366P
- Davies RE *see* Bashforth PM, 215P
- Davis AJ & Perkins MN desArg⁹BK-induced mechanical hyperalgesia and analgesia in the rat: involvement of IL-1, prostaglandins and peripheral opioids, 74P
- Davis DJ *see* Ting KN, 45P
- De Biasi V *see* Lightowler S, 254P
- de Burgh Daly M *see* Ramage AG, 27P
- de Ceballos ML, Garrett NE & Tomlinson DR Nociceptive thresholds in experimental diabetes: effects of an NK1 antagonist, 232P
- de Lannoy LM, Danser AHJ, Saxena PR & Schalekamp MADH AT₁-receptor-mediated sequestration of AngII by the heart, 117P
- dé Medicis R *see* Getting SJ, 5P
- De Sarro A *see* De Sarro G, 359P
- De Sarro G, Donato Di Paola E & De Sarro A Anticonvulsant and proconvulsant effects of compounds acting on different adenosine receptor subtypes in DBA/2 mice, 359P
- De Vries P, Apaydin S, Villalon CM, Heiligers JPC & Saxena PR Interactions of GR127935, a 5-HT_{1B/D} receptor ligand, with functional 5-HT receptors, 67P
- de Vries R *see* Danser AHJ, 97P
- Delagrangé P *see* Ting KN, 45P
- Dell CP *see* O'Neill MJ, 240P
- Devi LA *see* Harrison C, 222P

- Dewar D *see* Irving EA, 40P
Dewhurst DG & Joshi P Nerve physiology revisited: an interactive tutorial based on experiments conducted on frog sciatic nerve, 375P
Di Paola ED *see* De Sarro G, 359P
Dickinson K, North TJ & Jones RB BTS 67 582 acts as a glucose sensitising agent in rat perfused pancreatic islets, 189P
Dionisotti S, Ongini E, Zocchi C, Molta C, Kull B, Arslan G & Fredholm BB Further characterisation of adenosine A_{2A} receptor antagonist radioligand [³H]-SCH 58261: studies on the human cloned A_{2A} receptor, 304P
Docherty JR *see* Gavin KT, 104P
Docherty RJ *see* Bashforth PM, 215P
Docherty RJ *see* Piper AS, 227P
Doggrell SA & Petcu EB Hyper-responsiveness to isoprenaline in the atria, but not ventricles, of prehypertensive rats, 374P
Dolly JO *see* Bagetta G, 358P
Domeney AM *see* Woodall KL, 259P
Douek DC *see* Watts PM, 123P
Dougall IG *see* Dainty IA, 299P
Dowell FJ & Martin W Interaction of peroxynitrite with membrane permeant and impermeant sugars, 56P
Doyle PM *see* Wisskirchen FM, 209P
Drago J *see* Clifford J, 134P
Drew GM *see* Hunt AAE, 180P
Dubar M *see* Sannajust F, 29P
Dumas J *see* Hamroun D, 147P
Duncan J *see* Hand K, 282P
Dwivedi A, Carrier MJ & Änggård EE Upregulation of monocyte-endothelial cell adhesion in response to oxidised LDL is independent of NF- κ B, 312P
Dwivedi A *see* Carrier MJ, 313P
Eastwood C *see* Kirkup AJ, 18P
Ebenezer IS, Vellucci SV & Parrott RF The effects of the benzodiazepine inverse agonist ethyl-beta-carboline-3-carboxylate (β CCE) on food and water intake in pigs, 265P
Edwards RJ *see* Watts PM, 123P
Eglen RM, Bonhaus DW, Calixto JJ, Choppin A, Leung E, Loeb M, Loury D, Moy T, Wilda M & Hegde SS Characterization of the interaction of tolterodine at muscarinic receptor subtypes *in vitro* and *in vivo*, 63P
Eglen RM *see* Boxall DK, 62P
Eglen RM *see* Hunter JC, 229P
Eglen RM *see* Japser JR, 298P
Eglen RM *see* MacLennan SJ, 109P
Eglen RM *see* Whiting RL, 170P
Eich-Rathfelder S *see* Siebeck M, 182P
Eijssman L *see* Li Q, 113P
El Nahas AM *see* Ali A, 332P
El Nahas AM *see* Haylor J, 66P
El Nahas AM *see* Liu B-C, 333P
Elekes K *see* Vehovszky A, 206P
Elliott J *see* Grieve DJ, 157P
Elliott JM *see* Briddon SJ, 292P
Elliott JM *see* Mitchell AL, 293P
Emanuelli C *see* Madeddu P, 20P
Emanuelli C *see* Madeddu P, 21P
Emerson M, Paul W & Page CP Inhibition of platelet accumulation in the cerebral vasculature of the rabbit by dopamine does not occur via β -adrenergic receptors, 175P
Emery CJ *see* Jones RD, 154P
Emms F *see* Bristow LJ, 245P
Emson PC *see* Hathway GJ, 141P
Ernst B *see* Norman KE, 1P
Evans AT *see* Kerslake SM, 330P
Evans AT *see* Qayum S, 273P
Evans KS, Scott CM & Bountra C Sensitisation of cutaneous afferent neurotransmission to innocuous and noxious mechanical stimuli using topical prostaglandin E₂ (PGE₂), 218P
Evans RH *see* Faber ESL, 35P
Evans TW *see* Bishop-Bailey D, 72P
Evans TW *see* Bishop-Bailey D, 73P
Evans TW *see* Jourdan KB, 166P
Faber ESL, Chambers JP, Brugger F & Evans RH Long duration NMDA receptor-mediated synaptic responses of spinal motoneurons induced by low threshold afferents, 35P
Farahani M & Hall IP Characterization of the histamine receptor sub-type coupled to activation of phospholipase C in human airway smooth muscle cells, 325P
Fautz M *see* Siebeck M, 182P
Feenstra M *see* Li Q, 113P
Feniuk W, Alderton F & Humphrey PPA Antagonist effects of the peptides BIM-23055 and BIM-23056 at somatostatin receptors in guinea-pig isolated vas deferens and right atrial preparations, 43P
Feniuk W *see* Wilkinson GF, 308P
Feniuk W *see* Wyatt MA, 309P
Fernández C *see* Pérez-Vizcaino F, 149P
Fernández C *see* Pérez-Vizcaino F, 160P
Fernández del Pozo B *see* Pérez-Vizcaino F, 160P
Fernández del Pozo F *see* Pérez-Vizcaino F, 149P
Ferns GAA *see* Rutherford C, 322P
Ferrari MD *see* Maassen Van Den Brink A, 68P
Fetscher C, Chen H, Wambach G, Philipp T & Michel MC Effects of glucose and insulin on isoprenaline-induced relaxation of rat mesenteric microvessels, 324P
Field MJ *see* Rupniak NMJ, 369P
Fillipov AK *see* Small BG, 302P
Fincham CI *see* Astolfi M, 202P
Fink K *see* Schlicker E, 143P
Fisher A, Biggs CS & Starr MS Evidence that glutamate regulates dopamine synthesis via aromatic L-amino acid decarboxylase, 239P
Fitzgerald MF *see* Newton BB, 203P
Fleetwood G, Buckton J, Tralau-Stewart C & Cambridge D Thioglycollate-induced peritonitis in the CD1 mouse is dependent on L- and P-selectin, 217P
Fletcher S & Barnes NM Immunological characterisation of the 5-HT₃ receptor complex purified from pig brain, 122P
Flower RJ *see* Christian HC, 3P
Flower RJ *see* Das AM, 4P
Flower RJ *see* Getting SJ, 5P
Flower RJ *see* Taylor AD, 327P
Flower RJ *see* Taylor AD, 2P
Flower RJ *see* Taylor AD, 345P
Folkerts G, van der Linde HJ & Nijkamp FP Pharmacological evidence that nitric oxide and cholinesterase in the epithelial layer suppresses the acetylcholine-induced contractions in guinea-pig airways, 59P
Fone KCF *see* Clemett DA, 294P
Fontana DJ *see* Hunter JC, 229P
Ford APDW *see* Blue DR Jr, 107P
Ford APDW *see* Boxall DK, 62P
Ford APDW *see* MacLennan SJ, 109P
Ford APDW *see* Williams TJ, 106P
Forster C & Larosa G Increased basal cyclic GMP levels in coronary arteries following heart failure, 86P
Foster AP & Cunningham FM Effects of histamine and substance P *in vitro* on equine eosinophil migration and adherence, 326P
Foster SJ *see* Kengatharan M, 335P
Fowler LJ *see* Biggs CS, 246P
Francis I, Henderson RM, Hladky SB, Rowlands T & Barrand MA Measurement of intracellular pH (pH_i) in tumour cells containing the multidrug resistance associated protein, MRP, 341P
Fraser PA *see* Ahmad M, 77P
Fredholm BB *see* Dionisotti S, 304P
Freslon JL *see* Véquaud P, 169P
Fritz H *see* Siebeck M, 182P
Fulton D *see* Quilley J, 156P
Furman BL *see* Covernton PJO, 274P
Gadhok A *see* Trout SJ, 187P
Gard PR *see* Tyers NN, 321P
Gardiner NJ, Giblett S & Grubb BD Cyclooxygenases in rat spinal cord: selective induction of cox-2 during

- peripheral inflammation, 71P
- Gardiner PJ *see* Newton BB, 203P
- Gardner JD, Rothwell NJ & Luheshi GN
Effect of CRF on the febrile response to IL-1 β or LPS in rats, 8P
- Gardner JD, Rothwell NJ & Luheshi GN
Hypothermic and hyperthermic actions of CRF: influence of environmental conditions, 365P
- Gardner NM & Broadley KJ Hypoxia-induced stunning in isolated cardiac tissues: the effect of an A₃ receptor agonist, 179P
- Garland CJ *see* Parsons SJW, 346P
- Garland CJ *see* Plane F, 98P
- Garrett NE *see* de Ceballos ML, 232P
- Garrett NE *see* Malcangio M, 70P
- Gascard JP *see* Norel X, 58P
- Gaster L *see* Roberts C, 140P
- Gavin KT, Colgan M-P, Moore D, Shanik G & Docherty JR α_2 -Adrenoceptors mediate contractions of human saphenous vein, 104P
- Gay JC *see* Bristow LJ, 245P
- Ge J, Long SK & Kilpatrick IC Preferential blockade of CCK-8S-induced rises in extracellular aspartate by the CCK_B antagonist, L-365,260, in the frontal cortex of the the anaesthetised rat, 370P
- Gentry CT, West KJ & Campbell EA
The effects of sympathectomy on the nerve growth factor (NGF)-induced nociceptive responses in normal and neuropathic rats, 231P
- Gentry CT *see* Panesar MS, 230P
- Geppetti P *see* Madeddu P, 20P
- Geppetti P *see* Madeddu P, 21P
- Gerlis L Regulatory aspects of dementia trials, 385P
- Getting SJ, Flower RJ, de Medicis R, Lussier A, Parente L & Perretti M
Molecular determinants of crystal-induced inflammation, 5P
- Gever JR *see* Williams TJ, 106P
- Giblett S *see* Gardiner NJ, 71P
- Gibson A *see* Lilley E, 53P
- Giles H *see* Allen MJ, 339P
- Giles H *see* Browning C, 361P
- Giles H *see* Coope H, 303P
- Giles H *see* Hawcock AB, 328P
- Giles H *see* Hawcock AB, 362P
- Gillard SE, Bleakman D & Lodge D
Pharmacological, electrophysiological and immunohistochemical characteristics of dissociated rat cerebellar Purkinje cells in culture, 32P
- Gilmore J *see* O'Neill MJ, 240P
- Glorioso N *see* Madeddu P, 20P
- Gomes P, Serrão MP, Vieira-Coelho MA & Soares-da-Silva P The apical L-DOPA uptake system in OK cells has the characteristics of an organic cation potential-dependent and proton-independent transporter, 323P
- Gomes P *see* Soares-da-Silva P, 112P
- Goodwin F *see* Vehovszky A, 206P
- Goodwin RW *see* Pell TJ, 151P
- Gordienko DV *see* Tare M, 15P
- Gothert M *see* Schlicker E, 143P
- Goudie AJ, Taylor A & Smith JA
Clozapine drug discrimination in rats: a pharmacologically specific stimulus, 241P
- Goudie AJ *see* Taylor A, 242P
- Gough SL *see* Wisskirchen FM, 209P
- Goulding NJ *see* Christian HC, 3P
- Graham M, Beckett SRG & Marsden CA
The effect of paroxetine, fluoxetine and clomipramine on 20 kHz ultrasound defense behaviour, 256P
- Grahame-Smith DG *see* Craven RM, 261P
- Grahame-Smith DG *see* Mitchell AL, 293P
- Granados R *see* Colado MI, 263P
- Granados R *see* Colado MI, 264P
- Grattan TJ *see* Laude EA, 199P
- Grattan TJ *see* Wright CE, 197P
- Grattan TJ *see* Wright CE, 198P
- Gray DW *see* Hawcock AB, 362P
- Gray GA *see* Megson IL, 52P
- Gray JA *see* Moran PM, 139P
- Gray RA & Large CH The ecto kinase inhibitor K-252b blocks the induction of long-term potentiation in the perforant path of the anaesthetised rat, 144P
- Green A, Stables J, Marshall FH, Rees ES & Lee MG A novel assay to detect activation of G-protein coupled receptors by coexpression of G α_{16} and aequorin, 342P
- Green AR *see* Colado MI, 263P
- Green AR *see* Colado MI, 264P
- Greig IR *see* Megson IL, 52P
- Grieve DJ, Avella MA, Botham KM & Elliott J Effects of chylomicron remnants on endothelial function in rat aorta, 157P
- Griffith TM *see* Berman RS, 54P
- Griffith TM *see* Hutcheson IR, 96P
- Griffith TM *see* Pitman MR, 82P
- Grimson P *see* Hammond EA, 6P
- Gross L *see* Williams TJ, 106P
- Grottick AJ *see* Montgomery AMJ, 251P
- Grubb BD *see* Gardiner NJ, 71P
- Grundy D *see* Kirkup AJ, 18P
- Grundy D *see* Maubach KA, 78P
- Gubby SE, Albert JL, Boyle JP & Boarder MR Regulation of cyclic AMP by ATP, endothelin and histamine in primary cultures of rat brain capillary endothelial cells, 300P
- Gubby SE *see* Albert JL, 301P
- Gunnarsson PT *see* Quine LA, 331P
- Haapalinna A *see* MacDonald E, 287P
- Haddad E-B *see* Bishop-Bailey D, 72P
- Hagan JJ *see* Jones DNC, 364P
- Hagan RM *see* Beresford IJM, 360P
- Hale JJ *see* Rupniak NMJ, 363P
- Hall IP *see* Farahani M, 325P
- Hall IP *see* Joseph SK, 10P
- Hall IP *see* Scott MGH, 9P
- Hall MD *see* Hammond EA, 6P
- Hall MD *see* Smart D, 7P
- Hall SJ *see* Lambert M, 152P
- Halliwell B Oxidative stress, 378P
- Hamilton LC, Vojnović I, Bakhle YS, Warner TD & Vane JR The anti-inflammatory drug leflunomide inhibits *in vitro* and *in vivo* the activity of COX-2 more potently than the induction of COX-2 or iNOS, 49P
- Hammond EA, Smart D, Webdale LJ, Grimson P, Suman-Chauhan N & Hall MD Molecular cloning and expression of the human hypothalamic Type I interleukin-1 receptor, 6P
- Hammond EA *see* Smart D, 7P
- Hamon G, Jouquey S & Bichet D Protective effect of a kappa-opioid agonist on endotoxin-induced acute gastro-intestinal lesions in the rat, 194P
- Hamroun D, Mathieu MN, Launay JM, Dumas J & Chevillard C Human megakaryoblastic cell lines and marrow platelet precursors express endothelin converting enzyme and release endothelin-1, 147P
- Hand K, Simmonds MA, Bowery NG, Van Paesschen W & Duncan J
Changes in expression of mRNA encoding GABA receptor subunits α_2 , α_5 and γ_2 in resected human epileptic temporal lobe demonstrated by *in situ* hybridisation, 282P
- Handford EJ *see* Stanton JA, 121P
- Hannon SD *see* Prow MR, 351P
- Hansard MJ, Unelius L, Jackson DM & Mohell N The unusual actions of *d*-LSD and other ergoline derivatives at rat 5-HT₆ receptors stably expressed in Chinese hamster ovary (CHO) cell line, 120P
- Hardisty C *see* Haylor J, 66P
- Hargreaves RJ *see* Cumberbatch MJ, 213P
- Hargreaves RJ *see* Rupniak NMJ, 363P
- Harris CJ *see* Wisskirchen FM, 209P
- Harrison C, Rowbotham DJ, Devi LA & Lambert DG Activation of the recombinant δ -opioid receptor in CHO cells increases intracellular calcium, 222P
- Harrison PJ *see* Meller R, 34P
- Hathway GJ, Kendrick KM, Emson PC & Humphrey PPA The neuromodulatory actions of somatostatin in the

- rat striatum *in vivo*, 141P
- Hawcock AB, Gray DW, Smith RR & Giles H Characterisation of the tachykinin NK receptor in dog cortex, 362P
- Hawcock AB, Lundstrom K, Thomas P & Naylor A Effect of single point mutations of the human tachykinin NK₁ receptor on antagonist affinity, 328P
- Hawsworth GM *see* Chatterjee PK, 92P
- Hawsworth GM *see* Mistry SK, 93P
- Hawley J *see* Marsh KA, 307P
- Haylor J, Hickling H, Hardisty C & El Nahas AM Inhibition of diabetic hyperfiltration by JB1, a peptide antagonist of the type 1 IGF receptor, 66P
- Haylor J *see* Ali A, 332P
- Haylor J *see* Liu B-C, 333P
- Haynes JM *see* Selbie LA, 44P
- Heal DJ *see* Aspley S, 353P
- Heal DJ *see* Butler SA, 350P
- Heal DJ *see* Cheetham SC, 349P
- Heal DJ *see* Jones RB, 352P
- Heal DJ *see* Phillips I, 367P
- Heal DJ *see* Prow MR, 351P
- Heal DJ *see* Smith SL, 368P
- Heales SJR *see* Barker JE, 336P
- Heales SJR *see* Zeng B-Y, 329P
- Hedley LR *see* Hunter JC, 229P
- Hegde SS *see* Eglen RM, 63P
- Hegde SS *see* Whiting RL, 170P
- Heijenbrok FJ, Pfaffendorf M & van Zwieten PA Functional responses to various drugs in rat carotid arteries with intimal hyperplasia, 176P
- Heiligers JPC *see* De Vries P, 67P
- Heinroth-Hoffmann I, Vogelsang M & Brodde O-E Endothelin increases intracellular Ca²⁺ in SK-N-MC cells by at least two different mechanisms, 347P
- Hellewell P *see* Blease K, 57P
- Hellewell PG *see* Burke-Gaffney A, 14P
- Henderson G *see* Yeo A, 125P
- Henderson RM *see* Francis I, 341P
- Henderson RM *see* Skamarauskas JT, 337P
- Herberg LJ *see* Montgomery AMJ, 251P
- Hess F *see* Madeddu P, 20P
- Hey C, Boucher JL, Vadon S, Ketterer G, Stichnote C, Wessler I & Racké K N^ω-OH-D,L-Indospicine, a potent and selective inhibitor of arginase in rat and rabbit alveolar macrophages (AMφ), can promote utilization of L-arginine by nitric oxide synthase (NOS), 48P
- Heys C *see* Wilson C, 114P
- Hibbert T *see* Corder R, 316P
- Hickling H *see* Haylor J, 66P
- Hicks C *see* O'Neill MJ, 240P
- Hicks CA *see* Bond A, 355P
- Hicks CA *see* O'Neill MJ, 357P
- Hicks F *see* Coldwell MC, 344P
- Hicks R *see* Kerslake SM, 330P
- Higgins G *see* Montgomery AMJ, 251P
- Higgins GA *see* Anderson R, 133P
- Hilchey SD *see* Bell-Quilley CP, 146P
- Hiley CR *see* Crawford SP, 178P
- Hiley CR *see* Davidson HJ, 17P
- Hiley CR *see* Otley CE, 55P
- Hill P *see* Scott MGH, 9P
- Hill RG New strategies for the treatment of Alzheimer's disease, 383P
- Hill RG *see* Cumberbatch MJ, 213P
- Hill RG *see* Razzaque Z, 211P
- Hill RG *see* Rupniak NMJ, 363P
- Hill SJ *see* Cooper JA, 291P
- Hill SJ *see* Marsh KA, 307P
- Hill SJ *see* Sanderson EM, 305P
- Hill SJ *see* Selbie LA, 44P
- Hillier K *see* Borman RA, 188P
- Hillier K *see* Kerr PM, 196P
- Hirst RA, Lambert DG, Smart D & McKnight AT Effects of nociceptin on cAMP and Ins(1,4,5)P₃-[Ca²⁺]_i signalling in SH-SY5Y human neuroblastoma cells, 224P
- Hladky SB *see* Francis I, 341P
- Hladky SB *see* Neo S-Y, 340P
- Ho M-Y *see* Al-Ruwaitea ASA, 260P
- Hohenbleicher F *see* Siebeck M, 182P
- Holliday ND & Cox HM Stably transfected neuropeptide Y Y₁ receptors exhibit a PYY-preferring phenotype when expressed in a human colonic epithelial cell line, 290P
- Homewood N *see* Cooper JA, 291P
- Hopkins EM & Kenny BA *in vitro* characterisation of rabbit urethral α₁ adrenoceptors, 286P
- Hopkins R *see* Razzaque Z, 211P
- Hounsom L, Tomlinson A, Willis D & Willoughby DA Inducible isoforms of cyclooxygenase (COX-2), nitric oxide synthase (iNOS) and heme oxygenase (HO-1) in rat CNS/PNS in acute inflammation, 334P
- Hoyer D, Kleuser B & Sutcliffe JG Pharmacological profile of human 5-hydroxytryptamine 5-HT₇ receptors expressed in insect cells using the baculovirus system, 119P
- Hoyer D *see* Boddeke HWGM, 33P
- Hu D-E *see* Ahmad M, 77P
- Huang EY-K, Bagust J, Sharma RP & Walker RJ FLFQPRFamide (NPFF) inhibits the fast wave of the evoked field potential in the rat isolated spinal cord preparation, 233P
- Hudson AL *see* Robinson ESJ, 288P
- Hudson AL *see* Tyacke RJ, 225P
- Hughes AD *see* Wijetunge S, 83P
- Hughes DA & Coker SJ Attenuation of the negative inotropic effects of chloroquine by combined administration of diazepam and adrenaline in anaesthetized rats, 24P
- Hulme EC *see* Ward SDC, 284P
- Humphrey PPA *see* Chessell IP, 127P
- Humphrey PPA *see* Feniuk W, 43P
- Humphrey PPA *see* Hathway GJ, 141P
- Humphrey PPA *see* Kirkup AJ, 18P
- Humphrey PPA *see* Maubach KA, 78P
- Humphrey PPA *see* Michel AD, 126P
- Humphrey PPA *see* Sansum AJ, 128P
- Humphrey PPA *see* Smith FM, 129P
- Humphrey PPA *see* Wilkinson GF, 308P
- Humphrey PPA *see* Wyatt MA, 309P
- Humphries RG *see* Tomlinson W, 131P
- Hunt AAE, Maxwell MP, Louttit JB & Drew GM Cardioprotective effects of GR79236, an adenosine A₁ agonist, are independent of its bradycardic and hypotensive activity, 180P
- Hunt S-J *see* Wilson C, 114P
- Hunter JC, Fontana DJ, Hedley LR, Jasper JR, Kassotakis L, Lewis R & Eglen RM The relative contribution of α₂-adrenoceptor subtypes to the antinociceptive action of dexmedetomidine and clonidine in rodent models of acute and chronic pain, 229P
- Huscroft I *see* Rupniak NMJ, 363P
- Hussain SA *see* Lang D, 145P
- Hutcheson IR & Griffith TM Role of intracellular calcium stores in flow- and agonist-evoked NO release from endothelium in rabbit isolated aorta, 96P
- Hynes C *see* Ruetten H, 320P
- Imagawa J, Baxter GF & Yellon DM, Genistein, a tyrosine kinase inhibitor, blocks the second window of protection 48 hours after ischaemic preconditioning, 356P
- Irving EA, Yatsushiro K, McCulloch J & Dewar D Spin trap agent prevents tau accumulation in oligodendrocytes following focal cerebral ischaemia in the rat, 40P
- Jackson A & Stephens DN Effect of the benzodiazepine-receptor agonist diazepam on a morphine discriminative stimulus, 266P
- Jackson DM *see* Hansard MJ, 120P
- Jackson HC *see* Jones RB, 352P
- Jackson HC *see* Robinson ESJ, 288P
- James SL *see* Tyers NM, 321P
- Jasper JR, To ZP, Kosaka A, Eglen RM & Chang DJ Cloning, expression and pharmacology of a truncated splice variant of the human 5-HT₇ receptor, 298P
- Jasper JR *see* Hunter JC, 229P
- Javid FA, Naylor RJ & Tuladhar BR The influence of 5-HT receptor antagonists on the contractile response

- to 5-HT in the isolated intestine of *Suncus murinus*, 193P
- Jenner P *see* Watts PM, 123P
- Jenner P *see* Zeng B-Y, 329P
- Jerman J *see* Coldwell MC, 344P
- Jerman JC *see* Selkirk JV, 295P
- Jewell R *see* Borman RA, 188P
- Jobson TM *see* Joseph SK, 10P
- Johnson CM *see* Maguire JJ, 115P
- Johnson LG *see* Whiting RL, 170P
- Johnston GD *see* Bell D, 88P
- Jones BJ *see* Roberts C, 140P
- Jones DNC, Kortekaas R, Slade PD & Hagan JJ Comparison of behavioural effects of corticotropin-releasing factor and the novel neuropeptide, urocortin, 364P
- Jones G *see* Muxworthy RO, 200P
- Jones RB, Jackson HC, Cheetham SC, Anthony DM, Sills S, Heal DJ & Buckett WR Chronic administration of sibutramine reduces plasma glucose levels in obese hyperglycaemic (*ob/ob*) mice, 352P
- Jones RB *see* Dickinson K, 189P
- Jones RD, Emery CJ, Sokal D & Morice AH Pulmonary vascular resistance and pulmonary reactivity in rats exposed perinatally to either chronic hypoxia, L-NAME or indomethacin, 154P
- Jones RD, Thompson JS & Morice AH Inhibition of hypoxia-, prostaglandin $F_{2\alpha}$ - and potassium chloride-induced contractions in rat isolated pulmonary arteries by hydrogen peroxide, 65P
- Jones RD, Thompson JS & Morice AH Inhibition of hypoxic pulmonary vasoconstriction in isolated rat pulmonary arteries by iodonium diphenyl, 64P
- Jones SJ *see* Markham A, 376P
- Jordan D *see* Skinner MR, 25P
- Jordan D *see* Wang Y, 38P
- Joseph MH *see* Moran PM, 139P
- Joseph SK, Jobson TM & Hall IP The type IV phosphodiesterase inhibitor rolipram inhibits DNA synthesis in primary cultures of human airway smooth muscle cells, 10P
- Joshi P *see* Dewhurst DG, 375P
- Jouquey S *see* Hamon G, 194P
- Jourdan KB, Curzen NP, Evans TW & Mitchell JA, The isoprostone 8-iso prostaglandin $F_{2\alpha}$ vasodilates rat pulmonary artery via the release of nitric oxide, 166P
- Kanda M *see* Kurahashi K, 171P
- Karlsson JOG *see* Pitman MR, 82P
- Karlsson JOG *see* Towart R, 158P
- Kassotakis L *see* Hunter JC, 229P
- Kaumann AJ, Lynham JA, Sarsero D & Molenaar P The atypical cardio-stimulant β -adrenoceptor is distinct from β_3 -adrenoceptors and coupled to a cyclic AMP-dependent pathway in human and rat myocardium, 102P
- Kava MS *see* Williams TJ, 106P
- Kearns I *see* Coldwell MC, 344P
- Kefalas P *see* MacDermot J, 79P
- Kelly E *see* Wilson C, 114P
- Kelly J, Sennitt MV, Stock MJ & Arch JRS Evidence for a functional β_3 -adrenoceptor in human isolated taenia coli, 207P
- Kelly ME *see* Ali I, 243P
- Kelly ME *see* Woodall KL, 259P
- Kempsill FEJ & Pratt JA Failure of α -bungarotoxin to modify nicotine-induced changes in locomotor activity in rats, 275P
- Kendall DA *see* Clemett DA, 294P
- Kendall DA *see* Neil KE, 306P
- Kendall DA *see* Roberts RE, 84P
- Kendall DA *see* Thongsaard W, 247P
- Kendrick KM *see* Hathway GJ, 141P
- Kengatharan M, Foster SJ & Thiernemann C Purified *Staphylococcus aureus* lipoteichoic acid induces nitric oxide synthase activity in murine macrophages, 335P
- Kennard C *see* Rhodes KF, 212P
- Kennett GA, Bright F, Trail B, Blackburn TP & Sanger GJ Effects of SB 204070A and SB 207266A, selective 5-HT₄ receptor antagonists, in three rat models of anxiety, 138P
- Kennett GA *see* Bright F, 244P
- Kennett GA *see* Lightowler S, 254P
- Kenny BA *see* Chalmers DH, 210P
- Kenny BA *see* Hopkins EM, 286P
- Kerr PM & Hillier K Radioligand binding profile of muscarinic receptors in human colon and ileum, 196P
- Kerslake SM, Hicks R & Evans AT Stage-specific tumour-promoting phorbol esters as markers of macrophage activation status as an *in vitro* model of metal oxide particle toxicity, 330P
- Kerslake SM *see* Qayum S, 273P
- Ketterer G *see* Hey C, 48P
- Khan N *see* Corder R, 316P
- Khandoudi N *see* Maddock HL, 19P
- Kieffer B *see* Kitchen I, 124P
- Kilpatrick IC *see* Ge J, 370P
- King BF, Wildman SS & Burnstock G Antagonism of a novel P1 receptor in follicular *Xenopus* oocytes, 132P
- King BF *see* Wildman SS, 130P
- Kirkman E *see* Ohnishi M, 26P
- Kirkpatrick C-J *see* Klapproth H, 61P
- Kirkup AJ, Eastwood C, Grundy D, Chessell IP & Humphrey PPA Activation of adenosine receptors increases mesenteric afferent nerve discharge, 18P
- Kitchen I, Slowe S, Matthes HWD, Simonin F, Befort K & Kieffer B Quantitative autoradiographic mapping of μ -, δ - and κ -opioid receptors in the brain of μ -receptor knockout mice, 124P
- Klapproth H, Reinheimer T, Metzen J, Münch M, Bittinger F, Kirkpatrick C-J, Racké K & Wessler I Non-neuronal acetylcholine, a widespread signalling molecule in man, 61P
- Kleschyov AL, Muller B & Stoclet JC Nitric oxide (NO) store as dinitrosyl-iron complexes in lipopolysaccharide-treated rat isolated aorta: localization and mechanism of formation, 90P
- Kleschyov AL *see* Muller B, 91P
- Kleuser B *see* Hoyer D, 119P
- Klingelschmidt A *see* Richards JG, 39P
- Knott RM *see* Mistry SK, 93P
- Kobilka BK *see* MacDonald E, 287P
- Kolb HC *see* Norman KE, 1P
- Konneh M *see* Carrier MJ, 313P
- Konneh M *see* Laight DW, 315P
- Korsmeyer S *see* Davies AM, 377P
- Kortekaas R *see* Jones DNC, 364P
- Kosaka A *see* Jasper JR, 298P
- Kromer BM & Tippins JR 8-Epi-prostaglandin $F_{2\alpha}$ is a vasoconstrictor in the rat isolated heart after perfusion with xanthine and xanthine oxidase, 181P
- Kulagowski JJ *see* Bristow LJ, 245P
- Kull B *see* Dionisotti S, 304P
- Kurahashi K, Usui H, Miyatake H, Kanda M, Nakao H & Oikawa H Implanted preganglionic trunk functionally reinnervates carotid artery in cat, 171P
- Laight DW, Carrier MJ & Änggård EE Potentiation of NO-dependent vasorelaxation and inhibition of platelet aggregation by the novel phosphodiesterase type V inhibitor, ONO-1505, *in vitro*, 314P
- Laight DW, Konneh M, Carrier MJ & Änggård EE Vasodepressor effect of the novel phosphodiesterase type V inhibitor, ONO-1505, in the rat *in vivo*, 315P
- Laight DW *see* Carrier MJ, 313P
- Lambert DG *see* Cembala TM, 183P
- Lambert DG *see* Harrison C, 222P
- Lambert DG *see* Hirst RA, 224P
- Lambert GL, Barker S, Wood E & Corder R Forskolin and tumor necrosis factor- α increase endothelin-2 secretion from human renal adenocarcinoma (ACHN) cells, 317P
- Lambert M, Paterson SJ, Hall SJ, Turcato S & Clapp LH Glibenclamide fails to block *in vitro* induction of nitric oxide synthase or vasorelaxation induced by bacterial

- lipopolysaccharide in rat aorta, 152P
 Lamberth M & Brett RR Effect of environmental enrichment on the response to diazepam in rats, 267P
 Land JM *see* Barker JE, 336P
 Land JM *see* Zeng B-Y, 329P
 Lang D, Hussain SA & Lewis MJ Homocysteine inhibits endothelium-dependent relaxation in isolated rabbit aortic rings, 145P
 Lang D *see* Bell JP, 99P
 Lang D *see* Hutcheson IR, 96P
 Large CH *see* Gray RA, 144P
 Larkin S *see* Bishop-Bailey D, 72P
 Larkin S *see* Bishop-Bailey D, 73P
 Larosa G *see* Forster C, 86P
 Laude AJ & Plane F Inhibition of acetylcholine-evoked dilatation of the rat isolated mesenteric bed by L-citrullin, 164P
 Laude EA, Grattan T & Morice AH The antitussive action of oral menthol on citric acid-induced cough in guinea-pigs, 199P
 Laude EA *see* Wright CE, 198P
 Laughton P, Macaulay AJ & Priestley T Individual neurones isolated from four regions of rat brain express mixed populations of NMDA receptor subtypes, 237P
 Launay JM *see* Hamroun D, 147P
 Leahy DJ, Newgreen DT, Storrs TJ & Naylor AM Characterisation of functional muscarinic receptors in human submandibular salivary gland, 204P
 Lee K *see* Whiting RL, 170P
 Lee M *see* Scott MGH, 9P
 Lee MG *see* Cooper JA, 291P
 Lee MG *see* Green A, 342P
 Lee MG *see* Patel K, 279P
 Lees D *see* Corder R, 316P
 Lees P *see* Marr KA, 343P
 Leeuwijn RS *see* Mantel P, 186P
 Leeuwijn RS *see* van Weeren-Kramer J, 184P
 Leeuwijn RS *see* Zeegers A, 185P
 Leff P *see* Dainty IA, 299P
 Leff P *see* Tomlinson W, 131P
 Leheshi GN *see* Gardner JD, 8P
 Lejeune B *see* Sannajust F, 29P
 Lennard MS *see* Chong LK, 13P
 Lennard MS *see* Weston MC, 12P
 Leslie RA *see* Briddon SJ, 292P
 Leung E *see* Eglen RM, 63P
 Lewis JW *see* Tyacke RJ, 225P
 Lewis M *see* Pitman MR, 82P
 Lewis MJ *see* Bell JP, 99P
 Lewis MJ *see* Berman RS, 54P
 Lewis MJ *see* Lang D, 145P
 Lewis R *see* Hunter JC, 229P
 Ley K *see* Norman KE, 1P
 Li G *see* Vohra MM, 153P
 Li Q, Feenstra M, Pfaffendorf M, Eijssman L & van Zwieten PA Contractile effect of angiotensin peptides in human isolated saphenous vein, 113P
 Li SW, Boughton-Smith NK & Westwick J cAMP elevation modulates fMLP-stimulated Ca^{2+} and Mn^{2+} influx in human neutrophils, 80P
 Libri V, Constanti A, Zibetti M & Postlethwaite M Pre- and post-synaptic metabotropic glutamate receptor pharmacology in guinea-pig olfactory cortical neurones *in vitro*, 354P
 Lightowler S, Bright F, Stevens NC, De Biasi V, Blackburn TP & Kennett GA Effect of paroxetine and mianserin on amphetamine-induced hyperlocomotion, 254P
 Likungu J *see* Schlicker E, 143P
 Lilley E & Gibson A Ascorbate: content, release and protection of NO-induced relaxations in the anococcygeus muscle, 53P
 Lindsay M *see* Sherry L, 28P
 Lindsay RM, Peet RS, Wilkie GS, Rossiter SP, Smith W, Baird JD & Williams BC Effects of chronic inhibition of nitric oxide synthase on mean arterial pressure and *in vitro* noradrenergic vasoreactivity in the rat, 167P
 Link RE *see* MacDonald E, 287P
 Little HJ *see* Bailey C, 136P
 Little HJ *see* Manley SJ, 372P
 Little HJ *see* Molleman A, 371P
 Little HJ *see* Wilson J, 135P
 Little RA *see* Ohnishi M, 26P
 Liu B-C, Haylor J & El Nahas AM ODQ prevents the increase in [^3H] thymidine and [^{14}C] leucine uptake induced by nitroprusside in rat kidney slices, 333P
 Lloyd AW *see* Tyers NM, 321P
 Lo G *see* MacDermot J, 79P
 Lodge D & Woolley ML Effect of cyclothiazide on synaptic transmission in the neonatal rat hemisectioned spinal cord *in vitro*, 36P
 Lodge D *see* Bond A, 355P
 Lodge D *see* Gillard SE, 32P
 Lodge D *see* O'Neill MJ, 240P
 Lodge D *see* O'Neill MJ, 357P
 Lodge D *see* Small BG, 302P
 Loeb M *see* Eglen RM, 63P
 Long SK *see* Ge J, 370P
 Longmore J *see* Razzaque Z, 211P
 Lopez G *see* Astolfi M, 202P
 Lopez-Miranda V, Ortega A, Civantos B & Aleixandre MA Arterial blood pressure and nitric oxide in rats fed on calcium-deficient diets, 161P
 López-Miranda V *see* Aleixandre MA, 163P
 López-Miranda V *see* Ortega A, 162P
 Loudun JM Muscarinic partial agonists in the treatment of Alzheimer's disease, 384P
 Loury D *see* Eglen RM, 63P
 Louttit JB *see* Hunt AAE, 180P
 Luheshi GN *see* Gardner JD, 365P
 Lundstrom K *see* Hawcock AB, 328P
 Lundstrom K *see* Michel AD, 126P
 Luong LA *see* MacLennan SJ, 109P
 Lussier A *see* Getting SJ, 5P
 Lynham JA *see* Kaumann AJ, 102P
 Maassen Van Den Brink A, Reekers M, Bax WA, Ferrari MD & Saxena PR Current and future anti-migraine drugs in the human isolated coronary artery, 68P
 McArdle CA *see* Willars GB, 85P
 Macaulay AJ *see* Laughton P, 237P
 McCabe PJ *see* Danahay H, 201P
 McCloughlin DJ & Strange PG Functional characterisation of agonists at serotonin 5-HT $_{1A}$ receptors, 296P
 MacCoss M *see* Rupniak NMJ, 363P
 McCulloch A & Randall MD, The effects of levromakalim on nitric oxide- and EDHF-mediated relaxations in the rat isolated mesenteric arterial bed, 155P
 McCulloch J *see* Irving EA, 40P
 McCurrie JR, Pursglove S & Yeung CK Role of potassium channels in oestrogen-induced vascular relaxation, 150P
 MacDermot J, Lo G, Yadollahi-Farsani M, Saxty BA & Kefalas P Cloning of cDNA encoding arginine-specific mono(ADP-ribosyl) transferase in human neutrophil polymorphs: relevance to chemotaxis, 79P
 McDermott BJ *see* Bell D, 88P
 MacDonald E, Sallinen J, Viitamaa T, Haaplinna A, Tuomisto L, Scheinin M, Link RE & Kobilka BK Effects of dexmedetomidine on levels of biogenic amines and metabolites in mice with targeted inactivation of the $\alpha_2\text{C}$ -adrenoceptor gene, 287P
 McGiff JC *see* Quilley J, 156P
 McKay GD *see* Dainty IA, 299P
 McKellar QA *see* Cheng Z, 236P
 MacKenzie A & Martin W Protection of agonist-induced nitric oxide by Cu-Zn superoxide dismutase in rabbit aorta, 159P
 McKnight AT *see* Hirst RA, 224P
 McKnight AT *see* Nicholson JR, 69P
 McKnight AT *see* Paterson SJ, 223P
 McKnight AT *see* Smart D, 7P
 McKnight AT *see* Smart D, 310P
 McLaughlin SJ *see* Smythe JW, 268P
 McLay JS *see* Chatterjee PK, 92P
 McLay JS *see* Mistry SK, 93P
 MacLennan SJ, Reynen PH, Luong LA, Ford APDW & Eglen RM Agonist

- and antagonist affinity estimates for the human cloned α_{2A} receptor expressed in CHL cells, 109P
- Maddedu P, Varoni MV, Emanuelli C, Glorioso N & Hess F Cardiovascular phenotype of transgenic mice with disruption of bradykinin B₂-receptor gene, 20P
- Maddedu P & Emanuelli C Sexual dimorphism of blood pressure response to bradykinin, 21P
- Maddock HL, Broadley KJ, Bril A & Khandoudi N Cardioprotection from ischaemic insult in isolated working hearts by an A₃ receptor agonist, 19P
- Maggi CA *see* Santicioli P, 191P
- Maguire JJ, Johnson CM & Davenport AP Characterisation of endothelin receptors and converting enzyme activity in human umbilical vein *in vitro*, 115P
- Malcangio M, Garrett NE & Tomlinson DR Effect of neurotrophin 3 on the release of substance P from the rat spinal cord, 70P
- Manley SJ & Little HJ Prolonged increases in sensitivity to adenosine ligands following withdrawal from ethanol treatment, 372P
- Mantel P, Leeuwijn RS, van Wilgenburg H & van Hamme J Block of evoked action potentials of the rat sciatic nerve *in vitro* by benzodiazepines, 186P
- Manzini S *see* Astolfi M, 202P
- Markham A, Jones SJ & Sutcliffe M PHEN Workshop: a survey of methods of teaching and learning in undergraduate pharmacology within higher education – 1996, 376P
- Marr KA, Lees P & Cunningham FM Equine neutrophil adherence in response to PAF, C5a, IL-8 and PMA is mediated via a CD18-dependent mechanism, 343P
- Marsden CA *see* Clemett DA, 294P
- Marsden CA *see* Commissaris RL, 373P
- Marsden CA *see* Graham M, 256P
- Marsden CA *see* Roberts RE, 84P
- Marsden CA *see* Thongsaard W, 247P
- Marsden CD *see* Zeng B-Y, 329P
- Marsh KA, Hawley J, Rubin PC & Hill SJ Signal transduction characteristics of cultured smooth muscle cells of the human uterine artery maintained in a low (12.5%) oxygen environment, 307P
- Marshall FH *see* Green A, 342P
- Marshall FH *see* Patel K, 279P
- Marshall HW *see* Ohnishi M, 26P
- Marshall I *see* Wisskirchen FM, 209P
- Martin AK, Willars GB & Nahorski SR Complex relationship between Ins(1,4,5)P₃ and [Ca²⁺]_i signalling in SH-SY5Y cells revealed by differentiation with retinoic acid, 81P
- Martin KF *see* Aspley S, 353P
- Martin KF *see* Butler SA, 350P
- Martin KF *see* Phillips I, 367P
- Martin KF *see* Prow MR, 351P
- Martin KF *see* Smith SL, 368P
- Martin W *see* Dowell FJ, 56P
- Martin W *see* MacKenzie A, 159P
- Martinez G *see* Whiting RL, 170P
- Maskell L *see* Razzaque Z, 211P
- Mason SL, Chess-Williams R, Chapple CR & Wyllie M The role of α_{1D} -adrenoceptors in prostatic contraction examined using protection studies, 108P
- Mathieu MN *see* Hamroun D, 147P
- Matthes HWD *see* Kitchen I, 124P
- Matthews KL, Cunningham JR & Neal MJ Nitric oxide (NO) modulates rabbit cholinergic amacrine cells by reducing glycinergic negative feedback, 216P
- Maubach KA & Grundy D The role of prostaglandins in the bradykinin-induced activation of serosal afferents of the rat jejunum *in vitro*, 78P
- Mawer I *see* Bristow LJ, 245P
- Maxwell MP *see* Hunt AAE, 180P
- Mayes A *see* Anderson R, 133P
- Meadows KD *see* Commissaris RL, 373P
- Megson IL, Greig IR, Butler AR, Gray GA & Webb DJ Vasodilatory properties of a novel nitrosated glyco-amino acid in rat isolated femoral arteries: potential as a slow release nitric oxide donor drug, 52P
- Meller R, Smith S, Harrison PJ & Sharp T Effect of 5-HT on the release of endogenous glutamate from C6 rat glioma cells, 34P
- Messer J *see* Richards JG, 39P
- Metzen J *see* Klapproth H, 61P
- Michel AD, Lundstrom K & Humphrey PPA Further evidence for allosteric interactions of purinoceptor antagonists with the P2X₄ purinoceptor, 126P
- Michel MC *see* Bischoff A, 111P
- Michel MC *see* Fetscher C, 324P
- Michel MC *see* Yang M, 285P
- Middlemiss DN *see* Roberts C, 140P
- Middlemiss DN *see* Schlicker E, 143P
- Middleton G *see* Davies AM, 377P
- Mieyal P *see* Quilley J, 156P
- Millar CGM & Thiemermann C Effect of nitric oxide synthase (NOS) inhibition with aminoethyl-isothiourea on renal function and haemodynamics in endotoxaemia in the rat, 94P
- Millar JA *see* Davie CS, 89P
- Miller AM *see* Chalmers DH, 210P
- Mills A *see* Allen MJ, 339P
- Mills SG *see* Rupniak NMJ, 363P
- Mistry SK, Chatterjee PK, Knott RM, Hawksworth GM & McLay JS Natriuretic peptides stimulate natriuretic peptide and receptor expression in rat proximal tubular cells, 93P
- Mistry SK *see* Chatterjee PK, 92P
- Mitchell AL, Phipps S, Grahame-Smith DG & Elliott JM Investigation into the paradoxical down-regulation by antagonists of human 5-HT_{2A} receptors expressed in SH-SY5Y human neuroblastoma cells, 293P
- Mitchell JA *see* Bishop-Bailey D, 72P
- Mitchell JA *see* Bishop-Bailey D, 73P
- Mitchell JA *see* Jourdan KB, 166P
- Miyatake H *see* Kurahashi K, 171P
- Mohell N *see* Hansard MJ, 120P
- Mohr K *see* Pfaffendorf M, 103P
- Molderings GJ *see* Schlicker E, 143P
- Molenaar P *see* Kaumann AJ, 102P
- Molleman A & Little HJ Increased hippocampal calcium currents during withdrawal from chronic ethanol treatment, 371P
- Molleman A *see* Bailey C, 136P
- Molta C *see* Dionisotti S, 304P
- Montgomery AMJ, Grottick AJ & Herberg LJ Differing effects of typical and atypical neuroleptics on intracranial self-stimulation may depend on α_2 rather than 5-HT₂ antagonism, 251P
- Moore D *see* Gavin KT, 104P
- Moorman JM *see* Bartrup JT, 280P
- Moran PM, Young AMJ, Gray JA & Joseph MH A single amphetamine treatment is able to disrupt latent inhibition in the rat by an action at conditioning alone, 139P
- Morgans DJ *see* Blue DR Jr, 107P
- Morgans DJ *see* Williams TJ, 106P
- Morice AH *see* Jones RD, 64P
- Morice AH *see* Jones RD, 65P
- Morice AH *see* Jones RD, 154P
- Morice AH *see* Laude EA, 199P
- Morice AH *see* Muxworthy RO, 200P
- Morice AH *see* Wright CE, 197P
- Morice AH *see* Wright CE, 198P
- Morris JF *see* Christian HC, 3P
- Mortlock A *see* Wilson C, 114P
- Moss SJ *see* Woollorton JRA, 41P
- Moy T *see* Eglen RM, 63P
- Muller B, Kleschyov AL & Stoclet JC Nitric oxide (NO) store as dinitrosyl-iron complexes in lipopolysaccharide-treated rat isolated aorta: cyclic GMP-independent relaxing effect of NO released by N-acetylcysteine, 91P
- Muller B *see* Kleschyov AL, 90P
- Münch M *see* Klapproth H, 61P
- Mundin JR *see* Barrett VJ, 234P
- Murphy D, Costall B & Smythe JW Corticosterone modulates hippocampal theta frequency and power via mineralocorticoid but not

- glucocorticoid receptors, 271P
- Murphy D *see* Smythe JW, 268P
- Murphy D *see* Timothy C, 270P
- Murray TK *see* Colado MI, 263P
- Murray TK *see* Colado MI, 264P
- Murrell-Lagnado R *see* Smith FM, 129P
- Mustafa S, Pilcher CWT & Williams KI
The mechanism of cooling-induced contraction of ovine trachealis muscle, 208P
- Mutel V *see* Richards JG, 39P
- Muxworthy RO, Jones G & Bee D
Ventilatory action of the pulmonary vasodilator ANP (atrial natriuretic peptide), 200P
- Myint FP & Thiernemann C Inhibition of NO synthase activity reduces the skeletal muscle necrosis caused by ischaemia-reperfusion of the hindlimb, 50P
- Myint FP & Thiernemann C PARS inhibition reduces the muscle necrosis caused by ischaemia-reperfusion injury of the hindlimb, 51P
- Nahorski SR *see* Boxall DK, 62P
- Nahorski SR *see* Carruthers AM, 30P
- Nahorski SR *see* Martin AK, 81P
- Nahorski SR *see* Willars GB, 85P
- Nakao H *see* Kurahashi K, 171P
- Nashashibi N *see* Norel X, 58P
- Naylor A *see* Hawcock AB, 328P
- Naylor AM *see* Leahy DJ, 204P
- Naylor AM *see* Williamson IJR, 205P
- Naylor LH *see* Coley C, 276P
- Naylor RJ *see* Costall B, 253P
- Naylor RJ *see* Costall B, 255P
- Naylor RJ *see* Costall B, 262P
- Naylor RJ *see* Javid FA, 193P
- Neal MJ *see* Matthews KL, 216P
- Neil KE, Kendall DA & Alexander SPH
Potentiation of sodium nitroprusside-stimulated cyclic GMP formation in NG108-15 cells in the presence of cyclic AMP stimuli, 306P
- Neill JC *see* Smith AG, 250P
- Neill JC *see* Smith JK, 249P
- Neo S-Y, Bagrij T, Hladky SB & Barrand MA Characteristics of drug uptake into vesicles containing the multidrug resistance associated protein, MRP, 340P
- Newberry NR *see* Bartrup JT, 280P
- Newberry NR *see* Craven RM, 261P
- Newgreen DT *see* Leahy DJ, 204P
- Newgreen DT *see* Williamson IJR, 205P
- Newton BB, Carpenter TG, Thompson AM, Fitzgerald MF, Gardiner PJ & Poll CT Eosinophil peroxidase: a reliable marker of antigen-induced pulmonary eosinophilia, 203P
- Newton R *see* Bishop-Bailey D, 72P
- Nials AT *see* Danahay H, 201P
- Nicholson JR, Paterson SJ & McKnight AT Dynorphin A is the only endogenous opioid peptide with high affinity for the ORL₁-binding site, 69P
- Nicholson JR *see* Paterson SJ, 223P
- Nijkamp FP *see* Fokerts G, 59P
- Nisticò G *see* Bagetta G, 358P
- Nisticò G *see* Nucci C, 238P
- Nolan AM *see* Cheng Z, 236P
- Nolan AM *see* Pawson P, 165P
- Norel X, Walch L, Taisne C, Gascard JP, Nashashibi N & Brink C Cholinesterase activity in human pulmonary vessels, 58P
- Norman KE, Anderson GP, Kolb HC, Ley K & Ernst B A novel sLex mimetic, CGP69669A, inhibits leukocyte rolling *in vivo*, 1P
- Normile HJ *see* Commissaris RL, 373P
- North TJ *see* Dickinson K, 189P
- Norton CL *see* Tyacke RJ, 225P
- Nucci C, Piccirilli S, Palma E, Bagetta G, Nisticò G & Cerulli L Evidence for a role of *N*-methyl-D-aspartate (NMDA) receptors in dark-rearing evoked apoptosis in the lateral geniculate nucleus (LGN) of rabbit, 238P
- Nutt DJ *see* Robinson ESJ, 288P
- Nutt DJ *see* Tyacke RJ, 225P
- Oakley I *see* Clayton NM, 219P
- Oakley IG *see* Thompson SL, 220P
- Oakley NR *see* Beresford IJM, 360P
- Obrenovitch TP *see* Urenjak J, 142P
- O'Connor JJ *see* O'Leary DM, 31P
- Ohnishi M, Kirkman E, Marshall HW & Little RA DAMGO [*H*-Tyr-D-Ala-Gly-MePhe-NH(CH₂)₂H] inhibits the bradycardia associated with severe haemorrhage in the anaesthetized rat, 26P
- Oikawa H *see* Kurahashi K, 171P
- O'Leary DM & O'Connor JJ Effects of type I and II metabotropic glutamate receptor agonists and antagonists on paired pulse depression in the rat dentate gyrus *in vitro*, 31P
- O'Neill MJ, Bath CP, Dell CP, Hicks C, Ward M, Gilmore J, Ambler SJ, Lodge D & Bleakman D Effects of neuronal calcium channel antagonists on sodium channels *in vitro* and in global ischaemia *in vivo*, 240P
- O'Neill MJ, Ward M, Hicks CA & Lodge D Evaluation of the nitric oxide synthase inhibitors 7-nitroindazole, 3-bromo-7-nitroindazole and L-NAME in gerbil global cerebral ischaemia, 357P
- O'Neill MJ *see* Bond A, 355P
- Ongini E *see* Dionisotti S, 304P
- Oriowo MA *see* Yousif MH, 190P
- Ortega A, Lopez-Miranda V, Puerro M & Aleixandre MA Contractile responses of rabbit aorta rings to ouabain, 162P
- Ortega A *see* Aleixandre MA, 163P
- Ortega A *see* López-Miranda V, 161P
- O'Shea E *see* Colado MI, 263P
- O'Shea E *see* Colado MI, 264P
- Otley CE, Crawford SP, Davidson HJ & Hiley CR Effects of peroxynitrite on contraction and relaxation responses in the small mesenteric, coronary and basilar arteries of the rat, 55P
- Özer H & Starr M Differential interaction of dizocilpine with dopamine D₁- and D₂-induced catalepsy, 248P
- Page CP *see* Banner KH, 11P
- Page CP *see* Emerson M, 175P
- Page CP *see* Paul W, 172P
- Palma E *see* Bagetta G, 358P
- Palma E *see* Nucci C, 238P
- Palmerley ND *see* Darko SKA, 195P
- Panesar MS, Patel S, Gentry CT & Campbell EA A novel model for neuropathic pain in the guinea-pig: comparative analgesic activity in a model of inflammatory hyperalgesia, 230P
- Parente L *see* Getting SJ, 5P
- Pérez-Vizcaíno F, Villamor E, Fernández C, Fernández del Pozo F, Cogolludo A & Tamargo J Effects of sodium nitroprusside, levromakalim and nicorandil in isolated piglet pulmonary and mesenteric arteries, 160P
- Pérez-Vizcaíno F, Villamor E, Fernández del Pozo F, Fernández C & Tamargo J U46619 and endothelin-1 inhibit the relaxant responses via cGMP pathway in piglet pulmonary arteries, 149P
- Parlani M *see* Astolfi M, 202P
- Parrott RF *see* Ebenezer IS, 265P
- Parsons AA *see* Read SJ, 214P
- Parsons SJW, Sumner MJ & Garland CJ
Lack of effect of potassium channel modulators on intra-cellular calcium release and uptake in rabbit isolated mesenteric arteries, 346P
- Parveen S *see* Tare M, 15P
- Patel K, Marshall FH, Brown S, Rhodes A Rees ES & Lee MG Characterisation of [³H]-glutamate binding to the mGluR1α and mGluR1β subtype of metabotropic glutamate receptors, 279P
- Patel M & Ramage AG Investigation of the haemodynamic effects of the selective adenosine A₃ receptor agonist iodobenzyl-5-*N*-methyl carboxamidoadenosine, IB-MECA, in anaesthetized cats, 16P
- Patel S *see* Bristow LJ, 245P
- Patel S *see* Panesar MS, 230P

- Paterson SJ, Nicholson JR & McKnight AT Comparison of the regional distribution of ORL- and μ -, δ - and κ -opioid binding sites in homogenates of rabbit, guinea-pig and rat brain, 223P
- Paterson SJ *see* Lambert M, 152P
- Paterson SJ *see* Nicholson JR, 69P
- Paul W & Page CP Effect of α_2 -adrenoceptor agonists on bradykinin-induced plasma protein extravasation in guinea-pig skin, 172P
- Paul W *see* Emerson M, 175P
- Pawson P, Reid J & Nolan AM The role of nitric oxide and endogenous prostaglandins in the responses of the ovine digital artery to phenylephrine and bradykinin, 165P
- Peachell PT *see* Chong LK, 13P
- Peachell PT *see* Weston MC, 12P
- Pearce BR *see* Segieth J, 258P
- Peet RS *see* Lindsay RM, 167P
- Pell TJ, Baxter GF, Goodwin RW & Yellon DM Myocardial ischaemic tolerance following heat stress is abolished by K_{ATP} channel blockade, 151P
- Pepper JR *see* Bishop-Bailey D, 72P
- Pepper JR *see* Bishop-Bailey D, 73P
- Perkins MN *see* Davis AJ, 74P
- Perretti M *see* Das AM, 4P
- Perretti M *see* Getting SJ, 5P
- Perretti M *see* Tailor A, 372P
- Petcu EB *see* Doggrell SA, 374P
- Peters SLM, Pfaffendorf M & van Zwieten PA Influence of oxidative stress on β -adrenoceptor-mediated inotropic effects, 177P
- Pfaffendorf M, Batink HD, Tränkle C, Mohr K & van Zwieten PA Allosteric modulation by alcuronium, gallamine and W84 is not a common feature of G-protein coupled receptors but specific for cardiac muscarinic receptors in the rat, 103P
- Pfaffendorf M *see* Heijenbrok FJ, 176P
- Pfaffendorf M *see* Li Q, 113P
- Pfaffendorf M *see* Peters SLM, 177P
- Pfaffendorf M *see* Zwaveling J, 105P
- Philipp T *see* Fetscher C, 324P
- Phillips I, Martin KF, Davies JA & Heal DJ GABA-induced depolarisations in the rat cortical wedge preparation are mediated by $GABA_A$ receptors and may involve HCO_3^- ions, 367P
- Phipps S *see* Mitchell AL, 293P
- Piccirilli S *see* Bagetta G, 358P
- Piccirilli S *see* Nucci C, 238P
- Pickard J *see* Razzaque Z, 211P
- Pierre LN & Davenport AP Further characterisation of vasoconstrictor endothelin receptors in human small coronary arteries, 148P
- Pilcher CWT *see* Mustafa S, 208P
- Pinon L *see* Davies AM, 377P
- Piper AS & Docherty RJ Capsaicin increases the desensitization rate of ATP-evoked inward currents in adult rat dorsal root ganglion (DRG) neurones *in vitro*, 227P
- Pitman MR, Karlsson JOG & Griffith TM Relaxation of rabbit aorta by iodinated radiographic contrast media (IRCM) may be partially mediated by Ca^{2+} sequestration into the sarcoplasmic reticulum, 82P
- Plane F, Wiley KE, Cohen RA & Garland CJ The role of potassium channels in relaxation of the rabbit isolated carotid artery to the NO-donor SIN-1, 98P
- Plane F *see* Laude AJ, 164P
- Poisson D *see* Sannajust F, 29P
- Poll CT *see* Newton BB, 203P
- Porter S *see* Whiting RL, 170P
- Postlethwaite M *see* Libri V, 354P
- Poyner DR Effects of temperature on the binding of calcitonin gene-related peptide and analogues to the guinea-pig cerebellum and vas deferens, 235P
- Pratt JA *see* Kempsill FEJ, 275P
- Prendergast BD *see* Bell JP, 99P
- Price GW *see* Roberts C, 140P
- Price GW *see* Schlicker E, 143P
- Price GW *see* Selkirk JV, 295P
- Priestley T *see* Laughton P, 237P
- Priestley T *see* Thompson SA, 283P
- Prow MR, Hannon SD, Aspley S, Martin KF & Heal DJ Comparison of the effects of sibutramine, fluoxetine and *d*-fenfluramine on extracellular 5-HT in rat anterior hypothalamus: an *in vivo* microdialysis study, 351P
- Prow MR *see* Aspley S, 353P
- Prow MR *see* Butler SA, 350P
- Puerro M *see* Alexiandre MA, 163P
- Puerro M *see* Ortega A, 162P
- Pursglove S *see* McCurrie JR, 150P
- Qayum S, Shafique M, Keslake SM, Smythe JW & Evans AT Tacrine inhibits rabbit calcium dependent neutral protease *in vitro*, 273P
- Quilley J, Mieyal P, McGiff JC & Fulton D K^+ channels and the NO-independent vasodilator action of acetylcholine (ACh) in the rat isolated, perfused kidney, 156P
- Quilley J *see* Bell-Quilley CP, 146P
- Quine L *see* Carrier MJ, 313P
- Quine LA, Gunnarsson PT, Carrier MJ & Ånggård EE Assessment of anti-oxidant activity using the SIN-1 degradation assay, 331P
- Racké K *see* Hey C, 48P
- Racké K *see* Klapproth H, 61P
- Racké K *see* Reinheimer T, 60P
- Raghib A *see* Barrett VJ, 234P
- Ramage AG & de Burgh Daly M Central effects of the 5-HT₂ receptor agonist 1-(2,5-dimethoxy-4-iodophenyl)-2-aminopropane (DOI) and NMDA on left ventricular dP/dt max in anaesthetized cats, 27P
- Ramage AG *see* Patel M, 16P
- Ramage AG *see* Skinner MR, 25P
- Ramage AG *see* Wang Y, 38P
- Randall MD *see* McCulloch AI, 155P
- Ranson J *see* Wardle KA, 228P
- Razzaque Z, Shaw D, Smith D, Hopkins R, Sirinathsinghi D, Maskell L, Stanton JA, Beer MS, Hill RG, Pickard J & Longmore J Pharmacological analysis of 5-HT-receptor-mediated vasoconstriction of human middle meningeal arteries: determining the contribution of 5-HT_{1B} and 5-HT_{1F} receptor activation, 211P
- Read SJ, Bulmer DCE, Rushton S, Smith MI, Baxter GS, Smith S & Parsons AA 5-HT, or the 5-HT_{2B} receptor agonist, BW 723C86, do not alter marker extravasation in rat dura mater, 214P
- Reekers M *see* Maassen Van Den Brink A, 68P
- Rees ES *see* Coope H, 303P
- Rees ES *see* Green A, 342P
- Rees ES *see* Patel K, 279P
- Rees S *see* Cooper JA, 291P
- Rees S *see* Scott MGH, 9P
- Refsum H *see* Towart R, 158P
- Reggiani A *see* Carignani C, 226P
- Reid J *see* Pawson P, 165P
- Reinheimer T, Baumgärtner B, Racké K & Wessler I Acetylcholine inhibits histamine release from isolated human bronchi via stimulation of muscarinic receptors, 60P
- Reinheimer T *see* Klapproth H, 61P
- Reiss C *see* Chazot PL, 37P
- Relton JK, Beckey VE, Rothwell NJ & Whalley ET Bradykinin B₂ receptor antagonist CP-0597 reduces infarct volume after focal cerebral ischaemia in the rat: comparison with HOE 140, NPC 17731 and MK801, 75P
- Relton JK, Rothwell NJ & Whalley ET Blockade of the bradykinin B₁ receptor reverses the neuroprotective effect of B₂ receptor antagonism after focal cerebral ischaemia in the rat, 76P
- Reynen PH *see* MacLennan SJ, 109P
- Rhodes A *see* Patel K, 279P
- Rhodes KF, Buckingham JC & Kennard C Inhibition of nicotine-evoked relaxation of the guinea-pig isolated basilar artery by sumatriptan, 5-hydroxytryptamine (5-HT) and 5-carboxamidotryptamine (5-CT), 212P

- Richards JG, Messer J, Buchy D, Klingelschmidt A & Mutel V *in vitro* binding characteristics of a selective NMDA receptor 2_B subtype antagonist [³H]-Ro 25-6981 in rat brain, 39P
- Richardson PJ *see* Crawford SP, 178P
- Richardson PJ *see* Davidson HJ, 17P
- Riedl AG *see* Watts PM, 123P
- Roberts C, Price GW, Jones BJH, Middlemiss DN, Gaster L & Routledge C Importance of 5-HT_{1B} selectivity for 5-HT terminal auto-receptor activity: an *in vivo* microdialysis study in the freely-moving guinea-pig, 140P
- Roberts GW The pathophysiology of Alzheimer's disease, 380P
- Roberts RE, Marsden CA & Kendall DA Efflux of inositol phosphates from neuronal tissues *in vitro*, 84P
- Robertson MJ *see* Tomlinson W, 131P
- Robinson C *see* Tare M, 15P
- Robinson ESJ, Nutt DJ, Jackson HC & Hudson AL α_2 -Adrenoceptor binding in rat brain following chronic infusion of a phosphorothioate antisense oligonucleotide to the α_{2D} subtype, 288P
- Robson C *see* Ruetten H, 46P
- Rossi F *see* D'Amico M, 118P
- Rossiter S *see* Sherry L, 28P
- Rossiter SP *see* Lindsay RM, 167P
- Rothwell NJ Brain inflammation and neurodegeneration, 379P
- Rothwell NJ *see* Gardner JD, 8P
- Rothwell NJ *see* Relton JK, 75P
- Rothwell NJ *see* Relton JK, 76P
- Rothwell NJ *see* Smith SL, 368P
- Rotiroti D *see* Bagetta G, 358P
- Routledge C *see* Roberts C, 140P
- Routledge C *see* Thorn L, 257P
- Rowbotham DJ *see* Harrison C, 222P
- Rowlands T *see* Francis I, 341P
- Ruan J *see* Yang M, 285P
- Rubin PC *see* Farahani M, 325P
- Rubin PC *see* Joseph SK, 10P
- Rubin PC *see* Marsh KA, 307P
- Rubin PC *see* Scott MGH, 9P
- Ruetten H, Hynes C & Thiemermann C Inhibition by E-type prostaglandins of the formation of endothelin-1 by bovine endothelial cells, 320P
- Ruetten H, Robson C & Thiemermann C Calpain inhibitor I attenuates circulatory failure, organ injury and the expression of nitric oxide synthase and cyclooxygenase II in endotoxemic shock, 46P
- Ruetten H & Thiemermann C Effects of inhibitors of tyrosine kinase on haemodynamics, organ failure and expression of nitric oxide synthase in rats with endotoxemic shock, 47P
- Rupniak HTR *see* Anderson IK, 272P
- Rupniak HTR *see* Chessell IP, 127P
- Rupniak NMJ, Tattersall FD, Williams AR, Rycroft W, Carlson EJ, Cascieri MA, Hale JJ, Mills SG, MacCoss M, Seward E, Huscroft I, Swain CJ, Hill RG & Hargreaves RJ Prediction of the anti-emetic activity of NK₁ receptor antagonists in ferrets by their ability to inhibit GR73632-induced foot tapping in gerbils, 363P
- Rupniak NMJ, Tye SJ & Field MJ Effect of the acetylcholinesterase inhibitor E2020 in tests of spatial and visual recognition memory in rhesus monkeys, 369P
- Rushton S *see* Read SJ, 214P
- Russell FD, Skepper JN & Davenport AP Subcellular localisation of ET_A and ET_B receptors in human coronary artery, 116P
- Rutherford C, Carrier MJ, Änggård EE & Ferns GAA Antibodies to PDGF-BB inhibit fatty streak development, but not neointimal formation after balloon injury to the carotid artery, in cholesterol-fed rabbits, 322P
- Rutherford C *see* Carrier MJ, 313P
- Rycroft W *see* Rupniak NMJ, 363P
- Sager G *see* Towart R, 158P
- Sallinen J *see* MacDonald E, 287P
- Sanai T *see* Ali A, 332P
- Sanderson EM, Bispham JR & Hill SJ Non-selective effects of the putative phospholipase C inhibitor, U73122, on adenosine A₁-receptor-mediated signal transduction events in CHO-K1 cells, 305P
- Sanger GJ *see* Kennett GA, 138P
- Sanger GJ *see* Wardle KA, 192P
- Sanger GJ *see* Wardle KA, 228P
- Sanjar S *see* Danahay H, 201P
- Sannajust F, Poisson D, Venumière P, Lejeune B & Dubar M Comparative effects of rilmenidine and amiodarone on neurogenic arrhythmias in anaesthetized and conscious rabbits, 29P
- Sansum AJ, Chessell IP & Humphrey PPA Characterisation of purinoceptors mediating responses to ATP on rat dorsal roots, 128P
- Santicioli P & Maggi CA Electrophysiological study on the activity of the tachykinin NK₂ receptor antagonist MEN 11,420 in the guinea-pig circular colon, 191P
- Sargent B *see* Clayton NM, 219P
- Sarsero D *see* Kaumann AJ, 102P
- Saxena PR *see* Danser AHJ, 97P
- Saxena PR *see* de Lannoy LM, 117P
- Saxena PR *see* De Vries P, 67P
- Saxena PR *see* Maassen Van Den Brink A, 68P
- Saxty BA *see* MacDermot J, 79P
- Scalbert E *see* Ting KN, 45P
- Schalekamp MADH *see* de Lannoy LM, 117P
- Scheinin M *see* MacDonald E, 287P
- Schlicker E, Fink K, Molderings GJ, Price GW, Middlemiss DN, Zentner J, Likungu J & Gothert M Effects of SB 216641 and BRL 15572 (selective h5-HT_{1B} and h5-HT_{1D} receptor antagonists, respectively) on guinea-pig and human 5-HT auto- and hetero-receptors, 143P
- Schoemaker RC *see* Van der Graaf PH, 173P
- Scott C *see* Selkirk JV, 295P
- Scott CM, Smith G, Grundy D & Bountra C The differential effects of fentanyl on dorsal horn neurones responsive to colorectal distension within the lumbosacral cord of the anaesthetised rat, 221P
- Scott CM *see* Evans KS, 218P
- Scott EE & Bruinvels AT, Visualisation of 5-HT₁ receptors using [³⁵S]GTP γ S binding in rat brain, 297P
- Scott MGH, Hill P, Rees S, Brown S, Lee M & Hall IP Control of gene expression by elevation of cell cAMP content in primary cultures of human airway smooth muscle cells (HASM) transfected with a cAMP-responsive reporter construct, 9P
- Segieth J, Pearce B & Whitton PS Nitric oxide modulates 5-HT release in rat ventral hippocampus, 258P
- Selbie LA, Hill SJ & Haynes JM Peptide YY(PYY)/Neuropeptide Y receptor-mediated responses in the epididymis and vas deferens of the guinea-pig: evidence for a PYY selective response, 44P
- Selkirk JV, Scott C, Jerman JC & Price GW [³H]GR125743 labels both high and low affinity states of h5-HT_{1B} and h5-HT_{1D} receptors, 295P
- Sellers LA *see* Wilkinson GF, 308P
- Sennitt MV *see* Kelly J, 207P
- Serrão MP *see* Gomes P, 323P
- Serrão MP *see* Soares-da-Silva P, 112P
- Seuwen K *see* Boddeke HWGM, 33P
- Seward E *see* Rupniak NMJ, 363P
- Seybold J *see* Bleasdale K, 57P
- Shafique M *see* Qayum S, 273P
- Shakespeare AC & Davies JA, The GABA uptake inhibitor, NO-711, induces depolarizations in mouse cortical wedges, 366P
- Shanik G *see* Gavin KT, 104P
- Shankley NP *see* Van der Graaf PH, 173P
- Sharma RP *see* Huang EY-K, 233P
- Sharp T *see* Ainsworth K, 252P
- Sharp T *see* Meller R, 34P
- Shaw D *see* Razzaque Z, 211P
- Sheehan MJ *see* Coope H, 303P

- Sherry L, Rossiter S, Lindsay M & Williams BC The effect of elevated glucose concentrations on vascular reactivity in the streptozotocin-induced diabetic rat, 28P
- Sibley DR *see* Clifford J, 134P
- Siebeck M, Eich-Rathfelder S, Fautz M, Hohenbleicher F, Fritz H, Cheronis JC & Whalley ET Bradykinin B₁ receptor agonist studies in porcine endotoxin shock, 182P
- Sills S *see* Jones RB, 352P
- Simmonds MA *see* Hand K, 282P
- Simon J *see* Smith FM, 129P
- Simonin F *see* Kitchen I, 124P
- Sirinathsinghji D *see* Razzaque Z, 211P
- Sirinathsinghji DJ Transgenic models of neurodegenerative disorders, 382P
- Skamarauskas JT, Callingham BA & Henderson RM The effects of metabolites produced by semicarbazide-sensitive amine oxidase on glutathione reductase activity and on cultured rat mesangial cells, 337P
- Skepper JN *see* Russell FD, 116P
- Skinner MR & Ramage AG Evidence that central 5-HT_{1A} receptors are involved in the vagal bradycardia evoked by aortic nerve stimulation in anaesthetized rabbits, 25P
- Slade PD *see* Jones DNC, 364P
- Slater NA *see* Butler SA, 350P
- Slater NA *see* Cheetham SC, 349P
- Slowe S *see* Kitchen I, 124P
- Small BG, Fillipov AK, Lodge D & Bleakman D ATP-dependent increases in intracellular calcium concentration in HEK293 cells, 302P
- Smart D, Brownhill VR & McKnight AT A species difference in the functional antagonism of the neuromedin B-preferring (BB₁) receptor with PD165929, 310P
- Smart D, Hammond EA, Hall MD, Webdale LJ & McKnight AT Characterisation using the Cytosensor microphysiometer of recombinant human Type I interleukin-1 receptor pharmacology, 7P
- Smart D *see* Hammond EA, 6P
- Smart D *see* Hirst RA, 224P
- Smart TG *see* Woollorton JRA, 41P
- Smith AG, Neill JC & Costall B Effect of raclopride and sulpiride on 7-OH-DPAT-induced cognitive deficit in the marmoset, 250P
- Smith AG *see* Smythe JW, 269P
- Smith D *see* Razzaque Z, 211P
- Smith FM, Simon J, Chessell IP, Murrell-Lagnado R, Barnard EA & Humphrey PPA Characterisation of a functional splice variant of the P2X₂ purinoceptor, 129P
- Smith G *see* Scott CM, 221P
- Smith JA *see* Goudie AJ, 241P
- Smith JA *see* Taylor A, 242P
- Smith JK, Neill JC & Costall B The effect of 7-OH-DPAT on responding for a conditioned reinforcer in the rat, 249P
- Smith JR *see* Allen MJ, 339P
- Smith MI *see* Read SJ, 214P
- Smith RR *see* Hawcock AB, 362P
- Smith S *see* Read SJ, 214P
- Smith SE *see* Ainsworth K, 252P
- Smith SE *see* Meller R, 34P
- Smith SL, Martin KF, Heal DJ & Rothwell NJ Determination of cortical levels of multiple neurotransmitter amino acids: an *in vivo* microdialysis study in conscious rats, 368P
- Smith W *see* Lindsay RM, 167P
- Smythe JW, Murphy D, McLaughlin SJ & Costall B Systemic mineralocorticoid receptor blockade with spironolactone reduces cognitive deficits induced by cholinergic disruption in aged (24 mo) rats, 268P
- Smythe JW, Smith AG & Costall B, The effects of mineralocorticoid receptor blockade with spironolactone on reactivity to novelty in marmosets (*Callithrix jacchus*), 269P
- Smythe JW *see* Murphy D, 271P
- Smythe JW *see* Qayum S, 273P
- Smythe JW *see* Timothy C, 270P
- Soares-da-Silva P, Gomes P, Serrão MP & Viera-Coelho MA Immediate precursors of natriuretic dopamine and antinatriuretic 5-HT share the same uptake transporter in renal OK cells, 112P
- Soares-da-Silva P *see* Gomes P, 323P
- Soares-da-Silva P *see* Vieira-Coelho MA, 110P
- Sokal D *see* Jones RD, 154P
- Stables J *see* Green A, 342P
- Standen NB *see* Davie CS, 89P
- Stanley WC *see* Whiting RL, 170P
- Stanton JA, Handford EJ & Beer MS *in vitro* visualization of 5-HT receptors in rat brain using [³⁵S]GTPγS binding, 121P
- Stanton JA *see* Razzaque Z, 211P
- Starkey SJ *see* Beresford IJM, 360P
- Starr M *see* Özer H, 248P
- Starr MS *see* Biggs CS, 246P
- Starr MS *see* Fisher A, 239P
- Stepan GJ *see* Williams TJ, 106P
- Stephens DN *see* Jackson A, 266P
- Stephens DN *see* Vickers SP, 348P
- Stephens DN *see* Ward BO, 137P
- Stephenson FA *see* Chazot PL, 37P
- Stevens NC *see* Lightowler S, 254P
- Stichnote C *see* Hey C, 48P
- Stock MJ *see* Kelly J, 207P
- Stoclet JC *see* Kleschyov AL, 90P
- Stoclet JC *see* Muller B, 91P
- Storrs TJ *see* Leahy DJ, 204P
- Strange PG *see* Coley C, 276P
- Strange PG *see* Cordeaux Y, 277P
- Strange PG *see* McLoughlin DJ, 296P
- Strangeward HM *see* Barker JE, 336P
- Stratton SC *see* Beresford IJM, 360P
- Sugden D *see* Ting KN, 45P
- Sullivan JA *see* Vohra MM, 153P
- Suman-Chauhan N *see* Hammond EA, 6P
- Sumner MJ *see* Parsons SJW, 346P
- Sutcliffe JG *see* Hoyer D, 119P
- Sutcliffe M *see* Markham A, 376P
- Swain CJ *see* Rupniak NMJ, 363P
- Szabadi E *see* Al-Ruwaitea ASA, 260P
- Taguchi K *see* Yang M, 285P
- Taherzadeh M & Warren JB Locally-acting diltiazem, but not captopril, increases microvascular oedema formation, 22P
- Taherzadeh M & Warren JB Nifedipine induced oedema and the role of microvascular vasodilation, 23P
- Taylor A, Flower RJ & Perretti M Dose-related effect of dexamethasone on leucocyte extravasation, 327P
- Taisne C *see* Norel X, 58P
- Tamargo J *see* Aleixandre MA, 163P
- Tamargo J *see* López-Miranda V, 161P
- Tamargo J *see* Ortega A, 162P
- Tamargo J *see* Pérez-Vizcaíno F, 149P
- Tamargo J *see* Pérez-Vizcaíno F, 160P
- Tang E *see* Wilson C, 114P
- Tang HM *see* Williams TJ, 106P
- Tare M, Gordienko DV, Parveen S, Robinson C & Bolton TB Identification of an inward rectifier K⁺ current in eosinophils from human blood, 15P
- Tattersall FD *see* Rupniak NMJ, 363P
- Taylor A, Goudie AJ & Smith JA Clozapine drug discrimination in rat: effects of atypical neuroleptics, 242I
- Taylor A *see* Goudie AJ, 241P
- Taylor AD, Flower RJ & Buckingham JC Anti-sense and immunoneutralisation studies reveal a role for lipocortin 1 in the control of growth hormone *in vivo* and *in vitro*, 345P
- Taylor AD, Flower RJ & Buckingham JC Antisense nucleotides to lipocortin 1 and pituitary function *in vitro*, 2P
- Terracciano R *see* Astolfi M, 202P
- Thiemermann C *see* Bowes J, 87P
- Thiemermann C *see* Bowes J, 318P
- Thiemermann C *see* Bowes J, 319P
- Thiemermann C *see* Kengatharan M, 335P
- Thiemermann C *see* Millar CGM, 94P
- Thiemermann C *see* Myint FP, 50P
- Thiemermann C *see* Myint FP, 51P
- Thiemermann C *see* Ruetten H, 46P
- Thiemermann C *see* Ruetten H, 47P

- Thiemermann C *see* Ruetten H, 320P
 Thomas D *see* Thompson SA, 283P
 Thomas P *see* Hawcock AB, 328P
 Thompson AM *see* Newton BB, 203P
 Thompson JS *see* Jones RD, 64P
 Thompson JS *see* Jones RD, 65P
 Thompson S *see* Clayton NM, 219P
 Thompson SA, Thomas D, Whiting PJ & Wafford KA Expression and pharmacology of the human GABA_A receptor δ subunit, 283P
 Thompson SL, Clayton NM, Oakley IG & Bountra C The use of locomotor activity equipment to assess analgesic and anti-inflammatory activity, 220P
 Thongsaard W, Kendall DA, Bennett GW & Marsden C A simple method for measuring endogenous and radio-labelled dopamine release from rat striatal slices, 247P
 Thorin E & Bouthillier A Control of vascular tone by endothelin-1 in human pial arteries, 101P
 Thorn L & Routledge C Comparative modulation of hippocampal 5-HT release by the 5-HT_{2C} receptor antagonist SB 206553 and paroxetine, 257P
 Tidmarsh MD *see* Cembala TM, 183P
 Tighe O *see* Clifford J, 134P
 Timothy C, Murphy D, Costall B & Smythe JW The effects of spironolactone on anxiety-like behaviour (ALB) induced by intrahippocampal scopolamine infusions in the rat, 270P
 Ting KN, Davis DJ, Scalbert E, Delagrang P, Sugden D & Wilson VG Constant lighting does not affect the functional response of ML₁-like receptor in the tail artery of juvenile Wistar rats, 45P
 Tippins JR *see* Kromer BM, 181P
 To ZP *see* Jasper JR, 298P
 Toft K *see* Towart R, 158P
 Tomlinson A *see* Hounsom L, 334P
 Tomlinson DR *see* de Ceballos ML, 232P
 Tomlinson DR *see* Malcangio M, 70P
 Tomlinson W, Humphries RG, Robertson MJ & Leff P ARL 67085 and ARL 66096 are slowly dissociating competitive P_{2T}-purinoceptor antagonists, 131P
 Tough IR, Beck-Sickinger AG & Cox HM L-Alanine substitution of conserved residues within the pancreatic polypeptide sequence significantly reduces neuropeptide Y activity at a Y₂-like receptor, 289P
 Towart RB, Refsum H, Sager G, Toft K & Karlsson JOG Cardiovascular safety of intravenously administered MnDPDP as compared to MnCl₂ in the conscious beagle dog, 158P
 Trail B *see* Bright F, 244P
 Trail B *see* Kennett GA, 138P
 Tralau-Stewart C *see* Fleetwood G, 217P
 Tränkle C *see* Pfaffendorf M, 103P
 Trezise D *see* Evans KS, 218P
 Trezise D *see* Scott CM, 221P
 Trezise DJ *see* Clayton NM, 219P
 Trezise DJ *see* Thompson SL, 220P
 Trist DG *see* Carignani C, 226P
 Trout SJ, Gadhok A & Cunnane TC Activation of nicotinic receptors on sympathetic nerve terminals increases action potential-evoked ATP release in the guinea-pig isolated vas deferens, 187P
 Tuladhar BR *see* Javid FA, 193P
 Tuomisto L *see* MacDonald E, 287P
 Turcato S *see* Lambert M, 152P
 Tyacke RJ, Norton CL, Lewis JW, Nutt DJ & Hudson AL The identification of new ligands selective for δ -opioid receptors in guinea-pig brain, 225P
 Tye SJ *see* Rupniak NMJ, 369P
 Tyers NM, Lloyd AW, James SL & Gard PR Differential metabolism of γ -linolenic acid and the components of evening primrose oil by MCF7 human breast epithelial cells *in vitro*, 321P
 Unelius L *see* Hansard MJ, 120P
 Urban L *see* Gentry CT, 231P
 Urban L *see* Panesar MS, 230P
 Urenjak J, Zilkha E & Obrenovich TP Effect of probenecid on depolarizations evoked by *N*-methyl-D-aspartate (NMDA) in the rat striatum, 142P
 Usui H *see* Kurahashi K, 171P
 Vadon S *see* Hey C, 48P
 Vallance P *see* Bogle RG, 95P
 Van der Graaf PH, Schoemaker RC, Danhof M, Shankley NP & Black JW On the use of asymmetrical sigmoidal models for the analysis of α_1 -adrenoceptor agonist concentration-effect curves in rat aorta, 173P
 van der Linde HJ *see* Folkerts G, 59P
 van Hamme J *see* Mantel P, 186P
 van Hamme J *see* van Weeren-Kramer J, 184P
 van Hamme J *see* Zeegers A, 185P
 Van Paesschen W *see* Hand K, 282P
 van Weeren-Kramer J, van Hamme J, Leeuwijn RS & van Wilgenburg H Modification of tetanic contractions in rat phrenic nerve-diaphragm preparation by diazepam and PK 11195, 184P
 van Wilgenburg H *see* Mantel P, 186P
 van Wilgenburg H *see* van Weeren-Kramer J, 184P
 van Wilgenburg H *see* Zeegers A, 185P
 van Zwieten PA *see* Heijenbrok FJ, 176P
 van Zwieten PA *see* Li Q, 113P
 van Zwieten PA *see* Peters SLM, 177P
 van Zwieten PA *see* Pfaffendorf M, 103P
 van Zwieten PA *see* Zwaveling J, 105P
 Vane JR *see* Hamilton LC, 49P
 Véquaud P & Freslon JL Determination of the components involved in the flow-induced dilation of a rat perfused coronary artery, 169P
 Varoni MV *see* Madeddu P, 20P
 Vehovsky A, Goodwin F, Elekes K, Brownlee DJA, Bagust J & Walker RJ Effects of 5-HT and the tetrapeptide FMRFamide upon the contraction of the pharyngeal muscle of *Helix aspersa*, 206P
 Vellucci SV *see* Ebenezer IS, 265P
 Venumière P *see* Sannajust F, 29P
 Vickers SP & Clifton PG Excitotoxic lesions of the nucleus accumbens do not affect the hyperphagia induced by 8-OH-DPAT, 348P
 Vieira-Coelho MA *see* Gomes P, 323P
 Vieira-Coelho MA *see* Soares-da-Silva P, 112P
 Viera-Coelho MA & Soares-da-Silva P Effects of dopamine on rat jejunal electrolyte transport through α_2 -adrenoceptors, 110P
 Viggers JA *see* Cheetham SC, 349P
 Viitamäe T *see* MacDonald E, 287P
 Villalón CM *see* De Vries P, 67P
 Villamor E *see* Pérez-Vizcaino F, 149P
 Villamor E *see* Pérez-Vizcaino F, 160P
 Vogelsang M *see* Heinroth-Hoffmann I, 347P
 Vohra MM, Chedrawy EG, Li G & Sullivan JA Functional assessment of rabbit thoracic aorta stored in University of Wisconsin, St Thomas' Hospital and Krebs solutions, 153P
 Vohra MM *see* Zhang Y, 174P
 Vojnović I *see* Hamilton LC, 49P
 Waddington JL *see* Clifford J, 134P
 Wafford KA *see* Thompson SA, 283P
 Walch L *see* Norel X, 58P
 Walker K *see* Whiting RL, 170P
 Walker RJ *see* Huang EY-K, 233P
 Walker RJ *see* Vehovszky A, 206P
 Wambach G *see* Fetscher C, 324P
 Wang Y & Ramage AG Presynaptic 5-HT₃ receptors mediate an excitatory action of 5-HT on dorsal vagal preganglionic neurones: an *in vivo* ionophoretic study in the rat, 38P
 Ward BJ *see* Al-Haboubi HA, 168P
 Ward BO & Stephens DN Sensitisation to repeated withdrawal from

- diazepam, 137P
- Ward M *see* O'Neill MJ, 240P
- Ward M *see* O'Neill MJ, 357P
- Ward SDC & Hulme EC Alanine scanning mutagenesis in trans-membrane domain six of the rat M₁-muscarinic acetylcholine receptor (rat M₁-receptor), 284P
- Wardle KA, Ranson J & Sanger GJ Pharmacological characterisation of the vanilloid receptor in the rat dorsal spinal cord, 228P
- Wardle KA & Sanger GJ SB 207266 is a potent 5-HT₄ receptor antagonist in human isolated gastrointestinal tissue, 192P
- Warner TD *see* D'Amico M, 118P
- Warner TD *see* Hamilton LC, 49P
- Warren JB *see* Taherzadeh M, 22P
- Warren JB *see* Taherzadeh M, 23P
- Wasledge N *see* Anderson IK, 272P
- Watson JM & Bruinvels AT Investigation of metabotropic glutamate receptor subtypes in rat brain using [³⁵S]GTPγS binding, 278P
- Watson WP *see* Wilson J, 135P
- Watts PM, Riedl AG, Douek DC, Edwards JR, Boobis AR & Jenner P CYP2C13 and tyrosine hydroxylase expression in the 6-hydroxydopamine lesioned (6-OHDA) rat, 123P
- Webb DJ *see* Megson IL, 52P
- Webdale LJ *see* Hammond EA, 6P
- Webdale LJ *see* Smart D, 7P
- Wessler I *see* Hey C, 48P
- Wessler I *see* Klapproth H, 61P
- Wessler I *see* Reinheimer T, 60P
- West KJ *see* Gentry CT, 231P
- Weston MC & Peachell PT Effects of phosphodiesterase (PDE) inhibitors on cAMP PDE activity in human lung mast cells and basophils, 12P
- Westwick J *see* Li SW, 80P
- Whalley ET *see* Relton JK, 75P
- Whalley ET *see* Relton JK, 76P
- Whalley ET *see* Siebeck M, 182P
- Wheeldon A *see* Clayton NM, 219P
- Whiting PJ *see* Thompson SA, 283P
- Whiting RL, Stanley WC, Bonhaus D, Johnson LG, Lee K, Porter S, Walker K, Martinez G, Eglen RM & Hegde SS Pharmacology of RS25560-197, a novel and selective inhibitor of dopamine-β-hydroxylase, 170P
- Whitton PS *see* Biggs CS, 246P
- Whitton PS *see* Segieth J, 258P
- Wijetunge S & Hughes AD (pY)EEI peptide increases voltage-operated calcium channel currents in rabbit ear artery smooth muscle cells by activating endogenous c-Src-like tyrosine kinase, 83P
- Wilda M *see* Eglen RM, 63P
- Wildman SS, King BF & Burnstock G Potentiation of ATP-responses at a recombinant P2X₂ receptor by neurotransmitters and related substances, 130P
- Wildman SS *see* King BF, 132P
- Wiley KE *see* Plane F, 98P
- Wilkie GS *see* Lindsay RM, 167P
- Wilkinson GF, Sellers LA, Feniuk W & Humphrey PPA Involvement of protein kinase C isoforms in agonist-mediated inositol phosphate accumulation in CHO-K1 cells expressing recombinant human somatostatin sst₅ receptors, 308P
- Willars GB, McArdle CA & Nahorski SR Phosphoinositide C-linked muscarinic receptors, but not gonadotrophin-releasing hormone receptors, undergo rapid desensitization in αT3-1 cells: implications for mechanisms of desensitization, 85P
- Willars GB *see* Martin AK, 81P
- Williams A Clinical features of degenerative diseases, 381P
- Williams AR *see* Rupniak NMJ, 363P
- Williams BC *see* Lindsay RM, 167P
- Williams BC *see* Sherry L, 28P
- Williams JL *see* Colado MI, 264P
- Williams KI *see* Mustafa S, 208P
- Williams KI *see* Yousif MH, 190P
- Williams TJ, Blue DR, Morgans DJ, Daniels DV, Gever JR, Gorss L, Kava MS, Stepan GJ, Tang HM, Zhu QM, Ford APDW & Clarke DE Pharmacology of RS-100975, a novel α_{1A}-adrenoceptor (AR)-selective antagonist, 106P
- Williams TJ *see* Blue DR Jr, 107P
- Williamson IJR, Newgreen DT & Naylor AM The effects of darifenacin and oxybutynin on bladder function and salivation in the conscious rat, 205P
- Willis D *see* Hounsom L, 334P
- Willoughby DA *see* Hounsom L, 334P
- Wilson C, Heys C, Hunt S-J, Kelly E, Mortlock A, Tang E & Wright N Pharmacological profile of Z-ETA-1, a novel orally active endothelin ET_A receptor antagonist, 114P
- Wilson J, Watson WP, Butterworth AR & Little HJ The ethanol preference of low drinkers of the C57 strain is increased by saline injections: change prevented by a CCK_B antagonist, 135P
- Wilson VG *see* Ting KN, 45P
- Winkler Prins EA *see* Zwaveling J, 105P
- Wisskirchen FM, Doyle PM, Gough SL, Harris C & Marshall I Conformational restraints to find biologically relevant structures of CGRP₈₋₃₇ in rat prostatic vas deferens, pulmonary artery and internal anal sphincter, 209P
- Wong AYK *see* Zhang Y, 174P
- Wood D *see* McCurrie JR, 150P
- Wood E *see* Corder R, 316P
- Wood E *see* Lambert GL, 317P
- Woodall KL, Domeney AM & Kelly ME Anti-depressant treatment fails to modify social competition in triads of rats, 259P
- Woodward R *see* Coley C, 276P
- Woolley ML *see* Lodge D, 36P
- Wooltorton JRA, Moss SJ & Smart TG Murine GABA receptor β₃ subunits produce a GABA-insensitive, spontaneously active membrane conductance when expressed in *Xenopus* oocytes, 41P
- Wright CE, Bowen WP, Grattan TJ & Morice AH Identification of a specific binding site for menthol in guinea-pig airway, 197P
- Wright CE, Laude EA, Grattan T & Morice AH Capsaicin- and neurokinin A-induced bronchoconstriction in the anaesthetised guinea-pig: evidence for a bronchodilator effect of L-menthol, 198P
- Wright N *see* Wilson C, 114P
- Wyatt MA, Feniuk W, Humphrey PPA Characterisation of the somatostatin receptors on human parietal derived HGT-1 cells, 309P
- Wyllie M *see* Mason SL, 108P
- Yadollahi-Farsani M *see* MacDermot J, 79P
- Yang M, Ruan J, Taguchi K & Michel MC Differential regulation of human α₁-adrenoceptor subtypes by phenylephrine treatment, 285P
- Yang W *see* Alexander B, 100P
- Yatsushiro K *see* Irving EA, 40P
- Yellon DM *see* Imagawa J, 356P
- Yellon DM *see* Pell TJ, 151P
- Yeo A & Henderson G Coincident signalling between δ-opioid and muscarinic receptors in SH-SY5Y cells, 125P
- Yeung CK *see* McCurrie JR, 150P
- Young AMJ *see* Moran PM, 139P
- Yousif MH, Oriowo MA & Williams KI Evidence for tyrosine kinase involvement in noradrenaline-induced vasoconstriction of the rabbit perfused ovarian vascular bed, 190P
- Zeegers A, Leeuwijn RS, van Wilgenburg H & van Hamme JPK 11195 and flumazenil modify responses of coronary flow rate and inotropy of the perfused rat heart to Ro 05-4864, 185P
- Zeitlin IJ *see* Ahmad M, 77P
- Zeng B-Y, Heales SJR, Brand MP, Land JM, Clark JB, Jenner P & Marsden

CD Alterations in striatal prepro-
tachykinin and nigral tyrosine
hydroxylase mRNA in tetrahydro-
biopterin-deficient mice, 329P
Zentner J *see* Schlicker E, 143P
Zhang Y, Vohra MM & Wong AYK A
voltage-dependent noradrenaline-

sensitive intracellular Ca^{2+} store in
guinea-pig aortic smooth muscle,
174P
Zhu Q-M *see* Blue DR Jr, 107P
Zhu QM *see* Williams TJ, 106P
Zibetti M *see* Libri V, 354P
Zilkha E *see* Urenjak J, 142P

Zocchi C *see* Dionisotti S, 304P
Zwaveling J, Batink HD, Winkler Prins
EA, Pfaffendorf M & van Zwieten
PA Hyperthyroid- and hypothyroid-
induced modulation of α_2 -adreno-
ceptors and their subtypes in rat left
ventricle, 105P

Keyword Index

- Acetylcholine 60P, 100P, 156P, 268P, 284P, 369P, 384P
 Acetylcholine, non-neuronal 61P
 Action potentials 186P
 Adenosine 18P, 359P, 372P
 Adenosine receptors 16P, 17P, 132P, 178P, 304P
 Adenosine receptor agonists 359P
 Adenosine A₁ agonists 180P
 Adenosine A₁ receptors 303P, 305P
 Adenosine A_{2A} receptors 304P
 Adenosine A_{2A} receptor antagonists 304P
 Adenosine A₃ receptors 19P, 179P
 Adherence 343P
 Adhesion molecules 1P, 5P, 312P
 Adrenoceptors 171P
 α -Adrenoceptors 105P, 176P
 α_1 -Adrenoceptors 107P, 108P, 173P, 210P, 286P
 α_{1A} -Adrenoceptors 106P, 285P
 α_{1B} -Adrenoceptors 285P
 α_{1D} -Adrenoceptors 285P
 α_2 -Adrenoceptors 104P, 109P, 110P, 229P, 288P
 α_2 -Adrenoceptor agonists 172P
 α_{2C} -Adrenoceptor subtypes 287P
 β -Adrenoceptors 177P, 374P
 β -Adrenoceptors, atypical cardiac 102P
 β -Adrenoceptor agonists 13P
 β_2 -Adrenoceptors 291P
 β_3 -Adrenoceptors 207P
 Aequorin 342P
 Afferents 18P
 Aged 268P
 Agonism 296P
 Agonist affinities 299P
 AH 6809 338P
 Airway epithelium 59P
 Airway smooth muscle 9P, 10P, 325P
 Airways, guinea-pig 197P
 Airways, human 60P
 Airways resistance 198P
 Alanine substitutions 289P
 Alcohol 135P, 136P, 274P, 371P, 372P
 Aldehydes and hydrogen peroxide 337P
 Allosteric interactions 126P
 Allosteric modulation 103P
 Alveolar macrophages 48P, 330P
 Alzheimer's disease 133P, 369P, 377P, 378P, 379P, 380P, 381P, 382P, 383P, 384P, 385P
 Amino acids 368P
 Amitriptyline 259P
 AMPA receptors 36P
 AMPA receptor desensitisation 355P
 Amphetamines 139P, 254P
 Amyloid protein precursors 380P
 β -Amyloid peptides 272P
 Anaesthetised rat 18P
 Analgesia 220P
 Analytical pharmacology 173P
 Angiotensin converting enzyme inhibitors 22P
 Angiotensin AT receptors 113P
 Angiotensin AT₁ receptors 117P
 Angiotensin peptides 113P
 Angiotensin II 117P, 146P
 Anococcygeus muscle 53P
 Antagonism 132P
 α_2 -Antagonism 251P
 Antagonists 63P, 114P, 132P, 193P, 276P, 293P
 Antagonist binding 39P
 Anterior pituitary 2P, 345P
 Antiarrhythmic agents 29P
 Antibodies 322P
 Anticholinesterase 273P
 Antidepressants 252P, 254P
 Antimigraine drugs 68P
 Antioxidants 311P, 331P
 Antiprotease 273P
 Antipsychotics, atypical 251P
 Antisense oligonucleotides 288P
 Anxiety 138P, 267P, 270P
 Aorta, rabbit 162P
 Aorta, rat 90P, 91P, 157P, 173P
 ApoE gene 380P
 Apolipoprotein E 133P
 Apoptosis 238P
 Arginase 48P
 L-Arginine 97P
 ARL 66096 131P
 ARL 67085 131P
 Arterial blood pressure 161P
 Arteries, basilar 17P, 212P
 Arteries, basilar, piglet 234P
 Arteries, carotid, rat 176P
 Arteries, coronary 169P
 Arteries, coronary, human 116P, 148P
 Arteries, digital 165P
 Arteries, isolated coronary, human 68P
 Arteries, middle meningeal, human 211P
 Arteries, pial, human 101P
 Arteries, pulmonary 149P, 160P
 Arteries, small 55P
 Arteries, small mesenteric 178P
 Arteries, tail, rat 45P
 Ascorbate 53P
 Aspartate 370P
 Astrocytes 336P
 Atherosclerosis 313P
 ATP 100P, 227P, 302P
 ATP receptors 130P, 132P
 ATP release 187P
 ATP-sensitive potassium channels 151P
 ATP-sensitive potassium channel activators 155P
 Atrial natriuretic peptide receptors 200P
 Atrium, rat 177P
 Autoradiography 121P
 Baculovirus 119P
 Basal ganglia 246P, 281P
 Basophils 12P
 Bcl-2 377P
 Behaviour 134P, 364P
 Behavioural disinhibition 255P, 262P
 Benzodiazepines 137P, 185P, 186P, 265P, 266P
 Benzodiazepine antagonists 185P
 7-Benzylidene-7-dehydronaltrexone (BNTX) 225P
 BIBP 3226 111P
 [¹²⁵I]-BIM 23027 309P
 BIM 23055 43P
 BIM 23056 43P
 Binding 328P, 362P
 Biotelemetry 365P
 Blood pressure 16P, 20P, 21P, 107P
 BMY 7378 108P
 Bradycardia 18P, 26P
 Bradykinin 21P, 77P, 78P, 172P
 Bradykinin receptors 75P, 76P
 Bradykinin B₁ antagonists 310P
 Bradykinin B₁ receptor agonists 182P
 Brain 353P
 Brain, rat 248P, 278P, 297P
 Brain inflammation 379P
 Brain microdialysis 370P
 Brain slices 247P
 Brain-derived neurotrophic factor 280P
 Breast epithelium 321P
 BRL 15572 143P
 Bronchial epithelial cells 14P

Bronchodilation 198P
BTS 67582 189P

C fibres 35P
c-SRC 83P
Calcitonin gene-related peptide (CGRP)
228P
Calcitonin gene-related peptide (CGRP)
antagonists 234P
Calcitonin gene-related peptide receptors
209P, 235P
Calcium 208P, 302P, 346P, 371P, 222P
Calcium, intracellular 125P, 347P
Calcium channels 32P, 240P
Calcium channel antagonists 22P
Calcium imaging 33P
Calcium influx 80P
Calcium sensing 33P
Calcium $[Ca^{2+}]_i$ signalling 81P
Calcium stores 82P
Calcium stores, intracellular 96P
Calcium-activated potassium channels
54P
Calpain 273P
CAM 1028 135P
cAMP 80P, 303P
cAMP, human 102P
cAMP, rat 102P
Capsaicin 215P, 227P, 228P
Cardiac output 16P
Cardioactive peptides 88P
Cardioprotection 19P, 180P
Cardiotoxicity 24P
Cardiovascular events 118P
Carrageenan 219P
Catalepsy 248P
Catecholamines 170P
CD18 343P
Cell proliferation 333P
Cell recruitment 5P, 327P
Cerebral cortex 366P
Cerebral ischaemia 75P, 76P, 77P, 240P,
355P, 357P
CGP 40116 35P
CGRP₈₋₃₇ 209P
Characterisation 204P
Chemotaxis 79P
m-Chlorophenylbiguanide 253P
Chloroquine 24P
CHO cells 183P
Cholecystokinin 135P, 370P
Cholesterol 322P
Choline acetyl transferase 281P
Cholinergic cells 216P
Cholinergic function 133P
Cholinesterase 58P, 59P
Cholinoceptors 171P
Chronic hypoxia 154P
Chylomicron remnants 157P
Circadian rhythms 360P
Cisplatin-induced emesis 363P
Clinical trials 385P
Cloned receptors 299P
Clozapine 241P, 242P, 243P, 244P,

294P
CNS 118P, 252P
CNS penetration 363P
Cognition 250P, 268P, 369P
Collagen IV 332P
Colon, guinea-pig 191P
Colon, human 196P
Colonic secretion 188P
Colorectal distension 221P
Computer-assisted learning 375P
Conditioned reward 249P
Conscious rat cystometry 205P
 α -Contractile responses 163P
Contrast media 82P
Convulsions 137P
Cooling 208P
Corpus cavernosum, rabbit 210P
Cortex, dog 362P
Cortical wedge preparation, rat 367P
Corticosterones 271P
Corticotropin-releasing factor 8P, 364P,
365P
Corticotropin-releasing factor 1 (CRF1)
receptors, human 344P
Cough, citric-acid induced 199P
Cutaneous afferent neurotransmission
218P
Cyclic AMP 9P, 291P, 306P
Cyclic GMP 86P, 306P, 313P, 314P,
315P
Cyclo-oxygenase 49P, 71P, 166P
Cyclo-oxygenase-2 72P, 73P
Cyclothiazide 36P, 355P
Cystometry, of the conscious rat 205P
Cytokines 6P, 316P, 317P, 320P
Cytosensor microphysiometers 7P

Defence behaviour 256P
Dementia 385P
Dendrotoxin-K 358P
Depolarisation 366P, 367P
Depression 257P
Desensitisation 13P, 36P, 85P, 129P,
227P, 292P
Dexamethasone 4P, 13P
Dexmedetomidine 287P
Diabetes 28P, 66P, 167P, 189P, 232P,
352P
Diazepam 24P, 184P, 255P, 267P
Dietary calcium 161P
Differentiation 81P
5,7-Dihydroxytryptamine 260P
Dinitrosyl-iron complexes 90P, 91P
Discrimination 241P, 242P
Diuresis 111P
Dizocilpine 248P
L-DOPA 112P
L-DOPA uptake 323P
Dopamine 110P, 141P, 175P, 239P,
249P, 252P, 254P
Dopamine D_{1A} receptors 134P
Dopamine D₂ receptors 247P, 276P,
277P
Dopamine D₃ receptors 245P, 250P

Dopamine release 247P
Dorsal horn recording 218P, 221P
Dorsal raphe 261P
Dorsal root 128P
Dorsal vagal neurones 38P
Down regulation 292P
7-OH-DPAT 249P, 250P
8-OH-DPAT 348P
DPDPE 225P
Drug dependence 136P
Drug discrimination 245P
Drug strategies 383P
Dual channel weight averager 219P
Dynorphin A 69P

'Ecstasy' 263P, 264P
Ecto kinase 144P
Efflux 84P
Electrolyte transport 110P
Electron microscopy 116P
Electrophysiology 213P
Endogenous antagonists 42P
Endothelial cells, brain 300P, 301P
Endothelial gaps 168P
Endothelin converting enzymes 115P
Endothelin receptors 114P, 115P, 116P,
316P, 317P, 320P, 347P
Endothelin-1 101P, 147P
Endothelin ET_A receptor subtypes 148P
Endothelium 145P, 153P, 157P, 169P
Endothelium-dependent regulation 101P
Endothelium-dependent relaxations 86P
Endothelium-derived hyperpolarising
factor 155P
Endotoxaemia 94P, 182P, 194P
Endotoxins 46P, 47P, 95P
Environmental enrichment 267P
Eosinophils 4P, 15P, 203P
Eosinophil adhesion 14P
Eosinophil peroxidase 203P
Eotaxin 4P, 14P
Epididymis, guinea-pig 44P
Epilepsy, human 282P
Epithelial ion transport 290P
Equine eosinophils 326P
Equine neutrophils 343P
Ergoline derivatives 120P
Ethanol 135P, 136P, 274P, 372P
Ethanol withdrawal 371P
Excitatory postsynaptic potentials 35P
Expression 298P
Extravasation 214P

FAC-analysis/sorting 3P
Fatty acids 321P
Fear conditioning 373P
Feeding 348P
Fenfluramine 264P
d-Fenfluramine 349P, 350P, 351P
Fentanyl 221P
Fever 8P
Flow 54P, 96P, 169P
Fluoxetine 255P, 259P, 350P

- FMRFamide 206P
 Food and water intake 265P
 Free radicals 177P, 264P, 378P
 Functional 5-HT receptors 67P
 Functional assays 344P
- G-protein 347P
 GABA 141P
 GABA uptake inhibition 366P
 GABA_A receptors 41P, 282P, 283P, 367P
 Gα₁₆ 342P
 Gastrointestinal lesions 194P
 Gastrointestinal inflammation 78P
 Gastrointestinal tissue 192P
 Geller-Seifter anxiety model 244P
 Gene deletion 124P
 Gene expression 9P
 Gene inactivation 287P
 Glial cells 34P
 Glibenclamide 152P
 Glomerular filtration rate 66P
 Glucocorticoids 2P, 3P, 345P
 Glucose 28P, 168P
 Glutamate 141P, 239P, 246P, 258P
 Glutamate cells 34P
 Glutamate receptors 32P
 Glutathione conjugates 340P
 Glutathione reductase 337P
 Glycine antagonists 226P
 Glycine site antagonists 37P
 GR 113808 262P
 GR 127935 67P
 GR 196429 360P
 Growth factors 322P
 [³⁵S]-GTP 121P
 [³⁵S]-GTPγS 278P
 [³⁵S]-GTPγS binding 296P, 297P
- Haemorrhages 26P
 Haloperidol 241P
 Heart 25P, 117P, 353P
 Heart, rat 95P
 Heart contraction, force of 27P
 Heart failure 23P, 86P, 170P
 Heat stress 151P
 HEK 293 cells 302P, 344P
Helix aspersa 206P
 HGT-1 cells 309P
 High affinity states 295P
 Hippocampal damage 358P
 Hippocampal neurones 226P
 Hippocampus 31P, 258P, 270P, 371P
 Histamine 60P, 325P, 326P
 Homocysteine 145P
 HPLC 368P
 5-HT 34P, 68P, 119P, 193P, 206P, 214P, 258P, 260P
 5-HT levels 350P
 5-HT microdialysis 351P
 5-HT neurones 261P
 5-HT receptors 121P
 5-HT receptors, functional 67P
- 5-HT reuptake sites 349P
 h5-HT₁ 295P
 5-HT₁ receptors 297P
 h5-HT₁ receptor antagonists 295P
 5-HT_{1A} receptors 25P, 296P
 5-HT_{1B} 140P, 211P
 h5-HT_{1B} receptor agonists 143P
 5-HT_{1B/D} receptor antagonists 67P
 5-HT_{1D} 140P, 213P
 h5-HT_{1D} receptor agonists 143P
 5-HT_{1F} 211P
 5-HT₂ receptors 27P, 261P
 5-HT_{2A} receptors 292P, 293P
 5-HT_{2C} antagonists 257P
 5-HT_{2C} receptors 294P
 5-HT₃ receptors 38P, 122P
 5-HT₄ 192P
 5-HT₄ receptors 138P, 262P
 5-HT₆ receptors, rat 120P
 5-HT₇ receptors 119P, 294P, 298P
 Hybridisation *in situ* 282P
 Hydrogen peroxide 65P, 337P
 6-Hydroxydopamine 123P
 L-5-Hydroxytryptophan (L-5-HTP) 112P
 Hyperalgesia 74P
 Hyperresponsiveness 59P
 Hypersensitivity 218P
 Hypertension 374P
 Hyperthyroidism 105P
 Hypertrophy, left ventricular 99P
 Hypotension 18P
 Hypothermia 8P, 365P
 Hypothyroidism 105P
 Hypoxia 179P
 Hypoxia, chronic 154P
 Hypoxic pulmonary vasoconstriction 64P, 65P
- Ileum, human 196P
 Independent nitric oxide synthase 152P
 Inducible nitric oxide synthase 336P
 Inflammation 1P, 188P, 217P, 220P, 327P, 334P
 Inflammatory hyperalgesia 230P
 Inflammatory mediators 272P
 Inositol 1,4,5 trisphosphate 346P
 Inositol phosphates 84P, 308P
 Inotropic responses 177P
 Insulin 324P
 Insulin-like growth factor I 66P, 332P
 Interactive tutorial program 375P
 Interleukin-1 7P
 Interleukin-1 receptors 6P
 Interleukin-1β 72P
 Interleukin-4 57P
 Interleukin-5 201P
 Intestinal mucosa 195P
 Intimal hyperplasia 176P
 Intracellular calcium 347P
 Intracellular calcium stores 96P
 Intracellular dye distribution 341P
 Intracellular pH 341P
 Intracellular recording 354P
 Intracellular signalling 291P, 316P, 317P
- Intravital microscopy 327P
 Inverse agonists 265P
 Inward rectifier potassium currents 15P
 Iodinium diphenyl 64P
 Ionophoresis 38P
 Ischaemia 19P, 40P, 50P, 51P, 77P, 181P
 Ischaemic preconditioning 356P
 Isolated cardiac tissues 179P
 Isoprostane 181P
- K-252b 144P
 Kallikrein-kinin system 20P
 Kidney 333P
 Kinins 74P
 Knock-out mice 20P, 229P
- Langendorff heart 97P, 185P
 Latent inhibition 139P
 Lazaroids 358P
 Ligand-gated ion channel subunits 122P
 γ-Linolenic acid 321P
 Lipocortin 1 3P, 345P
 Lipocortin antisense 2P
 Lipopolysaccharides 57P, 152P
 Lipoteichoic acid 335P
 Local mediators 61P
 Locomotor activity 220P
 Locomotor sensitisation 275P
 Long-term potentiation 144P
 Low affinity states 295P
 Low-density lipoprotein, oxidised 312P
 Lower urinary tract 106P
 Luminescence 342P
 Lung 58P
 Lung microvascular endothelial cells 57P
 D-Lysergic acid diethylamide 120P
- Macrophages 335P
 Manganese chloride 158P
 Mast cells 12P
 Mechanical hyperalgesia 219P
 Megakaryocytes 147P
 Mel_{1A} receptors 361P
 Mel_{1B} receptors 361P
 Melatonin 45P, 360P, 361P
 Menthol 198P, 199P
 L-Menthol 197P
 Mesangial cells 337P
 Metabolic inhibition 89P
 Metabotropic glutamate receptors 30P, 279P
 Metabotropic glutamate receptor responses 354P
 Metal oxides 330P
 N-Methyl-D-aspartate 237P
 N-Methyl-D-aspartate receptors 238P
 mGluRs 31P, 278P
 Microcirculation 1P
 Microdialysis 140P, 141P, 142P, 246P,

- 257P, 258P, 368P
Microglia 127P
Microglial cells 272P
Microphysiometry 310P
Microvascular endothelium 99P
Microvascular structure 168P
Microvessels 324P
Migraine 212P, 213P, 214P
Mineralocorticoid receptors 268P, 269P, 270P
Mitogen-activated protein kinase 311P
MnCl₂ 158P
MnDPDP 158P
Modulation pH 130P
Mono(ADP-ribosyl) transferase 79P
Mononuclear cells 11P
Morphine 35P
Mouse strains 135P
MRI 158P
mRNA splicing 298P
Multidrug resistance associated protein 340P, 341P
Muscarinic partial agonists 384P
Muscarinic receptors 63P, 62P, 103P, 183P, 196P, 204P, 205P, 284P
Mutagenesis 276P, 284P
Mutagenesis, site directed 328P
Myocardial ischaemia 87P, 151P, 318P, 319P
Myocyte contraction 88P
D-Myoinositol 1,2,6 trisphosphate 88P
Myometrium 339P
Myometrium, human 338P
- L-NAME 163P, 166P, 258P
Natriuresis 111P
Natriuretic peptides 92P, 93P
Natriuretic peptide receptors 93P
Negative symptoms 244P
Neonates 263P
Nerve growth factor 231P
Nerve physiology 375P
Nervous system 334P
Neutrophils 5P
Neurodegeneration 263P, 379P, 382P, 383P
Neurogenic responses 45P
Neurokinin NK₁ receptor antagonists 202P
Neurokinin NK₂ receptors 191P
Neuroleptics, atypical 242P
Neuromedin B 310P
Neuromuscular blocking drugs 183P
Neuromuscular transmission 184P
Neuronal survival 377P
Neurones 237P
Neuropathic pain 230P, 231P
Neuropeptide Y 111P, 289P, 290P
Neuropeptide Y receptors 44P
Neuroprotection 75P, 76P
Neurotoxicity 349P
Neurotransmitters 281P
Neurotrophins 280P
Neurotrophin 3 70P
- Neutrophils, human 80P
Neutrophil leucocytes 79P
NG108-15 306P
Nicorandil 89P, 160P
Nicotine 187P, 275P
Nicotinic receptors 274P
 $\alpha 7$ -Nicotinic receptors 275P
Nifedipine 23P
Nitric oxide 48P, 53P, 54P, 59P, 90P, 91P, 92P, 94P, 95P, 96P, 97P, 98P, 100P, 155P, 159P, 161P, 163P, 164P, 165P, 167P, 215P, 216P, 314P, 315P, 332P, 333P, 335P, 357P
Nitric oxide donors 52P
Nitric oxide synthase 46P, 47P, 49P, 50P, 99P, 152P, 336P
Nitric oxide/cGMP pathway 149P
Nitrite 331P
7-Nitroindazole 357P
7-Nitroindazole monosodium salt 258P
NMDA 141P, 226P
NMDA receptors 37P, 39P, 142P
NMDA receptor 2B subtype selective 39P
Nociceptin 224P
Nociception 70P
Non-adrenergic, non-cholinergic mechanism 215P
Non-selective cation currents 33P
Non-steroidal anti-inflammatory drugs 49P, 236P
Noradrenaline 170P, 190P
[³H]-Noradrenaline release 353P
Noradrenaline and intracellular calcium stores 174P
Novelty 269P
NR1 subunits 37P
Nuclear factor κ B 46P, 312P
Nucleus accumbens 348P
- Obesity 352P
Oedema 22P, 23P
Oestrogen 21P, 150P
7-OH-DPAT 249P, 250P
8-OH-DPAT 348P
OK cells 112P, 323P
Olfactory cortex, guinea-pig 354P
Oligodendrocytes 40P
Ondansetron 253P
Operant behaviour 260P
Opioids 26P, 74P, 222P, 266P
Opioid binding sites 223P
Opioid peptides 69P
Opioid receptors 125P, 225P
Opioid receptor-like 224P
Opioid receptor autoradiography 124P
 μ -Opioid receptor knockout 124P
Opossum kidney (OK) cells 112P, 323P
Organic cations 323P
ORL₁-binding sites 69P, 223P
Ouabain 162P
Ovalbumin challenged guinea-pigs 201P
Ovarian vascular bed, rabbit 190P
- Oxidative stress 166P, 378P
Oxidised low density lipoprotein (LDL) 312P
Oxygen tension 307P
Oxytocin 339P
- P450 123P
Purinoceptor P_{2T} antagonists 131P
Purinoceptor P_{2X} subtypes 127P, 128P, 129P
Purinoceptor P_{2X4} subtypes 126P
Purinoceptor P_{2Y} subtypes 300P, 301P
Purinoceptor P_{2Z} subtypes 127P
Pain 229P, 232P
Paired pulse depression (PPD) 31P
Pancreatic islets 189P
Parkinson's disease 123P, 246P
Patch clamp 15P
(+)-PD 128907 245P
PD 156707 148P
PDE4 inhibitors 201P
Pentobarbital 283P
Pentobarbitone 41P
Peptide YY receptors 44P
Peptide-gated channels 42P
Peptides 118P, 233P
Permeability 168P
Peroxynitrite 55P, 56P
Pharmacodynamics 236P
Pharmacological profile 202P
PHEN workshop 376P
Phosphodiesterase 10P, 11P, 12P, 313P
Phosphodiesterase type V 314P, 315P
Phosphoinositidase C 85P
Phosphoinositides 30P
Phosphoinositide hydrolysis 307P
Phospholipase C 305P, 325P
Phosphorylation 85P
PK 11195 184P
Place conditioning 243P
Platelet-activating factor (PAF) 188P
Platelets 175P
Poly(adenosine 5'-diphosphate ribose) synthetase (PARS) 51P, 87P, 318P, 319P
Pores 127P
Potassium, effect of, on calcium stores in vascular smooth muscle 174P
Potassium channels 89P, 150P, 156P, 195P, 346P
Potentiated startle 373P
Potentiation, long term 144P
Prazosin 104P
Prehypertension 374P
Preproenkephalins 329P
Preprotachykinins 329P
Preservation of functions 153P
Primary culture 280P
Probenecid 142P
Proliferation 10P
Prostaglandins 11P, 71P, 78P, 165P, 320P
Prostaglandin E₂ 73P
Prostaglandin F_{2a} 64P

- Prostanoid EP₂ receptors 338P
 Prostate 108P
 Protein kinase C 308P
 Protein purification 122P
 Proximal tubular cells 92P, 93P
 P-selectin 217P
 Pulmonary vascular resistance 154P
 Purinoceptors 300P, 301P
 Purkinje cells 32P
 Pyridoxal-5-phosphate 128P
- Radicals 87P, 318P, 319P
 Radioligand binding 234P, 235P, 279P, 361P
 Reactive oxygen species 311P
 Reactivity 269P
 Receptors 81P, 109P, 114P, 197P, 271P, 274P
 Receptors, human 109P
 Receptor binding 126P
 Receptor binding affinity 363P
 Receptor pharmacology 7P
 Receptor subtypes 146P, 237P
 Receptor–G-protein coupling 30P
 Recombinant DNA 291P
 Regional distribution 223P
 Regulation 285P, 293P
 Reinnervation by implanted nerve 171P
 Relapse 372P
 Relaxation 98P, 145P, 164P, 324P
 Renal blood flow 111P
 Renal effects 146P
 Renal failure 94P
 Renal vasodilation 156P
 Reporter genes 303P
 Reserpine 162P
 Retina 216P
 Reverse transcription-polymerase chain reaction (RT-PCR) 147P
 Reward conditioning 373P
 Rilmenidine 29P
 Ritanserin 255P
 Rostral entrolateral medulla 27P
 RS 100975 106P, 107P
 RU 38486 271P
 [³H]-RX 821002 288P
- Salivary gland 204P
 Salivation 205P
 Sapintoxin D 330P
 SB 216641 143P
 SB 204070A 138P
 SB 207266A 138P
 [³H]-SCH 58261 304P
- Schizophrenia 139P
 Sciatic nerve 186P
 Scintillation proximity assay 201P
 Scopolamine 270P
 Second messenger 222P
 Second window of protection 356P
 Secretion 195P
 Seizures 358P, 359P
 L-Selectin 217P
 Self-stimulation 251P
 Semicarbazide-sensitive amine oxidase (SSAO) 337P
 SH-SY5Y cells 125P, 224P
 Sibutramine 350P, 351P, 352P, 353P
 Signal transduction 6P
 SIN-1 331P
 Site directed mutagenesis 328P
 Skeletal muscle 50P, 51P
 Smooth muscle 82P, 98P, 164P, 313P
 Smooth muscle, vascular 73P
 Smooth muscle contraction 286P
 Social competition 259P
 Social interaction 253P
 Sodium channels 240P
 Sodium sensitivity 277P
 Somatostatin 141P, 308P, 309P
 Somatostatin receptors 43P
 Spin trap 40P
 Spinal cord 35P, 70P, 71P, 228P, 233P
 Spironolactone 271P
 Splice variant 129P
 c-SRC 83P
 SSRI 256P
 sst₅ receptors 308P
 Structure–function relationships 289P
 Stunning 179P
 Substance abuse 266P
 Substance P 232P, 326P
 Substituted benzamide 277P
 β₃-Subunits 41P
 δ-Subunits 283P
 Sugars 56P
 Sumatriptan 212P
Suncus murinus intestine 193P
 Superoxide anion 159P
 Superoxide dismutase 159P
 Suramin 128P
 Sympathectomy 231P
- Tachykinins 202P
 Tachykinin antagonists 191P
 Tachykinin NK₁ receptors 328P, 362P
 Tachykinin NK₁ receptor antagonists 202P
 Tachykinin NK₂ receptors 191P
- Taenia coli 207P
 Targeted gene deletion 134P
 Teaching and learning methods 376P
 Tetrahydrobiopterins 329P, 336P
 Theta 271P
 Thioglycollate 217P
 Thiols 56P
 Thrombosis 175P
 Thromboxane 181P
 Tolterodine 63P
 Toxicity 65P
 Trachea, ovine 208P
 Transgenic models 382P
 Tricyclics 256P
 Type 1 interleukin-1 receptors 6P
 Tyrosine kinase 47P, 83P, 190P, 356P
- U73122 305P
 Undergraduate pharmacology 376P
 Urethra, rabbit 286P
 Urocortin 364P
 Uterus, guinea-pig 62P
- Vagus 25P
 Vas deferens 187P, 235P
 Vas deferens, guinea-pig 44P
 Vas deferens, rat 209P
 Vascular muscle 28P, 150P, 167P
 Vascular permeability 172P
 Vascular reactivity 154P
 Vascular smooth muscle 153P, 174P
 Vascular smooth muscle cells 307P
 Vasodilation 52P
 Vasopressin 194P
 Vasoreactivity 55P
 Vasorelaxation 17P, 178P
 Veins, saphenous, human 104P, 113P
 Veins, umbilical, human 115P
 Ventilation 200P
 Ventral tegmental neurones 136P
 Vessels 58P, 72P
 Vincristine 340P
 Visual system 238P
 Voltage-operated calcium channels 83P
- Withdrawal 137P
 Working heart 19P
- Xenopus* 129P
- Y₁ receptor transfection 290P