

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

University of Edinburgh
Joint Meeting with the Société Française de Pharmacologie

2nd–4th September 1997

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

The contents page of this journal is now available on the Internet before publication at: <http://www.stockton-press.co.uk>.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, St George's Hospital Medical School, Cranmer Terrace, London SW17 0RE, UK. Tel: +44 (0)181 767 6765; Fax: +44 (0)181 767 5645.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44(0)181 882 7199; Fax: +44(0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley. Supplement Production Controller: Simone Larché

Subscriptions – EU/Rest of World Subscription price per annum (3 volumes, 24 issues) £725, rest of world £800 (Surface mail) £960 (Airmail), or equivalent in any other currency. Orders must be accompanied by remittance. Cheques should be made payable to *Macmillan Journals Subscriptions Ltd* and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment. Subscribers from EC territories should add sales tax at the local rate.

Subscriptions – USA USA subscribers call toll free 1-800-221-2123 or send check/money order/credit card details to: Stockton Press, 345 Park Avenue South, 10th Floor, New York, NY 10010-1707; Tel: +1 212 689 9200, Fax: +1 212 689 9711. USA annual subscription rates (institutional/corporate): \$1240 (surface) \$1490 (airmail). Individual making personal payment: \$260.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1240 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 29242; Fax: +44 (0)1256 810526.

Copyright © 1997 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/97 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

University of Edinburgh

2nd–4th September, 1997

Author Index

- Abbas F, Clayton J, Marshall K & Senior J The effect of des-Arg9(leu8)bradykinin (BK) on prostaglandin (PG) release by des-Arg9-BK on human isolated myometrium, 437P
- Abbas F, Clayton J, Marshall K & Senior J The role of the L-arginine-nitric oxide (NO) pathway in the bradykinin (BK) response on human isolated myometrium, 436P
- Adcock IM *see* Seybold J, 224P
- Adnot S Endothelin antagonists in pulmonary hypertension: clinical and experimental studies, 462P
- Advenier C *see* Dumas M, 415P
- Advenier C *see* Girard V, 267P
- Ahluwalia A, Giuliani S & Maggi CA Allergic inflammation in the rat urinary bladder: involvement of mast cells and C-fibres, 264P
- Ahluwalia A *see* Scotland RS, 199P
- Aitken H, Poyser NL & Hollingsworth M Effect of adenosine 5'-triphosphate (ATP) and an ATP analogue on prostaglandin production by the guinea-pig uterus, 413P
- Alderton F, Lauder H, Sellers LA, Fan T-PD & Humphrey PPA Angiotensin antagonises the anti-proliferative effects of SRIF in CHO-K1 cells expressing human recombinant sst₁ receptors, 222P
- Ali IS *see* Clanachan AS, 408P
- Ali M *see* Castro SW, 268P
- Allain H, Bentué-Ferrer D, Reymann JM, Rousselle JC, Massot O, Bourin M & Fillion G Does 5HT_{1B}-moduline interact with the 5HT_{1B} agonist CP 93,129-induced release of striatal dopamine in rats?, 211P
- Allen JD *see* Spiers JP, 410P
- Allen LF *see* Wyllie MG, 283P
- Alonso R *see* Steinberg R, 321P
- Alvarez de Sotomayor A, Schott C, Stoclet JC & Andriantsitohaina R Effect of ageing on endothelial function and vascular reactivity in rat conductance and resistance arteries, 238P
- Amirmansour C, Vallance P & Bogle RG Nitrotyrosine formation by nitric oxide donors in rabbit aortic rings *in vitro*: interaction between nitric oxide and endogenous superoxide, 399P
- Andrews MJ, Elliott J & Cunningham FM Eicosanoid production by platelets from normal and allergic horses, 354P
- Andrews N *see* Bailey CP, 337P
- Andrews TJ, Laight DW, Carrier MJ & Ånggård EE Effect of insulin on vascular reactivity in the rat perfused hindlimb *in situ*, 397P
- Andriantsitohaina R *see* Alvarez de Sotomayor M, 238P
- Andriantsitohaina R *see* Stoclet JC, 202P
- Ang KL & Antoni FA Characterization of cyclic nucleotide phosphodiesterase mRNA expression in corticotroph tumour (AtT20) cells: coexpression of PDE1C and PDE4, 424P
- Angelini GD *see* Birkett SD, 371P
- Ånggård EE *see* Andrews TJ, 397P
- Antoni FA *see* Ang KL, 424P
- Antoni FA *see* Lim MC, 292P
- Antonopoulos V *see* Ruddell RG, 423P
- Anwyl R *see* Cullen WK, 330P
- Armstrong R, Dow RC & Fink G [Arg⁶, D-Trp^{7,9}, N-MePhe⁸]-substance P (antagonist G) potentiates oedema in rabbit skin, 270P
- Armstrong R *see* Higgs W, 353P
- Artigues C *see* Richard V, 197P
- Asghar AU, Hasan SS & King AE Actions of the remacemide metabolites, AR-R12859AA and AR-R12860AA, on dorsal root-evoked ventral root potentials in the rat isolated spinal cord, 346P
- Asghar AUR, McQueen DS, Kelly DC & Tazaki M Characterisation of bradykinin receptors that affect c-fibre afferent activity from the rat ankle joint, 333P
- Ashford MLJ *see* Harvey J, 289P
- Ashford MLJ *see* Herson PS, 290P
- Ashford MLJ *see* McKenna F, 225P
- Aspley S *see* Holtom PE, 363P
- Astolfi M, Palma C, Ciucci A, Nardelli F & Manzini S Binding and functional responses on human cell lines of the tachykinin NK1 receptor antagonist MEN 11149: comparison with FK888 and CP122,721, 362P
- Atherton JF *see* Kelly PAT, 310P
- Atkinson J *see* Hubert S, 250P
- Atkinson J *see* Marque V, 382P
- Atkinson J *see* Régrigny O, 385P
- Atkinson J *see* Vandeputte C, 383P
- Audinot V *see* Morris BJ, 279P
- Bailey CP, Andrews N, Davis B, McKnight AT, Hughes J & Little HJ Prolonged changes in monoamines and metabolites in the ventral tegmental area after chronic ethanol treatment, 337P
- Bailey S & Elliott J The inhibitory effect of some monoamines on uptake of 5-HT by equine platelets, 306P
- Baird VH *see* Billinton A, 255P
- Baker KE, Rothaul AL, Wood LM, Whittaker M & Curtis MJ Effects of the PAF antagonist nupafant HCl (BB-2113) on arrhythmias and repolarisation during myocardial ischaemia in rat hearts *in vitro*, 240P

- Baker KE, Rothaul AL, Wood LM, Whittaker M & Curtis MJ Site of antiarrhythmic action of nupafant HCl (BB-2113), assessed by selective regional myocardial perfusion in the rat heart *in vitro*, 241P
- Balasubramaniam A *see* McDermott BJ, 393P
- Baldin V *see* Valette A, 261P
- Balfour DJK *see* Ridley DL, 301P
- Banner KH & Page CP The anti-proliferative effect of the selective phosphodiesterase (PDE) 4 inhibitor denbufylline, but not theophylline, is reduced by a selective protein kinase A inhibitor, 223P
- Barboule N *see* Valette A, 261P
- Bardou M *see* Dumas M, 415P
- Barker DM, Wei ET & Corder R Comparison of the vasodilator and hypotensive actions of corticotrophin-releasing factor, sauvagine, urocortin and D-amino acid substituted analogues, 391P
- Barlow RB A program for fitting data for a single curve to the operational model (Black Equation), 440P
- Barlow RB The shapes of concentration(dose)-response curves: an appeal, 351P
- Barnes PJ *see* Kankaanranta H, 258P
- Barnes PJ *see* Lindsay MA, 257P
- Barnes PJ *see* Seybold J, 224P
- Barthelmebs M, Helwig JJ, Nisato D, de Jong W, Grima M & Imbs JL Nitric oxide (NO) modulation of vasopressin-induced vasoconstriction in the isolated rat kidney depends on the viscosity of the perfusate, 192P
- Barthelmebs M, Loichot C, Nisato D, Cazaubon C, Grima M & Imbs JL, Blood pressure and renal effects of SR 49059, a selective vasopressin V_{1A} receptor antagonist, in hypertension induced by chronic inhibition of nitric oxide synthesis, 203P
- Barthelmebs M *see* Helwig JJ, 237P
- Barton CL & Hutson PH Effects of WAY100635 on the increase of hippocampal extracellular 5-HT and inhibition of 5-HT synthesis by fluoxetine, 309P
- Bataillard A *see* Boulanger M, 377P
- Battersby S *see* Ogilvie AD, 470P
- Battram CH, Birrell M, McCluskie K, Foster M, Belvisi MG & Webber SE A method for measuring airways mechanics and hyperresponsiveness in spontaneously breathing mice, 416P
- Baxter GS *see* Castro SW, 268P
- Baxter GS *see* Harmer DW, 263P
- Bayoumy S *see* Kolesnick R, 260P
- Bayoumy S *see* Kolesnick R, 447P
- Behr D *see* Rupin A, 218P
- Belenguer A *see* Roberts C, 207P
- Bell D *see* McDermott BJ, 393P
- Belmonte C *see* Dowd E, 348P
- Belvisi MG *see* Battram CH, 416P
- Ben-Ari Y *see* Charriaut-Marlangue C, 451P
- Bennett GW *see* Holtom PE, 363P
- Bennett GW *see* Nayak S, 296P
- Bennett T, Kemp PA, March JE & Gardiner SM Haemodynamic responses to chronic lipopolysaccharide (LPS) infusion in conscious, hypertensive transgenic ((mRen-2)27) rats: involvement of endothelin, 231P
- Bennett T *see* Gardiner SM, 392P
- Bennett T *see* Gardiner SM, 409P
- Bennie JG *see* Fink G, 305P
- Bentué-Ferrer D *see* Allain H, 211P
- Benzoni D *see* Messer I, 378P
- Berdeaux A, Karila-Cohen D, Doubois-Randé JL, Hittinger L & Giudicelli JF Ergonovine and the coronary vascular bed in conscious dogs: role of vascular endothelium, nitric oxide and 5-HT receptors, 201P
- Berdeaux A *see* Corriu C, 205P
- Berman RS & Griffith TM Effects of NO synthase inhibition on acetylcholine-induced relaxation in the arterial network of the rabbit isolated ear, 204P
- Bernard N *see* Messer I, 378P
- Bertrand C *see* Schmidlin F, 418P
- Bettler B *see* Billinton A, 255P
- Bettler B *see* Billinton A, 425P
- Billinton A, Baird VH, Upton N, Bettler B & Bowery NG Alterations in GABA_B receptor mRNA expression in hippocampal sclerosis associated with human temporal lobe epilepsy, 255P
- Billinton A, Meoni P, Turner H, Upton N, Bettler B, Bittiger H & Bowery NG GABA_B receptors in human spinal cord: localization of mRNA by *in situ* hybridization and receptor protein by autoradiography using [³H]-CGP62349, 425P
- Billinton A *see* Richards DA, 344P
- Billinton A *see* Towers S, 345P
- Bingham S *see* Sammons M, 334P
- Biola A & Pallardy M Interleukin-2 inhibits glucocorticoid receptor transcriptional activity: consequences for apoptosis, 426P
- Birkett SD, Jeremy JY, Watts SM, Angelini GD & McArdle C Time-dependent inhibition of intracellular calcium mobilisation by low concentrations of thapsigargin in human vascular smooth muscle cells, 371P
- Birrell M *see* Battram CH, 416P
- Birrell MA, Hopkins N, Foster ML, White A, Wong M, Bottoms S, Handscombe C, Brown TJ, Roach AG & Sargent CA The relationship between endothelin and the progression of congestive heart failure in cardiomyopathic hamsters, 403P
- Bittiger H *see* Billinton A, 425P
- Bittiger H *see* Richards DA, 344P
- Bittiger H *see* Towers S, 345P
- Bjorn H *see* Martin RJ, 272P
- Black JW *see* Harper EA, 429P
- Black JW *see* Harper EA, 430P
- Black JW *see* Harper EA, 431P
- Black JW *see* Harper EA, 432P
- Black JW *see* Low CMR, 433P
- Black JW *see* Watt GF, 434P
- Black JW *see* Watt GF, 435P
- Blackwood DHR *see* Ogilvie AD, 470P
- Bogle RG *see* Amirmansour C, 399P
- Bond SM *see* McQueen DS, 246P
- Bonnafoos R *see* Valentin JP, 206P
- Bonner SA *see* Davidson J, 355P
- Bonnin A *see* Fillion G, 467P
- Bordet RC *see* Deplanque DJL, 323P
- Born GVR *see* Farmer H, 380P
- Bottoms S *see* Birrell MA, 403P
- Bouaboula M *see* Casellas P, 215P
- Bouillier H *see* Dagher G, 216P
- Bouillier H *see* Samain E, 248P
- Boulanger M, Broux O, Koenig-Berard E, Bataillard A, Sassard J & Duhault J Insulin sensitivity in the Lyon hypertensive rat, 377P
- Bourin M *see* Allain H, 211P
- Bow AC *see* Kelly PAT, 310P
- Bowen WP *see* Castro SW, 268P
- Bowen WP *see* Harmer DW, 263P
- Bowery NG *see* Billinton A, 255P
- Bowery NG *see* Billinton A, 425P
- Bowery NG *see* Richards DA, 344P
- Bowery NG *see* Sutcliffe RJ, 275P
- Bowery NG *see* Towers S, 345P
- Boyle JP *see* Holland M, 365P
- Boyle JP *see* Holland M, 398P
- Brawley L, MacDonald A & Shaw AM Influence of L-NAME and removal of endothelium on noradrenaline contraction and isoprenaline relaxation in rat isolated thoracic aorta, 395P
- Breadon EL *see* Prior C, 339P
- Brémont B *see* Trillat A-C, 298P
- Brera B *see* de Ceballos ML, 226P
- Broux O *see* Boulanger M, 377P
- Brown TJ *see* Birrell MA, 403P
- Brownhill V *see* Lee K, 288P
- Brownhill V *see* McKnight AT, 455P
- Buchan J *see* Davidson J, 379P
- Bulling DGS, McQueen DS & Seckl JR Very early changes in neuropeptides and their encoding mRNAs in the Freund's Complete Adjuvant-induced rat model of neurogenic inflammation, 359P
- Bulters DO *see* Morton RA, 274P
- Bunton D, MacDonald A & Shaw AM Receptor subtypes for 5-HT in bovine pulmonary supernumerary

- arteries, 313P
- Burke-Gaffney A & Macari DTM, Hellewell PG Tumour necrosis factor- α primes eosinophil adhesion to human bronchial epithelial cells, 269P
- Burns NJ *see* Wren PB, 209P
- Burton MJ *see* Selkirk JV, 208P
- Busse R Is EDHF a P450-dependent metabolite of arachidonic acid?, 444P
- Butcher SP *see* Henshall D, 234P
- Butcher SP *see* Henshall D, 235P
- Butcher SP *see* Lawrence JA, 302P
- Butcher SP *see* Macleod M, 322P
- Butcher SP *see* Sharkey J, 329P
- Butcher SP *see* Marston HM, 214P
- Butler AR *see* Megson IL, 405P
- Buus C *see* Fremont A, 387P
- Cambursano P *see* Gard PR, 336P
- Campbell CA, Mackay KB, Hadingham SJ, King PD, Patel SR & Hamilton TC SB-238592 (CP-0127) does not reduce indices of ischaemic damage following permanent or transient focal cerebral ischaemia in normotensive rats, 324P
- Campbell CA *see* Hadingham SJ, 428P
- Campbell CA *see* King PD, 325P
- Canat X *see* Casellas P, 215P
- Canet E *see* Girard V, 267P
- Capdeville-Atkinson C *see* Fremont A, 387P
- Capdeville-Atkinson C *see* Vandeputte C, 383P
- Carnuccio R *see* Iuvone T, 271P
- Carrier MJ *see* Andrews TJ, 397P
- Carroll S *see* Fink G, 305P
- Casellas P, Bouaboula M, Perrachon S, Milligan L, Canat X, Rinaldi-Carmona M, Portier M, Pecceu F, Maffrand JP & Le Fur G A selective inverse agonist for central cannabinoid receptor inhibits MAPK activation stimulated by insulin or IGF1, 215P
- Cassidy MJA *see* Kelly PAT, 310P
- Castro SW, Ali M, Bowen WP, Coleman RA & Baxter GS Differences in the pharmacological profiles of human lung membranes from smokers and non-smokers, 268P
- Caulfield MP *see* del Rio E, 370P
- Cazaubon C *see* Barthelmebs M, 203P
- Chadebech P *see* Valette A, 261P
- Chahdi A & Landry Y Permeabilisation reverses the inhibitory effect of sialic acid depletion on the response of mast cells to amphiphilic peptides, 360P
- Chamiot-Clerc P, Colle MH, Legrand M, Sassard J, Safar M & Renaud JF Differences in aorta endothelium-dependent function in SHR and LH hypertensive rats, 198P
- Chapple CR *see* Martin SW, 419P
- Chapple CR *see* Mason SL, 284P
- Chardigny JM *see* Higgs W, 353P
- Charles KJ *see* Hadingham SJ, 428P
- Charriaut-Marlangue C & Ben-Ari Y Apoptosis and programmed cell death: a role in cerebral ischaemia, 451P
- Chasserot S *see* Stoclet JC, 202P
- Chataigneau T, Félétou M, Thollon C, Vilaine J-P, Duhault J & Vanhoutte PM Cannabinoid CB1 receptor and endothelium-dependent hyperpolarization in guinea-pig carotid, rat mesenteric and porcine coronary arteries, 249P
- Chess-Williams R *see* Martin SW, 419P
- Chess-Williams R *see* Mason SL, 284P
- Chessell IP *see* Dowd E, 286P
- Chessell IP *see* Dowd E, 348P
- Chessell IP *see* McQueen DS, 246P
- Chilvers ER *see* MacKinnon AC, 259P
- Cho K & Little HJ Effects of corticosterone on the actions of excitatory amino acids in dopamine-sensitive neurones in the ventral tegmental area, 278P
- Ciucci A *see* Astolfi M, 362P
- Clanachan AS, Gandhi M, Ali IS, Koshal A Finegan BA Activation of myocardial NO/cGMP pathway enhances functional recovery of isolated working rat hearts during reperfusion following 8 hours' cardioplegic arrest, 408P
- Clayton J *see* Abbas F, 436P
- Clayton J *see* Abbas F, 437P
- Clemett DA, Fone KCF, Marsden CA, Ochalski R & Cockett MI C-Terminal variation of the human 5-HT₁ receptor affects 5-HT-induced desensitisation, 422P
- Clifford J & Waddington JL Three new D₂ dopamine receptor antagonists: systematic comparison of behavioural profiles, 281P
- Cloëz-Tayarani I *see* Fillion G, 467P
- Cochran SM & Pratt JA Regionally selective changes in the displacement of α -dendrotoxin binding by charybdotoxin and toxin K in the rat septohippocampal pathway during aging, 256P
- Cockett MI *see* Clemett DA, 422P
- Cohen RA Endothelium-derived hyperpolarizing factor: is the answer NO?, 443P
- Colado MI, Granados R, O'Shea E, Esteban B & Green AR The role of temperature in the neuroprotective effect of clomethiazole against MDMA-induced degeneration in rat brain, 304P
- Colado MI, O'Shea E, Granados R, Esteban B & Green AR Relationship between the dose of MDMA and frequency of administration on the subsequent neurodegeneration of rat brain 5-HT, 303P
- Coleman RA *see* Castro SW, 268P
- Coleman RA *see* Harmer DW, 263P
- Colle MH *see* Chamiot-Clerc P, 198P
- Conway MW *see* O'Neill MF, 294P
- Corbett AD *see* Menzies JRW, 439P
- Corder R Biochemistry of endothelin-converting enzyme, 459P
- Corder R *see* Barker DM, 391P
- Corder R *see* Lees D, 373P
- Cordon-Cardo C *see* Kolesnick R, 260P
- Cordon-Carlo C *see* Kolesnick R, 447P
- Corriu C, Félétou M, Puybasset L, Berdeaux A & Vanhoutte PM Endothelium-dependent hyperpolarizations after chronic *in vivo* treatment with NO synthase inhibitors, 205P
- Costall B *see* Smith AG, 317P
- Costall B *see* Smythe JW, 300P
- Coudoré M-A *see* Courteix C, 335P
- Courteix C, Coudoré M-A, Eschalié A, Fialip J, Zajac J-M & Lavarenne J CI988, an antagonist of cholecystokinin type B receptor and 1DME, an analogue of neuropeptide FF, enhance the analgesic effect of morphine in diabetic rats, 335P
- Coutts AA & Pertwee RG Evidence that cannabinoid-induced inhibition of evoked contractions of the guinea-pig myenteric plexus preparation can be modulated by Ca²⁺ and cAMP, 266P
- Crilly TK *see* Wanstall JC, 375P
- Criscuoli M *see* Tramontana M, 417P
- Cros J *see* Valette A, 261P
- Cross AJ *see* Green AR, 328P
- Cullen WK, Anwyl R & Rowan MJ β -Amyloid produces a selective block of late-phase long-term potentiation in rat hippocampus *in vivo*, 330P
- Cunningham FM *see* Andrews MJ, 354P
- Curtis MJ *see* Baker KE, 240P
- Curtis MJ *see* Baker KE, 241P
- D'Acquisto F *see* Iuvone T, 271P
- Dagher G, Samain E, Bouillier H, Perret C & Safar M, TGF- β 1 and bFGF modulate the angiotensin II-induced calcium release in vascular smooth muscle cells from normotensive and hypertensive rats, 216P
- Dagher G *see* Samain E, 248P
- D'Amico M, Di Filippo C, Filipelli A & Rossi F Endothelin-1 in periaqueductal gray area of mice induces antinociceptive effects via both ET_A and ET_B receptors, 327P
- D'Amico M, Di Filippo C & Rossi F Depressor responses to endothelin-1 in the superior colliculus involve ET_B

- and adrenergic receptors, 230P
 Das AM *see* Lim LHK, 265P
 Daveau M *see* Richard V, 384P
 Davenport AP Pharmacology of endothelin receptors, 460P
 Davey P *see* Sammons M, 334P
 Davidson HJ, Richardson PJ & Hiley CR Comparison of the effects of 5-HT in basilar arteries from both Sprague-Dawley and Wistar rats, 374P
 Davidson J, Bonner SA & Rotondo D Eicosapentaenoic acid attenuates the production of pro-inflammatory cytokines in human blood, 355P
 Davidson J, Higgs W & Rotondo D Eicosapentaenoic acid suppresses the acute phase fever response and increases in blood PGE₂ levels, 356P
 Davidson J, Milton AS, Buchan J & Rotondo D Ketoprofen inhibition of bacterial endotoxin and interleukin-1-induced hyporeactivity of blood vessels to noradrenaline, 379P
 Davies CH *see* Manuel NA, 342P
 Davies CH *see* Morton RA, 274P
 Davies CL, Merner PA & Wallis RM *In vivo* characterisation of the blood pressure response to endothelin-1 in the anaesthetised minipig, 404P
 Davis B *see* Bailey CP, 337P
 Davis BJ *see* Mason SL, 284P
 de Ceballos ML & Brera B β -Amyloid toxicity on cultured astrocytes, 226P
 de Jong W *see* Barthelmebs M, 192P
 Del Rio E & Caulfield MP M₁ muscarinic receptors stimulate phosphoinositide turnover in primary cultures of rat dissociated superior cervical ganglion neurones, 370P
 Delagrance P *see* Régrigny O, 385P
 Delagrance P *see* Vandeputte C, 383P
 Demoliou-Mason C *see* Unlu S, 368P
 Démolis P *see* Gervais M, 243P
 Deplanque DJL, Bordet RC, Puisieux FL, Leys D & Dupuis BA Delayed neuroprotective effect of low doses of bacterial lipopolysaccharide in transient focal cerebral ischaemia in rats, 323P
 Derumeaux G *see* Mulder P, 239P
 Desaintfuscien E *see* Trillat A-C, 298P
 Descombes J-J, Menant Y, Lavielle G & Verbeuren TJ Binding properties of a potent, long-acting new thromboxane receptor antagonist, [³H]S 18886, on human, rat and dog platelet membrane, 381P
 Desgranges C *see* Freslon JL, 200P
 Dewar D *see* Murdoch I, 326P
 Di Filippo C *see* D'Amico M, 230P
 Di Filippo C *see* D'Amico M, 327P
 Di Rosa M *see* Iuvone T, 271P
 Dietrich PS *see* McGivern JG, 366P
 Dixon AK *see* Lee K, 288P
 Dobson DR *see* O'Neill MF, 294P
 Docherty CC & MacLean MR ETB receptor-mediated vasoconstriction of rabbit pulmonary resistance arteries: effect of developmental age, 228P
 Docherty CC *see* MacLean MR, 229P
 Dolan F *see* McDermott BJ, 393P
 Domergue V *see* Gervais M, 243P
 Doubal FN *see* Kelly PAT, 310P
 Dow RC *see* Armstrong R, 270P
 Dow RC *see* Fink G, 305P
 Dowd E, Gallar J, McQueen DS, Chessell IP, Humphrey PPA & Belmonte C Nociceptors of the cat and rat cornea are not excited by P2X purinoceptor agonists, 348P
 Dowd E, McQueen DS, Chessell IP & Humphrey PPA Activation by P2X purinoceptor agonists of sensory nerves innervating the rat knee joint, 286P
 Dowd E *see* McQueen DS, 246P
 Dowell FJ & Martin W Peroxynitrite-induced depression of contractility in rat aorta: the effects of L-cysteine, 406P
 Dryden WF *see* Lei S, 332P
 Dubois-Randé JL *see* Berdeaux A, 201P
 Duhault J *see* Boulanger M, 377P
 Duhault J *see* Chataigneau T, 249P
 Dumas J-P *see* Dumas M, 415P
 Dumas M, Dumas J-P, Bardou M, Rochette L, Advenier C & Giudicelli J-F Influence of β -adrenoceptor agonists on hypoxic vasoconstrictions in the isolated perfused lung of rat: evidence of atypical β -adrenoceptors, 415P
 Dupuis BA *see* Deplanque DJL, 323P
 Ebmeier KP *see* Ogilvie AD, 470P
 Edwards CK *see* Kolesnick R, 260P
 Edwards CK *see* Kolesnick R, 447P
 Edwards G *see* Zygmunt PM, 402P
 Edwards MD & Lees G Modulation of recombinant GABA_A receptors by *cis*-9,10-octadecenoamide (cOA): subunit dependence and flumazenil sensitivity, 276P
 Elghozi JL *see* Ponchon P, 242P
 Elliott J *see* Andrews MJ, 354P
 Elliott J *see* Bailey S, 306P
 Elliott P *see* Wallis DI, 453P
 Emonds-Alt X *see* Steinberg R, 321P
 Endlich K *see* Fiaschi N, 245P
 Endlich K *see* Helwig JJ, 237P
 Endlich N *see* Fiaschi N, 245P
 Eschalier A *see* Courteix C, 335P
 Esteban B *see* Colado MI, 303P
 Esteban B *see* Colado MI, 304P
 Fan T-PD *see* Alderton F, 222P
 Fan T-PD *see* Lauder H, 220P
 Fanning P *see* Hurley P, 217P
 Farmer H & Born GVR, Reduction of LDL efflux from mouse mesentery vasculature by dihydropyridine (DHP) compounds is independent of their calcium channel blocking activity, 380P
 Favell EM *see* Kelly PAT, 310P
 Félétou M & Vanhoutte P EDHF exists, 441P
 Félétou M *see* Chataigneau T, 249P
 Félétou M *see* Corriu C, 205P
 Félétou M *see* Girard V, 267P
 Feniuk W *see* Lauder H, 220P
 Feniuk W *see* Smalley K, 219P
 Feniuk W *see* Wyatt MA, 221P
 Fialip J *see* Courteix C, 335P
 Fiaschi N, Endlich N, Endlich K, Jude C, Imbs JL & Helwig JJ Parathyroid hormone-related protein (PTHrP)-induced vasodilation in isolated perfused kidney of spontaneously hypertensive rats, 245P
 Filippelli A *see* D'Amico M, 327P
 Fillion G Neuropharmacology of 5-HT moduline, 467P
 Fillion G *see* Allain H, 211P
 Fillion M-P *see* Fillion G, 467P
 Finegan BA *see* Clanachan AS, 408P
 Fink G, Dow RC, Bennie JG, Carroll S & McQueen JC Serotonergic 5-HT_{2A} receptors mediate the oestradiol-induced surge of luteinising hormone-releasing hormone in the rat, 305P
 Fink G Oestrogen control of 5-HT neurotransmitters, 466P
 Fink G *see* Armstrong R, 270P
 Finney P *see* Seybold J, 224P
 Fitzgerald DJ *see* McRedmond JP, 247P
 Fletcher A *see* Sammut IA, 394P
 Flower RJ *see* Lim LHK, 265P
 Fone KCF *see* Clemett DA, 422P
 Foresti R *see* Sammut IA, 394P
 Foster GA *see* Wallis DI, 453P
 Foster M *see* Battram CH, 416P
 Foster ML *see* Birrell MA, 403P
 Fraser S, Templeton AGB, Rothaul AL, Wood LM, Patmore L & Sheridan RD Electrophysiological effects of terfenadine in the guinea-pig Langendorff heart and isolated papillary muscle preparations, 390P
 Freeman TC *see* Lee K, 288P
 Fremont A, Giumelly P, Spitzbarth E, Tran NPN, Buus C, Wellman M & Capdeville-Atkinson C Relationship between vasoconstriction, myosin light chain phosphorylation and intracellular calcium mobilisation in the rat perfused tail artery, 387P
 Freslon JL, Gozalves C & Marthan R Direct relaxing effects of piretanide and furosemide in rat and guinea-pig mesenteric resistance arteries, 389P
 Freslon JL, Mendes A, Desgranges C & Vercauteren J Procyanidin oligomers

- from grape seed induce NO-dependent relaxation of rat aortic rings via P2Y₁ receptor activation, 200P
- Freslon JL & Véquaud P Components involved in the flow-induced dilation of rat coronary artery with spontaneous tone, 407P
- Friedmann KT *see* Kelly PAT, 310P
- Fuks Z *see* Kolesnick R, 260P
- Fuks Z *see* Kolesnick R, 447P
- Galilly R *see* Kolesnick R, 447P
- Gallar J *see* Dowd E, 348P
- Gallily R *see* Kolesnick R, 260P
- Gambles S *see* Kelly PAT, 310P
- Gandhi M *see* Clanachan AS, 408P
- Ganellin CR *see* Lees G, 273P
- Gard PR, Cambursano P, Warrington CA & Sutcliffe MA Strain differences in the effects of losartan in the mouse elevated plus-maze test and the relationship to contractile responses to angiotensin II *in vitro*, 336P
- Gardier AM *see* Pons D, 297P
- Gardier AM *see* Trillat A-C, 298P
- Gardiner SM, Kemp PA, March JE & Bennett T Continuous telemetric monitoring of heart rate, arterial blood pressure and activity during chronic oral ingestion of N^G-nitro-L-arginine methylester (L-NAME) in conscious rats, 409P
- Gardiner SM, Kemp PA, March JE & Bennett T Effects of glibenclamide on regional haemodynamic responses to lipopolysaccharide (LPS) in conscious rats, 392P
- Gardiner SM *see* Bennett T, 231P
- Gardner B *see* Harper EA, 431P
- Garland CJ *see* Holland M, 398P
- Garzotto M *see* Kolesnick R, 260P
- Garzotto M *see* Kolesnick R, 447P
- Gaster L *see* Selkirk JV, 208P
- German EJ, Wood D & Hurst MA Assessment of muscarinic receptor subtypes in the sheep iris sphincter and ciliary muscle by radioligand binding techniques, 341P
- German EJ, Wood D & Hurst MA Optimisation of conditions for binding of ³H-QNB to muscarinic receptors in sheep ciliary muscle and iris sphincter, 340P
- Gervais M, Démolis P, Parent de Curzon O, Domergue V, Richer C & Giudicelli JF Systemic and regional haemodynamics assessment in rats with fluorescent microspheres: a validation study, 243P
- Getting SJ *see* Lim LHK, 265P
- Giembycz MA *see* Kankaanranta H, 258P
- Giembycz MA *see* Lindsay MA, 257P
- Giembycz MA *see* Seybold J, 224P
- Gies J-P *see* Schmidlin F, 418P
- Gilani AH, Janbazan KH & Shah BH Studies on anti-hepatotoxic activity of esculin, a flavonoid from *Cichorium intybus*, 420P
- Girard V, Félétou M, Advenier C & Canet E Effects of tachykinins and capsaicin on the mechanical and electrical activity of the guinea-pig isolated trachea, 267P
- Giudicelli JF *see* Berdeaux A, 201P
- Giudicelli JF *see* Gervais M, 243P
- Giudicelli J-F *see* Dumas M, 415P
- Giuliani S *see* Ahluwalia A, 264P
- Giuliani S *see* Tramontana M, 417P
- Giummelly P *see* Fremont A, 387P
- Gobert A *see* Millan MJ, 468P
- Goodwin GM *see* Ogilvie AD, 470P
- Goyvaert E *see* Pons D, 297P
- Gozalbes C *see* Freslon JL, 389P
- Graham DI *see* Murdoch I, 326P
- Graham M, Tulloch IF & Marsden CA The effect of chronic paroxetine on 20 kHz ultrasound-induced defence behaviour in the rat, 295P
- Granados R *see* Colado MI, 303P
- Granados R *see* Colado MI, 304P
- Gray GA *see* McNamara HM, 411P
- Gray GA *see* Mickley EJ, 233P
- Green AR, Misra A & Cross AJ *In vitro* studies on the interaction of clomethiazole with glutamate receptor subtypes in rat brain, 328P
- Green AR *see* Colado MI, 303P
- Green AR *see* Colado MI, 304P
- Green CJ *see* Sammut IA, 394P
- Greig IR *see* Megson IL, 405P
- Griesbacher T Effects of the nonpeptide bradykinin antagonist, FR173657, in experimental models of acute pancreatitis and cystitis in rats, 352P
- Griffin EP *see* Harper EA, 431P
- Griffith TM *see* Berman RS, 204P
- Grima M *see* Barthelmebs M, 192P
- Grima M *see* Barthelmebs M, 203P
- Grimaldi B *see* Fillion G, 467P
- Grouzmann E *see* Liu KL, 367P
- Gubba EM *see* Kelly PAT, 310P
- Gunthorpe MJ & Lummis SCR Substitution of a charged residue, lysine 282, in the M2 domain of the 5-HT₁ receptor affects the rate of desensitisation, 252P
- Gwyn P & Logan SD Direct actions of L-enkephalin on neonatal rat sympathetic preganglionic neurones via delta opioid receptors *in vitro*, 350P
- Had L *see* Lortet S, 331P
- Hadingham SJ, Mackay KB, King PD, Roberts JC, Stretton JL, Charles KJ, Patel S, James MF, Campbell CA & Hamilton TC Centrally administered Ac-YVAD-cmk inhibits neuronal damage and apoptosis in rats, 428P
- Hadingham SJ *see* Campbell CA, 324P
- Hadingham SJ *see* King PD, 325P
- Haimovitz-Friedman A *see* Kolesnick R, 260P
- Hall ND *see* Walker LSK, 427P
- Hamilton LC *see* Watt GF, 434P
- Hamilton TC *see* Campbell CA, 324P
- Hamilton TC *see* Hadingham SJ, 428P
- Hamilton TC *see* King PD, 325P
- Hamon M *see* Lanfumey L, 465P
- Hancock PJ *see* Phillips PEM, 316P
- Handscombe C *see* Birrell MA, 403P
- Harmar AJ *see* Ogilvie AD, 470P
- Harmer DW, Bowen WP, Coleman RA & Baxter GS Development of a high-throughput immunoblotting system suitable for the detection and quantification of proteins in human tissue, 263P
- Harper EA, Gardner B, Griffin EP, Shankley NP & Black JW Characterisation of the binding of histamine H₃-receptor ligands in guinea-pig cortex and ileal longitudinal muscle myenteric plexus, 431P
- Harper EA, Shankley NP & Black JW Characterisation of the binding of the histamine H₃-receptor antagonist, [³H]-clobenpropit, to sites in guinea-pig cerebral cortex membranes, 432P
- Harper EA, Shankley NP & Black JW Development of H₃-receptor radioligand binding assays in guinea-pig cerebral cortex membranes for the detection of agonist efficacy, 429P
- Harper EA, Shankley NP & Black JW Development of H₃-receptor radioligand binding assays in guinea-pig cerebral cortex membranes and ileal longitudinal muscle myenteric plexus, 430P
- Harriott P *see* McRedmond JP, 247P
- Harvey J & Ashford MLJ Differential sensitivity to enflitazone of K_{ATP} currents, activated by diazoxide or leptin, in the insulin secreting cell line CRI-G1, 289P
- Hasan SS *see* Asghar AUR, 346P
- Haslett C *see* MacKinnon AC, 259P
- Hassoni AA & Lees G Mechanisms for potentiation of GABA_A receptors by *cis*-9,10-octadecenoamide (cOA) in cultured rat cortical neurones, 343P
- Heal DJ *see* Jackson HC, 307P
- Heal DJ *see* Rowley HL, 314P
- Heaulme M, Leyris R, Le Fur G & Soubrié P Putative neurotensin receptor subtypes are involved in neurotensin-induced stimulation of striatal [³H]dopamine release evoked by K⁺ versus electrical depolarisation, 320P
- Hellewell PG *see* Burke-Gaffney A, 269P
- Helwig JJ, Muller C, Endlich K, Barthelmebs M & Imbs JL The

- angiotensin II-induced vasoconstriction during NO blockade in the renal vasculature: dual AT₁/AT₂-sensitivity and coupling to the endothelial P450 system, 237P
- Helwig JJ *see* Barthelmebs M, 192P
- Helwig JJ *see* Fiaschi N, 245P
- Hen R *see* Pons D, 297P
- Hen R *see* Ramboz S, 464P
- Henry JP *see* Richard V, 197P
- Henry JP *see* Varin R, 196P
- Henry J-P *see* Mulder P, 239P
- Henry J-P *see* Mulder P, 386P
- Henshall DC, Butcher SP & Sharkey J
Evidence for an atypical endothelin receptor mediating endothelin-induced middle cerebral artery occlusion in the rat, 234P
- Henshall DC, Butcher SP & Sharkey J
Further development of a novel model of focal cerebral ischaemia to include controlled reperfusion, 235P
- Herman AG *see* Iuvone T, 271P
- Herson PS & Ashford MLJ Glutathione inhibits a β -NAD⁺-activated non-selective cation channel in the CRI-G1 insulin-secreting cell line, 290P
- Higgs W, Chardigny JM, Sebedio JL, Armstrong R, Poullain D & Noel JP
Effect of *trans*-arachidonic acid (AA) on neutrophil activation *in vitro*, 353P
- Higgs W *see* Davidson J, 356P
- Hiley CR *see* Davidson HJ, 374P
- Hiley CR *see* Otley CE, 236P
- Hirsch E Mechanism of nerve cell death in Parkinson's disease, 452P
- Hittinger L *see* Berdeaux A, 201P
- Ho M *see* Selkirk JV, 208P
- Hodgkiss JP, Robinson KA & Kelly JS
The effect of an adenosine A₁ receptor agonist and antagonist on EPSCs evoked by paired stimuli in hippocampal CA1 neurones, 347P
- Högestätt ED *see* Petersson J, 401P
- Högestätt ED *see* Zygmunt PM, 400P
- Högestätt ED *see* Zygmunt PM, 402P
- Hogie M *see* Mulder P, 386P
- Holland M, Plane F, Garland CJ & Boyle JP
Comparison of the vaso-relaxant effects of anandamide and EDHF in rat mesenteric and carotid arteries, 398P
- Holland M, Standen NB & Boyle JP
Nitric oxide-induced activation of BK_{Ca} channels in rat basilar myocytes does not involve a direct effect on the channel, 365P
- Hollingsworth M *see* Aitken H, 413P
- Holtom PE, Aspley S, Needham PL & Bennett GW
A novel C-terminally directed antibody to measure biologically active neurotensin, 363P
- Hopkins N *see* Birrell MA, 403P
- Hoult JRS *see* Lever R, 358P
- Hubert S, Lartaud-Idjouadiene I & Atkinson J
Venous capacitance is not modified in a rat model of aortic stiffness, 250P
- Hudson AL *see* Lione LA, 438P
- Hughes AD *see* Unlu S, 368P
- Hughes J *see* Bailey CP, 337P
- Hughes J *see* McKnight AT, 455P
- Hughes ZA & Stanford SC
A microdialysis study of the effects of fluoxetine infusion on noradrenaline (NA) efflux in the frontal cortex of saline or DSP-4-treated rats, 212P
- Humphrey PPA *see* Alderton F, 222P
- Humphrey PPA *see* Dowd E, 286P
- Humphrey PPA *see* Dowd E, 348P
- Humphrey PPA *see* Lauder H, 220P
- Humphrey PPA *see* McQueen DS, 246P
- Humphrey PPA *see* Smalley K, 219P
- Humphrey PPA *see* Wyatt MA, 221P
- Hunter AJ *see* King PD, 325P
- Hunter AJ *see* Lione LA, 438P
- Hunter JC *see* McGivern JG, 366P
- Hurley P, McMahon R, Fanning P, O'Boyle KM, Voigt M, Rogers M & Martin F
Direct evidence that ligand activation of the human 5-HT_{5A} receptor results in coupling to G-proteins in HEK-293 cells, 217P
- Hurst MA *see* German EJ, 340P
- Hurst MA *see* German EJ, 341P
- Hutson PH *see* Barton CL, 309P
- Hutson PH *see* Murray F, 319P
- Hutson PH *see* Patel S, 282P
- Hyvelin JM *see* Savineau JP, 369P
- Imbs JL *see* Barthelmebs M, 192P
- Imbs JL *see* Barthelmebs M, 203P
- Imbs JL *see* Fiaschi N, 245P
- Imbs JL *see* Helwig JJ, 237P
- Iuvone T, D'Acquisto F, Van Osselaer N, Herman AG, De Rosa M & Carnuccio R
LPS-induced plasma leakage in rat skin is modulated by inducible nitric oxide synthase through the activation of transcription factor NF- κ B, 271P
- Iwasaki K *see* Sharkey J, 329P
- Jackson HC, Needham AM & Heal DJ
The 5-HT_{1A} antagonist WAY100635 does not prevent the ability of GR127935 to inhibit the hypothermia induced by the 5-HT_{1B/1D} agonist GR46611 in the guinea-pig, 307P
- Jacquot C *see* Pons D, 297P
- Jacquot C *see* Trillat A-C, 298P
- James MF *see* Hadingham SJ, 428P
- Janbazan KH *see* Gilani AH, 420P
- Javid FA & Naylor RJ
Characterisation of the 5-HT receptors mediating the contractile effect of 5-HT in the terminal region of the rat small intestine, 311P
- Jenner P *see* Rose S, 280P
- Jenner P *see* Tel BC, 315P
- Jeremy JY *see* Birkett SD, 371P
- John GW *see* Le Grand B, 253P
- John GW *see* Le Grand B, 388P
- John GW *see* Pagniez F, 244P
- John GW *see* Valentin JP, 206P
- Jones H *see* Lever R, 358P
- Jones PA, Smith RA & Stone TW
Protection against kainate neurotoxicity by an adenosine A₂ receptor antagonist, 349P
- Jones RL, Rudd JA & Tsui KKC
Excitation of rat isolated vagus nerve by prostacyclin mimetics, 293P
- Jönsson P *see* Petersson J, 401P
- Jönsson P *see* Zygmunt PM, 400P
- Jordan RE *see* McKnight AT, 455P
- Judes C *see* Fiaschi N, 245P
- Kaeffer N *see* Richard V, 197P
- Kalindjian SB *see* Low CMR, 433P
- Kankaanranta H, Giembycz MA, Lynch O & Barnes PJ
Activation of extracellular signal-regulated kinases 1 and 2 in human eosinophils: dissociation from spontaneous apoptosis and the enhanced survival of cells afforded by IL-5, 258P
- Karila-Cohen D *see* Berdeaux A, 201P
- Kelly DC, McQueen DS & Perkins MN
Indomethacin prevents the IL-1 β -induced increase in neural discharge and enhancement of kinin-mediated activation of C-fibre mechanoreceptors innervating the rat knee joint, 357P
- Kelly DC *see* Asghar AUR, 333P
- Kelly JS *see* Ang KL, 424P
- Kelly JS *see* Hodgkiss JP, 347P
- Kelly JS *see* Larkman PM, 361P
- Kelly JS *see* Lim MC, 292P
- Kelly JS *see* Marston HM, 214P
- Kelly PAT, Atherton JF, Bow AC, Cassidy MJA, Doubal FN, Favell EM, Friedmann KT, Gambles S, Gubba EM & Ritchie IM
The effects of previous exposure to methylenedioxymethamphetamine upon cerebrovascular dysfunction induced by acute treatment with the drug, 310P
- Kelly PAT *see* McBean DE, 308P
- Kelly PAT *see* McBean DE, 312P
- Kelly PAT *see* Wren PB, 209P
- Kemp PA *see* Bennett T, 231P
- Kemp PA *see* Gardiner SM, 392P
- Kemp PA *see* Gardiner SM, 409P
- Kennedy C *see* Sneddon P, 285P
- Khasabov SG, Lopez-Garcia JA & King AE
The effect of 5-HT₁ agonists on young rat lumbar dorsal horn neurones *in vitro*, 299P
- Kilpatrick IC *see* Rowley HL, 314P
- King AE *see* Asghar AUR, 346P
- King AE *see* Khasabov SG, 299P

- King PD, Mackay KB, Stretton JL, Campbell CA, Hadingham SJ, Patel SR, Hamilton TC & Hunter AJ, Post-treatment with sumatriptan does not reduce histological or neurological outcome after permanent middle cerebral artery occlusion in normotensive rats, 325P
- King PD *see* Campbell CA, 324P
- King PD *see* Hadingham SJ, 428P
- King PD *see* Lione LA, 438P
- Kirkup AJ *see* Zygmunt PM, 402P
- Kleshiov AL *see* Stoclet JC, 202P
- Koch BD *see* McGivern JG, 366P
- Koen R *see* Mulder P, 239P
- Koenig-Berard E *see* Boulanger M, 377P
- Kolesnick R, Halmovitz-Friedman A, Cordon-Cardo C, Bayoumy S, Garzotto M, McLaughlin M, Gallily R, Edwards CK, Schuchman EH & Fuks Z Lipopolysaccharide induces disseminated endothelial apoptosis requiring ceramide generation, 260P
- Kolesnick R, Naimovitz-Friedman A, Cordon-Cardo C, Bayourmy S, Garzotto M, McLaughlin M, Galilly R, Edwards CK, Schuchmann EH & Fuks Z Ceramide/stress kinase-mediated apoptosis, 447P
- Korstanje C *see* Martin SW, 419P
- Koshal A *see* Clanachan AS, 408P
- Krammer PH C95(APO-1/Fas)-mediated apoptosis: signalling and disease, 449P
- Kuc RE *see* Davenport AP, 460P
- Kyprianou N *see* Wyllie MG, 283P
- Laight DW *see* Andrews TJ, 397P
- Lal H, Williams KI & Woodward B Effects of L-NOARG and SOD on vascular parameters in isolated lungs from monocrotaline-treated rats, 414P
- Lallemand F *see* Mulder P, 386P
- Landry Y *see* Chahdi A, 360P
- Landry Y *see* Schmidlin F, 418P
- Lanfume Y L Differential adaptive regulations of pre- versus post-synaptic 5-HT_{1A} receptor, 465P
- Langlois M *see* Trillat A-C, 298P
- Larkman PM & Kelly JS Investigating the regulation of *in vitro* neonatal rat facial motoneurone excitability by the hyperpolarization-activated current, I_h, with ZD-7288, 361P
- Lartaud-Idjouadiene I *see* Hubert S, 250P
- Lartaud-Idjouadiene I *see* Marque V, 382P
- Lartaud-Idjouadiene I *see* Régrigny O, 385P
- Lauder H, Sellers LA, Fan T-PD, Feniuk W & Humphrey PPA, Somatostatin increases vascular smooth muscle cell proliferation in the presence of tyrosine kinase and phosphatase inhibitors, 220P
- Lauder H *see* Alderton F, 222P
- Lauder H *see* Wyatt MA, 221P
- Lavarenne J *see* Courteix C, 335P
- Lavielle G *see* Descombes J-J, 381P
- Lawrence JA, Butcher SP, Wren P & Olverman HJ Effect of chronic tianeptine treatment on the rat 5-HT transporter, 302P
- Lawrence JA *see* Wren PB, 209P
- Le Fur G *see* Casellas P, 215P
- Le Fur G *see* Heaulme M, 320P
- Le Fur G *see* Steinberg R, 321P
- Le Grand B, Pauwels PJ, Panissié A & John GW Recombinant h5-HT_{1B} and h5-HT_{1D} receptors stably expressed in C6 glioma cells are coupled to calcium-dependent potassium channels, 253P
- Lebreton JP *see* Richard V, 384P
- Lecci A *see* Tramontana M, 417P
- Lee K, Brownhill V, Dixon AK, Freeman & TC Richardson PJ Characterisation of a K_{ATP} channel current in rat striatal cholinergic interneurons, 288P
- Lee K *see* Nicholson JR, 213P
- Lees D & Corder R Endothelin-1 synthesis is stimulated by a p55 TNF receptor selective tumor necrosis factor α mutant, 373P
- Lees G & Ganellin CR Modulation of GABA_A receptors and inhibitory synaptic currents in cultured rat cortical neurones by the endogenous brain lipid *cis*-9,10-octadecenoamide (cOA), 273P
- Lees G *see* Edwards MD, 276P
- Lees G *see* Hassoni AA, 343P
- LeGrand B, Vié B & John GW Effects of 5-HT_{1B/D} receptor agonists on function in the guinea-pig isolated perfused heart, 388P
- Legrand M *see* Chamiot-Clerc P, 198P
- Lei S, Smith PA & Dryden WF The effect of NGF in regulating calcium conductances of sympathetic neurones in cell culture is mimicked by anti-trk receptor antibody, 332P
- Leslie FM Nicotinic acetylcholine receptors in developing brain, 454P
- Lever R, Jones H, Paul W, Hoult JRS & Page CP Heparin inhibits agonist-induced homotypic aggregation of human and rabbit polymorphonuclear leucocytes *in vitro*, 358P
- Lewis MJ *see* Berman RS, 204P
- Leyris R *see* Heaulme M, 320P
- Lews D *see* Deplanque DJL, 323P
- Liew FY *see* MacLean MR, 229P
- Lim LHK, Getting SJ, Das AM, Solito E, Flower RJ & Perretti M Inhibition of neutrophil:endothelium interaction in murine post-capillary venules by lipocortin 1, 265P
- Lim MC, Shipston MJ & Antoni FA Distinct K⁺-channels underlie early glucocorticoid inhibition in AtT20 cells and rat anterior pituitary cells, 292P
- Lindsay GS & Wallace HM Polyamine regulation of etoposide-induced apoptosis in HL-60 cells, 262P
- Lindsay MA, Barnes PJ & Giembycz MA Leukotriene B activates the NADPH oxidase via a lyn tyrosine kinase signalling pathway independent of ERK1/2, JNK46/54 and p38 MAP kinases, 257P
- Lindsay MA *see* Kankaanranta H, 258P
- Lione L, King PD, Nutt DJ, Hunter AJ & Hudson AL An autoradiographic study of α_2 -adrenoceptors and imidazoline-2 (I₂) receptors in a rat model of permanent middle cerebral artery occlusion, 438P
- Little HJ *see* Bailey CP, 337P
- Little HJ *see* Cho K, 278P
- Liu K, Lo M, Grouzmann E, Mutter M & Sassard J In adult rats, pressure-natriuresis is blunted by a new peptidic AT2 receptor agonist, 367P
- Lo M *see* Liu KL, 367P
- Logan SD *see* Gwyn P, 350P
- Loichot C *see* Barthelmebs M, 203P
- Lopez-Garcia JA *see* Khasabov SG, 299P
- Lortet S, Had L, Masmejean F, Samuel D & Pisano P Effects of PKA and PKC modulators on high affinity glutamate uptake in primary neuronal cell cultures, 331P
- Low CMR, Vinter JG, Kalindjian SB & Pether MJ The molecular origins of agonism at histamine H₂-receptors: an investigation of agonist behaviour in halogenated derivatives of proxyfan 3-(1*H*-imidazol-4-yl)-propylphenylmethyl ether, 433P
- Lummis SCR *see* Gunthorpe MJ, 252P
- Lummis SCR *see* Niemeyer MI, 421P
- Lummis SCR *see* Spier AD, 251P
- Lyles GA *see* Zhou J, 372P
- Lynch O *see* Kankaanranta H, 258P
- McAllister KHM & Pratt JA Modification of apomorphine-induced changes in local cerebral glucose utilisation by the NK₁ receptor antagonist GR205171, 254P
- McArdle C *see* Birkett SD, 371P
- Macari DTM *see* Burke-Gaffney A, 269P
- McBean DE, Ritchie IM, Olverman HJ & Kelly PAT, Alterations in cerebral functional activity following acute citalopram treatment in the rat, 312P
- McBean DE, Ritchie IM, Olverman HJ & Kelly PAT Effects of 5-HT_{1A} and

- 5-H_{TIB} receptor agonists upon local cerebral blood flow and glucose utilisation in the rat, 308P
- McCluskie K *see* Battram CH, 416P
- McCulloch J *see* Murdoch I, 326P
- McCulloch J *see* Touzani O, 232P
- McDermott BJ, Millar BC, Dolan F, Bell D & Balasubramaniam A Evidence for Y₁ and Y₂ subtypes of neuropeptide Y receptors linked to opposing postjunctional effects observed in rat cardiac myocytes, 393P
- MacDonald A *see* Brawley L, 395P
- MacDonald A *see* Bunton D, 313P
- McGivern JG, Koch BD, Dietrich PS, Sangameswaram L & Hunter JC Electrophysiological characterisation of the novel tetrodotoxin-sensitive sodium channel, rPN4, 366P
- McGrath LT *see* Spiers JP, 410P
- Mackay KB *see* Campbell CA, 324P
- Mackay KB *see* Hadingham SJ, 428P
- Mackay KB *see* King PD, 325P
- McKee R *see* Menzies JRW, 439P
- McKenna F & Ashford MLJ Modulation of BK_{Ca} channels by the diphenyl-urea, NS1608, in acutely dissociated rat cortical neurones, 225P
- MacKenzie A & Martin W Assessment of superoxide dismutase mimetic compounds in the rabbit aorta, 195P
- MacKinnon AC, Chilvers ER, Haslett C & Sethi T [D-Arg⁶, D-Trp^{7,9}, N^{me}Phe⁸]-substance P (antagonist G) induces apoptosis in small cell lung cancer cells via a novel mechanism involving activation of jun kinase, 259P
- McKnight AT, Jordan RE, Smart D, Nicholson JR, Brownhill V & Hughes J Traditional pharmacological approaches to recombinant receptors, 455P
- McKnight AT *see* Bailey CP, 337P
- McKnight AT *see* Nicholson JR, 213P
- McLaughlin M *see* Kolesnick R, 260P
- McLaughlin M *see* Kolesnick R, 447P
- MacLean M, Docherty CC, Morecroft I & Liew FY Rapid development of pulmonary hypertension and responses to endothelin-1 in inducible nitric oxide synthase knockout mice, 229P
- MacLean MR *see* Docherty CC, 228P
- MacLean MR *see* Morecroft I, 193P
- MacLean MR *see* Mullaney I, 227P
- McLeod JD *see* Walker LSK, 427P
- MacLeod M & Butcher SP Action of a neuroprotective dose of FK506 on a NOS-mediated accumulation of cGMP in neonatal cerebellar prisms, 322P
- McMahon R *see* Hurley P, 217P
- McNamara HM & Gray GA Cannabinoid receptor blockade does not modify the constrictor response to noradrenaline in isolated, perfused rat mesenteric bed, 411P
- McQueen DS, Moores C, Dowd E, Bond SM, Chessell IP & Humphrey PPA P2X receptor activation evokes a Bezold-Jarisch-like reflex in anaesthetised rats, 246P
- McQueen DS *see* Asghar AUR, 333P
- McQueen DS *see* Bulling DGS, 359P
- McQueen DS *see* Dowd E, 286P
- McQueen DS *see* Dowd E, 348P
- McQueen DS *see* Kelly DC, 357P
- McQueen JK *see* Fink G, 305P
- McRedmond JP, Harriott P, Walker BL & Fitzgerald DJ Staphylokinase activates platelets through cleavage of the thrombin protease-activated receptor 1, 247P
- Maffrand JP *see* Casellas P, 215P
- Maggi CA *see* Ahluwalia A, 264P
- Maggi CA *see* Tramontana M, 417P
- Maguire JJ *see* Davenport AP, 460P
- Malagie I *see* Pons D, 297P
- Malagie I *see* Trillat A-C, 298P
- Malcangio M & Tomlinson DR Streptozotocin-induced mechanical hyperalgesia: reduced sensitivity to baclofen antinociception, 277P
- Mallat Z & Tedgui A Cytokines and the control of apoptosis in the human atherosclerotic plaque, 450P
- Manuel NA & Davies CH Postsynaptic modulation of depolarizing GABA_A receptor-mediated IPSPs in rat hippocampal CA1 pyramidal neurones, 342P
- Manzini S *see* Astolfi M, 362P
- March JE *see* Bennett T, 231P
- March JE *see* Gardiner SM, 392P
- March JE *see* Gardiner SM, 409P
- Marco N *see* Steinberg R, 321P
- Marien M *see* Moret C, 210P
- Marque V, Lartaud-Idjouadiene I & Atkinson J A pressure-independent improvement in aortic elasticity in senescent hypertensive rats, 382P
- Marsden CA *see* Clemett DA, 422P
- Marsden CA *see* Graham M, 295P
- Marsden CA *see* Nayak S, 296P
- Marsden CD *see* Tel BC, 315P
- Marshall K *see* Abbas F, 436P
- Marshall K *see* Abbas F, 437P
- Marston HM, Kelly JS & Butcher SP Differentiation of neuroleptics based on motor and cognitive performance, 214P
- Marthan R *see* Freslon JL, 389P
- Marthan R *see* Savineau JP, 369P
- Martin F *see* Hurley P, 217P
- Martin JR, Robertson AR & Bjorn H Heterogeneous levamisole receptors in *Oesophagostomum dentatum* and anthelmintic resistance, 272P
- Martin SW, Radley SC, Chess-Williams R, Chapple CR & Korstanje C Human bladder versus mesenteric artery: selectivity of levcromakalim and YM934, 419P
- Martin W & Mok JSL *In vitro* assessment of superoxide dismutase mimetics, 194P
- Martin W *see* Dowell FJ, 406P
- Martin W *see* MacKenzie A, 195P
- Martinez MC *see* Stoclet JC, 202P
- Masmejean F *see* Lortet S, 331P
- Mason SL, Davis BJ, Chapple CR & Chess-Williams R Identification of the α_{1L} -adrenoceptor subtype in human prostate and rat salivary gland using radioligand binding with [³H]-tamsulosin, 284P
- Massot O *see* Allain H, 211P
- Massot O *see* Fillion G, 467P
- Mathé-Allainmat M *see* Trillat A-C, 298P
- Matsumoto T *see* Woisin FE, 412P
- Maudsley J *see* Rose S, 280P
- Mazzei FA *see* Megson IL, 405P
- Megson IL, Morton S, Greig IR, Mazzei FA, Butler AR & Webb DJ N-substituted analogues of S-nitroso-N-acetylpenicillamine: chemical stability and selective retention in endothelium-denuded rat femoral arteries, 405P
- Menant Y *see* Descombes J-J, 381P
- Mendes A *see* Freslon JL, 200P
- Menzies JRW, Corbett AD, McKee R & Paterson SJ Colonic levels of dynorphin A(108) are increased in Crohn's disease but not in ulcerative colitis, 439P
- Meoni P *see* Billinton A, 425P
- Merner PA *see* Davies CL, 404P
- Messer I, Bernard N, Benzoni D & Sassard J Epoxyeicosatrienoic acids and renal alterations in the Lyon hypertensive rat, 378P
- Mickle EJ, Webb DJ & Gray GA Vascular ET-1 receptors in a rat model of chronic heart failure, 233P
- Middlemiss DN *see* Roberts C, 207P
- Middlemiss DN *see* Selkirk JV, 208P
- Mihaylova-Todorova S *see* Sneddon P, 285P
- Millan M Autoreceptor and heteroreceptor control of 5-HT, dopamine (DA) and noradrenaline (NAD) release in frontal cortex: strategies for improved antidepressant agents, 468P
- Millan MJ *see* Morris BJ, 279P
- Millar BC *see* McDermott BJ, 393P
- Milligan L *see* Casellas P, 215P
- Milton AS *see* Davidson J, 379P
- Misra A *see* Green AR, 328P
- Mok JSL *see* Martin W, 194P
- Mombouli J-V EDHF: several candidates for one function, 446P
- Moore NA *see* O'Neill MF, 294P
- Moores C *see* McQueen DS, 246P
- Morecroft I & MacLean MR Effect of superoxide anion generation on

- vasodilator and vasoconstrictor responses in perinatal rabbit pulmonary resistance arteries, 193P
 Morecroft I *see* MacLean MR, 229P
 Moret C & Marien M *In vivo* and *in vitro* characterisation of release-regulating 5-HT autoreceptors in the guinea-pig raphe nucleus and hypothalamus, 210P
 Morris BJ, Newman-Tancredi A, Audinot V, Simpson CS & Millan MJ Induction of c-fos expression in cultured rat striatal neurones by activation of dopamine D₂ receptors, 279P
 Morton RA, Bulters DO & Davies CH GABA_B receptor-mediated modulation of muscarinic acetylcholine receptor-mediated synaptic responses in the rat hippocampus, 274P
 Morton S *see* Megson IL, 405P
 Motterlini R *see* Sammut IA, 394P
 Muir WJ *see* Ogilvie AD, 470P
 Mulder P, Derumeaux G, Richard V, Koen R, Henry J-P & Thuillez C Effects of the calcium channel blocker mibefradil on systemic haemodynamics and left ventricular remodelling in rats with heart failure, 239P
 Mulder P, Richard V, Hogie M, Henry J-P, Lallemand F & Thuillez C Diverging long term effects of calcium antagonists in a rat model of chronic heart failure, 386P
 Mulder P *see* Thuillez C, 463P
 Mulder P *see* Varin R, 196P
 Mullaney I, Vaughan DM & MacLean MR Effects of ET-1 on intracellular cyclic nucleotide levels in rat pulmonary arteries, 227P
 Muller B *see* Stoclet JC, 202P
 Muller C *see* Helwig JJ, 237P
 Murdoch I, McCulloch J, Graham DI & Dewar D Preservation of cortical nicotine binding sites but loss of ChAT activity after human head injury, 326P
 Murray F & Hutson PH Effects of the metabotropic glutamate receptor antagonist (S)- α -methyl-4-carboxyphenylglycine on amphetamine-induced dopamine efflux in nucleus accumbens, 319P
 Mutter M *see* Liu KL, 367P
 Nairnovitz-Friedman A *see* Kolesnick R, 447P
 Nardelli F *see* Astolfi M, 362P
 Nawaz Z *see* Shah BH, 396P
 Nayak S, Bennett GW & Marsden CA Effect of acute fluoxetine and yohimbine on brain dehydroepiandrosterone (DHEA), 296P
 Naylor RJ *see* Javid FA, 311P
 Naylor RJ *see* Smythe JW, 300P
 Needham AM *see* Jackson HC, 307P
 Needham PL *see* Holtom PE, 363P
 Needham PL *see* Rowley HL, 314P
 Neill JC *see* Smith AG, 317P
 Newman-Tancredi A *see* Morris BJ, 279P
 Newton R *see* Seybold J, 224P
 Nicholson JR, Lee K & McKnight AT Nociceptin stimulates food intake and hyperpolarises neurons in the rat ventromedial hypothalamus, 213P
 Nicholson JR *see* McKnight AT, 455P
 Niemeyer MI & Lummis SCR Ca²⁺ inhibition of agonist-evoked currents in the 5-HT₁ receptor, 421P
 Nisato D *see* Barthelmebs M, 192P
 Nisato D *see* Barthelmebs M, 203P
 Noel JP *see* Higgs W, 353P
 Nolan AM *see* Pawson P, 376P
 North RA P2X receptors: a third family of ligand-gated ion channels, 456P
 Nutt DJ *see* Lione LA, 438P
 O'Boyle KM *see* Hurley P, 217P
 Ochalski R *see* Clemett DA, 422P
 Ogilvie AD 5-HT transporter gene polymorphism and depression, 470P
 Ohlmann P *see* Stoclet JC, 202P
 O'Kane EM & Stone TW Interaction between adenosine A₁ and A₂ receptor-mediated responses on rat hippocampal neurones, 287P
 Olverman HJ *see* McBean DE, 308P
 Olverman HJ *see* McBean DE, 312P
 Olverman HJ *see* Wren PB, 209P
 O'Neill MF, Moore NA, Dobson DR, Steggle D & Conway MW Effect of antagonism of 5-HT_{1A} and 5-HT_{1B} receptors on response to 5-HT₁ receptor agonists and imipramine in the forced swim test in mice, 294P
 Oosting D *see* Ramboz S, 464P
 O'Shea E *see* Colado MI, 303P
 O'Shea E *see* Colado MI, 304P
 Otley CE & Hiley CR Effects of exposure to reactive oxygen species on contraction and relaxation responses in the rat left anterior descending coronary artery, 236P
 Overman HJ *see* Lawrence JA, 302P
 Page CP *see* Banner KH, 223P
 Page CP *see* Lever R, 358P
 Page CP *see* Woisin FE, 412P
 Pagniez F, Valentin JP, Vieu S & John GW Analysis of the haemodynamic effects of 5-HT_{1B/D} receptor agonists in the rat, 244P
 Pallardy M Glucocorticoid-induced apoptosis: transcriptional mechanisms, 448P
 Pallardy M *see* Biola A, 426P
 Palma C *see* Astolfi M, 362P
 Panissié A *see* Le Grand B, 253P
 Parent de Curzon O *see* Gervais M, 243P
 Parsons AA *see* Sammons M, 334P
 Patel S, Hutson PH & Patel S A mouse *in vivo* binding assay to measure central α_1 -adrenoceptors using [³H]-prazosin, 282P
 Patel S *see* Hadingham SJ, 428P
 Patel S *see* Patel S, 282P
 Patel SR *see* Campbell CA, 324P
 Patel SR *see* King PD, 325P
 Patel SR *see* Taylor SG, 318P
 Patel YI *see* Walker LSK, 427P
 Paterson SJ *see* Menzies JRW, 439P
 Patmore L *see* Fraser S, 390P
 Paul W *see* Lever R, 358P
 Pauwels PJ *see* Le Grand B, 253P
 Pawson P, Reid J & Nolan AM The effect of incubation with endotoxin or cytokines on the responses of the ovine digital artery to phenylephrine and bradykinin, 376P
 Pearce RKB *see* Tel BC, 315P
 Pecceu F *see* Casellas P, 215P
 Perkins MN *see* Kelly DC, 357P
 Perrachon S *see* Casellas P, 215P
 Perret C *see* Dagher G, 216P
 Perret C *see* Samain E, 248P
 Perretti M *see* Lim LHK, 265P
 Pertwee RG *see* Coutts AA, 266P
 Petersson J, Zygmunt PM, Jönsson P & Högestätt ED Involvement of derivatives of arachidonic acid in endothelium-dependent relaxations mediated by EDHF in the guinea-pig basilar artery, 401P
 Petersson J *see* Zygmunt PM, 400P
 Pether MJ *see* Low CMR, 433P
 Phillips PEM, Hancock PJ & Stamford JA The timecourse of D₂ autoreceptor action in the nucleus accumbens and neostriatum following single pulse electrical stimulation *in vitro*, 316P
 Pierre LN *see* Davenport AP, 460P
 Pike VW Development of radioligands for imaging 5-HT_{1A} receptors with PET, 469P
 Pisano P *see* Lortet S, 331P
 Plane F *see* Holland M, 398P
 Ponchon P & Elghozi JL Contribution of humoral and sympathetic systems to the low-frequency fluctuations of blood pressure after severe haemorrhage, 242P
 Pons D, Trillat A-C, Malagie I, Goyvaert E, Jacquot C, Hen R & Gardier AM Higher efficiency of fluoxetine-induced increases in extracellular 5-HT levels in the ventral hippocampus in conscious mice lacking 5-HT_{1B} autoreceptor, 297P
 Portier M *see* Casellas P, 215P
 Poullain D *see* Higgs W, 353P

- Poyser NL *see* Aitken H, 413P
 Pratt JA *see* Cochran SM, 256P
 Pratt JA *see* McAllister KHM, 254P
 Price GW *see* Selkirk JV, 208P
 Prior C & Breadon EL Modulation of vecuronium-induced tetanic fade in the mouse hemidiaphragm by the phosphodiesterase inhibitor, RO20, 1724, 339P
 Prior C *see* Singh S, 338P
 Puisieux FL *see* Deplanque DJL, 323P
 Puybasset L *see* Corriu C, 205P
- Qume M *see* Sutch RJ, 275P
- Radley SC *see* Martin SW, 419P
 Ramboz S Constitutive and inducible knockout of the the 5-HT_{1A} receptor: behavioural consequences, 464P
 Randall MD Is the answer a cannabinoid?, 445P
 Raval P *see* Sammons M, 334P
 Reid J *see* Pawson P, 376P
 Reid ME, Toms NJ & Roberts PJ mGlu_{1a} receptor undergoes rapid, PKC-dependent desensitization when expressed in CHO cells, 364P
 Renaud JF *see* Chamiot-Clerc P, 198P
 Reymann JM *see* Allain H, 211P
 Riaz SS & Tomlinson DR Stimulation of nerve growth factor levels in control and diabetic rats by treatment with clenbuterol, 291P
 Richard V, Kaeffer N, Artigues C, Henry JP & Thuillez C Prior heat stress increases endothelium-dependent relaxations of rat isolated arteries, 197P
 Richard V, Tamion F, Daveau M, Lebreton JP & Thuillez C Role of oxygen-derived free radicals in the synthesis of inflammatory cytokines after haemorrhagic shock, 384P
 Richard V *see* Mulder P, 239P
 Richard V *see* Mulder P, 386P
 Richard V *see* Thuillez C, 463P
 Richard V *see* Varin R, 196P
 Richards DA, Billinton A, Bittiger H & Bowery NG GABA_B receptors in a rat model of absence epilepsy: an autoradiographic study using [³H]-CGP 62349, 344P
 Richardson PJ *see* Davidson HJ, 374P
 Richardson PJ *see* Lee K, 288P
 Richer C *see* Gervais M, 243P
 Ridley DL & Balfour DJK, The influence of nicotine on 5-HT overflow in the dorsal hippocampus of the rat, 301P
 Rinaldi-Carmona M *see* Casellas P, 215P
 Ritchie IM *see* Kelly PAT, 310P
 Ritchie IM *see* McBean DE, 308P
 Ritchie IM *see* McBean DE, 312P
- Roach AG *see* Birrell MA, 403P
 Roberts C, Belenguer A, Middlemiss D & Routledge C Comparison of 5-HT autoreceptor control in guinea-pig dorsal and median raphe innervated brain regions, 207P
 Roberts JC *see* Hadingham SJ, 428P
 Roberts JC *see* Taylor SG, 318P
 Roberts PJ *see* Reid ME, 364P
 Roberts PJ *see* Ruddell RG, 423P
 Roberts SP *see* Watt GF, 435P
 Robertson AR *see* Martin RJ, 272P
 Robinson KA *see* Hodgkiss JP, 347P
 Rochette L *see* Dumas M, 415P
 Rodier D *see* Steinberg R, 321P
 Rogers M *see* Hurley P, 217P
 Rose S, Warren D, Walgama O, Maudsley J, Jenner P & Marsden CD Ropinirole and bromocriptine prevent MPP⁺-evoked hydroxyl radical formation in the rat striatum *in vitro*, 280P
 Rose S *see* Tel BC, 315P
 Rossi F *see* D'Amico M, 230P
 Rossi F *see* D'Amico M, 327P
 Rothaul AL *see* Baker KE, 240P
 Rothaul AL *see* Baker KE, 241P
 Rothaul AL *see* Fraser S, 390P
 Rotondo D *see* Davidson J, 355P
 Rotondo D *see* Davidson J, 356P
 Rotondo D *see* Davidson J, 379P
 Rousselle JC *see* Allain H, 211P
 Rousselle J-C *see* Fillion G, 467P
 Routledge C *see* Roberts C, 207P
 Routledge C *see* Taylor SG, 318P
 Rowan MJ *see* Cullen WK, 330P
 Rowley HL, Kilpatrick IC, Needham PL, Heal DJ, The atypical antipsychotic, zotepine, elevates extracellular noradrenaline in the frontal cortex of freely-moving rats, 314P
 Régrigny O, Lartaud-Idjouadiene I, Dela-grange P, Scalbert E & Atkinson J Melatonin has a dose-dependent cerebrovascular constrictor effect *in vivo*, 385P
 Rudd JA *see* Jones RL, 293P
 Ruddell RG, Antonopoulos V & Shaw K Involvement of the NPVIY motif in agonist-mediated internalisation of the human 5-HT_{1A} receptor, 423P
 Rupin A, Behr D & Verbeuren TJ Delayed but long-lasting production of cyclic GMP by cultured smooth muscle cells from atherosclerotic aorta in response to NO, 218P
 Russell FD *see* Davenport AP, 460P
- Saeed SA *see* Shah BH, 396P
 Safar M *see* Chamiot-Clerc P, 198P
 Safar M *see* Dagher G, 216P
 Safar M *see* Samain E, 248P
 Samain E, Bouillier H, Perret C, Safar M & Dagher G Angiotensin-induced calcium release in smooth muscle cells from hypertensive rats is controlled by actin and microtubule network, 248P
 Samain E *see* Dagher G, 216P
 Sammons M, Raval P, Bingham S, Davey P & Parsons AA A method for determining thermal hyperalgesia and inflammation in the mouse hind paw, 334P
 Sammut IA, Foresti R, Green CJ & Motterlini R Involvement of the heme oxygenase/carbon monoxide pathway in the suppression of acute pressor responses in rat aortic rings, 394P
 Samuel D *see* Lortet S, 331P
 Sangameswaran L *see* McGivern JG, 366P
 Sansom DM *see* Walker LSK, 427P
 Santicioli P *see* Tramontana M, 417P
 Sargent CA *see* Birrell MA, 403P
 Sassard J *see* Boulanger M, 377P
 Sassard J *see* Chamiot-Clerc P, 198P
 Sassard J *see* Liu KL, 367P
 Sassard J *see* Messer I, 378P
 Savineau JP, Hyvelin JM & Marthan R Signalling pathways activated by endothelin-1 in vascular smooth muscle from the rat pulmonary artery, 369P
 Scalbert E *see* Régrigny O, 385P
 Scalbert E *see* Vandeputte C, 383P
 Schachter M *see* Unlu S, 368P
 Scherrer D *see* Schmidlin F, 418P
 Schmidlin F, Scherrer D, Bertrand C, Landry Y & Gies J-P IL1-β up-regulates BK B₂ receptor expression through mRNA stabilisation and gene transcription in human bronchial smooth muscle cells, 418P
 Schneider F *see* Stoclet JC, 202P
 Schott C *see* Alvarez de Sotomayor M, 238P
 Schott C *see* Stoclet JC, 202P
 Schuchman EH *see* Kolesnick R, 260P
 Schuchmann EH *see* Kolesnick R, 447P
 Scotland RS, Vallance PJ & Ahluwalia A Vascular response of porcine arterial vasa vasorum to vasodilator peptides, 199P
 Scott C *see* Selkirk JV, 208P
 Sebedio JL *see* Higgs W, 353P
 Seckl JR *see* Bulling DGS, 359P
 Seguin L *see* Fillion G, 467P
 Selkirk JV, Scott C, Ho M, Burton MJ, Watson J, Gaster L, Middlemiss DN & Price GW SB-224289, a selective h5-HT_{1B} receptor antagonist with negative intrinsic activity, 208P
 Sellers LA *see* Alderton F, 222P
 Sellers LA *see* Lauder H, 220P
 Sellers LA *see* Wyatt MA, 221P
 Senior J *see* Abbas F, 436P
 Senior J *see* Abbas F, 437P
 Sethi T *see* MacKinnon AC, 259P
 Seybold J, Newton R, Wright L, Finney

- P, Barnes PJ, Adcock IM & Giembycz MA Transcriptional up-regulation of cAMP phosphodiesterases 4A5, 4D1, 4D2 and 4D3 in Jurkat T-cells: role in β_2 -adrenoceptor desensitisation, 224P
- Seznec J-C *see* Fillion G, 467P
- Shah BH, Nawaz Z & Saeed SA Multiple pathways to nitrite release in mouse peritoneal macrophages, 396P
- Shah BH *see* Gilani AH, 420P
- Shankley NP *see* Harper EA, 429P
- Shankley NP *see* Harper EA, 430P
- Shankley NP *see* Harper EA, 431P
- Shankley NP *see* Harper EA, 432P
- Shankley NP *see* Watt GF, 434P
- Shankley NP *see* Watt GF, 435P
- Sharkey J, Teramura Y, Iwasaki K & Butcher SP Brain levels of FK506 and neuroprotection in experimental stroke, 329P
- Sharkey J *see* Henshall D, 234P
- Sharkey J *see* Henshall D, 235P
- Shaw AM *see* Brawley L, 395P
- Shaw AM *see* Bunton D, 313P
- Shaw K *see* Ruddell RG, 423P
- Sheridan RD *see* Fraser S, 390P
- Shipston MJ *see* Lim MC, 292P
- Siegl P *see* Touzani O, 232P
- Silke B *see* Spiers JP, 410P
- Simpson CS *see* Morris BJ, 279P
- Singh S & Prior C Augmentation of the quantal release of acetylcholine from rat motor nerve terminals by the cholinergic agonist, DMPP, 338P
- Smalley K, Feniuk W & Humphrey PPA Somatostatin-induced increases in extracellular acidification rates in CHO-K1 cells expressing human recombinant sst₂ and sst₄ receptors, 219P
- Smart D *see* McKnight AT, 455P
- Smith AG, Neill JC & Costall B 7-OH-DPAT attenuates the hyperactivity response to intraaccumbens amphetamine in the rat, 317P
- Smith CAD *see* Ogilvie AD, 470P
- Smith PA *see* Lei S, 332P
- Smith RA *see* Jones PA, 349P
- Smythe JW, Naylor RJ & Costall B, Relationship between hippocampal field activities and median raphe neuronal cell discharges, 300P
- Sneddon P, Westfall TD, Todorov LD, Mihaylova-Todorova S, Kennedy C & Westfall DP The effect of P2-receptor antagonists and ATPase inhibition on sympathetic purinergic neurotransmission in guinea-pig isolated vas deferens, 285P
- Solito E *see* Lim LHK, 265P
- Soubrié P *see* Heaulme M, 320P
- Soubrié P *see* Steinberg R, 321P
- Souilhac J *see* Steinberg R, 321P
- Spier AD & Lummis SCR The role of tryptophan residues in the 5-HT₁ receptor binding site, 251P
- Spiers JP, Allen JD, McGrath LT & Silke B Effects of lipopolysaccharide (LPS; *E. coli* serotype 0127:B8) on haemodynamic parameters and erythrocyte membrane fatty acids: lack of protection by α -phenyl *N*-tert-butyl nitron (PBN), 410P
- Spitzbarth E *see* Fremont A, 387P
- Stamford JA *see* Phillips PEM, 316P
- Standen NB *see* Holland M, 365P
- Stanford SC *see* Hughes ZA, 212P
- Steggles D *see* O'Neill MF, 294P
- Steinberg R, Souilhac J, Rodier D, Marco N, Alonso R, Emonds-Alt X, Le Fur G & Soubrié P Evidence for the regulation by NK₂ receptors and NO of striatal acetylcholine release: an *in vivo* microdialysis study in anaesthetized rats, 321P
- Stoclet JC, Martinez MC, Ohlmann P, Chasserot S, Kleschyov AL, Schott C, Muller B, Schneider F & Andriantsitohaina R Nitric oxide production and activity in small omental arteries from septic patients, 202P
- Stoclet JC *see* Alvarez de Sotomayor M, 238P
- Stone TW *see* Jones PA, 349P
- Stone TW *see* O'Kane EM, 287P
- Stretton JL *see* Hadingham SJ, 428P
- Stretton JL *see* King PD, 325P
- Stringer BMJ *see* Wallis DI, 453P
- Struthers AD *see* Zhou J, 372P
- Sumner B *see* Fink G, 466P
- Sutch RJ, Qume M & Bowery NG GABA uptake is reduced in the thalamus, but not the cortex, of an animal model of absence epilepsy, 275P
- Sutcliffe MA *see* Gard PR, 336P
- Sykes DA *see* Watt GF, 435P
- Tamion F *see* Richard V, 384P
- Taylor SG, Patel SR, Roberts JC & Routledge C Repeated microdialysis experiments in the rat striatum of conscious rats: effects of quinelorane on dopamine release, 318P
- Tazaki M *see* Asghar AUR, 333P
- Tedgui A *see* Mallat Z, 450P
- Tel BC, Zeng B-Y, Pearce RKB, Rose S, Jenner P & Marsden CD Differential effects of ropinirole, bromocriptine and L-DOPA on striatal dopamine D-2 receptor binding in MPTP-treated common marmosets, 315P
- Templeton AGB *see* Fraser S, 390P
- Teramura Y *see* Sharkey J, 329P
- Thollon C *see* Chataigneau T, 249P
- Thuillez C Endothelin and experimental models of heart failure, 463P
- Thuillez C *see* Mulder P, 239P
- Thuillez C *see* Mulder P, 386P
- Thuillez C *see* Richard V, 197P
- Thuillez C *see* Richard V, 384P
- Thuillez C *see* Varin R, 196P
- Todorov LD *see* Sneddon P, 285P
- Tomlinson DR *see* Malcangio M, 277P
- Tomlinson DR *see* Riaz SS, 291P
- Toms NJ *see* Reid ME, 364P
- Touzani O, Siegl P & McCulloch J Endothelin-B receptor-mediated constriction can be uncovered in cerebral pial arterioles, 232P
- Towers S, Billinton A, Bittiger H, Urban L & Bowery NG GABA_A receptors in spinal cord and dorsal root ganglia of sciatic nerve axotomised and control rats: localization of receptor protein by autoradiography using [³H]-CGP62349, 345P
- Tramontana M, Giuliani S, Lecci A, Santicoli P, Criscuoli M & Maggi CA Effect of MEN 11420 on tachykinin-induced bronchoconstriction in anaesthetized guinea-pigs, 417P
- Tran NPN *see* Fremont A, 387P
- Tran NPN *see* Vandeputte C, 383P
- Trillat A-C, Malagie I, Langlois M, Mathie-Allainmat M, Brémont B, Desaintfusien E, Jacquot C & Gardier AM Enhancement of SSRIs by 5-HT_{1A} autoreceptor blockade in rats: *in vivo* microdialysis and behavioural studies, 298P
- Trillat A-C *see* Pons D, 297P
- Tsui KKC *see* Jones RL, 293P
- Tulloch IF *see* Graham M, 295P
- Turner A Structure and localisation of endothelin-converting enzyme, 458P
- Turner H *see* Billinton A, 425P
- Unlu S, Demoliou-Mason C, Schachter M & Hughes AD Action of lovastatin on cell death in cultured SV-40 transformed human vascular smooth muscle cells, 368P
- Upton N *see* Billinton A, 255P
- Upton N *see* Billinton A, 425P
- Urban L *see* Towers S, 345P
- Valdenaire O The molecular biology of endothelin-converting enzyme, 457P
- Valentin JP, Bonnafous R & John GW, Modulation by the endothelium of contractile responses evoked by 5-HT_{1BD} receptor agonists in the rabbit isolated saphenous vein, 206P
- Valentin JP *see* Pagniez F, 244P
- Valette A, Barboule N, Chadebecq P, Vidal S & Baldin V Signal transduction pathway involved in paclitaxel-induced cell cycle arrest and apoptosis, 261P
- Vallance P *see* Amirmansour C, 399P
- Vallance PJ *see* Scotland RS, 199P

- Van Osselaer N *see* Iuvone T, 271P
 Vandeputte C, Delagrance P, Scalbert E, Tran NPN, Atkinson J & Capdeville-Atkinson C Melatonin potentiates the contractile response to noradrenaline without modifying intracellular calcium mobilisation in the rat perfused tail artery, 383P
 Vanhoutte PM *see* Chataigneau T, 249P
 Vanhoutte PM *see* Corriu C, 205P
 Vanhoutte PM *see* Félétou M, 441P
 Varin R, Mulder P, Richard V, Henry JP & Thuillez C Evidence of oxidative stress-induced endothelial dysfunction in rats with chronic heart failure, 196P
 Vaughan DM *see* Mullaney I, 227P
 Véquaud P *see* Freslon JL, 407P
 Verbeuren TJ *see* Descombes J-J, 381P
 Verbeuren TJ *see* Rupin A, 218P
 Vercauteren J *see* Freslon JL, 200P
 Vidal S *see* Valette A, 261P
 Vié B *see* Le Grand B, 388P
 Vieu S *see* Pagniez F, 244P
 Vilaine J-P *see* Chataigneau T, 249P
 Vinter JG *see* Low CMR, 433P
 Voigt M *see* Hurley P, 217P
- Waddington JL *see* Clifford J, 281P
 Waddington JL *see* McRedmond JP, 247P
 Walgama O *see* Rose S, 280P
 Walker BL *see* McRedmond JP, 247P
 Walker LSK, McLeod JD, Hall ND, Ward SG, Patel YI & Sansom DM Inhibition of the MEK signalling pathway potentiates Fas-mediated apoptosis in human T cells, 427P
 Wallace HM *see* Lindsay GS, 262P
 Wallis DI, Elliott P, Foster GA & Stringer BMJ From the frog room to the rat moto-neurone: receptor mechanisms in cultured moto-neurons, 453P
- Wallis RM *see* Davies CL, 404P
 Wanstall JC & Crilley TK Phosphodiesterase inhibitors on pulmonary arteries from rats with hypoxic pulmonary hypertension: comparison of 1 and 4 weeks of hypoxia, 375P
 Ward SG *see* Walker LSK, 427P
 Warren D *see* Rose S, 280P
 Warrington CA *see* Gard PR, 336P
 Watson J *see* Selkirk JV, 208P
 Watt GF, Hamilton LC, Shankley NP & Black JW Analysis of H_1 -, H_2 - and H_3 -receptor-mediated components of the response to histamine in guinea-pig isolated ileum, 434P
 Watt GF, Sykes DA, Roberts SP, Shankley NP & Black JW Estimation of agonist affinity and efficacy parameters of histamine H_3 -receptor ligands on guinea-pig ileum, 435P
 Watts SM *see* Birkett SD, 371P
 Webb DJ Clinical pharmacology of endothelin, 461P
 Webb DJ *see* Megson IL, 405P
 Webb DJ *see* Mickley EJ, 233P
 Webber SE *see* Battram CH, 416P
 Wei ET *see* Barker DM, 391P
 Wellman M *see* Fremont A, 387P
 Westfall DP *see* Sneddon P, 285P
 Westfall TD *see* Sneddon P, 285P
 Weston A EDHF and vascular smooth muscle: ion channel aspects, 442P
 Weston AH *see* Petersson J, 401P
 Weston AH *see* Zygmunt PM, 400P
 Weston AH *see* Zygmunt PM, 402P
 Whalley E *see* Woisin FE, 412P
 White A *see* Birrell MA, 403P
 Whittaker M *see* Baker KE, 240P
 Whittaker M *see* Baker KE, 241P
 Williams BC *see* Wren PB, 209P
 Williams KI *see* Lal H, 414P
 Woisin FE, Matsumoto T, Page CP & Whalley ET Lack of effect of a BK B_2 receptor antagonist, CP 0597, on airway responses in allergic rabbits, 412P
- Wong M *see* Birrell MA, 403P
 Wood D *see* German EJ, 340P
 Wood D *see* German EJ, 341P
 Wood LM *see* Baker KE, 240P
 Wood LM *see* Baker KE, 241P
 Wood LM *see* Fraser S, 390P
 Woodward B *see* Lal H, 414P
 Wren P *see* Lawrence JA, 302P
 Wren PB, Burns NJ, Kelly PAT, Lawrence JA, Olverman HJ & Williams BC Pharmacological characterisation of the 5-HT transporter in rat adrenal medulla, 209P
 Wright L *see* Seybold J, 224P
 Wyatt MA, Lauder H, Sellers LA, Feniuk W & Humphrey PPA Functional effects of somatostatin-14 (SRIF) on proliferation of human parietal HGT-1 cells, 221P
 Wyllie MG, Allen LF & Kyprianou N Induction of prostate apoptosis by doxazosin: α_1 -adrenoceptor-dependent and -independent actions?, 283P
- Zajac J-M *see* Courteix C, 335P
 Zeng B-Y *see* Tel BC, 315P
 Zhou J, Struthers AD & Lyles GA Effects of bacterial lipopolysaccharide treatment on NF- κ B activity in cultured rat aortic smooth muscle cells, 372P
 Zygmunt PM, Högestätt ED, Edwards G, Kirkup AJ & Weston AH Effects of anandamide in the rat hepatic artery, 402P
 Zygmunt PM, Petersson J, Jönsson P & Högestätt ED Effect of hypoxia on vasodilatation mediated by EDHF and NO in the guinea-pig basilar artery, 400P
 Zygmunt PM *see* Petersson J, 401P

Keyword Index

- Absence epilepsy 275P, 344P
 Acetylcholine 288P, 321P, 326P
 Acetylcholine release 338P
 Adenosine 287P, 349P
 Adenosine A₁ receptors 347P
 Adrenal medulla 209P
 α_1 -Adrenoceptors 282P, 283P
 α_{1L} -Adrenoceptors 284P
 α_2 -Adrenoceptors 438P
 β -Adrenoceptors 395P
 β -Adrenoceptors, atypical 415P
 β_2 -Adrenoceptor desensitisation 224P
 Ageing 238P, 256P, 382P
 Aggregation 358P
 Agonist affinity and efficacy values 435P
 Airway hyperresponsiveness 412P
 Airways mechanics 416P
 Allergy 264P, 354P
 AMPA 278P
 Amperometry 316P
 β -Amyloid 226P, 330P
 Anandamide 398P, 411P
 Angiopeptin 222P
 Angiotensin II 248P, 336P, 367P
 Animal models 295P
 Antagonist G 259P, G 270P
 Antibodies 363P
 Antihepatotoxic activity 420P
 Antihistamines 390P
 Antihypertensive treatment 382P
 Antinociception 327P
 Anti-opioid systems 335P
 Antiproliferation 222P
 Antipsychotics 314P
 Anxiety 296P
 Anxiolytics 336P
 Aortic vascular smooth muscle cells, rat 220P
 Apoptosis 226P, 258P, 259P, 260P, 261P, 262P, 283P, 368P, 426P, 428P, 448P, 449P, 450P, 451P, 452P
 Apomorphine 254P
trans-Arachidonic acid 353P
 Arteries 199P
 Arteries, basilar 374P
 Arteries, coronary 205P, 236P, 407P
 Arteries, digital 376P
 Arteries, pulmonary 227P, 228P, 375P
 Arteries, pulmonary resistance 193P
 Arteries, resistance, human 202P
 Arteries, supernumerary 313P
 Assay characterisation, in guinea-pig tissues 431P
 Astrocytes 226P
 Atherosclerosis 218P, 450P
 ATP 200P, 413P
 ATPase 285P
 AtT20 cells 424P
 Autoradiography 345P
 Autoreceptors 316P

 Bacterial endotoxin 323P
 BB-2113 240P, 241P
 Behaviour 281P, 464P
 Behaviour *in vivo* 214P
 Benzodiazepine 276P
 Bezold-Jarisch reflex 246P
 bFGF 216P
 BIM 23056 220P
 Black equation 351P
 Bladder, human 419P
 Blood 355P
 Blood pressure 230P, 391P, 404P
 Blood pressure variability 242P
 Blood vessels 199P, 379P
 Bradykinin 412P, 418P, 436P
 Bradykinin antagonists 324P, 352P
 Bradykinin receptors 333P
 Brain 209P, 326P
 Brain, rat 451P
 Brain content 337P
 Bronchial smooth muscle, human 418P
 Bronchoconstriction 417P, 418P

 Calcium 216P, 248P, 266P
 Calcium activated potassium channels 225P, 389P
 Calcium antagonists 239P, 386P
 Calcium handling 238P
 Calcium-dependent potassium channels 253P
 cAMP 268P
 cAMP phosphodiesterase 224P
 Cannabinoids 401P, 402P
 Cannabinoid receptors 215P, 249P, 411P
 Cannabinoid-induced inhibition 266P
 Capsaicin 267P
 Carbon monoxide 446P
 Cardiac effects 390P
 Cardiac ischaemia 240P, 241P
 Cardiomyocytes 393P
 Cardioprotection 408P

 Cardiovascular disease 461P
 Carrageenan 334P
 Caspase proteases 428P
 Cell cultures 331P
 Cell cycle 261P
 Cell discharge 300P
 Ceramide generation 260P
 Cerebellum 322P
 Cerebral blood flow 308P
 Cerebral circulation 232P
 Cerebral cortex, guinea-pig 432P
 Cerebral function 312P
 Cerebral glucose use 308P
 Cerebral ischaemia 323P, 451P
 Cerebrovascular dilatory reserve 385P
 cGMP 408P
 CGP 62349 344P
 Chloroquine 458P
 CHO cells 364P, 457P
 CHO-K1 cells 219P, 222P
 Chronic neuropathic pain 335P
 Ciliary neurotrophic factor 453P
 Clenbuterol 291P
 [³H]-Clobenpropit 429P, 432P
 Clomethiazole 304P, 328P
 Cloned sodium channels 366P
 Cognition 214P
 Confirmation modelling and efficacy 433P
 Conscious dogs 201P
 Corneal nociceptors 348P
 Coronary artery 205P
 Coronary flow 388P
 Coronary vasomotion 201P
 Cortical neurones 273P, 343P
 Cortical neurones, rat 225P
 Corticosterones 278P
 Corticotrophin-releasing factor 391P, 424P
 Cyclic nucleotides 227P
 L-Cysteine 406P
 Cytokines 373P, 376P, 379P, 384P, 450P
 Cytosensors 455P

 Dehydroepiandrosterone 296P
 2-Deoxyglucose 312P
 Depolarisation 342P
 Depression 302P, 470P
 Des-Arg⁹-Bradykinin 437P
 Desensitisation 364P, 422P
 Detrusor instability 419P

- Development 228P
 Diabetes 277P, 291P, 335P
 Dialysis 468P
 Dihydropyridines 380P
 Diuretics 389P
 DMPP 338P
 Dopamine 211P, 316P, 318P, 319P, 320P
 Dopamine agonists 280P, 315P
 Dopamine D2 receptors 315P
 Dopamine D3 receptors 279P, 281P, 317P
 Dorsal hippocampus 301P
 Doxazosin 283P
 DPCPX 347P
 Dorsal raphe nucleus/hippocampus 465P
- Echocardiography 239P
 EDHF 204P, 205P, 398P, 441P, 442P, 443P, 444P, 445P, 446P
 Efficacy, detection of 429P
 Eicosanoids 354P
 Eicosapentaenoic acid 355P, 356P
 Elastocalcinosis 250P
 Endocannabinoids 445P
 Endothelial apoptosis 447P
 Endothelial cells 458P
 Endothelin 228P, 231P, 232P, 234P, 235P, 329P, 403P, 404P, 461P, 463P
 Endothelin antagonists 461P, 462P
 Endothelin receptors 460P
 Endothelin ET₁ 229P, 227P, 230P, 233P, 327P, 369P, 373P, 459P, 460P
 Endothelin ET_A receptors 327P, 230P
 Endothelin ET_B receptors 232P, 327P
 Endothelin-converting enzymes 457P, 458P, 459P
 Endothelium 196P, 197P, 198P, 199P, 200P, 205P, 206P, 238P, 249P, 395P, 407P, 441P
 Endothelium-derived hyperpolarising factor 402P, 411P
 Endothelium-derived relaxing factors 400P
 Endotoxaemia 231P, 392P
 Endotoxic syndrome 447P
 Endotoxins 376P, 410P
 Englitazone 289P
 Eosinophils 257P, 258P, 269P, 412P
 Epoxyeicosatrienoic acids 378P, 446P, 401P
 Ergonovine 201P
 Esculetin 420P
 Ethanol 337P
 Ethograms 281P
 Extracellular acidification 219P
 Extravasation 265P
- FAS mediated apoptosis 427P
 Feeding 213P
 Fever 356P
 FK506 329P
 Flow 407P
 Fluorescent microspheres technique 243P
- Fluoxetine 212P, 297P, 298P
 Focal cerebral ischaemia 324P, 325P
 Food intake 298P
 FR 173657 352P
 Free radicals 196P, 384P, 410P
 Frontal cortex 468P
 Functional responses 362P
- GABA uptake 275P
 GABA_A 273P, 342P, 343P
 GABA_A, human 276P
 GABA_B 274P
 GABA_B receptors 255P, 277P, 344P, 345P, 425P
 Gene expression 279P
 Gene transcription 418P
 Genetic hypertension 198P, 248P, 377P
 Glibenclamide 392P
 Glucocorticoids 292P, 426P, 448P
 Glutamate receptors 328P
 Glutamate uptake 331P
 Glutathione 290P
 Growth factors 215P
 GTPγS 217P
 Guanylate cyclase 218P
- Haemodynamics 244P
 Haemodynamics, rat 243P
 Haemorrhage 242P, 384P
 Head injury, human 326P
 Heart failure 196P, 233P, 239P, 386P, 403P, 463P
 Heat shock protein 197P
 Heparin 358P
 HGT-1 cells 221P
 Hill (logistic) equation 351P
 Hind limb 397P
 Hippocampus 256P, 274P, 287P, 300P, 330P, 342P, 465P
 Histamine 360P
 Histamine H₁ receptors 434P
 Histamine H₂ receptors 434P
 Histamine H₃ receptors 429P, 430P, 431P, 432P, 433P, 434P, 435P
 Histamine H₃ ligand affinity in guinea-pig tissues 430P
 Hoe 140 333P
 Horse diseases 354P
 5-HT 251P, 252P, 299P, 303P, 305P, 306P, 310P, 311P, 312P, 313P, 361P, 374P, 421P
 5-HT autoreceptors 210P
 5-HT autoreceptor antagonists 208P
 5-HT moduline 211P, 467P
 5-HT overflow 301P
 5-HT receptors 211P, 308P, 311P
 5-HT receptor antagonists 294P
 5-HT release 210P, 309P
 5-HT synthesis 309P
 5-HT transporters 209P, 302P, 466P
 5-HT transporter genes 470P
 5-HT_{1A} receptors 309P, 423P, 463P, 464P, 469P
- 5-HT_{1A} receptor antagonists 307P
 5-HT_{1B} 207P, 208P
 5-HT_{1B} knock-out mice 297P
 5-HT_{1B} receptors 467P
 5-HT_{1B/D} receptors 206P, 244P, 253P
 5-HT_{1B/D} receptor agonists 388P
 5-HT_{1B/D} receptor antagonists 307P
 5-HT_{2A} receptors 466P
 5-HT₃ receptors 299P
 5-HT_{5A} receptors 217P
 5-HT₇ receptors 422P
 Hydroxyl radicals 280P
 Hyperalgesia 334P
 Hypercapnia 385P
 Hyperpolarization 249P
 Hyperpolarization-activated currents 361P
 Hyperresponsiveness 416P
 Hypertension 216P, 378P, 409P
 Hypothermia 307P
 Hypoxia 400P, 462P
 Hypoxic pulmonary vasoconstriction 415P
- Ileum, guinea-pig 434P, 435P
 Imaging 5-HT_{1A} receptors 469P
 Imidazoline-2 receptors 438P
 Imipramine 294P
 Immunoblotting high-throughput system 263P
 Immunodetection 263P
In situ hybridization 255P, 359P, 425P
In vivo binding 282P
 Indomethacin 223P, 357P
 Inducible nitric oxide synthase 229P, 271P
 Inflammation 264P, 265P, 352P, 360P
 Inflammatory bowel disease 439P
 Insulin 215P, 397P
 Insulin resistance 377P
 Insulin secreting cells 290P
 Interleukin 448P
 Interleukin-1β 357P
 Interleukin-2 426P
 Internalisation 423P
 Intestine, rat 311P
 Intracellular calcium 371P, 383P
 Intra-ocular muscles 340P, 341P
 Intravital microscopy 265P
 Iodoproxyfan and its derivatives 433P
 IP-receptors 293P
 Ischaemia 234P, 235P, 329P, 428P, 438P
 Isobaric elasticity 382P
 Isolated heart 388P
 Isolated perfused kidney 237P
 Isolated trachea 267P
 Isoprenoid 368P
- Joint nociceptors 286P
 Jun kinases 259P
 Jurkat T-cells 224P
- Kainic acid 278P, 349P

Kidney 367P, 378P
 Kidney, perfused, rat 192P
 Kinins 357P
 Knockout 464P
 Kosterlitz 455P

L362855 220P
 Langendorff heart 390P
 Left ventricular function 388P
 Leptin 289P
 Lesion volume 324P
 Levamisole 272P
 Ligand-gated ion channels 456P
 Lipopolysaccharides 260P, 372P, 447P
 Local cerebral blood flow 310P
 Local cerebral glucose utilisation 254P
 Locomotor activity 317P
 Locus coeruleus neurons 454P
 Logistic (Hill) equation 351P
 Long-term potentiation 330P
 Low-density lipoproteins 380P
 LPS-induced plasma leakage 271P
 Lung 414P
 Lung, human 268P
 Lung carcinoma 270P
 Luteinising hormone releasing hormone 305P

Macrophages 396P
 MAP kinases 215P, 257P
 MAP kinase kinase 427P
 Mast cells 360P
 (–)5-Me-8-OH-DPAT 298P
 Mechanonociceptors 333P
 Median raphe 300P
 Melatonin 383P, 385P
 MEN 11420 417P
 Metabotropic glutamate receptors 319P
 [³H]-R- α -Methyl histamine 430P, 431P
 $\alpha\beta$ -Methylene-ATP 246P, 286P, 348P
 Methylenedioxymethamphetamine 310P
 3,4-Methylenedioxymethamphetamine 303P, 304P
 Mexiletine 366P
 mGlu₁ receptors 364P
 Microdialysis 207P, 314P, 318P, 319P, 321P
 Microdialysis *in vivo* 212P
 Microvasculature 380P
 Middle cerebral artery occlusion 234P
 Minipig 404P
 Mitogen-activated protein kinases 258P
 Monoamines 306P, 314P, 337P, 468P
 Monocrotaline 414P
 Motoneurons 453P
 Mouse hind paw 334P
 Mouse strains 336P
 MPP⁺ 280P
 Muscarinic receptors 274P, 340P, 341P, 370P
 Mutagenesis 251P, 252P, 423P
 Myenteric plexus 266P
 Myometrium, human 436P, 437P

Myosin light-chain phosphorylation 387P

NADPH oxidase 257P
 Nerve growth factor 291P
 Neurodegeneration 303P
 Neurogenic inflammation 359P
 Neurokinin NK₁ antagonists 254P
 Neurokinin NK₂ receptors 321P
 Neuroleptics 214P
 Neuromuscular junction 339P
 Neuromuscular transmission 338P
 Neuronal excitation 293P
 Neurons 456P
 Neuropeptide gene expression 359P
 Neuroprotection 303P, 322P, 323P, 328P
 Neurosteroids 296P
 Neurotensin 320P, 363P
 Neurotransmission 465P
 Neurotrophins 332P
 Neutrophils 358P
 Neutrophil activation 353P
 NF- κ B 372P, 452P
 Nicotine 301P, 326P
 Nicotinic acetylcholine receptors 454P
 Nicotinic receptors 272P
 Nitric oxide 193P, 195P, 197P, 198P, 199P, 202P, 204P, 205P, 365P, 394P, 395P, 397P, 399P, 405P, 406P, 436P, 443P
 Nitric oxide deficient hypertension 203P
 Nitric oxide synthase 229P, 271P, 322P, 409P
 Nitrite release 396P
 S-Nitrosothiols 405P
 Nitrotyrosine 399P
 NMDA 346P
 L-NOARG 414P
 Nociceptin 213P
 Nociceptors 357P
 Non-selective cation channels 290P
 Noradrenaline 212P, 454P
 NPY receptors 393P
 NS 1608 225P
 Nucleus accumbens 317P
 Nupafant 240P, 241P

cis-9,10-Octadecenoamide 273P, 276P, 343P
 Oedema 270P
 Oestrogen 305P, 466P
 8-OH-DPAT 294P
 Opioids 350P
 Opioid analgesia 335P
 Opioid binding sites 439P
 Opioid peptides 439P
 Opioid receptors 455P
 Ornithine decarboxylase 262P

P450 444P
 Paclitaxel 261P
 Paired pulse depression 347P

Panic 295P
 Parkinson's disease 452P
 Patch clamp 251P, 252P, 421P
 PD 156707 460P
 PDE 424P
 PDE4 induction 224P
 Peroxynitrite 406P
 Phosphodiesterase 223P, 339P
 Phosphodiesterase inhibitors 375P
 Phospholipase C 370P
 Platelets 306P
 Platelet activating factor 240P, 241P
 Platelet activation 247P
 Platelet membranes 381P
 Polyamines 262P
 Polymorphism 470P
 Polyphenols 200P
 Positron emission tomography 469P
 Potassium channels 204P, 256P, 292P, 365P, 442P
 Potassium channel openers 419P
 Potassium ATP channels 288P, 392P
 Potassium ATP currents 289P
 Potentiation 298P
 [³H]-Prazosin 282P
 Prejunctional autoreceptors 338P, 339P
 Preproendothelins 457P
 Preproendothelin-1 459P
 Pressure-natriuresis 367P
 Priming 269P
 Pro-inflammatory cytokines 355P
 Proliferation 220P, 221P
 Prostacyclin 293P
 Prostaglandins 379P, 413P, 437P
 Prostaglandin E₂ 356P
 Prostate, human 284P
 Protease-activated receptors 247P
 Protein kinases 331P
 Protein kinase A 223P, 422P
 Protein kinase C 364P
 Protein quantification 263P
 PTHrP 245P
 Pulmonary circulation 462P
 Pulmonary hypertension 229P, 375P
 Pulmonary vascular resistance 313P
 Pulmonary vascular smooth muscle 369P
 Purinergic neurotransmission 285P
 Purines 287P, 349P
 Purinoceptors, P2 subtype 285P
 Purinoceptors, P2X subtype 246P, 286P, 348P, 456P

Radioimmunoassays 363P
 Radioligand binding 340P, 341P
 Raphe nucleus, guinea-pig 210P
 Rat 214P, 248P, 318P, 377P, 420P
 Reactive oxygen species 236P
 Receptors 237P
 Receptor binding 315P
 Receptor interaction, nature of 362P
 Receptor mechanisms 453P
 Regional effects 297P
 Release 320P
 Remacemide metabolites 346P

Renal haemodynamics 203P
Renal vasculature 237P
Reno-vascular tone 245P
Reperfusion 235P
Resistance 272P
Rizatriptan 244P
RO 20,1724 339P

S18886 381P
SB 224289 208P
Schizophrenia 363P
Sensory nerves 264P
Septic shock 202P
Serotonergic transmission 211P
Shear stress 192P
Signalling 373P
Signalling cascade 449P
Smokers 268P
Smooth muscle 443P
Smooth muscle cells 218P, 372P
Sodium nitroprusside 408P
Sodium channels, tetrodotoxin sensitive 366P
Somatostatin 219P, 220P, 221P, 222P
Spectral analysis 242P
Spin trap 410P
Spinal cord 277P, 299P, 345P, 346P, 350P
Spinal cord, human 425P
Spontaneously breathing mice 416P
Spontaneously hypertensive rats 245P
Spreading depression 325P
src tyrosine kinases 257P
SSRI 295P
sst₂ receptors 219P

sst₂ receptors 219P
sst₂ receptors 220P, 222P
Strain differences 374P
Stress 467P
Stress response 394P
Striatum 279P, 288P
Stroke volume 250P
Sumatriptan 244P, 253P, 325P
Superoxide 399P
Superoxide anions 193P, 194P, 195P
Superoxide dismutase 194P, 195P
Superoxide dismutase mimetics 194P
Survival 386P
Sympathetic ganglia 332P
Sympathetic neurones 370P
Sympathetic preganglionic neurones 350P
Symposia 443P

T lymphocytes 427P
Tachykinins 267P, 417P
Tachykinin NK₁ receptor antagonists 362P
[³H]-Tamsulosin 284P
Telemetry 409P
Temporal lobe epilepsy 255P
Tetrodotoxin-sensitive sodium channels 366P
TGF- β , 216P
TGN38 458P
Thalamus 275P
Thapsigargin 371P
Theta-on cells 300P
Thrombolytic therapy 247P
Tianeptine 302P

TNF receptors 449P
TNF- α 269P, 452P
TNF- κ B 271P
TP receptor antagonists 381P
Transgenic rats 231P
trk-A receptors 332P
Twitch tension 339P

Uterus 413P

Validation 243P
Vascular endothelium 400P, 401P, 402P
Vascular reactivity 236P
Vascular smooth muscle 365P, 368P, 441P, 442P
Vascular smooth muscle, human 371P
Vasoactive peptides 391P
Vasoconstriction 233P, 383P, 387P
Vasodilatation 405P
Vasopressin 192P, 203P
Vasoregulation 394P
Vasorelaxation 389P, 398P
Veins, saphenous 206P
Venous capacitance 250P
Ventral tegmentum 278P, 337P
Ventricular fibrillation 240P, 241P
Ventromedial hypothalamus 213P

WAY 100635 298P
Which fits data better? 351P

ZD 7288 361P