

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

Harrogate International Centre
(SmithKline Beecham)
Joint meeting with the Dutch Pharmacological Society
and the Belgian Society for Fundamental and
Clinical Physiology and Pharmacology

10th–12th December 1997

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, BPS Office, 16 Angel Gate, London EC1V 2PT, UK. Tel: +44 (0)171 417 0431/2/3; Fax: +44 (0)171 417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arncliffe Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)181 882 7199; Fax: +44 (0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley. Supplement Production Controller: Sarah Bywaters

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.stockton-press.co.uk>

All information on the website is free and includes: editor's details, scope, latest table of contents, paper abstracts, subscription prices, reprint ordering, sample copy ordering, news, supplement information, contact names in publishing, production, marketing and advertising departments. Register now to have the table of contents sent to you as soon as they are updated.

Subscriptions – 1998 Subscription Rates – *British Journal of Pharmacology*
Institutional Subscriptions Print (Hard Copy); EU £850, Rest of World (surface mail) £940/US\$1505, Rest of World (airmail) £1128/US\$1805.

Electronic – Online only £850/US\$1360.

Combined – Electronic Online & Print EU £935, Rest of World (surface mail) £1034/US\$1655, Rest of World (airmail) £1241/US\$1990.

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The

Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1240 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

Copyright © 1998 Stockton Press

ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/98 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

Harrogate International Centre
(Smithkline Beecham)

Joint meeting with the Dutch Pharmacological Society and the
Belgian Society for Fundamental and Clinical Physiology and Pharmacology
10th–12th December, 1997

Author Index

- Abdel-Wahab YHA *see* Ahmad M, 156P
- Abduljawad KAJ, Langley RW, Bradshaw CM & Szabadi E Effects of bromocriptine and haloperidol on prepulse inhibition of the eye-blink startle response and N1/P2 auditory evoked potential in man, 201P
- Adkins C *see* Alder L, 199P
- Agneter E, Singer EA, Feuerstein TJ & Sauermann W Objections to classical models of pharmacological agonism, 120P
- Agneter E *see* Hoetzel A, 235P
- Ahmad M, Abdel-Wahab YHA, Pyne NJ, Platt PR & Furman BL Effects of type selective inhibitors on cAMP phosphodiesterase activity and insulin secretion in the clonal β cell line BRIN BD11, 156P
- Ainsworth K, Smith SE & Sharp T Repeated administration of fluoxetine and desipramine increases D_2 but not D_1 receptor expression in the nucleus accumbens of the rat brain, 226P
- Ainsworth K *see* Zetterström TSC, 211P
- Akam EC, Challiss RAJ & Nahorski SR Methacholine-stimulated [35 S]-GPT γ S binding and Ca^{2+} mobilisation in CHO-cells expressing M_1 and M_3 cholinergic receptors, 144P
- Al-Hage M *see* Ezeamuzie CI, 165P
- Al-Ruwaitea ASA, Chiang T-J, Al-Zahrani SSA, Ho M-Y, Bradshaw CM & Szabadi E Effect of destruction of the ascending 5-hydroxytryptaminergic pathways on switching between concurrent reinforcement schedules, 239P
- Al-Zahrani SSA *see* Al-Ruwaitea ASA, 239P
- Albert JA *see* Boarder MR, 30P
- Albuquerque J *see* Van Eylen F, 264P
- Albus U *see* Ruetten H, 316P
- Alder L, Smith AJ, Priestley T, Silk J, Adkins C, McKernan RM & Atack JR Use of a 96 well format 36 Cl flux assay to measure GABA $_A$ ion channel function in stably expressed recombinant receptors: constitutive channel opening in the absence of agonist revealed, 199P
- Aldous D *see* Escott KJ, 40P
- Alexander SPH *see* Smith JK, 195P
- Alexander SPH *see* Walton SL, 194P
- Ali J *see* Tomlinson A, 178P
- Allan SM *see* Grundy RI, 85P
- Allen MJ *see* Wilson RJ, 186P
- Alvarez D *see* McMillan SJ, 171P
- Amann R *see* Schuligoi R, 77P
- Amin Z, Clayton JK, Marshall K & Senior J Characterisation of a prostaglandin DP-receptor population on the human isolated umbilical artery, 313P
- Amin Z, Clayton JK, Marshall K & Senior J The effects of prostaglandin E_2 and EP_2 receptor mimetics on the human isolated umbilical artery, 312P
- Anderson IK, Soden PE, Barnes JC & Rupniak HTR β -amyloid induces cyclooxygenase-2 and inducible nitric oxide synthase in microglial cells: inhibition of PGE $_2$ and NO production by selective COX-2 and iNOS inhibitors, 304P
- Anderson IM *see* Deakin JFW, 352P
- Anderson MA, Hill DR & Shahid M Simplification of the G-protein (G_{α}) GPT γ S binding assay, 151P
- Anderson SMP *see* Green AR, 216P
- Änggård EE *see* Laight DW, 283P
- Änggård EE *see* Laight DW, 284P
- Antolini M *see* Corsi M, 249P
- Anwar Z *see* Boarder MR, 30P
- Aparicio-Legarza MI, Davis B & Reynolds GP NMDA receptors in the striatum in schizophrenia, 204P
- Armstrong R *see* Charman A, 166P
- Ashmeade T & Routledge C The role of 5-HT $_6$ receptors in the modulation of plasma ACTH levels, 184P
- Ashton N *see* Kumar A, 193P
- Ashton N *see* Monkhouse R, 98P
- Aspley S *see* Neophytou SI, 69P
- Atack JR *see* Alder L, 199P
- Atcheson R *see* Joyce PI, 219P
- Avella MA *see* Grieve DJ, 300P
- Avenell K *see* Brown AM, 233P
- Baan Jr J, Chang PC, Vermeij P, Pfaffendorf M & van Zwieten PA Effects of angiotensin II and losartan on forearm blood flow in patients with essential hypertension, 293P
- Bagetta G, Corasaniti MT, Paoletti AM, Berliocchi L, Costa N, Finazzi-Agro A & Nistico G Evidence that indomethacin prevents apoptosis induced by human immunodeficiency virus type 1 (HIV-1) coat protein gp120 in

- the neocortex of the rat, 180P
- Bagetta G *see* Nucci C, 179P
- Bailey SR & Elliott J Effects of inhibition of uptake and metabolism on pressor response to 5-hydroxytryptamine of the isolated perfused equine digit, 278P
- Baird JD *see* Hadoke PWF, 99P
- Baird JD *see* Hadoke PWF, 306P
- Bakhle YS, Bell C & Brogan JD Paradoxical inflammatory response to capsaicin in a rat strain with increased tissue content of Substance P, 75P
- Balderson DJ *see* Parker LC, 173P
- Ball HA *see* Chainey JS, 51P
- Balment RJ *see* Brothie JM, 361P
- Bannister JPA, Young BA, Sivaprasadarao A & Wray D Conserved cysteine residues are critical for the function of the inwardly rectifying potassium channel IRK3, 37P
- Barker JE & Stewart AG Differing effects of nitric oxide compared with peroxynitrite on mast cell degranulation *in vitro*, 305P
- Barnes JC *see* Anderson IK, 304P
- Barnes NM *see* Stowe RL, 229P
- Barnes NM *see* Stowe RL, 230P
- Barrand MA *see* Hladky SB, 338P
- Batink HD *see* Peters SLM, 62P
- Batink HD *see* Peters SLM, 63P
- Bax WA *see* Saxena PR, 55P
- Baxendale PM *see* Horton JK, 31P
- Baxter GF & Yellon DM Increased myocardial tolerance to ischaemia 24 h after adenosine A1 receptor stimulation: evidence for a role of the ATP-sensitive K⁺ channel, 94P
- Baxter GF *see* Mocanu MM, 333P
- Baxter GS, Coleman RA, Miah A, Murphy O & Carey JE Regional distribution of 5-HT_{2c} receptor mRNA in human tissues using real time, quantitative sequence detection, 112P
- Baxter GS *see* Bowen WP, 32P
- Baxter GS *see* Carey JE, 113P
- Baxter GS *see* Murphy OE, 114P
- Beattie DT *see* Honey AC, 164P
- Beattie DT *see* McAllister KHM, 223P
- Becker K, Heinroth-Hoffmann I, Röhnert P, Preiss M, Weisselberg T, Werner C & Brodde O-E Cardiac endothelin-receptor function in three animal models of left ventricular hypertrophy, 60P
- Becker K *see* Pöncke K, 154P
- Beckett SRG *see* Neophytou SI, 69P
- Beech DJ *see* Narwal S, 102P
- Beech DJ *see* Prior HM, 101P
- Bell C *see* Bakhle YS, 75P
- Bell D *see* Cullen JP, 321P
- Belvisi MG *see* Cirino G, 163P
- Belvisi MG *see* Mitchell JA, 74P
- Benjamin N *see* O'Byrne S, 303P
- Bennett GC & Boarder MR P2 receptor agonists have a modulatory effect of evoked glutamate release from rat cortical slices, 73P
- Bennett GS, Garrett NE, Diemel L, Brain SD & Tomlinson DR Neurogenic cutaneous vasodilatation and plasma extravasation in diabetic rats: effect of insulin and nerve growth factor, 76P
- Bennett T *see* Gardiner SM, 308P
- Bennett T *see* Gardiner SM, 309P
- Bennett T *see* Tarpey SB, 331P
- Bennett T *see* Tomlinson A, 178P
- Beresford IJM *see* Browning C, 175P
- Beresford IJM *see* Hall DA, 142P
- Bergsma DJ *see* Wilson S, 363P
- Berliocchi L *see* Bagetta G, 180P
- Bernhardt M *see* Bömmel HM, 8P
- Bertrand C *see* Chainey JS, 51P
- Beukelman CJ *see* Muijsers RBR, 41P
- Bevan JA *see* Thorin E, 12P
- Bevan NJ, Scott S, Rhodes A, Marshall FH Rees ES & Lee MG Induced expression of the ORL1 receptor used to study signalling effects, 148P
- Billington CK & Hall IP The effects of carbachol and PDGF-BB on DNA synthesis and the proliferation of cultured human airway smooth muscle cells, 34P
- Billington DC *see* Howitt SG, 129P
- Birrell M *see* Escott KJ, 40P
- Bishop-Bailey D *see* Mitchell JA, 74P
- Bispham JR *see* Walker EM, 139P
- Blake D *see* O'Byrne S, 303P
- Bleuel Z *see* Richards JG, 35P
- Boarder MR, Gubby S, Anwar Z, Albert JA Roberts JA & Boyle JP Regulation of brain endothelial cell cyclic AMP by adenosine and ATP may indicate the presence of a P3 receptor, 30P
- Boarder MR *see* Bennett GC, 73P
- Boarder MR *see* Charlton SJ, 149P
- Boarder MR *see* Harper S, 59P
- Boarder MR *see* Roberts JA, 150P
- Bobirnac I *see* Gazi L, 227P
- Boeckstaens GE *see* De Winter BY, 192P
- Bogaert MG *see* Van Bortel LM, 372P
- Bömmel HM *see* Kotsonis P, 7P
- Bonhaus DW *see* MacLennan SJ, 153P
- Bonhomme E *see* Simonet S, 286P
- Boobis AR *see* Riedl AG, 225P
- Botham KM *see* Grieve DJ, 300P
- Bou J *see* Cardelús I, 267P
- Bountra C *see* Clayton NM, 79P
- Bountra C *see* Collins SD, 16P
- Bountra C *see* Evans KS, 213P
- Bountra C *see* Kozłowski CM, 214P
- Bountra C *see* Kozłowski CM, 215P
- Bowen W, McMurray HF, Lall S, Baxter GS & Coleman RA Pharmacological modulation of chloride ion efflux from T84 cells, 32P
- Bower S *see* Escott KJ, 40P
- Bowery NG *see* Meoni P, 23P
- Bowes J, Piper J & Thiemermann C Inhibition of the activity of poly-(ADP-ribose) synthetase reduces cell injury caused by hydrogen peroxide in rat cardiac myoblasts, 93P
- Bowes J & Thiemermann C Comparison of the effects of inhibitors of poly-(ADP-ribose) synthetase and radical scavengers in a rat model of hepatic ischaemia and reperfusion, 282P
- Bowmer CJ *see* Gibb SL, 222P
- Bowmer CJ *see* Smith JA, 285P
- Boyd DF *see* Jones DNC, 246P
- Boyd EA *see* Walton SL, 194P
- Boyle JP *see* Boarder MR, 30P
- Brading AF *see* Choate JK, 301P
- Bradshaw CM *see* Abduljawad KAJ, 201P
- Bradshaw CM *see* Al-Ruwaitea ASA, 239P
- Brain SD *see* Bennett GS, 76P
- Brain SD *see* Towler PK, 78P
- Braun E *see* Chainey JS, 51P
- Breimer DD *see* van der Sandt ICJ, 130P
- Bright F *see* Trail B, 238P
- Brink C *see* Norel X, 122P
- Bristow LJ *see* Murray F, 241P
- Broadley KJ *see* Gardner NM, 279P
- Brodde O-E *see* Becker K, 60P
- Brodde O-E *see* Pöncke K, 154P
- Brogan JD *see* Bakhle YS, 75P
- Brothie JM, Nash JE & Balment RJ Master of Research (M.Res.) in biological sciences: the Manchester experience, 361P
- Brothie JM & Fox S, Henry B, Hille C Maneuf Y, McGuire S, Peggs D & Crossman AR The cannabinoid receptor antagonist SR141716A reduces L-DOPA-induced dyskinesia in the MPTP-treated primate model of Parkinson's disease, 66P
- Brothie JM *see* Nash JE, 67P
- Brough S, Nasir S, Stewart BR, Jerman J & Coldwell MC PPADS is a partial agonist on P2Y₁ receptor-mediated changes in Ca²⁺ as determined in a fluorescence imaging plate reader (FLIPR), 127P
- Brouwer F *see* Smit J, 124P
- Brown AM, Avenell K, Young TJ, Ho M, Porter RA, Vimal M & Middlemiss DN BRL 54443, a potent agonist with selectivity for human cloned 5-HT_{1E} and 5-HT_{1F} receptors, 233P
- Brown AM *see* Lightowler S, 237P
- Brown CT *see* Riedl AG, 225P
- Brown J *see* Foord SM, 365P
- Brown T *see* Clayton NM, 79P
- Browning C, Beresford IJM, Hall DA & Giles H Pharmacological differences between the binding of [¹²⁵I]-

- IL8 and unlabelled IL8 to the human recombinant CXCR1 and CXCR2 receptors, 175P
- Bryant CE *see* Harris HJ, 83P
- Bryant CE *see* Harris HJ, 84P
- Buckingham JC *see* McKenzie DN, 72P
- Buckingham JC *see* Rhodes KF, 182P
- Buckingham RE *see* Widdowson PS, 188P
- Buckley CH, Hadoke PWF & O'Brien C β -blocker-mediated relaxation in isolated porcine ocular arteries, 261P
- Buckley TL *see* Scheerens H, 39P
- Bueb J-L *see* Petitcolin M-A, 337P
- Bult H *see* Van Hove CE, 315P
- Bunnemann BH *see* Meoni P, 23P
- Bushfield M *see* Delany C, 265P
- Bushfield M *see* Katugampola S, 266P
- Bushfield M *see* Mercer P, 275P
- Bömmel HM, Relf A, Frölich LG, Hofmann H, Marecak DM, Groehn V, Frey A, Meinecke M, Kotsonis P, Bernhardt M, Prestwich GD, Pfeleiderer W & Schmidt HHHW Novel anti-pterin inhibitors of NO synthase: exclusion of a catalytic but evidence for a stabilising function in NO synthase and direct labelling of the enzyme's pterin binding site, 8P
- Cadogan AK, Fletcher C, de Bank P, Marsden CA & Kendall DA Differences in the *in vivo* and *in vitro* effects of the endogenous sleep-inducing agent oleamide on 5-HT₂ receptor function, 247P
- Cambridge D *see* Honey AC, 164P
- Campbell E *see* Gentry C, 221P
- Campos AM, Grayson B & Kelly ME A comparison between plasma corticosterone concentrations following social competition and restraint in the rat, 248P
- Capdeville-Atkinson C *see* Petitcolin M-A, 337P
- Capdeville-Atkinson C *see* Spitzbarth E, 317P
- Cardelús I, Puig J, Bou J, Jáuregi J, Fernandez AG & Palacios Xerostomia and mydriasis: two possible muscarinic peripheral side effects associated with descarboethoxyloxadine, the main metabolite of loratadine, 267P
- Carey JE, Miah A, Murphy OE, Coleman RA & Baxter GS Quantification of mRNA transcript copy number using the ABI PRISM(r) sequence detection system, 113P
- Carey JE *see* Baxter GS, 112P
- Carey JE *see* Murphy OE, 114P
- Carrier MJ *see* Laight DW, 283P
- Carrier MJ *see* Laight DW, 284P
- Carroll M *see* Quilley J, 64P
- Carruthers AM *see* Schindler M, 110P
- Cartmell T & Rothwell NJ Brain sites of action of interleukin-1 in fever, 86P
- Ceiler DL, Nelissen-Vrancken HJMG, Smits JFM & De Mey JGR Vasoconstrictor hyporeactivity in perfused rat hindlimbs after myocardial infarction (MI): role of basal nitric oxide (NO) production and effects of captopril, 4P
- Cerulli L *see* Nucci C, 179P
- Chaboz S *see* Richards JG, 35P
- Chainey JS, Braun E, Bertrand C & Ball HA *In vivo* characterisation of the tachykinin receptor subtypes in squirrel monkey, 51P
- Challiss RAJ *see* Akam EC, 144P
- Challiss RAJ *see* Davis RJ, 106P
- Challiss RAJ *see* Hermans E, 105P
- Challiss RAJ *see* Saunders R, 145P
- Challiss RAJ *see* Sherriffs HJ, 145P
- Chang PC *see* Baan Jr J, 293P
- Chapple CR *see* Martin SW, 119P
- Charlton SJ & Boarder MR Comparative study of transfected P2Y receptors: effect of the suramin analogue NF023, pertussis toxin and protein kinase C on the phospholipase C response, 149P
- Charlton SJ *see* Harper S, 59P
- Charlton SJ *see* Roberts JA, 150P
- Charman A, Armstrong R & Horrobin D The effect of fatty acids on neutrophil activation *in vitro*: reversibility by plasma, 166P
- Chazot PL *see* Chopra B, 131P
- Cheetham S, Hearson M, Kerrigan F, Martin K, Needham P, Prow M, Sargent B, Slater B, Skill M, Viggers J & Heal D BPS 74 398: a novel monoamine reuptake inhibitor for the treatment of Parkinson's Disease, 224P
- Cheetham S *see* Smith LA, 253P
- Cheetham SC *see* Jackson HC, 256P
- Cheetham SC *see* Watt S, 136P
- Chess-Williams R *see* Martin SW, 119P
- Chessell IP *see* Grahames CBA, 104P
- Chessell IP *see* Kirkup AJ, 28P
- Chessell IP *see* Michel AD, 103P
- Chessell IP *see* Sansum AJ, 70P
- Chiang T-J *see* Al-Ruwaitea ASA, 239P
- Chin KJ *see* Hayward NJ, 24P
- Chivers S *see* Mitchell JA, 74P
- Choate JK & Paterson DJ Inhibition of nitric oxide synthase increases the positive inotropic response to sympathetic nerve stimulation in guinea-pig isolated atria, 301P
- Chopra B, Chazot PL, Mugnaini M & Stephenson FA An investigation into the NMDA receptor subtype selectivity of two novel glycine site antagonists, 131P
- Cilia J *see* Jones DNC, 246P
- Cirino G, Saunders M, Belvisi MG, Jourdan KB, Evans TW, Copponi A & Mitchell JA Relative potencies of nonsteroidal anti-inflammatory drugs on purified cyclo-oxygenase-1 and -2, 163P
- Clayton JK *see* Amin Z, 312P
- Clayton JK *see* Amin Z, 313P
- Clayton N *see* Evans KS, 213P
- Clayton N *see* Kozlowski CM, 214P
- Clayton N *see* Kozlowski CM, 215P
- Clayton NM, Collins SD, Sargent R, Brown T, Nobbs M & Bountra C The effect of the novel sodium channel blocker 4030W92 in models of acute and chronic inflammatory pain in the rat, 79P
- Clayton NM *see* Collins SD, 16P
- Clement B *see* Schmidt HHHW, 6P
- Clemett DA, Cockett MI, Marsden CA & Fone KCF Repeated i.c.v. administration of 5-HT₇ receptor antisense oligonucleotide down-regulates 5-HT₇ receptor binding in the rat hypothalamus without altering exploratory behaviour, 68P
- Cleton A, Edelbrock PM, Voskuyl RA & Danhof M Pharmacokinetic, pharmacodynamic modelling of the EEG effect of the GABA uptake inhibitors R- and S-tigabine in rats, 22P
- Clifford EM *see* Gartside SE, 232P
- Clifford JJ, Tighe O, Croke DT, Drago J, Sibley DR & Waddington JL Behavioural responsivity to the selective D₁-like agonist A 68930 in transgenic mice with D_{1A} dopamine receptor 'knockout', 20P
- Cockett MI *see* Clemett DA, 68P
- Coker SJ, Lightbown ID & Hughes DA & Lambert JP & Edwards G Mefloquine potentiates halofantrine-induced QTc prolongation by altering the distribution of halofantrine, 88P
- Colado M, Granados R, O'Shea E, Esteban B & Green AR Further evidence that NMDA antagonists protect against MDMA ('ecstasy')-induced neurodegeneration because of hypothermia, 259P
- Coldwell MC *see* Brough S, 127P
- Coldwell MC *see* Watson J, 234P
- Coleman RA *see* Baxter GS, 112P
- Coleman RA *see* Bowen WP, 32P
- Coleman RA *see* Carey JE, 113P
- Coleman RA *see* Murphy OE, 114P
- Colin F *see* Lebrun Ph, 14P
- Collins SD, Clayton NM, Nobbs M & Bountra C The effect of 4030W92, a novel sodium channel blocker, on the treatment of neuropathic pain in the rat, 16P
- Collins SD *see* Clayton NM, 79P
- Commandeur JNM *see* Vermeulen NPE, 360P
- Cooper N *see* Tuladhar BR, 190P

- Coote J *see* Wise A, 147P
Coppini A *see* Cirino G, 163P
Corasaniti MT *see* Bagetta G, 180P
Cordi A *see* Simonet S, 286P
Corsi M, Oliosi B, van Amsterdam FThM, Antolini M, Melotto S, Gerrard P, Maraia G, Reggiani A, Ursini A, Donait D, Gaviraghi G, Ratti E & Trist DG Pharmacological characterization of GV191869X: a novel, potent and selective CCK-B receptor antagonist, 249P
Costa N *see* Bagetta G, 180P
Costall B, Kortekas R & Smythe JW Carbachol infusions into the median raphe nucleus elevate hippocampal theta frequencies in the rat, 240P
Costall B & Naylor RJ Characterisation of the 5-HT receptor mediating the behavioural inhibitory effects of *m*-chlorophenylbiguanide in the mouse light dark test, 243P
Costall B & Naylor RJ Inhibitory and disinhibitory profiles of the interaction between *m*-chlorophenylpiperazine and *m*-chloro-phenylbiguanide in the mouse light dark test, 242P
Costall B *see* Kortekaas R, 258P
Costall B *see* Shirley AK, 257P
Costall B *see* Smythe JW, 71P
Contentin J *see* Godart M, 364P
Criscuoli M *see* Lippi A, 339P
Croke DT *see* Clifford JJ, 20P
Cross AJ *see* Green AR, 216P
Crossman AR *see* Brochie JM, 66P
Crossman AR *see* Nash JE, 67P
Croucher MJ *see* Patel DR, 207P
Croucher MJ *see* Thomas LS, 208P
Cui Y, Iino S, Galione A & Terrar DA Possible requirement of calmodulin for actions of cADP-ribose on contraction of guinea-pig isolated ventricular myocytes, 326P
Cui Y *see* Iino S, 325P
Cullen JP, Bell D & McDermott BJ Stimulation of the AT receptor causes hypertrophy in adult rat ventricular cardiac myocytes, 321P
Cunha VMN, Kolar F, Godfraind T & Wibo M Delayed maturation of cardiac calcium channels after aortic constriction in newborn rats, 58P
Cunningham JR *see* Matthews KL, 295P
- Danhof D *see* van der Sandt ICJ, 130P
Danhof M *see* Cleton A, 22P
Daniels D *see* Watson N, 268P
Danser AHJ, de Vries R & Saxena PR Bradykinin-induced vasorelaxation in the rat isolated perfused heart: importance of preformed pools of NO-containing factors, 334P
Danser AHJ *see* Maassen Van Den Brink A, 95P
- Danzeisen M *see* Gazi L, 227P
Davenport AP, Plumpton C, Ferro CJ, Webb DJ & Horton J Systemic infusion of an endothelin receptor antagonist increases plasma ET-3 in humans, 290P
Davey DM *see* Mercer P, 275P
Davis AJ, Urban L & Perkins MN CGRP induces mechanical hyperalgesia in rats which is reduced by IL-1ra, kinin B1 and B2 receptor antagonists but not a selective NK1 receptor antagonist, 220P
Davis B *see* Aparicio-Legarza MI, 204P
Davis RJ, Challiss RAJ & Nahorski SR Enhanced receptor-mediated Ca signalling in L-fibroblasts overexpressing type-1 inositol 1,4,5-trisphosphate receptors, 106P
de Bank P *see* Cadogan AK, 247P
De Bie JJ, Henricks PAJ, Jonker EH, Hofman GA, Muis T, Nijkamp FP & Van Oosterhout JM 5-Hydroxytryptamine and histamine are involved in airway hyperresponsiveness and eosinophilia in a murine model of allergic asthma, 48P
de Boer AG *see* van der Sandt ICJ, 130P
de Groot MJ *see* Vermeulen NPE, 360P
de Haas JRA, Terpstra JS, Roffel AF & Zaagsma J Postjunctional responses to the prejunctional regulation of autonomic neurotransmitter release in the guinea-pig trachea, 169P
De Kimpe SJ, Van Heuven-Nolsen D, Schijns V & Nijkamp FP Blood pressure elevation is associated with a decrease in interferon- γ in mice and rats, 54P
De Man JG, De Winter BY, Moreels TG, Herman AG & Pelckmans PA Effect of ascorbate on relaxations to S-nitrosothiols and on the nitrergic neurotransmitter in the rat gastric fundus, 116P
De Man JG *see* De Winter BY, 192P
De Man JG *see* Moreels TG, 115P
De Mey JGR *see* Ceiler DL, 4P
De Mey JGR *see* Stassen FRM, 92P
de Mol BAJM *see* Rinia-Feenstra M, 89P
de Mol NJ *see* Koster ASj, 343P
De Souza RJ *see* Green AR, 216P
De Visser PA *see* De Vries P, 57P
de Vries A, Faas S, Engels F, Henricks PAJ & Nijkamp FP Captopril is necessary for bradykinin-induced airway hyperresponsiveness, 47P
de Vries B, Meurs H, Roffel AF, Elzinga CRS, de Vries MML & Zaagsma J Constitutive β_2 -adrenoceptor activity in bovine tracheal smooth muscle induced by fenoterol treatment, 168P
de Vries MML *see* de Vries B, 168P
De Vries P, Villalón CM, Heiligers JPC, De Visser PA & Saxena PR Regional cardiac output distribution during 5-HT_{1B/1D} receptor-mediated hypotension in rats, 57P
De Vries P, Villalón CM, Heiligers JPC & Saxena PR Porcine carotid haemodynamic effects of alniditan, a selective 5-HT_{1B/1D} receptor ligand, 56P
De Vries P *see* Saxena PR, 55P
de Vries R *see* Danser AHJ, 334P
De Winter BY, Boeckxstaens GE, De Man JG, Moreels TG, Herman AG & Pelckmans PA Effect of cisapride and metoclopramide on postoperative ileus in rats, 192P
De Winter BY *see* De Man JG, 116P
De Winter BY *see* Moreels TG, 115P
de Zeeuw D *see* Filipeanu CM, 141P
de Zeeuw D *see* Nelemans SA, 323P
Deakin JFW, Anderson IM & Strickland P Neurobiology of anxiety and panic: human studies, 352P
Delany C, Katugampola S & Bushfield M Comparison of the potencies of opioid agonists at the human recombinant and mouse delta opioid receptors, 265P
Descombes J-J *see* Simonet S, 286P
Detheux M *see* Godart M, 364P
Dewhurst DG, Oswald S, Todd MH & Williams AD A computer-based interactive tutorial to introduce the principals of the drug discovery process, 341P
Dickenson JM & Hill SJ The human adenosine A receptor activates the MAP kinase signalling pathway in transfected CHO-K1 cells, 140P
Dielm LT *see* Bennett GS, 76P
Docherty JR *see* Ho SL, 270P
Doggrell SA & Henderson CJ The offset of the cardiac actions of β -adrenoceptor antagonists is related to their lipophilicity, 281P
Dominiczak AF *see* Kerr S, 280P
Donati D *see* Corsi M, 249P
Douglas GJ *see* Jones H, 167P
Douthwaite JA, Johnson TS, Thomas GL, El Nahas AM & Haylor J Endothelin-1 mRNA and renal fibrosis following subtotal (5/6) nephrectomy in the rat, 292P
Dowell FJ & Martin W Interaction of peroxynitrite with L-cysteine and its analogues, 9P
Drago J *see* Clifford JJ, 20P
Duffell S *see* Wyatt I, 209P
Dunne EL, Moss SJ & Smart TG Direct modulation of murine recombinant GABA_A receptors by protein tyrosine kinase inhibitors, 198P
Dyball REJ *see* McKenzie DN, 72P
- Edelbroek PM *see* Cleton A, 22P
Edmunds NJ & Woodward B Evidence

- for a role of prostanoids and sphingosine in tumour necrosis factor- α -mediated coronary vasoconstriction in the isolated perfused rat heart, 307P
- Edmunds NJ & Woodward B Evidence that an early depression in myocardial contractility caused by tumour necrosis factor- α may result from the activation of the sphingomyelinase pathway in the rat heart, 91P
- Edwards G *see* Coker SJ, 88P
- Edwards RJ *see* Riedl AG, 225P
- Edwards RJ Structural features of P450 and its antigenic determinants revealed by designer antibody studies, 359P
- Eglen RM *see* Watson N, 268P
- El Nahas AM *see* Douthwaite JA, 292P
- Elliott J *see* Bailey SR, 278P
- Elliott J *see* Grieve DJ, 300P
- Ellis SW Site-directed mutagenesis of putative active-site residues of CYP2D6, 357P
- Elzinga CRS *see* de Vries B, 168P
- Engels F *see* de Vries A, 47P
- Escott KJ, McMillan SJ, Birrell M, Webber SE, Souness JE, Maslen C, Temple R, Iqbal S, Mariucci M, Rose J, Geiger LE, Thurairatnam S, Bower S, Aldous D & Sargent CA Pharmacological profiling of PDE4 inhibitors and analysis of the therapeutic ratio in rats and dogs, 40P
- Escott KJ *see* McMillan SJ, 171P
- Esteban B *see* Colado MI, 259P
- Evans BA *see* Summers RJ, 52P
- Evans KS, Kozlowski CM & Bountra C The novel sodium channel blocker 4030W92 inhibits carrageenan-induced cutaneous hypersensitivity in the anaesthetised rat, 213P
- Evans TW *see* Cirino G, 163P
- Evans TW *see* Jourdan KB, 45P
- Evans TW *see* Jourdan KB, 46P
- Evans TW *see* Jourdan KB, 161P
- Evans TW *see* Mitchell JA, 74P
- Ezeamuzie CI & Al-Hage M Differential inhibitory effects of salmeterol and salbutamol on human eosinophil responses *in vitro*, 165P
- Faas S *see* de Vries A, 47P
- Farahani M & Hall IP Regulation of histamine H₁ receptor gene transcription in cultured human airway smooth muscle (HASM) cells, 160P
- Feelisch M *see* Schmidt HHHW, 6P
- Feniuk W, Jarvie EM, Luo J, Humphrey JA & Humphrey PPA Functional studies with the novel somatostatin (SRIF) sst2 receptor blocking drug AcNH-4-NO₂-Phe-c[D-Cys-Tyr-D-Trp-Lys-Thr-Cys]-Tyr-NH₂ (Cyanamid 154806), 111P
- Feniuk W *see* Hicks GA, 18P
- Feniuk W *see* Lauder H, 126P
- Feniuk W *see* Schindler M, 110P
- Feniuk W *see* Smalley KSM, 155P
- Fernández AG *see* Cardelús I, 267P
- Ferro CJ *see* Davenport AP, 290P
- Feuerstein TJ *see* Agneter E, 120P
- Filipeanu CM, Henning RH, de Zeeuw D & Nelemans SA Functional evidence for a role of intracellular angiotensin II in A7r5 cells, 141P
- Filipeanu CM *see* Nelemans SA, 323P
- Finazzi-Agrò A *see* Bagetta G, 180P
- Findeis MA *see* Hayward NJ, 24P
- Fishman MC *see* Thorin E, 12P
- Flatt PR *see* Ahmad M, 156P
- Fletcher C *see* Cadogan AK, 247P
- Flower RJ *see* Harris HJ, 83P
- Flück M *see* Ruijtenbeek R, 26P
- Folkerts G *see* Hammermann R, 42P
- Folkerts G *see* Muijsers RBR, 41P
- Folkerts G *see* van Heuven-Nolsen D, 159P
- Folkerts JG *see* Hirschmann J, 177P
- Fone KCF *see* Clemett DA, 68P
- Fonseca M & Gibson A No evidence for a nerve-derived hyperpolarising factor in the mouse anococcygeus, 272P
- Foord SM, McLaatchie LM, Fraser NJ, Wise A, Brown J, Main M, Thompson N, Solari R & Lee MG The CGRP receptor requires a single transmembrane protein for functional expression, 365P
- Foord SM *see* Main MJ, 146P
- Ford APDW *see* Watson N, 268P
- Forster C, Iral A & Razavi H The effect of aminoguanidine on acetylcholine-induced relaxation responses in rat blood vessels, 13P
- Foster ML *see* McMillan SJ, 171P
- Fournier J *see* Labie C, 80P
- Fox S *see* Brothie JM, 66P
- Fraser D *see* Sudan HL, 137P
- Fraser NJ *see* Foord SM, 365P
- Frey A *see* Bömmel HM, 8P
- Friedman JM The discovery of leptin and its potential impact on the treatment of diabetes and obesity, 345P
- Fröhlich LG *see* Bömmel HM, 8P
- Fröhlich LG *see* Kotsonis P, 7P
- Fulton D *see* Quilley J, 64P
- Furman BL *see* Ahmad M, 156P
- Gager T *see* Watson J, 234P
- Galione A *see* Cui Y, 326P
- Galione A *see* Iino S, 325P
- Galle J *see* Schmidt HHHW, 299P
- Gardiner SM, Kemp PA, March JE, Woolley J & Bennett T Effect of sheep antibodies to human TNF- α and IL-1 β on cardiovascular responses to lipopolysaccharide (LPS) in conscious rats, 309P
- Gardiner SM *see* Kemp PA, March JE, Woolley J & Bennett T Effects of sheep polyclonal antibodies to human TNF- α and IL1 β on cardiovascular responses to the cytokines in conscious rats, 308P
- Gardiner SM *see* Randall MD, 330P
- Gardiner SM *see* Tarpey SB, 331P
- Gardiner SM *see* Tomlinson A, 178P
- Gardner NM & Broadley KJ Role of endogenous adenosine and A₃ receptor stimulation in hypoxia-induced myocardial stunning and contracture, 279P
- Garland CJ *see* Hill PB, 276P
- Garland CJ *see* Hinton JM, 277P
- Garland CJ *see* Plane F, 3P
- Garland CJ *see* Rowe DTD, 1P
- Garland CJ *see* Rowe DTD, 302P
- Garland CJ *see* Sedhev J, 2P
- Garrett L *see* Murray F, 241P
- Garrett NE *see* Bennett GS, 76P
- Garssen J *see* Redegeld FA, 87P
- Gartside SE, Umbers V, Clifford EM & Sharp T Effect of paroxetine in combination with the β -blockers/5-HT_{1A} antagonists, ($\pm$)-pindolol, (-)-teratolol and (-)-penbutolol, on extracellular 5-HT in the rat cortex, 232P
- Gascard JP *see* Norel X, 122P
- Gaviraghi G *see* Corsi M, 249P
- Gazi L, Bobirnac I, Danzeisen M, Schupbach E, Sommer B, Hoyer D, Tricklebank M & Schoeffter P L-745,870 and U1011958 as dopaminergic D₂ receptor agonists, 227P
- Geiger LE *see* Escott KJ, 40P
- Gentry C, Patel S, Panesar M, Campbell E & Urban L The selective NK-1 receptor antagonist SDZ NKT 343 inhibits both inflammatory and neuropathic hyperalgesia in the guinea pig, 221P
- Gerrard P *see* Corsi M, 249P
- Gewert C *see* Hladky SB, 338P
- Gibb SL, Bowmer CJ & Pearson HA Effects of t-butyl hydroperoxide on ion channels in cultured rat cerebellar granule neurones, 222P
- Gibbs CM *see* Ruijtenbeek R, 26P
- Gibson A *see* Fonseca M, 272P
- Gibson A *see* Wallace P, 263P
- Gibson A *see* Wayman CP, 36P
- Giembycz MA *see* Mitchell JA, 74P
- Giles H *see* Browning C, 175P
- Giles H *see* Hall DA, 142P
- Giles H *see* Wilson RJ, 186P
- Girdlestone D Training pharmacologists for the 21st century: what is the role of the learned societies?, 375P
- Gleich GJ *see* Hirschmann J, 177P
- Godart M, Mollereau C, Govaerts C, Detheux M, Fanderhaegen P, Libert F, Ledent C, Costentin J, Meunier

- JC, Vassart G & Parmentier M Orphan receptors: how many unknown messengers?, 364P
- Godfraind T *see* Cunha VMN, 58P
- Godfraind T *see* Kyselovic J, 320P
- Goebel B *see* Martorana PA, 294P
- Goetgheluck Q *see* Schlepper O, 202P
- Gomes P *see* Soares-da-Silva P, 27P
- Gosden J *see* Jackson HC, 256P
- Gouldsbrough I *see* Monkhouse R, 98P
- Govaerts C *see* Godart M, 364P
- Grace ML *see* Hayward NJ, 24P
- Grahame-Smith DG *see* Zetterström TSC, 211P
- Grahame-Smith DG *see* Zetterström TSC, 231P
- Grahames CBA, Chessell IP, Michel AD & Humphrey PPA Characterisation of ATP- and LPS-induced IL-1 β release from THP-1 cells, 104P
- Granados R *see* Colado MI, 259P
- Grayson B *see* Campos AM, 248P
- Green AR, Anderson SMP, De Souza RJ & Cross AJ Inhibition by clomethiazole of Ca²⁺ flux in neuroblastoma SHSY5Y and IMR-32 cells, 216P
- Green AR *see* Colado MI, 259P
- Greenwood IL & Large WA Inhibition of Ca²⁺-activated Cl⁻-currents in smooth muscle cells by compounds structurally similar to niflumic acid, 324P
- Grieve DJ, Avella MA, Elliott J & Botham KM Effects of oxidised chylomicron remnants on endothelial cell function in the perfused and freshly isolated rat aorta, 300P
- Groehn V *see* Bömmel HM, 8P
- Grosveld F Globin gene expression and drug discovery, 348P
- Grundy D *see* Kirkup AJ, 28P
- Grundy D *see* Kozłowski CM, 214P
- Grundy D *see* Kozłowski CM, 215P
- Grundy RI, Rothwell NJ & Allen SM Interleukin-1 modifies excitotoxic cell death independently of effects on body temperature, 85P
- Gubby S *see* Boarder MR, 30P
- Guibert C, Loirand G, Vigne P, Savineau JP & Pacaud P Endothelium-independent ATP-induced relaxation is mediated by the A_{2A}-adenosine receptor in rat portal vein, 297P
- Gyte AJ *see* Wyatt I, 209P
- Haapalinna A *see* MacDonald E, 183P
- Hadoke PWF, Williams BC, Baird JD & Lindsay RM Endothelial cell dysfunction in resistance arteries from diabetic and non-diabetic BioBred rats, 99P
- Hadoke PWF, Williams BC, Baird JD & Lindsay RM Endothelium-dependent relaxation in carotid arteries from diabetic and non-diabetic BioBred rats, 306P
- Hadoke PWF *see* Buckley CH, 261P
- Hagan JJ *see* Jones DNC, 246P
- Hall DA, Beresford IJM & Giles H Characterisation of a [³⁵S]GTP γ S binding assay for chemokine CXCL1 and 2 (IL-8 α and - β) receptors expressed in CHO cells, 142P
- Hall DA *see* Browning C, 175P
- Hall IP *see* Billington CK, 34P
- Hall IP *see* Farahani M, 160P
- Hamilton CA *see* Kerr S, 280P
- Hamilton LC, Mitchell JA & Warner TD Use of selective enzyme inhibitors provide no evidence for cross-talk between inducible nitric oxide synthase and cyclooxygenase-2 in endotoxin-treated rats, 11P
- Hamilton S *see* Summers RJ, 52P
- Hammerman R, Hirschmann J, Folkerts JG, Nijkamp FP, Wessler I & Racké K Differential effects of polycationic peptides on L-arginine utilization by NO synthase and arginase in rat alveolar macrophages (Am ϕ), 42P
- Hammermann R *see* Hirschmann J, 177P
- Hammermann R *see* Mösner J, 176P
- Handley SL Neurobiology of anxiety and panic: the animal approach, 351P
- Hannon R *see* Harris HJ, 83P
- Hannon R *see* Harris HJ, 84P
- Hansen K & Nedergaard OA Endothelium-dependent relaxation of rabbit aorta evoked by acetylcholine, 296P
- Harper S, Charlton SJ, Ng LL & Boarder MR Evidence that ATP and UTP regulate spontaneously hypersensitive rat aorta smooth muscle cell proliferation by acting on P2Y₄ receptors, 59P
- Harris HJ, Keating SD, Flower RJ, Hannon R & Bryant CE Generation and characterisation of murine macrophage cell lines transfected with sense and antisense Lipocortin-1 (LC-1) cDNA, 83P
- Harris JJ, Hannon R & Bryant CE The effect of chronic over-expression of Lipocortin-1 (LC-1) on the cellular responses to lipopolysaccharide (LPS), 84P
- Hawcock AB *see* Shepherd C, 273P
- Haylor J *see* Douthwaite JA, 292P
- Haynes JM *see* Nie M, 274P
- Hayward NJ, Findeis MA, Chin KJ, Grace ML, Huff MR, Kelley MS, Lee JJ, Musso GM, Shufirin DE, Wakefield JD, Ward PJ & Molineaux SM The effect of PPI-368 on Alzheimer's disease-related amyloid β -peptide polymerization, 24P
- Heal D *see* Cheetham S, 224P
- Heal DJ *see* Jackson HC, 256P
- Heal DJ *see* Skill MJ, 254P
- Heal DJ *see* Smith LA, 253P
- Heal DJ *see* Smith SL, 205P
- Heal DJ *see* Sudan HL, 137P
- Heal DJ *see* Wortley KE, 210P
- Hearson M *see* Cheetham S, 224P
- Hegde SS *see* Watson N, 268P
- Heijdra B *see* Redegeld FA, 87P
- Heijnenbrok FJ, Pfaffendorf M & van Zwieten PA β -adrenoceptor mediated vasodilation is transiently enhanced in rat aortic arteries with intimal hyperplasia, 53P
- Heiligers JPC *see* De Vries P, 56P
- Heiligers JPC *see* De Vries P, 57P
- Heiligers JPC *see* Saxena PR, 55P
- Heinemann A, Horina G, Stauber RE & Peskar BA Different receptor mediation of direct vasoconstriction and potentiation of adrenoceptor-mediated pressor responses by vasopressin in the rat isolated mesentery, 287P
- Heinroth-Hoffmann I *see* Becker K, 60P
- Heinroth-Hoffmann I *see* Pönicke K, 154P
- Hemmatti AA, Koochak MH, Namazi F & Hicks R Ipratropium bromide may prevent salbutamol-induced down-regulation of β_2 receptors in guinea-pig trachea, 260P
- Henderson CJ *see* Doggrell SA, 281P
- Henning RH *see* Filipeanu CM, 141P
- Henricks PAJ, Kraneveld AD, van Petersen C & Nijkamp FP LCB 2183 inhibits delayed-type hypersensitivity-associated late phase mucosal mast cell activation in mice, 38P
- Henricks PAJ *see* de Bie JJ, 48P
- Henricks PAJ *see* de Vries A, 47P
- Henricks PAJ *see* Kraneveld AD, 43P
- Henry B *see* Brotchie JM, 66P
- Herchuelz A *see* Van Eylen F, 264P
- Herman AG *see* De Man JG, 116P
- Herman AG *see* De Winter BY, 192P
- Herman AG *see* Moreels TG, 115P
- Herman AG *see* Van Hove CE, 315P
- Hermans E, Challiss RAJ & Nahorski SR Modulation of the expression of the human type 1 α metabotropic glutamate receptor in Chinese hamster ovary cells, 105P
- Hey C *see* Hirschmann J, 177P
- Hibell AD, Michel AD & Humphrey PPA Further characterisation of P2X₂ receptors on NTW8 cells, a mouse microglial cell line, 128P
- Hicks GA, Feniuk W & Humphrey PPA Somatostatin (SRIF) activates a K⁺ conductance in anterior cingulate cortical pyramidal neurones by an action on sst₂ receptors, 18P
- Hicks R *see* Hemmatti AA, 260P
- Higgins GA *see* McAllister KHM, 223P
- Hiley CR *see* White R, 65P

- Hill DR *see* Anderson MA, 151P
Hill PB, Hinton JM, Plane F & Garland CJ Investigation of the 5-HT receptors mediating contraction in the rabbit isolated renal artery, 276P
Hill RG *see* Thompson SA, 196P
Hill SJ *see* Dickenson JM, 140P
Hill SJ *see* Megson AC, 29P
Hill SJ *see* Presland JP, 135P
Hill SJ *see* Walker EM, 138P
Hill SJ *see* Walker EM, 139P
Hille C *see* Brochie JM, 66P
Hinds C *see* Wray G, 5P
Hinton JM, Jeremy JY & Garland CJ Evidence for 5-HT_{1B/1D} receptors in primary cultures of rabbit renal vascular smooth muscle cells, 277P
Hinton JM *see* Hill PB, 276P
Hirschmann J, Hey C, Hammerman R, Folkerts JG, Nijkamp FP, Gleich GJ, Wessler I & Racké K Inhibition of L-arginine transport in rat and guinea-pig alveolar macrophages (AM ϕ) by poly-cationic peptides, 177P
Hirschmann J *see* Hammermann R, 42P
Hirst RA *see* Okawa H, 218P
Hladky SB, Gewert C & Barrand MA Measurement of intracellular pH using BCECF in cells containing organic anion transporters, 338P
Ho M *see* Brown AM, 233P
Ho M-Y *see* Al-Ruwaitea ASA, 239P
Ho SL & Docherty JR Subtypes of prejunctional α_2 -adrenoceptor in rat atrium and cerebral cortex, 270P
Hoetzel A, Singer EA & Agneter E Modulation of secretoneurin-induced 5-HT efflux from the hippocampus of behaving rats, 235P
Hofman GA *see* de Bie JJ, 48P
Hofmann H *see* Bömmel HM, 8P
Hogg S Antagonism of the anti-immobility effects of 8-OPH-DPAT in the mouse forced swim test by ($\pm$)-pindolol, 245P
Hölden DG Discovering new targets for anti-bacterial agents by identification of genes essential for pathogenicity, 349P
Hollingsworth M *see* John TA, 269P
Hollingsworth M Teaching pharmacology in the 21st century: what will we be teaching?, 370P
Honey AC, Cambridge D & Beattie DT The sodium channel inhibitor, BW4030W92: effects on neurogenically-mediated dural and extracranial plasma protein extravasation and c-fos expression in the trigeminal nucleus caudalis of the guinea-pig, 164P
Horina G *see* Heinemann A, 287P
Horrobin D *see* Charman A, 166P
Horton J *see* Davenport AP, 290P
Horton JK, Seddon LS, Williams AS & Baxendale PM A method for measuring intracellular cyclic AMP levels with immunoassay technology and novel, cellular lysis reagents, 31P
Horton RW *see* Theodorou AE, 236P
Houtman R, Koster ASj & Nijkamp FP Serum deprivation attenuates allergen-induced mast cell degranulation, 158P
Howard TE, McRitchie B, Sawyer PJT & Wallis RM Effect of darifenacin and other muscarinic antagonists on gastric acid secretion in conscious dogs, 191P
Howitt SG, Billington DC & Poyner DR Effects of C-terminal alanine or serine substitutions on the binding of calcitonin gene-related peptide 8–37 to its receptors on rat L6 skeletal myocytes, 129P
Howland SL *see* Yeung CK, 314P
Howlett DR, Markwell RE & Wood SJ Identification of a novel class of inhibitor of β -amyloid peptide aggregation, 25P
Howlett DR *see* Swatton JE, 181P
Hoyer D *see* Gazi L, 227P
Hoyer D *see* Siehler S, 109P
Huang P *see* Thorin E, 12P
Huang WX, Turner MA, Kingsbury MP & Sheridan DJ Evidence of an increase in vasodilator efficacy in isolated thoracic aorta from guinea-pigs after chronic ascending coarctation banding, 318P
Hübner U *see* Schmidt HHHW, 299P
Huff MR *see* Hayward NJ, 24P
Hughes DA *see* Coker SJ, 88P
Hughes IE, Todd M, Major J & Wilson C The Zeneca teaching day: teaching about drug discovery and supporting the practice of generic skills, 342P
Hughes IE Teaching pharmacology in the 21st century: what will the customers be like?, 368P
Hughes ZA *see* Wortley KE, 210P
Humphrey JA *see* Feniuk W, 111P
Humphrey PPA *see* Feniuk W, 111P
Humphrey PPA *see* Grahames CBA, 104P
Humphrey PPA *see* Hibell AD, 128P
Humphrey PPA *see* Hicks GA, 18P
Humphrey PPA *see* Kidd EJ, 125P
Humphrey PPA *see* Kirkup AJ, 28P
Humphrey PPA *see* Lauder H, 126P
Humphrey PPA *see* Michel AD, 103P
Humphrey PPA *see* Michel AD, 250P
Humphrey PPA *see* Sansum AJ, 70P
Humphrey PPA *see* Schindler M, 110P
Humphrey PPA *see* Smalley KSM, 155P
Hunt JRF *see* McMillan SJ, 171P
Hutchins LJ *see* Jackson HC, 256P
Hutson PH *see* Murray F, 241P
Iino S, Cui Y, Galione A & Terrar DA Influence of stimulation rate on the effect of cADP-ribose and its antagonist, 8-amino-cADP-ribose, on contractions of guinea-pig ventricular myocytes, 325P
Iino S *see* Cui Y, 326P
Iqbal S *see* Escott KJ, 40P
Iral A *see* Forster C, 13P
Ishii S *see* Widdowson PS, 187P
Jackson HC, Cheetham SC, Gosden J, Hutchins, Kerrigan F, Needham AM, Pleasance IM, Sargent BJ & Heal DJ Behavioural effects of the monoamine reuptake inhibitor, BTS 74398, in rats and mice, 256P
Jackson M *see* Treseder SA, 251P
Jackson MJ *see* Maratos E, 252P
Jane DE *see* Pinkney JM, 17P
Jane DE *see* Thomas LS, 208P
Janssen GMJ *see* Stassen FRM, 92P
Jarvie EM *see* Feniuk W, 111P
Jáuregui J *see* Cardelús I, 267P
Javid FA & Naylor RJ Adaptation to movement and gender differences in the development of motion sickness in *Suncus murinus*, 340P
Javid FA & Naylor RJ Characterisation of the 5-HT receptors mediating the contractile effect of 5-HT in the proximal region of the rat small intestine, 189P
Javid FA & Naylor RJ Variables of movement amplitude and frequency as emetic stimuli in *Suncus murinus*, 255P
Jenner P *see* Maratos E, 252P
Jenner P *see* Riedl AG, 225P
Jenner P *see* Smith LA, 253P
Jenner P *see* Treseder SA, 251P
Jeremy JY *see* Hinton JM, 277P
Jerman J *see* Brough S, 127P
Jerman J *see* Watson J, 234P
John TA, Wright T & Hollingsworth M De-sensitization by two P2X receptor agonists in the guinea-pig vas deferens, 269P
John VH *see* Trezise DJ, 212P
Johnson TS *see* Douthwaite JA, 292P
Jones DNC, Boyd DF, Cilia J, White A & Hagan JJ Differential reinforcement of low response rate (DRL-72s) schedule: effects of antidepressants, 246P
Jones H, Wang Y, Douglas GJ, Paul W & Page CP Poly-L-lysine induced neutrophil accumulation in rabbit skin and the inhibitory effect of heparin, 167P
Jonker EH *see* de Bie JJ, 48P
Jourdan KB, Evans TW & Mitchell JA Interleukin-1 β inhibits proliferation of human pulmonary artery smooth muscle cells via a cyclooxygenase-2 dependent pathway, 45P
Jourdan KB, Evans TW & Mitchell JA

- Production of the isoprostane, 8-iso-PGF_{2α}, by human pulmonary artery smooth muscle cells is cyclo-oxygenase-2-dependent, 161P
- Jourdan KB, Mitchell JA & Evans TW Interleukin-1β inhibits proliferation of rat pulmonary artery smooth muscle cells through a nitric oxide-dependent pathway, 46P
- Jourdan KB *see* Cirino G, 163P
- Joyce PI, Atcheson R, Rowbotham DJ & Lambert DG Local anaesthetic agents inhibit [³H]-noradrenaline uptake into SH-SY5Y cells, 219P
- Kalkman EAJ *see* Schoemaker RG, 97P
- Kane KA *see* Sharif I, 289P
- Katugampola S *see* Delany C, 265P
- Katugampola SD, McHarg AD, MacIntyre P, Napier C & Bushfield M Characterisation of [³H]-SNC-80 and [³H]-naltrindole binding to the human delta opioid receptor expressed in Chinese hamster ovary cells, 266P
- Kaw AV *see* Laight DW, 284P
- Keane PE *see* Labie C, 80P
- Keating SD *see* Harris HJ, 83P
- Keil M *see* Martorana PA, 294P
- Keil M *see* Ruetten H, 61P
- Kelley MS *see* Hayward NJ, 24P
- Kelly E *see* Lennon SM, 132P
- Kelly ME *see* Campos AM, 248P
- Kemp JA *see* Richards JG, 35P
- Kemp PA *see* Gardiner SM, 308P
- Kemp PA *see* Gardiner SM, 309P
- Kemp PA *see* Tomlinson A, 178P
- Kendall DA *see* Cadogan AK, 247P
- Kendall DA *see* Randall MD, 298P
- Kendall DA *see* Walton SL, 194P
- Kengatharan KM *see* Laight DW, 283P
- Kennard C *see* Rhodes KF, 182P
- Kennedy S, McPhaden AR, Wadsworth RM & Wainwright CL Alterations in adhesion molecular expression on rabbit balloon injured subclavian arteries: modulation of leukocyte adhesion, 81P
- Kennett GA Novel neuropharmacological approaches to drug development, 353P
- Kennett GA *see* Lightowler S, 237P
- Kennett GA *see* Trail B, 238P
- Kerr S, McIntyre M, Reid JL, Dominiczak AF & Hamilton CA Generation of superoxide in rings of abdominal aortae from Wistar Kyoto and stroke-prone spontaneously hypertensive rats, 280P
- Kerrigan F *see* Cheetham S, 224P
- Kerrigan F *see* Jackson HC, 256P
- Kidd EJ, Schindler M, Wyatt MA, Sellers LA & Humphrey PPA Molecular cloning, expression and localisation of the rat somatostatin sst_{2(b)} receptor splice variant in the rat gastric mucosa, 125P
- Kieffer B *see* Slowe SJ, 19P
- Kilpatrick IC *see* Skill MJ, 254P
- Kilpatrick IC *see* Sudan HL, 137P
- King RJ *see* Reynolds GP, 228P
- Kingsbury AE *see* Meoni P, 23P
- Kingsbury MP *see* Huang WX, 318P
- Kingston WP *see* Pinkney JM, 17P
- Kirkman E *see* Ohnishi M, 82P
- Kirkup AJ, Grundy D, Chessell IP & Humphrey PPA Action of GR79236 on mesenteric afferent discharge in the anaesthetised rat, 28P
- Kitchen I *see* Slowe SJ, 19P
- Klingelschmidt A *see* Richards JG, 35P
- Knippels M-C *see* Redegeld FA, 87P
- Knowles ID & Ramage AG The pressor response evoked by activation of forebrain 5-HT_{2A} receptors involves the activation of central AT₁ receptors in anaesthetised rats, 96P
- Kobilka BK *see* MacDonald E, 183P
- Koehl D *see* Martorana PA, 294P
- Kolar F *see* Cunha VMN, 58P
- Koochak MH *see* Hemmati AA, 260P
- Kortekaas R *see* Costall B, 240P
- Kortekas R, Costall B & Smythe JW Hippocampal theta activity is regulated by corticotropin-releasing hormone in the rat, 258P
- Koster ASj, de Mol NJ, van Heuven-Nolsen D, Nijkamp FP, van den Brink G & Perquin J Introduction to pharmacogenesis: teaching the principles of interaction of medicines with molecules, organs and the human body with the help of CD-ROM technology, 343P
- Koster ASj *see* Houtman R, 158P
- Kotsonis P, Frölich LG, Bömmel HM, Relf AJ & Schmidt HHHW Functional enzyme kinetic studies on binding site interactions of active neuronal nitric oxide synthase, 7P
- Kotsonis P *see* Bömmel HM, 8P
- Kozlowski CM, Grundy D & Bountra C The sodium channel blocker 4030W92 inhibits deoxycholic acid-induced sensitisation of dorsal horn neurone responses to visceral and cutaneous mechanical stimulation in the anaesthetised rat, 215P
- Kozlowski CM, Smith EJ, Grundy D & Bountra C The sodium channel blocker 4030W92 inhibits spinal c-fos expression in response to somatic and visceral noxious stimulation in the rat, 214P
- Kozlowski CM *see* Evans KS, 213P
- Kramers C, Siero H, Pickkers P, Russel FGM & Smits P The charybdotoxin-sensitive Ca-dependent K-channel is involved in post-ischaemic vasodilation in rat mesenteric artery, 335P
- Kraneveld AD, Henricks PAJ, van Petersen C & Nijkamp FP LCB 2183 profoundly inhibits delayed-type hypersensitivity-associated early phase mucosal mast cell activation in mouse lung, 43P
- Kraneveld AD *see* Henricks PAJ, 38P
- Kraneveld AD *see* van Houwelingen AH, 162P
- Kromer BM & Tippins JR A comparison of the vasoconstrictor effect of 8-epi prostaglandin F_{2α} in rat artery and vein, 310P
- Kumar A, Ashton N & McAulay JA Protective effect of polyanions on aminoglycoside antibiotic-induced inhibition of MTT activity in a human renal cell line, 193P
- Kwan J *see* MacLennan SJ, 153P
- Kyselovic J, Salomone S, Wibó M & Godfraind T Effect of nifedipine on salt-dependent cardiac hypertrophy in stroke-prone spontaneously hypertensive rats, 320P
- Labie C, Lafon C, Fournier J, Keane PE, Le Fur G, Maffrand JP & Soubrié P Effect of the non-peptide neuroprotective compound SR 57746A on NGF and BDNF synthesis in primary astrocytes in culture, 80P
- Lacoste J-M *see* Simonet S, 286P
- Lafon C *see* Labie C, 80P
- Laight DW, Kengatharan KM, Carrier MJ & Ånggård EE Effects of dietary antioxidants on organic nitrate tolerance *in vivo* in obese/lean Zucker rats, 283P
- Laight DW, Kengatharan KM, Carrier MJ & Ånggård EE Effects of dietary antioxidants on organic nitrate tolerance *in vitro* in obese/lean Zucker rats, 284P
- Lal H, Williams KI & Woodward B Comparative study of effects of ET-1, big ET-1 and SX6C in rat isolated pulmonary arteries and veins, 291P
- Lall S *see* Bowen WP, 32P
- Lam AGM, Lodge D, Monn JA, Schoepp DD & McCulloch J The effects of the selective group II metabotropic glutamate receptor agonist LY354740 on local cerebral glucose metabolism in the rat brain, 206P
- Lambert DG *see* Joyce PI, 219P
- Lambert DG *see* Nicol B, 217P
- Lambert DG *see* Okawa H, 218P
- Lambert JP *see* Coker SJ, 88P
- Langley RW *see* Abduljawad KAJ, 201P
- Large WA *see* Greenwood IA, 324P
- Lauder H, Sellers LA, Feniuk W & Humphrey PPA Somatostatin-induced regeneration of CHO-K1 cells expressing recombinant human

- sst, receptors is mediated by activation of MEK, 126P
- Le Fur G *see* Labie C, 80P
- Leach M, Gray G & Thiemermann C Effects of SC-58635, a selective inhibitor of cyclooxygenase 2 on haemodynamics and organ function of rats with endotoxaemia, 311P
- Leach M *see* Wray G, 5P
- Lebeau C *see* Van Eylen F, 264P
- Lebrun Ph, Colin F & Manil J Pharmacological characterization of nociceptive components of the cortical somatosensory evoked potential of the rat, 14P
- Leconte B *see* Norel X, 122P
- Ledent C *see* Godart M, 364P
- Lee JJ & Parsons ME Modulation of neurally-evoked cholinergic contractions of the guinea-pig ileum by endogenous adenosine, 121P
- Lee JJ *see* Hayward NJ, 24P
- Lee MG *see* Bevan NJ, 148P
- Lee MG *see* Foord SM, 365P
- Lee MG *see* Scott S, 157P
- Lee MG *see* Wise A, 147P
- Lee RVD, Pfaffendorf M & van Zwieten PA Time course of the relaxant action of various calcium antagonists in rat isolated small mesenteric arteries, 90P
- Lee SY *see* VanMarle J, 262P
- Leeuwijn RS *see* VanMarle J, 262P
- Leff P *see* Newbold P, 44P
- Lennon SM, Roberts PJ & Kelly E Prolonged activation of mGlu₂ receptors enhances forskolin-stimulated cAMP accumulation, 132P
- Lewis D Molecular modelling of P450 substrate interactions, 356P
- Li Q, Pfaffendorf M & van Zwieten PA Diverse effects of angiotensin peptides in rabbit isolated renal artery, 100P
- Lian L-Y *see* Roberts GCK, 358P
- Libert F *see* Godart M, 364P
- Lightbown ID *see* Coker SJ, 88P
- Lightowler S, Stean T, Upton N, Vimal M, Kennett GA, Porter R & Brown AM Effect of BRL 54443 (3-(-1-methylpiperidin-4-yl)-1*H*-indol-5-ol), a 5-HT_{1E/IF} receptor agonist, on general behaviour and maximal electroshock seizure threshold in the rat, 237P
- Lightowler SL *see* Trail B, 238P
- Lijnen PME *see* Stassen FRM, 92P
- Lindsay RM *see* Hadoke PWF, 99P
- Lindsay RM *see* Hadoke PWF, 306P
- Link RE *see* MacDonald E, 183P
- Lippi A, Criscuoli M, Santicioli P & Maggi CA Pharmacokinetics of the bicyclic peptide tachykinin NK₂ receptor antagonist MEN 11420 in rats and guinea-pigs, 339P
- Liskamp RMJ *see* Ruijtenbeek R, 26P
- Livi GP *see* Wilson S, 363P
- Llenas J *see* Cardelús I, 267P
- Lock EA *see* Wyatt I, 209P
- Lodge D *see* Lam AGM, 206P
- Loirand G *see* Guibert C, 297P
- Lombardo M *see* Nucci C, 179P
- Luheshi GN *see* Parker LC, 173P
- Luo J *see* Feniuk W, 111P
- MaassenVanDenBrink A *see* Saxena PR, 55P
- MaassenVanDenBrink A, Saxena PR & Danser AHJ ACE- and chymase-dependent angiotensin I-to-II conversion in the human isolated coronary artery, 95P
- McAllister KHM, Pratt JA, Higgins GA & Beattie DT Effect of the NK receptor antagonist, GR205171, on apomorphine-induced Fos-expression in the rat brainstem, 223P
- McAulay JA *see* Kumar A, 193P
- McCulloch J *see* Lam AGM, 206P
- McCurrie JR *see* Yeung CK, 314P
- McDermott BJ *see* Cullen JP, 321P
- MacDonald E, Sallinen J, Viitamaa T, Haapalinna A, Scheinin M, Link RE & Kobilka BK Effects of a brief swim stress on plasma corticosterone and brain monamine levels in mice with genetic manipulation of α_{2c} -adrenoceptor expression, 183P
- MacEwan DJ *see* Parris JRM, 174P
- McFadzean I *see* Wallace P, 263P
- McFadzean I *see* Wayman CP, 36P
- McGuire S *see* Brochie JM, 66P
- McHarg AD *see* Katugampola S, 266P
- McHugh D *see* Narwal S, 102P
- McIntyre M *see* Kerr S, 280P
- MacIntyre P *see* Katugampola S, 266P
- MacKenzie A & Martin W A superoxide dismutase mimetic protects acetylcholine-induced relaxation from oxidant stress in the rabbit aorta, 10P
- McKenzie DN, Dyball REJ & Buckingham JC The role of the hippocampus in control of the hypothalamo-pituitary-adrenal axis: an *in vitro* approach, 72P
- McKernan RM *see* Alder L, 199P
- McKernan RM *see* Smith AJ, 185P
- McKnight AT *see* Nicol B, 217P
- McKnight AT *see* Okawa H, 218P
- McLatchie LM *see* Foord SM, 365P
- MacLean MR & Morecroft I Effect of developmental age on 5-HT receptor-mediated vasorelaxation in perinatal rabbit isolated pulmonary resistance arteries, 50P
- MacLean MR *see* Morecroft I, 50P
- MacLennan SJ, Reynen PH, Kwan J & Bonhaus DW Evidence for inverse agonism of SR141716A at human recombinant cannabinoid CB₁ and CB₂ receptors, 153P
- McMillan SJ, Escott KJ, Alvarez D, Hunt JRF, Reeves RL, Underwood SL, Foster ML, Webber SE & Sargent CA A model of established airway inflammation in Brown Norway rats: effect of delayed treatment with fluticasone propionate, 171P
- McMillan SJ *see* Escott KJ, 40P
- McMurray HF *see* Bowen WP, 32P
- McPhaden AR *see* Kennedy S, 81P
- McPhaden AR *see* Work LM, 288P
- McQuade R, Tyrrell-Price J & Stanford SC The effect of microdialysis probe implantation on behaviour of rats in the light/dark box, 244P
- McRitchie B *see* Howard TE, 191P
- Madhav TR *see* Zetterström TSC, 231P
- Maffrand JP *see* Labie C, 80P
- Maggi CA *see* Lippi A, 339P
- Main M *see* Foord SM, 365P
- Main MJ, Marshall FH & Foord SM Coupling of the human CGRP receptor via pertussis toxin sensitive G-proteins, 146P
- Major J *see* Hughes IE, 342P
- Mamas MA & Terrar DA Differential sensitivity to cannabidiol of the two components of delayed rectifier potassium current in guinea-pig isolated ventricular myocytes, 319P
- Mamas MA *see* Needham E, 322P
- Mandel J-L Neurodegenerative diseases and triplet repeat expansions: mechanisms and approaches towards pharmacological treatment, 346P
- Maneuf CY *see* Brochie JM, 66P
- Manil J *see* Lebrun Ph, 14P
- Maraia G *see* Corsi M, 249P
- Maratos E, Smith L, Jackson MJ, Pearce RKB, Jenner P & Marsden CD Effects of repeated treatment with combinations of L-dopa and ropinirole on dyskinesia induction in MPTP-treated common marmosets, 252P
- Maratos E *see* Smith LA, 253P
- March JE *see* Gardiner SM, 308P
- March JE *see* Gardiner SM, 309P
- Marecak DM *see* Bömmel HM, 8P
- Mariucci M *see* Escott KJ, 40P
- Markham A *see* Kumar A, 193P
- Markham A Teaching pharmacology in the 21st century: an overview, 376P
- Markwell RE *see* Howlett DR, 25P
- Marsden CA *see* Cadogan AK, 247P
- Marsden CA *see* Clemett DA, 68P
- Marsden CA *see* Neophytou SI, 69P
- Marsden CD *see* Maratos E, 252P
- Marsden CD *see* Smith LA, 253P
- Marsden CD *see* Treseder SA, 251P
- Marshall FH *see* Bevan NJ, 148P
- Marshall FH *see* Main MJ, 146P
- Marshall FH *see* Scott S, 157P
- Marshall FH *see* Wise A, 147P

- Marshall K *see* Amin Z, 312P
 Marshall K *see* Amin Z, 313P
 Martin AK, Willars GB & Nahorski SR Agonist-mediated sensitisation of the Ins(1,4,5)P₃ receptor in SH-SY5Y neuroblastoma cells, 107P
 Martin K *see* Cheetham S, 224P
 Martin KF *see* Smith SL, 205P
 Martin SW, Chapple CR & Chess-Williams R 5-HT₄-receptor-mediated responses in normal and hyper-reflexic human bladder, 119P
 Martin W, Mok JSL & Paisley K Inhibition of nitrgic neurotransmission by oxidant stress: effects of superoxide dismutase mimetics, 118P
 Martin W *see* Dowell FJ, 9P
 Martin W *see* Kotsonis P, 7P
 Martin W *see* MacKenzie A, 10P
 Martorana PA, Keil M, Goebel B, Ruetten H, Koehl D & Schoelkens BA Angiotensin-converting enzyme inhibition with rampiprilat prevents endothelial dysfunction induced by ischaemia/reperfusion of a coronary artery in the dog, 294P
 Martorana PA *see* Ruetten H, 61P
 Martorana PA *see* Ruetten H, 316P
 Masereeuw R, Moons MM, Miller DS & Russel FGM Active secretion and intracellular disposition of Lucifer Yellow in renal proximal tubules, 336P
 Maslen C *see* Escott KJ, 40P
 Mason R *see* Sokal DM, 200P
 Mason R *see* Watt S, 136P
 Mather M *see* Newbold P, 44P
 Mathy MJ *see* Peters SLM, 63P
 Matthews EK *see* Mesenhöller M, 134P
 Matthews KL, Cunningham JR & Neal MJ Light-evoked release of nitric oxide (NO) from the rabbit retina, 295P
 Matthys KE *see* Van Hove CE, 315P
 Maurya M *see* Theodorou AE, 236P
 Megson AC, Shaw PE & Hill SJ Induction of a c-fos promoter-regulated luciferase reporter gene by N6-cyclopentyladenosine in CHO-K1 cells transfected with the human adenosine A1-receptor, 29P
 Meinecke M *see* Bömmel HM, 8P
 Melotto S *see* Corsi M, 249P
 Meoni P, Bunneman BH, Kingsbury AE, Trist DG & Bowery NG NMDA-sensitive binding and mRNA for the NR1 subunit of the NMDA receptor complex are differentially affected in striatum and associative cortex of Parkinson's disease patients, 23P
 Mercer P, Metcalfe M, Davey DM, Bushfield M & Newgreen DT Characterisation of the contractile and neuromodulatory actions of bradykinin on rat bladder, 275P
 Mesenhöller M & Matthews EK Photosensitisation of pancreatic tumour cells: effects of mitochondrial benzodiazepine receptor (MBR) ligands, 134P
 Messer J *see* Richards JG, 35P
 Messmer K & Reynolds GP Peripheral type benzodiazepine binding sites in Huntington's disease, 203P
 Metcalfe M *see* Mercer P, 275P
 Meunier JC *see* Godart M, 364P
 Meurs H *see* de Vries B, 168P
 Meurs H *see* Schuiling M, 170P
 Miah A *see* Baxter GS, 112P
 Miah A *see* Carey JE, 113P
 Miah A *see* Murphy OE, 114P
 Michel AD, Chessell IP & Humphrey PPA Inhibition of human P2X₇ receptor-mediated YO-PRO-1 influx by PPADS and KN62, 103P
 Michel AD & Humphrey PPA Ionic effects of P2X₇ receptor-mediated YO-PRO-1 influx, 250P
 Michel AD *see* Grahames CBA, 104P
 Michel AD *see* Hibell AD, 128P
 Michel MC *see* Peters SLM, 62P
 Middlemiss DN *see* Brown AM, 233P
 Middlemiss DN *see* Reynolds GP, 228P
 Millar C *see* Wray G, 5P
 Miller DS *see* Masereeuw R, 336P
 Milligan G GPCR-G protein fusions: a novel strategy to examine signal transduction through specific receptor-G protein tandems, 366P
 Milligan G *see* Wise A, 147P
 Millns PJ *see* Walton SL, 194P
 Mills A *see* Wilson RJ, 186P
 Mitchell JA, Bishop-Bailey D, Evans TW, Giembycz MA, Belvisi MG, Chivers S, Williams TJ & Pepper JR Release of neutrophil activating cytokines by human arterial and venous smooth muscle cells, 74P
 Mitchell JA *see* Cirino G, 163P
 Mitchell JA *see* Hamilton LC, 11P
 Mitchell JA *see* Jourdan KB, 45P
 Mitchell JA *see* Jourdan KB, 46P
 Mitchell JA *see* Jourdan KB, 161P
 Mocani MM, Baxter GF & Yellon DM Anti-ischaemic action of transforming growth factor β -1 in the rat isolated heart is abolished by the p38 MAPK inhibitor SB203580, 333P
 Modi S *see* Roberts GCK, 358P
 Mok JSL *see* Martin W, 118P
 Molineaux SM *see* Hayward NJ, 24P
 Mollereau C *see* Godart M, 364P
 Monkhouse R, Ashton N, Gouldsbrough I, Rossiter R & Williams BC Effect of elevated glucose levels on the vascular reactivity of the *ex vivo* mesenteric arterial bed of spontaneously hypertensive and Wistar-Kyoto rat strains, 98P
 Monn JA *see* Lam AGM, 206P
 Moons MM *see* Masereeuw R, 336P
 Morecroft I & MacLean MR Evidence for 5-HT_{1B/1D} receptor-mediated vasoconstriction in human isolated pulmonary resistance arteries, 49P
 Morecroft I *see* MacLean MR, 49P
 Moreels TG, De Man JG, De Winter BY, Herman AG & Pelckmans PA Effect of interleukin-1 β on cholinergic contractions of the rat gastric fundus, 115P
 Moreels TG *see* De Man JG, 116P
 Moreels TG *see* De Winter BY, 192P
 Morton MJ *see* Smith JA, 285P
 Moss SJ *see* Dunne EL, 198P
 Mugnaini M *see* Chopra B, 131P
 Muijsers RBR, Folkerts G, van den Worm E, Beukelman CJ, Postma DS & Nijkamp FP Inhibition of peroxynitrite formation by apocynin in a murine macrophage cell-line, 41P
 Muis T *see* de Bie JJ, 48P
 Muis T *see* Scheerens H, 39P
 Murphy D *see* Shirley AK, 257P
 Murphy OE, Carey JE, Miah A, Coleman RA & Baxter GS Assessment of sample quality of total RNA for mRNA expression studies, 114P
 Murphy OE *see* Baxter GS, 112P
 Murphy OE *see* Carey JE, 113P
 Murray F, Garrett L, Hutson PH & Bristow LJ The selective 5-HT_{2A} receptor antagonist MDL 100,907 attenuates the behavioural and neurochemical effects of PCP in rodents, 241P
 Musso GM *see* Hayward NJ, 24P
 Mutel V *see* Richards JG, 35P
 Mössner J, Hammerman R, Wessler I & Racké K Spermine suppresses L-arginine transport activity in rat alveolar macrophages (AM ϕ) without directly inhibiting transport, 176P
 Nagi S *see* Theodorou AE, 236P
 Nahorski SR *see* Akam EC, 144P
 Nahorski SR *see* Davis RJ, 106P
 Nahorski SR *see* Hermans E, 105P
 Nahorski SR *see* Martin AK, 107P
 Nahorski SR *see* Saunders R, 145P
 Nahorski SR *see* Sherriffs HJ, 145P
 Namazi F *see* Hemmati AA, 260P
 Napier C *see* Katugampola S, 266P
 Nargund RP Designing ligands for G protein-coupled receptors: growth hormone secretagogues – a case history, 362P
 Narwal S, McHugh D, Beech DJ & Sivaprasadarao A Cloning of a KATP channel from human aorta, 102P
 Nash JE, Crossman AR & Brochie JM Anti-Parkinsonian effect of NR2B-selective NMDA antagonists: a

- striatal mechanism of action?, 67P
- Nash JE *see* Brotchie JM, 361P
- Nasir S *see* Brough S, 127P
- Naylor RJ *see* Costall B, 242P
- Naylor RJ *see* Costall B, 243P
- Naylor RJ *see* Javid FA, 189P
- Naylor RJ *see* Javid FA, 255P
- Naylor RJ *see* Javid FA, 340P
- Naylor RJ *see* Tuladhar BR, 190P
- Neal MJ *see* Matthews KL, 295P
- Nedergaard OA *see* Hansen K, 296P
- Needham AM *see* Jackson HC, 256P
- Needham E, Mamas MA & Terrar DA
Actions of cannabidiol on
contraction of guinea-pig isolated
ventricular myocytes, 322P
- Needham P *see* Cheetham S, 224P
- Needham PL *see* Skill MJ, 254P
- Needham PL *see* Sudan HL, 137P
- Nelemans SA, Filipeanu CM & de
Zeeuw D Modulatory effect of D²-
tetrahydrocannabinol on [Ca²⁺]_i in
DDT₁MF-2 cells, 323P
- Nelemans SA *see* Filipeanu CM, 141P
- Nelissen-Vrancken HJMG *see* Ceiler
DL, 4P
- Neophytou SI, Aspley S, Marsden CA &
Beckett SRG Lamotrigine decreases
ultrasound-induced defence be-
haviours in the Lister hooded rat,
69P
- Newbold P, Mather M & Young A
Effect of type IV phosphodiesterase
inhibitors against antigen-induced
eosinophilia in sensitised guinea-
pigs, 44P
- Newgreen DT *see* Mercer P, 275P
- Ng LL *see* Harper S, 59P
- Nicol B, Rowbotham DJ, Smart D,
McKnight AD & Lambert DG
Nociceptin inhibits glutamate release
from rat cerebellar slices, 217P
- Nie M, Haynes JM & Selbie LA
Neuropeptide Y (NPY) receptor
expression in the epididymis of the
guinea-pig, 274P
- Nijkamp FP *see* de Bie JJ, 48P
- Nijkamp FP *see* De Kimpe SJ, 54P
- Nijkamp FP *see* de Vries A, 47P
- Nijkamp FP *see* Hammermann R, 42P
- Nijkamp FP *see* Henricks PAJ, 38P
- Nijkamp FP *see* Hirschmann J, 177P
- Nijkamp FP *see* Houtman R, 158P
- Nijkamp FP *see* Koster ASJ, 343P
- Nijkamp FP *see* Kraneveld AD, 43P
- Nijkamp FP *see* Muijsers RBR, 41P
- Nijkamp FP *see* Redegeld FA, 87P
- Nijkamp FP *see* Ruijtenbeek R, 26P
- Nijkamp FP *see* Scheerens H, 39P
- Nijkamp FP *see* van Heuven-Nolsen D,
159P
- Nijkamp FP *see* van Houwelingen AH,
162P
- Nisticò G *see* Bagetta G, 180P
- Nisticò G *see* Nucci C, 179P
- Nixon GF *see* Parris JRM, 174P
- Nixon GF *see* Tasker PN, 152P
- Nobbs M *see* Clayton NM, 79P
- Nobbs M *see* Collins SD, 16P
- Nobbs M *see* Trezise DJ, 212P
- Norel X, Walch L, Leconte B, Gascard
JP & Brink C Cholinesterase activity
in human isolated airways, 122P
- Nucci C, Piccirilli S, Lombardo M,
Bagetta G, Nistico G & Cerulli L
Apoptosis induced by monocular
deprivation in the lateral geniculate
nucleus (LGN) of new-born rats is
prevented by N^ω-nitro-L-arginine-
methyl-ester (L-NAME), 179P
- O'Boyle KM *see* O'Connor N, 33P
- O'Brien C *see* Buckley CH, 261P
- O'Byrne S, Shirodaria C, Blake D &
Benjamin N Generation of nitric
oxide by xanthine oxidase, 303P
- O'Connor N & O'Boyle KM G-protein
activation through D1 receptors in a
hamster kidney cell line, 33P
- Ohnishi M, Kirkman E & Watkins P &
Effects of atropine on the brady-
cardia associated with primary
thoracic blast injury in the anaes-
thetized rat, 82P
- Okawa H, Hirst RA, Smart D, McKnight
AT & Lambert DG Studies on the
coupling of recombinant ORL-1
receptors to adenylyl cyclase, 218P
- Oliosi B *see* Corsi M, 249P
- Oliver SG Comparative genomics and
the identification of human disease
genes, 347P
- Olivier B Treatment of anxiety and
panic: future directions, 355P
- O'Shea E *see* Colado MI, 259P
- Oswald S *see* Dewhurst DG, 341P
- Owen F *see* Parker LC, 173P
- Pacaud P *see* Guibert C, 297P
- Page CP *see* Jones H, 167P
- Paisley K *see* Martin W, 118P
- Palacios JM *see* Cardelús I, 267P
- Palm IF *see* Smit J, 124P
- Panesar M *see* Gentry C, 221P
- Paoletti AM *see* Bagetta G, 180P
- Papaioannou M *see* Summers RJ, 52P
- Parker KG *see* Sokal DM, 200P
- Parker LC, Balderson DJ, Owen F,
Rothwell NJ & Luheshi GN Inter-
leukin-1 type-1 receptor expression
in the rat hypothalamus, 173P
- Parker TL *see* Sokal DM, 200P
- Parmentier M *see* Godart M, 364P
- Parris JRM, MacEwan DJ & Nixon
Tumour necrosis factor- α (TNF- α)
enhances guinea-pig airways smooth
muscle contractility via a calcium
sensitising pathway, 174P
- Parsons ME *see* Lee JJ, 121P
- Parsons ME *see* Williams SJ, 117P
- Patel DR & Croucher MJ A role for
presynaptic group I metabotropic
glutamate receptors in the control of
glutamate release in the rat striatum:
an *in vivo* microdialysis study, 207P
- Patel S *see* Gentry C, 221P
- Paterson DJ *see* Choate JK, 301P
- Paul W *see* Jones H, 167P
- Payne AN *see* Whelan CJ, 172P
- Pearce RKB *see* Maratos E, 252P
- Pearson HA *see* Gibb SL, 222P
- Peers C *see* Wade JA, 133P
- Peggs D *see* Brotchie JM, 66P
- Pei Q *see* Zetterström TSC, 211P
- Pei Q *see* Zetterström TSC, 231P
- Pelckmans PA *see* De Man JG, 116P
- Pelckmans PA *see* De Winter BY, 192P
- Pelckmans PA *see* Moreels TG, 115P
- Pepper JR *see* Mitchell JA, 74P
- Perkins MN *see* Davis AJ, 220P
- Perquin J *see* Koster ASJ, 343P
- Peskar BA *see* Heinemann A, 287P
- Peskar BA *see* Schuligoi R, 77P
- Peters FAM Beyond the Schild plot: a
non-linear model of the simultaneous
evaluation of surmountable and
insurmountable antagonism, 123P
- Peters SLM, Batink HD, Michel MC,
Pfaffendorf M & Van Zwieten PA
Possible mechanism of the negative
inotropic effects of α_1 -adrenoceptor
agonists in rat isolated left atria after
exposure to free radicals, 62P
- Peters SLM, Mathy MJ, Batink HD,
Pfaffendorf M & Van Zwieten PA
Influence of H₂ on inotropic
responses to adrenoceptor agonists in
isolated rat hearts, 63P
- Petitcolin M-A, Bueb J-L, Spitzbarth E,
Capdeville-Atkinson C & Tschirhart
EJ Characterisation of the G-proteins
in the rat tail artery smooth muscle,
337P
- Petitcolin M-A *see* Spitzbarth E, 317P
- Pfaffendorf M, van der Lee R & van
Zwieten PA Effect of the pre-
dominantly T-type calcium channel
blocker mibefradil on spontaneous
and stimulated myogenic activity in
the rat isolated portal vein, 329P
- Pfaffendorf M *see* Baan Jr J, 293P
- Pfaffendorf M *see* Heijenbrok FJ, 53P
- Pfaffendorf M *see* Lee RVD, 90P
- Pfaffendorf M *see* Li Q, 100P
- Pfaffendorf M *see* Peters SLM, 62P
- Pfaffendorf M *see* Peters SLM, 63P
- Pfaffendorf M *see* Rinia-Feenstra M,
89P
- Pfleiderer W *see* Bömmel HM, 8P
- Piccirilli S *see* Nucci C, 179P
- Pickkers P *see* Kramers C, 335P
- Pinkney JM, Kingston WP, Thomas NK,
Jane DE & Pook PC-K Electrophysi-
ological characterisation of 1-amino-
indan-1,5-dicarboxylic acid on the
neonatal rat spinal cord preparation,

- Piper J *see* Bowes J, 93P
- Plane F & Garland CJ The role of cyclic GMP and potassium channels in NO-independent relaxation of the rabbit isolated femoral artery, 3P
- Plane F *see* Hill PB, 276P
- Plane F *see* Rowe DTD, 1P
- Plane F *see* Rowe DTD, 302P
- Plane F *see* Sedhev J, 2P
- Planquois J-M *see* Whelan CJ, 172P
- Pleasant IM *see* Jackson HC, 256P
- Plumpton C *see* Davenport AP, 290P
- Pook PC-K *see* Pinkney JM, 17P
- Porter R *see* Lightowler S, 237P
- Porter RA *see* Brown AM, 233P
- Postma DS *see* Muijsers RBR, 41P
- Poyner DR *see* Howitt SG, 129P
- Pratt JA *see* McAllister KHM, 223P
- Preiss M *see* Becker K, 60P
- Presland JP & Hill SJ Action of 5-HT_{1B} receptor agonists at the human histamine H₁ receptor expressed in HEK-293 cells, 135P
- Prestwich GD *see* Bömmel HM, 8P
- Price-Jones MJ Screening assays for G protein-coupled events, 367P
- Priestley T *see* Alder L, 199P
- Primrose WU *see* Roberts GCK, 358P
- Prior HM, Yates MS & Beech DJ K⁺ channels determining the membrane potential of rabbit renal arcuate artery, 101P
- Prow M *see* Cheetham S, 224P
- Puig J *see* Cardelús I, 267P
- Pyne NJ *see* Ahmad M, 156P
- Pyne S *see* Work LM, 288P
- Pönicke K, Becker K, Heinroth-Hoffmann I & Brodde O-E Stimulation of G_{q/11}-coupled receptors is linked to hypertrophic response in rat neonatal ventricular cardiomyocytes, 154P
- Quilley J & Fulton D Evidence against anandamide as an EDHF mediating the vasodilator action of bradykinin (BK) in the rat heart, 64P
- Racké K *see* Hammermann R, 42P
- Racké K *see* Hirschmann J, 177P
- Racké K *see* Mösner J, 176P
- Ramage AG *see* Knowles ID, 96P
- Randall MD, Tarpey SB & Gardiner SM Upregulation of cardiac preconditioning in isolated hearts from endotoxaemic rats, 330P
- Randall MD & Kendall DA Evidence for the involvement of potassium channels in anandamide-induced and EDHF-mediated vasorelaxations in rat isolated mesentery, 298P
- Randall MD *see* Tarpey SB, 331P
- Ratti E *see* Corsi M, 249P
- Razavi H *see* Forster C, 13P
- Redegeld FA, Heijdra B, Knippels M-C, Garssen J & Nijkamp FP Murine macrophages are stimulated to produce nitric oxide by antigen-binding lymphocyte-derived protein factors, 87P
- Redegeld FA *see* Scheerens H, 39P
- Redegeld FAM *see* Ruijtenbeek R, 26P
- Rees ES *see* Bevan NJ, 148P
- Rees ES *see* Scott S, 157P
- Rees ES *see* Wise A, 147P
- Reeves RL *see* McMillan SJ, 171P
- Reggiani A *see* Corsi M, 249P
- Reid JL *see* Kerr S, 280P
- Reif AJ *see* Bömmel HM, 8P
- Reif AJ *see* Kotsonis P, 7P
- Reynen PH *see* MacLennan SJ, 153P
- Reynolds GP, Tillery CE, Middlemiss DN, King RJ, Riley GJ & Stemp G [³H]-Nemonapride binding defines dopamine D4 receptors in rat retinal membranes, 228P
- Reynolds GP *see* Aparicio-Legarza MI, 204P
- Reynolds GP *see* Messmer K, 203P
- Rhodes A *see* Bevan NJ, 148P
- Rhodes KF, Buckingham JC & Kennard C Progesterone inhibits nicotine-evoked relaxation of the guinea-pig isolated basilar artery, 182P
- Richards JG, Schaffhauser H, Messer J, Bleuel Z, Chaboz S, Klingelschmidt A, Wichmann J, Kemp JA & Mutel V *In vitro* binding characteristics and distribution of the group II metabotropic receptor agonist [³H]-LY354740 in rat brain, 35P
- Riedl AG, Brown CT, Rose S, Schulz-Utermoehl T, Edwards RJ, Boobis AR & Jenner P Localisation of CYP2D enzymes in naive rat basal ganglia, 225P
- Rigg L & Terrar DA Influence of ryanodine on the positive chronotropic response to β -adrenergic stimulation with isoprenaline in guinea-pig sino-atrial node, 327P
- Rigg L & Terrar DA Possible influence of cytosolic calcium on rate of beating of sino-atrial node cells isolated from guinea-pig heart, 328P
- Riley GJ *see* Reynolds GP, 228P
- Rinia-Feenstra M, de Mol BAJM, Pfaffendorf M & van Zwieten PA The effect of mibefradil and verapamil on peripheral veins, compared in isolated human saphenous vein preparation, 89P
- Roberts GCK, Modi S, Sutcliffe MJ, Lian L-Y, Primrose WU & Wolf CR The use of NMR methods to study substrate binding to cytochromes P450, 358P
- Roberts JA, Charlton SJ & Boarder MR Comparative study of transfected P2Y receptors: regulation of tyrosine kinases and mitogen-activated protein kinases by P2Y₁ and P2Y₂ receptors, 150P
- Roberts JA *see* Boarder MR, 30P
- Roberts PJ *see* Lennon SM, 132P
- Roffel AF *see* de Haas JRA, 169P
- Roffel AF *see* de Vries B, 168P
- Roffel AF *see* Smit J, 271P
- Röhnert P *see* Becker K, 60P
- Rose J *see* Escott KJ, 40P
- Rose S *see* Riedl AG, 225P
- Rosser DJ *see* Theodorou AE, 236P
- Rossiter S *see* Monkhouse R, 98P
- Rothwell NJ *see* Cartmell T, 86P
- Rothwell NJ *see* Grundy RI, 85P
- Rothwell NJ *see* Parker LC, 173P
- Rothwell NJ *see* Smith SL, 205P
- Routledge C *see* Ashmeade T, 184P
- Rowbotham DJ *see* Joyce PI, 219P
- Rowbotham DJ *see* Nicol B, 217P
- Rowe DTD, Garland CJ & Plane F Different mechanisms mediate relaxation to endothelium-derived NO and the NO donor SIN-1 in the rabbit isolated femoral artery, 302P
- Rowe DTD, Garland CJ & Plane F Multiple pathways underlie NO-independent relaxation to the calcium ionophore A23187 in the rabbit isolated femoral artery, 1P
- Rubin PC *see* Billington CK, 34P
- Rubin PC *see* Farahani M, 160P
- Ruetten C, Keil M, Schoelkens BA & Martorana PA YC-1 is not a pure agonist of the soluble guanylate cyclase, 61P
- Ruetten H, Martorana PA, Scholz W, Albus U & Schoelkens BA Administration of the novel Na⁺/H⁺ exchange inhibitor Hoe 642 prior to reperfusion reduces infarct size in the pig, 316P
- Ruetten H *see* Martorana PA, 294P
- Ruijtenbeek R, Gibbs CM, Redegeld FAM, Flück M, Liskamp RMJ & Nijkamp FP Subcloning, expression and purification of murine Syk SH2 domain proteins, 26P
- Rupniak HTR *see* Anderson IK, 304P
- Russel FGM *see* Kramers C, 335P
- Russel FGM *see* Masereeuw R, 336P
- Safrany ST & Shears SB Bis-diphosphoinositol tetrakisphosphate (IP8) levels are mediated by a cyclic AMP-dependent, protein kinase A-independent pathway in smooth muscle cells, 108P
- Sallinen J *see* MacDonald E, 183P
- Salomone S *see* Kyselovic J, 320P
- Salt TE & Turner JP Antagonism of metabotropic glutamate receptor-mediated responses and nociceptive responses by the mGluR1-selective

- antagonist LY367385 in the rat thalamus, 15P
- Sansum AJ, Chessell IP & Humphrey PPA Characterisation of the purinoceptor subtype which mediates responses to abmeADP on rat locus coeruleus neurones, 70P
- Santicoli P *see* Lippi A, 339P
- Sargent B *see* Cheetham S, 224P
- Sargent BJ *see* Jackson HC, 256P
- Sargent CA *see* Escott KJ, 40P
- Sargent CA *see* McMillan SJ, 171P
- Sargent R *see* Clayton NM, 79P
- Sauermann W *see* Agneter E, 120P
- Saunders M *see* Cirino G, 163P
- Saunders R, Nahorski SR & Challiss RAJ Influence of extracellular Ca^{2+} on agonist-stimulated phosphoinositide hydrolysis in baby hamster kidney cells expressing mGluR1a, 143P
- Savineau JP *see* Guibert C, 297P
- Sawyer PJT *see* Howard TE, 191P
- Saxena PR, De Vries P, Heiligers JPC, Bax WA, MaassenVanDenBrink M & Yocca ED Effects of BMS-181885 in experimental models for migraine therapy, 55P
- Saxena PR *see* Danser AHJ, 334P
- Saxena PR *see* De Vries P, 56P
- Saxena PR *see* De Vries P, 57P
- Saxena PR *see* MaassenVanDenBrink A, 95P
- Saxena PR *see* Schoemaker RG, 97P
- Schaffhauser H *see* Richards JG, 35P
- Scheerens H, Buckley TL, Muis T, Vallinga CE, Redegeld FA, Van Loveren H & Nijkamp FP Isolation and biological activity of antigen-specific lymphocyte factors in a murine model for toluene diisocyanate-induced occupational asthma, 39P
- Scheinin M *see* MacDonald E, 183P
- Schiffers PMH *see* Stassen FRM, 92P
- Schijns V *see* De Kimpe SJ, 54P
- Schindler M, Carruthers AM, Feniuk W & Humphrey PPA Somatostatin-induced increases in extracellular acidification rates, activation of MAP-kinase and inhibition of adenylyl cyclase in CHO-K1 cells expressing rat sst_2 and sst_5 receptors, 110P
- Schindler M *see* Kidd EJ, 125P
- Schlepper O, Goetgheluck Q & Simmonds MA Modulation of [^3H]-flunitrazepam binding by neurosteroids and cholesterol, 202P
- Schmidt HHHW, Hubner U, Wagner B, Zabel U, Wanner C & Galle J introduced by TD Warner Potentiation of nitric oxide and endothelium-independent relaxation through a long-lasting soluble guanylyl cyclase stimulation by YC-1, 3-(5'-hydroxymethyl-2'-furyl)-1-benzyl-indazol), 299P
- Schmidt HHHW, Siebe J, Clement B & Feelisch M 1H-[1,2,4]oxadiazolo-[4,3-a]quinoxalin-1-one (ODQ) is not a selective inhibitor of soluble guanylyl cyclase: interference with NO-synthase and nitrovasodilator biotransformation, 6P
- Schmidt HHHW *see* Bömmel HM, 8P
- Schmidt HHHW *see* Kotsonis P, 7P
- Schoeffter P *see* Gazi L, 227P
- Schoelkens BA *see* Martorana PA, 294P
- Schoelkens BA *see* Ruetten H, 61P
- Schoelkens BA *see* Ruetten H, 316P
- Schoemaker RG, van Haren P, Saxena PR & Kalkman EAJ Early captopril treatment of rats prevents infraction-induced hypertrophy but not angiogenesis: effects on tissue perfusion and metabolism, 97P
- Schoepp DD *see* Lam AGM, 206P
- Scholz W *see* Ruetten H, 316P
- Schuilting M, Zuidhof AB, Zaagsma J & Meurs H Involvement of the NK₁-receptor in the development of allergen-induced airway hyper-reactivity and airway inflammation in conscious, unrestrained guinea-pigs, 170P
- Schuligoi R, Peskar BA & Amann R Effect of treatment of rats with nerve growth factor on thermal nociception and on calcitonin gene related peptide content of primary afferent neurons, 77P
- Schulz-Utermoehl T *see* Riedl AG, 225P
- Schüpbach E *see* Gazi L, 227P
- Scott S, Rees ES, Marshall FH & Lee MG Nociceptin activation of ERK1/ERK2 following expression of the ORL1 receptor in CHO cells, 157P
- Scott S *see* Bevan NJ, 148P
- Seddon LS *see* Horton JK, 31P
- Sedhev J, Garland CJ & Plane F Further characterisation of the mediator of NO-independent dilatation to acetylcholine in the rat isolated perfused mesenteric bed, 2P
- Selbie LA *see* Nie M, 274P
- Sellers LA *see* Kidd EJ, 125P
- Sellers LA *see* Lauder H, 126P
- Senior J *see* Amin Z, 312P
- Senior J *see* Amin Z, 313P
- Serrão MP *see* Soares-da-Silva P, 27P
- Seuwen K *see* Siehler S, 109P
- Shahid M *see* Anderson MA, 151P
- Sharif I, Kane KA & Wainwright CL Exogenous endothelin preconditions the heart against arrhythmogenesis induced by myocardial ischaemia, 289P
- Sharp T *see* Ainsworth K, 226P
- Sharp T *see* Gartside SE, 232P
- Shaw PE *see* Megson AC, 29P
- Shears SB *see* Safrany ST, 108P
- Shepherd C, Hawcock AB & Trevethick MA Characterisation of tachykinin NK₁ receptors in the rabbit isolated iris with SB223412, 273P
- Shepperson NB Postgraduate education – an employer's eye view, 374P
- Sheridan DJ *see* Huang WX, 318P
- Sherriffs HJ, Nahorski SR & Challiss RAJ Effects of lithium on lipid products of agonist-stimulated phospholipase C and D activities in CHO-m1 cells, 145P
- Shirley AK, Murphy D, Costall B & Smythe JW Acute thyroxine administration enhances cognitive abilities in the rat, 257P
- Shirodaria C *see* O'Byrne S, 303P
- Shufrin DE *see* Hayward NJ, 24P
- Sibley DR *see* Clifford JJ, 20P
- Siebe J *see* Schmidt HHHW, 6P
- Siehler S, Seuwen K & Hoyer D [^{125}I]-Tyr3 octreotide labels human somatostatin sst_2 and sst_5 receptors expressed in CCL39 cells, 109P
- Siero H *see* Kramers C, 335P
- Silk J *see* Alder L, 199P
- Simmonds MA *see* Schlepper O, 202P
- Simmonds MA *see* Sooksawate T, 197P
- Simonet S, Bonhomme E, Descombes J-J, Lacoste J-M, Cordi A & Verbeuren TJ Temperature sensitivity of contractions to α -adrenoceptor agonists in canine saphenous veins *in vitro*, 286P
- Simonin F *see* Slowe SJ, 19P
- Singer EA *see* Agneter E, 120P
- Singer EA *see* Hoetzel A, 235P
- Sivaprasadarao A *see* Bannister JPA, 37P
- Sivaprasadarao A *see* Narwal S, 102P
- Sivaprasadarao A *see* Smith JA, 285P
- Skill M *see* Cheetham S, 224P
- Skill MJ, Needham PL, Kilpatrick IC & Heal DJ Evidence that food-induced conditioned place-preference cannot be deployed as a test in rats to discriminate between typical and atypical antipsychotic drugs, 254P
- Slater N *see* Cheetham S, 224P
- Slowe SJ, Kitchen I, Simonin F & Kieffer B Quantitative autoradiography of opioid receptor subtypes in the brains of κ -receptor knockout mice, 19P
- Smally KSM, Feniuk W & Humphrey PPA Selective somatostatin (SRIF)-induced desensitisation of human recombinant sst_2 receptors expressed in CHO-K1 cells, 155P
- Smart D *see* Nicol B, 217P
- Smart D *see* Okawa H, 218P
- Smart TG *see* Dunne EL, 198P
- Smart TG *see* Wooltorton JRA, 21P
- Smit J, Roffel AF & Zaagsma J Enhanced role for prejunctional NPY receptors in the control of exercise-induced noradrenaline overflow in

- the vasculature of spontaneously hypertensive rats, 271P
- Smit J, van Tintelen EJJ, Palm IF, Brouwer F & Zaagsma J Frequency-dependent and α_2 -adrenoceptor-regulated facilitation of evoked nor-adrenaline overflow by endogenous ATP through prejunctional P2Y-purinoceptors, 124P
- Smith AJ & McKernan RM Proliferative effects of CCK peptides and processing intermediates in rat GH₃ anterior pituitary cells, 185P
- Smith AJ *see* Alder L, 199P
- Smith EJ *see* Kozlowski CM, 214P
- Smith JA, Yaktubay N, Morton MJ, Bowmer CJ, Sivaprasadarao A & Yates MS The effect of dietary sodium on renal adenosine A₁ receptors in the rat, 285P
- Smith JK & Alexander SPH The effects of reduced pH on A_{2B} adenosine receptor-evoked cyclic AMP generation in the guinea-pig cerebral cortex, 195P
- Smith L *see* Maratos E, 252P
- Smith L *see* Treseder SA, 251P
- Smith LA, Cheetham S, Maratos E, Heal DJ, Jenner P & Marsden CD BTS 74 398 reverses motor deficits in MPTP-treated common marmosets, 253P
- Smith MZ *see* Thompson SA, 196P
- Smith SE *see* Ainsworth K, 226P
- Smith SL, Stroemer RP, Martin KF, Heal DJ & Rothwell NJ Characterisation of aspartate and glutamate involvement in focal ischaemia and spreading depression: an *in vivo* microdialysis study in freely-moving rats, 205P
- Smits JFM How will we be teaching pharmacology?, 371P
- Smits JFM *see* Ceiler DL, 4P
- Smits JFM *see* Stassen FRM, 92P
- Smits P *see* Kramers C, 335P
- Smythe JW & Costall B Paraventricular nucleus neuronal firing rate and pattern are related to hippocampal theta activity in the rat, 71P
- Smythe JW *see* Costall B, 240P
- Smythe JW *see* Kortekaas R, 258P
- Smythe JW *see* Shirley AK, 257P
- Soares-da-Silva P, Serrão MP, Vieira-Coelho MA & Gomes P Involvement of P-glycoprotein on the apical outward transfer of L-3,4-dihydroxyphenylalanine in porcine renal LLC-PK1 and LLC-GA5 Col300 cells, 27P
- Soden PE *see* Anderson IK, 304P
- Sokal DM, Mason R, Parker KG & Parker TL Simultaneous multi-channel recordings reveal synchronous epileptiform-like bursting in cultured rat hippocampal neurones induced by bicuculline, 200P
- Solari R *see* Foord SM, 365P
- Sommer B *see* Gazi L, 227P
- Sooksawate T & Simmonds MA, Effects of increased membrane cholesterol on GABA_A currents in acutely dissociated hippocampal neurones, 197P
- Soubrié P *see* Labie C, 80P
- Souness JE *see* Escott KJ, 40P
- Spitzbarth E, Petitcolin M-A, Tschirhart EJ & Capdeville-Atkinson C Impact of inactivation of G-proteins on intracellular calcium sensitivity of tension in the rat tail artery, 317P
- Spitzbarth E *see* Petitcolin M-A, 337P
- Spitzfaden C *see* Swatton JE, 181P
- Stadel JM *see* Wilson S, 363P
- Stanford SC *see* McQuade R, 244P
- Stanford SC *see* Wortley KE, 210P
- Stassen FRM, Lijnen PME, Schiffers PMH, Janssen GMJ, Smits JFM & De Mey JGR Reduced levels of smooth muscle α -actin mRNA in rat mesenteric resistance arteries following sympathectomy but not myocardial infarction, 92P
- Stauber RE *see* Heinemann A, 287P
- Stein T *see* Lightowler S, 237P
- Stemp G *see* Reynolds GP, 228P
- Stephenson FA *see* Chopra B, 131P
- Stewart AG *see* Barker JE, 305P
- Stewart BR *see* Brough S, 127P
- Storm G *see* Koster ASJ, 343P
- Stowe RL & Barnes NM Cellular distribution of 5-HT₁ receptor mRNA in rat brain, 229P
- Stowe RL & Barnes NM Further characterisation of [³H]5-CT binding in rat hypothalamus, 230P
- Strickland P *see* Deakin JFW, 352P
- Stroemer RP *see* Smith SL, 205P
- Sudan HL, Fraser D, Kilpatrick IC, Needham PL & Heal DJ Functional expression of human 5-HT_{1A} receptors by linkage to human G protein-coupled, inwardly-rectifying potassium channels type K_v 3.0 (GIRK) in *Xenopus* oocytes, 137P
- Sudan HL *see* Watt S, 136P
- Summers RJ & Papaioannou M, Hamilton S & Evans BA Alternative splicing generates two isoforms of the β_3 -adrenoceptor which are differentially expressed in mouse tissues, 52P
- Sutcliffe MJ *see* Roberts GCK, 358P
- Swatton JE, Howlett DR & Spitzfaden C The use of a scintillation proximity assay to determine the interactions between β -amyloid aggregation inhibitors and β -amyloid peptide, 181P
- Szabadi E *see* Abduljawad KAJ, 201P
- Szabadi E *see* Al-Ruwaitea ASA, 239P
- Tarpey SB, Bennett T & Gardiner SM Differential changes in cardiovascular responses to methoxamine and noradrenaline during endotoxaemia in conscious rats, 332P
- Tarpey SB & Randall MD Vascular activities of methoxamine and noradrenaline in isolated perfused mesenteric arterial beds from endotoxaemic rats, 331P
- Tarpey SB *see* Randall MD, 330P
- Tasker PN & Nixon GF Altered expression of inositol 1,4,5-trisphosphate (InsP₃) receptor subtypes and Ca²⁺ stores organisation in developing rat vascular smooth muscle, 152P
- Temple R *see* Escott KJ, 40P
- Terpstra JS *see* de Haas JRA, 169P
- Terrar DA *see* Cui Y, 326P
- Terrar DA *see* Iino S, 325P
- Terrar DA *see* Mamas MA, 319P
- Terrar DA *see* Needham E, 322P
- Terrar DA *see* Rigg L, 327P
- Terrar DA *see* Rigg L, 328P
- Theodorou AE, Maurya M, Nagi S, Rosser DJ & Horton RW Transient up-regulation of corticosteroid receptors following long-term administration of desmethyl-imipramine, 236P
- Thiemermann C *see* Bowes J, 93P
- Thiemermann C *see* Bowes J, 282P
- Thiemermann C *see* Leach M, 311P
- Thiemermann C *see* Wray G, 5P
- Thomas GL *see* Douthwaite JA, 292P
- Thomas LS, Jane DE & Croucher MJ Enhancement of neuronal glutamate release in the rat forebrain by (S)-3,5-dihydroxyphenylglycine, a pre-synaptic group I metabotropic glutamate receptor agonist, 208P
- Thomas NK *see* Pinkney JM, 17P
- Thompson N *see* Foord SM, 365P
- Thompson SA, Smith MZ, Wingrove PB, Whiting PJ & Wafford KA A channel mutant of GABA_A receptors reveals changes in allosteric modulation, 196P
- Thorin E, Huang P, Fishman MC & Bevan JA Nitric oxide inhibits the vasorelaxant endothelial α_2 -adren-ergic pathway in mice, 12P
- Thornton S *see* Wilson RJ, 186P
- Thurairatnam S *see* Escott KJ, 40P
- Tighe O *see* Clifford JJ, 20P
- Tillery CE *see* Reynolds GP, 228P
- Tippins JR *see* Kromer BM, 310P
- Todd M *see* Hughes IE, 342P
- Todd MH *see* Dewhurst DG, 341P
- Tomlinson A, Gardiner SM, Willis D, Ali J, Kemp PA, Willoughby DA & Bennett T Temporal and spatial expression of the inducible isoforms of cyclooxygenase, nitric oxide synthase and heme oxygenase in tissues from rats infused with LPS in the conscious state, 178P

- Tomlinson DR *see* Bennett GS, 76P
 Towler PK & Brain SD Inhibition of saphenous nerve-induced neurogenic oedema formation by nociceptin, 78P
 Trail B, Bright F, Lightowler SL & Kennett GA Effects of selective 5-HT_{1B} receptor ligands on indices of appetite control in the rat, 238P
 Treseder SA, Smith L, Jackson M, Jenner P & Marsden CD The actions of L-DOPA and dopamine agonists following dopamine depletion in MPTP-treated common marmosets, 251P
 Trevethick MA *see* Shepherd C, 273P
 Trezise DJ, John VH, Nobbs M & Xie X Voltage- and use-dependent inhibition of voltage-gated Na⁺ channels in rat sensory neurones by the novel antihypersensitivity agent 4030W92, 212P
 Tricklebank M *see* Gazi L, 227P
 Trist DG *see* Corsi M, 249P
 Trist DG *see* Meoni P, 23P
 Tschirhart EJ *see* Peticolin M-A, 337P
 Tschirhart EJ *see* Spitzbarth E, 317P
 Tuladhar BR, Cooper N & Naylor RJ Inhibition of peristalsis with PDE4 but not PDE3 inhibitors in the guinea-pig isolated ileum, 190P
 Turner JP *see* Salt TE, 15P
 Turner MA *see* Huang WX, 318P
 Tyrrell-Price J *see* McQuade R, 244P

 Umbers V *see* Gartside SE, 232P
 Underwood SL *see* McMillan SJ, 171P
 Upton N *see* Lightowler S, 237P
 Upton R *see* Widdowson PS, 187P
 Urban L *see* Davis AJ, 220P
 Urban L *see* Gentry C, 221P
 Ursini A *see* Corsi M, 249P

 Vallinga CE *see* Scheerens H, 39P
 van Amsterdam FThM *see* Corsi M, 249P
 Van Bortel LM & Bogaert MG Clinical pharmacology teaching in Belgium and the Netherlands, 372P
 van den Brink G *see* Koster ASj, 343P
 van den Worm E *see* Muijsers RBR, 41P
 van der Aar EM *see* Vermeulen NPE, 360P
 van der Lee *see* Pfaffendorf M, 329P
 van der Sandt ICJ, de Boer AG, Danhof D & Breimer DD Selectivity of the P-glycoprotein substrates Rhodamine-123 and doxorubicin in wild-type and MDR1 cDNA transfected LLC-PK1 cells, 130P
 Van Eylen F, Lebeau C, Albuquerque J & Herchuelz A Contribution of Na/Ca exchange to Ca²⁺ outflow and entry in the rat pancreatic β -cell: studies with antisense oligonucleotides, 264P
 van Haren P *see* Schoemaker RG, 97P
 van Heuven-Nolsen D, van Velsen D, Folkerts G & Nijkamp FP Bradykinin causes inhibition of methacholine-induced bronchoconstriction *in vivo* in mice, 159P
 Van Heuven-Nolsen D *see* De Kimpe SJ, 54P
 van Heuven-Nolsen D *see* Koster ASj, 343P
 van Heuven-Nolsen D *see* van Houwelingen AH, 162P
 van Houwelingen AH, van Heuven-Nolsen D, Kraneveld AD & Nijkamp FP Increased tracheal vascular permeability due to a repeated challenge with DNS in DNFB-sensitized mice: a role for tachykinins, 162P
 Van Hove CE, Matthys KE, Herman AG & Bult H Enhanced role of the hyperpolarizing pathway in endothelium-dependent relaxations in rabbit carotid arteries with a neointima, 315P
 Van Loveren H *see* Scheerens H, 39P
 Van Oosterhout AJM *see* de Bie JJ, 48P
 van Petersen C *see* Henricks PAJ, 38P
 van Petersen C *see* Kraneveld AD, 43P
 van Tintelen EJJ *see* Smit J, 124P
 van Velsen D *see* van Heuven-Nolsen D, 159P
 van Weeren-Kramer J *see* VanMarle J, 262P
 van Wilgenburg H *see* VanMarle J, 262P
 van Zwieten PA *see* Baan Jr J, 293P
 van Zwieten PA *see* Heijenbrok FJ, 53P
 van Zwieten PA *see* Lee Rvd, 90P
 van Zwieten PA *see* Li Q, 100P
 van Zwieten PA *see* Peters SLM, 62P
 van Zwieten PA *see* Peters SLM, 63P
 van Zwieten PA *see* Pfaffendorf M, 329P
 van Zwieten PA *see* Rinia-Feenstra M, 89P
 van Zwieten PA Who will be doing the teaching?, 369P
 Vanderhaeghen P *see* Godart M, 364P
 VanMarle J, van Weeren Kramer J, Lee SY, van Wilgenburgh H & Leeuwin RS Ro05-4864, a peripherally acting benzodiazepine, stabilizes muscle membrane architecture, 262P
 Vassart G *see* Godart M, 364P
 Vaughan PFT *see* Wade JA, 133P
 Venter JC Genomics and pharmacology, 344P
 Verbeuren TJ *see* Simonet S, 286P
 Vermeij P *see* Baan Jr J, 293P
 Vermeulen NPE, van der Aar EM, de Groot MJ & Commandeur JNM Structure and QSARs of selected glutathione S-transferases, 360P
 Vieira-Coelho MA *see* Soares-da-Silva P, 27P
 Viggers J *see* Cheetham S, 224P
 Vigne P *see* Guibert C, 297P
 Viitamaa T *see* MacDonald E, 183P
 Villalón CM *see* De Vries P, 56P
 Villalón CM *see* De Vries P, 57P
 Vimal M *see* Brown AM, 233P
 Vimal M *see* Lightowler S, 237P
 Voskuyl RA *see* Cleton A, 22P

 Waddington JL *see* Clifford JJ, 20P
 Wade JA, Vaughan PFT & Peers C Evidence that hypoxia enhances Ca²⁺ influx through nicotinic acetylcholine receptors in the human neuroblastoma SH-SY5Y, 133P
 Wadsworth RM *see* Kennedy S, 81P
 Wadsworth RM *see* Work LM, 288P
 Wafford KA *see* Thompson SA, 196P
 Wagner B *see* Schmidt HHHW, 299P
 Wainwright CL *see* Tasker PN, 152P
 Wainwright CL *see* Kennedy S, 81P
 Wainwright CL *see* Parris JRM, 174P
 Wainwright CL *see* Sharif I, 289P
 Wainwright CL *see* Work LM, 288P
 Wakefield JD *see* Hayward NJ, 24P
 Walch L *see* Norel X, 122P
 Walker EM, Bispham JR & Hill SJ Potentiation of adenosine A_{2B} receptor-stimulated cyclic AMP accumulation by histamine H₁ receptors in HEK-293 cells, 139P
 Walker EM & Hill SJ Investigation of protein kinase C isoforms in the potentiation of forskolin-stimulated cyclic AMP accumulation by histamine H₁ receptors expressed in CHO-K1 cells, 138P
 Wallace P, McFadzean I, Wayman CP & Gibson A Thapsigargin-induced contractions of the mouse anococcygeus: calcium dependence and pharmacology, 263P
 Wallace P *see* Wayman CP, 36P
 Walley T Clinical pharmacology – a UK perspective, 373P
 Wallis RM *see* Howard TE, 191P
 Walton SL, Alexander SPH, Boyd EA, Millns PJ, Washington CG & Kendall DA Effects of a soybean oil-emulsified preparation of anandamide at cannabinoid receptors in isolated preparations from the guinea-pig, 194P
 Wang Y *see* Jones H, 167P
 Wanner C *see* Schmidt HHHW, 299P
 Ward PJ *see* Hayward NJ, 24P
 Warner TD *see* Bömmel HM, 8P
 Warner TD *see* Hamilton LC, 11P
 Warner TD *see* Schmidt HHHW, 6P
 Warner TD *see* Schmidt HHHW, 299P
 Washington CG *see* Walton SL, 194P
 Watkins P *see* Ohnishi M, 82P
 Watson J, Jerman J, Gager T & Coldwell MC Use of FLIPR

- technology to investigate an endogenously expressed 5-HT receptor in SKNBE(2) cells, 234P
- Watson N, Daniels D, Ford APDW, Eglen RM & Hegde SS Comparative pharmacology of human muscarinic m3 and m5 cholinceptors expressed in Chinese hamster ovary (CHO) cells, 268P
- Watt S, Sudan HL, Cheetham SC & Mason R Functional coupling of human 5-HT_{1A} receptors to human G-protein coupled inward rectifier K⁺ channels expressed in *Xenopus* oocytes, 136P
- Wayman CP, McFadzean I, Gibson A & Wallace P Examination of the mechanisms underlying inhibition of capacitative calcium entry by sodium nitroprusside in the mouse anococcygeus, 36P
- Wayman CP *see* Wallace P, 263P
- Webb DJ *see* Davenport AP, 290P
- Webber SE *see* Escott KJ, 40P
- Webber SE *see* McMillan SJ, 171P
- Weisselberg T *see* Becker K, 60P
- Werner C *see* Becker K, 60P
- Wessler I *see* Hammermann R, 42P
- Wessler I *see* Hirschmann J, 177P
- Wessler I *see* Mössner J, 176P
- Westenberg HGM Treatment of anxiety and panic, 354P
- Whelan CJ, Payne AN & Planquois J-M Differential inhibition by tixocortol pivalate of the release of interleukin-5 rather than interferon- γ from human bronchoalveolar lavage cells in *in vitro*, 172P
- White A *see* Jones DNC, 246P
- White R & Hiley RC Studies on the effects of cannabinoid receptor ligands in the small mesenteric artery of the rat, 65P
- Whiting P *see* Woollorton JRA, 21P
- Whiting PJ *see* Thompson SA, 196P
- Wibo M *see* Cunha VMN, 58P
- Wibo M *see* Kyselovic J, 320P
- Wichmann J *see* Richards JG, 35P
- Widdowson PS, Buckingham RE, Wilson S & Williams G The hyperphagia in moderate streptozotocin-induced diabetes is not accompanied by changes in hypothalamic NPY activity, 188P
- Widdowson PS, Upton R, Ishii S & Williams G The thiazolidinedione, MCC-555, reduces ob expression in mature adipocytes, but does not alter plasma leptin concentrations, 187P
- Willars GB *see* Martin AK, 107P
- Williams AD *see* Dewhurst DG, 341P
- Williams AS *see* Horton JK, 31P
- Williams BC *see* Buckley CH, 261P
- Williams BC *see* Hadoke PWF, 99P
- Williams BC *see* Hadoke PWF, 306P
- Williams BC *see* Monkhouse R, 98P
- Williams G *see* Widdowson PS, 187P
- Williams G *see* Widdowson PS, 188P
- Williams KI *see* Lal H, 291P
- Williams SJ & Parsons ME A comparison of the effects of nitric oxide synthase inhibitors on non-adrenergic, non-cholinergic (NABC) relaxations of the rat fundus and frog oesophagus, 117P
- Williams TJ *see* Mitchell JA, 74P
- Willis D *see* Tomlinson A, 178P
- Willoughby DA *see* Tomlinson A, 178P
- Wilson C *see* Hughes IE, 342P
- Wilson RJ, Allen MJ, Giles H, Mills A & Thornton S Oxytocin and vasopressin (V_{1a}) receptor antagonists in human myometrium at term: complexities in functional pharmacology, 186P
- Wilson S, Bergsma DJ, Livi GP & Stadel JM 'Orphan' G protein-coupled receptors: the next generation of drug targets, 363P
- Wilson S *see* Widdowson PS, 188P
- Wingrove PB *see* Thompson SA, 196P
- Wise A, Coote J, Rees ES, Marshall FH, Milligan G & Lee MG Interactions of the A₁ adenosine receptor with multiple G-family G proteins: studies with A₁ adenosine receptor G α fusion proteins, 147P
- Wise A *see* Foord SM, 365P
- Wodek SJ Roles of structural biology in drug development and design, 350P
- Wolf CR *see* Roberts GCK, 358P
- Wood D *see* Yeung CK, 314P
- Wood SJ *see* Howlett DR, 25P
- Woodward B *see* Edmunds NJ, 91P
- Woodward B *see* Edmunds NJ, 307P
- Woodward B *see* Lal H, 291P
- Woolley J *see* Gardiner SM, 308P
- Woolley J *see* Gardiner SM, 309P
- Woollorton JRA, Whiting P & Smart TG Cyanotriphenylborate is an uncompetitive inhibitor of human GABA_A recombinant receptors, 21P
- Work LM, McPhaden AR, Pyne S, Wainwright CL & Wadsworth RM A comparison of the response to balloon injury of the porcine coronary artery performed *in vivo* and *in vitro*, 288P
- Wortley KE, Hughes ZA, Heal DJ & Stanford SC Effects of RX821002 on changes in extracellular noradrenaline concentration in rat frontal cortex induced by sibutramine or *d*-amphetamine, 210P
- Wray D *see* Bannister JPA, 37P
- Wray G, Millar C, Leach M, Hinds C & Thiemermann C The selective inhibitor of inducible nitric oxide synthase (1400W) prevents the circulatory failure but not the organ injury caused by endotoxin in the rat, 5P
- Wray G *see* Leach M, 311P
- Wright T *see* John TA, 269P
- Wyatt I, Gyatt AJ, Duffell S & Lock EA Glutathione: how important is it in L-2-chloropropionic acid neurotoxicity to the cerebellar granule cell-structure activity study?, 209P
- Wyatt MA *see* Kidd EJ, 125P
- Xie X *see* Trezise DJ, 212P
- Yaktubay N *see* Smith JA, 285P
- Yates MS *see* Prior HM, 101P
- Yates MS *see* Smith JA, 285P
- Yellon DM *see* Baxter GF, 94P
- Yellon DM *see* Mocanu MM, 333P
- Yeung CK, Howland SL, McCurrie JR & Wood D Rubidium affects responses to potassium channel modulators in rat portal vein, 314P
- Yocca FD *see* Saxena PR, 55P
- Young A *see* Newbold P, 44P
- Young BA *see* Bannister JPA, 37P
- Young TJ *see* Brown AM, 233P
- Zaagsma J *see* de Haas JRA, 169P
- Zaagsma J *see* de Vries B, 168P
- Zaagsma J *see* Schuiling M, 170P
- Zaagsma J *see* Smit J, 124P
- Zaagsma J *see* Smit J, 271P
- Zabel U *see* Schmidt HHHW, 299P
- Zetterström TSC, Pei Q, Ainsworth K & Grahame-Smith DG Effects of antidepressant treatments on BDNF gene expression in rat brain, 211P
- Zetterström TSC, Pei Q, Madhav TR & Grahame-Smith DG Manipulation of brain 5-HT levels affects gene expression for BDNF in rat brain, 231P
- Zuidhof AB *see* Schuiling M, 170P

Keyword Index

- 4030W92 212P
 ACE 95P
 ACE inhibition 294P
 Acetylcholine 115P, 240P, 296P
 β -Actin 114P
 Adaptation and gender differences 340P
 Adenosine 28P, 121P, 147P, 279P
 Adenosine receptors 195P
 Adenosine A₁ receptors 28P, 29P, 140P, 285P
 Adenosine A_{2b} receptors 139P
 Adenylyl cyclase 110P, 218P
 α_2 -Adrenergic receptors 12P, 210P
 Adrenoceptors 63P
 α_1 -Adrenoceptors 62P, 270P
 α_c -Adrenoceptors 183P
 β -Adrenoceptors 53P, 281P
 β -Adrenoceptor activity, constitutive 168P
 β_3 -Adrenoceptors 52P
 Aggregation 25P, 181P
 β -Agonists 165P
 Agonist potency ranking 105P
 AIDS 180P
 Airways, human 122P
 Airway hyperreactivity 170P
 Airway hyperresponsiveness 47P
 Airway inflammation 75P, 171P
 Airway resistance 159P
 Airway smooth muscle 160P, 174P
 Allergic asthma 48P
 Allergic asthma, guinea-pig model of 170P
 Alniditan 56P
 Alveolar macrophages 42P, 176P, 177P
 Alzheimer's disease 24P, 25P
 Aminoglycoside antibiotics 193P
 Aminoguanidine 13P, 46P
 (RS)-1-Aminoindan-1,5-dicarboxylic acid 17P
 δ -Aminolaevulinic acid 134P
 AMPT 251P
 β -Amyloid aggregation inhibitors 181P
 β -Amyloid peptides 181P
 β -Amyloid peptide aggregation 25P
 β -Amyloid peptide polymerisation 24P
 β -Amyloid proteins 304P
 Anandamide 64P, 194P, 298P
 Angiogenesis 97P
 Angiotensin 95P
 Angiotensin (1-7) 100P
 Angiotensin II 141P, 293P, 321P, 329P
 Angiotensin III 100P
 Angiotensin receptors 96P
 Anococcygeus muscle 263P, 272P
 Antagonists 281P
 β -Antagonists 261P
 Anterior cingulate cortex 18P
 Anti-depressants 211P
 Anti-hypersensitivity 16P
 Antibodies 308P, 309P, 359P
 Anticonvulsants 237P
 Antidepressants 226P, 246P
 Antigen challenge 44P
 Antigen-binding protein factors 87P
 Antihistamines 267P
 Antihypersensitives 79P
 Antinociception 14P
 Antipsychotics 204P, 254P
 Antisense oligonucleotides 68P, 264P
 Anxiety 69P, 249P
 Anxiety and panic symposium 351P, 352P, 353P, 354P, 355P
 Aorta, rat 300P
 Aortic constriction 58P
 Aortic stenosis 318P
 Apocynin 41P
 Apomorphine 223P
 Apoptosis 179P, 180P
 L-Arginine 7P
 L-Arginine transport 176P, 177P
 Arrhythmogenesis 289P
 Arteries 101P, 102P, 310P, 317P, 337P
 Arteries, carotid 306P
 Arteries, carotid, rabbit 315P
 Arteries, carotid, rat 53P
 Arteries, ciliary, porcine 261P
 Arteries, coronary 95P
 Arteries, coronary, porcine 288P
 Arteries, mesenteric 13P, 65P, 287P
 Arteries, mesenteric, mice 12P
 Arteries, pulmonary resistance 50P
 Arteries, umbilical, human 312P, 313P
 Aspirin 163P
 Astrocytes 80P
 ATP 104P, 124P, 128P
 ATP-sensitive potassium channels 94P
 Atria 279P
 Atrium, rat 270P
 Atropine 82P
 Autoradiography 19P
 BCECF 338P
 Behaviour 69P, 242P, 243P, 244P, 247P, 256P, 257P
 Behaviour, rat 237P
 Benzodiazepines 196P
 Binding 35P
 Bladder 275P
 Blast-injury 82P
 β -Blockers 232P
 Blood pressure 54P, 96P
 BMS-188185 55P
 Bradykinins 47P, 64P, 159P, 275P, 334P
 Bradykinin receptors 107P
 Brain, bovine 151P
 Brain, rat 229P
 Brain derived neurotrophic factor 211P, 231P
 Brain endothelial cells, rat 30P
 Brain tissue 203P
 BRIN BD11 cells, 156P
 BRL-54443 233P
 Bromocriptine 201P
 Bronchoconstriction 51P
 BTS 74 398 224P, 253P, 256P
 t-Butyl hydroperoxide 222P
 BW 245c 313P
 c-fos 29P
 Calcium 143P, 174P, 263P
 Calcium antagonists 89P, 90P, 261P
 Calcium channels 329P
 Calcium flux 216P
 Calcium mobilisation 144P, 234P
 Calcium signalling 106P, 323P
 Calcium transients 328P
 Calcium-activated chloride currents 324P
 CABG 89P
 cADP-ribose 326P
 Calcitonin gene-related peptide 129P
 Calmodulin 326P
 Cyclic AMP 30P, 31P, 32P, 108P, 132P, 138P, 139P, 195P
 Cannabidiol 319P, 322P
 Cannabinoids 323P
 Cannabinoid agents 65P
 Cannabinoid receptors 153P, 194P
 Capacitative calcium entry 36P
 Captopril 97P
 Carbachol 34P
 Cardiac calcium channels 58P
 Cardiac function 91P
 Cardiac hypertrophy 318P, 320P
 Cardiac myoblasts 93P

- Cardiac myocytes 319P, 322P
 Cardiac output distribution 57P
 Cardiac preconditioning 330P
 Cardiac remodelling 97P
 Cardiac sympathetic neurotransmission 301P
 Cardiovascular blast injury 82P
 Cationic peptides 42P
 Cell culture 193P
 Cell signalling 277P
 Cell activity 71P
 Cerebellar granule cells 209P
 Cerebral cortex, rat 270P
 C-Fos expression 164P
 CGRP 146P, 220P, 365P
 CGRP antagonists 129P
 CGRP structure-activity relationships 129P
 Charybdotoxin 335P
 Chemokine receptors 142P, 175P
 Chloride ion efflux 32P
m-Chlorophenylbiguanide 242P, 243P
m-Chlorophenylpiperazine 242P
 L-2-Chloropropionic acid 209P
 CHO cells 140P
 CHO cells 266P
 CHO-K1 cells 268P
 Cholecystokinins 249P
 Cholecystokinin peptides 185P
 Cholecystokinin-B antagonists 249P
 Cholinergic system 122P
 Cholinesterase activity 122P
 Chylomicron remnants 300P
 Cisapride 192P
³⁶Cl ion influx 199P
 Clomethiazole 216P
 Cloning 125P
 CNS 194P, 195P
 Co-culture 72P
 Co-signalling 158P
 Cognition 257P
 Conditioned place-preference 254P
 Conscious dog 191P
 Contact sensitivity 87P
 Contraction 322P, 325P, 326P
 Contracture 279P
 Coronary circulation 307P
 Coronary flow 334P
 Cortical somatosensory evoked potentials 14P
 Corticosteroid receptors 236P
 Corticosterones 248P
 Corticotropin-releasing hormone 258P
 COX-2 304P
 5-CT 50P
 [³H]-5-CT 230P
 Cutaneous hypersensitivity 213P
 Cyanamid 154806 111P
 Cyanotriphenylborate 21P
 Cyclic ADP ribose 325P
 Cyclo-oxygenase 11P, 74P, 178P, 311P
 CYP2D6 357P
 Cysteine residues 37P
 L-Cysteine 9P
 Cytochrome P450 358P, 359P
 Cytokines 161P, 172P
- Darifenacin 191P
 Degranulation 305P
 Delayed-type hypersensitivity reactions 39P
 Deoxyglucose 206P
 Desensitization 269P
 Desmethylimipramine 236P
 Detrusor instability 119P
 Detrusor muscle, human isolated 119P
 Development 50P, 152P
 Diabetes 98P, 99P, 188P, 306P
 Diabetic neuropathy 76P
 Dibenzoyl-ATP 250P
 Distribution 125P
 DNA synthesis 34P
 L-DOPA 27P, 66P
 Dopamine 226P, 227P
 Dopamine D₁ receptors 33P
 Dopamine D_{1A} receptors 20P
 Dopamine D₄ receptors 227P, 228P
 Dopaminergic behaviour 20P
 Dorsal horn recording 213P, 215P
 Doxorubicin 130P
 DP-receptor mimetics 313P
 DRL-72s 246P
 Drug metabolism symposium 356P, 357P, 358P, 359P, 360P
 Dyskinesia 66P, 252P
- EC50 values 123P
 Ectonucleotidase activity 297P
 EDHF 64P, 298P
 Education symposium 368P, 369P, 370P, 371P, 372P, 373P, 374P, 375P, 376P
 Electrophysiology 200P
 Emetic stimuli 255P
 Endogenous ATP 124P
 Endothelial cell dysfunction 99P, 294P, 306P
 Endothelins 60P, 154P, 289P, 290P, 291P, 320P
 Endothelin-1 292P
 Endothelium 12P
 Endothelium-dependent relaxation 1P, 2P, 3P, 302P
 Endothelium-derived relaxing factors 4P, 300P
 Endotoxaemia 311P, 330P, 331P, 332P
 Eosinophils 165P
 Epididymis 274P
 Epilepsy 200P
 Equine digits 278P
 Evoked NA overflow 124P
 Excitatory amino acids 205P
 Exercise-induced NA overflow 271P
 Extracellular acidification 110P
 Extracellular 5-HT 232P
 Extracellular recording 70P
- Facilitatory prejunctional P_{2Y} purinoceptors 124P
 Fatty acids 166P
 FcεRI 26P
- FcεRI signalling 158P
 Feeding 238P
 Fenfluramine 238P
 Fever 86P
 [³H]-Flunitrazepam binding 202P
 Fluorescence imaging plate reader (FLIPR) 127P
 Fluticasone propionate 171P
 Focal cerebral ischaemia 205P
 Forearm blood flow 293P
 Forskolin 132P
 Fos 223P
 Free radicals 62P, 63P, 222P
 Freeze fracture 262P
 Fundus, rat 117P
 Fusion 147P
- GABA 197P
 GABA uptake inhibitors 22P
 GABA_A 196P
 GABA_A currents 197P
 GABA_A receptors 21P, 198P
 GABA_A receptors, recombinant 199P
 Gastric acid secretion 191P
 Gastric fundus, rat 115P
 Gastric mucosa, rat 125P
 Gene expression 211P
 Genomics symposium 344P, 345P, 346P, 347P, 348P, 349P, 350P
 GH₃ cells 185P
 Glucocorticoids 172P
 Glutamate 131P, 208P
 Glutamate release 73P, release 217P
 Glutathione 360P
 Glutathione S-transferase 360P
 Glycine 131P
 P-glycoprotein 27P, 130P
 GMCSF 74P
 gp120 180P
 G-proteins 147P, 151P, 317P, 337P
 G-protein activation 33P
 G-protein symposium 362P, 363P, 364P, 365P, 366P, 367P
 G-protein-coupled receptors 362P, 363P, 366P
 G_i-proteins 154P
 GR 55562 49P
 GR 79236 28P
 GR 127935 57P
 Growth hormone secretagogues 362P
 GTP binding 367P
 [³⁵S]-GTPγ 153P
 [³⁵S]-GTPγ binding 142P, 144P, 151P
 Guanylyl cyclase 299P
- Haemodynamics 309P
 Halofantrine 88P
 Haloperidol 201P
 HASM cells 34P
 Heme oxygenase 178P
 Heparin 167P
 Heterologous expression 265P
 Hippocampus 71P, 72P, 200P, 240P, 258P

- Histamine 48P
 Histamine H₁ receptors 135P, 138P, 139P, 160P
 Homologous competition experiments 175P
 HPLC 339P
 5-HT 48P, 49P, 189P, 192P, 231P, 234P, 239P, 276P, 277P
 5-HT release 235P
 5-HT uptake 278P
 5-HT_{1A} antagonists 232P
 5-HT_{1A} receptors 136P, 137P, 245P
 5-HT_{1B} 184P
 5-HT_{1B} receptors 135P, 238P
 5-HT_{1B/D} 56P
 5-HT_{1E} 237P
 5-HT_{1E} receptors 233P
 5-HT_{1F} 237P
 5-HT_{1F} receptors 233P
 5-HT₂ antagonists 234P
 5-HT₂ receptors 96P
 5-HT₂ receptor function 247P
 5-HT_{2A} receptor antagonists 241P
 5-HT_{2C} receptors 112P
 5-HT₃ receptors 243P
 5-HT₄ receptors 119P
 5-HT₇ 57P, 229P, 230P
 5-HT₇ receptors 68P
 Huntington's disease 203P
 Hybridisation *in situ* 23P, 229P
 Hyperalgesia 77P, 220P
 Hypercholesterolaemia 61P
 Hyperphagia 188P
 Hyperpolarization 315P
 Hypertension 57P, 98P, 280P, 293P
 Hyperthermia 85P
 Hypertrophy 321P
 Hypertrophy, left ventricular 60P
 Hypotension 318P
 Hypothalamus 68P, 71P, 72P
 Hypothalamus, rat 230P
 Hypoxia 133P, 279P
- Ileum, guinea-pig 121P
 Ileum, mouse 314P
 Immunoassay 31P
 Immunohistochemistry 225P
 Indomethacin 45P
 Inducible expression system 105P, 148P
 Inducible nitric oxide synthase 13P
 Inflammation 40P, 78P, 163P, 221P
 Inflammatory pain 79P
 iNOS 83P, 84P, 304P
 Inositol phosphates 60P, 152P, 108P, 268P
 Inositol 1,4,5-trisphosphate receptors 152P
 Inositol 1,4,5-trisphosphate receptor over-expression 106P
 Inotropic responses 301P
 Insulin secretion 156P
 Interferon- γ 54P
 Interleukin-1 85P, 86P, 173P
 Interleukin-1 β 104P, 115P, 308P
 Interleukin-8 74P, 142P
- Intermembraneous particles 262P
 Intestine, rat 189P
 Intimal hyperplasia 53P
 Intracellular calcium 317P
 Intracellular signalling 141P
 Inverse agonism 153P, 168P
 Ion channels 133P, 196P
 Ipratropium 260P
 Irbesartan 100P
 Ischaemia 294P, 316P
 Isolated heart 330P
 Isolated iris, rabbit 273P
 Isolated mesenteric arterial bed 331P
 Isoprenaline 327P
 Isoprostane 310P
- Kidney 285P
 Kinin antagonists 220P
 KN62 103P
 Knock-out mice 183P
 Knock-out mice, κ -receptor 19P
- L362,855 18P, 155P
 L745,337 45P, 161P
 LC-1 83P, 84P
 LCB 2183 38P, 43P
 Left ventricular hypertrophy 60P
 Leptin 187P
 Leukocyte adhesion vascular injury 81P
 Limbic system 206P
 Lipophilicity 281P
 Lipopolysaccharides 309P
 R(+)-lisuride 57P
 S(-)-lisuride 57P
 Lithium 145P
 Liver, rat 282P
 LLC-GA5 Col300 cells 27P
 LLC-PK₁ cells 27P
 Local anaesthetics 219P
 Locomotor activity 253P
 Locus coeruleus 70P
 Losartan 293P
 LPS 83P, 84P
 Lucifer Yellow 336P
- M. Res. workshop 361P
 Macrophages 41P, 87P
 Major basic proteins 177P
 MAP kinase 110P, 140P, 157P
 Mast cells 158P, 305P
 MBRs 134P
 MCC-555 187P
 Median raphe 240P
 Mefloquine 88P
 MEK 126P
 Membrane cholesterol 197P, 202P
 Membrane currents 141P
 Mesolimbic dopamine system 241P
 Metabolism 339P
 Metabotropic glutamate receptors 15P, 35P, 143P, 206P, 207P
 Metabotropic glutamate receptor agonists 208P
- 3,4-Methylenedioxymethamphetamine 259P
 mGlu, 132P
 mGluRs 17P
 Microdialysis 235P, 244P
 Microglia 128P
 Microglial cells 304P
 Microphysiometry 265P
 Microvessels 90P
 Migraine 55P, 56P, 182P
 Mitochondrial benzodiazepine receptors 134P
 Molecular pharmacology 52P
 Monoamine reuptake inhibitors 224P, 256P
 Motion sickness 255P, 340P
 MRP 338P
 Mucosal mast cells 38P, 43P
 Multiple challenge 171P
 Muscarinic cholinergic receptors 144P
 Muscarinic receptors 107P, 145P, 267P, 268P
 Mutagenesis 357P
 Myocardial infarction 4P, 92P
 Myocardial ischaemia 94P, 333P
 Myocytes 321P
 Myogenic activity 329P
 Myometrium 186P
- Na⁺/H⁺ exchange inhibition 316P
 L-NAME 46P, 179P
 Neointima 288P, 315P
 Nephrotoxicity 193P
 Nerve derived hyperpolarising factor 272P
 Nerve growth factor 76P
 Neuroblastoma cells 216P
 Neurodegeneration 259P
 Neurodegenerative diseases 80P
 Neurogenic inflammation 76P
 Neurogenic oedema formation 78P
 Neuroimmune interactions 86P
 Neuronal damage 85P, 222P
 Neuropathic pain 16P
 Neuropathy 221P
 Neuropeptide Y 188P, 274P
 Neurosteroids 202P
 Neurotoxicity 24P, 209P
 Neurotransmission 116P
 Neurotrophins 77P, 80P
 Neutrophils 166P, 167P
 Nicotine 182P
 Niflumic acid 324P
 Nitrate tolerance 283P, 284P
 Nitrgenic neurotransmitters 116P
 Nitric oxide 1P, 2P, 3P, 5P, 9P, 10P, 11P, 87P, 118P, 295P, 299P, 301P, 302P, 303P, 305P, 334P
 Nitric oxide synthase 6P, 7P, 8P, 178P
 Nitric oxide synthase inhibitors 117P
 Nitric oxide synthesis 42P
 NK₁ receptors 162P, 170P, 223P
 NK₁ receptor antagonists 221P
 NMDA antagonists 67P, 259P
 NMDA receptors 131P, 204P

NMR 358P
Nociceptin 78P, 157P, 217P, 218P
Nociception 15P, 214P
Non-adrenergic non-cholinergic nerves
116P, 272P
Noradrenaline 133P, 210P
Noradrenaline overflow 124P, 271P
Noradrenaline uptake 219P
NR2B 67P
NSD-1015 251P
Nucleus accumbens 226P
Nucleus caudalis 164P

Occupational asthma 39P
Octreotide 109P
ODQ 6P
Oesophagus, frog 117P
Oleamide 247P
ONOO 305P
Open channel blocks 21P
Operant behaviour 239P
Opioid receptors 265P
Opioid receptor subtypes 19P
 δ -Opioid receptors 266P
 κ -Opioid receptor genes 19P
Organ failure 5P
Organ function 311P
ORL1 148P, 157P
Orphan receptors 217P, 218P, 363P,
364P
Oxidant stress 283P, 284P
Oxidase 303P
Oxytocin 186P

P450 225P
Pacemaker mechanisms 328P
PAH secretion 336P
Pain 18P
Pain, quantification of 14P
Pancreatic B cells 264P
Papillary muscles 279P
Parkinsonism 67P
Parkinson's disease 23P, 66P, 224P,
225P, 251P
Paroxetine 246P
Partial α_1 -adrenoceptor agonists 286P
Partial agonists 135P
PDE inhibitors 190P
PDE IV inhibitors 44P
PDGF-BB 34P
Peripheral-type benzodiazepine binding
sites 203P
Peristalsis 190P
Peroxynitrite 9P, 41P
Pertussis toxin 337P
P-glycoprotein 27P, 130P
pH measurement 338P
Pharmacodynamic models 184P
Pharmacokinetics 339P
Pharmacokinetic-pharmacodynamic
modelling 22P
Pharmacological agonism 120P
Phencyclidine 241P
Phosphodiesterase 156P

Phosphodiesterase enzymes 190P
Phosphodiesterase 4 enzymes 40P
Phosphoinositide hydrolysis 105P
Phospholipases 145P
Phrenic nerves 262P
Plasma 166P
Plasma ACTH 184P
Plasma protein extravasation 164P
Poly(ADP-ribose) synthetase 93P, 282P
Polyamines 176P
Polycations 167P
Post-ischaemic vasodilation 335P
Postgraduate education 374P
Postjunctional responses 169P
Postoperative ileus 192P
Potassium 102P
Potassium channels 37P, 101P, 136P,
137P, 146P, 298P, 335P
Potassium channel openers 314P
Potassium currents 18P, 319P
PPADS 103P, 127P
PRAs, human 49P
Pre-seizure running 69P
Preconditioning 289P
Prejunctional autoreceptors 169P
Prejunctional heteroreceptors 169P
Prejunctional α_2 receptors 271P
Prejunctional NPY receptors 271P
Prepulse inhibition 201P
Presynaptic adenosine A₁ receptors
121P
Presynaptic metabotropic glutamate
receptors 207P
Presynaptic metabotropic glutamate
receptor agonists 208P
Primary afferent neurons 77P
Progesterone 182P
Proliferation 126P, 185P
Prostaglandins 163P
Prostaglandin D₂ 313P
Prostaglandin E₂ 45P, 161P, 312P
Prostaglandin EP₂-receptor mimetics
312P
Prostanoids 11P
Protein kinase C 138P
Protein synthesis 154P
Protoporphyrin IX 134P
Pterin binding sites 8P
Pulmonary DTH reactions 38P, 43P
Purinergic receptors 30P
Purinergic P₂ receptors 59P, 73P
Purinoceptors 70P
Purinoceptors, P1 subtypes 297P
Purinoceptors, P2 subtypes 149P, 150P,
297P
Purinoceptors, P2X subtypes 269P
Purinoceptors, P2X, subtypes 103P,
104P, 128P, 250P
Purinoceptors, P2Y subtypes 106P
Purinoceptors, P2Y subtypes,
facilitatory prejunctional 124P
Purinoceptors, P2Y₁ subtypes 127P
QT intervals 88P
Quantitative RT-PCR 112P, 113P

Radicals 93P, 282P
Radioautography 35P
Radioligand binding 175P, 266P
RAMP 146P
Receptors 186P, 189P, 274P
 β_2 -Receptors 260P
Receptor antagonists 290P
Receptor autoradiography 23P
Receptor characterization 275P
Receptor down-regulation 260P
Receptor reserve 120P
Recombinant GABA_A receptors 199P
Recombinant somatostatin receptors,
human 109P
Regional vasoconstrictor responses 332P
Release 295P
Renal fibrosis 292P
Reperfusion 294P, 316P
Restenosis 288P
Restraint 248P
Retina 228P, 295P
Reuptake inhibitors 253P
Rhodamine-123 130P
Ro 05-4864 262P
Ropinirole 252P
Rubidium 314P
Ryanodine 327P

S18149 286P
S19014 286P
Salivary secretion 267P
Sarafotoxin 6c 291P
SB 203,580 333P
Schild 123P
Schizophrenia 204P, 227P
Scintillation proximity assay 181P
Secretoneurin 235P
Selective inhibition 5P
Selective phosphodiesterase inhibitors
156P
Sensitisation of calcium release 107P
Sensory nerves 47P
Sensory neurones 212P
Sepsis 46P
SH2 domain 26P
SH-SY5Y neuroblastoma cells 219P
SHR rats 98P
SHR-SP rats 320P
Sibutramine 210P
Signal transduction 31P, 32P, 62P, 63P
Signalling 143P, 148P
Sino-atrial nodes 327P, 328P
SKF 83959 33P
Smooth muscle 1P, 2P, 3P, 36P, 108P,
276P, 277P, 302P, 323P
Smooth muscle α -actin 92P
Social competition 248P
Sodium channels 212P
Sodium channel blockers 16P, 79P,
213P, 214P, 215P
Sodium channel inhibitors 164P
Sodium intake 285P
Sodium nitroprusside 36P
Sodium/calcium exchange 264P
Soluble guanylate cyclase 61P

Somatosensory thalamus 15P	Sympathetic nerves 92P	Van Rossum 123P
Somatostatin 18P, 110P, 111P, 125P, 126P, 155P	Tachykinins 51P, 162P	Vas deferens 269P
Somatostatin receptors, recombinant human 109P	Tachykinin NK ₁ receptors 273P	Vascular permeability 162P
Spare receptors 120P	Temperature 286P	Vascular reactivity 98P
Sphingosine 91P, 307P	Tetrodotoxin 212P	Vascular smooth muscle 152P, 324P
Spinal c-fos expression 214P	Thapsigargin 263P	Vasoconstriction 4P, 99P, 278P, 287P
Spinal cord 17P	Thermoregulation 173P	Vasoconstrictor responses 331P
Spinal sensitisation 215P	Thiazolidinediones 187P	Vasodilators 6P
Splice variants 52P	THP-1 cells 104P	Vasopressin 287P
Spontaneously hypertensive rats 271P	Thyroid 257P	Vasorelaxation 65P, 296P
Spreading depression 205P	Tiagabine 22P	Veins 310P
SSRIs 232P, 245P	Time course 90P	Veins, portal 329P
sst ₁ antagonists 111P	Tissue, human 112P, 113P, 114P	Veins, saphenous, human 89P
sst ₁ receptors 18P, 111P	Tixocortol pivalate 172P	Ventricular myocytes 325P
sst ₁ receptor binding 109P	TNF 40P, 174P	Vessels, pulmonary 291P
sst _{2A} receptors, rat 110P	TNF α 91P, 307P, 308P	Visual system development 179P
sst _{2B} receptors 125P	Total RNA 114P	
sst _{2B} receptors, rat 110P	Trachea, guinea-pig 169P	4030W92 164P
sst ₄ receptors 126P, 155P	Tracheal smooth muscle, bovine 168P	96 Well assay 199P
sst ₄ receptor binding 109P	Transcription factor 29P	
Stress 183P	Transcriptional control 160P	
Striatum 207P	Transforming growth factor 333P	
Stunning 279P	Transgenic 'knock-out' mice 19P, 20P	Xanthine 303P
Substance P 75P	L-Tryptophan 231P	<i>Xenopus</i> oocytes 136P, 137P
Subtotal nephrectomy 292P	Tumour necrosis factor 40P, 174P	
<i>Suncus murinus</i> 255P, 340P	Tumour necrosis factor- α 91P, 307P, 308P	
Superoxide anions 10P, 118P, 280P	Typical vs. atypical 254P	YC-1 299P
Superoxide dismutase 10P, 118P	Tyrosine kinase 126P	YO-PRO-1 103P
Superoxide generation 165P	Tyrosine kinase inhibitors 198P	YO-PRO-1 influx 250P
Surgery 244P	Tyrosine phosphatase 126P	
Swim test, mouse 245P	Tyrosine phosphorylation 198P	
Switching behaviour 239P		
Syk 26P	Up-regulation 236P	ZM241385 28P
		Zucker rats 283P, 284P