



INDEX TO VOLUMES 117, 118 AND 119

AUTHOR INDEX

A

- Aalkjaer, C. *see* Jensen, P.E., **117**, 1238
 Aamo, T.O. *see* Andreassen, O.A., **119**, 751
 Aaronson, P.I., McKinnon, W. and Poston, L. Mechanism of butyrate-induced vasorelaxation of rat mesenteric resistance artery, **117**, 365
 Abate, A. *see* Ruetten, H., **118**, 261
 Abbas, F. *see* Krauss, A.H.-P., **117**, 1171
 Abe, F., Karaki, H. and Endoh, M. Effects of cyclopiazonic acid and ryanodine on cytosolic calcium and contraction in vascular smooth muscle, **118**, 1711
 Abe, M. *see* Nakamura, M., **119**, 205
 Abe, S., Nakamura, M. and Kanaide, H. Some effects of nipradilol, a β -antagonist possessing a nitroxy group, on smooth muscle of the pig coronary artery, **117**, 1707
 Abebe, W. *see* Weber, L.P., **118**, 115
 Abiko, Y. *see* Chen, M., **118**, 865
 Abood, M.E. *see* Ishac, E.J.N., **118**, 2023
 Abou-Mohamed, G. *see* Papapetropoulos, A., **118**, 1359
 Abou-Mohamed, G.A. *see* EL-Mowafy, A.M., **118**, 531
 Ács, G. *see* Szallasi, A., **119**, 283
 Ács, P. *see* Szallasi, A., **119**, 283
 Aczel, S. *see* Berjukov, S., **119**, 1197
 Adamantidis, M.M. *see* Puisieux, F.L., **117**, 1377
 Adami, M. *see* Coruzzi, G., **118**, 1813
 Adcock, J.J. *see* Bootle, D.J., **117**, 724
 Adem, A. *see* Olanas, M.C., **118**, 283
 Adler, G. *see* Weidenbach, H., **118**, 790
 Adner, M., Cantera, L., Ehler, F., Nilsson, L. and Edvinsson, L. Plasticity of contractile endothelin-B receptors in human arteries after organ culture, **119**, 1159
 Advenier, C. *see* Biyah, K., **119**, 1131
 Advenier, C. *see* Chuliá, S., **119**, 1305
 Advenier, C. *see* Dumas, M., **117**, 633
 Advenier, C. *see* Naline, E., **118**, 1939
 Adzet, T. *see* Vázquez, M., **117**, 1155
 Ahluwalia, A. *see* Perretti, M., **117**, 1145
 Ai, T. *see* Ishida-Takahashi, A., **117**, 1749
 Ajisawa, Y. *see* Kinukawa, M., **117**, 1702
 Akaike, N. *see* Munakata, M., **118**, 820
 Akaike, N. *see* Wu, J., **119**, 1013
 Akashi, M. *see* Sekiguchi, F., **118**, 857
 Åkesson, B., Mosén, H., Panagiotidis, G. and Lundquist, I. Interaction of the islet nitric oxide system with L-arginine-induced secretion of insulin and glucagon in mice, **119**, 758
 Akiyama, T., Tachibana, I., Hirohata, Y., Shirohara, H., Yamamoto, M. and Otsuki, M. Pharmacological profile of TP-680, a new cholecystokinin_A receptor antagonist, **117**, 1558
 Akrong, J. *see* Daniel, E.E., **117**, 1535
 Al-Ani, B. *see* Saifeddine, M., **118**, 521
 Al-Damluji, S. and Kopin, I.J. Binding and competitive inhibition of amine uptake at postsynaptic neurones (transport-P) by tricyclic antidepressants, **117**, 811
 Al-Damluji, S. and Kopin, I.J. Functional properties of the uptake of amines in immortalised peptidergic neurones (transport-P), **117**, 111
 Al-Tubuly, R. *see* Zhao, L., **119**, 1217
 Alba, F. *see* Fernández, R., **119**, 299
 Albert, A.P., Spyer, K.M. and Brooks, P.A. The effect of 5-HT and selective 5-HT receptor agonists and antagonists on rat dorsal vagal pre-ganglionic neurones *in vitro*, **119**, 519
 Alcaraz, M.J. *see* Payá, M., **117**, 1773
 Aldasoro, M. *see* Cases, E., **119**, 1337
 Alemany, R. *see* Escribá, P.V., **118**, 2029
 Alessandrini, M. *see* Iuliano, L., **119**, 1438
 Alexander, R. *see* Hughes, B., **118**, 1183
 Alexander, S.P.H., Cooper, J., Shine, J. and Hill, S.J. Characterization of the human brain putative A_{2B} adenosine receptor expressed in Chinese hamster ovary (CHO.A_{2B}) cells, **119**, 1286
 Alexander, S.P.H. *see* Neil, K.E., **118**, 311
 Alfaro, M.J. *see* Martín, M.I., **119**, 804
 Allain, H. *see* Saïag, B., **118**, 804
 Allan, D.R., Penner, S.B. and Smyth, D.D. Antagonism by idazoxan at low dose but not high dose, of the natriuretic action of moxonidine, **117**, 29
 Allen, R. *see* Hughes, B., **118**, 1183
 Allen, T.J.A. and Chapman, R.A. Effects of ranolazine on L-type calcium channel currents in guinea-pig single ventricular myocytes, **118**, 249
 Allport, J.R., Donnelly, L.E., Hayes, B.P., Murray, S., Rendell, N.B., Ray, K.P. and MacDermot, J. Reduction by inhibitors of mono(ADP-ribosyl)-transferase of chemotaxis in human neutrophil leucocytes by inhibition of the assembly of filamentous actin, **118**, 1111
 Alm, P. *see* Ny, L., **118**, 392
 Alm, P. *see* Wang, Z.-Y., **118**, 1537
 Altavilla, D. *see* Squadrito, F., **119**, 23
 Altavilla, D. *see* Squadrito, F., **119**, 1079
 Alves-Rodrigues, A., Leurs, R., Wu, T.-S., Prell, G.D., Foged, C. and Timmerman, H. [³H]-Thiopramide as a radioligand for the histamine H₃ receptor in rat cerebral cortex, **118**, 2045
 Alving, K. *see* Fornhem, C., **118**, 989
 Amemiya, T. *see* Mizuguchi, M., **117**, 443
 Ameri, A., Metzmeier, P. and Peters, T. Frequency-dependent inhibition of neuronal activity by lappaconitine in normal and epileptic hippocampal slices, **118**, 577
 Ammendolia, L. *see* Squadrito, F., **119**, 1079
 Ammon, H.P.T. *see* Sailer, E.-R., **117**, 615
 Andersen, H.L. and Kilpatrick, I.C. *Erratum*, **118**, 2228
 Andersen, H.L. and Kilpatrick, I.C. Prevention by (±)-8-hydroxy-2-(di-n-propylamino)tetralin of both catalepsy and the rises in rat striatal dopamine metabolism caused by haloperidol, **118**, 421
 Anderson, G.P. *see* Bergendal, A., **117**, 1009
 Anderson, J. *see* Barker, J.E., **118**, 643
 Anderson, R., Feldman, C., Theron, A.J., Ramafi, G., Cole, P.J. and Wilson, R. Anti-inflammatory, membrane-stabilizing interactions of salmeterol with human neutrophils *in vitro*, **117**, 1387
 Andersson, K.-E. *see* Ishizuka, O., **117**, 962
 Andersson, K.-E. *see* Ny, L., **118**, 392
 Andersson, R.G.G. *see* Grenegård, M., **118**, 2140
 Ando, T. *see* Nakamura, M., **119**, 205
 André, P. *see* Lo Russo, A., **118**, 885
 Andreassen, O.A., Aamo, T.O. and Jørgensen, H.A. Inhibition by memantine of the development of persistent oral dyskinesias induced by long-term haloperidol treatment of rats, **119**, 751
 Andriantsitohaina, R. *see* Côrtes, S.de F., **119**, 1635
 Andriantsitohaina, R. *see* Martínez, M.C., **118**, 1218
 Ånggård, E.E. *see* Laight, D.W., **117**, 1471
 Angus, J.A. *see* Fujiwara, T., **119**, 1549
 Angus, J.A. *see* Lew, M.J., **117**, 1768
 Angus, J.A. *see* Serone, A.P., **118**, 93
 Angus, J.A. *see* Wright, C.E., **119**, 49
 Antunes, E. *see* Donato, J.L., **119**, 1447
 Antunes, E. *see* Palframan, R.T., **118**, 295
 Anwar, N. *see* Sugden, D., **118**, 1246
 Arbuckle, J. *see* Boddeke, H.W.G.M., **118**, 1836
 Arcidiaco, M. *see* De Ponti, F., **117**, 1374
 Arimura, A., Asanuma, F., Kurosawa, A. and Harada, M. *Erratum*, **117**,

- 1809
 Arnould, T. *see* Janssens, D., **118**, 599
 Arthur, M.J.P. *see* Herbert, C.A., **117**, 667
 Aryana, A. *see* Emala, C.W., **118**, 2009
 Asai, T. *see* Shuba, L.M., **117**, 1395
 Asai, T. *see* Shuba, L.M., **119**, 335
 Asano, M., Kuwako, M., Nomura, Y., Ito, K.M., Ito, K., Uyama, Y., Imaizumi, Y. and Watanabe, M. Possible mechanism of the potent vasoconstrictor actions of ryanodine on femoral arteries from spontaneously hypertensive rats, **118**, 1019
 Asano, T. *see* Satoh, S., **118**, 1592
 Asanuma, F. *see* Arimura, A., **117**, 1809
 Aso, T. *see* Obayashi, S., **119**, 1072
 Assié, M.-B. and Koek, W. Possible *in vivo* 5-HT reuptake blocking properties of 8-OH-DPAT assessed by measuring hippocampal extracellular 5-HT using microdialysis in rats, **119**, 845
 Atucha, N.M., Ortiz, M.C., Martínez, C., Quesada, T. and García-Estañ, J. Role of protein kinase C in mesenteric pressor responses of rats with portal hypertension, **118**, 277
 Atwal, P. *see* Singh, L., **118**, 1317
 Auerbach, S.B. *see* Tao, R., **119**, 1375
 Ayuso, M.S. *see* Butta, N., **118**, 1797
 Az-ma, T., Fujii, K. and Yuge, O. Self-limiting enhancement by nitric oxide of oxygen free radical-induced endothelial cell injury: evidence against the dual action of NO as hydroxyl radical donor/scavenger, **119**, 455
 Azevedo, I. *see* Martel, F., **119**, 1519
 Azuma, H. *see* Obayashi, S., **119**, 1072
- B**
- Bäcker, A. *see* Kramer, H.J., **117**, 1348
 Bacon, C.R. and Davenport, A.P. Endothelin receptors in human coronary artery and aorta, **117**, 986
 Bader, A. *see* Lampen, A., **117**, 1730
 Badia, A. *see* Clos, M.V., **118**, 901
 Badia, A. *see* Sallés, J., **117**, 1286
 Badia, A. *see* Tabernero, A., **119**, 765
 Badini, I. *see* Gobeil, F., **118**, 289
 Badone, D. *see* Manara, L., **117**, 435
 Bahl, A.K., Clayton, N.M., Coates, J., Martin, D.P., Oakley, I.G., Strong, P. and Trevethick, M.A. Comparison of the profiles of agonists as stimulants of the β_3 -adrenoceptor *in vitro* with their gastroprotective effects in the conscious rat, **117**, 580
 Baird, M. *see* MacLean, M.R., **119**, 917
 Bakhle, Y.S. *see* Barker, J.E., **118**, 643
 Balakrishnan, V.S., von Ruhland, C.J., Griffiths, D.F.R., Coles, G.A. and Williams, J.D. Effects of a selective adenosine A_1 receptor antagonist on the development of cyclosporin nephrotoxicity, **117**, 879
 Balfour, D.J.K. *see* Benwell, M.E.M., **117**, 743
 Ball, H.A. *see* Zierhut, W., **119**, 3
 Balsa, D. *see* Giral, M., **118**, 1223
 Bandeira-Melo, C., Singh, Y., Cordeiro, R.S.B., e Silva, P.M.R. and Martins, M.A. Involvement of prostaglandins in the down-regulation of allergic plasma leakage observed in rats undergoing pleural eosinophilia, **118**, 2192
 Bandoh, T. *see* Mitani, H., **119**, 1269
 Banglawala, Y.A. *see* Chi, L., **117**, 1261
 Banner, K.H., Moriggi, E., Da Ros, B., Schioppacassi, G., Semeraro, C. and Page, C.P. The effect of selective phosphodiesterase 3 and 4 isoenzyme inhibitors and established anti-asthma drugs on inflammatory cell activation, **119**, 1255
 Banyasz, T. *see* O'Donnell, J.M., **117**, 938
 Bara, A.T. *see* Pörsti, I., **117**, 231
 Barajas-López, C., Huizinga, J.D., Collins, S.M., Gerzanich, V., Espinosa-Luna, R. and Peres, A.L. P $2x$ -Purinoreceptors of myenteric neurones from the guinea-pig ileum and their unusual pharmacological properties, **119**, 1541
 Baraldi, P.G. *see* Zocchi, C., **117**, 1381
 Barbaccia, M.L. *see* Concas, A., **118**, 839
 Barbe, P., Millet, L., Galitzky, J., Lafontan, M. and Berlan, M. *In situ* assessment of the role of the β_1 -, β_2 - and β_3 -adrenoceptors in the control of lipolysis and nutritive blood flow in human subcutaneous adipose tissue, **117**, 907
 Barber, R.D. and Henderson, R.M. Inhibition by P1075 and pinacidil of a calcium-independent chloride conductance in conditionally-immortal renal glomerular mesangial cells, **119**, 772
 Barberi, L. *see* Soma, M.R., **118**, 215
 Barcew-Wisniewska, B. *see* Wójcicki, J., **117**, 1
 Bard, J.A. *see* Gustafson, E.L., **117**, 657
 Barker, J.E., Bakhle, Y.S., Anderson, J., Treasure, T. and Piper, P.J. Reciprocal inhibition of nitric oxide and prostacyclin synthesis in human saphenous vein, **118**, 643
 Barnard, E.A. *see* Webb, T.E., **119**, 1385
 Barnes, N.M. *see* Brown, D.C., **118**, 414
 Barnes, N.M. *see* Ge, J., **117**, 1475
 Barnes, N.M. *see* Steward, L.J., **117**, 55
 Barnes, P.J. *see* Belvisi, M.G., **117**, 1413
 Barnes, P.J. *see* Giembycz, M.A., **118**, 1945
 Barnes, P.J. *see* Hallsworth, M.P., **117**, 79
 Barnes, P.J. *see* Lei, Y.-H., **117**, 449
 Barnes, P.J. *see* Ramnarine, S.I., **118**, 998
 Baroni, M. *see* Manara, L., **117**, 435
 Barthe, J.Y. *see* Chesnoy-Marchais, D., **117**, 133
 Bartolini, L. *see* Blandina, P., **119**, 1656
 Bashir, Z.I. *see* Frankiewicz, T., **117**, 689
 Baudet, S., Do, E., Noireaud, J. and Le Marec, H. Alterations in the force-frequency relationship by *tert*-butylbenzohydroquinone, a putative SR Ca^{2+} pump inhibitor, in rabbit and rat ventricular muscle, **117**, 258
 Baudet, S., Khammari, A., Noireaud, J. and Le Marec, H. Differential effects of *tert*-butyl-benzohydroquinone, a putative SR Ca^{2+} pump inhibitor, on isometric relaxation during the staircase in the rabbit and rat ventricle, **117**, 268
 Bauer, C. *see* Hoher, B., **118**, 220
 Bax, W.A. *see* Van Den Brink, A.M., **119**, 855
 Baxter, G.F., Goodwin, R.W., Wright, M.J., Kerac, M., Heads, R.J. and Yellon, D.M. Myocardial protection after monophosphoryl lipid A: studies of delayed anti-ischaemic properties in rabbit heart, **117**, 1685
 Baxter, G.S. *see* Kennett, G.A., **117**, 427
 Baxter, G.S. *see* Kennett, G.A., **117**, 1443
 Baydoun, A.R. *see* Cirino, G., **117**, 1421
 Bazelly, B. *see* Biyah, K., **119**, 1131
 Bazzani, C. *see* Guarini, S., **119**, 29
 Beaulieu, P., Cardinal, R., De Léan, A. and Lambert, C. Direct chronotropic effects of atrial and C-type natriuretic peptides in anaesthetized dogs, **118**, 1790
 Beaumont, K. *see* Pittner, R.A., **117**, 847
 Beauregard, C.L. and Smith, P.G. Parasympathetic excitation of sympathetic innervation after cholinesterase inhibition, **117**, 51
 Beck, G. *see* Hay, D.W.P., **118**, 1209
 Beck-Sickinger, A.G. *see* Cross, L.J.M., **117**, 325
 Beckh, K. *see* Weidenbach, H., **118**, 790
 Bedingfield, J.S. *see* Toms, N.J., **119**, 851
 Beglinger, C. *see* Fricker, G., **117**, 217
 Beglinger, C. *see* Fricker, G., **118**, 1841
 Behr, D. *see* Rupin, A., **119**, 1233
 Beijnen, J.H. *see* Mayer, U., **119**, 1038
 Belelli, D., Callachan, H., Hill-Venning, C., Peters, J.A. and Lambert, J.J. Interaction of positive allosteric modulators with human and *Drosophila* recombinant GABA receptors expressed in *Xenopus laevis* oocytes, **118**, 563
 Bélichard, P., Loillier, B., Paquet, J.L., Luccarini, J.M. and Pruneau, D. Haemodynamic and cardiac effects of kinin B_1 and B_2 receptor stimulation in conscious instrumented dogs, **117**, 1565
 Bello, V. *see* Iuliano, L., **119**, 1438
 Belvisi, M.G., Patel, H.J., Takahashi, T., Barnes, P.J. and Giembycz, M.A. Paradoxical facilitation of acetylcholine release from parasympathetic nerves innervating guinea-pig trachea by isoprenaline, **117**, 1413
 Bengtsson, T. *see* Grenegård, M., **118**, 2140
 Beninger, R.J. *see* Pawley, A.C., **117**, 1059
 Benke, T.A. *see* Bresink, I., **119**, 195
 Bennett, P.J. and Simmonds, M.A. The influence of membrane cholesterol

- on the GABA_A receptor, 117, 87
Bennett, T. *see* Gardiner, S.M., 117, 507
Bennett, T. *see* Gardiner, S.M., 118, 141
Bennett, T. *see* Gardiner, S.M., 118, 325
Bennett, T. *see* Gardiner, S.M., 118, 352
Bennett, T. *see* Gardiner, S.M., 118, 1822
Bennett, T. *see* Gardiner, S.M., 119, 1619
Benton, D.C.H. *see* Dunn, P.M., 117, 35
Benwell, M.E.M., Holtom, P.E., Moran, R.J. and Balfour, D.J.K. Neurochemical and behavioural interactions between ibogaine and nicotine in the rat, 117, 743
Benzoni, D. *see* Ziyat, A., 119, 388
Berg, T. *see* Holte, H.R., 117, 1516
Berg, T. *see* Holte, H.R., 118, 1925
Bergamaschi, M. *see* Civelli, M., 118, 923
Bergendal, A., Lindén, A., Skoogh, B.-E., Gerspacher, M., Anderson, G.P. and Löfdahl, C.-G. Extent of salmeterol-mediated reassertion of relaxation in guinea-pig trachea pretreated with aliphatic side chain structural analogues, 117, 1009
Berjukov, S., Aczel, S., Beyer, B., Kimball, S.D., Dichtl, M., Hering, S. and Striessnig, J. Extra- and intracellular action of quaternary devapamil on muscle L-type Ca²⁺-channels, 119, 1197
Berjukow, S., Döring, F., Froschmayr, M., Grabner, M., Glossmann, H. and Hering, S. Endogenous calcium channels in human embryonic kidney (HEK293) cells, 118, 748
Berkan, T. *see* Üstünes, L., 118, 1681
Berlan, M. *see* Barbe, P., 117, 907
Bernardi, G. *see* Mercuri, N.B., 117, 528
Berry, C.N. *see* Duval, N., 118, 727
Bertaccini, G. *see* Coruzzi, G., 118, 1813
Berthelot, A. *see* Laurant, P., 119, 1367
Berto, L. *see* Cortijo, J., 119, 99
Bertolini, A. *see* Guarini, S., 119, 29
Bertorello, A.M. *see* Soares-da-Silva, P., 117, 1199
Bertrand, C. *see* Figini, M., 117, 1270
Bertrand, C. *see* Noguchi, S., 118, 1397
Bertrand, G., Puech, R., Maisonnasse, Y., Bockaert, J., Loubatières-Mariani, M.M. Comparative effects of PACAP and VIP on pancreatic endocrine secretions and vascular resistance in rat, 117, 764
Bescond, J. *see* Bois, P., 118, 1051
Besse, P. *see* Pouna, P., 117, 1593
Besson, J.-M. *see* Honoré, P., 118, 671
Beyer, B. *see* Berjukov, S., 119, 1197
Bhargava, H.N. and Zhao, G.-M. Effects of competitive and noncompetitive antagonists of the N-methyl-D-aspartate receptor on the analgesic action of δ_1 - and δ_2 -opioid receptor agonists in mice, 119, 1586
Bhat, V. *see* Szabó, C., 118, 1659
Bianchi, M. and Panerai, A.E. The dose-related effects of paracetamol on hyperalgesia and nociception in the rat, 117, 130
Bieger, D. *see* Lovren, F., 118, 879
Bienert, M. *see* Cross, L.J.M., 117, 325
Biggio, G. *see* Concas, A., 118, 839
Bingham, S. *see* Wardle, K.A., 118, 665
Bini, A. *see* Guarini, S., 119, 29
Binko, J. *see* Kotsonis, P., 119, 1605
Birdsall, N.J.M. *see* Cohen, F.R., 117, 1521
Birke, F.W. *see* Encabo, A., 119, 702
Birmingham, A.T. Editorial – 50 Years of the British Journal of Pharmacology, 117, 773
Bíró, T. *see* Szallasi, A., 119, 283
Birse, E.F. *see* Sekiyama, N., 117, 1493
Bisset, G.W. and Fairhall, K.M. Release of vasopressin and oxytocin by excitatory amino acid agonists and the effect of antagonists on release by muscarine and hypertonic saline, in the rat *in vivo*, 117, 309
Biyah, K., Molimard, M., Naline, E., Bazelly, B. and Advenier, C. Indirect muscarinic receptor activation by pentamidine on airway smooth muscle, 119, 1131
Bjørnstad-Østensen, A. *see* Holte, H.R., 118, 1925
Bkaily, G. *see* de Brum-Fernandes, A.J., 118, 1597
Black, J.W. *see* Harper, E.A., 118, 1717
Black, J.W. *see* Hills, D.M., 119, 1401
Black, J.W. *see* Roberts, S.P., 118, 1779
Black, J.W. *see* Van der Graaf, P.H., 118, 299
Black, J.W. *see* Van der Graaf, P.H., 118, 1308
Black, M.D. *see* Chessell, I.P., 117, 1673
Blackburn, T.P. *see* Hope, A.G., 118, 1237
Blackburn, T.P. *see* Kennett, G.A., 117, 427
Blackburn, T.P. *see* Kennett, G.A., 117, 1443
Blake, S.M. *see* Gozzard, N., 117, 1405
Blake, S.M. *see* Gozzard, N., 118, 1201
Blandina, P., Giorgetti, M., Bartolini, L., Cecchi, M., Timmerman, H., Leurs, R., Pepeu, G. and Giovannini, M.G. Inhibition of cortical acetylcholine release and cognitive performance by histamine H₃ receptor activation in rats, 119, 1656
Blayney, L.M., Gapper, P.W. and Newby, A.C. Phospholipase C isoforms in vascular smooth muscle and their regulation by G-proteins, 118, 1003
Blease, K. *see* Hughes, B., 118, 1183
Blier, P. *see* El Mansari, M., 118, 681
Blottière, H.M., Loirand, G. and Pacaud, P. Rise in cytosolic Ca²⁺ concentration induced by P₂-purinoceptor activation in isolated myocytes from the rat gastrointestinal tract, 117, 775
Blouin, D. *see* Gobeil, F., 118, 289
Bloxham, D. *see* Hughes, B., 118, 1183
Blumberg, P.M. *see* Szallasi, A., 119, 283
Boarder, M.R. *see* Charlton, S.J., 118, 704
Boarder, M.R. *see* Charlton, S.J., 119, 1301
Boarder, M.R. *see* Patel, V., 118, 123
Bobinac, I. *see* Schoeffter, P., 117, 993
Boccardi, G. *see* Manara, L., 117, 435
Bockaert, J. *see* Bertrand, G., 117, 764
Boddeke, H.G.W.M. *see* Ullmer, C., 117, 1081
Boddeke, H.W.G.M., Meigel, I., Boeijinga, P., Arbuckle, J. and Docherty, R.J. Modulation by calcineurin of 5-HT₃ receptor function in N^G108-15 neuroblastoma × glioma cells, 118, 1836
Boeckxstaens, G.E. *see* De Man, J.G., 119, 990
Boeckxstaens, G.E. *see* De Man, J.G., 119, 1022
Boegman, R.J. *see* Pawley, A.C., 117, 1059
Boeijinga, P. *see* Boddeke, H.W.G.M., 118, 1836
Boese, M., Busse, R., Mülsch, A. and Schini-Kerth, V. Effect of cyclic GMP-dependent vasodilators on the expression of inducible nitric oxide synthase in vascular smooth muscle cells: role of cyclic AMP, 119, 707
Bogacki, M. *see* Kotwica, J., 118, 1669
Bogle, R.G. and Vallance, P. Functional effects of econazole on inducible nitric oxide synthase: production of a calmodulin-dependent enzyme, 117, 1053
Bogoni, G., Rizzi, A., Calo, G., Campobasso, C., D'Orleans-Juste, P. and Regoli, D. Characterization of endothelin receptors in the human umbilical artery and vein, 119, 1600
Böhm, M. *see* Sitzler, G., 119, 43
Bois, P., Bescond, J., Renaudon, B. and Lenfant, J. Mode of action of bradycardic agent, S 16257, on ionic currents of rabbit sinoatrial node cells, 118, 1051
Boknik, P. *see* Linck, B., 119, 545
Bokník, P. *see* Vahlensieck, U., 119, 835
Bollengier, F. *see* Matton, A., 117, 502
Bolofo, M.-L. *see* Giles, H., 117, 1119
Bolsover, S.R. *see* de-Allie, F.A., 117, 479
Bolton, T.B. *see* Zhang, H.-L., 118, 105
Bolton, T.B. *see* Zholos, A.V., 119, 997
Bon, C. and Galvan, M. Electrophysiological actions of GABA_B agonists and antagonists in rat dorso-lateral septal neurones *in vitro*, 118, 961
Bonanno, G., Gemignani, A., Schmid, G., Severi, P., Cavazzani, P. and Raiteri, M. Human brain somatostatin release from isolated cortical nerve endings and its modulation through GABA_B receptors, 118, 1441
Bonazzi, V.R. *see* Evans, B.A., 117, 210
Bonci, A. *see* Mercuri, N.B., 117, 528
Bongrani, S. *see* Civelli, M., 118, 923
Bonnafoos, R. *see* Valentin, J.-P., 119, 35
Bonnardel, E. *see* Féletou, M., 118, 1371
Bonnet, P.A. *see* Cortijo, J., 119, 99
Bonoron-Adèle, S. *see* Pouna, P., 117, 1593
Bonvissuto, F. *see* Mulé, F., 117, 488

- Bootle, D.J., Adcock, J.J. and Ramage, A.G. Involvement of central 5-HT_{1A} receptors in the reflex activation of pulmonary vagal motoneurons by inhaled capsaicin in anaesthetized cats, 117, 724
- Borea, P.A. *see* Guerra, L., 118, 1278
- Borea, P.A. *see* Varani, K., 117, 1693
- Borgeat, P. *see* Krump, E., 117, 1639
- Borges, R. *see* Gandia, L., 117, 463
- Born, G.V.R. *see* Cardona-Sanclemente, L.E., 117, 1089
- Bornstein, J.C. *see* Johnson, P.J., 118, 973
- Borst, P. *see* Mayer, U., 119, 1038
- Bos, E. *see* Van Den Brink, A.M., 119, 855
- Boschi, G. *see* Ragusi, C., 118, 2152
- Boss, O. *see* Deng, C., 118, 929
- Bottone, A.E. *see* de Boer, J., 119, 1109
- Boublik, J.H. *see* Lew, R.A., 118, 1269
- Boucher, R.C. *see* Lazarowski, E.R., 117, 203
- Boulanger, H. *see* Richer, C., 119, 1642
- Bourdon, D.M. *see* Salvemini, D., 118, 829
- Bouysset, F. *see* Vayssettes-Courchay, C., 117, 587
- Bova, S., Trevisi, L., Debetto, P., Cima, L., Furnari, M., Luciani, S., Padriani, R. and Cargnelli, G. Vasorelaxant properties of norbormide, a selective vasoconstrictor agent for the rat microvasculature, 117, 1041
- Bovetto, S. *see* Laflamme, N., 117, 1021
- Bowen, W.D. *see* Monnet, F.P., 119, 65
- Bowery, B.J., Razaque, Z., Emms, F., Patel, S., Freedman, S., Bristow, L., Kulagowski, J. and Seabrook, G.R. Antagonism of the effects of (+)-PD 128907 on midbrain dopamine neurones in rat brain slices by a selective D₂ receptor antagonist L-741,626, 119, 1491
- Bowery, N.G. *see* Mugnaini, M., 119, 819
- Bowery, N.G. *see* Teoh, H., 118, 1153
- Boyd, E. *see* Hughes, B., 118, 1183
- Boyd, J. *see* Daniel, E.E., 117, 1535
- Boyer, J.L., Siddiqi, S., Fischer, B., Romero-Avila, T., Jacobson, K.A. and Harden, T.K. Identification of potent P_{2Y}-purinoceptor agonists that are derivatives of adenosine 5'-monophosphate, 118, 1959
- Boyer, J.L. *see* Schachter, J.B., 118, 167
- Boyle, J.P. *see* Holland, M., 117, 119
- Brading, A.F. *see* Maggi, C.A., 118, 1493
- Brading, A.F. *see* Nakayama, S., 119, 716
- Brading, A.F. *see* Teramoto, N., 118, 635
- Bradley, M.E. *see* Kuenzli, K.A., 119, 737
- Bradley, M.E. *see* Yang, S., 117, 1572
- Brain, S.D. *see* Palframan, R.T., 118, 295
- Brain, S.D. *see* Siney, L., 117, 1065
- Branchek, T.A. *see* Gustafson, E.L., 117, 657
- Breimer, D.D. *see* Mathôt, R.A.A., 118, 369
- Breitkopf, K. *see* Salameh, A., 118, 1899
- Breittmayer, J.P. *see* Vigne, P., 119, 360
- Bresink, I., Benke, T.A., Collett, V.J., Seal, A.J., Parsons, C.G., Henley, J.M. and Collingridge, G.L. Effects of memantine on recombinant rat NMDA receptors expressed in HEK 293 cells, 119, 195
- Breslow, R. *see* Showell, H.J., 117, 1127
- Bright, F. *see* Kennett, G.A., 117, 427
- Bright, F. *see* Kennett, G.A., 117, 1443
- Brink, C. *see* Norel, X., 119, 149
- Bristow, D.R. *see* Brown, M.J., 118, 1103
- Bristow, D.R. *see* Platt, K.P., 119, 1393
- Bristow, D.R. *see* Zamani, M.R., 118, 1119
- Bristow, L. *see* Bowery, B.J., 119, 1491
- Brock, J.A. and Cunnane, T.C. Inhibition of purinergic transmission by prostaglandin E₁ and E₂ in the guinea-pig vas deferens: an electrophysiological study, 118, 776
- Brodde-Jansen, G. *see* Yu, L.-C., 117, 43
- Brooks, P.A. *see* Albert, A.P., 119, 519
- Broughton Pipkin, F. *see* Forhead, A.J., 119, 393
- Brown, A.M. *see* Hope, A.G., 118, 1237
- Brown, C. *see* Patel, V., 118, 123
- Brown, C. *see* Steward, L.J., 117, 55
- Brown, C.A. *see* Charlton, S.J., 118, 704
- Brown, C.A. *see* Charlton, S.J., 119, 1301
- Brown, C.D.A. and Dudley, A.J. Chloride channel blockers decrease intracellular pH in cultured renal epithelial LLC-PK₁ cells, 118, 443
- Brown, C.D.A. *see* Dudley, A.J., 117, 1139
- Brown, D.C., Steward, L.J., Ge, J. and Barnes, N.M. Ability of angiotensin II to modulate striatal dopamine release via the AT₁ receptor *in vitro* and *in vivo*, 118, 414
- Brown, H.A. *see* Lazarowski, E.R., 117, 203
- Brown, M.C.S. *see* Phagoo, S.B., 119, 863
- Brown, M.J. and Bristow, D.R. Molecular mechanisms of benzodiazepine-induced down-regulation of GABA_A receptor α_1 subunit protein rat cerebellar granule cells, 118, 1103
- Brownhill, V.R. *see* Nicholls, J., 117, 170
- Brownhill, V.R. *see* Peachey, J.A., 117, 1105
- Bruggeman, C.A. *see* Eerdmans, P.H.A., 119, 637
- Brunner, F. *see* Pfeiffer, S., 118, 1433
- Bruton, R.K. *see* Steward, L.J., 117, 55
- Bryant, S.M. and Hart, G. Effects of neuropeptide Y on L-type calcium current in guinea-pig ventricular myocytes, 118, 1455
- Bryk, R. *see* Szabó, C., 118, 1659
- Bucher, B. *see* Gicquiaux, H., 119, 1313
- Buckingham, J.C. Fifteenth Gaddum Memorial Lecture December 1994. Stress and the neuroendocrine-immune axis: the pivotal role of glucocorticoids and lipocortin 1, 118, 1
- Buckingham, J.C. *see* Hadley, A.J., 119, 463
- Buckley, T.L. *see* Scheerens, H., 119, 1665
- Budd, D.C., May, G.R., Nicholls, D.G. and McCormack, J.G. Inhibition by lifarizine of intracellular Ca²⁺ rises and glutamate exocytosis in depolarized rat cerebrocortical synaptosomes and cultured neurones, 118, 162
- Buell, G. *see* Castro, S.W., 117, 639
- Buell, G.N. *see* Michel, A.D., 117, 1254
- Buell, G.N. *see* Michel, A.D., 118, 1806
- Buénó, L. *see* Garcia-Villar, R., 118, 1253
- Bueno, L. *see* Rekik, M., 118, 477
- Buerke, M. *see* Murohara, T., 117, 1000
- Burger, M. *see* Weidenbach, H., 118, 790
- Burgess, G.M. *see* Davis, C.L., 118, 1469
- Burgess, G.M. *see* Phagoo, S.B., 119, 863
- Buritova, J. *see* Honoré, P., 118, 671
- Burk, R.M. *see* Krauss, A.H.-P., 117, 1171
- Burke-Gaffney, A. and Hellewell, P.G. Tumour necrosis factor- α -induced ICAM-1 expression in human vascular endothelial and lung epithelial cells: modulation by tyrosine kinase inhibitors, 119, 1149
- Burnett, J.P. *see* Desai, M.A., 118, 1558
- Burnstock, G. *see* Hoyle, C.H.V., 118, 1294
- Burnstock, G. *see* King, B.F., 117, 1111, 1371
- Burnstock, G. *see* Knight, G.E., 117, 873
- Burnstock, G. *see* Knight, G.E., 118, 1518
- Burnstock, G. *see* Pinna, C., 119, 655
- Burnstock, G. *see* Pintor, J., 119, 1006
- Burnstock, G. *see* Ralevic, V., 117, 1463
- Burnstock, G. *see* Ralevic, V., 117, 1797
- Burnstock, G. *see* Ralevic, V., 118, 428
- Burnstock, G. *see* Ralevic, V., 118, 435
- Burnstock, G. *see* Ralevic, V., 118, 1675
- Burnstock, G. *see* Ralevic, V., 119, 1347
- Burnstock, G. *see* Rubino, A., 118, 1415
- Burt, R.P., Chapple, C.R. and Marshall, I. The role of diacylglycerol and activation of protein kinase C in α_{1A} -adrenoceptor-mediated contraction to noradrenaline of rat isolated epididymal vas deferens, 117, 224
- Burt, R.P. *see* Marshall, I., 119, 407
- Burton, M. *see* Roberts, C., 117, 384
- Büscher, R., Heeks, C., Taguchi, K. and Michel, M.C. Comparison of guinea-pig, bovine and rat α_1 -adrenoceptor subtypes, 117, 703
- Bushell, T.J., Jane, D.E., Tse, H.-W., Watkins, J.C., Garthwaite, J. and Collingridge, G.L. Pharmacological antagonism of the actions of group II and III mGluR agonists in the lateral perforant path of rat hippocampal slices, 117, 1457
- Busse, R. *see* Boese, M., 119, 707
- Busse, R. *see* Hecker, M., 118, 2178
- Busse, R. *see* Pörsti, I., 117, 231
- Butler, A.R. *see* Flitney, F.W., 117, 1549
- Butta, N., Martin-Requero, A., Urcelay, E., Parrilla, R. and Ayuso, M.S.

- Modulation of the hepatic α_1 -adrenoceptor responsiveness by colchicine: dissociation of free cytosolic Ca^{2+} -dependent and independent responses, **118**, 1797
- Buus, N.H. *see* Jensen, P.E., **117**, 1238
- Buxton, I.L.O. *see* Kuenzli, K.A., **119**, 737
- Buxton, I.L.O. *see* Yang, S., **117**, 1572
- Bywater, R.A.R. *see* Watson, M.J., **118**, 1605
- C**
- Caesar, B. *see* Laight, D.W., **117**, 1471
- Calabresi, P. *see* Mercuri, N.B., **117**, 528
- Caldwell, R.W. *see* Papapetropoulos, A., **118**, 1359
- Caligiuri, A. *see* Pinzani, M., **119**, 1117
- Calixto, J.B. *see* Campos, M.M., **117**, 793
- Calixto, J.B. *see* Corrêa, C.R., **117**, 552
- Calixto, J.B. *see* Saleh, T.S.F., **118**, 811
- Callachan, H. *see* Belelli, D., **118**, 563
- Calo, G. *see* Bogoni, G., **119**, 1600
- Camastra, C. *see* Iuliano, L., **119**, 1438
- Campbell, E.A. *see* Davis, C.L., **118**, 1469
- Campbell, W.B. *see* Stein, E.A., **119**, 107
- Campo, G.M. *see* Squadrito, F., **119**, 23
- Campo, G.M. *see* Squadrito, F., **119**, 1079
- Campobasso, C. *see* Bogoni, G., **119**, 1600
- Campos, M.M., Souza, G.E.P. and Calixto, J.B. Upregulation of B_1 receptor mediating des-Arg⁹-BK-induced rat paw oedema by systemic treatment with bacterial endotoxin, **117**, 793
- Campos Rosa, J. *see* Dunn, P.M., **117**, 35
- Canale, P. *see* Squadrito, F., **119**, 23
- Canale, P. *see* Squadrito, F., **119**, 1079
- Candura, S.M., Messori, E., Franceschetti, G.P., D'Agostino, G., Vicini, D., Tagliani, M. and Tonini, M. Neural 5-HT₄ receptors in the human isolated detrusor muscle: effects of indole, benzimidazolone and substituted benzamide agonists and antagonists, **118**, 1965
- Canet, E. *see* Corriu, C., **117**, 607
- Canet, E. *see* Corriu, C., **119**, 959
- Canet, E. *see* Félétou, M., **118**, 1371
- Cano, J. *see* de la Cruz, C.P., **117**, 1756
- Cantera, L. *see* Adner, M., **119**, 1159
- Canti, C. *see* Martí, E., **118**, 1232
- Cao, L.S. *see* Pu, Q., **118**, 1072
- Caput, D. *see* Kolios, G., **119**, 351
- Caputi, A.P. *see* Squadrito, F., **119**, 23
- Caputi, A.P. *see* Squadrito, F., **119**, 1079
- Cardinal, R. *see* Beaulieu, P., **118**, 1790
- Cardona-Sanclemente, L.E. and Born, G.V.R. Increase by adrenaline or angiotensin II of the accumulation of low density lipoprotein and fibrinogen by aortic walls in unrestrained conscious rats, **117**, 1089
- Carey, F. *see* Sudlow, A.W., **117**, 1449
- Cargnelli, G. *see* Bova, S., **117**, 1041
- Carlà, V. *see* Mannaioni, G., **118**, 1530
- Carpenter, E. *see* Phenna, S., **119**, 315
- Carr, M.J., Goldie, R.G. and Henry, P.J. Influence of respiratory tract viral infection on endothelin-1-induced potentiation of cholinergic nerve-mediated contraction in mouse trachea, **119**, 891
- Carr, M.J., Goldie, R.G. and Henry, P.J. Time course of changes in ET_B receptor density and function in tracheal airway smooth muscle during respiratory tract viral infection in mice, **117**, 1222
- Carrasco, M.P., Sanchez-Amate, M.C., Marco, C. and Segovia, J.L. Evidence of differential effects produced by ethanol on specific phospholipid biosynthetic pathways in rat hepatocytes, **119**, 233
- Carrier, M.J. *see* Laight, D.W., **117**, 1471
- Carrozza, J.P. *see* Miao, L., **117**, 559
- Caruso, P. *see* Civelli, M., **118**, 923
- Cases, E., Vila, J.M., Medina, P., Aldasoro, M., Segarra, G. and Lluch, S. Increased responsiveness of human pulmonary arteries in patients with positive bronchodilator response, **119**, 1337
- Cassels, B.K. *see* Madrero, Y., **119**, 1563
- Castro, E. *see* Mateo, J., **119**, 1223
- Castro, S.W., Buell, G., Feniuk, W. and Humphrey, P.P.A. Differences in the operational characteristics of the human recombinant somatostatin receptor types, sst_1 and sst_2 , in mouse fibroblast (Ltk⁻) cells, **117**, 639
- Catapano, A.L. *see* Soma, M.R., **118**, 215
- Catravas, J.D. *see* Marczin, N., **118**, 1085
- Catravas, J.D. *see* Papapetropoulos, A., **117**, 147
- Catravas, J.D. *see* Papapetropoulos, A., **118**, 1359
- Catterall, C. *see* Hughes, B., **118**, 1183
- Cavazzani, P. *see* Bonanno, G., **118**, 1441
- Cavet, M.E., West, M. and Simmons, N.L. Transport and epithelial secretion of the cardiac glycoside, digoxin, by human intestinal epithelial (Caco-2) cells, **118**, 1389
- Cawthorne, M.A. *see* Deng, C., **118**, 929
- Cawthorne, M.A. *see* Liu, Y.-L., **117**, 1355
- Cayabyab, F.S. and Daniel, E.E. Role of sarcoplasmic reticulum in inhibitory junction potentials and hyperpolarizations by nitric oxide donors in opossum oesophagus, **118**, 2185
- Cecchi, M. *see* Blandina, P., **119**, 1656
- Cecchi, R. *see* Manara, L., **117**, 435
- Cellek, S., Kasakov, L. and Moncada, S. Inhibition of nitrergic relaxations by a selective inhibitor of the soluble guanylate cyclase, **118**, 137
- Cerasi, E. *see* Sasson, S., **117**, 1318
- Cerbai, E. *see* Guerra, L., **118**, 1278
- Chai, S.K. *see* Sim, M.K., **117**, 1504
- Chakraverty, S. *see* Corrêa, C.R., **117**, 552
- Challiss, R.A.J. *see* Mistry, R., **117**, 1309
- Challiss, R.A.J. *see* Mistry, R., **117**, 1735
- Chalmers, D.H. *see* Kenny, B.A., **118**, 871
- Chambers, J.P. *see* Faber, E.S.L., **119**, 189
- Chamienia, A.L. and Johns, E.J. The cardiovascular and renal functional responses to the 5-HT_{1A} receptor agonist flesinoxan in two rat models of hypertension, **118**, 1891
- Chan, J.Y.H., Huang, C.-L. and Chan, S.H.H. Nitric oxide as a mediator of cocaine-induced penile erection in the rat, **118**, 155
- Chan, S.H.H. *see* Chan, J.Y.H., **118**, 155
- Chang, C.C. *see* Hong, S.J., **118**, 797
- Chang, G.-J., Wu, M.-H., Wu, Y.-C. and Su, M.-J. Electrophysiological mechanisms for antiarrhythmic efficacy and positive inotropy of liriodenine, a natural aporphine alkaloid from *Fissistigma glaucescens*, **118**, 1571
- Chanussot, F. *see* Clerc, T., **118**, 1862
- Chapal, J. *see* Saïag, B., **118**, 804
- Chapman, A.G. *see* Smith, S.E., **119**, 165
- Chapman, R.A. *see* Allen, T.J.A., **118**, 249
- Chapman, V. *see* Stanfa, L.C., **118**, 1875
- Chapple, C.R. *see* Burt, R.P., **117**, 224
- Chapple, C.R. *see* Chess-Williams, R., **119**, 1093
- Chapple, C.R. *see* Marshall, I., **119**, 407
- Chari, S.S. *see* Dikshit, M., **119**, 578
- Charles, S.L. *see* Southam, E., **119**, 527
- Charlesworth, P., Jacobson, I. and Richards, C.D. *Erratum*, **117**, 1370
- Charlton, S.J., Brown, C.A., Weisman, G.A., Turner, J.T., Erb, L. and Boarder, M.R. Cloned and transfected P2Y₄ receptors: characterization of a suramin and PPADS-insensitive response to UTP, **119**, 1301
- Charlton, S.J., Brown, C.A., Weisman, G.A., Turner, J.T., Erb, L. and Boarder, M.R. PPADS and suramin as antagonists at cloned P2Y- and P2U-purinoreceptors, **118**, 704
- Charlton, S.J. *see* Johnson, C.R., **117**, 823
- Chemtob, S. *see* Deng, X.F., **119**, 269
- Chen, B.C., Lee, C.-M. and Lin, W.-W. Inhibition of ecto-ATPase by PPADS, suramin and reactive blue in endothelial cells, C₆ glioma cells and RAW 264.7 macrophages, **119**, 1628
- Chen, C.K. *see* Daniel, E.E., **117**, 1535
- Chen, I.J., Yeh, J.L., Lo, Y.C., Sheu, S.H. and Lin, Y.T. Capsinlolol: the first β -adrenoceptor blocker with an associated calcitonin gene-related peptide releasing activity in the heart, **119**, 7
- Chen, J., Komori, S., Li, B., Tamura, K. and Hashimoto, K. I_{K} independent class III actions of MS-551 compared with sematilide and dofetilide during reperfusion in anaesthetized rats, **119**, 937
- Chen, M., Hashizume, H. and Abiko, Y. Effects of β -adrenoceptor antagonists on Ca^{2+} -overload induced by lysophosphatidylcholine in rat isolated cardiomyocytes, **118**, 865

- Chen, Y.-H. *see* Tsai, S.-C., 118, 984
- Cheng, C.-H. *see* Saifeddine, M., 118, 521
- Cheng, J.B. *see* Pettipher, E.R., 117, 1530
- Cheng, Y.W. *see* Kang, J.J., 118, 1736
- Chesnoy-Marchais, D. Potentiation of chloride responses to glycine by three 5-HT₃ antagonists in rat spinal neurones, 118, 2115
- Chesnoy-Marchais, D. and Barthe, J.Y. Voltage-dependent block of NMDA responses by 5-HT agonists in ventral spinal cord neurones, 117, 133
- Chess-Williams, R., Chapple, C.R., Verfurth, F., Noble, A.J., Couldwell, C.J. and Michel, M.C. The effects of SB 216469, an antagonist which discriminates between the α_{1A} -adrenoceptor and the human prostatic α_1 -adrenoceptor, 119, 1093
- Chessell, I.P., Black, M.D., Feniuk, W. and Humphrey, P.P.A. Operational characteristics of somatostatin receptors mediating inhibitory actions on rat locus coeruleus neurones, 117, 1673
- Cheung, W.-T. *see* Sum, C.-S., 118, 1523
- Chi, J.-F., Chu, S.-H., Lee, C.-S., Chou, N.-K. and Su, M.-J. Mechanical and electrophysiological effects of 8-oxoberberine (JKL1073A) on atrial tissue, 118, 503
- Chi, L., Park, J.L., Friedrichs, G.S., Banglawala, Y.A., Perez, M.A., Tanhehco, E.J. and Lucchesi, B.R. Effects of tedisamil (KC-8857) on cardiac electrophysiology and ventricular fibrillation in the rabbit isolated heart, 117, 1261
- Chiao, Y.-C. *see* Tsai, S.-C., 118, 984
- Chieng, B. *see* Connor, M., 119, 1614
- Chierchia, S. *see* Pellegatta, F., 118, 471
- Chignard, M. *see* Gonçalves de Moraes, V.L., 117, 1792
- Chignard, M. *see* Renesto, P., 117, 902
- Chilvers, E.R. *see* Kitchen, E., 117, 979
- Cho, Y.J. *see* Kang, S.A., 117, 1780
- Choi, S.-Y. and Kim, K.-T. Characterization of Na⁺ influx mediated by ATP⁴⁻-activated P₂ purinoceptors in PC12 cells, 118, 935
- Chou, N.-K. *see* Chi, J.-F., 118, 503
- Chow, W.L. *see* Weber, L.P., 118, 115
- Christian, E.P., Spence, K.T., Togo, J.A., Dargis, P.G. and Warawa, E. Extracellular site for econazole-mediated block of Ca²⁺ release-activated Ca²⁺ current (*I_{Crac}*) in T lymphocytes, 119, 647
- Christians, U. *see* Lampen, A., 117, 1730
- Christie, M.J. *see* Connor, M., 119, 1614
- Christie, M.J. *see* Vaughan, C.W., 117, 1609
- Christophersen, P. *see* Strøbæk, D., 118, 1645
- Chu, L.-a. *see* Kwan, Y.W., 118, 755
- Chu, S.-H. *see* Chi, J.-F., 118, 503
- Chueh, S.-C. *see* Guh, J.-H., 117, 1716
- Chuliá, S., Moreau, J., Naline, E., Noguera, M.A., Ivorra, M.D., D'Ocón, M.P. and Advenier, C. The effect of S-(+)-boldine on the α_1 -adrenoceptor of the guinea-pig aorta, 119, 1305
- Chulia, T. *see* Del Rio, M., 118, 1639
- Chung-a-on, K.O., Soyombo, O., Spur, B.W. and Lee, T.H. Stimulation of protein kinase C redistribution and inhibition of leukotriene B₄-induced inositol 1,4,5-trisphosphate generation in human neutrophils by lipoxin A₄, 117, 1334
- Church, M.K. *see* Tenor, H., 118, 1727
- Ciabattoni, G. *see* Patrignani, P., 118, 1285
- Ciccarelli, E. *see* Hou, X., 117, 955
- Cilia, J. *see* Kennett, G.A., 117, 427
- Cima, L. *see* Bova, S., 117, 1041
- Cincotta, M. *see* Rowley, K.G., 118, 1615
- Cirino, G., Wheeler-Jones, C.P.D., Wallace, J.L., Del Soldato, P. and Baydoun, A.R. Inhibition of inducible nitric oxide synthase expression by novel nonsteroidal anti-inflammatory derivatives with gastro-intestinal-sparing properties, 117, 1421
- Civelli, M., Giossi, M., Caruso, P., Razzetti, R., Bergamaschi, M., Bongrani, S. and Gasco, A. The involvement of the release of nitric oxide in the pharmacological activity of the new furoxan derivative CHF 2363, 118, 923
- Clanachan, A.S. *see* Finegan, B.A., 118, 355
- Clark, R. *see* Tallentire, D., 118, 63
- Clarke, P.B.S. and Reuben, M. Release of [³H]-noradrenaline from rat hippocampal synaptosomes by nicotine: mediation by different nicotinic receptor subtypes from striatal [³H]-dopamine release, 117, 595
- Clarke, R.W., Harris, J. and Houghton, A.K. Spinal 5-HT-receptors and tonic modulation of transmission through a withdrawal reflex pathway in the decerebrated rabbit, 119, 1167
- Clarke, V.R.J. *see* Harvey, J., 119, 1239
- Clayton, N.M. *see* Bahl, A.K., 117, 580
- Clayton, R.A. *see* MacLean, M.R., 119, 277
- Clerc, T., Sbarra, V., Domingo, N., Rault, J.P., Diaconescu, N., Moutardier, V., Hasselot, N., Lafont, H., Jadot, G., Laruelle, C. and Chansusot, F. Differences in hypolipidaemic effects of two statins on Hep G2 cells or human hepatocytes in primary culture, 118, 1862
- Clos, M.V., Garcia Sanz, A., Trullas, R. and Badia, A. Effect of 1-aminocyclopropanecarboxylic acid on N-methyl-D-aspartate-stimulated [³H]-noradrenaline release in rat hippocampal synaptosomes, 118, 901
- Coates, J. *see* Bahl, A.K., 117, 580
- Cocconi, F., Kelsey, L., Seidlitz, E. and Korzekwa, K. Inhibition of the contraction of the ductus arteriosus to oxygen by 1-aminobenzotriazole, a mechanism-based inactivator of cytochrome P450, 117, 1586
- Cocconi, F., Kelsey, L. and Seidlitz, E. Carbon monoxide-induced relaxation of the ductus arteriosus in the lamb: evidence against the prime role of guanylyl cyclase, 118, 1689
- Cocks, T.M. *see* Drummond, G.R., 117, 1035
- Coers, W. *see* de Boer, J., 119, 1109
- Cohen, F.R., Lazareno, S. and Birdsall, N.J.M. The effects of saponin on the binding and functional properties of the human adenosine A₁ receptor, 117, 1521
- Coker, S.J. *see* Shaw, L.A., 117, 817
- Coker, S.J. *see* Shaw, L.A., 118, 1326
- Colavita, A.R. *see* Iuliano, L., 119, 1438
- Cole, P.J. *see* Anderson, R., 117, 1387
- Coles, G.A. *see* Balakrishnan, V.S., 117, 879
- Collett, V.J. *see* Bresink, I., 119, 195
- Collingridge, G.L. *see* Bresink, I., 119, 195
- Collingridge, G.L. *see* Bushell, T.J., 117, 1457
- Collingridge, G.L. *see* Frankiewicz, T., 117, 689
- Collingridge, G.L. *see* Harvey, J., 119, 1239
- Collingridge, G.L. *see* Rammes, G., 117, 1209
- Collins, S.M. *see* Barajas-López, C., 119, 1541
- Concas, A., Mostallino, M.C., Perra, C., Lener, R., Roscetti, G., Barbaccia, M.L., Purdy, R.H. and Biggio, G. Functional correlation between allopregnanolone and [³⁵S]-TBPS binding in the brain of rats exposed to isoniazid, pentylentetrazol or stress, 118, 839
- Condliffe, A.M. *see* Kitchen, E., 117, 979
- Conklyn, M.J. *see* Showell, H.J., 117, 1127
- Connor, M., Vaughan, C.W., Chieng, B. and Christie, M.J. Nociceptin receptor coupling to a potassium conductance in rat locus coeruleus neurones *in vitro*, 119, 1614
- Connor, M., Yeo, A. and Henderson, G. The effect of nociceptin on Ca²⁺ channel current and intracellular Ca²⁺ in the SH-SY5Y human neuroblastoma cell line, 118, 205
- Connor, M. and Henderson, G. δ - and μ -opioid receptor mobilization of intracellular calcium in SH-SY5Y human neuroblastoma cells, 117, 333
- Contarino, A. *see* Zanotti, A., 117, 647
- Conway, A.-M. *see* Tolan, D., 119, 185
- Cooper, J. *see* Alexander, S.P.H., 119, 1286
- Coote, J.E. *see* Wilkinson, G.F., 118, 445
- Cordeiro, R.S.B. *see* Bandeira-Melo, C., 118, 2192
- Cordi, A.A. *see* Vayssettes-Courchay, C., 117, 587
- Corell, T. *see* Kankaanranta, H., 117, 401
- Corrêa, C.R., Kyle, D.J., Chakraverty, S. and Calixto J.B. Antinociceptive profile of the pseudopeptide B₂ bradykinin receptor antagonist NPC 18688 in mice, 117, 552
- Correia-de-Sá, P. *see* Cunha, R.A., 119, 253
- Corrigan, C.J. *see* Giembycz, M.A., 118, 1945
- Corriu, C., Félétou, M., Canet, E. and Vanhoutte, P.M. Endothelium-derived factors and hyperpolarization of the carotid artery of the guinea-pig, 119, 959
- Corriu, C., Félétou, M., Canet, E. and Vanhoutte, P.M. Inhibitors of the cytochrome P450-mono-oxygenase and endothelium-dependent hyperpolarizations in the guinea-pig isolated carotid artery, 117, 607
- Côrtes, S. de F., Andriantsitohaina, R. and Stoclet, J.C. Alterations of

- cyclo-oxygenase products and NO in responses to angiotensin II of resistance arteries from the spontaneously hypertensive rat, **119**, 1635
- Cortijo, J., Villagrasa, V., Navarrete, C., Sanz, C., Berto, L., Michel, A., Bonnet, P.A. and Morcillo, E.J. Effects of SCA40 on human isolated bronchus and human polymorphonuclear leukocytes: comparison with rolipram, SKF94120 and levcromakalim, **119**, 99
- Coruzzi, G., Adami, M., Pozzoli, C., Giorgi, F. and Bertaccini, G. Cardiac and gastric effects of histamine H₂ receptor antagonists: no evidence for a correlation between lipophilicity and receptor affinity, **118**, 1813
- Costa, G. *see* García-Pascual, A., **118**, 905
- Costa, S.K.P. *see* Palframan, R.T., **118**, 295
- Costall, B. *see* Tuladhar, B.R., **117**, 1679
- Costall, B. *see* Tuladhar, B.R., **119**, 303
- Costantino, M. *see* Norel, X., **119**, 149
- Coste, H. *see* Delpy, E., **119**, 471
- Cottrell, G.A. *see* Green, K.A., **119**, 602
- Couldwell, C.J. *see* Chess-Williams, R., **119**, 1093
- Coupar, I.M. *see* Liu, L., **117**, 787
- Coupar, I.M. *see* McLean, P.G., **117**, 238
- Coupar, I.M. *see* McLean, P.G., **118**, 1058
- Coutts, A.A. *see* Pertwee, R.G., **118**, 2199
- Couture, R. *see* Picard, P., **117**, 241
- Couture, R. *see* Poulat, P., **117**, 250
- Cover, P.O. *see* Hadley, A.J., **119**, 463
- Cox, B.M. *see* Noble, F., **117**, 161
- Cox, H.M. *see* Holliday, N.D., **119**, 321
- Cox, S.L., Story, D.F. and Ziogas, J. Angiotensin II receptors involved in the enhancement of noradrenergic transmission in the caudal artery of the spontaneously hypertensive rat, **119**, 965
- Cox, S.L., Story, D.F. and Ziogas, J. Multiple prejunctional actions of angiotensin II on noradrenergic transmission in the caudal artery of the rat, **119**, 976
- Crema, F. *see* De Ponti, F., **117**, 1374
- Criddle, D.N., Soares de Moura, R., Greenwood, I.A. and Large, W.A. Effect of niflumic acid on noradrenaline-induced contractions of the rat aorta, **118**, 1065
- Croci, T. *see* De Ponti, F., **117**, 1374
- Croci, T. *see* Manara, L., **117**, 435
- Cross, L.J.M., Beck-Sickinger, A.G., Bienert, M., Gaida, W., Jung, G., Krause, E. and Ennis, M. Structure activity studies of mast cell activation and hypotension induced by neuropeptide Y (NPY), centrally truncated and C-terminal NPY analogues, **117**, 325
- Cunha, R.A., Correia-de-Sá, P., Sebastião, A.M. and Ribeiro, J.A. Preferential activation of excitatory adenosine receptors at rat hippocampal and neuromuscular synapses by adenosine formed from released adenine nucleotides, **119**, 253
- Cunnane, T.C. *see* Brock, J.A., **118**, 776
- Currie, M.G. *see* Salvemini, D., **118**, 829
- Curro, D., Volpe, A.R. and Preziosi, P. Nitric oxide synthase activity and non-adrenergic non-cholinergic relaxation in the rat gastric fundus, **117**, 717
- Curtis, M.J. *see* Ellwood, A.J., **119**, 721
- Cvetkovski, R. *see* Goldie, R.G., **117**, 736

D

- Da Ros, B. *see* Banner, K.H., **119**, 1255
- Dacquet, C. *see* King, B.F., **117**, 1111
- Daffonchio, L. *see* Shams, H., **117**, 853
- D'Agostino, B. *see* El-Hashim, A., **119**, 1262
- D'Agostino, G. *see* Candura, S.M., **118**, 1965
- Dahlbäck, M. *see* Fornhem, C., **118**, 989
- Dale, N. *see* Kuenzi, F.M., **119**, 81
- Dalpiaz, A. *see* Varani, K., **117**, 1693
- Dalziel, H.H. *see* Ward, S.M., **118**, 49
- Dambisya, Y.M. and Lee, T.-L. Role of nitric oxide in the induction and expression of morphine tolerance and dependence in mice, **117**, 914
- D'Amico, M., Dashwood, M.R. and Warner, T.D. Endothelin-1 and the periaqueductal gray area of the rat: an autoradiographic and functional pharmacological study, **118**, 21
- Danhof, M. *see* Mathôt, R.A.A., **118**, 369
- Daniel, E.E., Low, A.M., Gaspar, V., Lu-Chao, H., Green, J., Akrong, J., Duerksen, S., Soyka, C., Chen, C.K., Boyd, J. and Kwan, C.Y. Unusual α -adrenoceptor subtype in canine saphenous vein: comparison to mesenteric vein, **117**, 1535
- Daniel, E.E. *see* Cayabyab, F.S., **118**, 2185
- Danser, A.H.J. *see* van Kats, J.P., **117**, 891
- Danuser, H. and Thor, K.B. Spinal 5-HT₂ receptor-mediated facilitation of pudendal nerve reflexes in the anaesthetized cat, **118**, 150
- D'Aprile, A.C. *see* Goldie, R.G., **117**, 729
- D'Aprile, A.C. *see* Goldie, R.G., **117**, 736
- Dargis, P.G. *see* Christian, E.P., **119**, 647
- Dashwood, M.R. *see* D'Amico, M., **118**, 21
- Dashwood, M.R. *see* St Lambert, J.H., **117**, 277
- Davenport, A.P. *see* Bacon, C.R., **117**, 986
- Davenport, A.P. *see* Maguire, J.J., **118**, 335
- Davenport, A.P. *see* Peter, M.G., **117**, 455
- Davenport, A.P. *see* Plumpton, C., **119**, 311
- Davenport, A.P. *see* Russell, F.D., **119**, 631
- Davies, J. *see* Heygate, K.M., **119**, 495
- Davis, A.J. and Perkins, M.N. Substance P and capsaicin-induced mechanical hyperalgesia in the rat knee joint: the involvement of bradykinin B₁ and B₂ receptors, **118**, 2206
- Davis, C.L., Naeem, S., Phagoo, S.B., Campbell, E.A., Urban, L. and Burgess, G.M. B₁ bradykinin receptors and sensory neurones, **118**, 1469
- Davis, S.C. *see* Zygmunt, P.M., **118**, 1147
- de Aranda, I.G. *see* Martí, E., **118**, 1232
- De Bie, J.J., Hessel, E.M., Van Ark, I., Van Esch, B., Hofman, G., Nijkamp, F.P. and Van Oosterhout, A.J.M. Effect of dexamethasone and endogenous corticosterone on airway hyperresponsiveness and eosinophilia in the mouse, **119**, 1484
- de Boer, J., Meurs, H., Coers, W., Koopal, M., Bottone, A.E., Visser, A.C., Timens, W. and Zaagsma, J. Deficiency of nitric oxide in allergen-induced airway hyperreactivity to contractile agonists after the early asthmatic reaction: an *ex vivo* study, **119**, 1109
- de Boer, R.E.P., Steegstra, M.R., Kroezen, P.A., Smit, J. and Zaagsma, J. Influence of adrenomedullation on β_2 - and β_3 -adrenoceptors mediating relaxation of oesophageal smooth muscle of spontaneously hypertensive rats, **119**, 1355
- de Brum-Fernandes, A.J., Morisset, S., Bkaily, G. and Patry, C. Characterization of the PGE₂ receptor subtype in bovine chondrocytes in culture, **118**, 1597
- de Champlain, J. *see* Poulat, P., **117**, 250
- de Costa, B.R. *see* Monnet, F.P., **119**, 65
- de Jesús Gómez, M. *see* Sánchez, A., **118**, 2017
- De Kimpe, S.J. *see* Kengatharan, K.M., **119**, 1411
- De Kimpe, S.J. *see* Kengatharan, M., **117**, 1163
- de la Cruz, C.P., Revilla, E., Steffen, V., Rodríguez-Gómez, J.A., Cano, J. and Machado, A. Protection of the aged substantia nigra of the rat against oxidative damage by (-)-deprenyl, **117**, 1756
- De Léan, A. *see* Beaulieu, P., **118**, 1790
- De Man, J.G., De Winter, B.Y., Boeckxstaens, G.E., Herman, A.G. and Pelckmans, P.A. Effect of Cu²⁺ on relaxations to the nitrergic neurotransmitter, NO and S-nitrosothiols in the rat gastric fundus, **119**, 990
- De Man, J.G., De Winter, B.Y., Boeckxstaens, G.E., Herman, A.G. and Pelckmans, P.A. Effect of thiol modulators and Cu/Zn superoxide dismutase inhibition on nitrergic relaxations in the rat gastric fundus, **119**, 1022
- De Mey J.G.R. *see* Eerdman, P.H.A., **119**, 637
- de Nucci, G. *see* Donato, J.L., **119**, 1447
- de Nucci, G. *see* Palframan, R.T., **118**, 295
- De Ponti, F., Gibelli, G., Croci, T., Arcidiaco, M., Crema, F. and Manara, L. Functional evidence of atypical β_3 -adrenoceptors in the human colon using the β_3 -selective adrenoceptor antagonist, SR 59230A, **117**, 1374
- De Vries, P., Heiligers, J.P.C., Villalón, C.M. and Saxena, P.R. Blockade of porcine carotid vascular responses to sumatriptan by GR127935, a selective 5-HT_{1D} receptor antagonist, **118**, 85
- De Winter, B.Y. *see* De Man, J.G., **119**, 990, 1022
- de-Allie, F.A., Bolsover, S.R., Nowicky, A.V. and Strong, P.N. Characterization of Ca²⁺-activated ⁸⁶Rb⁺ fluxes in rat C6 glioma cells: a system for identifying novel IK_{Ca}-channel toxins, **117**, 479
- Dear, J.W., Ghali, S. and Foreman, J.C. Attenuation of human nasal airway

- responses to bradykinin and histamine by inhibitors of nitric oxide synthase, **118**, 1177
- Dear, J.W., Wirth, K., Scadding, G.K. and Foreman, J.C. Characterization of the bradykinin receptor in the human nasal airway using the binding of [¹²⁵I]-Hoe 140, **119**, 1054
- Debets, S.J.M. *see* Eerdmans, P.H.A., **119**, 637
- Debetto, P. *see* Bova, S., **117**, 1041
- Deetjen, P. *see* Gschwentner, M., **118**, 41
- DeFranco, R. *see* Pinzani, M., **119**, 1117
- Deitrich, R.A. *see* Dildy-Mayfield, J.E., **118**, 378
- Del Rio, M., Chulia, T., Ruiz, E. and Tejerina, T. Action of probrucol in arteries from normal and hypercholesterolaemic rabbits, **118**, 1639
- Del Soldato, P. *see* Cirino, G., **117**, 1421
- Delpón, E., Valenzuela, C., Pérez, O., Franqueza, L., Gay, P., Snyders, D.J. and Tamargo, J. Mechanisms of block of a human cloned potassium channel by the enantiomers of a new bradycardic agent: S-16257-2 and S-16260-2, **117**, 1293
- Delpy, E., Coste, H. and le Monnier de Gouville, A.-C. Effects of cyclic GMP elevation on isoprenaline-induced increase in cyclic AMP and relaxation in rat aortic smooth muscle: role of phosphodiesterase 3, **119**, 471
- Delpy, E. and le Monnier de Gouville, A.-C. Cardiovascular effects of a novel, potent and selective phosphodiesterase 5 inhibitor, DMPP0: *in vitro* and *in vivo* characterization, **118**, 1377
- Delvaux, M. *see* Rekik, M., **118**, 477
- den Hertog, A. *see* Henning, R.H., **117**, 1785
- den Hertog, A. *see* Sipma, H., **119**, 730
- Deng, C., Paoloni-Giacobino, A., Kuehne, F., Boss, O., Revelli, J.-P., Moinat, M., Cawthorne, M.A., Muzzin, P. and Giacobino, J.-P. Respective degrees of expression of β_1 -, β_2 - and β_3 -adrenoceptors in human brown and white adipose tissues, **118**, 929
- Deng, M.C. *see* Vahlensieck, U., **119**, 835
- Deng, X.F., Chemtob, S. and Varma, D.R. Characterization of α_{1D} -adrenoceptor subtype in rat myocardium, aorta and other tissues, **119**, 269
- Derkx, F.H.M. *see* van Kats, J.P., **117**, 891
- Desai, M.A., Burnett, J.P., Mayne, N.G. and Schoepp, D.D. Pharmacological characterization of desensitization in a human mGlu α -expressing non-neuronal cell line co-transfected with a glutamate transporter, **118**, 1558
- Descombes, J.-J. *see* Illiano, S., **117**, 360
- Dessy, C. and Godfraind, T. The effect of L-type calcium channel modulators on the mobilization of intracellular calcium stores in guinea-pig intestinal smooth muscle, **119**, 142
- Devynck, M.-A. *see* Le Quan Sang, K.-H., **119**, 1361
- Dewhurst, M. *see* Omawari, N., **118**, 186
- Dezaki, K., Kimura, I., Tsuneki, H. and Kimura, M. Enhancement by calcitonin gene-related peptide of non-contractile Ca²⁺-induced nicotinic receptor desensitization at the mouse neuromuscular junction, **118**, 1971
- Dhein, S. *see* Salameh, A., **118**, 1899
- di Gamberardino, M. *see* Patrignani, P., **118**, 1285
- Diaconescu, N. *see* Clerc, T., **118**, 1862
- Díaz, V. *see* Sánchez, A., **118**, 2017
- Dichtl, M. *see* Berjukov, S., **119**, 1197
- Dickenson, A.H. *see* Stanfa, L.C., **118**, 1875
- Dickinson, R., Lieb, W.R. and Franks, N.P. *Erratum*, **117**, 1369
- Diéguez, G. *see* García-Villalón, A.L., **118**, 1848
- Diekmann, F. *see* Hochoer, B., **118**, 220
- Diener, M., Hug, F., Strabel, D. and Scharrer, E. Cyclic AMP-dependent regulation of K⁺ transport in the rat distal colon, **118**, 1477
- Dietrich, C.P. *see* Donato, J.L., **119**, 1447
- Dik, I.E.M. *see* Sadeghi-Hashjin, G., **118**, 466
- Dikshit, M., Chari, S.S., Seth, P. and Kumari, R. Interaction of nitric oxide synthase inhibitors and their D-enantiomers with rat neutrophil luminol dependent chemiluminescence response, **119**, 578
- Dildy-Mayfield, J.E., Mihic, S.J., Liu, Y., Deitrich, R.A. and Harris, R.A. Actions of long chain alcohols on GABA_A and glutamate receptors: relation to *in vivo* effects, **118**, 378
- Dionisotti, S. *see* Zocchi, C., **117**, 1381
- Dissing, S. *see* Gromada, J., **118**, 769
- Dissing, S. *see* Strøbæk, D., **118**, 1645
- Distler, A. *see* Hochoer, B., **118**, 220
- Dixon, A.K., Gubitz, A.K., Sirinathsinghji, D.J.S., Richardson, P.J. and Freeman, T.C. Tissue distribution of adenosine receptor mRNAs in the rat, **118**, 1461
- Do, E. *see* Baudet, S., **117**, 258
- Docherty, C.C. *see* McCulloch, K.M., **119**, 1125
- Docherty, R.J. *see* Boddeke, H.W.G.M., **118**, 1836
- D'Ocón, M.P. *see* Chuliá, S., **119**, 1305
- D'Ocon, P. *see* Madrero, Y., **119**, 1563
- D'Ocon, P. *see* Noguera, M.A., **119**, 158
- Domenici, M.R., Scotti de Carolis, A. and Sagratella, S. Block by N⁶-L-phenylisopropyl-adenosine of the electrophysiological and morphological correlates of hippocampal ischaemic injury in the gerbil, **118**, 1551
- Domergue, V. *see* Richer, C., **117**, 315
- Domingo, N. *see* Clerc, T., **118**, 1862
- Domingues-Costa, A. *see* Vaz-da-Silva, M., **118**, 364
- Donato, J.L., Marcondes, S., Antunes, E., Nogueira, M.D., Nader, H.B., Dietrich, C.P., Rendu, F. and de Nucci, G. Role of chondroitin 4-sulphate as a receptor for polycation induced human platelet aggregation, **119**, 1447
- Donetti, E. *see* Soma, M.R., **118**, 215
- Donnelly, L.E. *see* Allport, J.R., **118**, 1111
- Donnini, S. *see* Parenti, A., **119**, 619
- Doods, H.N. *see* Gicquiaux, H., **119**, 1313
- Doong, M.-L. *see* Tsai, S.-C., **118**, 984
- Dorantes, A.L. *see* Sánchez, A., **118**, 2017
- Dörge, L. *see* Martin, U., **118**, 271
- Döring, F. *see* Berjukow, S., **118**, 748
- D'Orleans-Juste, P. *see* Bogoni, G., **119**, 1600
- D'Orléans-Juste, P. *see* Lebel, N., **117**, 184
- Dougall, I.G. *see* Lydford, S.J., **117**, 13
- Dowell, F.J., Henrion, D., Duriez, M. and Michel, J.-B. Vascular reactivity in mesenteric resistance arteries following chronic nitric oxide synthase inhibition in Wistar rats, **117**, 341
- Downie, D.L., Hall, A.C., Lieb, W.R. and Franks, N.P. Effects of inhalational general anaesthetics on native glycine receptors in rat medullary neurones and recombinant glycine receptors in *Xenopus* oocytes, **118**, 493
- Doyle, K.M. and Shaw, G.G. Investigation of the involvement of the N-methyl-D-aspartate receptor macrocomplex in the development of spermine-induced CNS excitation *in vivo*, **117**, 1803
- Draguhn, A. *see* Pfeiffer, M., **119**, 569
- Dray, A. *see* Walker, K., **117**, 684
- Drew, G.M. *see* Hilditch, A., **118**, 711
- Drewe, J. *see* Fricker, G., **117**, 217
- Drewe, J. *see* Fricker, G., **118**, 1841
- Drewe, J. *see* Huwyler, J., **118**, 1879
- Droogmans, G. *see* Voets, T., **118**, 1869
- Drożdżik, M. *see* Wójcicki, J., **117**, 1
- Drummond, G.R. and Cocks, T.M. Evidence for mediation by endothelium-derived hyperpolarizing factor of relaxation to bradykinin in the bovine isolated coronary artery independently of voltage-operated Ca²⁺ channels, **117**, 1035
- Dryer, S.E. *see* Reiser, M.A., **118**, 2145
- D'Souza, T. *see* Reiser, M.A., **118**, 2145
- du Souich, P. *see* Pichette, V., **119**, 885
- Dubner, R. *see* Ren, K., **117**, 196
- Dudley, A.J. and Brown, C.D.A. Mediation of cimetidine secretion by P-glycoprotein and a novel H⁺-coupled mechanism in cultured renal epithelial monolayers of LLC-PK₁ cells, **117**, 1139
- Dudley, A.J. *see* Brown, C.D.A., **118**, 443
- Duerksen, S. *see* Daniel, E.E., **117**, 1535
- Duin, M. *see* Henning, R.H., **117**, 1785
- Dulmet, E. *see* Norel, X., **119**, 149
- Dumas, J.-P. *see* Dumas, M., **117**, 633
- Dumas, M., Dumas, J.-P., Rochette, L., Advenier, C. and Giudicelli, J.-F. Comparison of the effects of nicorandil, pinacidil and nitroglycerin on hypoxic and hypercapnic pulmonary vasoconstriction in the isolated perfused lung of rat, **117**, 633
- Dumont, E.C., Lambert, C. and Lamontagne, D. Modification of aortic contractility in the cardiomyopathic hamster, **118**, 1141

- Dumotier, B.M. *see* Puisieux, F.L., 117, 1377
 Dunn, D. *see* Widdowson, P.S., 117, 1761
 Dunn, D. *see* Widdowson, P.S., 119, 374
 Dunn, P.M., Benton, D.C.H., Campos Rosa, J., Ganellin, C.R. and Jenkinson, D.H. Discrimination between subtypes of apamin-sensitive Ca^{2+} -activated K^+ channels by gallamine and a novel *bis*-quaternary quinolinium cyclophane, UCL 1530, 117, 35
 Dunne, M.J. *see* Shepherd, R.M., 119, 911
 Dupuis, B.A. *see* Puisieux, F.L., 117, 1377
 Dupuis, C. *see* Garcia-Villar, R., 118, 1253
 Duriez, M. *see* Dowell, F.J., 117, 341
 Durkin, M.M. *see* Gustafson, E.L., 117, 657
 Düsing, R. *see* Sachinidis, A., 119, 787
 Duval, N., Lunven, C., O'Brien, D.P., Grosset, A., O'Connor, S.E. and Berry, C.N. Antithrombotic actions of the thrombin inhibitor, argatroban, in a canine model of coronary cyclic flow: comparison with heparin, 118, 727

E

- e Silva, P.M.R. *see* Bandeira-Melo, C., 118, 2192
 Eaton, M. *see* Hughes, B., 118, 1183
 Ebsworth, K. *see* Souness, J.E., 118, 649
 Edgmond, W.S. *see* Stein, E.A., 119, 107
 Edvinsson, L. *see* Adner, M., 119, 1159
 Edvinsson, L. *see* Erlinge, D., 118, 1028
 Edvinsson, L. *see* Sun, X.Y., 118, 131
 Edwards, G., Zygmunt, P.M., Högestätt, E.D. and Weston, A.H. Effects of cytochrome P450 inhibitors on potassium currents and mechanical activity in rat portal vein, 119, 691
 Edwards, G. *see* Green, M.E., 119, 1509
 Edwards, G. *see* Kirkup, A.J., 117, 175
 Edwards, G. *see* Zygmunt, P.M., 118, 1147
 Eerdmans, P.H.A., Persoons, M.C.J., Debets, S.J.M., Struijker Boudier, H.A.J., Smits, J.F.M., Bruggeman, C.A. and De Mey J.G.R. Impaired arterial reactivity following cytomegalovirus infection in the immuno-suppressed rat, 119, 637
 Eglén, R.M., Peelle, B., Pulido-Rios, M.T. and Leung, E. Functional interactions between muscarinic M_2 receptors and 5-hydroxytryptamine (5-HT) $_4$ receptors and β_3 -adrenoceptors in isolated oesophageal muscularis mucosae of the rat, 119, 595
 Eglén, R.M. *see* Leung, E., 117, 926
 Ehler, F. *see* Adner, M., 119, 1159
 Eidelman, D.H. *see* Salerno, F.G., 118, 734
 Eidelman, D.H. *see* Salerno, F.G., 119, 183
 Ekström, P. *see* Ny, L., 118, 392
 El Mansari, M. and Blier, P. Functional characterization of 5-HT $_1\text{D}$ auto-receptors on the modulation of 5-HT release in guinea-pig mesencephalic raphe, hippocampus and frontal cortex, 118, 681
 El-Hashim, A. *see* Gozzard, N., 118, 1201
 El-Hashim, A., D'Agostino, B., Matera, M.G. and Page, C. Characterization of adenosine receptors involved in adenosine-induced bronchoconstriction in allergic rabbits, 119, 1262
 EL-Mowafy, A.M. and Abou-Mohamed, G.A. Endothelins-induce cyclic AMP formation in the guinea-pig trachea through an ET_A receptor- and cyclooxygenase-dependent mechanism, 118, 531
 Elghozi, J.-L. *see* Gouédard, O., 119, 1085
 Ellis, E.S. *see* Wardle, K.A., 118, 665
 Ellwood, A.J. and Curtis, M.J. Mechanism of 5-hydroxytryptamine-induced coronary vasodilatation assessed by direct detection of nitric oxide production in guinea-pig isolated heart, 119, 721
 Elorriaga, M. *see* Madrero, Y., 119, 1563
 Elzinga, C.R.S. *see* Hoiting, B.H., 117, 419
 Emala, C.W., Aryana, A. and Hirshman, C.A. Impaired activation of adenylyl cyclase in lung of the Basenji-greyhound model of airway hyperresponsiveness: decreased numbers of high affinity β -adrenoceptors, 118, 2009
 Emanueli, C. *see* Figini, M., 117, 1270
 Emms, F. *see* Bowery, B.J., 119, 1491
 Encabo, A., Romanin, C., Birke, F.W., Kukovetz, W.R. and Groschner, K. Inhibition of a store-operated Ca^{2+} entry pathway in human endothelial

- cells by the isoquinoline derivative LOE 908, 119, 702
 Endlich, K. *see* Massfelder, T., 118, 1995
 Endo, M. *see* Ikemoto, T., 118, 690
 Endo, T. *see* Ninomiya, H., 119, 1341
 Endo, Y. *see* Nakamura, M., 119, 205
 Endoh, M. *see* Abe, F., 118, 1711
 Engelborghs, S. *see* Matton, A., 117, 502
 Ennis, M. *see* Cross, L.J.M., 117, 325
 Erb, L. *see* Charlton, S.J., 118, 704
 Erb, L. *see* Charlton, S.J., 119, 1301
 Erhan, Y. *see* Üstünes, L., 118, 1681
 Erlinge, D., Heilig, M. and Edvinsson, L. Tyrphostin inhibition of ATP-stimulated DNA synthesis, cell proliferation and Fos-protein expression in vascular smooth muscle cells, 118, 1028
 Erlinge, D. *see* Sun, X.Y., 118, 131
 Es-Slami, S. *see* Richer, C., 119, 1642
 Escalante, B. *see* Sánchez, A., 118, 2017
 Escribá, P.V., Alemany, R., Sastre, M., Olmos, G., Ozaita, A. and García-Sevilla, J.A. Pharmacological modulation of immunoreactive imidazole receptor proteins in rat brain: relationship with non-adrenoceptor [^3H]-idazoxan binding sites, 118, 2029
 Espinosa-Luna, R. *see* Barajas-López, C., 119, 1541
 Esplugues, J.V. *see* Martínez-Cuesta, M.A., 118, 1335
 Estrada, C. *see* González, C., 119, 677
 Eszterhas, A.J. *see* Panettieri Jr, R.A., 118, 191
 Etienne, P. *see* Parés-Herbuté, N., 118, 783
 Evans, A.M. and Martin, R.J. Activation and cooperative multi-ion block of single nicotinic-acetylcholine channel currents of *Ascaris* muscle by the tetrahydropyrimidine anthelmintic, morantel, 118, 1127
 Evans, B.A., Papaioannou, M., Bonazzi, V.R. and Summers, R.J. Expression of β_3 -adrenoceptor mRNA in rat tissues, 117, 210
 Evans, R.G. *see* Lew, R.A., 118, 1269
 Evans, R.G. *see* Tomoda, F., 119, 365
 Evans, R.H. *see* Faber, E.S.L., 119, 189

F

- Faber, E.S.L., Chambers, J.P., Evans, R.H. and Henderson, G. Depression of glutamatergic transmission by nociceptin in the neonatal rat hemi-sectioned spinal cord preparation *in vitro*, 119, 189
 Fahr, A. *see* Fricker, G., 117, 217
 Failli, P. *see* Pinzani, M., 119, 1117
 Fairhall, K.M. *see* Bisset, G.W., 117, 309
 Fallgren, B. *see* Gardiner, S.M., 117, 507
 Fallgren, B. *see* Sun, X.Y., 118, 131
 Fan, T.-P.D. *see* Hori, Y., 118, 1584
 Fan, T.-P.D. *see* Hu, D.-E., 117, 545
 Faraci, W.S., Nagel, A.A., Verdries, K.A., Vincent, L.A., Xu, H., Nichols, L.E., Labasi, J.M., Salter, E.D. and Pettipher, E.R. 2-Amino-4-methylpyridine as a potent inhibitor of inducible NO synthase activity *in vitro* and *in vivo*, 119, 1101
 Farahani, M. *see* Hardy, E., 118, 1079
 Farnworth, M. *see* Widdowson, P.S., 117, 1761
 Farnworth, M. *see* Widdowson, P.S., 119, 374
 Fayngersh, R. *see* Mathew, R., 118, 1886
 Fedele, E., Jin, Y., Varnier, G. and Raiteri, M. *In vivo* microdialysis study of a specific inhibitor of soluble guanylyl cyclase on the glutamate receptor/nitric oxide/cyclic GMP pathway, 119, 590
 Fedele, E. and Raiteri, M. Desensitization of AMPA receptors and AMPA-NMDA receptor interaction: an *in vivo* cyclic GMP microdialysis study in rat cerebellum, 117, 1133
 Feldman, C. *see* Anderson, R., 117, 1387
 Feldmann, M. *see* Norman, K.E., 117, 471
 Féletou, M., Bonnardel, E. and Canet, E. Bradykinin and changes in microvascular permeability in the hamster cheek pouch: role of nitric oxide, 118, 1371
 Féletou, M. *see* Corriu, C., 117, 607
 Féletou, M. *see* Corriu, C., 119, 959
 Feniuk, W. *see* Castro, S.W., 117, 639
 Feniuk, W. *see* Chessell, I.P., 117, 1673
 Feniuk, W. *see* Wilkinson, G.F., 118, 445

- Feniuk, W. *see* Wyatt, M.A., 119, 905
 Feolde, E. *see* Pacaud, P., 118, 2213
 Feolde, E. *see* Vigne, P., 119, 360
 Feolde, E. *see* Webb, T.E., 119, 1385
 Fernandes, L.B., Henry, P.J., Rigby, P.J. and Goldie, R.G. Endothelin_B (ET_B) receptor-activated potentiation of cholinergic nerve-mediated contraction in human bronchus, 118, 1873
 Fernandes, L.B. *see* Knott, P.G., 119, 291
 Fernández, N. *see* García-Villalón, A.L., 118, 1848
 Fernández, R., Sabater, R., Sáez, J.A., Montes, R., Alba, F. and Ferrer, J.M.R. Mediation by neurotensin-receptors of effects of neurotensin on self-stimulation of the medial prefrontal cortex, 119, 299
 Fernández del Pozo, B., Pérez-Vizcaíno, F., Villamor, E., Zaragoza, F. and Tamargo, J. Stereoselective effects of the enantiomers, quinidine and quinine, on depolarization- and agonist-mediated responses in rat isolated aorta, 117, 105
 Fernando, S.R. *see* Pertwee, R.G., 118, 2053
 Fernando, S.R. *see* Pertwee, R.G., 118, 2199
 Feron, O., Salomone, S. and Godfraind, T. Action of the calcium channel blocker lacidipine on cardiac hypertrophy and endothelin-1 gene expression in stroke-prone hypertensive rats, 118, 659
 Ferrándiz, M.L. *see* Payá, M., 117, 1773
 Ferrando, R. *see* Giral, M., 118, 1223
 Ferrara, P. *see* Kolios, G., 119, 351
 Ferrara, S. *see* Zocchi, C., 117, 1381
 Ferrari, M.D. *see* Van Den Brink, A.M., 119, 855
 Ferrer, I. *see* Pol, O., 119, 1649
 Ferrer, J.M.R. *see* Fernández, R., 119, 299
 Ferrero, E. *see* Pellegatta, F., 118, 471
 Ferrero, M.E. *see* Pellegatta, F., 118, 471
 Ferro, C.J. *see* Plumpton, C., 119, 311
 Feuvray, D. *see* Lagadic-Gossman, D., 117, 831
 Field, M.J. *see* Singh, L., 118, 1317
 Figini, M., Emanuelli, C., Bertrand, C., Javdan, P. and Geppetti, P. Evidence that tachykinins relax the guinea-pig trachea *via* nitric oxide release and by stimulation of a septide-insensitive NK₁ receptor, 117, 1270
 Filep, J.G., Skrobik, Y., Fournier, A. and Földes-Filep, É. Effects of calcium antagonists on endothelin-1-induced myocardial ischaemia and oedema in the rat, 118, 893
 Finegan, B.A., Lopaschuk, G.D., Gandhi, M. and Clanachan, A.S. Inhibition of glycolysis and enhanced mechanical function of working rat hearts as a result of adenosine A₁ receptor stimulation during reperfusion following ischaemia, 118, 355
 Finné, E. *see* Matton, A., 117, 502
 Fioramonti, J. *see* Garcia-Villar, R., 118, 1253
 Fischer, B. *see* Boyer, J.L., 118, 1959
 Fischer, S. *see* Martin, U., 118, 271
 Fiscus, R.R. *see* Wang, X., 118, 2164
 Flack, J.D. *see* Hadley, A.J., 119, 463
 Flanders, S., Hardy, K.J. and Lew, M.J. Effect of cold storage in University of Wisconsin solution on the responses of porcine hepatic arteries to 5-hydroxytryptamine and bradykinin *in vitro*, 117, 142
 Flesher, S. *see* Pawley, A.C., 117, 1059
 Fletcher, A. *see* Munday, M.K., 117, 750
 Flitney, F.W., Megson, I.L., Thomson, J.L.M., Kennovin, G.D. and Butler, A.R. Vasodilator responses of rat isolated tail artery enhanced by oxygen-dependent, photochemical release of nitric oxide from iron-sulphur-nitrosyls, 117, 1549
 Flower, R.J. *see* Perretti, M., 117, 1145
 Flower, R.J. *see* Perretti, M., 118, 605
 Foged, C. *see* Alves-Rodrigues, A., 118, 2045
 Földes-Filep, É. *see* Filep, J.G., 118, 893
 Folkerts, G. *see* Sadeghi-Hashjin, G., 118, 466
 Fontela, T. *see* Silvestre, R.A., 117, 347
 Forbes, I.T. *see* Kennett, G.A., 117, 427
 Forder, R. *see* Sudlow, A.W., 117, 1449
 Foreman, J.C. *see* Dear, J.W., 118, 1177
 Foreman, J.C. *see* Dear, J.W., 119, 1054
 Forhead, A.J., Whybrew, K., Hughes, P., Broughton Pipkin, F., Sutherland, M. and Fowden, A.L. Comparison of angiotensin II type 1 receptor blockade and angiotensin-converting enzyme inhibition in pregnant sheep during late gestation, 119, 393
 Forn, J. *see* Giral, M., 118, 1223
 Fornhem, C., Dahlbäck, M., Kumlin, M., Lundberg, J.M. and Alving, K. Effects of local and systemic budesonide on allergen-induced airway reactions in the pig, 118, 989
 Foster, R.W. *see* Isaac, L., 117, 1653
 Fournié-Zaluski, M.C. *see* Ruiz, F., 119, 174
 Fournier, A. *see* Filep, J.G., 118, 893
 Fournier, A. *see* Lebel, N., 117, 184
 Fouyas, I.P., Kelly, P.A.T., Ritchie, I.M. and Whittle, I.R. Cerebrovascular responsiveness to N^G-nitro-L-arginine methyl ester in spontaneously diabetic rats, 118, 243
 Fowden, A.L. *see* Forhead, A.J., 119, 393
 Francescangeli, E. *see* Ribaldi, E., 118, 1351
 Franceschetti, G.P. *see* Candura, S.M., 118, 1965
 Frankiewicz, T., Potier, B., Bashir, Z.I., Collingridge, G.L. and Parsons, C.G. Effects of memantine and MK-801 on NMDA-induced currents in cultured neurones and on synaptic transmission and LTP in area CA1 of rat hippocampal slices, 117, 689
 Franks, N.P. *see* Dickinson, R., 117, 1369
 Franks, N.P. *see* Downie, D.L., 118, 493
 Franks, N.P. *see* Jenkins, A., 117, 1507
 Franqueza, L. *see* Delpón, E., 117, 1293
 Freedman, S. *see* Bowery, B.J., 119, 1491
 Freeman, T.C. *see* Dixon, A.K., 118, 1461
 Freitag, A., Wessler, I. and Racké, K. Adrenoceptor- and cholinergic-mediated mechanisms in the regulation of 5-hydroxytryptamine release from isolated tracheae of newborn rabbits, 119, 91
 Frelin, C. *see* Pacaud, P., 118, 2213
 Frelin, C. *see* Vigne, P., 119, 360
 Frelin, C. *see* Webb, T.E., 119, 1385
 Freudenthaler, S. *see* Verheggen, R., 117, 283
 Frexinos, J. *see* Reikik, M., 118, 477
 Frick, J. *see* Gschwentner, M., 118, 41
 Fricker, G., Drewe, J., Huwyler, J., Gutmann, H. and Beglinger, C. Relevance of p-glycoprotein for the enteral absorption of cyclosporin A: *in vitro-in vivo* correlation, 118, 1841
 Fricker, G., Fahr, A., Beglinger, C., Kissel, T., Reiter, G. and Drewe, J. Permeation enhancement of octreotide by specific bile salts in rats and human subjects: *in vitro, in vivo* correlations, 117, 217
 Fricker, G. *see* Huwyler, J., 118, 1879
 Friebe, T. *see* Waelbroeck, M., 119, 1319
 Friedrichs, G.S. *see* Chi, L., 117, 1261
 Friis, U.G. and Johansen, T. Dual regulation of the Na⁺/H⁺-exchange in rat peritoneal mast cells: role of protein kinase C and calcium on pH_i regulation and histamine release, 118, 1327
 Froschmayr, M. *see* Berjukow, S., 118, 748
 Frosini, M. *see* Palmi, M., 118, 1705
 Fuentes, J.A. *see* Hernando, F., 118, 400
 Fujii, K. *see* Az-ma, T., 119, 455
 Fujimura, M. *see* Mizuguchi, M., 117, 443
 Fujita, K. *see* Nishimura, M., 118, 957
 Fujita, M. *see* Nakamura, A., 117, 407
 Fujiwara, T. and Angus, J.A. Analysis of relaxation and repolarization mechanisms of nicorandil in rat mesenteric artery, 119, 1549
 Fukui, H. *see* Smit, M.J., 117, 1071
 Fukui, M. *see* Miyagi, Y., 118, 847
 Fukuroda, T., Ozaki, S., Ihara, M., Ishikawa, K., Yano, M., Miyauchi, T., Ishikawa, S., Onizuka, M., Goto, K. and Nishikibe, M. Necessity of dual blockade of endothelin ET_A and ET_B receptor subtypes for antagonism of endothelin-1-induced contraction in human bronchi, 117, 995
 Fuller, S.A. *see* Stein, E.A., 119, 107
 Fulton, D. *see* Rapacon, M., 118, 1504
 Fumagalli, R. *see* Soma, M.R., 118, 215
 Furman, B.L. *see* Song, W., 118, 2157
 Furnari, M. *see* Bova, S., 117, 1041
 Furness, J.B. *see* Johnson, P.J., 118, 973
 Furukawa, H. *see* Noda, Y., 117, 1579
 Furukawa, K.-I., Komaba, J., Sakai, H. and Ohizumi, Y. The mechanism of acidic pH-induced contraction in aortae from SHR and WKY rats

enhanced by increasing blood pressure, **118**, 485
 Furukawa, T. *see* Usune, S., **117**, 698
 Fuxe, K. *see* Odagaki, Y., **117**, 1607

G

- Gabbiani, G. *see* Schoeffter, P., **117**, 993
 Gac, T.S. *see* Krauss, A.H.-P., **117**, 1171
 Gaffen, Z. *see* Handy, R.L.C., **119**, 423
 Gager, T. *see* Kennett, G.A., **117**, 427
 Gahman, T.C. *see* Szabó, C., **118**, 1659
 Gaida, W. *see* Cross, L.J.M., **117**, 325
 Gaja, G. *see* Pellegatta, F., **118**, 471
 Galitzky, J. *see* Barbe, P., **117**, 907
 Galvan, M. *see* Bon, C., **118**, 961
 Gandhi, M. *see* Finegan, B.A., **118**, 355
 Gandía, L., Villarroya, M., Lara, B., Olmos, V., Gilabert, J.-A., López, M.G., Martínez-Sierra, R., Borges, R. and García, A.G. Otilonium: a potent blocker of neuronal nicotinic ACh receptors in bovine chromaffin cells, **117**, 463
 Gandía, L., Villarroya, M., Sala, F., Reig, J.-A., Viniegra, S., Quintanar, J.-L., García, A.G. and Gutiérrez, L.-M. Inhibition of nicotinic receptor-mediated responses in bovine chromaffin cells by diltiazem, **118**, 1301
 Ganellin, C.R. *see* Dunn, P.M., **117**, 35
 Gapper, P.W. *see* Blayney, L.M., **118**, 1003
 García, A.G. *see* Gandía, L., **117**, 463
 García, A.G. *see* Gandía, L., **118**, 1301
 García, J.L. *see* García-Villalón, A.L., **118**, 1848
 García Sanz, A. *see* Clos, M.V., **118**, 901
 García-Estañ, J. *see* Atucha, N.M., **118**, 277
 García-Hermida, O. *see* Silvestre, R.A., **117**, 347
 García-Pascual, A., Costa, G., Labadía, A., Persson, K. and Triguero, D. Characterization of nitric oxide synthase activity in sheep urinary tract: functional implications, **118**, 905
 García-Rafanell, J. *see* Giral, M., **118**, 1223
 García-Sevilla, J.A. *see* Escribá, P.V., **118**, 2029
 García-Villalón, A.L., García, J.L., Fernández, N., Monge, L., Gómez, B. and Diéguez, G. Regional differences in the arterial response to vasopressin: role of endothelial nitric oxide, **118**, 1848
 García-Villar, R., Dupuis, C., Martinolle, J.P., Fioramonti, J. and Buéno, L. Functional evidence for NO-synthase activation by substance P through a mechanism not involving classical tachykinin receptors in guinea-pig ileum *in vitro*, **118**, 1253
 Gardiner, S.M., Kemp, P.A., March, J.E., Fallgren, B. and Bennett, T. Effects of glibenclamide on the regional haemodynamic actions of α -trinitro and its influence on responses to vasodilators in conscious rats, **117**, 507
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Effects of dexamethasone and SB 209670 on the regional haemodynamic responses to lipopolysaccharide in conscious rats, **118**, 141
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Effects of the non-peptide, non-selective endothelin antagonist, bosentan, on regional haemodynamic responses to N^G -monomethyl-L-arginine in conscious rats, **118**, 352
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Influence of aminoguanidine and the endothelin antagonist, SB 209670, on the regional haemodynamic effects of endotoxaemia in conscious rats, **118**, 1822
 Gardiner, S.M., Kemp, P.A., March, J.E. and Bennett, T. Temporal differences between the involvement of angiotensin II and endothelin in the cardiovascular responses to endotoxaemia in conscious rats, **119**, 1619
 Gardiner, S.M., March, J.E., Kemp, P.A. and Bennett, T. Regional haemodynamic effects of antagonists of angiotensin II, endothelin and adrenoceptors in conscious, vasopressin-deficient, genetically hypertensive rats, **118**, 325
 Gardner, B., Hall, D.A. and Strange, P.G. Pharmacological analysis of dopamine stimulation of [35 S]-GTP γ S binding via human D $_{2\text{short}}$ and D $_{2\text{long}}$ dopamine receptors expressed in recombinant cells, **118**, 1544
 Gariboldi, M., Tutka, P., Samanin, R. and Vezzani, A. Stimulation of 5-HT $_{1A}$ receptors in the dorsal hippocampus and inhibition of limbic seizures induced by kainic acid in rats, **119**, 813
 Garland, C.J. *see* Plane, F., **119**, 191
 Garland, C.J. *see* Plane, F., **119**, 1557
 Garthwaite, J. *see* Bushell, T.J., **117**, 1457
 Garthwaite, J. *see* Southam, E., **119**, 527
 Gasco, A. *see* Civelli, M., **118**, 923
 Gaspar, V. *see* Daniel, E.E., **117**, 1535
 Gaster, L.M. *see* Wardle, K.A., **118**, 665
 Gaudet, E. *see* Gouédard, O., **119**, 1085
 Gawrońska-Szklarz, B. *see* Wójcicki, J., **117**, 1
 Gay, P. *see* Delpón, E., **117**, 1293
 Ge, J. and Barnes, N.M. 5-HT $_4$ receptor-mediated modulation of 5-HT release in the rat hippocampus *in vivo*, **117**, 1475
 Ge, J. *see* Brown, D.C., **118**, 414
 Ge, J. *see* Steward, L.J., **117**, 55
 Geadah, D. *see* Pichette, V., **119**, 885
 Gemignani, A. *see* Bonanno, G., **118**, 1441
 Gent, J.P. *see* Phenna, S., **119**, 315
 Gentilini, A. *see* Pinzani, M., **119**, 1117
 Gentilini, P. *see* Pinzani, M., **119**, 1117
 Georgieff, M. *see* Weidenbach, H., **118**, 790
 Geppetti, P. *see* Figini, M., **117**, 1270
 Gerskowitch, V.P. *see* Hills, D.M., **119**, 1401
 Gerskowitch, V.P. *see* Roberts, S.P., **118**, 1779
 Gerspacher, M. *see* Bergendal, A., **117**, 1009
 Gerzanich, V. *see* Barajas-López, C., **119**, 1541
 Gessi, S. *see* Guerra, L., **118**, 1278
 Gessi, S. *see* Varani, K., **117**, 1693
 Gewitz, M.H. *see* Mathew, R., **118**, 1886
 Ghali, S. *see* Dear, J.W., **118**, 1177
 Giachetti, A. *see* Zagorodnyuk, V., **119**, 779
 Giacobino, J.-P. *see* Deng, C., **118**, 929
 Gibelli, G. *see* De Ponti, F., **117**, 1374
 Gibson, A. *see* Lilley, E., **119**, 432
 Gibson, A. *see* Wayman, C.P., **117**, 566
 Gibson, A. *see* Wayman, C.P., **118**, 2001
 Gibson, L.L. *see* Krauss, A.H.-P., **117**, 1171
 Gicquiaux, H., Tschöpl, M., Doods, H.N. and Bucher, B. Discrimination between neuropeptide Y and peptide YY in the rat tail artery by the neuropeptide Y $_1$ -selective antagonist, BIBP 3226, **119**, 1313
 Giembycz, M.A., Corrigan, C.J., Seybold, J., Newton, R. and Barnes, P.J. Identification of cyclic AMP phosphodiesterases 3, 4 and 7 in human CD4 $^+$ and CD8 $^+$ T-lymphocytes: role in regulating proliferation and the biosynthesis of interleukin-2, **118**, 1945
 Giembycz, M.A. *see* Belvisi, M.G., **117**, 1413
 Giembycz, M.A. *see* Hallsworth, M.P., **117**, 79
 Giembycz, M.A. *see* Teixeira, M.M., **118**, 2099
 Gilabert, J.-A. *see* Gandía, L., **117**, 463
 Giles, H., Lansdell, S.J., Bololo, M.-L., Wilson, H.L. and Martin, G.R. Characterization of a 5-HT $_{1B}$ receptor on CHO cells: functional responses in the absence of radioligand binding, **117**, 1119
 Giles, W.R. *see* Shimoni, Y., **119**, 1463
 Giniatullin, R., Khiroug, L., Talantova, M. and Nistri, A. Fading and rebound of currents induced by ATP in PC12 cells, **119**, 1045
 Giorgetti, M. *see* Blandina, P., **119**, 1656
 Giorgi, F. *see* Coruzzi, G., **118**, 1813
 Giossi, M. *see* Civelli, M., **118**, 923
 Giovannini, M.G. *see* Blandina, P., **119**, 1656
 Giral, M., Balsa, D., Ferrando, R., Merlos, M., García-Rafanell, J. and Forn, J. Effects of UR-12633, a new antagonist of platelet-activating factor, in rodent models of endotoxic shock, **118**, 1223
 Giraldo, J. *see* Sallés, J., **117**, 1286
 Giraldo, J. *see* Tabernero, A., **117**, 757
 Giraldo, J. *see* Tabernero, A., **119**, 765
 Giudice, A. *see* Manara, L., **117**, 435
 Giudicelli, J.-F. *see* Dumas, M., **117**, 633
 Giudicelli, J.-F. *see* Richer, C., **117**, 315
 Giudicelli, J.-F. *see* Richer, C., **119**, 1642
 Giuliani, S., Lecci, A., Tramontana, M. and Maggi, C.A. Role of κ opioid receptors in modulating cholinergic twitches in the circular muscle of guinea-pig colon, **119**, 985

- Giuliani, S. and Maggi, C.A. Inhibition of tachykinin release from peripheral endings of sensory nerves by nociceptin, a novel opioid peptide, **118**, 1567
- Giuliani, S. *see* Maggi, C.A., **118**, 1262
- Giuliani, S. *see* Maggi, C.A., **118**, 1493
- Giusti, P. *see* Zanotti, A., **117**, 647
- Glass, P.S.A. *see* Xuan, Y.-T., **117**, 5
- Gleispach, H. *see* Leis, H.J., **117**, 540
- Glossmann, H. *see* Berjukow, S., **118**, 748
- Glusa, E. and Roos, A. Endothelial 5-HT receptors mediate relaxation of porcine pulmonary arteries in response to ergotamine and dihydroergotamine, **119**, 330
- Go, C. *see* Marczin, N., **118**, 1085
- Go, C.Y. *see* Papapetropoulos, A., **117**, 147
- Gobeil, F., Pheng, L.H., Badini, I., Nguyen-Le, X.K., Pizard, A., Rizzi, A., Blouin, D. and Regoli, D. Receptors for kinins in the human isolated umbilical vein, **118**, 289
- Godfraind, T. *see* Dessy, C., **119**, 142
- Godfraind, T. *see* Feron, O., **118**, 659
- Godwin, M. *see* Mistry, R., **117**, 1309
- Goicoechea, C. *see* Martín, M.I., **119**, 804
- Goldie, R.G., D'Aprile, A.C., Cvetkovski, R., Rigby, P.J. and Henry, P.J. Influence of regional differences in ET_A and ET_B receptor subtype proportions on endothelin-1-induced contractions in porcine isolated trachea and bronchus, **117**, 736
- Goldie, R.G., D'Aprile, A.C., Self, G.J., Rigby, P.J. and Henry, P.J. The distribution and density of receptor subtypes of endothelin-1 in peripheral lung of the rat, guinea-pig and pig, **117**, 729
- Goldie, R.G. *see* Carr, M.J., **117**, 1222
- Goldie, R.G. *see* Carr, M.J., **119**, 891
- Goldie, R.G. *see* Fernandes, L.B., **118**, 1873
- Goldie, R.G. *see* Henry, P.J., **118**, 762
- Goldie, R.G. *see* Knott, P.G., **119**, 291
- Goldie, R.G. *see* Panettieri Jr, R.A., **118**, 191
- Gómez, B. *see* García-Villalón, A.L., **118**, 1848
- Gommers, D. *see* van't Veen, A., **118**, 593
- Gommers, D. *see* van't Veen, A., **119**, 1145
- Gonçalves, J. and Queiroz, G. Purinoceptor modulation of noradrenaline release in rat tail artery: tonic modulation mediated by inhibitory P_{2Y}- and facilitatory A_{2A}-purinoceptors, **117**, 156
- Gonçalves de Moraes, V.L., Vargaftig, B.B., Lefort, J., Meager, A. and Chignard, M. Effect of cyclo-oxygenase inhibitors and modulators of cyclic AMP formation on lipopolysaccharide-induced neutrophil infiltration in mouse lung, **117**, 1792
- Gonschior, A.-K. *see* Lampen, A., **117**, 1730
- González, C., Regunathan, S., Reis, D.J. and Estrada, C. Agmatine, an endogenous modulator of noradrenergic neurotransmission in the rat tail artery, **119**, 677
- Goodwin, R.W. *see* Baxter, G.F., **117**, 1685
- Goracci, G. *see* Ribaldi, E., **118**, 1351
- Gordge, M.P., Hothersall, J.S., Neild, G.H. and Noronha Dutra, A.A. Role of a copper (I)-dependent enzyme in the anti-platelet action of S-nitroso-glutathione, **119**, 533
- Gorenne, I. *see* Norel, X., **119**, 149
- Gorowitz, N. *see* Sasson, S., **117**, 1318
- Goto, K. *see* Fukuroda, T., **117**, 995
- Goto, S., Shimokawa, T., Ugawa, T., Hisamichi, N., Masuyama, Y., Iizumi, Y., Sato, N., Takenaka, T. and Kodama, T. Species specificity in the blood cholesterol-lowering effect of YM-16638, **118**, 174
- Gouardères, C., Jhamandas, K., Sutak, M. and Zajac, J.-M. Role of opioid receptors in the spinal antinociceptive effects of neuropeptide FF analogues, **117**, 493
- Gouédard, O., Blanc, J., Gaudet, E., Ponchon, P. and Elghozi, J.-L. Contribution of the renin-angiotensin system to short-term blood pressure variability during blockade of nitric oxide synthesis in the rat, **119**, 1085
- Gould, G.W. *see* Graham, A., **117**, 1341
- Gouverneur, G. *see* Pouna, P., **117**, 1593
- Gozzard, N., El-Hashim, A., Herd, C.M., Blake, S.M., Holbrook, M., Hughes, B., Higgs, G.A. and Page, C.P. Effect of the glucocorticosteroid budesonide and a novel phosphodiesterase type 4 inhibitor CDP840 on antigen-induced airway responses in neonatally immunised rabbits, **118**, 1201
- Gozzard, N., Herd, C.M., Blake, S.M., Holbrook, M., Hughes, B., Higgs, G.A. and Page, C.P. Effects of theophylline and rolipram on antigen-induced airway responses in neonatally immunized rabbits, **117**, 1405
- Gozzard, N. *see* Holbrook, M., **118**, 1192
- Gozzard, N. *see* Hughes, B., **118**, 1183
- Grabisch, P. *see* Olbrich, H.-G., **119**, 671
- Grabner, M. *see* Berjukow, S., **118**, 748
- Graham, A., McLees, A., Kennedy, C., Gould, G.W. and Plevin, R. Stimulation by the nucleotides, ATP and UTP of mitogen-activated protein kinase in EAhy 926 endothelial cells, **117**, 1341
- Graier, W.F., Holzmann, S., Hoebel, B.G., Kukovetz, W.R. and Kostner, G.M. Mechanisms of L-N^G nitroarginine/indomethacin-resistant relaxation in bovine and porcine coronary arteries, **119**, 1177
- Grandt, D. *see* Gué, M., **118**, 237
- Granger, H.J. *see* Parenti, A., **119**, 619
- Gras, J., Llenas, J., Palacios, J.M. and Roberts, D.J. The role of ketoconazole in the QTc interval prolonging effects of H₁-antihistamines in a guinea-pig model of arrhythmogenicity, **119**, 187
- Greco, A. *see* Patrignani, P., **118**, 1285
- Green, G.M. *see* Marshall, I., **119**, 407
- Green, J. *see* Daniel, E.E., **117**, 1535
- Green, K.A., Lambert, J.J. and Cottrell, G.A. Ligand-gated ion channels opened by 5-HT in molluscan neurones, **119**, 602
- Green, M.E., Edwards, G., Kirkup, A.J., Miller, M. and Weston, A.H. Pharmacological characterization of the inwardly-rectifying current in the smooth muscle cells of the rat bladder, **119**, 1509
- Greenlees, C., Wainwright, C.L. and Wadsworth, R.M. Vasorelaxant and antiaggregatory properties of the endothelium: a comparative study in normocholesterolaemic and hereditary and dietary hypercholesterolaemic rabbits, **119**, 1470
- Greenwood, I.A. *see* Criddle, D.N., **118**, 1065
- Greenwood, I.A. *see* Toma, C., **118**, 513
- Greenwood, I.A. *see* Toma, C., **119**, 184
- Grenegård, M., Gustafsson, M.C., Andersson, R.G.G. and Bengtsson, T. Synergistic inhibition of thrombin-induced platelet aggregation by the novel nitric oxide-donor GEA 3175 and adenosine, **118**, 2140
- Gresele, P. *see* Ribaldi, E., **118**, 1351
- Gresham, G.A. *see* Hori, Y., **118**, 1584
- Griffin, M. *see* Souness, J.E., **118**, 649
- Griffith, T.M. *see* Hutcheson, I.R., **118**, 720
- Griffith, T.M. *see* Pitman, M.R., **119**, 685
- Griffiths, D.F.R. *see* Balakrishnan, V.S., **117**, 879
- Griffiths, R.J. *see* Pettipher, E.R., **117**, 1530
- Großmann, A. *see* Olbrich, H.-G., **119**, 671
- Gromada, J., Dissing, S. and Rorsman, P. Desensitization of glucagon-like peptide 1 receptors in insulin-secreting βTC3 cells: role of PKA-independent mechanisms, **118**, 769
- Groschner, K. *see* Encabo, A., **119**, 702
- Gross, P. *see* Hoher, B., **118**, 220
- Gross, R. *see* Parés-Herbuté, N., **118**, 783
- Grosset, A. *see* Duval, N., **118**, 727
- Grouzmann, E. *see* Lacroix, J.S., **118**, 2079
- Grundemar, L. *see* Ny, L., **118**, 392
- Grunstein, M.M. *see* Schramm, C.M., **119**, 807
- Gschwentner, M., Jungwirth, A., Hofer, S., Wöll, E., Ritter, M., Susanna, A., Schmarda, A., Reibnegger, G., Pinggera, G.M., Leitinger, M., Frick, J., Deetjen, P. and Paulmichl, M. Blockade of swelling-induced chloride channels by phenol derivatives, **118**, 41
- Guarini, S., Bazzani, C., Ricigliano, G.M., Bini, A., Tomasi, A. and Bertolini, A. Influence of ACTH-(1-24) on free radical levels in the blood of haemorrhage-shocked rats: direct *ex vivo* detection by electron spin resonance spectrometry, **119**, 29
- Gubit, A.K. *see* Dixon, A.K., **118**, 1461
- Gué, M., Junien, J.L., Reeve Jr, J.R., Rivier, J., Grandt, D. and Taché, Y. Reversal by NPY, PYY and 3-36 molecular forms of NPY and PYY of intracisternal CRF-induced inhibition of gastric acid secretion in rats, **118**, 237
- Guerra, L., Cerbai, E., Gessi, S., Borea, P.A. and Mugelli, A. The effect of oxygen free radicals on calcium current and dihydropyridine binding sites in guinea-pig ventricular myocytes, **118**, 1278

- Guh, J.-H., Ko, F.-N., Chueh, S.-C., Lai, M.-K. and Teng, C.-M. Ouabain-induced increases in resting tone of human hyperplastic prostate following repeated noradrenaline and electrical field stimulation, **117**, 1716
- Guimarães, S. *see* Vaz-da-Silva, M., **118**, 364
- Gundlach, A.L. *see* Rowley, K.G., **118**, 1615
- Guo, J.-Z. *see* Zhao, F.-Y., **118**, 2059
- Gustafson, E.L., Durkin, M.M., Bard, J.A., Zgombick, J. and Branchek, T.A. A receptor autoradiographic and *in situ* hybridization analysis of the distribution of the 5-HT₇ receptor in rat brain, **117**, 657
- Gustafsson, M.C. *see* Grenegård, M., **118**, 2140
- Gutiérrez, L.-M. *see* Gandía, L., **118**, 1301
- Gutkowska, J. and Schiller, P.W. Renal effects of TAPP, a highly selective μ -opioid agonist, **119**, 239
- Gutmann, H. *see* Fricker, G., **118**, 1841
- Guzzi, U. *see* Manara, L., **117**, 435
- Gyte, A. *see* Widdowson, P.S., **117**, 1761

H

- Hackbarth, I. *see* Lampen, A., **117**, 1730
- Hadley, A.J., Kumari, M., Cover, P.O., Osborne, J., Poyser, R., Flack, J.D. and Buckingham, J.C. Stimulation of the hypothalamo-pituitary-adrenal axis in the rat by the type 4 phosphodiesterase (PDE-4) inhibitor, denbufylline, **119**, 463
- Håkanson, R. *see* Wang, Z.-Y., **118**, 1537
- Hall, A.C. *see* Downie, D.L., **118**, 493
- Hall, D.A. *see* Gardner, B., **118**, 1544
- Hall, I.P. *see* Hardy, E., **118**, 1079
- Hallsworth, M.P., Giembycz, M.A., Barnes, P.J. and Lee, T.H. Cyclic AMP-elevating agents prolong or inhibit eosinophil survival depending on prior exposure to GM-CSF, **117**, 79
- Ham, P. *see* Kennett, G.A., **117**, 427
- Hamaguchi, A. *see* Kim, S., **118**, 549
- Hamann, M. *see* Schricker, K., **119**, 744
- Hamano, S. *see* Miyazawa, K., **118**, 915
- Hamasaki, H. *see* Obayashi, S., **119**, 1072
- Hamra, M. *see* Mombouli, J.-V., **117**, 413
- Han, C. and Khatter, J.C. Endogenous inotropic factor-induced endothelium-dependent relaxation of vascular smooth muscle, **118**, 228
- Han, C. *see* Wang, X., **118**, 2164
- Han, X. *see* Shimoni, Y., **119**, 1463
- Hancox, J.C. and Levi, A.J. Actions of the digitalis analogue stroph-antidin on action potentials and L-type calcium current in single cells isolated from the rabbit atrioventricular node, **118**, 1447
- Handy, R.L.C., Harb, H.L., Wallace, P., Gaffen, Z., Whitehead, K.J. and Moore, P.K. Inhibition of nitric oxide synthase by 1-(2-trifluoromethyl-phenyl) imidazole (TRIM) *in vitro*: antinociceptive and cardiovascular effects, **119**, 423
- Hansson, P. *see* Yu, L.-C., **117**, 43
- Harada, K.-i. *see* Kitajima, S., **118**, 543
- Harada, M. *see* Arimura, A., **117**, 1809
- Harata, N. *see* Wu, J., **119**, 1013
- Harb, H.L. *see* Handy, R.L.C., **119**, 423
- Harden, T.K. *see* Boyer, J.L., **118**, 1959
- Harden, T.K. *see* Lazarowski, E.R., **117**, 203
- Harden, T.K. *see* Schachter, J.B., **118**, 167
- Hardy, E., Farahani, M. and Hall, I.P. Regulation of histamine H₁ receptor coupling by dexamethasone in human cultured airway smooth muscle, **118**, 1079
- Hardy, K.J. *see* Flanders, S., **117**, 142
- Hargreaves, R.J. *see* Laird, J.M.A., **117**, 1487
- Harper, E.A., Roberts, S.P., Shankley, N.P. and Black, J.W. Analysis of variation in L-365,260 competition curves in radioligand binding assays, **118**, 1717
- Harper, E.A. *see* Roberts, S.P., **118**, 1779
- Harris, H.J. *see* Perretti, M., **117**, 1145
- Harris, J. *see* Clarke, R.W., **119**, 1167
- Harris, J.G. *see* Perretti, M., **117**, 1145
- Harris, P.J. *see* Hiranyachattada, S., **119**, 617
- Harris, R.A. *see* Dildy-Mayfield, J.E., **118**, 378
- Harris, R.A. *see* Mascia, M.P., **119**, 1331
- Hart, G. *see* Bryant, S.M., **118**, 1455
- Hartmann, S. *see* Rammes, G., **117**, 1209
- Harvey, J., Palmer, M.J., Irving, A.J., Clarke, V.R.J. and Collingridge, G.L. NMDA receptor dependence of mGlu-mediated depression of synaptic transmission in the CA1 region of the rat hippocampus, **119**, 1239
- Hasegawa, S. *see* Ninomiya, H., **119**, 1341
- Hashimoto, K. *see* Chen, J., **119**, 937
- Hashitani, H., Van Helden, D.F. and Suzuki, H. Properties of spontaneous depolarizations in circular smooth muscle cells of rabbit urethra, **118**, 1627
- Hashizume, H. *see* Chen, M., **118**, 865
- Hashmi, M.N. *see* Shepherd, R.M., **119**, 911
- Haslett, C. *see* Kitchen, E., **117**, 979
- Hasselot, N. *see* Clerc, T., **118**, 1862
- Hata, F. *see* Kishi, M., **119**, 623
- Hata, F. *see* Takeuchi, T., **117**, 1204
- Hata, T. *see* Kawabata, A., **119**, 346
- Hatzelmann, A. *see* Tenor, H., **118**, 1727
- Hay, D.W.P., Luttmann, M.A., Beck, G. and Ohlstein, E.H. Comparison of endothelin_B (ET_B) receptors in rabbit isolated pulmonary artery and bronchus, **118**, 1209
- Hay, D.W.P. *see* Panettieri Jr, R.A., **118**, 191
- Hayashi, S. *see* Mitani, H., **119**, 1269
- Hayashi, Y. *see* Mammoto, T., **117**, 1744
- Hayashi, Y. *see* Sekiyama, N., **117**, 1493
- Hayes, B.P. *see* Allport, J.R., **118**, 1111
- Haynes, J.M. and Hill, S.J. α -Adrenoceptor mediated responses of the cauda epididymis of the guinea-pig, **119**, 1203
- Haynes, W.G. *see* Plumpton, C., **119**, 311
- Head, J. *see* Hughes, B., **118**, 1183
- Headley, P.M. *see* Herrero, J.F., **118**, 968
- Heads, R.J. *see* Baxter, G.F., **117**, 1685
- Hebeß, K. and Kilbinger, H. Differential effects of nitric oxide donors on basal and electrically evoked release of acetylcholine from guinea-pig myenteric neurones, **118**, 2073
- Hecker, M., Preiß, C., Klemm, P. and Busse, R. Inhibition by antioxidants of nitric oxide synthase expression in murine macrophages: role of nuclear factor κ B and interferon regulatory factor 1, **118**, 2178
- Hecker, M. *see* Pörsti, I., **117**, 231
- Hedner, T. *see* Sun, X.Y., **118**, 131
- Heeks, C. *see* Büscher, R., **117**, 703
- Heilig, M. *see* Erlinge, D., **118**, 1028
- Heiligers, J.P.C. *see* De Vries, P., **118**, 85
- Heinemann, A., Jovic, M., Herzog, G. and Holzer, P. Tachykinin inhibition of acid-induced gastric hyperaemia in the rat, **119**, 1525
- Heinemann, U. *see* Pfeiffer, M., **119**, 569
- Heistracher, P. *see* Lemmens-Gruber, R., **117**, 377
- Hellewell, P.G. *see* Burke-Gaffney, A., **119**, 1149
- Hellewell, P.G. *see* Teixeira, M.M., **118**, 317
- Hellewell, P.G. *see* Teixeira, M.M., **118**, 2099
- Helliwell, R.M. *see* Toma, C., **118**, 513
- Helliwell, R.M. *see* Toma, C., **119**, 184
- Helwig, J.-J. *see* Massfelder, T., **118**, 1995
- Hemmings Jr, H.C. *see* Ratnakumari, L., **119**, 1498
- Hemsén, A. *see* Weitzberg, E., **118**, 617
- Henderson, G. *see* Connor, M., **117**, 333
- Henderson, G. *see* Connor, M., **118**, 205
- Henderson, G. *see* Faber, E.S.L., **119**, 189
- Henderson, R.M. *see* Barber, R.D., **119**, 772
- Henley, J.M. *see* Bresink, I., **119**, 195
- Henning, R.H., Duin, M., van Popta, J.P., Nelemans, A. and den Hertog, A. Different mechanisms of Ca²⁺-handling following nicotinic acetylcholine receptor stimulation, P_{2U}-purinoceptor stimulation and K⁺-induced depolarization in C2C12 myotubes, **117**, 1785
- Henricks, P.A.J. *see* Sadeghi-Hashjin, G., **118**, 466
- Henrion, D. *see* Dowell, F.J., **117**, 341
- Henry, P.J., Shen, A., Mitchelson, F. and Goldie, R.G. Inhibition by endothelin-1 of cholinergic nerve-mediated acetylcholine release and contraction in sheep isolated trachea, **118**, 762
- Henry, P.J. *see* Carr, M.J., **117**, 1222
- Henry, P.J. *see* Carr, M.J., **119**, 891

- Henry, P.J. *see* Fernandes, L.B., 118, 1873
 Henry, P.J. *see* Goldie, R.G., 117, 729
 Henry, P.J. *see* Goldie, R.G., 117, 736
 Henry, P.J. *see* Knott, P.G., 119, 291
 Herbert, C.A., Arthur, M.J.P. and Robinson, C. Augmentation by eosinophils of gelatinase activity in the airway mucosa: comparative effects as a putative mediator of epithelial injury, 117, 667
 Herd, C.M. *see* Gozzard, N., 117, 1405
 Herd, C.M. *see* Gozzard, N., 118, 1201
 Hering, S. *see* Berjukov, S., 119, 1197
 Hering, S. *see* Berjukow, S., 118, 748
 Herman, A.G. *see* De Man, J.G., 119, 990
 Herman, A.G. *see* De Man, J.G., 119, 1022
 Hernando, F., Fuentes, J.A. and Ruiz-Gayo, M. Impairment of stress adaptive behaviours in rats by the CCK_A receptor antagonist, devazepide, 118, 400
 Herrero, J.F. and Headley, P.M. Reversal by naloxone of the spinal antinociceptive actions of a systemically-administered NSAID, 118, 968
 Herzeg, G. *see* Heinemann, A., 119, 1525
 Herzig, S. *see* Vahlensieck, U., 119, 835
 Hessel, E.M. *see* De Bie, J.J., 119, 1484
 Hettrick, D.A. *see* Pagel, P.S., 119, 609
 Heygate, K.M., Davies, J., Holmes, M., James, R.F.L. and Thurston, H. The effect of insulin treatment and of islet transplantation on the resistance artery function in the STZ-induced diabetic rat, 119, 495
 Hidaka, H. *see* Satoh, S., 118, 1592
 Hidaka, K., Tada, S., Matsumoto, M., Ohmori, J., Tasaki, Y., Nomura, T., Usuda, S. and Yamaguchi, T. *In vitro* pharmacological profile of YM-43611, a novel D₂-like receptor antagonist with high affinity and selectivity for dopamine D₃ and D₄ receptors, 117, 1625
 Hide, E.J. and Thiemermann, C. Sulprostone-induced reduction of myocardial infarct size in the rabbit by activation of ATP-sensitive potassium channels, 118, 1409
 Higgs, G. *see* Holbrook, M., 118, 1192
 Higgs, G. *see* Hughes, B., 118, 1183
 Higgs, G.A. *see* Gozzard, N., 117, 1405
 Higgs, G.A. *see* Gozzard, N., 118, 1201
 Hijzelendoorn, J.C. *see* Smit, M.J., 117, 1071
 Hilditch, A., Prior, H.M. and Drew, G.M. Further investigations into the mechanism of the antihypertensive activity of the angiotensin AT₁ receptor antagonist, GR138950, 118, 711
 Hiley, C.R. *see* Hu, D.-E., 117, 545
 Hill, D.R. *see* Thurlow, R.J., 118, 449
 Hill, D.R. *see* Thurlow, R.J., 118, 457
 Hill, R.G. *see* Laird, J.M.A., 117, 1487
 Hill, S.J. *see* Alexander, S.P.H., 119, 1286
 Hill, S.J. *see* Haynes, J.M., 119, 1203
 Hill-Venning, C. *see* Belelli, D., 118, 563
 Hillaire-Buys, D. *see* Parés-Herbuté, N., 118, 783
 Hillaire-Buys, D. *see* Sääg, B., 118, 804
 Hills, D.M., Gerskowitch, V.P., Roberts, S.P., Welsh, N.J., Shankley, N.P. and Black, J.W. Pharmacological analysis of the CCK_B/gastrin receptors mediating pentagastrin-stimulated gastric acid secretion in the isolated stomach of the immature rat, 119, 1401
 Hingorani, G.P. *see* Showell, H.J., 117, 1127
 Hintze, T.H. *see* Mathew, R., 118, 1886
 Hipólito-Reis, C. *see* Martel, F., 119, 1519
 Hirafuji, M., Nezu, A., Shinoda, H. and Minami, M. Involvement of platelet cyclic GMP but not cyclic AMP suppression in leukocyte-dependent platelet adhesion to endothelial cells induced by platelet-activating factor *in vitro*, 117, 299
 Hiramatsu, M., Mori, H., Murasawa, H. and Kameyama, T. Improvement by dynorphin A(1-13) of galanin-induced impairment of memory accompanied by blockade of reductions in acetylcholine release in rats, 118, 255
 Hiranyachattada, S. and Harris, P.J. Modulation by locally produced luminal angiotensin II of proximal tubular sodium reabsorption via an AT₁ receptor, 119, 617
 Hirasawa, A. *see* Shibata, K., 118, 1403
 Hirasawa, A. *see* Yazawa, H., 117, 799
 Hirohata, Y. *see* Akiyama, T., 117, 1558
 Hirshman, C.A. *see* Emala, C.W., 118, 2009
 Hisa, H. *see* Yoshida, M., 117, 885
 Hisamichi, N. *see* Goto, S., 118, 174
 Hisayama, T. *see* Moritoki, H., 117, 1544
 Hoehner, B., Zart, R., Diekmann, F., Rohmeiss, P., Distler, A., Neumayer, H.H., Bauer, C. and Gross, P. Paracrine renal endothelin system in rats with liver cirrhosis, 118, 220
 Hodson, H. *see* MacAllister, R.J., 119, 1533
 Hoebel, B.G. *see* Graier, W.F., 119, 1177
 Hoernlein, R.F. *see* Sailer, E.-R., 117, 615
 Hoey, A., Jackson, C., Pegg, G. and Sillence, M. Atypical responses of rat ileum to pindolol, cyanopindolol and iodocyanopindolol, 117, 712
 Hoey, A.J., Jackson, C.M., Pegg, G.G. and Sillence, M.N. Characteristics of cyanopindolol analogues active at the β_3 -adrenoceptor in rat ileum, 119, 564
 Hofer, S. *see* Gschwentner, M., 118, 41
 Hofman, G. *see* De Bie, J.J., 119, 1484
 Högestätt, E.D. *see* Edwards, G., 119, 691
 Högestätt, E.D. *see* Zygmunt, P.M., 117, 1600
 Högestätt, E.D. *see* Zygmunt, P.M., 118, 1147
 Hoiting, B.H., Meurs, H., Schuiling, M., Kuipers, R., Elzinga, C.R.S. and Zaagsma, J. Modulation of agonist-induced phosphoinositide metabolism, Ca²⁺ signalling and contraction of airway smooth muscle by cyclic AMP-dependent mechanisms, 117, 419
 Holbrook, M., Gozzard, N., James, T., Higgs, G. and Hughes, B. Inhibition of bronchospasm and ozone-induced airway hyperresponsiveness in the guinea-pig by CDP840, a novel phosphodiesterase type 4 inhibitor, 118, 1192
 Holbrook, M. *see* Gozzard, N., 117, 1405
 Holbrook, M. *see* Gozzard, N., 118, 1201
 Holbrook, M. *see* Hughes, B., 118, 1183
 Holland, M., Langton, P.D., Standen, N.B. and Boyle, J.P. Effects of the BK_{Ca} channel activator, NS1619, on rat cerebral artery smooth muscle, 117, 119
 Hollenberg, M.D. *see* Saifeddine, M., 118, 521
 Holliday, N.D. and Cox, H.M. The functional investigation of a human adenocarcinoma cell line, stably transfected with the neuropeptide Y Y₁ receptor, 119, 321
 Hollingsworth, M. *see* Hughes, S.J., 117, 1435
 Hollingsworth, M. *see* Piper, A.S., 117, 1721
 Holm, P. *see* Kankaanranta, H., 117, 401
 Holmes, M. *see* Heygate, K.M., 119, 495
 Holte, H.R., Bjørnstad-Østensen, A. and Berg, T. The role of endogenous bradykinin in blood pressure homeostasis in spontaneously hypertensive rats, 118, 1925
 Holte, H.R. and Berg, T. The role of nephrectomy and proadifen in blood pressure homeostasis following an acute kinin-induced hypotension in normotensive rats, 117, 1516
 Holtom, P.E. *see* Benwell, M.E.M., 117, 743
 Holzer, P. *see* Heinemann, A., 119, 1525
 Holzmann, S. *see* Graier, W.F., 119, 1177
 Honda, K. *see* Yazawa, H., 117, 799
 Honegger, U.E. *see* Scuntaro, I., 119, 829
 Hong, S.J., Roan, Y.-F. and Chang, C.C. Inhibition of neuromuscular transmission in the myenteric plexus of guinea-pig ileum by ω -conotoxins GVIA, MVIIA, MVIIC and SVIB, 118, 797
 Honoré, P., Buritova, J. and Besson, J.-M. Intraplantar morphine depresses spinal c-Fos expression induced by carrageenin inflammation but not by noxious heat, 118, 671
 Hope, A.G., Peters, J.A., Brown, A.M., Lambert, J.J. and Blackburn, T.P. Characterization of a human 5-hydroxytryptamine₃ receptor type A (h5-HT_{3R-A}) subunit stably expressed in HEK 293 cells, 118, 1237
 Hope, W. *see* White, P.J., 117, 305
 Hopkins, S.J. *see* Steffler, A., 118, 1919
 Hori, M. *see* Kitajima, S., 118, 543
 Hori, Y., Hu, D.-E., Yasui, K., Smither, R.L., Gresham, G.A. and Fan, T.P.D. Differential effects of angiotensin II and dexamethasone on angiogenesis and cytokine levels in rat sponge implants, 118, 1584
 Horie, K. *see* Yazawa, H., 117, 799
 Horie, M. *see* Ishida-Takahashi, A., 117, 1749
 Horton, R.W. *see* Mudunkotuwa, N.T., 117, 1481

- Hosie, A.M., Ozoe, Y., Koike, K., Ohmoto, T., Nikaido, T. and Sattelle, D.B. Actions of picrodendrin antagonists on dieldrin-sensitive and -resistant *Drosophila* GABA receptors, **119**, 1569
- Hosie, A.M. and Sattelle, D.B. Agonist pharmacology of two *Drosophila* GABA receptor splice variants, **119**, 1577
- Hosie, A.M. and Sattelle, D.B. Allosteric modulation of an expressed homo-oligomeric GABA-gated chloride channel of *Drosophila melanogaster*, **117**, 1229
- Hothersall, J.S. *see* Gordge, M.P., **119**, 533
- Hou, X., Wehrle, J., Menge, W., Ciccarelli, E., Wess, J., Mutschler, E., Lambrecht, G., Timmerman, H. and Waelbroeck, M. Influence of monovalent cations on the binding of a charged and an uncharged ('carbo')-muscarinic antagonist to muscarinic receptors, **117**, 955
- Houghton, A.K. *see* Clarke, R.W., **119**, 1167
- Hourani, S.M.O. *see* Johnson, C.R., **117**, 823
- Hourani, S.M.O. *see* Nicholls, J., **117**, 170
- Hourani, S.M.O. *see* Peachey, J.A., **117**, 1105
- Hourani, S.M.O. *see* Peachey, J.A., **119**, 949
- Hourani, S.M.O. *see* Prentice, D.J., **118**, 1509
- Houslay, M. *see* MacLean, M.R., **119**, 917
- Howat, D. *see* Hughes, B., **118**, 1183
- Hoyle, C.H.V., Ziganshin, A.U., Pintor, J. and Burnstock, G. The activation of P₁- and P₂-purinoreceptors on the guinea-pig left atrium by diadenosine polyphosphates, **118**, 1294
- Hsu, K.-S. and Kan, W.-M. Thromboxane A₂ agonist modulation of excitatory synaptic transmission in the rat hippocampal slice, **118**, 2220
- Hu, D.-E., Hiley, C.R. and Fan, T.-P.D. Comparative studies of the angiogenic activity of vasoactive intestinal peptide, endothelins-1 and -3 and angiotensin II in a rat sponge model, **117**, 545
- Hu, D.-E. *see* Hori, Y., **118**, 1584
- Huang, C.-L. *see* Chan, J.Y.H., **118**, 155
- Huang, Y. Inhibitory effect of noradrenaline uptake inhibitors on contractions of rat aortic smooth muscle, **117**, 533
- Huber, E. *see* Leis, H.J., **117**, 540
- Hucks, D. *see* Peng, W., **119**, 1063
- Hug, F. *see* Diener, M., **118**, 1477
- Hughes, B., Howat, D., Lisle, H., Holbrook, M., James, T., Gozzard, N., Blease, K., Hughes, P., Kingaby, R., Warrellow, G., Alexander, R., Head, J., Boyd, E., Eaton, M., Perry, M., Wales, M., Smith, B., Owens, R., Catterall, C., Lumb, S., Russell, A., Allen, R., Merriman, M., Bloxham, D. and Higgs, G. The inhibition of antigen-induced eosinophilia and bronchoconstriction by CDP840, a novel stereoselective inhibitor of phosphodiesterase type 4, **118**, 1183
- Hughes, B. *see* Gozzard, N., **117**, 1405
- Hughes, B. *see* Gozzard, N., **118**, 1201
- Hughes, B. *see* Holbrook, M., **118**, 1192
- Hughes, P. *see* Forhead, A.J., **119**, 393
- Hughes, P. *see* Hughes, B., **118**, 1183
- Hughes, S.J. and Hollingsworth, M. The lack of a role for potassium channel opening in the action of relaxin in the rat isolated uterus; a comparison with levromakalim and salbutamol, **117**, 1435
- Hui, S.-C.G., Sevilla, E.L. and Ogle, C.W. Prevention by the 5-HT₃ receptor antagonist, ondansetron, of morphine-dependence and tolerance in the rat, **118**, 1044
- Huidobro-Toro, J.P. *see* Pelá, I.R., **118**, 1488
- Huizinga, J.D. *see* Barajas-López, C., **119**, 1541
- Hull, R.A.D. *see* Roberts, S.P., **118**, 1779
- Humphrey, P.P.A. *see* Michel, A.D., **117**, 1254
- Humphrey, P.P.A. *see* Castro, S.W., **117**, 639
- Humphrey, P.P.A. *see* Chessell, I.P., **117**, 1673
- Humphrey, P.P.A. *see* Michel, A.D., **117**, 63
- Humphrey, P.P.A. *see* Michel, A.D., **118**, 1806
- Humphrey, P.P.A. *see* Wilkinson, G.F., **118**, 445
- Humphrey, P.P.A. *see* Wyatt, M.A., **119**, 905
- Hunter, J.C. *see* Singh, L., **118**, 1317
- Hurrell, A. *see* Plane, F., **119**, 1557
- Hussain, M.B. *see* Marshall, I., **119**, 407
- Hutcheson, I.R. and Griffith, T.M. Mechanotransduction through the endothelial cytoskeleton: mediation of flow- but not agonist-induced EDRF release, **118**, 720
- Huwyler, J., Drewe, J., Klusemann, C. and Fricker, G. Evidence for P-glycoprotein-modulated penetration of morphine-6-glucuronide into brain capillary endothelium, **118**, 1879
- Huwyler, J. *see* Fricker, G., **118**, 1841

I

- Iadarola, M.J. *see* Ren, K., **117**, 196
- Ichikawa, T. *see* Kobayashi, T., **119**, 73
- Ichimura, M. *see* Nonaka, H., **117**, 1645
- Igbal, N. *see* Lovren, F., **118**, 879
- Iguchi, A. *see* Maeda, N., **117**, 372
- Ihara, M. *see* Fukuroda, T., **117**, 995
- Iida, E. *see* Yazawa, H., **117**, 799
- Iino, M. *see* Ikemoto, T., **118**, 690
- Iizumi, Y. *see* Goto, S., **118**, 174
- IJzerman, A.P. *see* Mathôt, R.A.A., **118**, 369
- Ikari, A. *see* Sakai, H., **119**, 1591
- Ikeda, K. *see* Kobayashi, T., **119**, 73
- Ikeda, M., Koizumi, S., Nakazawa, K., Inoue, K., Ito, K. and Inoue, K. Potentiation by cadmium ion of ATP-evoked dopamine release in rat pheochromocytoma cells, **117**, 950
- Ikegaki, I. *see* Satoh, S., **118**, 1592
- Ikemoto, T., Iino, M. and Endo, M. Effect of calmodulin antagonists on calmodulin-induced biphasic modulation of Ca²⁺-induced Ca²⁺ release, **118**, 690
- Ikemura, T., Okamura, K., Sasaki, Y., Ishii, H. and Ohmori, K. *Erratum*, **118**, 1565
- Ikemura, T., Okamura, K., Sasaki, Y., Ishi, H. and Ohmori, K. KW-4679-induced inhibition of tachykinergic contraction in the guinea-pig bronchi by prejunctional inhibition of peripheral sensory nerves, **117**, 967
- Illiano, S., Marsault, R., Descombes, J.-J., Verbeuren, T. and Vanhoutte, P.M. Regulation of nitric oxide-like activity by prostanoids in smooth muscle of the canine saphenous vein, **117**, 360
- Imaizumi, Y. *see* Asano, M., **118**, 1019
- Inoue, K. *see* Ikeda, M., **117**, 950
- Inoue, S. *see* Moritoki, H., **117**, 1544
- Inoue, Y. *see* Ogata, R., **117**, 351
- Intengan, H.D. and Smyth, D.D. Clonidine-induced increase in osmolar clearance and free water clearance via activation of two distinct α_2 -adrenoceptor sites, **119**, 663
- Ioculano, M. *see* Squadrito, F., **119**, 23
- Ioculano, M. *see* Squadrito, F., **119**, 1079
- Irving, A.J. *see* Harvey, J., **119**, 1239
- Isaac, L., McArdle, S., Miller, N.M., Foster, R.W. and Small, R.C. Effects of some K⁺-channel inhibitors on the electrical behaviour of guinea-pig isolated trachealis and on its responses to spasmogenic drugs, **117**, 1653
- Ishac, E.J.N., Jiang, L., Lake, K.D., Varga, K., Abood, M.E. and Kunos, G. Inhibition of exocytotic noradrenaline release by presynaptic cannabinoid CB₁ receptors on peripheral sympathetic nerves, **118**, 2023
- Ishi, H. *see* Ikemura, T., **117**, 967
- Ishida, H. *see* Ishida-Takahashi, A., **117**, 1749
- Ishida-Takahashi, A., Horie, M., Tsuura, Y., Ishida, H., Ai, T. and Sasa-yama, S. Block of pancreatic ATP-sensitive K⁺ channels and insulinotrophic action by the antiarrhythmic agent, cibenzoline, **117**, 1749
- Ishii, H. *see* Ikemura, T., **118**, 1565
- Ishii, T. *see* Kishi, M., **119**, 623
- Ishii, T. *see* Takeuchi, T., **117**, 1204
- Ishikawa, J. *see* Mitani, H., **119**, 1269
- Ishikawa, K. *see* Fukuroda, T., **117**, 995
- Ishikawa, S. *see* Fukuroda, T., **117**, 995
- Ishizuka, O., Persson, K., Mattiasson, A., Naylor, A., Wyllie, M. and Andersson, K.-E. Micturition in conscious rats with and without bladder outlet obstruction: role of spinal α_1 -adrenoceptors, **117**, 962
- Ito, K. *see* Asano, M., **118**, 1019
- Ito, K. *see* Ikeda, M., **117**, 950
- Ito, K.M. *see* Asano, M., **118**, 1019
- Ito, M. *see* Utsunomiya, I., **117**, 611
- Ito, Y. *see* Ogata, R., **117**, 351
- Itoh, T. *see* Watanabe, Y., **117**, 1302
- Iuliano, L., Colavita, A.R., Camastra, C., Bello, V., Quintarelli, C.,

- Alessandroni, M., Piovella, F. and Violi, F. Protection of low density lipoprotein oxidation at chemical and cellular level by the antioxidant drug dipyridamole, **119**, 1438
- Ivorra, M.D. *see* Chuliá, S., **119**, 1305
- Ivorra, M.D. *see* Madrero, Y., **119**, 1563
- Ivorra, M.D. *see* Noguera, M.A., **119**, 158
- Iwao, H. *see* Kim, S., **118**, 549
- Iwata, M. *see* Komori, S., **119**, 245
- J**
- Jackson, C. *see* Hoey, A., **117**, 712
- Jackson, C.M. *see* Hoey, A.J., **119**, 564
- Jacobson, I. *see* Charlesworth, P., **117**, 1370
- Jacobson, K.A. *see* Boyer, J.L., **118**, 1959
- Jadot, G. *see* Clerc, T., **118**, 1862
- James, R.F.L. *see* Heygate, K.M., **119**, 495
- James, T. *see* Holbrook, M., **118**, 1192
- James, T. *see* Hughes, B., **118**, 1183
- Jane, D.E. *see* Bushell, T.J., **117**, 1457
- Jane, D.E. *see* Sekiyama, N., **117**, 1493
- Jane, D.E. *see* Toms, N.J., **119**, 851
- Janssens, D., Michiels, C., Arnould, T. and Remacle, J. Effects of hydroxyethylrutinosides on hypoxia-induced activation of human endothelial cells *in vitro*, **118**, 599
- Jarvie, E. *see* Wyatt, M.A., **119**, 905
- Javdan, P. *see* Figini, M., **117**, 1270
- Jefferys, J.G.R. *see* Whittington, M.A., **118**, 1977
- Jefferys, J.G.R. *see* Whittington, M.A., **119**, 1291
- Jenkins, A., Franks, N.P. and Lieb, W.R. Actions of general anaesthetics on 5-HT₃ receptors in N1E-115 neuroblastoma cells, **117**, 1507
- Jenkinson, D.H. *see* Dunn, P.M., **117**, 35
- Jensen, P.E., Ohanian, J., Stausbøl-Grøn, B., Buus, N.H. and Aalkjaer, C. Increase by lysophosphatidylcholines of smooth muscle Ca²⁺ sensitivity in α -toxin-permeabilized small mesenteric artery from the rat, **117**, 1238
- Jensen, P.E. Calphostin C-sensitive enhancements of force by lysophosphatidylinositol and diacylglycerols in mesenteric arteries from the rat, **119**, 15
- Jeremy, J.Y. *see* Plane, F., **119**, 1557
- Jhamandas, K. *see* Gouardères, C., **117**, 493
- Jhamandas, K.H. *see* Pawley, A.C., **117**, 1059
- Jia, Y.X. *see* Pinto, A., **119**, 1477
- Jiang, L. *see* Ishac, E.J.N., **118**, 2023
- Jilling, T. *see* Marczin, N., **118**, 1085
- Jin, Y. *see* Fedele, E., **119**, 590
- Jocic, M. *see* Heinemann, A., **119**, 1525
- Johansen, T. *see* Friis, U.G., **118**, 1327
- John, G.W. *see* Valentin, J.-P., **119**, 35
- Johns, E.J. *see* Chamienia, A.L., **118**, 1891
- Johns, E.J. *see* Zhang, T., **119**, 1248
- Johnson, C.R., Charlton, S.J. and Hourani, S.M.O. Responses of the longitudinal muscle and the muscularis mucosae of the rat duodenum to adenine and uracil nucleotides, **117**, 823
- Johnson, P.J., Bornstein, J.C., Yuan, S.Y. and Furness, J.B. Analysis of contributions of acetylcholine and tachykinins to neuro-neuronal transmission in motility reflexes in the guinea-pig ileum, **118**, 973
- Jonasohn, M. *see* Szallasi, A., **119**, 283
- Jones, B.J. *see* Roberts, C., **117**, 384
- Jones, R. *see* Pickering, H., **119**, 379
- Joost, H.G. *see* Sasson, S., **117**, 1318
- Jordan, C.C. *see* Rudd, J.A., **119**, 931
- Jordan, D. *see* Wang, Y., **118**, 1697
- Jordan, N.J., Watson, M.L., Yoshimura, T. and Westwick, J. Differential effects of protein kinase C inhibitors on chemokine production in human synovial fibroblasts, **117**, 1245
- Jordan, N.J. *see* Kolios, G., **119**, 351
- Jørgensen, H.A. *see* Andreassen, O.A., **119**, 751
- Joseph, J. *see* Konorev, E.A., **119**, 511
- Jovanovic, A. and Terzic, A. Diadenosine tetraphosphate-induced inhibition of ATP-sensitive K⁺ channels in patches excised from ventricular myocytes, **117**, 233
- Jung, G. *see* Cross, L.J.M., **117**, 325
- Jungwirth, A. *see* Gschwentner, M., **118**, 41
- Junien, J.L. *see* Gué, M., **118**, 237
- Juránek, I. and Lembeck, F. Evidence for the participation of glutamate in reflexes involving afferent, substance P-containing nerve fibres in the rat, **117**, 71
- K**
- Kähönen, M. *see* Tolvanen, J.-P., **119**, 1137
- Kaiser, N. *see* Sasson, S., **117**, 1318
- Kaissling, B. *see* Schricker, K., **119**, 744
- Kalyanaraman, B. *see* Konorev, E.A., **119**, 511
- Kamata, K., Sugiura, M., Kojima, S. and Kasuya, Y. Preservation of endothelium-dependent relaxation in cholesterol-fed and streptozotocin-induced diabetic mice by the chronic administration of cholestyramine, **118**, 385
- Kamata, K. and Kobayashi, T. Changes in superoxide dismutase mRNA expression by streptozotocin-induced diabetes, **119**, 583
- Kameyama, T. *see* Hiramatsu, M., **118**, 255
- Kamibayashi, T. *see* Mammoto, T., **117**, 1744
- Kampine, J.P. *see* Narita, M., **118**, 1829
- Kan, S. *see* Yoshimura, M., **118**, 1171
- Kan, W.-M. *see* Hsu, K.-S., **118**, 2220
- Kan, Y.M. *see* Peng, W., **119**, 1063
- Kanaide, H. *see* Abe, S., **117**, 1707
- Kanaide, H. *see* Miyagi, Y., **118**, 847
- Kanaide, H. *see* Seguchi, H., **118**, 343
- Kanda, T. *see* Nonaka, H., **117**, 1645
- Kane, C. *see* Shepherd, R.M., **119**, 911
- Kang, J.J., Cheng, Y.W., Ko, F.N., Kuo, M.L., Lin, C.N. and Teng, C.M. Induction of calcium release from sarcoplasmic reticulum of skeletal muscle by xanthone and norathyriol, **118**, 1736
- Kang, S.A., Cho, Y.J., Moon, H.-B. and Na, D.S. Translocation of lipocortin (annexin) 1 to the membrane of U937 cells induced by phorbol ester, but not by dexamethasone, **117**, 1780
- Kankaanranta, H., Luomala, M., Kosonen, O. and Moilanen, E. Inhibition by fenamates of calcium influx and proliferation of human lymphocytes, **119**, 487
- Kankaanranta, H., Rydell, E., Petersson, A.-S., Holm, P., Moilanen, E., Corell, T., Karup, G., Vuorinen, P., Pedersen, S.B., Wennmalm, Å. and Metsä-Ketelä, T. Nitric oxide-donating properties of mesoionic 3-aryl substituted oxatriazole-5-imine derivatives, **117**, 401
- Karaki, H. *see* Abe, F., **118**, 1711
- Karaki, H. *see* Kitajima, S., **118**, 543
- Karkhanavich, A. *see* Lemmens-Gruber, R., **117**, 377
- Karlsson, E. *see* Olanas, M.C., **118**, 283
- Karlsson, J.-A. *see* Naline, E., **118**, 1939
- Karlsson, J.-A. *see* Souness, J.E., **118**, 649
- Karlsson, J.O.G. *see* Pitman, M.R., **119**, 685
- Karup, G. *see* Kankaanranta, H., **117**, 401
- Kasakov, L. *see* Celtek, S., **118**, 137
- Kase, H. *see* Nonaka, H., **117**, 1645
- Kashihara, Y. *see* Noguchi, S., **118**, 1397
- Kasuya, Y. *see* Kamata, K., **118**, 385
- Katsuragi, T. *see* Usune, S., **117**, 698
- Kaumann, A.J. (–)-CGP 12177-induced increase of human atrial contraction through a putative third β -adrenoceptor, **117**, 93
- Kaumann, A.J. *see* Verheggen, R., **117**, 283
- Kaumann, A.J. and Molenaar, P. Differences between the third cardiac β -adrenoceptor and the colonic β_3 -adrenoceptor in the rat, **118**, 2085
- Kawabata, A. Evidence that endogenous nitric oxide modulates plasma fibrinogen levels in the rat, **117**, 236
- Kawabata, A. and Hata, T. Attenuation by prolonged nitric oxide synthase inhibition of the enhancement of fibrinolysis caused by environmental stress in the rat, **119**, 346
- Kawabe, K. *see* Nasu, K., **119**, 797
- Kawabe, K. *see* Shibata, K., **118**, 1403
- Kellermann, O., Loric, S., Maroteaux, L. and Launay, J.-M. Sequential onset of three 5-HT receptors during the 5-hydroxytryptaminergic differentiation of the murine 1C11 cell line, **118**, 1161

- Kelly, P.A.T. *see* Fouyas, I.P., 118, 243
 Kelsey, L. *see* Coceani, F., 117, 1586
 Kelsey, L. *see* Coceani, F., 118, 1689
 Kelso, E.J. *see* Spiers, J.P., 119, 1427
 Kemp, M.C. *see* Toms, N.J., 119, 851
 Kemp, P.A. *see* Gardiner, S.M., 117, 507
 Kemp, P.A. *see* Gardiner, S.M., 118, 141
 Kemp, P.A. *see* Gardiner, S.M., 118, 325
 Kemp, P.A. *see* Gardiner, S.M., 118, 352
 Kemp, P.A. *see* Gardiner, S.M., 118, 1822
 Kemp, P.A. *see* Gardiner, S.M., 119, 1619
 Kendall, D.A. *see* Neil, K.E., 118, 311
 Kengatharan, K.M., De Kimpe, S.J. and Thiemermann, C. Role of nitric oxide in the circulatory failure and organ injury in a rodent model of Gram-positive shock, 119, 1411
 Kengatharan, M., De Kimpe, S.J. and Thiemermann, C. Analysis of the signal transduction in the induction of nitric oxide synthase by lipoteichoic acid in macrophages, 117, 1163
 Kennedy, C. *see* Graham, A., 117, 1341
 Kennedy, C. *see* Robertson, S.J., 118, 951
 Kennedy, C. *see* Westfall, T.D., 117, 867
 Kennett, G.A., Bright, F., Trail, B., Baxter, G.S. and Blackburn, T.P. Effects of the 5-HT_{2B} receptor agonist, BW 723C86, on three rat models of anxiety, 117, 1443
 Kennett, G.A., Wood, M.D., Bright, F., Cilia, J., Piper, D.C., Gager, T., Thomas, D., Baxter, G.S., Forbes, I.T., Ham, P. and Blackburn, T.P. *In vitro* and *in vivo* profile of SB 206553, a potent 5-HT_{2C}/5-HT_{2B} receptor antagonist with anxiolytic-like properties, 117, 427
 Kennovin, G.D. *see* Flitney, F.W., 117, 1549
 Kenny, B.A., Miller, A.M., Williamson, I.J.R., O'Connell, J., Chalmers, D.H. and Naylor, A.M. Evaluation of the pharmacological selectivity profile of α_1 adrenoceptor antagonists at prostatic α_1 adrenoceptors: binding, functional and *in vivo* studies, 118, 871
 Kentish, J.C. *see* Lee, J.A., 118, 2037
 Kerac, M. *see* Baxter, G.F., 117, 1685
 Kerr, N. *see* Stanfa, L.C., 118, 1875
 Kerry, Z. *see* Üstünes, L., 118, 1681
 Khammari, A. *see* Baudet, S., 117, 268
 Khatler, J.C. *see* Han, C., 118, 228
 Khawaja, A.M. *see* Ramnarine, S.I., 118, 998
 Khiroug, L. *see* Giniatullin, R., 119, 1045
 Khoyi, M.A. *see* Ward, S.M., 118, 49
 Kida, K. *see* Moritoki, H., 117, 1544
 Kientsch, U. *see* Scuntaro, I., 119, 829
 Kikukawa, M. *see* Yoshida, M., 117, 885
 Kilbinger, H. *see* Hebeß, K., 118, 2073
 Kilpatrick, I.C. *see* Andersen, H.L., 118, 421
 Kilpatrick, I.C. *see* Andersen, H.L., 118, 2228
 Kilter, H. *see* Sitzler, G., 119, 43
 Kim, K.-T. *see* Choi, S.-Y., 118, 935
 Kim, S., Ohta, K., Hamaguchi, A., Yukimura, T., Miura, K. and Iwao, H. Effects of an AT₁ receptor antagonist, an ACE inhibitor and a calcium channel antagonist on cardiac gene expressions in hypertensive rats, 118, 549
 Kimball, S.D. *see* Berjukov, S., 119, 1197
 Kimoto, M. *see* MacAllister, R.J., 119, 1533
 Kimura, I. *see* Dezaki, K., 118, 1971
 Kimura, J. *see* Watano, T., 119, 555
 Kimura, M. *see* Dezaki, K., 118, 1971
 Kimura, M. *see* Mitani, H., 119, 1269
 King, B.F. *see* Pintor, J., 119, 1006
 King, B.F., Dacquet, C., Ziganshin, A.U., Weetman, D.F., Burnstock, G., Vanhoutte, P.M. and Spedding, M. Potentiation by 2,2'-pyridylisatogen tosylate of ATP-responses at a recombinant P_{2Y1} purinoceptor, 117, 1111
 King, B.F., Ziganshina, L.E., Pintor, J. and Burnstock, G. Full sensitivity of P_{2X2} purinoceptor to ATP revealed by changing extracellular pH, 117, 1371
 King, G.L. *see* Sasson, S., 117, 1318
 Kingaby, R. *see* Hughes, B., 118, 1183
 Kinukawa, M., Ohnata, H. and Ajisawa, Y. Effect of a non-sulphonylurea hypoglycaemic agent, KAD-1229 on hormone secretion in the isolated perfused pancreas of the rat, 117, 1702
 Kirk, C.N.P. *see* Widdowson, P.S., 118, 2126
 Kirk, J.E. and Wilkins, M.R. Renal effects of concurrent E-24.11 and ACE inhibition in the aorto-venocaval fistula rat, 119, 943
 Kirkup, A.J., Edwards, G. and Weston, A.H. Investigation of the effects of 5-nitro-2-(3-phenylpropylamino)-benzoic acid (NPPB) on membrane currents in rat portal vein, 117, 175
 Kirkup, A.J. *see* Green, M.E., 119, 1509
 Kishi, M. *see* Takeuchi, T., 117, 1204
 Kishi, M., Takeuchi, T., Suthamnatpong, N., Ishii, T., Nishio, H., Hata, F. and Takewaki, T. VIP- and PACAP-mediated nonadrenergic, non-cholinergic inhibition in longitudinal muscle of rat distal colon: involvement of activation of charybdotoxin- and apamin-sensitive K⁺ channels, 119, 623
 Kissel, T. *see* Fricker, G., 117, 217
 Kitajima, S., Harada, K.-i., Hori, M., Ozaki, H. and Karaki, H. Dissociation of P₂ purinoceptor-mediated increase in intracellular Ca²⁺ level from myosin light chain phosphorylation and contraction in rat aorta, 118, 543
 Kitamura, K. *see* Ogata, R., 117, 351
 Kitchen, E., Condliffe, A.M., Rossi, A.G., Haslett, C. and Chilvers, E.R. Characterization of inositol hexakisphosphate (InsP₆)-mediated priming in human neutrophils: lack of extracellular [³H]-InsP₆ receptors, 117, 979
 Kitchen, I. *see* Peachey, J.A., 117, 1105
 Kitchen, I. *see* Peachey, J.A., 119, 949
 Klaus, W. *see* Salameh, A., 118, 1899
 Klein, D.C. *see* Sugden, D., 118, 1246
 Klemm, P. *see* Hecker, M., 118, 2178
 Klepzig, H. *see* Olbrich, H.-G., 119, 671
 Kleschyov, A.L. *see* Muller, B., 119, 1281
 Klusemann, C. *see* Huwyler, J., 118, 1879
 Kluytmans, J.A.J.W. *see* van't Veen, A., 118, 593
 Knapp, J. *see* Linck, B., 119, 545
 Knapp, J. *see* Vahlensieck, U., 119, 835
 Knaus, E.E. *see* Lovren, F., 118, 879
 Knight, G.E. and Burnstock, G. The effects of purine compounds on the isolated aorta of the frog *Rana temporaria*, 117, 873
 Knight, G.E. and Burnstock, G. The involvement of the endothelium in the relaxation of the leopard frog (*Rana pipiens*) aorta in response to acetylcholine, 118, 1518
 Knott, P.G., Henry, P.J., McWilliam, A.S., Rigby, P.J., Fernandes, L.B. and Goldie, R.G. Influence of parainfluenza-1 respiratory tract viral infection on endothelin receptor-effector systems in mouse and rat tracheal smooth muscle, 119, 291
 Ko, F.N. *see* Kang, J.J., 118, 1736
 Ko, F.-N. *see* Guh, J.-H., 117, 1716
 Ko, Y. *see* Sachinidis, A., 119, 787
 Kobayashi, S. *see* Miyagi, Y., 118, 847
 Kobayashi, S. *see* Seguchi, H., 118, 343
 Kobayashi, T., Ikeda, K., Ichikawa, T., Togashi, S. and Kumanishi, T. Effects of sigma ligands on the cloned μ -, δ - and κ -opioid receptors co-expressed with G-protein-activated K⁺ (GIRK) channel in *Xenopus* oocytes, 119, 73
 Kobayashi, T. *see* Kamata, K., 119, 583
 Koch, K. *see* Showell, H.J., 117, 1127
 Kodama, T. *see* Goto, S., 118, 174
 Koek, W. *see* Assié, M.-B., 119, 845
 Koike, K. *see* Hosie, A.M., 119, 1569
 Koizumi, S. *see* Ikeda, M., 117, 950
 Kojima, S. *see* Kamata, K., 118, 385
 Kojima, S.-i. and Shimo, Y. Investigation into the 5-hydroxytryptamine-induced atropine-resistant neurogenic contraction of guinea-pig proximal colon, 117, 1613
 Kokubun, S. *see* Sawai, H., 119, 539
 Kolios, G., Robertson, D.A.F., Jordan, N.J., Minty, A., Caput, D., Ferrara, P. and Westwick, J. Interleukin-8 production by the human colon epithelial cell line HT-29: modulation by interleukin-13, 119, 351
 Komaba, J. *see* Furukawa, K.-I., 118, 485
 Komori, S., Iwata, M., Unno, T. and Ohashi, H. Modulation of carbachol-

- induced $[Ca^{2+}]_i$ oscillations by Ca^{2+} influx in single intestinal smooth muscle cells, **119**, 245
- Komori, S. *see* Chen, J., **119**, 937
- Komori, S. *see* Unno, T., **119**, 213
- Komori, Y. *see* Noda, Y., **117**, 1579
- Kondoh, W. *see* Moritoki, H., **117**, 1544
- Konishi, S. *see* Zhao, F.-Y., **118**, 2059
- Konorev, E.A., Joseph, J., Tarpey, M.M. and Kalyanaraman, B. The mechanism of cardioprotection by *S*-nitrosoglutathione monoethyl ester in rat isolated heart during cardioplegic ischaemic arrest, **119**, 511
- Koopal, M. *see* de Boer, J., **119**, 1109
- Kopin, I.J. *see* Al-Damluji, S., **117**, 111
- Kopin, I.J. *see* Al-Damluji, S., **117**, 811
- Korezen, P.A. *see* de Boer, R.E.P., **119**, 1355
- Korzekwa, K. *see* Coccani, F., **117**, 1586
- Kosonen, O. *see* Kankaanranta, H., **119**, 487
- Kostner, G.M. *see* Graier, W.F., **119**, 1177
- Kotsonis, P., Binko, J. and Majewski, H. Noradrenaline synthesis after sympathetic nerve activation in rat atria and its dependence on calcium but not CAM kinase II and protein kinases A or C, **119**, 1605
- Kotsonis, P. and Majewski, H. The structural requirements for phorbol esters to enhance noradrenaline and dopamine release from rat brain cortex, **119**, 115
- Kotwica, J., Skarzynski, D., Bogacki, M. and Miszkiewicz, G. Influence of dopamine as noradrenaline precursor on the secretory function of the bovine corpus luteum *in vitro*, **118**, 1669
- Kovacs, T. (deceased) *see* O'Donnell, J.M., **117**, 938
- Krämer, B.K. *see* Schricker, K., **119**, 744
- Kramer, H.J., Rosberg, J., Bäcker, A. and Meyer-Lehnert, H. Calcium entry and 5-HT₂ receptor blockade in oliguric ischaemic acute renal failure: effects of levemopamil in conscious rats, **117**, 1348
- Krause, E. *see* Cross, L.J.M., **117**, 325
- Krauss, A.H.-P., Woodward, D.F., Gibson, L.L., Protzman, C.E., Williams, L.S., Burk, R.M., Gac, T.S., Roof, M.B., Abbas, F., Marshall, K. and Senior, J. Evidence for human thromboxane receptor heterogeneity using a novel series of 9,11-cyclic carbonate derivatives of prostaglandin F_{2α}, **117**, 1171
- Krijt, E.J. *see* van't Veen, A., **118**, 593
- Kriston, T. *see* Losonczy, Gy., **118**, 1012
- Kromer, B.M. and Tippins, J.R. Coronary artery constriction by the isoprostane 8-epi prostaglandin F_{2α}, **119**, 1276
- Krump, E., Lemay, G. and Borgeat, P. Adenosine A₂ receptor-induced inhibition of leukotriene B₄ synthesis in whole blood *ex vivo*, **117**, 1639
- Kuc, R.E. *see* Maguire, J.J., **118**, 335
- Kuehne, F. *see* Deng, C., **118**, 929
- Kuenzi, F.M. and Dale, N. Effect of capsaicin and analogues on potassium and calcium currents and vanilloid receptors in *Xenopus* embryo spinal neurones, **119**, 81
- Kuenzli, K.A., Bradley, M.E. and Buxton, I.L.O. Cyclic GMP-independent effects of nitric oxide on guinea-pig uterine contractility, **119**, 737
- Kuipers, R. *see* Hoiting, B.H., **117**, 419
- Kukovetz, W.R. *see* Encabo, A., **119**, 702
- Kukovetz, W.R. *see* Graier, W.F., **119**, 1177
- Kulagowski, J. *see* Bowery, B.J., **119**, 1491
- Kumagai, K. *see* Nakamura, M., **119**, 205
- Kumanishi, T. *see* Kobayashi, T., **119**, 73
- Kumano, E. *see* Sakai, H., **119**, 1591
- Kumari, M. *see* Hadley, A.J., **119**, 463
- Kumari, R. *see* Dikshit, M., **119**, 578
- Kumazawa, J. *see* Seguchi, H., **118**, 343
- Kumlin, M. *see* Fornhem, C., **118**, 989
- Kunos, G. *see* Ishac, E.J.N., **118**, 2023
- Kunz, D., Walker, G., Wiesenberger, I. and Pfeilschifter, J. Inhibition by tetranactin of interleukin 1β- and cyclic AMP-induced nitric oxide synthase expression in rat renal mesangial cells, **118**, 1621
- Kuo, M.L. *see* Kang, J.J., **118**, 1736
- Kurihara, T. and Yoshioka, K. The excitatory and inhibitory modulation of primary afferent fibre-evoked responses of ventral roots in the neonatal rat spinal cord exerted by nitric oxide, **118**, 1743
- Kurosawa, A. *see* Arimura, A., **117**, 1809
- Kurosawa, H. *see* Salerno, F.G., **118**, 734
- Kurosawa, H. *see* Salerno, F.G., **119**, 183
- Kurtz, A. *see* Schricker, K., **119**, 744
- Kurz, T. *see* Münch, G., **118**, 1855
- Kuwako, M. *see* Asano, M., **118**, 1019
- Kwan, C.Y. *see* Daniel, E.E., **117**, 1535
- Kwan, Y.W., Ngan, M.-p., Tsang, K.-y., Lee, H.-m. and Chu, L.-a. Pre-synaptic modulation by L-glutamate and GABA of sympathetic co-transmission in rat isolated vas deferens, **118**, 755
- Kwan, Y.W. *see* Qi, A.-d., **119**, 1454
- Kyle, D.J. *see* Corrêa, C.R., **117**, 552

L

- La, M., Li, C.G. and Rand, M.J. Comparison of the effects of hydroxocobalamin and oxyhaemoglobin on responses to NO, EDRF and the nitrenergic transmitter, **117**, 805
- La Rosee, K. *see* Sitzler, G., **119**, 43
- Labadia, A. *see* García-Pascual, A., **118**, 905
- Labasi, J.M. *see* Faraci, W.S., **119**, 1101
- Labasi, J.M. *see* Pettipher, E.R., **117**, 1530
- Labat, C. *see* Norel, X., **119**, 149
- Lachmann, B. *see* van't Veen, A., **118**, 593
- Lachmann, B. *see* van't Veen, A., **119**, 1145
- Lacroix, J.S., Ricchetti, A.P., Morel, D., Mossimann, B., Waeber, B. and Grouzmann, E. Intranasal administration of neuropeptide Y in man: systemic absorption and functional effects, **118**, 2079
- Laflamme, N., Bovetto, S., Richard, D. and Rivest, S. Effect of dexfenfluramine on the transcriptional activation of CRF and its type 1 receptor within the paraventricular nucleus of the rat hypothalamus, **117**, 1021
- Lafont, H. *see* Clerc, T., **118**, 1862
- Lafontan, M. *see* Barbe, P., **117**, 907
- Lagadic-Gossman, D., Le Prigent, K. and Feuvray, D. Effects of trimetazidine on pH_i regulation in the rat isolated ventricular myocyte, **117**, 831
- Laguna, J.C. *see* Vázquez, M., **117**, 1155
- Lai, M.-K. *see* Guh, J.-H., **117**, 1716
- Laight, D.W., Matz, J., Caesar, B., Carrier, M.J. and Änggård, E.E. Investigation of endogenous nitric oxide vascular function in the carotid artery of cholesterol-fed rabbits, **117**, 1471
- Laine, M. *see* Tavi, P., **118**, 407
- Laird, J.M.A., Mason, G.S., Webb, J., Hill, R.G. and Hargreaves, R.J. Effects of a partial agonist and a full antagonist acting at the glycine site of the NMDA receptor on inflammation-induced mechanical hyperalgesia in rats, **117**, 1487
- Lakat, L. *see* Lew, R.A., **118**, 1269
- Lake, K.D. *see* Ishac, E.J.N., **118**, 2023
- Lal, H., Woodward, B. and Williams, K.I. Investigation of the contributions of nitric oxide and prostaglandins to the actions of endothelins and sarafotoxin 6c in rat isolated perfused lungs, **118**, 1931
- Lam, F.Y. and Wong, M.C.S. Characterization of tachykinin receptors mediating plasma extravasation and vasodilatation in normal and acutely inflamed knee joints of the rat, **118**, 2107
- Lambert, C. *see* Beaulieu, P., **118**, 1790
- Lambert, C. *see* Dumont, E.C., **118**, 1141
- Lambert, D.G. *see* Nicol, B., **119**, 1081
- Lambert, J.J. *see* Belelli, D., **118**, 563
- Lambert, J.J. *see* Green, K.A., **119**, 602
- Lambert, J.J. *see* Hope, A.G., **118**, 1237
- Lambrech, G. *see* Hou, X., **117**, 955
- Lambrech, G. *see* Waelbroeck, M., **119**, 1319
- Lamontagne, D. *see* Dumont, E.C., **118**, 1141
- Lamontagne, D. *see* Millette, E., **119**, 899
- Lampen, A., Christians, U., Gonschior, A.-K., Bader, A., Hackbarth, I., von Engelhardt, W. and Sewing, K.-F. Metabolism of the macrolide immunosuppressant, tacrolimus, by the pig gut mucosa in the Ussing chamber, **117**, 1730
- Landi, M. *see* Manara, L., **117**, 435
- Lang, R.J. *see* Watson, M.J., **118**, 1605
- Langton, P.D. *see* Holland, M., **117**, 119
- Lansdell, S.J. *see* Giles, H., **117**, 1119

- Lantoine, F. *see* Le Quan Sang, K.-H., 119, 1361
 Lara, B. *see* Gandía, L., 117, 463
 Large, W.A. *see* Criddle, D.N., 118, 1065
 Large, W.A. *see* Toma, C., 118, 513
 Large, W.A. *see* Toma, C., 119, 184
 Larsson, B. *see* Ny, L., 118, 392
 Laruelle, C. *see* Clerc, T., 118, 1862
 Laubie, M. *see* Vayssettes-Courchay, C., 117, 587
 Launay, J.-M. *see* Kellermann, O., 118, 1161
 Laurant, P. and Berthelot, A. Endothelin-1-induced contraction in isolated aortae from normotensive and DOCA-salt hypertensive rats: effect of magnesium, 119, 1367
 Lavidis, N.A. *see* Warren, D.A., 118, 1913
 Lazareno, S. *see* Cohen, F.R., 117, 1521
 Lazareno, S. *see* Waelbroeck, M., 119, 1319
 Lazarowski, E.R., Watt, W.C., Stutts, M.J., Brown, H.A., Boucher, R.C. and Harden, T.K. Enzymatic synthesis of UTP γ S, a potent hydrolysis resistant agonist of P_{2U}-purinoceptors, 117, 203
 Le Fur, G. *see* Manara, L., 117, 435
 Le Marec, H. *see* Baudet, S., 117, 258
 Le Marec, H. *see* Baudet, S., 117, 268
 le Monnier de Gouvillie, A.-C. *see* Delpy, E., 118, 1377
 le Monnier de Gouvillie, A.-C. *see* Delpy, E., 119, 471
 Le Prigent, K. *see* Lagadic-Gossmann, D., 117, 831
 Le Quan Sang, K.-H., Lantoine, F. and Devynck, M.-A. Influence of authentic nitric oxide on basal cytosolic [Ca²⁺] and Ca²⁺ release from internal stores in human platelets, 119, 1361
 Lebel, N., D'Orléans-Juste, P., Fournier, A. and Sirois, P. Role of the neutral endopeptidase 24.11 in the conversion of big endothelins in guinea-pig lung parenchyma, 117, 184
 Lecci, A. *see* Giuliani, S., 119, 985
 Lecci, A. *see* Meini, S., 117, 1619
 Lee, C.-M. *see* Chen, B.C., 119, 1628
 Lee, C.-S. *see* Chi, J.-F., 118, 503
 Lee, H.-m. *see* Kwan, Y.W., 118, 755
 Lee, J.A., Palmer, S. and Kentish, J.C. Photolysis of the novel inotropes EMD 57033 and EMD 57439: evidence that Ca²⁺ sensitization and phosphodiesterase inhibition depend upon the same enantiomeric site, 118, 2037
 Lee, T.-L. *see* Dambisya, Y.M., 117, 914
 Lee, T.H. *see* Chung-a-on, K.O., 117, 1334
 Lee, T.H. *see* Hallsworth, M.P., 117, 79
 Lee, W.S. *see* Limmroth, V., 117, 99
 Lee, Y.T. *see* Lin, W.W., 119, 261
 Lees, G. The effects of anticonvulsants on 4-aminopyridine-induced bursting: *in vitro* studies on rat peripheral nerve and dorsal roots, 117, 573
 Lefebvre, R.A. Influence of superoxide dismutase inhibition on the discrimination between NO and the nitrgic neurotransmitter in the rat gastric fundus, 118, 2171
 Lefebvre, R.A. *see* Smits, G.J.M., 118, 695
 Lefebvre, R.A. *see* Smits, G.J.M., 118, 1987
 Lefer, A.M. *see* Murohara, T., 117, 1000
 Lefort, J. *see* Gonçalves de Moraes, V.L., 117, 1792
 Lei, Y.-H., Barnes, P.J. and Rogers, D.F. Involvement of hydroxyl radicals in neurogenic airway plasma exudation and bronchoconstriction in guinea-pigs *in vivo*, 117, 449
 Leijendekker, W.J., Passaquin, A.-C., Metzinger, L. and Rüegg, U.T. Regulation of cytosolic calcium in skeletal muscle cells of the *mdx* mouse under conditions of stress, 118, 611
 Leis, H.J., Zach, D., Huber, E., Ziermann, L., Gleispach, H. and Windischhofer, W. Inhibition of prostanoid formation in intact cells by 2,5-di-(*tert*-butyl)-1,4-benzohydroquinone, a blocker of Ca²⁺-ATPases, 117, 540
 Leitinger, M. *see* Gschwentner, M., 118, 41
 Lemay, G. *see* Krump, E., 117, 1639
 Lembeck, F. *see* Juránek, I., 117, 71
 Lemmens-Gruber, R., Karkhanav, A., Studenik, C. and Heistracher, P. Cardiotoxicity of emetine dihydrochloride by calcium channel blockade in isolated preparations and ventricular myocytes of guinea-pig hearts, 117, 377
 Lener, R. *see* Concas, A., 118, 839
 Lenfant, J. *see* Bois, P., 118, 1051
 Lenz, O. *see* Sitzler, G., 119, 43
 Leonardi, P. *see* Lombardi, G., 117, 189
 Leopold, E. *see* Pfeiffer, S., 118, 1433
 Leung, E., Walsh, L.K.M., Pulido-Rios, M.T. and Eglen, R.M. Characterization of putative 5-HT₇ receptors mediating direct relaxation in *Cynomolgus* monkey isolated jugular vein, 117, 926
 Leung, E. *see* Eglen, R.M., 119, 595
 Leurs, R. *see* Alves-Rodrigues, A., 118, 2045
 Leurs, R. *see* Blandina, P., 119, 1656
 Leurs, R. *see* Smit, M.J., 117, 1071
 Levi, A.J. *see* Hancox, J.C., 118, 1447
 Lew, M.J., Murphy, R. and Angus, J.A. Synthesis and characterization of a selective peptide antagonist of neuropeptide Y vascular postsynaptic receptors, 117, 1768
 Lew, M.J. *see* Flanders, S., 117, 142
 Lew, R.A., Tomoda, F., Evans, R.G., Lakat, L., Boublik, J.H., Pipolo, L.A. and Smith, A.I. Synthetic inhibitors of endopeptidase EC 3.4.24.15: potency and stability *in vitro* and *in vivo*, 118, 1269
 Lew, R.A. *see* Tomoda, F., 119, 365
 Li, B. *see* Chen, J., 119, 937
 Li, C.G. *see* La, M., 117, 805
 Li, C.G. *see* Najbar, A.T., 118, 537
 Li, C.G. and Rand, M.J. Inhibition of NO-mediated responses by 7-ethoxy-resorufin, a substrate and competitive inhibitor of cytochrome P₄₅₀, 118, 57
 Li, Q., Zhang, J., Pfaffendorf, M. and van Zwieten, P.A. Direct positive chronotropic effects of angiotensin II and angiotensin III in pithed rats and in rat isolated atria, 118, 1653
 Li, Q. *see* Schachter, J.B., 118, 167
 Liaw, C. *see* Tsai, S.-C., 118, 984
 Lieb, W.R. *see* Dickinson, R., 117, 1369
 Lieb, W.R. *see* Downie, D.L., 118, 493
 Lieb, W.R. *see* Jenkins, A., 117, 1507
 Lilley, E. and Gibson, A. Antioxidant protection of NO-induced relaxations of the mouse anococcygeus against inhibition by superoxide anions, hydroquinone and carboxy-PTIO, 119, 432
 Limmroth, V., Lee, W.S. and Moskowitz, M.A. GABA_A-receptor-mediated effects of progesterone, its ring-A-reduced metabolites and synthetic neuroactive steroids on neurogenic oedema in the rat meninges, 117, 99
 Lin, C.N. *see* Kang, J.J., 118, 1736
 Lin, J.-H. and Lin, M.-T. Nitric oxide synthase-cyclo-oxygenase pathways in organum vasculosum laminae terminalis: possible role in pyrogenic fever in rabbits, 118, 179
 Lin, M.-T. *see* Lin, J.-H., 118, 179
 Lin, W.-W. *see* Chen, B.C., 119, 1628
 Lin, W.W. and Lee, Y.T. Pyrimidinoceptor-mediated activation of phospholipase C and phospholipase A₂ in RAW 264.7 macrophages, 119, 261
 Lin, Y.T. *see* Chen, I.J., 119, 7
 Linck, B., Boknik, P., Knapp, J., Müller, F.U., Neumann, J., Schmitz, W. and Vahlensieck, U. Effects of cantharidin on force of contraction and phosphatase activity in nonfailing and failing human hearts, 119, 545
 Linck, B. *see* Vahlensieck, U., 119, 835
 Lindén, A. Increased interleukin-8 release by β -adrenoceptor activation in human transformed bronchial epithelial cells, 119, 402
 Lindén, A. *see* Bergendal, A., 117, 1009
 Lipartiti, M. *see* Zanotti, A., 117, 647
 Lisle, H. *see* Hughes, B., 118, 1183
 Liu, G.J. and Madsen, B.W. Biphasic effect of pentobarbitone on chick myotube nicotinic receptor channel kinetics, 118, 1385
 Liu, L. and Coupar, I.M. Evidence for functional α_{2D} -adrenoceptors in the rat intestine, 117, 787
 Liu, Y. *see* Dildy-Mayfield, J.E., 118, 378
 Liu, Y.-L., Cawthorne, M.A. and Stock, M.J. Biphasic effects of the β -adrenoceptor agonist, BRL 37344, on glucose utilization in rat isolated skeletal muscle, 117, 1355
 Llaur, M.-E. *see* Montastruc, J.-L., 117, 781
 Llenas, J. *see* Gras, J., 119, 187
 Lluch, S. *see* Cases, E., 119, 1337
 Lo, Y.C. *see* Chen, I.J., 119, 7

- Lo Russo, A., Passaquin, A.-C., André, P., Skutella, M. and Rüegg, U.T. Effect of cyclosporin A and analogues on cytosolic calcium and vasoconstriction: possible lack of relationship to immunosuppressive activity, **118**, 885
- Lock, E.A. *see* Widdowson, P.S., **117**, 1761
- Löfdahl, C.-G. *see* Bergendal, A., **117**, 1009
- Loh, S.-H., Sun, B. and Vaughan-Jones, R.D. Effect of Hoe 694, a novel Na^+/H^+ exchange inhibitor, on intracellular pH regulation in the guinea-pig ventricular myocyte, **118**, 1905
- Loillier, B. *see* Bélichard, P., **117**, 1565
- Loirand, G. *see* Blotti re, H.M., **117**, 775
- Loirand, G. *see* Pacaud, P., **118**, 2213
- Lombardi, G., Leonardi, P. and Moroni, F. Metabotropic glutamate receptors, transmitter output and fatty acids: studies in rat brain slices, **117**, 189
- Lopaschuk, G.D. *see* Finegan, B.A., **118**, 355
- L pez, M.G. *see* Gand a, L., **117**, 463
- Loric, S. *see* Kellermann, O., **118**, 1161
- Losonczy, Gy., Mucha, I., M ller, V., Kriston, T., Ungv ri, Z., Torn ci, L., Rosivall, L. and Venuto, R. The vasoconstrictor effects of L-NAME, a nitric oxide synthase inhibitor, in pregnant rabbits, **118**, 1012
- Loubati res-Mariani, M.M. *see* Bertrand, G., **117**, 764
- Loubati res-Mariani, M.-M. *see* Par s-Herbut , N., **118**, 783
- Loubati res-Mariani, M.M. *see* Sai g, B., **118**, 804
- Louis, W.J. *see* Rowley, K.G., **118**, 1615
- Lovren, F., O'Neill, S.K., Bieger, D., Igbal, N., Knaus, E.E. and Triggle, C.R. Nitric oxide, a possible mediator of 1,4-dihydropyridine-induced photorelaxation of vascular smooth muscle, **118**, 879
- Low, A.M. *see* Daniel, E.E., **117**, 1535
- Lu, C.-C. *see* Tsai, S.-C., **118**, 984
- Lu, Y. *see* Pellegatta, F., **118**, 471
- Lu-Chao, H. *see* Daniel, E.E., **117**, 1535
- L bbert, H. *see* Schoeffter, P., **117**, 993
- L bbert, H. *see* Ullmer, C., **117**, 1081
- Luccarini, J.M. *see* B lichard, P., **117**, 1565
- Lucchini, B.R. *see* Chi, L., **117**, 1261
- Luciani, S. *see* Bova, S., **117**, 1041
- Ludwig, M.S. *see* Salerno, F.G., **118**, 734
- Ludwig, M.S. *see* Salerno, F.G., **119**, 183
- Luheshi, G.N. *see* Stefferl, A., **118**, 1919
- Lumb, S. *see* Hughes, B., **118**, 1183
- Lundberg, J.M. *see* Fornhem, C., **118**, 989
- Lundberg, J.M. *see* Weitzberg, E., **118**, 617
- Lundeberg, T. *see* Yu, L.-C., **117**, 43
- Lundquist, I. *see*  kesson, B., **119**, 758
- Lundstr m, K. *see* Michel, A.D., **117**, 1254
- Lundstr m, K. *see* Michel, A.D., **118**, 1806
- Lunven, C. *see* Duval, N., **118**, 727
- Luo, S.-F., Tsai, C.-T., Wu, W.-B., Pan, S.-L., Tsai, Y.-J. and Yang, C.-M. Pharmacological and functional characterization of bradykinin receptors in canine cultured tracheal epithelial cells, **119**, 439
- Luomala, M. *see* Kankaanranta, H., **119**, 487
- L scher, T.F. *see* Moreau, P., **118**, 1429
- Luttmann, M.A. *see* Hay, D.W.P., **118**, 1209
- Lydford, S.J., McKechnie, K.C.W. and Dougall, I.G. Pharmacological studies on prostanoid receptors in the rabbit isolated saphenous vein: a comparison with the rabbit isolated ear artery, **117**, 13
- Endothelin_B receptor-mediated contraction in human pulmonary resistance arteries, **119**, 1125
- McCulloch, K.M. *see* MacLean, M.R., **119**, 917
- MacDermot, J. *see* Allport, J.R., **118**, 1111
- McDermott, B.J. *see* Spiers, J.P., **119**, 1427
- McDonald, T.F. *see* Shuba, L.M., **117**, 1395
- McDonald, T.F. *see* Shuba, L.M., **119**, 335
- McFadzean, I. *see* Wayman, C.P., **117**, 566
- McFadzean, I. *see* Wayman, C.P., **118**, 2001
- McGiff, J.C. *see* Rapacon, M., **118**, 1504
- Machado, A. *see* de la Cruz, C.P., **117**, 1756
- Macher, A. *see* Schricker, K., **119**, 744
- Machu, T.K. *see* Mascia, M.P., **119**, 1331
- McKechnie, K.C.W. *see* Lydford, S.J., **117**, 13
- McKinnon, W. *see* Aaronson, P.I., **117**, 365
- McKnight, A.T. *see* Nicol, B., **119**, 1081
- MacLean, M.R., Clayton, R.A., Templeton, A.G.B. and Morecroft, I. Evidence for 5-HT₁-like receptor-mediated vasoconstriction in human pulmonary artery, **119**, 277
- MacLean, M.R., Sweeney, G., Baird, M., McCulloch, K.M., Houslay, M. and Morecroft, I. 5-Hydroxytryptamine receptors mediating vasoconstriction in pulmonary arteries from control and pulmonary hypertensive rats, **119**, 917
- MacLean, M.R. *see* McCulloch, K.M., **119**, 1125
- McLean, P.G. and Coupar, I.M. Further investigation into the signal transduction mechanism of the 5-HT₄-like receptor in the circular smooth muscle of human colon, **118**, 1058
- McLean, P.G. and Coupar, I.M. Stimulation of cyclic AMP formation in the circular smooth muscle of human colon by activation of 5-HT₄-like receptors, **117**, 238
- McLees, A. *see* Graham, A., **117**, 1341
- MacLennan, S.J. *see* Randall, V.A., **118**, 627
- MacLeod, K.M. *see* Weber, L.P., **118**, 115
- Maclouf, J. *see* Patrignani, P., **118**, 1285
- McRae, G. *see* Tallentire, D., **118**, 63
- Macrez-Lepr tre, N. *see* Morel, J.L., **118**, 73
- McWilliam, A.S. *see* Knott, P.G., **119**, 291
- Madden, A.C. *see* Tomoda, F., **119**, 365
- Madrero, Y., Elorriaga, M., Martinez, S., Noguera, M.A., Cassels, B.K., D'Ocon, P. and Ivorra, M.D. A possible structural determinant of selectivity of boldine and derivatives for the α_{1A} -adrenoceptor subtype, **119**, 1563
- Madsen, B.W. *see* Liu, G.J., **118**, 1385
- Maeda, N., Tamagawa, T., Niki, I., Miura, H., Ozawa, K., Watanabe, G., Nonogaki, K., Uemura, K. and Iguchi, A. Increase in insulin release from rat pancreatic islets by quinolone antibiotics, **117**, 372
- Maggi, C.A. *see* Giuliani, S., **118**, 1567
- Maggi, C.A. *see* Giuliani, S., **119**, 985
- Maggi, C.A. *see* Meini, S., **117**, 1619
- Maggi, C.A. *see* Zagorodnyuk, V., **119**, 779
- Maggi, C.A. and Giuliani, S. Evidence that tachykinin NK₂ receptors modulate resting tone in the rat isolated small intestine, **118**, 1262
- Maggi, C.A., Giuliani, S., Santicoli, P. and Brading, A.F. Role of intracellular Ca^{2+} in the K channel opener action of CGRP in the guinea-pig ureter, **118**, 1493
- Magina, S. *see* Vaz-da-Silva, M., **118**, 364
- Maguire, J.J., Kuc, R.E., Rous, B.A. and Davenport, A.P. Failure of BQ123, a more potent antagonist of sarafotoxin 6b than of endothelin-1, to distinguish between these agonists in binding experiments, **118**, 335
- Mahmood, S. *see* Omawari, N., **118**, 186
- Maisonnette, Y. *see* Bertrand, G., **117**, 764
- Majewski, H. *see* Kotsonis, P., **119**, 115
- Majewski, H. *see* Kotsonis, P., **119**, 1605
- M kynen, H. *see* Tolvanen, J.-P., **119**, 1137
- Malcangio, M. *see* Teoh, H., **118**, 1153
- Maldonado, R. *see* Ruiz, F., **119**, 174
- Malinowska, B. and Schlicker, E. Mediation of the positive chronotropic effect of CGP 12177 and cyanopindolol in the pithed rat by atypical β -adrenoceptors, different from β_3 -adrenoceptors, **117**, 943
- Mammoto, T., Kamibayashi, T., Hayashi, Y., Yamatodani, A., Takada, K. and Yoshiya, I. Antiarrhythmic action of rilmenidine on adrenaline-

M

- Ma, M. *see* Wang, Z., **117**, 293
- Ma, Z. *see* Tao, R., **119**, 1375
- MacAllister, R.J., Parry, H., Kimoto, M., Ogawa, T., Russell, R.J., Hodson, H., Whitley, G.St.J. and Vallance, P. Regulation of nitric oxide synthesis by dimethylarginine dimethylaminohydrolase, **119**, 1533
- McArdle, S. *see* Isaac, L., **117**, 1653
- McCormack, J.G. *see* Budd, D.C., **118**, 162
- McCulloch, A.I. and Randall, M.D. Modulation of vasorelaxant responses to potassium channel openers by basal nitric oxide in the rat isolated superior mesenteric arterial bed, **117**, 859
- McCulloch, K.M., Docherty, C.C., Morecroft, I. and MacLean, M.R.

- induced arrhythmia via central imidazoline receptors in halothane-anaesthetized dogs, **117**, 1744
- Man, C.M. *see* Smith, S.E., **119**, 165
- Manara, L., Badone, D., Baroni, M., Boccardi, G., Cecchi, R., Croci, T., Giudice, A., Guzzi, U., Landi, M. and Le Fur, G. Functional identification of rat atypical β -adrenoceptors by the first β_3 -selective antagonists, aryloxypropanolaminotetralins, **117**, 435
- Manara, L. *see* De Ponti, F., **117**, 1374
- Mannaioni, G., Carlà, V. and Moroni, F. Pharmacological characterization of metabotropic glutamate receptors potentiating NMDA responses in mouse cortical wedge preparations, **118**, 1530
- Manning, P.T. *see* Salvemini, D., **118**, 829
- Mao, W. *see* Pu, Q., **118**, 1072
- March, J.E. *see* Gardiner, S.M., **117**, 507
- March, J.E. *see* Gardiner, S.M., **118**, 141
- March, J.E. *see* Gardiner, S.M., **118**, 352
- March, J.E. *see* Gardiner, S.M., **118**, 1822
- March, J.E. *see* Gardiner, S.M., **119**, 1619
- Marchionni, D. *see* Roccon, A., **118**, 1095
- Marco, C. *see* Carrasco, M.P., **119**, 233
- Marco, J. *see* Silvestre, R.A., **117**, 347
- Marcondes, S. *see* Donato, J.L., **119**, 1447
- Marczin, N. *see* Papapetropoulos, A., **118**, 1359
- Marczin, N., Jilling, T., Papapetropoulos, A., Go, C. and Catravas, J.D. Cytoskeleton-dependent activation of the inducible nitric oxide synthase in cultured aortic smooth muscle cells, **118**, 1085
- Marino, M.H. *see* Salvemini, D., **118**, 829
- Mariot, R. *see* Zanotti, A., **117**, 647
- Marley, P.D. and Thomson, K.A. Inhibition of nicotinic responses of bovine adrenal chromaffin cells by the protein kinase C inhibitor, Ro 31-8220, **119**, 416
- Maroteaux, L. *see* Kellermann, O., **118**, 1161
- Marra, F. *see* Pinzani, M., **119**, 1117
- Marsault, R. *see* Illiano, S., **117**, 360
- Marsden, C.A. *see* Munday, M.K., **117**, 750
- Marshall, I., Burt, R.P., Green, G.M., Hussain, M.B. and Chapple, C.R. Different subtypes of α_{1A} -adrenoceptor mediating contraction of rat epididymal vas deferens, rat hepatic portal vein and human prostate distinguished by the antagonist RS 17053, **119**, 407
- Marshall, I. *see* Burt, R.P., **117**, 224
- Marshall, K. *see* Krauss, A.H.-P., **117**, 1171
- Marszalec, W., Song, J.-H. and Narahashi, T. The effects of the muscle relaxant, CS-722, on synaptic activity of cultured neurones, **119**, 126
- Martel, F., Martins, M.J., Hipólito-Reis, C. and Azevedo, I. Inward transport of [3 H]-1-methyl-4-phenylpyridinium in rat isolated hepatocytes: putative involvement of a P-glycoprotein transporter, **119**, 1519
- Martí, E., Cantí, C., de Aranda, I.G., Miralles, F. and Solsona, C. Action of suramin upon ecto-ATPase activity and synaptic depression of *Torpedo* electric organ, **118**, 1232
- Martin, D.P. *see* Bahl, A.K., **117**, 580
- Martin, G.R. *see* Giles, H., **117**, 1119
- Martin, G.R. *see* Randall, V.A., **118**, 627
- Martin, M.I., Goicoechea, C., Ormazábal, M.J. and Alfaro, M.J. Influence of pertussis toxin on the calcitonin-opioid interaction in isolated tissues, **119**, 804
- Martin, R.J. *see* Evans, A.M., **118**, 1127
- Martin, U., Dörge, L. and Fischer, S. Comparison of desulfatohirudin (REVASC) and heparin as adjuncts to thrombolytic therapy with reteplase in a canine model of coronary thrombosis, **118**, 271
- Martin, W. *see* Paisley, K., **117**, 1633
- Martin-Requero, A. *see* Butta, N., **118**, 1797
- Martínez, C. *see* Atucha, N.M., **118**, 277
- Martínez, M.C., Muller, B., Stoclet, J.C., Andriantsitohaina, R. Alteration by lipopolysaccharide of the relationship between intracellular calcium levels and contraction in rat mesenteric artery, **118**, 1218
- Martínez, S. *see* Madrero, Y., **119**, 1563
- Martínez-Cuesta, M.A., Esplugues, J.V. and Whittle, B.J.R. Modulation by nitric oxide of spontaneous motility of the rat isolated duodenum: role of tachykinins, **118**, 1335
- Martínez-Sierra, R. *see* Gandía, L., **117**, 463
- Martinolle, J.P. *see* García-Villar, R., **118**, 1253
- Martins, M.A. *see* Bandeira-Melo, C., **118**, 2192
- Martins, M.J. *see* Martel, F., **119**, 1519
- Mascia, M.P., Machu, T.K. and Harris, R.A. Enhancement of homomeric glycine receptor function by long-chain alcohols and anaesthetics, **119**, 1331
- Masereeuw, R., Moons, M.M., Smits, P. and Russel, F.G.M. Glomerular filtration and saturable absorption of iohexol in the rat isolated perfused kidney, **119**, 57
- Masferrer, J.L. *see* Seibert, K., **117**, 1016
- Maslen, C. *see* Souness, J.E., **118**, 649
- Mason, G.S. *see* Laird, J.M.A., **117**, 1487
- Massfelder, T., Parekh, N., Endlich, K., Saussine, C., Steinhausen, M. and Helwig, J.-J. Effect of intrarenally infused parathyroid hormone-related protein on renal blood flow and glomerular filtration rate in the anaesthetized rat, **118**, 1995
- Masuda, Y. *see* Mori, K., **119**, 133
- Masuyama, Y. *see* Goto, S., **118**, 174
- Mateo, J., Miras-Portugal, M.T. and Castro, E. Co-existence of P_{2Y} - and PPADS-insensitive P_{2U} -purinoceptors in endothelial cells from adrenal medulla, **119**, 1223
- Mateo, J., Rotllán, P. and Miras-Portugal, M.T. Suramin – a powerful inhibitor of neural ecto-diadenosine polyphosphate hydrolase, **119**, 1
- Matera, M.G. *see* El-Hashim, A., **119**, 1262
- Mathew, R., Omar, H.A., Fayngersh, R., Shen, W., Wang, J., Gewitz, M.H., Hintze, T.H. and Wolin, M.S. Modulation by atrial natriuretic factor of receptor-mediated cyclic AMP-dependent responses in canine pulmonary artery during heart failure, **118**, 1886
- Mathie, A. *see* Watkins, C.S., **118**, 1772
- Mathie, R.T. *see* Ralevic, V., **118**, 435
- Mathôt, R.A.A., Soudijn, W., Breimer, D.D., IJzerman, A.P. and Danhof, M. Pharmacokinetic-haemodynamic relationships of 2-chloroadenosine at adenosine A_1 and A_{2A} receptors *in vivo*, **118**, 369
- Matsuda, T. *see* Mizuguchi, M., **117**, 443
- Matsumoto, M. *see* Hidaka, K., **117**, 1625
- Matsushima, K. *see* Utsunomiya, I., **117**, 611
- Matsuzaki, T. *see* Noguchi, K., **118**, 941
- Mattiasson, A. *see* Ishizuka, O., **117**, 962
- Matton, A., Engelborghs, S., Bollengier, F., Finné, E. and Vanhaest, L. Modulating effect of the nootropic drug, piracetam on stress- and subsequent morphine-induced prolactin secretion in male rats, **117**, 502
- Matz, J. *see* Laight, D.W., **117**, 1471
- Maudsley, S. *see* Phenna, S., **119**, 315
- May, G.R. *see* Budd, D.C., **118**, 162
- May, M.J., Wheeler-Jones, C.P.D. and Pearson, J.D. Effects of protein tyrosine kinase inhibitors on cytokine-induced adhesion molecule expression by human umbilical vein endothelial cells, **118**, 1761
- Mayer, B. *see* Pfeiffer, S., **118**, 1433
- Mayer, U., Wagenaar, E., Beijnen, J.H., Smit, J.W., Meijer, D.K.F., van Asperen, J., Borst, P. and Schinkel, A.H. Substantial excretion of digoxin via the intestinal mucosa and prevention of long-term digoxin accumulation in the brain by the *mdr1a* P-glycoprotein, **119**, 1038
- Mayne, N.G. *see* Desai, M.A., **118**, 1558
- Mazoit, J.X. *see* Pu, Q., **118**, 1072
- Meager, A. *see* Gonçalves de Moraes, V.L., **117**, 1792
- Medeiros, Y.S. *see* Saleh, T.S.F., **118**, 811
- Medina, P. *see* Cases, E., **119**, 1337
- Megson, I.L. *see* Flitney, F.W., **117**, 1549
- Meierkord, H. *see* Pfeiffer, M., **119**, 569
- Meigel, I. *see* Boddeke, H.W.G.M., **118**, 1836
- Meijer, D.K.F. *see* Mayer, U., **119**, 1038
- Meini, S., Lecci, A. and Maggi, C.A. The longitudinal muscle of rat ileum as a sensitive monoreceptor assay for bradykinin B_1 receptors, **117**, 1619
- Meldrum, B.S. *see* Smith, S.E., **119**, 165
- Menge, W. *see* Hou, X., **117**, 955
- Mercuri, N.B., Bonci, A., Siniscalchi, A., Stefani, A., Calabresi, P. and Bernardi, G. Electrophysiological effects of monoamine oxidase inhibition on rat midbrain dopaminergic neurones: an *in vitro* study, **117**, 528
- Merlos, M. *see* Giral, M., **118**, 1223
- Merlos, M. *see* Vázquez, M., **117**, 1155
- Merriman, M. *see* Hughes, B., **118**, 1183

- Messori, E. *see* Candura, S.M., **118**, 1965
 Metsä-Ketelä, T. *see* Kankaanranta, H., **117**, 401
 Metzinger, L. *see* Leijendekker, W.J., **118**, 611
 Metzmeier, P. *see* Ameri, A., **118**, 577
 Meurs, H. *see* de Boer, J., **119**, 1109
 Meurs, H. *see* Hoiting, B.H., **117**, 419
 Meyer-Dulheuer, F. *see* Verheggen, R., **117**, 283
 Meyer-Lehnert, H. *see* Kramer, H.J., **117**, 1348
 Mezzasoma, A.M. *see* Ribaldi, E., **118**, 1351
 Miao, L., Núñez, B.D., Susulic, V., Wheeler, S., Carrozza, J.P., Ross, J.N. and Morgan, J.P. Cocaine-induced microvascular vasoconstriction but differential systemic haemodynamic responses in Yucatan versus Yorkshire varieties of swine, **117**, 559
 Michel, A. *see* Cortijo, J., **119**, 99
 Michel, A.D. and Humphrey, P.P.A. High affinity P_{2X}-purinoceptor binding sites for [³⁵S]-adenosine 5'-O-[3-thiotriphosphate] in rat vas deferens membranes, **117**, 63
 Michel, A.D., Lundström, K., Buell, G.N., Surprenant, A., Valera, S. and Humphrey, P.P.A. The binding characteristics of a human bladder recombinant P_{2X} purinoceptor, labelled with [³H]-αβmeATP, [³⁵S]-ATPγS or [³³P]-ATP, **117**, 1254
 Michel, A.D., Lundström, K., Buell, G.N., Surprenant, A., Valera, S. and Humphrey, P.P.A. A comparison of the binding characteristics of recombinant P_{2X1} and P_{2X2} purinoceptors, **118**, 1806
 Michel, J.-B. *see* Dowell, F.J., **117**, 341
 Michel, J.-B. *see* Pueyo, M.E., **118**, 79
 Michel, M.C. *see* Büscher, R., **117**, 703
 Michel, M.C. *see* Chess-Williams, R., **119**, 1093
 Michiels, C. *see* Janssens, D., **118**, 599
 Mieyal, P. *see* Rapacon, M., **118**, 1504
 Mihic, S.J. *see* Dildy-Mayfield, J.E., **118**, 378
 Miller, A.M. *see* Kenny, B.A., **118**, 871
 Miller, M. *see* Green, M.E., **119**, 1509
 Miller, N.M. *see* Isaac, L., **117**, 1653
 Miller, R.J. *see* Rhim, H., **118**, 1341
 Millet, L. *see* Barbe, P., **117**, 907
 Millette, E. and Lamontagne, D. Endothelium-dependent and NO-mediated desensitization to vasopressin in rat aorta, **119**, 899
 Milton, A.S. Third W.D.M. Paton Memorial Lecture. Burn Oxford for a start, **119**, 1293
 Minami, M. *see* Hirafuji, M., **117**, 299
 Minty, A. *see* Kolios, G., **119**, 351
 Miralles, F. *see* Martí, E., **118**, 1232
 Miranda, H.F. *see* Sierralta, F., **119**, 551
 Miras-Portugal, M.T. *see* Mateo, J., **119**, 1
 Miras-Portugal, M.T. *see* Mateo, J., **119**, 1223
 Miras-Portugal, M.T. *see* Pintor, J., **119**, 1006
 Mironneau, J. *see* Morel, J.L., **118**, 73
 Mistry, R. and Challiss, R.A.J. Differences in agonist and antagonist activities for two indices of metabotropic glutamate receptor-stimulated phosphoinositide turnover, **117**, 1735
 Mistry, R., Prabhu, G., Godwin, M. and Challiss, R.A.J. Stimulatory effects of the putative metabotropic glutamate receptor antagonist L-AP3 on phosphoinositide turnover in neonatal rat cerebral cortex, **117**, 1309
 Miszkiel, G. *see* Kotwica, J., **118**, 1669
 Mitani, H., Bandoh, T., Ishikawa, J., Kimura, M., Totsuka, T. and Hayashi, S. Inhibitory effects of fluvastatin, a new HMG-CoA reductase inhibitor, on the increase in vascular ACE activity in cholesterol-fed rabbits, **119**, 1269
 Mitchelson, F. *see* Henry, P.J., **118**, 762
 Miura, H. *see* Maeda, N., **117**, 372
 Miura, K. *see* Kim, S., **118**, 549
 Miyagi, Y., Kobayashi, S., Nishimura, J., Fukui, M. and Kanaide, H. Dual regulation of cerebrovascular tone by UTP: P_{2U} receptor-mediated contraction and endothelium-dependent relaxation, **118**, 847
 Miyake, K. *see* Takagi, N., **118**, 33
 Miyauchi, T. *see* Fukuroda, T., **117**, 995
 Miyazawa, K., Hamano, S. and Ujiie, A. Antiproliferative and *c-myc* mRNA suppressive effects of tranilast on newborn human vascular smooth muscle cells in culture, **118**, 915
 Mizoguchi, H. *see* Narita, M., **118**, 1829
 Mizuguchi, M., Fujimura, M., Amemiya, T., Nishi, K., Ohka, T. and Matsuda, T. Involvement of NK₂ receptors rather than NK₁ receptors in bronchial hyperresponsiveness induced by allergic reaction in guinea-pigs, **117**, 443
 Mizusawa, H. *see* Omote, M., **118**, 233
 Modin, A. *see* Weitzberg, E., **118**, 617
 Moilanen, E. *see* Kankaanranta, H., **117**, 401
 Moilanen, E. *see* Kankaanranta, H., **119**, 487
 Moinat, M. *see* Deng, C., **118**, 929
 Molenaar, P. *see* Kaumann, A.J., **118**, 2085
 Molimard, M. *see* Biyah, K., **119**, 1131
 Mombouli, J.-V., Nakashima, M., Hamra, M. and Vanhoutte, P.M. Endothelium-dependent relaxation and hyperpolarization evoked by bradykinin in canine coronary arteries: enhancement by exercise-training, **117**, 413
 Moncada, S. *see* Celtek, S., **118**, 137
 Monge, L. *see* García-Villalón, A.L., **118**, 1848
 Monnet, F.P., de Costa, B.R. and Bowen, W.D. Differentiation of σ-ligand-activated receptor subtypes that modulate NMDA-evoked [³H]-noradrenaline release in rat hippocampal slices, **119**, 65
 Monnier, L. *see* Parés-Herbuté, N., **118**, 783
 Montastruc, J.-L., Llau, M.-E., Senard, J.-M., Tran, M.-A., Rascol, O. and Montastruc, P. A study of tolerance to apomorphine, **117**, 781
 Montastruc, P. *see* Montastruc, J.-L., **117**, 781
 Montes, R. *see* Fernández, R., **119**, 299
 Moon, H.-B. *see* Kang, S.A., **117**, 1780
 Moons, M.M. *see* Masereeuw, R., **119**, 57
 Moore, K.P. *see* Ralevic, V., **118**, 435
 Moore, P.K. *see* Handy, R.L.C., **119**, 423
 Moore, R.B. *see* Widdowson, P.S., **117**, 1761
 Moore, R.B. *see* Widdowson, P.S., **119**, 374
 Moran, R.J. *see* Benwell, M.E.M., **117**, 743
 Morbidelli, L. *see* Parenti, A., **119**, 619
 Morcillo, E.J. *see* Cortijo, J., **119**, 99
 Moreau, J. *see* Chuliá, S., **119**, 1305
 Moreau, P., Takase, H. and Lüscher, T.F. Effect of endothelin antagonists on the responses to prostanoid endothelium-derived contracting factor, **118**, 1429
 Morecroft, I. *see* McCulloch, K.M., **119**, 1125
 Morecroft, I. *see* MacLean, M.R., **119**, 277
 Morecroft, I. *see* MacLean, M.R., **119**, 917
 Morel, D. *see* Lacroix, J.S., **118**, 2079
 Morel, J.L., Macrez-Leprêtre, N. and Mironneau, J. Angiotensin II-activated Ca²⁺ entry-induced release of Ca²⁺ from intracellular stores in rat portal vein myocytes, **118**, 73
 Morgan, J.P. *see* Miao, L., **117**, 559
 Mori, H. *see* Hiramatsu, M., **118**, 255
 Mori, K., Saito, T., Masuda, Y. and Nakaya, H. Effects of class III antiarrhythmic drugs on the Na⁺-activated K⁺ channels in guinea-pig ventricular cells, **119**, 133
 Moriggi, E. *see* Banner, K.H., **119**, 1255
 Morisset, S. *see* de Brum-Fernandes, A.J., **118**, 1597
 Morita, T. *see* Watano, T., **119**, 555
 Moritoki, H., Hisayama, T., Takeuchi, S., Kondoh, W., Inoue, S. and Kida, K. Inhibition by SK&F96365 of NO-mediated relaxation induced by Ca²⁺-ATPase inhibitors in rat thoracic aorta, **117**, 1544
 Moriyama, N. *see* Nasu, K., **119**, 797
 Moriyama, N. *see* Shibata, K., **118**, 1403
 Moroni, F. *see* Lombardi, G., **117**, 189
 Moroni, F. *see* Mannaioni, G., **118**, 1530
 Moroni, F. *see* Pellegrini-Giampietro, D.E., **118**, 1035
 Morrison, K.J. and Vanhoutte, P.M. Stimulation of sodium pump by vasoactive intestinal peptide in guinea-pig isolated trachea: potential contribution to mechanisms underlying relaxation of smooth muscle, **118**, 557
 Mosén, H. *see* Åkesson, B., **119**, 758
 Moskowitz, M.A. *see* Limmroth, V., **117**, 99
 Moskowitz, M.A. *see* Yu, X.-J., **119**, 229
 Mossimann, B. *see* Lacroix, J.S., **118**, 2079
 Mostallino, M.C. *see* Concas, A., **118**, 839
 Moura, D. *see* Vaz-da-Silva, M., **118**, 364
 Moutardier, V. *see* Clerc, T., **118**, 1862

- Mouton, J.W. *see* van't Veen, A., **118**, 593
Mouton, J.W. *see* van't Veen, A., **119**, 1145
Mucha, I. *see* Losonczy, Gy., **118**, 1012
Mudunkotuwa, N.T. and Horton, R.W. Desipramine administration in the olfactory bulbectomized rat: changes in brain β -adrenoceptor and 5-HT_{2A} binding sites and their relationship to behaviour, **117**, 1481
Mue, S. *see* Watanabe, M., **117**, 771
Mugelli, A. *see* Guerra, L., **118**, 1278
Mugnaini, M., van Amsterdam, F.Th.M., Ratti, E., Trist, D.G. and Bowery, N.G. Regionally different *N*-methyl-D-aspartate receptors distinguished by ligand binding and quantitative autoradiography of [³H]-CGP 39653 in rat brain, **119**, 819
Muis, T. *see* Scheerens, H., **119**, 1665
Mulè, F., Serio, R., Postorino, A., Vetri, T. and Bonvissuto, F. Antagonism by SR 48692 of mechanical responses to neurotensin in rat intestine, **117**, 488
Muller, B., Kleschyov, A.L. and Stoclet, J.-C. Evidence of *N*-acetyl-cysteine-sensitive nitric oxide storage as dinitrosyl-iron complexes in lipopolysaccharide-treated rat aorta, **119**, 1281
Muller, B. *see* Martinez, M.C., **118**, 1218
Müller, F.U. *see* Linck, B., **119**, 545
Müller, F.U. *see* Vahlensieck, U., **119**, 835
Müller, V. *see* Losonczy, Gy., **118**, 1012
Mülsch, A. *see* Boese, M., **119**, 707
Munakata, M., Nakanishi, R. and Akaike, N. Heterogeneous distribution of benzodiazepine receptors among rat neostriatal neurones, **118**, 820
Münch, G., Kurz, T., Urbauer, T., Seyfarth, M. and Richardt, G. Differential presynaptic modulation of noradrenaline release in human atrial tissue in normoxia and anoxia, **118**, 1855
Munday, M.R. *see* Peirce, M.J., **119**, 446
Munday, M.K., Fletcher, A. and Marsden, C.A. Effects of 8-OHDPAT and 5-HT_{1A} antagonists WAY100135 and WAY100635, on guinea-pig behaviour and dorsal raphe 5-HT neurone firing, **117**, 750
Murad, F. *see* Papapetropoulos, A., **117**, 147
Murad, F. *see* Papapetropoulos, A., **118**, 1359
Murai, M. *see* Nasu, K., **119**, 797
Murakoshi, T. *see* Zhao, F.-Y., **118**, 2059
Murasawa, H. *see* Hiramatsu, M., **118**, 255
Murohara, T., Buerke, M. and Lefer, A.M. Cardioprotective actions of oligotide, a single stranded polydeoxyribonucleotide complex, in myocardial ischaemia and reperfusion injury, **117**, 1000
Murphy, R. *see* Lew, M.J., **117**, 1768
Murray, S. *see* Allport, J.R., **118**, 1111
Mutschler, E. *see* Hou, X., **117**, 955
Mutschler, E. *see* Olbrich, H.-G., **119**, 671
Mutschler, E. *see* Waelbroeck, M., **119**, 1319
Muzzin, P. *see* Deng, C., **118**, 929

N

- Na, D.S. *see* Kang, S.A., **117**, 1780
Nabeshima, T. *see* Noda, Y., **117**, 1579
Nader, H.B. *see* Donato, J.L., **119**, 1447
Naem, S. *see* Davis, C.L., **118**, 1469
Nagel, A.A. *see* Faraci, W.S., **119**, 1101
Najbar, A.T., Li, C.G. and Rand, M.J. Evidence for two distinct P₂-purinoceptors subserving contraction of the rat anococcygeus smooth muscle, **118**, 537
Nakahata, N. *see* Ohkubo, S., **117**, 1095
Nakamura, A., Fujita, M. and Shiomi, H. Involvement of endogenous nitric oxide in the mechanism of bradykinin-induced peripheral hyperalgesia, **117**, 407
Nakamura, M., Ando, T., Abe, M., Kumagai, K. and Endo, Y. Contrast between effects of aminobisphosphonates and non-aminobisphosphonates on collagen-induced arthritis in mice, **119**, 205
Nakamura, M. *see* Abe, S., **117**, 1707
Nakanishi, H. *see* Watano, T., **119**, 555
Nakanishi, R. *see* Munakata, M., **118**, 820
Nakanishi, S. *see* Sekiyama, N., **117**, 1493
Nakano, H. *see* Ogata, R., **117**, 351
Nakashima, M. *see* Mombouli, J.-V., **117**, 413

- Nakashima, M. *see* Takiguchi, Y., **118**, 1633
Nakaya, H. *see* Mori, K., **119**, 133
Nakayama, S. and Brading, A.F. Long Ca²⁺ channel opening induced by large depolarization and Bay K 8644 in smooth muscle cells isolated from guinea-pig detrusor, **119**, 716
Nakazawa, K. *see* Ikeda, M., **117**, 950
Naline, E., Qian, Y., Advenier, C., Raeburn, D. and Karlsson, J.-A. Effects of RP 73401, a novel, potent and selective phosphodiesterase type 4 inhibitor, on contractility of human, isolated bronchial muscle, **118**, 1939
Naline, E. *see* Biyah, K., **119**, 1131
Naline, E. *see* Chuliá, S., **119**, 1305
Naquira, D. *see* Sierralta, F., **119**, 551
Narahashi, T. *see* Marszalec, W., **119**, 126
Narita, M., Mizoguchi, H., Kampine, J.P. and Tseng, L.F. Role of protein kinase C in desensitization of spinal δ -opioid-mediated antinociception in the mouse, **118**, 1829
Nash, J.E. *see* Pertwee, R.G., **118**, 2199
Nasu, K., Moriyama, N., Kawabe, K., Tsujimoto, G., Murai, M., Tanaka, T. and Yano, J. Quantification and distribution of α_1 -adrenoceptor subtype mRNAs in human prostate: comparison of benign hypertrophied tissue and non-hypertrophied tissue, **119**, 797
Nava, E., Wiklund, N.P. and Salazar, F.J. Changes in nitric oxide release *in vivo* in response to vasoactive substances, **119**, 1211
Navarrete, C. *see* Cortijo, J., **119**, 99
Nayanar, V. *see* Wilson, J.L., **118**, 1754
Naylor, A. *see* Ishizuka, O., **117**, 962
Naylor, A.M. *see* Kenny, B.A., **118**, 871
Naylor, R.J. *see* Rudd, J.A., **118**, 209
Naylor, R.J. *see* Rudd, J.A., **119**, 931
Naylor, R.J. *see* Tuladhar, B.R., **117**, 1679
Naylor, R.J. *see* Tuladhar, B.R., **119**, 303
N'Diaye, N. *see* Pueyo, M.E., **118**, 79
Neary, J.T. *see* Webb, T.E., **119**, 1385
Needleman, P. *see* Seibert, K., **117**, 1016
Neil, K.E., Kendall, D.A. and Alexander, S.P.H. Coupling of metabotropic glutamate receptors to phosphoinositide mobilisation and inhibition of cyclic AMP generation in the guinea-pig cerebellum, **118**, 311
Neild, G.H. *see* Gordge, M.P., **119**, 533
Nelemans, A. *see* Henning, R.H., **117**, 1785
Nelemans, A. *see* Sipma, H., **119**, 730
Nenci, G.G. *see* Ribaldi, E., **118**, 1351
Neu, J.M. *see* Tenn, C.C., **119**, 223
Neuman, R.S. *see* Rahman, S., **117**, 675
Neuman, R.S. *see* Rahman, S., **119**, 877
Neumann, J. *see* Linck, B., **119**, 545
Neumann, J. *see* Vahlensieck, U., **119**, 835
Neumayer, H.H. *see* Hochoer, B., **118**, 220
Newberry, N.R. *see* Watkins, C.J., **117**, 21
Newby, A.C. *see* Blayney, L.M., **118**, 1003
Newton, R. *see* Gienbycz, M.A., **118**, 1945
Nezu, A. *see* Hirafuji, M., **117**, 299
Ngan, M.-p. *see* Kwan, Y.W., **118**, 755
Nguyen-Le, X.K. *see* Gobeil, F., **118**, 289
Nicholas, R.A. *see* Schachter, J.B., **118**, 167
Nicholls, D.G. *see* Budd, D.C., **118**, 162
Nicholls, J., Brownhill, V.R. and Hourani, S.M.O. Characterization of P₁-purinoceptors on rat isolated duodenum longitudinal muscle and muscularis mucosae, **117**, 170
Nichols, L.E. *see* Faraci, W.S., **119**, 1101
Nicol, B., Lambert, D.G., Rowbotham, D.J., Smart, D. and McKnight, A.T. Nociceptin induced inhibition of K⁺ evoked glutamate release from rat cerebrocortical slices, **119**, 1081
Nijkamp, F.P. *see* De Bie, J.J., **119**, 1484
Nijkamp, F.P. *see* Sadeghi-Hashjin, G., **118**, 466
Nijkamp, F.P. *see* Scheerens, H., **119**, 1665
Nikaido, T. *see* Hosie, A.M., **119**, 1569
Niki, I. *see* Maeda, N., **117**, 372
Niles, L.P. *see* Tenn, C.C., **119**, 223
Nilius, B. *see* Voets, T., **118**, 1869
Nilsson, L. *see* Adner, M., **119**, 1159
Ninomiya, H., Uchida, Y., Endo, T., Ohtsuka, M., Nomura, A., Saotome,

- M. and Hasegawa, S. The effects of calcitonin gene-related peptide on tracheal smooth muscle of guinea-pigs *in vitro*, **119**, 1341
- Nirula, V., Zheng, W., Sothinathan, R. and Sandberg, K. Interaction of biphenylimidazole and imidazoleacrylic acid nonpeptide antagonists with valine 108 in TM III of the AT₁ angiotensin receptor, **119**, 1505
- Nisato, D. *see* Roccon, A., **118**, 1095
- Nishi, K. *see* Mizuguchi, M., **117**, 443
- Nishikibe, M. *see* Fukuroda, T., **117**, 995
- Nishimura, J. *see* Miyagi, Y., **118**, 847
- Nishimura, J. *see* Seguchi, H., **118**, 343
- Nishimura, M., Taquahashi, Y., Fujita, K., Satoh, E. and Shimizu, Y. Dependence on temperature of the effect of dinitrophenol on the release of transmitter quanta at neuromuscular junctions in the mouse diaphragm, **118**, 957
- Nishimura, Y. Characterization of 5-hydroxytryptamine receptors mediating contractions in basilar arteries from stroke-prone spontaneously hypertensive rats, **117**, 1325
- Nishio, H. *see* Kishi, M., **119**, 623
- Nishio, H. *see* Takeuchi, T., **117**, 1204
- Nistri, A. *see* Giniatullin, R., **119**, 1045
- Niwa, M. *see* Yoshimura, M., **118**, 1171
- Noble, A.J. *see* Chess-Williams, R., **119**, 1093
- Noble, F. and Cox, B.M. Differential desensitization of μ - and δ -opioid receptors in selected neural pathways following chronic morphine treatment, **117**, 161
- Noda, Y., Yamada, K., Komori, Y., Sugihara, H., Furukawa, H. and Nabeshima, T. Role of nitric oxide in the development of tolerance and sensitization to behavioural effects of phencyclidine in mice, **117**, 1579
- Noguchi, K., Matsuzaki, T., Shiroma, N., Ojiiri, Y. and Sakanashi, M. Involvement of nitric oxide and eicosanoids in platelet-activating factor-induced haemodynamic and haematological effects in dogs, **118**, 941
- Noguchi, S., Kashihara, Y. and Bertrand, C. The induction of a biphasic bronchospasm by the ET_B agonist, IRL 1620, due to thromboxane A₂ generation and endothelin-1 release in guinea-pigs, **118**, 1397
- Nogueira, M.D. *see* Donato, J.L., **119**, 1447
- Noguera, M.A. *see* Chuliá, S., **119**, 1305
- Noguera, M.A. *see* Madrero, Y., **119**, 1563
- Noguera, M.A., Ivorra, M.D. and D'Ocon, P. Functional evidence of inverse agonism in vascular smooth muscle, **119**, 158
- Noireaud, J. *see* Baudet, S., **117**, 258
- Noireaud, J. *see* Baudet, S., **117**, 268
- Nomura, A. *see* Ninomiya, H., **119**, 1341
- Nomura, T. *see* Hidaka, K., **117**, 1625
- Nomura, Y. *see* Asano, M., **118**, 1019
- Nonaka, H., Ichimura, M., Takeda, M., Kanda, T., Shimada, J., Suzuki, F. and Kase, H. KW-3902, a selective high affinity antagonist for adenosine A₁ receptors, **117**, 1645
- Nonogaki, K. *see* Maeda, N., **117**, 372
- Norel, X., Walch, L., Costantino, M., Labat, C., Gorenne, I., Dulmet, E., Rossi, F. and Brink, C. M₁ and M₃ muscarinic receptors in human pulmonary arteries, **119**, 149
- Norman, K.E., Williams, T.J., Feldmann, M. and Rossi, A.G. Effect of soluble P55 tumour-necrosis factor binding fusion protein on the local Schwartzman and Arthus reactions, **117**, 471
- Noronha Dutra, A.A. *see* Gordge, M.P., **119**, 533
- Nowicky, A.V. *see* de-Allie, F.A., **117**, 479
- Nukaga, R. *see* Takagi, N., **118**, 33
- Núñez, B.D. *see* Miao, L., **117**, 559
- Nunez, D.J.R. *see* Zhao, L., **119**, 1217
- Nurminen, M.-L. and Vapaatalo, H. Effect of intracerebroventricular and intravenous administration of nitric oxide donors on blood pressure and heart rate in anaesthetized rats, **119**, 1422
- Ny, L., Alm, P., Ekström, P., Larsson, B., Grundemar, L. and Andersson, K.-E. Localization and activity of haem oxygenase and functional effects of carbon monoxide in the feline lower oesophageal sphincter, **118**, 392
- O
- Oakley, I.G. *see* Bahl, A.K., **117**, 580
- Obayashi, S., Aso, T., Sato, J., Hamasaki, H. and Azuma, H. Intimal hyperplasia in human uterine arteries accompanied by impaired synergism between prostaglandin I₂ and nitric oxide, **119**, 1072
- Obrenovitch, T.P. and Zilkha, E. Inhibition of cortical spreading depression by L-701,324, a novel antagonist at the glycine site of the N-methyl-D-aspartate receptor complex, **117**, 931
- O'Brien, D.P. *see* Duval, N., **118**, 727
- O'Connell, J. *see* Kenny, B.A., **118**, 871
- O'Connor, M. *see* Southan, G.J., **117**, 619
- O'Connor, S.E. *see* Duval, N., **118**, 727
- Odagaki, Y. and Fuxe, K. *Erratum*, **117**, 1607
- O'Donnell, J.M., Banyasz, T. and Kovacs, T. Altered thermoregulatory responses to clonidine in streptozotocin-diabetic rats, **117**, 938
- Ogata, R., Inoue, Y., Nakano, H., Ito, Y. and Kitamura, K. Oestradiol-induced relaxation of rabbit basilar artery by inhibition of voltage-dependent Ca channels through GTP-binding protein, **117**, 351
- Ogawa, S. *see* Shibata, K., **118**, 1403
- Ogawa, T. *see* MacAllister, R.J., **119**, 1533
- Ogle, C.W. *see* Hui, S.-C.G., **118**, 1044
- Oh-ishi, S. *see* Utsunomiya, I., **117**, 611
- Ohanian, J. *see* Jensen, P.E., **117**, 1238
- Ohashi, H. *see* Komori, S., **119**, 245
- Ohashi, H. *see* Unno, T., **119**, 213
- Ohiwa, A. *see* Takagi, N., **118**, 33
- Ohizumi, Y. *see* Furukawa, K.-I., **118**, 485
- Ohizumi, Y. *see* Ohkubo, S., **117**, 1095
- Ohka, T. *see* Mizuguchi, M., **117**, 443
- Ohkubo, S., Nakahata, N. and Ohizumi, Y. Thromboxane A₂-mediated shape change: independent of Gq-phospholipase C-Ca²⁺ pathway in rabbit platelets, **117**, 1095
- Ohlstein, E.H. *see* Hay, D.W.P., **118**, 1209
- Ohmori, J. *see* Hidaka, K., **117**, 1625
- Ohmori, K. *see* Ikemura, T., **117**, 967
- Ohmori, K. *see* Ikemura, T., **118**, 1565
- Ohmoto, T. *see* Hosie, A.M., **119**, 1569
- Ohno, N., Xue, L., Yamamoto, Y. and Suzuki, H. Properties of the inhibitory junction potential in smooth muscle of the guinea-pig gastric fundus, **117**, 974
- Ohnata, H. *see* Kinukawa, M., **117**, 1702
- Ohnui, T. *see* Pinto, A., **119**, 1477
- Ohta, K. *see* Kim, S., **118**, 549
- Ohtsuka, M. *see* Ninomiya, H., **119**, 1341
- Ohuchi, K. *see* Watanabe, M., **117**, 771
- Ojiiri, Y. *see* Noguchi, K., **118**, 941
- Okamura, K. *see* Ikemura, T., **118**, 1565
- Okamura, K. *see* Ikemura, T., **117**, 967
- Okuma, Y. *see* Yokotani, K., **117**, 653
- Okuyama, P. *see* Silva, E.G., **118**, 1367
- Olbrich, H.-G., Grabisch, P., Großmann, A., Rinne, T., Klepzig, H. and Mutschler, E. Protective action of hydroxyethyl rutosides on singlet oxygen challenged cardiomyocytes, **119**, 671
- Oles, R.J. *see* Singh, L., **118**, 1317
- Olesen, S.-P. *see* Strøbæk, D., **118**, 1645
- Olianas, M.C., Adem, A., Karlsson, E. and Onali, P. Rat striatal muscarinic receptors coupled to the inhibition of adenylyl cyclase activity: potent block by the selective m₄ ligand muscarinic toxin 3 (MT3), **118**, 283
- Olianas, M.C. and Onali, P. Antagonism of striatal muscarinic receptors inhibiting dopamine D₁ receptor-stimulated adenylyl cyclase activity by cholinergic antagonists used to treat Parkinson's disease, **118**, 827
- Olmos, G. *see* Escribá, P.V., **118**, 2029
- Olmos, V. *see* Gandía, L., **117**, 463
- Omar, H.A. *see* Mathew, R., **118**, 1886
- Omawari, N., Dewhurst, M., Vo, P., Mahmood, S., Stevens, E. and Tomlinson, D.R. Deficient nitric oxide responsible for reduced nerve blood flow in diabetic rats: effects of L-NAME, L-arginine, sodium nitroprusside and evening primrose oil, **118**, 186
- Omote, M. and Mizusawa, H. Rhythmic relaxations of active tension in the rabbit large arteries induced by a combination of cyclopiazonic acid and Bay K 8644, **118**, 233
- Onali, P. *see* Olianas, M.C., **118**, 283
- Onali, P. *see* Olianas, M.C., **118**, 827
- O'Neill, S.K. *see* Lovren, F., **118**, 879
- Ongini, E. *see* Zocchi, C., **117**, 1381

Onizuka, M. *see* Fukuroda, T., 117, 995
 Ormazábal, M.J. *see* Martín, M.I., 119, 804
 Ortiz, M.C. *see* Atucha, N.M., 118, 277
 Osborne, J. *see* Hadley, A.J., 119, 463
 Osumi, Y. *see* Yokotani, K., 117, 653
 Otsuka, M. *see* Zhao, F.-Y., 118, 2059
 Otsuki, M. *see* Akiyama, T., 117, 1558
 Owens, R. *see* Hughes, B., 118, 1183
 Owji, A.A. *see* Zhao, L., 119, 1217
 Ozaita, A. *see* Escribá, P.V., 118, 2029
 Ozaki, H. *see* Kitajima, S., 118, 543
 Ozaki, S. *see* Fukuroda, T., 117, 995
 Ozawa, K. *see* Maeda, N., 117, 372
 Özdemir, N. *see* Üstünes, L., 118, 1681
 Özer, A. *see* Üstünes, L., 118, 1681
 Ozoe, Y. *see* Hosie, A.M., 119, 1569

P

- Pacaud, P., Feolde, E., Frelin, C. and Loirand, G. Characterization of the P_{2Y}-purinoceptor involved in the ATP-induced rise in cytosolic Ca²⁺ concentration in rat ileal myocytes, 118, 2213
 Pacaud, P. *see* Blottière, H.M., 117, 775
 Pacaud, P. *see* Vigne, P., 119, 360
 Padrini, R. *see* Bova, S., 117, 1041
 Page, C. *see* El-Hashim, A., 119, 1262
 Page, C.P. *see* Banner, K.H., 119, 1255
 Page, C.P. *see* Gozzard, N., 117, 1405
 Page, C.P. *see* Gozzard, N., 118, 1201
 Pagel, P.S., Hettrick, D.A. and Wartier, D.C. Influence of levosimendan, pimobendan, and milrinone on the regional distribution of cardiac output in anaesthetized dogs, 119, 609
 Paisley, K. and Martin, W. Blockade of nitrgic transmission by hydroquinone, hydroxocobalamin and carboxy-PTIO in bovine retractor penis: role of superoxide anion, 117, 1633
 Paiva, T.B. *see* Silva, E.G., 118, 1367
 Palacios, J.M. *see* Gras, J., 119, 187
 Palframan, R.T., Costa, S.K.P., Wilsoncroft, P., Antunes, E., de Nucci, G. and Brain, S.D. The effect of a tachykinin NK₁ receptor antagonist, SR140333, on oedema formation induced in rat skin by venom from the *Phoneutria nigriventer* spider, 118, 295
 Palfreyman, M.N. *see* Souness, J.E., 118, 649
 Palmer, M.J. *see* Harvey, J., 119, 1239
 Palmer, S. *see* Lee, J.A., 118, 2037
 Palmi, M., Frosini, M. and Sgaragli, G. Interleukin-1 β stimulation of ⁴⁵Ca²⁺ release from rat striatal slices, 118, 1705
 Pan, S.-L. *see* Luo, S.-F., 119, 439
 Panagiotidis, G. *see* Åkesson, B., 119, 758
 Panara, M.R. *see* Patrignani, P., 118, 1285
 Panerai, A.E. *see* Bianchi, M., 117, 130
 Panettieri Jr, R.A., Goldie, R.G., Rigby, P.J., Eszterhas, A.J. and Hay, D.W.P. Endothelin-1-induced potentiation of human airway smooth muscle proliferation: an ET_A receptor-mediated phenomenon, 118, 191
 Pannangpetch, P. and Woodman, O.L. The effect of ischaemia on endothelium-dependent vasodilatation and adrenoceptor-mediated vasoconstriction in rat isolated hearts, 117, 1047
 Paoletti, R. *see* Soma, M.R., 118, 215
 Paoloni-Giacobino, A. *see* Deng, C., 118, 929
 Papaioannou, M. *see* Evans, B.A., 117, 210
 Papapetropoulos, A. *see* Marczin, N., 118, 1085
 Papapetropoulos, A., Abou-Mohamed, G., Marczin, N., Murad, F., Caldwell, R.W. and Catravas, J.D. Downregulation of nitrovasodilator-induced cyclic GMP accumulation in cells exposed to endotoxin or interleukin-1 β , 118, 1359
 Papapetropoulos, A., Go, C.Y., Murad, F. and Catravas, J.D. Mechanisms of tolerance to sodium nitroprusside in rat cultured aortic smooth muscle cells, 117, 147
 Pape, D. *see* Saiag, B., 118, 804
 Papp, J.G. *see* Varró, A., 117, 1181
 Paquet, J.L. *see* Bélichard, P., 117, 1565
 Parekh, N. *see* Massfelder, T., 118, 1995
 Parenti, A., Donnini, S., Morbidelli, L., Granger, H.J. and Ziche, M. The effect of linomide on the migration and the proliferation of capillary endothelial cells elicited by vascular endothelial growth factor, 119, 619
 Parés-Herbuté, N., Hillaire-Buys, D., Etienne, P., Gross, R., Loubatières-Mariani, M.-M. and Monnier, L. Adenosine inhibitory effect on enhanced growth of aortic smooth muscle cells from streptozotocin-induced diabetic rats, 118, 783
 Park, J.L. *see* Chi, L., 117, 1261
 Parrat, J.R. *see* Song, W., 118, 2157
 Parrilla, R. *see* Butta, N., 118, 1797
 Parry, H. *see* MacAllister, R.J., 119, 1533
 Parsons, C.G. *see* Bresink, I., 119, 195
 Parsons, C.G. *see* Frankiewicz, T., 117, 689
 Parsons, C.G. *see* Rammes, G., 117, 1209
 Passaquin, A.-C. *see* Leijendekker, W.J., 118, 611
 Passaquin, A.-C. *see* Lo Russo, A., 118, 885
 Pastelin, G. *see* Sánchez, A., 118, 2017
 Patel, H.J. *see* Belvisi, M.G., 117, 1413
 Patel, S. *see* Bowery, B.J., 119, 1491
 Patel, V., Brown, C. and Boarder, M.R. Protein kinase C isoforms in bovine aortic endothelial cells: role in regulation of P_{2Y}- and P_{2U}-purinoceptor-stimulated prostacyclin release, 118, 123
 Patrignani, P., Santini, G., Panara, M.R., Sciulli, M.G., Greco, A., Rotondo, M.T., di Giamberardino, M., Maclof, J., Ciabattini, G. and Patrono, C. Induction of prostaglandin endoperoxide synthase-2 in human monocytes associated with cyclo-oxygenase-dependent F₂-isoprostane formation, 118, 1285
 Patrono, C. *see* Patrignani, P., 118, 1285
 Patry, C. *see* de Brum-Fernandes, A.J., 118, 1597
 Paulin, D. *see* Renesto, P., 117, 902
 Paulmichl, M. *see* Gschwentner, M., 118, 41
 Pawley, A.C., Flesher, S., Boegman, R.J., Beninger, R.J. and Jhamandas, K.H. Differential action of NMDA antagonists on cholinergic neurotoxicity produced by *N*-methyl-D-aspartate and quinolinic acid, 117, 1059
 Payá, M., Terencio, M.C., Ferrándiz, M.L. and Alcaraz, M.J. Involvement of secretory phospholipase A₂ activity in the zymosan rat air pouch model of inflammation, 117, 1773
 Peachell, P.T. *see* Peirce, M.J., 119, 446
 Peachey, J.A., Brownhill, V.R., Hourani, S.M.O. and Kitchen, I. The ontogenetic profiles of the pre- and postjunctional adenosine receptors in the rat vas deferens, 117, 1105
 Peachey, J.A., Hourani, S.M.O. and Kitchen, I. Differential development of adenosine A₁ and A_{2b} receptors in the rat duodenum, 119, 949
 Pearson, J.D. *see* May, M.J., 118, 1761
 Pedersen, S.B. *see* Kankaanranta, H., 117, 401
 Peelle, B. *see* Eglen, R.M., 119, 595
 Peers, C. *see* Pheenna, S., 119, 315
 Pegg, G. *see* Hoey, A., 117, 712
 Pegg, G.G. *see* Hoey, A.J., 119, 564
 Peirce, M.J., Warner, J.A., Munday, M.R. and Peachell, P.T. Regulation of human basophil function by phosphatase inhibitors, 119, 446
 Pekki, A. *see* Tolvanen, J.-P., 119, 1137
 Pelá, I.R., Rosa, A.L., Silva, C.A.A. and Huidobro-Toro, J.P. Central B₂ receptor involvement in the antinociceptive effect of bradykinin in rats, 118, 1488
 Pelckmans, P.A. *see* De Man, J.G., 119, 990, 1022
 Pellegatta, F., Lu, Y., Radaelli, A., Zocchi, M.R., Ferrero, E., Chierchia, S., Gaja, G. and Ferrero, M.E. Drug-induced *in vitro* inhibition of neutrophil-endothelial cell adhesion, 118, 471
 Pellegrini-Giampietro, D.E., Torregrossa, S.A. and Moroni, F. Pharmacological characterization of metabotropic glutamate receptors coupled to phospholipase D in the rat hippocampus, 118, 1035
 Pelzer, S. *see* Shuba, L.M., 119, 335
 Peng, W., Hucks, D., Priest, R.M., Kan, Y.M. and Ward, J.P.T. Ligustrazine-induced endothelium-dependent relaxation in pulmonary arteries via an NO-mediated and exogenous L-arginine-dependent mechanism, 119, 1063
 Penner, S.B. *see* Allan, D.R., 117, 29
 Pepeu, G. *see* Blandina, P., 119, 1656
 Peres, A.L. *see* Barajas-López, C., 119, 1541

- Perez, M.A. *see* Chi, L., 117, 1261
 Pérez, O. *see* Delpón, E., 117, 1293
 Pérez-Vizcaíno, F. *see* Fernández del Pozo, B., 117, 105
 Perkins, M. *see* Walker, K., 117, 684
 Perkins, M.N. *see* Davis, A.J., 118, 2206
 Perra, C. *see* Concas, A., 118, 839
 Perretti, M., Ahluwalia, A., Harris, J.G., Harris, H.J., Wheller, S.K. and Flower, R.J. Acute inflammatory response in the mouse: exacerbation by immunoneutralization of lipocortin 1, 117, 1145
 Perretti, M. and Flower, R.J. Measurement of lipocortin 1 levels in murine peripheral blood leukocytes by flow cytometry: modulation by glucocorticoids and inflammation, 118, 605
 Perry, M. *see* Hughes, B., 118, 1183
 Persoons, M.C.J. *see* Eerdmans, P.H.A., 119, 637
 Persson, K. *see* García-Pascual, A., 118, 905
 Persson, K. *see* Ishizuka, O., 117, 962
 Pertwee, R.G. and Fernando, S.R. Evidence for the presence of cannabinoid CB₁ receptors in mouse urinary bladder, 118, 2053
 Pertwee, R.G., Fernando, S.R., Nash, J.E. and Coutts, A.A. Further evidence for the presence of cannabinoid CB₁ receptors in guinea-pig small intestine, 118, 2199
 Pestana, M. *see* Soares-da-Silva, P., 117, 1193
 Peter, M.G. and Davenport, A.P. Characterization of the endothelin receptor selective agonist, BQ3020 and antagonists BQ123, FR139317, BQ788, 50235, Ro462005 and bosentan in the heart, 117, 455
 Peters, J.A. *see* Belelli, D., 118, 563
 Peters, J.A. *see* Hope, A.G., 118, 1237
 Peters, T. *see* Ameri, A., 118, 577
 Petersson, A.-S. *see* Kankaanranta, H., 117, 401
 Petit, P. *see* Saïag, B., 118, 804
 Pettipher, E.R. *see* Faraci, W.S., 119, 1101
 Pettipher, E.R., Labasi, J.M., Salter, E.D., Stam, E.J., Cheng, J.B. and Griffiths, R.J. Regulation of tumour necrosis factor production by adrenal hormones *in vivo*: insights into the antiinflammatory activity of rolipram, 117, 1530
 Pfaff, O. *see* Waelbroeck, M., 119, 1319
 Pfaffendorf, M. *see* Li, Q., 118, 1653
 Pfeiffer, M., Draguhn, A., Meierkord, H. and Heinemann, U. Effects of γ -aminobutyric acid (GABA) agonists and GABA uptake inhibitors of pharmacosensitive and pharmacoresistant epileptiform activity *in vitro*, 119, 569
 Pfeiffer, S., Leopold, E., Schmidt, K., Brunner, F. and Mayer, B. Inhibition of nitric oxide synthesis by N^G -nitro-L-arginine methyl ester (L-NAME): requirement for bioactivation to the free acid, N^G -nitro-L-arginine, 118, 1433
 Peilschifter, J. *see* Kunz, D., 118, 1621
 Phagoo, S.B., Yaqoob, M., Brown, M.C.S. and Burgess, G.M. Selective labelling of bradykinin receptor subtypes in WI38 human lung fibroblasts, 119, 863
 Phagoo, S.B. *see* Davis, C.L., 118, 1469
 Pheng, L.H. *see* Gobeil, F., 118, 289
 Phenna, S., Carpenter, E., Peers, C., Maudsley, S. and Gent, J.P. Inhibition of Ca²⁺-sensitive K⁺ currents in N^G 108-15 cells by substance P and related tachykinins, 119, 315
 Picard, P. and Couture, R. Intracerebroventricular responses to neuropeptide γ in the conscious rat: characterization of its receptor with selective antagonists, 117, 241
 Pichette, V., Geadah, D. and du Souich, P. The influence of moderate hypoalbuminaemia on the renal metabolism and dynamics of furosemide in the rabbit, 119, 885
 Pickering, H., Sword, S., Vonnhoff, S., Jones, R. and Sugden, D. Analogues of diverse structure are unable to differentiate native melatonin receptors in the chicken retina, sheep pars tuberalis and *Xenopus* melanophores, 119, 379
 Pinardi, G. *see* Sierralta, F., 119, 551
 Pinggera, G.M. *see* Gschwentner, M., 118, 41
 Pinna, C., Ventura, S., Puglisi, L. and Burnstock, G. A pharmacological and histochemical study of hamster urethra and the role of urothelium, 119, 655
 Pinto, A., Sekizawa, K., Yamaya, M., Ohnui, T., Jia, Y.X. and Sasaki, H. Effects of adrenomedullin and calcitonin gene-related peptide on airway and pulmonary vascular smooth muscle in guinea-pigs, 119, 1477
 Pinto-do-Ó, P.C. *see* Soares-da-Silva, P., 117, 1187, 1199
 Pinto-do-Ó, P.C. and Soares-da-Silva, P. Studies on the pharmacology of the inward transport of L-DOPA in rat renal tubules, 118, 741
 Pintor, J. *see* Hoyle, C.H.V., 118, 1294
 Pintor, J. *see* King, B.F., 117, 1371
 Pintor, J., King, B.F., Miras-Portugal, M.T. and Burnstock, G. Selectivity and activity of adenine dinucleotides at recombinant P2X₂ and P2Y₁ purinoceptors, 119, 1006
 Pinzani, M., Marra, F., Caligiuri, A., DeFranco, R., Gentilini, A., Failli, P. and Gentilini, P. Inhibition by pentoxifylline of extracellular signal-regulated kinase activation by platelet-derived growth factor in hepatic stellate cells, 119, 1117
 Piovella, F. *see* Iuliano, L., 119, 1438
 Piper, A.S. and Hollingsworth, M. P₂-purinoceptors mediating spasm of the isolated uterus of the non-pregnant guinea-pig, 117, 1721
 Piper, D.C. *see* Kennett, G.A., 117, 427
 Piper, P.J. *see* Barker, J.E., 118, 643
 Pipolo, L.A. *see* Lew, R.A., 118, 1269
 Pitman, M.R., Karlsson, J.O.G. and Griffith, T.M. Ionic mechanisms contributing to the vasorelaxant properties of iodinated contrast media: a comparison of iohexol and iodixanol in the rabbit isolated aorta, 119, 685
 Pittner, R.A., Wolfe-Lopez, D., Young, A.A. and Beaumont, K. Different pharmacological characteristics in L₆ and C₂C₁₂ muscle cells and intact rat skeletal muscle for amylin, CGRP and calcitonin, 117, 847
 Pizard, A. *see* Gobeil, F., 118, 289
 Plane, F., Hurrell, A., Jeremy, J.Y. and Garland, C.J. Evidence that potassium channels make a major contribution to SIN-1-evoked relaxation of rat isolated mesenteric artery, 119, 1557
 Plane, F. and Garland, C.J. Influence of contractile agonists on the mechanism of endothelium-dependent relaxation in rat isolated mesenteric artery, 119, 191
 Platt, K.P., Zwartjes, R.E. and Bristow, D.R. The effect of GABA stimulation on GABA_A receptor subunit protein and mRNA expression in rat cultured cerebellar granule cells, 119, 1393
 Plevin, R. *see* Graham, A., 117, 1341
 Plumpton, C., Ferro, C.J., Haynes, W.G., Webb, D.J. and Davenport, A.P. The increase in human plasma immunoreactive endothelin but no big endothelin-1 or its C-terminal fragment induced by systemic administration of the endothelin antagonist TAK-044, 119, 311
 Pol, O., Valle, L., Ferrer, I. and Puig, M.M. The inhibitory effects of α_2 -adrenoceptor agonists on gastrointestinal transit during croton oil-induced intestinal inflammation, 119, 1649
 Polak, M.P.J. *see* van Kats, J.P., 117, 891
 Pollock, K. *see* Souness, J.E., 118, 649
 Ponchon, P. *see* Gouédard, O., 119, 1085
 Pörsti, I. *see* Tolvanen, J.-P., 119, 1137
 Pörsti, I., Bara, A.T., Busse, R. and Hecker, M. *Corrigendum*, 117, 231
 Porter, V.A. and Wray, D. Relative potencies of metal ions on transmitter release at mouse motor nerve terminals, 118, 27
 Posadas, F. *see* Sánchez, A., 118, 2017
 Poston, L. *see* Aaronson, P.I., 117, 365
 Postorino, A. *see* Mulè, F., 117, 488
 Potier, B. *see* Frankiewicz, T., 117, 689
 Poulat, P., de Champlain, J. and Couture, R. Cardiovascular responses to intrathecal neuropeptide γ in conscious rats: receptor characterization and mechanism of action, 117, 250
 Pouna, P., Bonoron-Adèle, S., Gouverneur, G., Tariosse, L., Besse, P. and Robert, J. Development of the model of rat isolated perfused heart for the evaluation of anthracycline cardiotoxicity and its circumvention, 117, 1593
 Poyner, D.R. *see* Tomlinson, A.E., 117, 1362
 Poyser, R. *see* Hadley, A.J., 119, 463
 Pozzoli, C. *see* Coruzzi, G., 118, 1813
 Prabhu, G. *see* Mistry, R., 117, 1309
 Preiß, C. *see* Hecker, M., 118, 2178
 Prell, G.D. *see* Alves-Rodrigues, A., 118, 2045
 Prentice, D.J. and Hourani, S.M.O. Activation of multiple sites by adenosine analogues in the rat isolated aorta, 118, 1509
 Preziosi, P. *see* Currò, D., 117, 717

- Price, G.W. *see* Roberts, C., 117, 384
 Priest, R.M. *see* Peng, W., 119, 1063
 Prior, H.M. *see* Hilditch, A., 118, 711
 Probert, C.B. *see* Yang, S., 117, 1572
 Prosdociimi, M. *see* Ribaldi, E., 118, 1351
 Protzman, C.E. *see* Krauss, A.H.-P., 117, 1171
 Pruneau, D. *see* Bélichard, P., 117, 1565
 Pu, Q., Mazoit, J.X., Cao, L.S., Mao, W. and Samii, K. Effect of lignocaine in myocardial contusion: an experiment on rabbit isolated heart, 118, 1072
 Puech, R. *see* Bertrand, G., 117, 764
 Pueyo, M.E., N'Diaye, N. and Michel, J.-B. Angiotensin II-elicited signal transduction via AT₁ receptors in endothelial cells, 118, 79
 Puglisi, L. *see* Pinna, C., 119, 655
 Puig, M.M. *see* Pol, O., 119, 1649
 Puisieux, F.L., Adamantidis, M.M., Dumotier, B.M. and Dupuis, B.A. Cisapride-induced prolongation of cardiac action potential and early after depolarizations in rabbit Purkinje fibres, 117, 1377
 Pulido-Rios, M.T., *see* Eglen, R.M., 119, 595
 Pulido-Rios, M.T. *see* Leung, E., 117, 926
 Purdy, R.H. *see* Concas, A., 118, 839
 Pyne, N.J. *see* Tolan, D., 119, 185
 Pyne, S. *see* Tolan, D., 119, 185

Q

- Qi, A.-d. and Kwan, Y.W. Modulation by extracellular ATP of L-type calcium channels in guinea-pig single sinoatrial nodal cell, 119, 1454
 Qian, Y. *see* Naline, E., 118, 1939
 Queiroz, G. *see* Gonçalves, J., 117, 156
 Quesada, T. *see* Atucha, N.M., 118, 277
 Quilley, J. *see* Rapacon, M., 118, 1504
 Quintanar, J.-L. *see* Gandía, L., 118, 1301
 Quintarelli, C. *see* Iuliano, L., 119, 1438

R

- Racké, K. *see* Freitag, A., 119, 91
 Radaelli, A. *see* Pellegatta, F., 118, 471
 Rae, M.G. *see* Robertson, S.J., 118, 951
 Raeburn, D. *see* Naline, E., 118, 1939
 Raeburn, D. *see* Tomkinson, A., 118, 2131
 Ragusi, C., Boschi, G., Rips, R. and Scherrmann, J.-M. Facilitation of imipramine efflux from the brain by systemic specific antibodies, 118, 2152
 Rahman, S. and Neuman, R.S. Action of 5-hydroxytryptamine in facilitating *N*-methyl-D-aspartate depolarization of cortical neurones mimicked by calcimycin, cyclopiazonic acid and thapsigargin, 119, 877
 Rahman, S. and Neuman, R.S. Characterization of metabotropic glutamate receptor-mediated facilitation of *N*-methyl-D-aspartate depolarization of neocortical neurones, 117, 675
 Raiteri, M. *see* Bonanno, G., 118, 1441
 Raiteri, M. *see* Fedele, E., 117, 1133
 Raiteri, M. *see* Fedele, E., 119, 590
 Ralevic, V. and Burnstock, G. Discrimination by PPADS between endothelial P_{2Y}- and P_{2U}-purinoceptors in the rat isolated mesenteric arterial bed, 118, 428
 Ralevic, V., Mathie, R.T., Moore, K.P. and Burnstock, G. Vasoconstrictor responsiveness of the rat mesenteric arterial bed in cirrhosis, 118, 435
 Ralevic, V., Rubino, A. and Burnstock, G. Augmented sensory-motor vasodilatation of the rat mesenteric arterial bed after chronic infusion of the P₁-purinoceptor antagonist, DPSPX, 118, 1675
 Ralevic, V. and Burnstock, G. Effects of short- and long-term sympathectomy on vasoconstrictor responses of the rat mesenteric arterial bed, 119, 1347
 Ralevic, V. and Burnstock, G. Mesenteric arterial function in the rat in pregnancy: role of sympathetic and sensory-motor perivascular nerves, endothelium, smooth muscle, nitric oxide and prostaglandins, 117, 1463
 Ralevic, V. and Burnstock, G. Relative contribution of P_{2U}- and P_{2Y}-purinoceptors to endothelium-dependent vasodilatation in the golden hamster isolated mesenteric arterial bed, 117, 1797

- Rall, B. *see* Sailer, E.-R., 117, 615
 Ramafi, G. *see* Anderson, R., 117, 1387
 Ramage, A.G. *see* Bootle, D.J., 117, 724
 Ramage, A.G. *see* Wang, Y., 118, 1697
 Rammes, G., Swandulla, D., Collingridge, G.L., Hartmann, S. and Parsons, C.G. Interactions of 2,3-benzodiazepines and cyclothiazide at AMPA receptors: patch clamp recordings in cultured neurones and area CA1 in hippocampal slices, 117, 1209
 Ramnarine, S.I., Khawaja, A.M., Barnes, P.J. and Rogers, D.F. Nitric oxide inhibition of basal and neurogenic mucus secretion in ferret trachea *in vitro*, 118, 998
 Rand, M.J. *see* La, M., 117, 805
 Rand, M.J. *see* Li, C.G., 118, 57
 Rand, M.J. *see* Najbar, A.T., 118, 537
 Randall, M.D. *see* McCulloch, A.I., 117, 859
 Randall, V.A., MacLennan, S.J., Martin, G.R. and Wilson, V.G. The effect of forskolin on 5-HT₁-like and angiotensin II-induced vasoconstriction and cyclic AMP content of the rabbit isolated femoral artery, 118, 627
 Rapacon, M., Mieyal, P., McGiff, J.C., Fulton, D. and Quilley, J. Contribution of calcium-activated potassium channels to the vasodilator effect of bradykinin in the isolated, perfused kidney of the rat, 118, 1504
 Rascol, O. *see* Montastruc, J.-L., 117, 781
 Ratnakumari, L. and Hemmings Jr, H.C. Inhibition by propofol of [³H]-batrachotoxinin-A 20- α -benzoate binding to voltage-dependent sodium channels in rat cortical synaptosomes, 119, 1498
 Ratti, E. *see* Mugnaini, M., 119, 819
 Rault, B. *see* Saïag, B., 118, 804
 Rault, J.P. *see* Clerc, T., 118, 1862
 Ray, K.P. *see* Allport, J.R., 118, 1111
 Raymond, G.L. and Wendt, I.R. Force and intracellular Ca²⁺ during cyclic nucleotide-mediated relaxation of rat anococcygeus muscle and the effects of cyclopiazonic acid, 119, 1029
 Razzaque, Z. *see* Bowery, B.J., 119, 1491
 Razzetti, R. *see* Civelli, M., 118, 923
 Reeve Jr, J.R. *see* Gué, M., 118, 237
 Regoli, D. *see* Bogoni, G., 119, 1600
 Regoli, D. *see* Gobeil, F., 118, 289
 Regunathan, S. *see* González, C., 119, 677
 Reibnegger, G. *see* Gschwentner, M., 118, 41
 Reig, J.-A. *see* Gandía, L., 118, 1301
 Reis, D.J. *see* González, C., 119, 677
 Reiser, G. *see* Stricker, R., 117, 919
 Reiser, M.A., D'Souza, T. and Dryer, S.E. Effects of caffeine and 3-isobutyl-1-methylxanthine on voltage-activated potassium currents in vertebrate neurones and secretory cells, 118, 2145
 Reiter, G. *see* Fricker, G., 117, 217
 Rekik, M., Delvaux, M., Tack, I., Frexinos, J. and Bueno, L. VIP-induced relaxation of guinea-pig intestinal smooth muscle cells: sequential involvement of cyclic AMP and nitric oxide, 118, 477
 Remacle, J. *see* Janssens, D., 118, 599
 Ren, K., Iadarola, M.J. and Dubner, R. An isobolographic analysis of the effects of *N*-methyl-D-aspartate and NK₁ tachykinin receptor antagonists on inflammatory hyperalgesia in the rat, 117, 196
 Renaudon, B. *see* Bois, P., 118, 1051
 Rendell, N.B. *see* Allport, J.R., 118, 1111
 Rendu, F. *see* Donato, J.L., 119, 1447
 Renesto, P., Vicart, P., Paulin, D. and Chignard, M. Protective effect of platelet activating factor antagonists on cultured endothelial cell lysis induced by elastase or activated neutrophils, 117, 902
 Reuben, M. *see* Clarke, P.B.S., 117, 595
 Revelli, J.-P. *see* Deng, C., 118, 929
 Revilla, E. *see* de la Cruz, C.P., 117, 1756
 Rhim, H., Toth, P.T. and Miller, R.J. Mechanism of inhibition of calcium channels in rat nucleus tractus solitarius by neurotransmitters, 118, 1341
 Ribaldi, E., Mezzasoma, A.M., Francescangeli, E., Prosdociimi, M., Nenci, G.G., Goracci, G. and Gresle, P. Inhibition of PAF synthesis by stimulated human polymorphonuclear leucocytes with cloricromene, an inhibitor of phospholipase A₂ activation, 118, 1351
 Ribeiro, J.A. *see* Cunha, R.A., 119, 253
 Ricchetti, A.P. *see* Lacroix, J.S., 118, 2079
 Richard, D. *see* Laflamme, N., 117, 1021

- Richards, C.D. *see* Charlesworth, P., 117, 1370
 Richardson, P.J. *see* Dixon, A.K., 118, 1461
 Richardt, G. *see* Münch, G., 118, 1855
 Richer, C., Boulanger, H., Es-Slami, S. and Giudicelli, J.-F. Lack of beneficial effects of the NO-donor, molsidomine, in the L-NAME-induced pre-eclampsic syndrome in pregnant rats, 119, 1642
 Richer, C., Domergue, V., Vincent, M.-P. and Giudicelli, J.-F. Involvement of nitric oxide, but not prostaglandins, in the vascular sympatho-inhibitory effects of losartan in the pithed spontaneously hypertensive rat, 117, 315
 Ricigliano, G.M. *see* Guarini, S., 119, 29
 Rigby, P.J. *see* Fernandes, L.B., 118, 1873
 Rigby, P.J. *see* Goldie, R.G., 117, 729
 Rigby, P.J. *see* Goldie, R.G., 117, 736
 Rigby, P.J. *see* Knott, P.G., 119, 291
 Rigby, P.J. *see* Panettieri Jr, R.A., 118, 191
 Rinne, T. *see* Olbrich, H.-G., 119, 671
 Rips, R. *see* Ragusi, C., 118, 2152
 Ritchie, I.M. *see* Fouyas, I.P., 118, 243
 Ritter, M. *see* Gschwentner, M., 118, 41
 Rivest, S. *see* Laflamme, N., 117, 1021
 Rivier, J. *see* Gué, M., 118, 237
 Rizzi, A. *see* Bogoni, G., 119, 1600
 Rizzi, A. *see* Gobeil, F., 118, 289
 Roan, Y.-F. *see* Hong, S.J., 118, 797
 Robert, J. *see* Pouna, P., 117, 1593
 Roberts, C., Watson, J., Burton, M., Price, G.W. and Jones, B.J. Functional characterization of the 5-HT terminal autoreceptor in the guinea-pig brain cortex, 117, 384
 Roberts, D.J. *see* Gras, J., 119, 187
 Roberts, P.J. *see* Toms, N.J., 119, 851
 Roberts, S.P. *see* Harper, E.A., 118, 1717
 Roberts, S.P. *see* Hills, D.M., 119, 1401
 Roberts, S.P., Harper, E.A., Watt, G.F., Gerskowitch, V.P., Hull, R.A.D., Shankley, N.P. and Black, J.W. Analysis of the variation in the action of L-365,260 at CCK₈/gastrin receptors in rat, guinea-pig and mouse isolated gastric tissue assays, 118, 1779
 Robertson, D.A.F. *see* Kolios, G., 119, 351
 Robertson, S.J., Rae, M.G., Rowan, E.G. and Kennedy, C. Characterization of a P_{2X}-purinoceptor in cultured neurones of the rat dorsal root ganglia, 118, 951
 Robinson, C. *see* Herbert, C.A., 117, 667
 Roccon, A., Marchionni, D. and Nisato, D. Study of SR 142801, a new potent non-peptide NK₃ receptor antagonist on cardiovascular responses in conscious guinea-pig, 118, 1095
 Rochette, L. *see* Dumas, M., 117, 633
 Rodríguez-Gallardo, J. *see* Silvestre, R.A., 117, 347
 Rodríguez-Gómez, J.A. *see* de la Cruz, C.P., 117, 1756
 Rogers, D.F. *see* Lei, Y.-H., 117, 449
 Rogers, D.F. *see* Ramnarine, S.I., 118, 998
 Rohmeiss, P. *see* Hoche, B., 118, 220
 Romanin, C. *see* Encabo, A., 119, 702
 Romero-Avila, T. *see* Boyer, J.L., 118, 1959
 Roof, M.B. *see* Krauss, A.H.-P., 117, 1171
 Roos, A. *see* Glusa, E., 119, 330
 Roques, B.P. *see* Ruiz, F., 119, 174
 Rorsman, P. *see* Gromada, J., 118, 769
 Rosa, A.L. *see* Pelá, I.R., 118, 1488
 Rosales, J.L. *see* Sánchez, A., 118, 2017
 Rosberg, J. *see* Kramer, H.J., 117, 1348
 Roscetti, G. *see* Concas, A., 118, 839
 Rose-Meyer, R.B. *see* White, P.J., 117, 305
 Rosivall, L. *see* Losonczy, Gy., 118, 1012
 Ross, J.N. *see* Miao, L., 117, 559
 Rossi, A.G. *see* Kitchen, E., 117, 979
 Rossi, A.G. *see* Norman, K.E., 117, 471
 Rossi, A.G. *see* Teixeira, M.M., 118, 2099
 Rossi, F. *see* Norel, X., 119, 149
 Rossi, F. *see* Squadrito, F., 119, 23
 Rothwell, N.J. *see* Stefferl, A., 118, 1919
 Rothwell, N.J. *see* Sudlow, A.W., 117, 1449
 Rotlán, P. *see* Mateo, J., 119, 1
 Rotondo, M.T. *see* Patrignani, P., 118, 1285
 Rous, B.A. *see* Maguire, J.J., 118, 335
 Rowan, E.G. *see* Robertson, S.J., 118, 951
 Rowbotham, D.J. *see* Nicol, B., 119, 1081
 Rowley, K.G., Gundlach, A.L., Cincotta, M. and Louis, W.J. Inositol hexakisphosphate binding sites in rat heart and brain, 118, 1615
 Rózewicka, L. *see* Wójcicki, J., 117, 1
 Rubino, A. *see* Ralevic, V., 118, 1675
 Rubino, A. and Burnstock, G. Evidence for a P₂-purinoceptor mediating vasoconstriction by UTP, ATP and related nucleotides in the isolated pulmonary vascular bed of the rat, 118, 1415
 Rudd, J.A., Jordan, C.C. and Naylor, R.J. The action of the NK₁ tachykinin receptor antagonist, CP 99,994, in antagonizing the acute and delayed emesis induced by cisplatin in the ferret, 119, 931
 Rudd, J.A. and Naylor, R.J. An interaction of ondansetron and dexamethasone antagonizing cisplatin-induced acute and delayed emesis in the ferret, 118, 209
 Rudehill, A. *see* Weitzberg, E., 118, 617
 Rüegg, U.T. *see* Leijendekker, W.J., 118, 611
 Rüegg, U.T. *see* Lo Russo, A., 118, 885
 Ruetten, H., Southan, G.J., Abate, A. and Thiemermann, C. Attenuation of endotoxin-induced multiple organ dysfunction by 1-amino-2-hydroxyguanidine, a potent inhibitor of inducible nitric oxide synthase, 118, 261
 Ruetten, H., Thiemermann, C. and Vane, J.R. Effects of the endothelin receptor antagonist, SB 209670, on the circulatory failure and organ injury in endotoxic shock in the anaesthetized rat, 118, 198
 Ruetten, H. and Thiemermann, C. Effect of selective blockade of endothelin ET_B receptors on the liver dysfunction and injury caused by endotoxaemia in the rat, 119, 479
 Ruiz, E. *see* Del Rio, M., 118, 1639
 Ruiz, F., Fournié-Zaluski, M.C., Roques, B.P. and Maldonado, R. Similar decrease in spontaneous morphine abstinence by methadone and RB 101, an inhibitor of enkephalin catabolism, 119, 174
 Ruiz-Gayo, M. *see* Hernando, F., 118, 400
 Runberg, A. *see* Webb, T.E., 119, 1385
 Rupin, A., Behr, D. and Verbeuren, T.J. Increased activity of guanylate cyclase in the atherosclerotic rabbit aorta: role of non-endothelial nitric oxide synthases, 119, 1233
 Rushant, B. *see* Wardle, K.A., 118, 665
 Russel, F.G.M. *see* Masereeuw, R., 119, 57
 Russell, A. *see* Hughes, B., 118, 1183
 Russell, F.D. and Davenport, A.P. Characterization of the binding of endothelin ET_B selective ligands in human and rat heart, 119, 631
 Russell, R.J. *see* MacAllister, R.J., 119, 1533
 Rydell, E. *see* Kankaanranta, H., 117, 401
 Ryu, J.H., Yanai, K., Zhao, X.-L. and Watanabe, T. The effect of dopamine D₁ receptor stimulation on the up-regulation of histamine H₃-receptors following destruction of the ascending dopaminergic neurones, 118, 585

S

- S-Yamashita, Y. *see* Yoshimura, M., 118, 1171
 Sabater, R. *see* Fernández, R., 119, 299
 Sachinidis, A., Seul, C., Ko, Y., Düsing, R. and Vetter, H. Effect of the Na⁺/H⁺ antiport inhibitor Hoe 694 on the angiotensin II-induced vascular smooth muscle cell growth, 119, 787
 Sadeghi-Hashjin, G., Folkerts, G., Henricks, P.A.J., van de Loo, P.G.F., Dik, I.E.M. and Nijkamp, F.P. Relaxation of guinea-pig trachea by sodium nitroprusside: cyclic GMP and nitric oxide not involved, 118, 466
 Sáez, J.A. *see* Fernández, R., 119, 299
 Safayhi, H. *see* Sailer, E.-R., 117, 615
 Sagratella, S. *see* Domenici, M.R., 118, 1551
 Saïag, B., Hillaire-Buys, D., Chapal, J., Petit, P., Pape, D., Rault, B., Allain, H. and Loubatières-Mariani, M.M. Study of the mechanisms involved in adenosine-5'-O-(2-thiodiphosphate) induced relaxation of rat thoracic aorta and pancreatic vascular bed, 118, 804
 Saifeddine, M., Al-Ani, B., Cheng, C.-H., Wang, L. and Hollenberg, M.D. Rat proteinase-activated receptor-2 (PAR-2): cDNA sequence and activity of receptor-derived peptides in gastric and vascular tissue, 118,

- 521
- Sailer, E.-R., Subramanian, L.R., Rall, B., Hoernlein, R.F., Ammon, H.P.T. and Safayhi, H. Acetyl-11-keto- β -boswellic acid (AKBA): structure requirements for binding and 5-lipoxygenase inhibitory activity, **117**, 615
- St Lambert, J.H., Dashwood, M.R. and Spyer, K.M. Role of brainstem adenosine A₁ receptors in the cardiovascular response to hypothalamic defence area stimulation in the anaesthetized rat, **117**, 277
- Saita, Y. *see* Yazawa, H., **117**, 799
- Saito, K. *see* Zhao, F.-Y., **118**, 2059
- Saito, T. *see* Mori, K., **119**, 133
- Saitta, A. *see* Squadrito, F., **119**, 23
- Saitta, A. *see* Squadrito, F., **119**, 1079
- Sakai, H., Ikari, A., Kumano, E. and Takeguchi, N. A cyclic GMP-dependent housekeeping Cl⁻ channel in rabbit gastric parietal cells activated by a vasodilator ecabapide, **119**, 1591
- Sakai, H. *see* Furukawa, K.-I., **118**, 485
- Sakanashi, M. *see* Noguchi, K., **118**, 941
- Sala, F. *see* Gandía, L., **118**, 1301
- Salameh, A., Schomecker, G., Breitkopf, K., Dhein, S. and Klaus, W. The effect of the calcium-antagonist nitrendipine on intracellular calcium concentration in endothelial cells, **118**, 1899
- Salas, M. *see* Silvestre, R.A., **117**, 347
- Salazar, F.J. *see* Nava, E., **119**, 1211
- Saleh, T.S.F., Calixto, J.B. and Medeiros, Y.S. Anti-inflammatory effects of theophylline, cromolyn and salbutamol in a murine model of pleurisy, **118**, 811
- Salerno, F.G., Kurosawa, H., Eidelman, D.H. and Ludwig, M.S. Characterization of the anatomical structures involved in the contractile response of the rat lung periphery, **118**, 734
- Salerno, F.G., Kurosawa, H., Eidelman, D.H. and Ludwig, M.S. *Corrigendum*, **119**, 183
- Sallés, J., Giraldo, J., Vila, E. and Badia, A. Modelling the changes induced by chronic desipramine treatment on the factors governing the agonism at prejunctional α_2 -adrenoceptors, **117**, 1286
- Sallinen, K. *see* Tolvanen, J.-P., **119**, 1137
- Salomone, S. *see* Feron, O., **118**, 659
- Salter, E.D. *see* Faraci, W.S., **119**, 1101
- Salter, E.D. *see* Pettipher, E.R., **117**, 1530
- Salvemini, D., Wang, Z.-Q., Wyatt, P.S., Bourdon, D.M., Marino, M.H., Manning, P.T. and Currie, M.G. Nitric oxide: a key mediator in the early and late phase of carrageenan-induced rat paw inflammation, **118**, 829
- Salvemini, D. *see* Seibert, K., **117**, 1016
- Salzman, A.L. *see* Southan, G.J., **117**, 619
- Salzman, A.L. *see* Szabó, C., **118**, 1659
- Samanin, R. *see* Gariboldi, M., **119**, 813
- Samii, K. *see* Pu, Q., **118**, 1072
- Sánchez, A., de Jesús Gómez, M., Dorantes, A.L., Rosales, J.L., Pastelin, G., Díaz, V., Posadas, F. and Escalante, B. The effect of ovariectomy on depressed contractions to phenylephrine and KCl and increased relaxation to acetylcholine in isolated aortic rings of female compared to male rabbits, **118**, 2017
- Sanchez-Amate, M.C. *see* Carrasco, M.P., **119**, 233
- Sánchez-Chapula, J. Increase in action potential duration and inhibition of the delayed rectifier outward current I_K by berberine in cat ventricular myocytes, **117**, 1427
- Sandberg, K. *see* Nirula, V., **119**, 1505
- Sanders, K.M. *see* Ward, S.M., **118**, 49
- Sanger, G.J. *see* Wardle, K.A., **118**, 665
- Santicioli, P. *see* Maggi, C.A., **118**, 1493
- Santicioli, P. *see* Zagorodnyuk, V., **119**, 779
- Santini, G. *see* Patrignani, P., **118**, 1285
- Sanz, C. *see* Cortijo, J., **119**, 99
- Saotome, M. *see* Ninomiya, H., **119**, 1341
- Sasaki, H. *see* Pinto, A., **119**, 1477
- Sasaki, Y. *see* Ikemura, T., **117**, 967
- Sasaki, Y. *see* Ikemura, T., **118**, 1565
- Sasayama, S. *see* Ishida-Takahashi, A., **117**, 1749
- Sassen, L.M.A. *see* van Kats, J.P., **117**, 891
- Sasson, S., Gorowitz, N., Joost, H.G., King, G.L., Cerasi, E. and Kaiser, N. Regulation by metformin of the hexose transport system in vascular endothelial and smooth muscle cells, **117**, 1318
- Sastre, M. *see* Escribá, P.V., **118**, 2029
- Satake, N., Shibata, M. and Shibata, S. The inhibitory effects of iberiotoxin and 4-aminopyridine on the relaxation induced by β_1 - and β_2 -adrenoceptor activation in rat aortic rings, **119**, 505
- Sato, J. *see* Obayashi, S., **119**, 1072
- Sato, N. *see* Goto, S., **118**, 174
- Satoh, E. *see* Nishimura, M., **118**, 957
- Satoh, M., Yamamoto, Y. and Takayanagi, I. Characterization of endothelin receptor subtypes mediating Ca²⁺ mobilization and contractile response in rabbit iris dilator muscle, **117**, 1277
- Satoh, S. *see* Yoshida, M., **117**, 885
- Satoh, S., Ikegaki, I., Suzuki, Y., Asano, T., Shibuya, M. and Hidaka, H. Neuroprotective properties of a protein kinase inhibitor against ischaemia-induced neuronal damage in rats and gerbils, **118**, 1592
- Sattelle, D.B. *see* Hosie, A.M., **117**, 1229
- Sattelle, D.B. *see* Hosie, A.M., **119**, 1569
- Sattelle, D.B. *see* Hosie, A.M., **119**, 1577
- Saussine, C. *see* Massfelder, T., **118**, 1995
- Sawai, H., Wang, R., Yamashita, T. and Kokubun, S. Effects of purinoceptor agonists on cytosolic Ca²⁺ concentration in swine tracheal smooth muscle cells in culture, **119**, 539
- Saxena, P.R. *see* De Vries, P., **118**, 85
- Saxena, P.R. *see* Van Den Brink, A.M., **119**, 855
- Sbarra, V. *see* Clerc, T., **118**, 1862
- Scadding, G.K. *see* Dear, J.W., **119**, 1054
- Schachter, J.B., Li, Q., Boyer, J.L., Nicholas, R.A. and Harden, T.K. Second messenger cascade specificity and pharmacological selectivity of the human P_{2Y1}-purinoceptor, **118**, 167
- Schalekamp, M.A.D.H. *see* van Kats, J.P., **117**, 891
- Scharer, E. *see* Diener, M., **118**, 1477
- Scheerens, H., Buckley, T.L., Muis, T., Van Loveren, H. and Nijkamp, F.P. The involvement of sensory neuropeptides in toluene diisocyanate-induced tracheal hyperreactivity in the mouse airways, **119**, 1665
- Scheid, P. *see* Shams, H., **117**, 853
- Scheld, H.H. *see* Vahlensieck, U., **119**, 835
- Scherrmann, J.-M. *see* Ragusi, C., **118**, 2152
- Schiller, P.W. *see* Gutkowska, J., **119**, 239
- Schini-Kerth, V. *see* Boese, M., **119**, 707
- Schinkel, A.H. *see* Mayer, U., **119**, 1038
- Schioppacassi, G. *see* Banner, K.H., **119**, 1255
- Schlicker, E. *see* Malinowska, B., **117**, 943
- Schlüter, H. *see* Vahlensieck, U., **119**, 835
- Schmarda, A. *see* Gschwentner, M., **118**, 41
- Schmid, G. *see* Bonanno, G., **118**, 1441
- Schmidt, K. *see* Pfeiffer, S., **118**, 1433
- Schmitz, W. *see* Linck, B., **119**, 545
- Schmitz, W. *see* Vahlensieck, U., **119**, 835
- Schmuck, K. *see* Ullmer, C., **117**, 1081
- Schoeffter, P., Ullmer, C., Bobirac, I., Gabbiani, G. and Lübbert, H. Functional, endogenously expressed 5-hydroxytryptamine 5-HT₇ receptors in human vascular smooth muscle cells, **117**, 993
- Schoepp, D.D. *see* Desai, M.A., **118**, 1558
- Scholfield, C.N. *see* Spiers, J.P., **119**, 1427
- Schomecker, G. *see* Salameh, A., **118**, 1899
- Schramm, C.M. and Grunstein, M.M. Corticosteroid modulation of Na⁺-K⁺ pump-mediated relaxation in maturing airway smooth muscle, **119**, 807
- Schricker, K., Hamann, M., Macher, A., Krämer, B.K., Kaissling, B. and Kurtz, A. Effect of amlodipine on renin secretion and renin gene expression in rats, **119**, 744
- Schricker, T. *see* Weidenbach, H., **118**, 790
- Schudt, C. *see* Tenor, H., **118**, 1727
- Schuilting, M. *see* Hoiting, B.H., **117**, 419
- Sciulli, M.G. *see* Patrignani, P., **118**, 1285
- Scott, L.C. *see* Souness, J.E., **118**, 649
- Scotti de Carolis, A. *see* Domenici, M.R., **118**, 1551
- Scuntaro, I., Kientsch, U., Wiesmann, U.N. and Honegger, U.E. Inhibition by vitamin E of drug accumulation and of phospholipidosis induced by desipramine and other cationic amphiphilic drugs in human cultured cells, **119**, 829

- Seabrook, G.R. *see* Bowery, B.J., **119**, 1491
- Seal, A.J. *see* Bresink, I., **119**, 195
- Sebastião, A.M. *see* Cunha, R.A., **119**, 253
- Sebkhi, A. *see* Zhao, L., **119**, 1217
- Segarra, G. *see* Cases, E., **119**, 1337
- Segovia, J.L. *see* Carrasco, M.P., **119**, 233
- Seguchi, H., Nishimura, J., Toyofuku, K., Kobayashi, S., Kumazawa, J., Kanaide, H. The mechanism of relaxation induced by atrial natriuretic peptide in the porcine renal artery, **118**, 343
- Seibert, K., Masferrer, J.L., Needleman, P. and Salvemini, D. Pharmacological manipulation of cyclo-oxygenase-2 in the inflamed hydro-nephrotic kidney, **117**, 1016
- Seidlitz, E. *see* Coceani, F., **117**, 1586
- Seidlitz, E. *see* Coceani, F., **118**, 1689
- Sekiguchi, F., Shimamura, K., Akashi, M. and Sunano, S. Effects of cyclopiazonic acid and thapsigargin on electromechanical activities and intracellular Ca^{2+} in smooth muscle of carotid artery of hypertensive rats, **118**, 857
- Sekiyama, N., Hayashi, Y., Nakanishi, S., Jane, D.E., Tse, H.-W., Birse, E.F. and Watkins, J.C. Structure-activity relationships of new agonists and antagonists of different metabotropic glutamate receptor subtypes, **117**, 1493
- Sekizawa, K. *see* Pinto, A., **119**, 1477
- Self, G.J. *see* Goldie, R.G., **117**, 729
- Sellers, L.A. *see* Wilkinson, G.F., **118**, 445
- Semeraro, C. *see* Banner, K.H., **119**, 1255
- Senard, J.-M. *see* Montastruc, J.-L., **117**, 781
- Senior, J. *see* Krauss, A.H.-P., **117**, 1171
- Seregni, R. *see* Soma, M.R., **118**, 215
- Serio, R. *see* Mulè, F., **117**, 488
- Serone, A.P., Angus, J.A. and Wright, C.E. Baroreflex resetting but no vascular tolerance in response to transdermal glyceryl trinitrate in conscious rabbits, **118**, 93
- Seth, P. *see* Dikshit, M., **119**, 578
- Seul, C. *see* Sachinidis, A., **119**, 787
- Severi, P. *see* Bonanno, G., **118**, 1441
- Severson, D. *see* Shimoni, Y., **119**, 1463
- Sevilla, E.L. *see* Hui, S.-C.G., **118**, 1044
- Sewing, K.-F. *see* Lampen, A., **117**, 1730
- Seybold, J. *see* Giembycz, M.A., **118**, 1935
- Seyfarth, M. *see* Münch, G., **118**, 1855
- Sgaragli, G. *see* Palmi, M., **118**, 1705
- Shams, H., Daffonchio, L. and Scheid, P. Effects of levodropropizine on vagal afferent C-fibres in the cat, **117**, 853
- Shankley, N.P. *see* Harper, E.A., **118**, 1717
- Shankley, N.P. *see* Hills, D.M., **119**, 1401
- Shankley, N.P. *see* Roberts, S.P., **118**, 1779
- Shankley, N.P. *see* Van der Graaf, P.H., **118**, 299
- Shankley, N.P. *see* Van der Graaf, P.H., **118**, 1308
- Shaw, G.G. *see* Doyle, K.M., **117**, 1803
- Shaw, L.A. and Coker, S.J. *Erratum*, **118**, 1326
- Shaw, L.A. and Coker, S.J. Suppression of reperfusion-induced arrhythmias with combined administration of 5-HT₂ and thromboxane A₂ antagonists, **117**, 817
- Shen, A. *see* Henry, P.J., **118**, 762
- Shen, W. *see* Mathew, R., **118**, 1886
- Shepherd, R.M., Hashmi, M.N., Kane, C., Squires, P.E. and Dunne, M.J. Elevation of cytosolic calcium by imidazolines in mouse islets of Langerhans: implications for stimulus-response coupling of insulin release, **119**, 911
- Sheu, S.H. *see* Chen, I.J., **119**, 7
- Shibata, K., Hirasawa, A., Moriyama, N., Kawabe, K., Ogawa, S. and Tsujimoto, G. α_{1A} -Adrenoceptor polymorphism: pharmacological characterization and association with benign prostatic hypertrophy, **118**, 1403
- Shibata, M. *see* Satake, N., **119**, 505
- Shibata, S. *see* Stake, N., **119**, 505
- Shibuya, M. *see* Satoh, S., **118**, 1592
- Shih, H.-C. *see* Tsai, S.-C., **118**, 984
- Shimada, J. *see* Nonaka, H., **117**, 1645
- Shimamura, K. *see* Sekiguchi, F., **118**, 857
- Shimazawa, M. *see* Takiguchi, Y., **118**, 1633
- Shimizu, Y. *see* Nishimura, M., **118**, 957
- Shimo, Y. *see* Kojima, S.-i., **117**, 1613
- Shimokawa, T. *see* Goto, S., **118**, 174
- Shimoni, Y., Han, X., Severson, D. and Giles, W.R. Mediation by nitric oxide of the indirect effects of adenosine on calcium current in rabbit heart pacemaker cells, **119**, 1463
- Shine, J. *see* Alexander, S.P.H., **119**, 1286
- Shinoda, H. *see* Hirafuji, M., **117**, 299
- Shiomi, H. *see* Nakamura, A., **117**, 407
- Shirohara, H. *see* Akiyama, T., **117**, 1558
- Shiroma, N. *see* Noguchi, K., **118**, 941
- Showell, H.J., Breslow, R., Conklyn, M.J., Hingorani, G.P. and Koch, K. Characterization of the pharmacological profile of the potent LTB₄ antagonist CP-105,696 on murine LTB₄ receptors *in vitro*, **117**, 1127
- Shuba, L.M., Asai, T., Pelzer, S. and McDonald, T.F. Activation of cardiac chloride conductance by the tyrosine kinase inhibitor, genistein, **119**, 335
- Shuba, L.M., Asai, T. and McDonald, T.F. Phorbol ester activation of chloride current in guinea-pig ventricular myocytes, **117**, 1395
- Shute, J.K. *see* Tenor, H., **118**, 1727
- Siddiqi, S. *see* Boyer, J.L., **118**, 1959
- Sierralta, F., Naquira, D., Pinardi, G. and Miranda, H.F. α -Adrenoceptor and opioid receptor modulation of clonidine-induced antinociception, **119**, 551
- Silke, B. *see* Spiers, J.P., **119**, 1427
- Sillence, M. *see* Hoey, A., **117**, 712
- Sillence, M.N. *see* Hoey, A.J., **119**, 564
- Silva, C.A.A. *see* Pelá, I.R., **118**, 1488
- Silva, E.G., Vianna, L.M., Okuyama, P. and Paiva, T.B. Effect of treatment with cholecalciferol on the membrane potential and contractility of aortae from spontaneously hypertensive rats, **118**, 1367
- e Silva, P.M.R. *see* Bandeira-Melo, C., **118**, 2192
- Silvestre, R.A., Salas, M., Rodríguez-Gallardo, J., García-Hermida, O., Fontela, T. and Marco, J. Effect of (8–32) salmon calcitonin, an amylin antagonist, on insulin, glucagon and somatostatin release: study in the perfused pancreas of the rat, **117**, 347
- Sim, M.K. and Chai, S.K. Subtypes of losartan-sensitive angiotensin receptor in the rabbit pulmonary artery, **117**, 1504
- Simmonds, M.A. *see* Bennett, P.J., **117**, 87
- Simmons, N.L. *see* Cavet, M.E., **118**, 1389
- Simpson, M.G. *see* Widdowson, P.S., **117**, 1761
- Siney, L. and Brain, S.D. Involvement of sensory neuropeptides in the development of plasma extravasation in rat dorsal skin following thermal injury, **117**, 1065
- Singh, L., Oles, R.J., Field, M.J., Atwal, P., Woodruff, G.N. and Hunter, J.C. Effect of CCK receptor antagonists on the antinociceptive, reinforcing and gut motility properties of morphine, **118**, 1317
- Singh, Y. *see* Bandeira-Melo, C., **118**, 2192
- Siniscalchi, A. *see* Mercuri, N.B., **117**, 528
- Sipma, H., van der Zee, L., van den Akker, J., den Hertog, A. and Nelemans, A. The effect of the PKC inhibitor GF109203X on the release of Ca^{2+} from internal stores and Ca^{2+} entry in DDT₁ MF-2 cells, **119**, 730
- Sirinathsinghji, D.J.S. *see* Dixon, A.K., **118**, 1461
- Sirois, P. *see* Lebel, N., **117**, 184
- Sitzler, G., Lenz, O., Kilter, H., La Rosee, K. and Böhm, M. Investigation of the negative inotropic effects of 17 β -oestradiol in human isolated myocardial tissues, **119**, 43
- Skarzynski, D. *see* Kotwica, J., **118**, 1669
- Sket, D. *see* Živin, M., **119**, 1187
- Skoogh, B.-E. *see* Bergendal, A., **117**, 1009
- Skowron, J. *see* Wójcicki, J., **117**, 1
- Skrobik, Y. *see* Filep, J.G., **118**, 893
- Skutella, M. *see* Lo Russo, A., **118**, 885
- Small, R.C. *see* Isaac, L., **117**, 1653
- Smart, D. *see* Nicol, B., **119**, 1081
- Smit, J. *see* de Boer, R.E.P., **119**, 1355
- Smit, J.W. *see* Mayer, U., **119**, 1038
- Smit, M.J., Timmerman, H., Hijzelendoorn, J.C., Fukui, H. and Leurs, R. Regulation of the human histamine H₁ receptor stably expressed in

- Chinese hamster ovary cells, **117**, 1071
- Smith, A.I. *see* Lew, R.A., **118**, 1269
- Smith, A.I. *see* Tomoda, F., **119**, 365
- Smith, B. *see* Hughes, B., **118**, 1183
- Smith, M.I. *see* Wardle, K.A., **118**, 665
- Smith, P.G. *see* Beauregard, C.L., **117**, 51
- Smith, S.E., Man, C.M., Yip, P.K., Tang, E., Chapman, A.G. and Meldrum, B.S. Anticonvulsant effects of 7-nitroindazole in rodents with reflex epilepsy may result from L-arginine accumulation or a reduction in nitric oxide or L-citrulline formation, **119**, 165
- Smither, R.L. *see* Hori, Y., **118**, 1584
- Smits, G.J.M. and Lefebvre, R.A. ATP and nitric oxide: inhibitory NANC neurotransmitters in the longitudinal muscle-myenteric plexus preparation of the rat ileum, **118**, 695
- Smits, G.J.M. and Lefebvre, R.A. Development of cholinergic and inhibitory non-adrenergic non-cholinergic responses in the rat gastric fundus, **118**, 1987
- Smits, J.F.M. *see* Eerdmans, P.H.A., **119**, 637
- Smits, P. *see* Masereeuw, R., **119**, 57
- Smyth, D.D. *see* Allan, D.R., **117**, 29
- Smyth, D.D. *see* Intengan, H.D., **119**, 663
- Sneddon, P. *see* Westfall, T.D., **117**, 867
- Snyders, D.J. *see* Delpón, E., **117**, 1293
- Soares de Moura, R. *see* Criddle, D.N., **118**, 1065
- Soares-da-Silva, P. *see* Pinto-do-Ó, P.C., **118**, 741
- Soares-da-Silva, P. *see* Vieira-Coelho, M.A., **117**, 516
- Soares-da-Silva, P., Pinto-do-Ó, P.C. and Bertorello, A.M. Antagonistic actions of renal dopamine and 5-hydroxytryptamine: increase in Na⁺, K⁺-ATPase activity in renal proximal tubules via activation of 5-HT_{1A} receptors, **117**, 1199
- Soares-da-Silva, P., Vieira-Coelho, M.A. and Pestana, M. Antagonistic actions of renal dopamine and 5-hydroxytryptamine: endogenous 5-hydroxytryptamine, 5-HT_{1A} receptors and antinatriuresis during high sodium intake, **117**, 1193
- Soares-da-Silva, P. and Pinto-do-Ó, P.C. Antagonistic actions of renal dopamine and 5-hydroxytryptamine: effects of amine precursors on the cell inward transfer and decarboxylation, **117**, 1187
- Soei, L.K. *see* van Kats, J.P., **117**, 891
- Solsona, C. *see* Martí, E., **118**, 1232
- Soma, M.R., Donetti, E., Seregini, R., Barberi, L., Fumagalli, R., Paoletti, R. and Catapano, A.L. Effect of lacidipine on fatty and proliferative lesions induced in hypercholesterolaemic rabbits, **118**, 215
- Song, J.-H. *see* Marszalec, W., **119**, 126
- Song, W., Furman, B.L. and Parratt, J.R. Delayed protection against ischaemia-induced ventricular arrhythmias and infarct size limitation by the prior administration of *Escherichia coli* endotoxin, **118**, 2157
- Sothinathan, R. *see* Nirula, V., **119**, 1505
- Soudijn, W. *see* Mathôt, R.A.A., **118**, 369
- Souness, J.E., Griffin, M., Maslen, C., Ebsworth, K., Scott, L.C., Pollock, K., Palfreyman, M.N. and Karlsson, J.-A. Evidence that cyclic AMP phosphodiesterase inhibitors suppress TNF α generation from human monocytes by interacting with 'low-affinity' phosphodiesterase 4 conformer, **118**, 649
- Southam, E., Charles, S.L. and Garthwaite, J. The nitric oxide-cyclic GMP pathway and synaptic plasticity in the rat superior cervical ganglion, **119**, 527
- Southan, G.J., Zingarelli, B., O'Connor, M., Salzman, A.L. and Szabó, C. Spontaneous rearrangement of aminoalkylisothioureas into mercaptoalkylguanidines, a novel class of nitric oxide synthase inhibitors with selectivity towards the inducible isoform, **117**, 619
- Southan, G.J. *see* Ruettgen, H., **118**, 261
- Southan, G.J. *see* Szabó, C., **118**, 1659
- Souza, G.E.P. *see* Campos, M.M., **117**, 793
- Soyka, C. *see* Daniel, E.E., **117**, 1535
- Soyombo, O. *see* Chung-a-on, K.O., **117**, 1334
- Spedding, M. *see* King, B.F., **117**, 1111
- Spedding, M. *see* Tallentire, D., **118**, 63
- Spence, K.T. *see* Christian, E.P., **119**, 647
- Sperandeo, A. *see* Squadrito, F., **119**, 1079
- Spiers, J.P., Kelso, E.J., McDermott, B.J., Scholfield, C.N. and Silke, B. Endothelin-1 mediated inhibition of the acetylcholine-activated potassium current from rabbit isolated atrial cardiomyocytes, **119**, 1427
- Šprah, L. *see* Živin, M., **119**, 1187
- Spur, B.W. *see* Chung-a-on, K.O., **117**, 1334
- Spyer, K.M. *see* Albert, A.P., **119**, 519
- Spyer, K.M. *see* St Lambert, J.H., **117**, 277
- Squadrito, F., Altavilla, D., Ammendolia, L., Squadrito, G., Campo, G.M., Sperandeo, A., Canale, P., Ioculano, M., Saitta, A. and Caputi, A.P. *Corrigendum*, **119**, 1079
- Squadrito, F., Altavilla, D., Squadrito, G., Campo, G.M., Ioculano, M., Canale, P., Rossi, F., Saitta, A. and Caputi, A.P. Effects of S-ethylisothiourea, a potent inhibitor of nitric oxide synthase, alone or in combination with a nitric oxide donor in splanchnic artery occlusion shock, **119**, 23
- Squadrito, G. *see* Squadrito, F., **119**, 23
- Squadrito, G. *see* Squadrito, F., **119**, 1079
- Squires, P.E. *see* Shepherd, R.M., **119**, 911
- Stam, E.J. *see* Pettipher, E.R., **117**, 1530
- Standen, N.B. *see* Holland, M., **117**, 119
- Stanfa, L.C., Chapman, V., Kerr, N. and Dickenson, A.H. Inhibitory action of nociceptin on spinal dorsal horn neurones of the rat, *in vivo*, **118**, 1875
- Stausbøl-Grøn, B. *see* Jensen, P.E., **117**, 1238
- Steegstra, M.R. *see* de Boer, R.E.P., **119**, 1355
- Steele, L. *see* Tolan, D., **119**, 185
- Stefani, A. *see* Mercuri, N.B., **117**, 528
- Steffen, V. *see* de la Cruz, C.P., **117**, 1756
- Stefferl, A., Hopkins, S.J., Rothwell, N.J. and Luheshi, G.N. The role of TNF- α in fever: opposing actions of human and murine TNF- α and interactions with IL- β in the rat, **118**, 1919
- Stein, E.A., Fuller, S.A., Edgemond, W.S. and Campbell, W.B. Physiological and behavioural effects of the endogenous cannabinoid, arachidonylethanolamide (anandamide), in the rat, **119**, 107
- Steinhausen, M. *see* Massfelder, T., **118**, 1995
- Sterner, O. *see* Szallasi, A., **119**, 283
- Stevens, E. *see* Omawari, N., **118**, 186
- Steward, L.J., Ge, J., Stowe, R.L., Brown, C., Bruton, R.K., Stokes, P.R.A. and Barnes, N.M. Ability of 5-HT₄ receptor ligands to modulate rat striatal dopamine release *in vitro* and *in vivo*, **117**, 55
- Steward, L.J. *see* Brown, D.C., **118**, 414
- Stock, M.J. *see* Liu, Y.-L., **117**, 1355
- Stoclet, J.-C. *see* Muller, B., **119**, 1281
- Stoclet, J.C. *see* Côrtes, S.de F., **119**, 1635
- Stoclet, J.C. *see* Martínez, M.C., **118**, 1218
- Stokes, P.R.A. *see* Steward, L.J., **117**, 55
- Story, D.F. *see* Cox, S.L., **119**, 965
- Story, D.F. *see* Cox, S.L., **119**, 976
- Stowe, R.L. *see* Steward, L.J., **117**, 55
- Strabel, D. *see* Diener, M., **118**, 1477
- Strange, P.G. *see* Gardner, B., **118**, 1544
- Stricker, R., Westerberg, E. and Reiser, G. Binding sites for α -trinositol (inositol 1,2,6-trisphosphate) in porcine tissues; comparison with Ins(1,4,5)P₃ and Ins(1,3,4,5)P₄-binding sites, **117**, 919
- Striessnig, J. *see* Berjukov, S., **119**, 1197
- Strøbæk, D., Olesen, S.-P., Christophersen, P. and Dissing, S. P₂-purinoceptor-mediated formation of inositol phosphates and intracellular Ca²⁺ transients in human coronary artery smooth muscle cells, **118**, 1645
- Strong, P. *see* Bahl, A.K., **117**, 580
- Strong, P.N. *see* de-Allie, F.A., **117**, 479
- Struijker Boudier, H.A.J. *see* Eerdmans, P.H.A., **119**, 637
- Studenik, C. *see* Lemmens-Gruber, R., **117**, 377
- Stutts, M.J. *see* Lazarowski, E.R., **117**, 203
- Su, M.-J. *see* Chang, G.-J., **118**, 1571
- Su, M.-J. *see* Chi, J.-F., **118**, 503
- Subramanian, L.R. *see* Sailer, E.-R., **117**, 615
- Sudlow, A.W., Carey, F., Forder, R. and Rothwell, N.J. The role of lipocortin-1 in dexamethasone-induced suppression of PGE₂ and TNF α release from human peripheral blood mononuclear cells, **117**, 1449
- Sugden, D., Anwar, N. and Klein, D.C. Rat pineal α_1 -adrenoceptor subtypes: studies using radioligand binding and reverse transcription-polymerase chain reaction analysis, **118**, 1246
- Sugden, D. *see* Pickering, H., **119**, 379

- Sugihara, H. *see* Noda, Y., 117, 1579
 Sugiura, M. *see* Kamata, K., 118, 385
 Sulikowski, T. *see* Wójcicki, J., 117, 1
 Sum, C.-S., Wan, D.C.C. and Cheung, W.-T. Potentiation of purinergic transmission by angiotensin in prostatic rat vas deferens, 118, 1523
 Summers, R.J. *see* Evans, B.A., 117, 210
 Sun, B. *see* Loh, S.-H., 118, 1905
 Sun, X.Y., Zhao, X.H., Erlinge, D., Edvinsson, L., Fallgren, B., Wahlestedt, C. and Hedner, T. Effects of phosphorothioated neuro-peptide Y Y₁-receptor antisense oligodeoxynucleotide in conscious rats and in human vessels, 118, 131
 Sunano, S. *see* Sekiguchi, F., 118, 857
 Surprenant, A. *see* Michel, A.D., 117, 1254
 Surprenant, A. *see* Michel, A.D., 118, 1806
 Susanna, A. *see* Gschwenter, M., 118, 41
 Susulic, V. *see* Miao, L., 117, 559
 Sutak, M. *see* Gouardères, C., 117, 493
 Suthamnatpong, N. *see* Kishi, M., 119, 623
 Sutherland, M. *see* Forhead, A.J., 119, 393
 Suzuki, A. *see* Watanabe, Y., 117, 1302
 Suzuki, F. *see* Nonaka, H., 117, 1645
 Suzuki, H. *see* Hashitani, H., 118, 1627
 Suzuki, H. *see* Ohno, N., 117, 974
 Suzuki, H. *see* Watanabe, Y., 117, 1302
 Suzuki, Y. *see* Satoh, S., 118, 1592
 Swandulla, D. *see* Rammes, G., 117, 1209
 Sweeney, G. *see* MacLean, M.R., 119, 917
 Sword, S. *see* Pickering, H., 119, 379
 Szabó, C., Bryk, R., Zingarelli, B., Southan, G.J., Gahman, T.C., Bhat, V., Salzman, A.L. and Wolff, D.J. Pharmacological characterization of guanidinoethylsulphide (GED), a novel inhibitor of nitric oxide synthase with selectivity towards the inducible isoform, 118, 1659
 Szabó, C. *see* Southan, G.J., 117, 619
 Szallasi, A., Jonassohn, M., Acs, G., Bíró, T., Ács, P., Blumberg, P.M. and Sterner, O. The stimulation of capsaicin-sensitive neurones in a vanilloid receptor-mediated fashion by pungent terpenoids possessing an unsaturated 1,4-dialdehyde moiety, 119, 283
- ### T
- Tabernero, A., Giraldo, J., Vivas, N.M., Badia, A. and Vila, E. Endothelial modulation of α_1 -adrenoceptor contractile responses in the tail artery of spontaneously hypertensive rats, 119, 765
 Tabernero, A., Giraldo, J. and Vila, E. Effect of *N*^G-nitro-L-arginine methyl ester (L-NAME) on functional and biochemical α_1 -adrenoceptor-mediated responses in rat blood vessels, 117, 757
 Tabernero, A., Vivas, N.M. and Vila, E. Sources of calcium and α_1 -adrenoceptor-mediated contraction in rat tail artery, 118, 2067
 Taché, Y. *see* Gué, M., 118, 237
 Tachibana, I. *see* Akiyama, T., 117, 1558
 Tack, I. *see* Reikik, M., 118, 477
 Tada, S. *see* Hidaka, K., 117, 1625
 Tagliani, M. *see* Candura, S.M., 118, 1965
 Taguchi, K. *see* Büscher, R., 117, 703
 Takada, K. *see* Mammoto, T., 117, 1744
 Takagi, N., Miyake, K., Ohiwa, A., Nukaga, R. and Takeo, S. Effects of delayed treatment with naftrolyl oxalate on microsphere embolism-induced changes in monoamine levels of rat brain regions, 118, 33
 Takahashi, T. *see* Belvisi, M.G., 117, 1413
 Takase, H. *see* Moreau, P., 118, 1429
 Takayanagi, I. *see* Satoh, M., 117, 1277
 Takeda, M. *see* Nonaka, H., 117, 1645
 Takeguchi, N. *see* Sakai, H., 119, 1591
 Takenaka, T. *see* Goto, S., 118, 174
 Takeo, S. *see* Takagi, N., 118, 33
 Takeuchi, S. *see* Moritoki, H., 117, 1544
 Takeuchi, T., Kishi, M., Ishii, T., Nishio, H. and Hata, F. Nitric oxide-mediated relaxation without concomitant changes in cyclic GMP content of rat proximal colon, 117, 1204
 Takeuchi, T. *see* Kishi, M., 119, 623
 Takewaki, T. *see* Kishi, M., 119, 623
 Takiguchi, Y., Shimazawa, M. and Nakashima, M. A comparative study of the antithrombotic effect of aurintricarboxylic acid on arterial thrombosis in rats and guinea-pigs, 118, 1633
 Talantova, M. *see* Giniatullin, R., 119, 1045
 Talbot, J.N. *see* Yang, S., 117, 1572
 Tallentire, D., McRae, G., Spedding, M., Clark, R. and Vickery, B. Modulation of sexual behaviour in the rat by a potent and selective α_2 -adrenoceptor antagonist, delequamine (RS-15385-197), 118, 63
 Tamagawa, T. *see* Maeda, N., 117, 372
 Tamargo, J. *see* Delpón, E., 117, 1293
 Tamargo, J. *see* Fernández del Pozo, B., 117, 105
 Tamura, K. *see* Chen, J., 119, 937
 Tanaka, T. *see* Nasu, K., 119, 797
 Tang, E. *see* Smith, S.E., 119, 165
 Tang, Y. *see* Wang, X., 118, 2164
 Tanheco, E.J. *see* Chi, L., 117, 1261
 Taniyama, K. *see* Yoshimura, M., 118, 1171
 Tao, R., Ma, Z. and Auerbach, S.B. Differential regulation of 5-hydroxytryptamine release by GABA_A and GABA_B receptors in midbrain raphe nuclei and forebrain of rats, 119, 1375
 Taquahashi, Y. *see* Nishimura, M., 118, 957
 Tariosse, L. *see* Pouna, P., 117, 1593
 Tarpey, M.M. *see* Konorev, E.A., 119, 511
 Tasaki, Y. *see* Hidaka, K., 117, 1625
 Tastenoy, M. *see* Waelbroeck, M., 119, 1319
 Tavi, P., Laine, M. and Weckström, M. Effect of gadolinium on stretch-induced changes in contraction and intracellularly recorded action- and afterpotentials of rat isolated atrium, 118, 407
 Taylor, G.S. *see* Watson, M.J., 118, 1605
 Teixeira, M.M., Rossi, A.G., Giembycz, M.A. and Hellewell, P.G. Effects of agents which elevate cyclic AMP on guinea-pig eosinophil homotypic aggregation, 118, 2099
 Teixeira, M.M., Williams, T.J. and Hellewell, P.G. Effects of dexamethasone and cyclosporin A on the accumulation of eosinophils in acute cutaneous inflammation in the guinea-pig, 118, 317
 Tejerina, T. *see* Del Rio, M., 118, 1639
 Templeton, A.G.B. *see* MacLean, M.R., 119, 277
 Teng, C.-M. *see* Guh, J.-H., 117, 1716
 Teng, C.-M. *see* Kang, J.J., 118, 1736
 Tenn, C.C., Neu, J.M. and Niles, L.P. PK 11195 blockade of benzodiazepine-induced inhibition of forskolin-stimulated adenylate cyclase activity in the striatum, 119, 223
 Tenor, H., Hatzelmann, A., Church, M.K., Schudt, C. and Shute, J.K. Effects of theophylline and rolipram on leukotriene C₄ (LTC₄) synthesis and chemotaxis of human eosinophils from normal and atopic subjects, 118, 1727
 Teoh, H., Malcangio, M. and Bowery, N.G. GABA, glutamate and substance P-like immunoreactivity release: effects of novel GABA_B antagonists, 118, 1153
 Teramoto, N. and Brading, A.F. Activation by levromakalim and metabolic inhibition of glibenclamide-sensitive K channels in smooth muscle cells of pig proximal urethra, 118, 635
 Terencio, M.C. *see* Payá, M., 117, 1773
 Terrón, J.A. The relaxant 5-HT receptor in the dog coronary artery smooth muscle: pharmacological resemblance to the cloned 5-HT₇ receptor subtype, 118, 1421
 Terzic, A. *see* Jovanovic, A., 117, 233
 Theodorsson, E. *see* Yu, L.-C., 117, 43
 Theron, A.J. *see* Anderson, R., 117, 1387
 Thiernemann, C. *see* Hide, E.J., 118, 1409
 Thiernemann, C. *see* Kengatharan, K.M., 119, 1411
 Thiernemann, C. *see* Kengatharan, M., 117, 1163
 Thiernemann, C. *see* Ruetten, H., 118, 198
 Thiernemann, C. *see* Ruetten, H., 118, 261
 Thiernemann, C. *see* Ruetten, H., 119, 479
 Thomas, D. *see* Kennett, G.A., 117, 427
 Thompson, S.A., Whiting, P.J. and Wafford, K.A. Barbiturate interactions at the human GABA_A receptor: dependent on receptor subunit combination, 117, 521
 Thomson, J.L.M. *see* Flitney, F.W., 117, 1549
 Thomson, K.A. *see* Marley, P.D., 119, 416

- Thor, K.B. *see* Danuser, H., 118, 150
- Thurlow, R.J., Hill, D.R. and Woodruff, G.N. Comparison of the autoradiographic binding distribution of [³H]-gabapentin with excitatory amino acid receptor and amino acid uptake site distributions in rat brain, 118, 457
- Thurlow, R.J., Hill, D.R. and Woodruff, G.N. Comparison of the uptake of [³H]-gabapentin with the uptake of L-[³H]-leucine into rat brain synaptosomes, 118, 449
- Thurlow, R.J. *see* Wilkinson, G.F., 118, 445
- Thurston, H. *see* Heygate, K.M., 119, 495
- Timens, W. *see* de Boer, J., 119, 1109
- Timmerman, H. *see* Alves-Rodrigues, A., 118, 2045
- Timmerman, H. *see* Blandina, P., 119, 1656
- Timmerman, H. *see* Hou, X., 117, 955
- Timmerman, H. *see* Smit, M.J., 117, 1071
- Tippins, J.R. *see* Kromer, B.M., 119, 1276
- Togashi, S. *see* Kobayashi, T., 119, 73
- Togo, J.A. *see* Christian, E.P., 119, 647
- Tolan, D., Conway, A.-M., Steele, L., Pyne, S. and Pyne, N.J. The identification of DL-threo dihydrosphingosine and sphingosine as novel inhibitors of extracellular signal-regulated kinase signalling in airway smooth muscle, 119, 185
- Tolvanen, J.-P., Wu, X., Kähönen, M., Sallinen, K., Mäkynen, H., Pekki, A. and Pörsti, I. Effect of celiprolol therapy on arterial dilatation in experimental hypertension, 119, 1137
- Toma, C., Greenwood, I.A., Helliwell, R.M. and Large, W.A. Activation of potassium currents by inhibitors of calcium-activated chloride conductance in rabbit portal vein smooth muscle cells, 118, 513
- Toma, C., Greenwood, I.A., Helliwell, R.M. and Large, W.A. *Corrigendum*, 119, 184
- Tomasi, A. *see* Guarini, S., 119, 29
- Tomkinson, A. and Raeburn, D. The effect of isoenzyme-selective PDE inhibitors on methacholine-induced contraction of guinea-pig and rat ileum, 118, 2131
- Tomlinson, A.E. and Poyner, D.R. Multiple receptors for calcitonin gene-related peptide and amylin on guinea-pig ileum and vas deferens, 117, 1362
- Tomlinson, D.R. *see* Omawari, N., 118, 186
- Tomoda, F., Lew, R.A., Smith, A.I., Madden, A.C. and Evans, R.G. Role of bradykinin receptors in the renal effects of inhibition of angiotensin converting enzyme and endopeptidases 24.11 and 24.15 in conscious rabbits, 119, 365
- Tomoda, F. *see* Lew, R.A., 118, 1269
- Toms, N.J., Jane, D.E., Kemp, M.C., Bedingfield, J.S. and Roberts, P.J. The effects of (RS)- α -cyclopropyl-4-phosphonophenylglycine ((RS)-CPPG), a potent and selective metabotropic glutamate receptor antagonist, 119, 851
- Tonini, M. *see* Candura, S.M., 118, 1965
- Tornóci, L. *see* Losonczy, Gy., 118, 1012
- Torregrassa, S.A. *see* Pellegrini-Giampietro, D.E., 118, 1035
- Toth, P.T. *see* Rhim, H., 118, 1341
- Totsuka, T. *see* Mitani, H., 119, 1269
- Toyofuku, K. *see* Seguchi, H., 118, 343
- Trail, B. *see* Kennett, G.A., 117, 1443
- Tramontana, M. *see* Giuliani, S., 119, 985
- Tran, M.-A. *see* Montastruc, J.-L., 117, 781
- Traub, R.D. *see* Whittington, M.A., 118, 1977
- Traub, R.D. *see* Whittington, M.A., 119, 1291
- Treasure, T. *see* Barker, J.E., 118, 643
- Trevethick, M.A. *see* Bahl, A.K., 117, 580
- Trevisi, L. *see* Bova, S., 117, 1041
- Triggle, C.R. *see* Lovren, F., 118, 879
- Triguero, D. *see* García-Pascual, A., 118, 905
- Trist, D.G. *see* Mugnaini, M., 119, 819
- Trullas, R. *see* Clos, M.V., 118, 901
- Tsai, C.-T. *see* Luo, S.-F., 119, 439
- Tsai, S.-C., Chiao, Y.-C., Lu, C.-C., Doong, M.-L., Chen, Y.-H., Shih, H.-C., Liaw, C., Wang, S.-W. and Wang, P.S. Inhibition by amphetamine of testosterone secretion through a mechanism involving an increase of cyclic AMP production in rat testes, 118, 984
- Tsai, Y.-J. *see* Luo, S.-F., 119, 439
- Tsang, K.-y. *see* Kwan, Y.W., 118, 755
- Tschöpl, M. *see* Gicquiaux, H., 119, 1313
- Tse, H.-W. *see* Bushell, T.J., 117, 1457
- Tse, H.-W. *see* Sekiyama, N., 117, 1493
- Tseng, L.F. *see* Narita, M., 118, 1829
- Tsujimoto, G. *see* Nasu, K., 119, 797
- Tsujimoto, G. *see* Shibata, K., 118, 1403
- Tsujimoto, G. *see* Yazawa, H., 117, 799
- Tsuneki, H. *see* Dezaki, K., 118, 1971
- Tsurufuji, S. *see* Utsunomiya, I., 117, 611
- Tsuura, Y. *see* Ishida-Takahashi, A., 117, 1749
- Tucker, J.F. *see* Wayman, C.P., 117, 566
- Tucker, J.F. *see* Wayman, C.P., 118, 2001
- Tuladhar, B.R., Costall, B. and Naylor, R.J. 5-HT₃ and 5-HT₄ receptor-mediated facilitation of the emptying phase of the peristaltic reflex in the marmoset isolated ileum, 117, 1679
- Tuladhar, B.R., Costall, B. and Naylor, R.J. Pharmacological characterization of the 5-hydroxytryptamine receptor mediating relaxation in the rat isolated ileum, 119, 303
- Turetsky, D.M. *see* Yamada, K.A., 117, 1663
- Turner, J.T. *see* Charlton, S.J., 118, 704
- Turner, J.T. *see* Charlton, S.J., 119, 1301
- Tutka, P. *see* Gariboldi, M., 119, 813

U

- Uchida, Y. *see* Ninomiya, H., 119, 1341
- Uemura, K. *see* Maeda, N., 117, 372
- Ugawa, T. *see* Goto, S., 118, 174
- Ujiie, A. *see* Miyazawa, K., 118, 915
- Ullmer, C., Boddeke, H.G.W.M., Schmuck, K. and Lübbert, H. 5-HT_{2B} receptor-mediated calcium release from ryanodine-sensitive intracellular stores in human pulmonary artery endothelial cells, 117, 1081
- Ullmer, C. *see* Schoeffter, P., 117, 993
- Ungvári, Z. *see* Losonczy, Gy., 118, 1012
- Unno, T. *see* Komori, S., 119, 245
- Unno, T., Komori, S. and Ohashi, H. Some evidence against the involvement of arachidonic acid in muscarinic suppression of voltage-gated calcium channel current in guinea-pig ileal smooth muscle cells, 119, 213
- Urbach, V. *see* Vigne, P., 119, 360
- Urban, L. *see* Davis, C.L., 118, 1469
- Urcelay, E. *see* Butta, N., 118, 1797
- Urbauer, T. *see* Münch, G., 118, 1855
- Üstünes, L., Yasa, M., Kerry, Z., Özdemir, N., Berkan, T., Erhan, Y. and Özer, A. Effect of verapamil on intimal thickening and vascular reactivity in the collared carotid artery of the rabbit, 118, 1681
- Usuda, S. *see* Hidaka, K., 117, 1625
- Usune, S., Katsuragi, T. and Furukawa, T. Effects of PPADS and suramin on contractions and cytoplasmic Ca²⁺ changes evoked by AP₄A, ATP and α , β -methylene ATP in guinea-pig urinary bladder, 117, 698
- Utsunomiya, I., Ito, M., Watanabe, K., Tsurufuji, S., Matsushima, K. and Oh-ishi, S. Infiltration of neutrophils by intrapleural injection of tumour necrosis factor, interleukin-1, and interleukin-8 in rats, and its modification by actinomycin D, 117, 611
- Uyama, Y. *see* Asano, M., 118, 1019

V

- Vahlensieck, U., Bokník, P., Knapp, J., Linck, B., Müller, F.U., Neumann, J., Herzig, S., Schlüter, H., Zidek, W., Deng, M.C., Scheld, H.H. and Schmitz, W. Negative chronotropic and inotropic effects exerted by diadenosine hexaphosphate (AP₆A) via A₁-adenosine receptors, 119, 835
- Vahlensieck, U. *see* Linck, B., 119, 545
- Valentin, J.-P., Bonnafous, R. and John, G.W. Influence of the endothelium and nitric oxide on the contractile responses evoked by 5-HT_{1D} receptor agonists in the rabbit isolated saphenous vein, 119, 35
- Valenzuela, C. *see* Delpón, E., 117, 1293
- Valera, S. *see* Michel, A.D., 117, 1254
- Valera, S. *see* Michel, A.D., 118, 1806

- Vallance, P. *see* Bogle, R.G., 117, 1053
 Vallance, P. *see* MacAllister, R.J., 119, 1533
 Valle, L. *see* Pol, O., 119, 1649
 van Amsterdam, F.Th.M. *see* Mugnaini, M., 119, 819
 Van Ark, I. *see* De Bie, J.J., 119, 1484
 van Asperen, J. *see* Mayer, U., 119, 1038
 van de Loo, P.G.F. *see* Sadeghi-Hashjin, G., 118, 466
 van den Akker, J. *see* Sipma, H., 119, 730
 Van Den Brink, A.M., Bax, W.A., Ferrari, M.D., Zijlstra, F.J., Bos, E. and Saxena, P.R. Augmented contraction of the human isolated coronary artery by sumatriptan: a possible role for endogenous thromboxane, 119, 855
 Van der Graaf, P.H., Shankley, N.P. and Black, J.W. Analysis of the activity of α_1 -adrenoceptor antagonists in rat aorta, 118, 299
 Van der Graaf, P.H., Shankley, N.P. and Black, J.W. Analysis of the effects of α_1 -adrenoceptor antagonists on noradrenaline-mediated contraction of rat small mesenteric artery, 118, 1308
 van der Zee, L. *see* Sipma, H., 119, 730
 Van Esch, B. *see* De Bie, J.J., 119, 1484
 Van Helden, D.F. *see* Hashitani, H., 118, 1627
 van Hooft, J.A. and Vijverberg, H.P.M. Selection of distinct conformational states of the 5-HT₃ receptor by full and partial agonists, 117, 839
 van Kats, J.P., Sassen, L.M.A., Danser, A.H.J., Polak, M.P.J., Soei, L.K., Derkx, F.H.M., Schalekamp, M.A.D.H. and Verdouw, P.D. Assessment of the role of the renin-angiotensin system in cardiac contractility utilizing the renin inhibitor remikiren, 117, 891
 Van Loveren, H. *see* Scheerens, H., 119, 1665
 Van Oosterhout, A.J.M. *see* Die Bie, J.J., 119, 1484
 van Popta, J.P. *see* Henning, R.H., 117, 1785
 van Zwieten, P.A., *see* Li, Q., 118, 1653
 Vane, J.R. *see* Ruetten, H., 118, 198
 Vanhaeist, L. *see* Matton, A., 117, 502
 Vanhoutte, P.M. *see* Corriu, C., 117, 607
 Vanhoutte, P.M. *see* Corriu, C., 119, 959
 Vanhoutte, P.M. *see* Illiano, S., 117, 360
 Vanhoutte, P.M. *see* King, B.F., 117, 1111
 Vanhoutte, P.M. *see* Mombouli, J.-V., 117, 413
 Vanhoutte, P.M. *see* Morrison, K.J., 118, 557
 van't Veen, A., Gommers, D., Mouton, J.W., Kluytmans, J.A.J.W., Krijt, E.J. and Lachmann, B. Exogenous pulmonary surfactant as a drug delivering agent: influence of antibiotics on surfactant activity, 118, 593
 van't Veen, A., Mouton, J.W., Gommers, D. and Lachmann, B. Pulmonary surfactant as vehicle for intratracheally instilled tobramycin in mice infected with *Klebsiella pneumoniae*, 119, 1145
 Vapaatalo, H. *see* Nurminen, M.-L., 119, 1422
 Varani, K., Gessi, S., Dalpiaz, A. and Borea, P.A. Pharmacological and biochemical characterization of purified A_{2a} adenosine receptors in human platelet membranes by [³H]-CGS 21680 binding, 117, 1693
 Varga, K. *see* Ishac, E.J.N., 118, 2023
 Vargaftig, B.B. *see* Gonçalves de Moraes, V.L., 117, 1792
 Varma, D.R. *see* Deng, X.F., 119, 269
 Varnier, G. *see* Fedele, E., 119, 590
 Varró, A., Virág, L. and Papp, J.G. Comparison of the chronic and acute effects of amiodarone on the calcium and potassium currents in rabbit isolated cardiac myocytes, 117, 1181
 Vaughan, C.W. and Christie, M.J. Increase by the ORL₁ receptor (opioid receptor-like₁) ligand, nociceptin, of inwardly rectifying K conductance in dorsal raphe nucleus neurones, 117, 1609
 Vaughan, C.W. *see* Connor, M., 119, 1614
 Vaughan-Jones, R.D. *see* Loh, S.-H., 118, 1905
 Vayssettes-Courchay, C., Bouysset, F., Cordi, A.A., Laubie, M. and Verbeuren, T.J. A comparative study of the reversal by different α_2 -adrenoceptor antagonists of the central sympatho-inhibitory effect of clonidine, 117, 587
 Vaz-da-Silva, M., Magina, S., Domingues-Costa, A., Moura, D. and Guimarães, S. The role of the endocardium in the facilitatory effect of bradykinin on electrically-induced release of noradrenaline in rat cardiac ventricle, 118, 364
 Vázquez, M., Merlos, M., Adzet, T. and Laguna, J.C. Decreased susceptibility to copper-induced oxidation of rat-lipoproteins after fibrate treatment: influence of fatty acid composition, 117, 1155
 Ventura, S. *see* Pinna, C., 119, 655
 Venuto, R. *see* Losonczy, Gy., 118, 1012
 Verbeuren, T. *see* Illiano, S., 117, 360
 Verbeuren, T.J. *see* Rupin, A., 119, 1233
 Verbeuren, T.J. *see* Vayssettes-Courchay, C., 117, 587
 Verdouw, P.D. *see* van Kats, J.P., 117, 891
 Verdries, K.A. *see* Faraci, W.S., 119, 1101
 Verfurth, F. *see* Chess-Williams, R., 119, 1093
 Verheggen, R., Freudenthaler, S., Meyer-Dulheuer, F. and Kaumann, A.J. Participation of 5-HT₁-like and 5-HT_{2A} receptors in the contraction of human temporal artery by 5-hydroxytryptamine and related drugs, 117, 283
 Vetri, T. *see* Mulè, F., 117, 488
 Vetter, H. *see* Sachinidis, A., 119, 787
 Vezzani, A. *see* Gariboldi, M., 119, 813
 Vianna, L.M. *see* Silva, E.G., 118, 1367
 Vicart, P. *see* Renesto, P., 117, 902
 Vicini, D. *see* Candura, S.M., 118, 1965
 Vickery, B. *see* Tallentire, D., 118, 63
 Vieira-Coelho, M.A. *see* Soares-da-Silva, P., 117, 1193
 Vieira-Coelho, M.A. and Soares-da-Silva, P. Ontogenic aspects of liver and kidney catechol-O-methyltransferase sensitivity to tolcapone, 117, 516
 Vigne, P., Pacaud, P., Urbach, V., Feolde, E., Breittmayer, J.P. and Frelin, C. The effect of PPADS as an antagonist of inositol (1,4,5)trisphosphate induced intracellular calcium mobilization, 119, 360
 Vigne, P. *see* Webb, T.E., 119, 1385
 Vijverberg, H.P.M. *see* van Hooft, J.A., 117, 839
 Vila, E. *see* Sallés, J., 117, 1286
 Vila, E. *see* Tabernero, A., 117, 757
 Vila, E. *see* Tabernero, A., 118, 2067
 Vila, E. *see* Tabernero, A., 119, 765
 Vila, J.M. *see* Cases, E., 119, 1337
 Villagrasa, V. *see* Cortijo, J., 119, 99
 Villalón, C.M. *see* De Vries, P., 118, 85
 Villamor, E. *see* Fernández del Pozo, B., 117, 105
 Villarroya, M. *see* Gandía, L., 117, 463
 Villarroya, M. *see* Gandía, L., 118, 1301
 Vincent, L.A. *see* Faraci, W.S., 119, 1101
 Vincent, M.-P. *see* Richer, C., 117, 315
 Viniegra, S. *see* Gandía, L., 118, 1301
 Violi, F. *see* Iuliano, L., 119, 1438
 Virág, L. *see* Varró, A., 117, 1181
 Visser, A.C. *see* de Boer, J., 119, 1109
 Vivas, N.M. *see* Tabernero, A., 118, 2067
 Vivas, N.M. *see* Tabernero, A., 119, 765
 Vo, P. *see* Omawari, N., 118, 186
 Voets, T., Droogmans, G. and Nilius, B. Potent block of volume-activated chloride currents in endothelial cells by the uncharged form of quinine and quinidine, 118, 1869
 Volpe, A.R. *see* Currò, D., 117, 717
 von Engelhardt, W. *see* Lampen, A., 117, 1730
 von Ruhland, C.J. *see* Balakrishnan, V.S., 117, 879
 Vonhoff, S. *see* Pickering, H., 119, 379
 Vuorinen, P. *see* Kankaanranta, H., 117, 401

W

- Wadsworth, R.M. *see* Greenlees, C., 119, 1470
 Waerber, B. *see* Lacroix, J.S., 118, 2079
 Waelbroeck, M., Lazareno, S., Pfaff, O., Friebe, T., Tastenoy, M., Mutschler, E. and Lambrecht, G. Stereoselective recognition of the enantiomers of phenglutarimide and of six related compounds by four muscarinic receptor subtypes, 119, 1319
 Waelbroeck, M. *see* Hou, X., 117, 955
 Wafford, K.A. *see* Thompson, S.A., 117, 521
 Wagenaar, E. *see* Mayer, U., 119, 1038
 Wahlestedt, C. *see* Sun, X.Y., 118, 131
 Wainwright, C.L. *see* Greenlees, C., 119, 1470
 Walch, L. *see* Norel, X., 119, 149

- Wales, M. *see* Hughes, B., 118, 1183
- Walker, G. *see* Kunz, D., 118, 1621
- Walker, J.S. *see* Wilson, J.L., 118, 1754
- Walker, K., Dray, A. and Perkins, M. Development of hyperthermia following intracerebroventricular administration of endotoxin in the rat: effect of kinin B₁ and B₂ receptor antagonists, 117, 684
- Wallace, J.L. *see* Cirino, G., 117, 1421
- Wallace, P. *see* Handy, R.L.C., 119, 423
- Walsh, L.K.M. *see* Leung, E., 117, 926
- Wan, D.C.C. *see* Sum, C.-S., 118, 1523
- Wanecek, M. *see* Weitzberg, E., 118, 617
- Wang, J. *see* Mathew, R., 118, 1886
- Wang, L. *see* Saifeddine, M., 118, 521
- Wang, P.S. *see* Tsai, S.-C., 118, 984
- Wang, R. *see* Sawai, H., 119, 539
- Wang, R. *see* Wang, Z., 117, 293
- Wang, S.-W. *see* Tsai, S.-C., 118, 984
- Wang, X., Wu, Z., Tang, Y., Fiscus, R.R. and Han, C. Rapid nitric oxide- and prostaglandin-dependent release of calcitonin gene-related peptide (CGRP) triggered by endotoxin in rat mesenteric arterial bed, 118, 2164
- Wang, Y., Ramage, A.G. and Jordan, D. Mediation by 5-HT₃ receptors of an excitatory effect of 5-HT on dorsal vagal preganglionic neurones in anaesthetized rats: an ionophoretic study, 118, 1697
- Wang, Z., Ma, M. and Wang, R. Enhanced vasocontraction of rat tail arteries by toxoflavin, 117, 293
- Wang, Z.-Q. *see* Salvemini, D., 118, 829
- Wang, Z.-Y., Alm, P. and Håkanson, R. The contribution of nitric oxide to endotoxin-induced ocular inflammation: interaction with sensory nerve fibres, 118, 1537
- Warawa, E. *see* Christian, E.P., 119, 647
- Ward, J.P.T. *see* Peng, W., 119, 1063
- Ward, S.M., Dalziel, H.H., Khoyi, M.A., Westfall, A.S., Sanders, K.M. and Westfall, D.P. Hyperpolarization and inhibition of contraction mediated by nitric oxide released from enteric inhibitory neurones in guinea-pig taenia coli, 118, 49
- Wardle, K.A., Bingham, S., Ellis, E.S., Gaster, L.M., Rushant, B., Smith, M.I. and Sanger, G.J. Selective and functional 5-hydroxytryptamine₂ receptor antagonism by SB 207266, 118, 665
- Wartier, D.C. *see* Pagel, P.S., 119, 609
- Warner, J.A. *see* Peirce, M.J., 119, 446
- Warner, T.D. *see* D'Amico, M., 118, 21
- Warreallow, G. *see* Hughes, B., 118, 1183
- Warren, D.A. and Lavidis, N.A. Effect of opiates on transmitter release from visualized hypogastric boutons innervating the rat pelvic ganglia, 118, 1913
- Watanabe, G. *see* Maeda, N., 117, 372
- Watanabe, K. *see* Utsunomiya, I., 117, 611
- Watanabe, M. *see* Asano, M., 118, 1019
- Watanabe, M., Yamada, M., Mue, S. and Ohuchi, K. *Erratum*, 117, 771
- Watanabe, T. *see* Ryu, J.H., 118, 585
- Watanabe, Y., Suzuki, A., Suzuki, H. and Itoh, T. Effect of membrane hyperpolarization induced by a K⁺ channel opener on histamine-induced Ca²⁺ mobilization in rabbit arterial smooth muscle, 117, 1302
- Watano, T., Kimura, J., Morita, T. and Nakanishi, H. A novel antagonist, No. 7943, of the Na⁺/Ca²⁺ exchange current in guinea-pig cardiac ventricular cells, 119, 555
- Watkins, C.J. and Newberry, N.R. Multiple 5-HT receptors in the guinea-pig superior cervical ganglion, 117, 21
- Watkins, C.S. and Mathie, A. Effects on K⁺ currents in rat cerebellar granule neurones of a membrane-permeable analogue of the calcium chelator BAPTA, 118, 1772
- Watkins, J.C. *see* Bushell, T.J., 117, 1457
- Watkins, J.C. *see* Sekiyama, N., 117, 1493
- Watson, J. *see* Roberts, C., 117, 384
- Watson, M.J., Bywater, R.A.R., Taylor, G.S. and Lang, R.J. Effects of nitric oxide (NO) and NO donors on the membrane conductance of circular smooth muscle cells of the guinea-pig proximal colon, 118, 1605
- Watson, M.L. *see* Jordan, N.J., 117, 1245
- Watt, G.F. *see* Roberts, S.P., 118, 1779
- Watt, W.C. *see* Lazarowski, E.R., 117, 203
- Wayman, C.P., McFadzean, I., Gibson, A. and Tucker, J.F. Inhibition by sodium nitroprusside of a calcium store depletion-activated non-selective cation current in smooth muscle cells of the mouse anococcygeus, 118, 2001
- Wayman, C.P., McFadzean, I., Gibson, A. and Tucker, J.F. Two distinct membrane currents activated by cyclopiazonic acid-induced calcium store depletion in single smooth muscle cells of the mouse anococcygeus, 117, 566
- Webb, D.J. *see* Plumpton, C., 119, 311
- Webb, J. *see* Laird, J.M.A., 117, 1487
- Webb, T.E., Feolde, E., Vigne, P., Neary, J.T., Runberg, A., Frelin, C. and Barnard, E.A. The P2Y purinoceptor in rat brain microvascular endothelial cells couple to inhibition of adenylate cyclase, 119, 1385
- Weber, L.P., Chow, W.L., Abebe, W. and MacLeod, K.M. Enhanced contractile responses of arteries from streptozotocin diabetic rats to sodium fluoride, 118, 115
- Weckström, M. *see* Tavi, P., 118, 407
- Weetman, D.F. *see* King, B.F., 117, 1111
- Wehrle, J. *see* Hou, X., 117, 955
- Weidenbach, H., Beckh, K., Burger, M., Schricker, T., Georgieff, M. and Adler, G. Effects of selective phosphodiesterase 3 inhibition in the perfused liver of the rat after endotoxin treatment, 118, 790
- Weisman, G.A. *see* Charlton, S.J., 118, 704
- Weisman, G.A. *see* Charlton, S.J., 119, 1301
- Weitzberg, E., Hemsén, A., Rudehill, A., Modin, A., Wanecek, M. and Lundberg, J.M. Bosentan-improved cardiopulmonary vascular performance and increased plasma levels of endothelin-1 in porcine endotoxin shock, 118, 617
- Welsh, N.J. *see* Hills, D.M., 119, 1401
- Wendt, I.R. *see* Raymond, G.L., 119, 1029
- Wennmalm, Å. *see* Kankaanranta, H., 117, 401
- Wess, J. *see* Hou, X., 117, 955
- Wessler, I. *see* Freitag, A., 119, 91
- West, M. *see* Cavet, M.E., 118, 1389
- Westerberg, E. *see* Stricker, R., 117, 919
- Westfall, A.S. *see* Ward, S.M., 118, 49
- Westfall, D.P. *see* Ward, S.M., 118, 49
- Westfall, T.D., Kennedy, C. and Sneddon, P. Enhancement of sympathetic purinergic neurotransmission in the guinea-pig isolated vas deferens by the novel ecto-ATPase inhibitor ARL 67156, 117, 867
- Weston, A.H. *see* Edwards, G., 119, 691
- Weston, A.H. *see* Green, M.E., 119, 1509
- Weston, A.H. *see* Kirkup, A.J., 117, 175
- Weston, A.H. *see* Zygmunt, P.M., 118, 1147
- Westwick, J. *see* Jordan, N.J., 117, 1245
- Westwick, J. *see* Kolios, G., 119, 351
- Wheeler, S. *see* Miao, L., 117, 559
- Wheeler-Jones, C.P.D. *see* Cirino, G., 117, 1421
- Wheeler-Jones, C.P.D. *see* May, M.J., 118, 1761
- Wheller, S.K. *see* Perretti, M., 117, 1145
- White, P.J., Rose-Meyer, R.B. and Hope, W. Functional characterization of adenosine receptors in the nucleus tractus solitarius mediating hypotensive responses in the rat, 117, 305
- Whitehead, K.J. *see* Handy, R.L.C., 119, 423
- Whiting, P.J. *see* Thompson, S.A., 117, 521
- Whitley, G.St.J. *see* MacAllister, R.J., 119, 1533
- Whittington, M.A., Jefferys, J.G.R. and Traub, R.D. Effects of intravenous anaesthetic agents on fast inhibitory oscillations in the rat hippocampus *in vitro*, 118, 1977
- Whittington, M.A., Jefferys, J.G.R. and Traub, R.D. *Erratum*, 119, 1291
- Whittle, B.J.R. *see* Martinez-Cuesta, M.A., 118, 1335
- Whittle, I.R. *see* Fouyas, I.P., 118, 243
- Whybrow, K. *see* Forhead, A.J., 119, 393
- Widdowson, P.S., Farnworth, M., Moore, R.B., Dunn, D. and Wyatt, I. Evidence for mediation of L-2-chloropropionic acid-induced delayed neuronal cell death by activation of a constitutive nitric oxide synthase, 119, 374
- Widdowson, P.S., Gyte, A., Simpson, M.G., Farnworth, M., Dunn, D., Moore, R.B., Wyatt, I. and Lock, E.A. Possible role of nitric oxide in the development of L-2-chloropropionic acid-induced cerebellar granule cell

- necrosis, 117, 1761
Widdowson, P.S. and Kirk, C.N.P. Characterization of [125 I]-endothelin-1 and [125 I]-BQ3020 binding to rat cerebellar endothelin receptors, 118, 2126
Wiesenberger, I. *see* Kunz, D., 118, 1621
Wiesmann, U.N. *see* Scuntaro, I., 119, 829
Wiklund, N.P. *see* Nava, E., 119, 1211
Wilkins, M.R. *see* Kirk, J.E., 119, 943
Wilkins, M.R. *see* Zhao, L., 119, 1217
Wilkinson, G.F., Thurlow, R.J., Sellers, L.A., Coote, J.E., Feniuk, W. and Humphrey, P.P.A. Potent antagonism by BIM-23056 at the human recombinant somatostatin ss_{25} receptor, 118, 445
Williams, J.D. *see* Balakrishnan, V.S., 117, 879
Williams, K.I. *see* Lal, H., 118, 1931
Williams, L.S. *see* Krauss, A.H.-P., 117, 1171
Williams, T.J. *see* Norman, K.E., 117, 471
Williams, T.J. *see* Teixeira, M.M., 118, 317
Williamson, I.J.R. *see* Kenny, B.A., 118, 871
Wilson, H.L. *see* Giles, H., 117, 1119
Wilson, J.L., Nayanar, V. and Walker, J.S. The site of anti-arthritis action of the κ -opioid, U-50,488H, in adjuvant arthritis: importance of local administration, 118, 1754
Wilson, R. *see* Anderson, R., 117, 1387
Wilson, V.G. *see* Randall, V.A., 118, 627
Wilsoncroft, P. *see* Palframan, R.T., 118, 295
Windischhofer, W. *see* Leis, H.J., 117, 540
Wirth, K. *see* Dear, J.W., 119, 1054
Wójcicki, J., Sulikowski, T., Wójcicki, M., Drożdżik, M., Gawrońska-Szklarz, B., Barcew-Wiszniewska, B., Skowron, J. and Różewicka, L. Pharmacokinetics of phenazone (antipyrine) in rabbits with experimental common bile duct obstruction, 117, 1
Wójcicki, M. *see* Wójcicki, J., 117, 1
Wolfe-Lopez, D. *see* Pittner, R.A., 117, 847
Wolff, D.J. *see* Szabó, C., 118, 1659
Wolin, M.S. *see* Mathew, R., 118, 1886
Wöll, E. *see* Gschwentner, M., 118, 41
Wong, M.C.S. *see* Lam, F.Y., 118, 2107
Wood, M.D. *see* Kennett, G.A., 117, 427
Woodman, O.L. *see* Pannangpetch, P., 117, 1047
Woodruff, G.N. *see* Singh, L., 118, 1317
Woodruff, G.N. *see* Thurlow, R.J., 118, 449
Woodruff, G.N. *see* Thurlow, R.J., 118, 457
Woodward, B. *see* Lal, H., 118, 1931
Woodward, D.F. *see* Krauss, A.H.-P., 117, 1171
Wray, D. *see* Porter, V.A., 118, 27
Wright, C.E. *see* Serone, A.P., 118, 93
Wright, C.E. and Angus, J.A. Effects of N-, P- and Q-type neuronal calcium channel antagonists on mammalian peripheral neurotransmission, 119, 49
Wright, M.J. *see* Baxter, G.F., 117, 1685
Wu, J., Harata, N. and Akaike, N. Potentiation by sevoflurane of the γ -aminobutyric acid-induced chloride current in acutely dissociated CA1 pyramidal neurones from rat hippocampus, 119, 1013
Wu, M.-H. *see* Chang, G.-J., 118, 1571
Wu, T.-S. *see* Alves-Rodrigues, A., 118, 2045
Wu, W.-B. *see* Luo, S.-F., 119, 439
Wu, X. *see* Tolvanen, J.-P., 119, 1137
Wu, Y.-C. *see* Chang, G.-J., 118, 1571
Wu, Z. *see* Wang, X., 118, 2164
Wyatt, I. *see* Widdowson, P.S., 117, 1761
Wyatt, I. *see* Widdowson, P.S., 119, 374
Wyatt, M.A., Jarvie, E., Feniuk, W. and Humphrey, P.P.A. Somatostatin ss_{25} receptor-mediated inhibition of parietal cell function in rat isolated gastric mucosa, 119, 905
Wyatt, P.S. *see* Salvemini, D., 118, 829
Wyllie, M. *see* Ishizuka, O., 117, 962
- X**
- Xu, H. *see* Faraci, W.S., 119, 1101
Xuan, Y.-T. and Glass, P.S.A. Propofol regulation of calcium entry pathways in cultured A10 and rat aortic smooth muscle cells, 117, 5
Xue, L. *see* Ohno, N., 117, 974
- Y**
- Yamada, K. *see* Noda, Y., 117, 1579
Yamada, K.A. and Turetsky, D.M. Allosteric interactions between cyclothiazide and AMPA/kainate receptor antagonists, 117, 1663
Yamada, M. *see* Watanabe, M., 117, 771
Yamaguchi, T. *see* Hidaka, K., 117, 1625
Yamamoto, M. *see* Akiyama, T., 117, 1558
Yamamoto, Y. *see* Ohno, N., 117, 974
Yamamoto, Y. *see* Satoh, M., 117, 1277
Yamashita, T. *see* Sawai, H., 119, 539
Yamatodani, A. *see* Mammoto, T., 117, 1744
Yamaya, M. *see* Pinto, A., 119, 1477
Yanai, K. *see* Ryu, J.H., 118, 585
Yang, C.-M. *see* Luo, S.-F., 119, 439
Yang, S., Buxton, I.L.O., Probert, C.B., Talbot, J.N. and Bradley, M.E. Evidence for a discrete UTP receptor in cardiac endothelial cells, 117, 1572
Yano, J. *see* Nasu, K., 119, 797
Yano, M. *see* Fukuroda, T., 117, 995
Yaqoob, M. *see* Phagoo, S.B., 119, 863
Yasa, M. *see* Üstünes, L., 118, 1681
Yasui, K. *see* Hori, Y., 118, 1584
Yavich, L. Two simultaneously working storage pools of dopamine in mouse caudate and nucleus accumbens, 119, 869
Yazawa, H., Hirasawa, A., Horie, K., Saita, Y., Iida, E., Honda, K. and Tsujimoto, G. Oxytocin receptors expressed and coupled to Ca^{2+} signalling in a human vascular smooth muscle cell line, 117, 799
Yeh, J.L. *see* Chen, I.J., 119, 7
Yellon, D.M. *see* Baxter, G.F., 117, 1685
Yeo, A. *see* Connor, M., 118, 205
Yip, P.K. *see* Smith, S.E., 119, 165
Yokotani, K., Okuma, Y. and Osumi, Y. Inhibition of vagally mediated gastric acid secretion by activation of central prostanoid EP_3 receptors in urethane-anaesthetized rats, 117, 653
Yoshida, M., Kikukawa, M., Hisa, H. and Satoh, S. Modulation by nitric oxide and prostaglandin of the renal vascular response to angiotensin II (3-8), 117, 885
Yoshimura, M., S-Yamashita, Y., Kan, S., Niwa, M. and Taniyama, K. Localization of endothelin ET_B receptors on the myenteric plexus of guinea-pig ileum and the receptor-mediated release of acetylcholine, 118, 1171
Yoshimura, T. *see* Jordan, N.J., 117, 1245
Yoshioka, K. *see* Kurihara, T., 118, 1743
Yoshioka, K. *see* Zhao, F.-Y., 118, 2059
Yoshiya, I. *see* Mammoto, T., 117, 1744
Young, A.A. *see* Pittner, R.A., 117, 847
Yu, L.-C., Hansson, P., Brodda-Jansen, G., Theodorsson, E. and Lundberg, T. Intrathecal CGRP $_{8-37}$ -induced bilateral increase in hind-paw withdrawal latency in rats with unilateral inflammation, 117, 43
Yu, X.-J. and Moskowitz, M.A. Neuropeptide Y Y_2 receptor-mediated attenuation of neurogenic plasma extravasation acting through pertussis toxin-sensitive mechanisms, 119, 229
Yuan, S.Y. *see* Johnson, P.J., 118, 973
Yuge, O. *see* Az-ma, T., 119, 455
Yukimura, T. *see* Kim, S., 118, 549
- Z**
- Zaagsma, J. *see* de Boer, J., 119, 1109
Zaagsma, J. *see* de Boer, R.E.P., 119, 1355
Zaagsma, J. *see* Hoiting, B.H., 117, 419
Zach, D. *see* Leis, H.J., 117, 540
Zagorodnyuk, V., Santicoli, P., Maggi, C.A. and Giachetti, A. The possible role of ATP and PACAP as mediators of apamin-sensitive NANC inhibitory junction potentials in circular muscle of guinea-pig colon, 119, 779
Zajac, J.-M. *see* Gouardères, C., 117, 493

- Zamani, M.R. and Bristow, D.R. The histamine H₁ receptor in GT1-7 neuronal cells is regulated by calcium influx and KN-62, a putative inhibitor of calcium/calmodulin protein kinase II, **118**, 1119
- Zanotti, A., Mariot, R., Contarino, A., Lipartiti, M. and Giusti, P. Lack of anticonvulsant tolerance and benzodiazepine receptor down regulation with imidazenil in rats, **117**, 647
- Zaragoza, F. *see* Fernández del Pozo, B., **117**, 105
- Zart, R. *see* Hoher, B., **118**, 220
- Zgombick, J. *see* Gustafson, E.L., **117**, 657
- Zhang, B.-L. *see* Ziyat, A., **119**, 388
- Zhang, H.-L. and Bolton, T.B. Two types of ATP-sensitive potassium channels in rat portal vein smooth muscle cells, **118**, 105
- Zhang, J. *see* Li, Q., **118**, 1653
- Zhang, T. and Johns, E.J. Rilmenidine and reflex renal sympathetic nerve activation in wistar and hypertensive rats, **119**, 1248
- Zhao, F.-Y., Saito, K., Yoshioka, K., Guo, J.-Z., Murakoshi, T., Konishi, S. and Otsuka, M. Tachykinergic synaptic transmission in the coeliac ganglion of the guinea-pig, **118**, 2059
- Zhao, G.-M. *see* Bhargava, H.N., **119**, 1586
- Zhao, L., Al-Tubuly, R., Sebkhi, A., Owji, A.A., Nunez, D.J.R. and Wilkins, M.R. Angiotensin II receptor expression and inhibition in the chronically hypoxic rat lung, **119**, 1217
- Zhao, X.-L. *see* Ryu, J.H., **118**, 585
- Zhao, X.H. *see* Sun, X.Y., **118**, 131
- Zheng, W. *see* Nirula, V., **119**, 1505
- Zholos, A.V. and Bolton, T.B. A novel GTP-dependent mechanism of ileal muscarinic metabotropic channel desensitization, **119**, 997
- Ziche, M. *see* Parenti, A., **119**, 619
- Zidek, W. *see* Vahlensieck, U., **119**, 835
- Zierhut, W. and Ball, H.A. Prevention of vascular nitroglycerin tolerance by inhibition of protein kinase C, **119**, 3
- Ziermann, L. *see* Leis, H.J., **117**, 540
- Ziganshin, A.U. *see* Hoyle, C.H.V., **118**, 1294
- Ziganshin, A.U. *see* King, B.F., **117**, 1111
- Ziganshina, L.E. *see* King, B.F., **117**, 1371
- Zijlstra, F.J. *see* Van Den Brink, A.M., **119**, 855
- Zilkha, E. *see* Obrenovitch, T.P., **117**, 931
- Zingarelli, B. *see* Southan, G.J., **117**, 619
- Zingarelli, B. *see* Szabó, C., **118**, 1659
- Ziogas, J. *see* Cox, S.L., **119**, 965
- Ziogas, J. *see* Cox, S.L., **119**, 976
- Živin, M., Šprah, L. and Sket, D. The D₁ receptor-mediated effects of the ergoline derivative LEK-8829 in rats with unilateral 6-hydroxydopamine lesions, **119**, 1187
- Ziyat, A., Zhang, B.-L. and Benzoni, D. Interactions between nitric oxide and prostanoids in isolated perfused kidneys of the rat, **119**, 388
- Zocchi, C., Ongini, E., Ferrara, S., Baraldi, P.G. and Dionisotti, S. Binding of the radioligand [³H]-SCH 58261, a new non-xanthine A_{2A} adenosine receptor antagonist, to rat striatal membranes, **117**, 1381
- Zocchi, M.R. *see* Pellegatta, F., **118**, 471
- Zwartjes, R.E. *see* Platt, K.P., **119**, 1393
- Zygmunt, P.M., Edwards, G., Weston, A.H., Davis, S.C. and Högestätt, E.D. Effects of cytochrome P450 inhibitors on EDHF-mediated relaxation in the rat hepatic artery, **118**, 1147
- Zygmunt, P.M. and Högestätt, E.D. Role of potassium channels in endothelium-dependent relaxation resistant to nitroarginine in the rat hepatic artery, **117**, 1600
- Zygmunt, P.M. *see* Edwards, G., **119**, 691