

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

Chester Moat House
(University of Liverpool & Zeneca Pharmaceuticals)
Guest Societies: The Spanish Association
of Pharmacology

22nd–24th April 1998

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, BPS Office, 16 Angel Gate, London EC1V 2PT, UK. Tel: +44 (0)171 417 0431/2/3; Fax: +44 (0)171 417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)181 882 7199; Fax: +44 (0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publisher: Marija Vukovojac. Production Controller: Nicci Crawley.

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.stockton-press.co.uk>

All information on the website is free and includes: editor's details, scope, latest table of contents, paper abstracts, subscription prices, reprint ordering, sample copy ordering, news, supplement information, contact names in publishing, production, marketing and advertising departments. Register now to have the table of contents sent to you as soon as they are updated.

Subscriptions – 1998 Subscription Rates – *British Journal of Pharmacology*
Institutional Subscriptions Print (Hard Copy); EU £850, Rest of World (surface mail) £940/US\$1505, Rest of World (airmail) £1128/US\$1805.

Electronic – Online only £850/US\$1360.

Combined – Electronic Online & Print EU £935, Rest of World (surface mail) £1034/US\$1655, Rest of World (airmail) £1241/US\$1990.

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke,

Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007–1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1505 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

Copyright © 1998 Stockton Press
ISSN 0007–1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007–1188/98 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

Chester Moat House

(University of Liverpool and Zeneca Pharmaceuticals)

Guest Societies: The Spanish Societies of Pharmacology and Clinical Pharmacology

22nd–24th April, 1998

Author Index

- Abbas F, Clayton J, Marshall K & Senior J Comparison of the effects of PGF_{2α} and related compounds on the human isolated myometrium from non-pregnant and pregnant donors, 141P
- Aboul-Enein HY *see* Almotrefi AA, 136P
- Aguiree N, Hervías I, Del Rio J & Lasheras B Effect of glutathione depletion on MDMA-induced serotonergic neurotoxicity in neonate rats, 59P
- Ainsworth K *see* Pei Q, 72P
- Aitchison KA, Baxter GF, Yellon DM & Opie LH Involvement of δ opioid receptor in ischaemic preconditioning against infarction in the rat isolated heart, 22P
- Atherton JG *see* Dewhurst DG, 143P
- Auton TR *see* Gardiner SM, 119P
- Babwah R *see* Iravani MM, 62P
- Badia A, Terrades D, Tabernero A & Vivas NM Characterization of α_2 -adrenoceptor subtypes implicated in inositol phosphates production in the rat bisected vas deferens, 129P
- Bailey SR, Barlow RB, Elliott J & Gray GA SPICE – a Simple Program Identifying Curvaceous Elements, 142P
- Barlow RB *see* Bailey SR, 142P
- Barnes NM *see* Fletcher S, 57P
- Barnes NM *see* Stowe RL, 56P
- Barrachina MD *see* Beltrán B, 38P
- Barrachina MD *see* Ramírez MC, 92P
- Barrachino MD, Calatayud S, Beltrán B, Canet A & Esplugues JV Central oxytocin receptors mediate endotoxin-induced inhibition of gastric acid secretion, 91P
- Barton M, Jelic P, Shih M-F & Taberner PV Comparison of the effects of short-term ethanol consumption on adipose tissue lipogenesis in TO and CBA mice, 86P
- Basco C *see* Almotrefi AA, 136P
- Baxter GF *see* Aitchison KA, 22P
- Bell JO, Edwards G, Maggs JL, Bishop LP, O'Neill PM, Ward SA, Winstanley PA & Park BK The biliary metabolites of β -artemether, an endoperoxide antimalarial, 42P
- Bell WR *see* Moran RJ, 67P
- Bellido I, Gomez A, Fernandez M & Sanchez de la Cuesta F Disulfiram, S-adenosyl-L-methionine and buspirone reverted up-regulated hippocampus 5-HT_{1A} receptors of alcoholized rats, 132P
- Bello R *see* Calatayud S, 37P
- Beltran B, Barrachina MD, Esplugues JV & Esplugues J The synthesis of nitric oxide in the brainstem and in the hypothalamus modulates the inhibition by bombesin of gastric acid secretion, 38P
- Beltrán B *see* Barrachina MD, 91P
- Beltrán B *see* Ramírez MC, 92P
- Bennett GW *see* Holtom PE, 14P
- Bennett T *see* Gardiner SM, 118P
- Bennett T *see* Gardiner SM, 119P
- Bennett T *see* Gardiner SM, 120P
- Bennett T *see* Gardiner SM, 121P
- Bennett T *see* Ishak S, 117P
- Beresford IJM *see* Browning C, 34P
- Berto L *see* Morcillo EJ, 83P
- Bevan C *see* Parker MG, 146P
- Bevan N *see* Phillips T, 35P
- Bibby MC *see* Grondin A, 140P
- Billman GE, Englert HC & Schölkens BA Effects of the cardioselective K_{ATP} channel blocker HMR 1883 on ventricular fibrillations in conscious postinfarcted dogs, 25P
- Bishop LP *see* Bell JO, 42P
- Bloomer JC, Clarke SE & Chenery RJ An assessment of the potential of ropinirole, a dopamine receptor agonist, to inhibit various human cytochrome P450 enzymes, 41P
- Bofetiado D *see* Cidlowski JA, 147P
- Bohn H, Englert HC & Schölkens BA The K_{ATP} channel blocker HMR 1883 attenuates the effects of ischaemia on MPS duration and improves survival during LASD occlusion in the anaesthetised pig, 24P
- Boobis A *see* Gilbert E, 40P
- Bordallo C *see* Sánchez M, 99P
- Boronat MA, Olmos G & García-Sevilla JA Treatment with I₁-imidazoline ligands attenuates the development of tolerance to morphine-induced antinociception in rats, 68P
- Bosch J *see* Calatayud S, 93P
- Boschmans S-A & Perkin MF Effect of xylamine on ischaemia and reperfusion arrhythmia in isolated perfused rat heart, 103P
- Boschmans S-A *see* Perkin MF, 115P
- Bowes J, Laight DW & Thiernemann C

- The PARS inhibitors 3-aminobenzamide, nicotinamide and 1,5-dihydroxyisoquinoline do not scavenge superoxide anions *in vitro*, 105P
- Bowes J & Thiernemann C The NO donor SPM 5186 reduces infarct size in a rabbit model of myocardial ischaemia and reperfusion, 15P
- Braissant O *see* Wahli W, 150P
- Brinkmann AO The androgen receptor, 149P
- Bristow DR *see* Savidge JR, 131P
- Brooks AC, Whelan CJ & Purcell WM Reactive oxygen species generation by non-immunological mast cell activation: modulation by nitric oxide, 4P
- Brooks AMS, Rigg L & Terrar DA Possible influence of changes in calcium loading of the sarcoplasmic reticulum on the rate of beating of guinea-pig isolated atrial preparations, 98P
- Brown JE *see* Grondin A, 140P
- Browne M & Docherty JR The effect of oestrogen on vascular contractions in rat aorta and mesenteric artery, 100P
- Browning C, Beresford IJM & Giles H Differential pharmacological characterisation of human recombinant melatonin mt₁ and MT₂ receptors, 34P
- Buck N, Perris AD, Richardson AG & Smith JW Release of a stable, Ca²⁺-dependent antivasoconstrictor from hypoxic endothelial cells of the transformed umbilical cell line (ECV304), 109P
- Buerke M *see* Zacharowski K, 106P
- Bujas Bobanovic M, Dursun SM & Robertson HA Nitric oxide synthase inhibitor L-NAME enhances phenacyclidine-induced behaviours and neural activation in rat brain, 63P
- Bujas Bobanovic M, Dursun SM & Robertson HA The dose-dependent effects of phenacyclidine on behaviour and immediate early genes in rats, 70P
- Bulbulia Y *see* Dewhurst DG, 143P
- Burgess ZS & Goudie AJ Cross-tolerance to the clozapine discriminative stimulus induced by the novel putative atypical antipsychotic JL13, 53P
- Burgess ZS & Goudie AJ Tolerance to the clozapine discriminative stimulus, 52P
- Burleigh DE Non-selective potassium channel inhibition reduces secretory more than absorptive mechanisms in human ileal mucosa, 88P
- Burleigh DE T cells, in contrast to human colonic mucosa, do not respond to 5-hydroxytryptamine with an increase in short-circuit current, 89P
- Burnstock G *see* Yegutkin G, 137P
- Bussell J *see* Clarke NJ, 153P
- Butler AR *see* Megson IL, 16P
- Button CL, Galli SJ & Coleman JW Effects of nitric oxide on stem cell factor-induced mast cell activation and surface expression of c-kit, 3P
- Caballero R *see* Delpón E, 114P
- Caballero R *see* Longobardo M, 110P
- Calatayud S, Ramírez MC, Sanz MJ, Bosch JM, Piqué JM & Esplugues JV Portal hypertension modulates aspirin-induced gastric injury, 93P
- Calatayud S, Sanz MJ, Bello R, Canet A, Díaz de Rojas F & Esplugues JV Transdermal nitroglycerin prevents leukocyte activation and gastric blood flow reduction induced by NSAIDs, 37P
- Calatayud S *see* Barrachina MD, 91P
- Calatayud S *see* Ramírez MC, 92P
- Calvo R *see* Lukas J, 5P
- Cameron P, Rotondo D, Stimson WH & Davidson J Effect of prostaglandin E₂ and ketoprofen on *Escherichia coli* 0157:H7-induced tumour necrosis factor- α production by human blood, 79P
- Camíña M *see* Orallo F, 108P
- Campanella C *see* Megson IL, 16P
- Canet A *see* Barrachina MD, 91P
- Canet A *see* Calatayud S, 37P
- Cantabrana B *see* Sánchez M, 99P
- Cárdenas A *see* De Alba J, 66P
- Cárdenas A, De Alba J, Moro MA, Leza JC, Lorenzo P & Lizasoain I Implication of glutamate in the expression of a calcium-independent NO synthase after oxygen and glucose deprivation in rat forebrain slices, 64P
- Cavalcanti FL *see* de Arriba F, 107P
- Chenery RJ *see* Bloomer JC, 41P
- Cheng HY *see* Ting KN, 127P
- Chessell IP *see* Miller KJ, 33P
- Cho K *see* Little HJ, 6P
- Choudhury Q, McKay DT, Flower RJ & Croxtall JD Modulation of arachidonic acid release and cell growth by phospholipase A₂ inhibitors in A549 cells, 74P
- Cidrowski JA, Webster J, McKay L, Bofetiado D, Oakley R & Jewell C Mechanisms of gene activation and repression by the glucocorticoid receptor, 147P
- Civantos B, López-Miranda V, Ortega A & Alexandre MA Alpha-pressor responses in pithed rats fed on a high-calcium diet, 116P
- Civantos B *see* Alexandre MA, 123P
- Civantos B *see* Ortega A, 122P
- Clarke NJ, Topps S, Sharp NA, Snaith MR, Richardson JP, Regan CF, Grant A, Hagger G, Jowett MI, Bussell J & Harris S An industrial perspective on the use of transgenic models in drug development, 153P
- Clarke SE *see* Bloomer JC, 41P
- Clayton J *see* Abbas F, 141P
- Clifford JJ, Tighe O, Croke DT, Drago J, Sibley DR & Waddington JL Behavioural responsivity to the selective D₂-like agonist RU 24213 in transgenic mice with D_{1A} dopamine receptor 'knockout', 11P
- Cogolludo A *see* Pérez-Vizcaino F, 111P
- Coker SJ *see* Hughes DA, 21P
- Colado MI, O'Shea E, Esteban B, Granados R & Green AR Evidence against clomethiazole preventing MDMA-induced neurodegeneration by free radical scavenging, 43P
- Colado MI *see* O'Shea E, 44P
- Coleman JW *see* Button CL, 3P
- Colledge WG Transgenic models of human disease, 151P
- Cooper DMF *see* Wong M-PM, 29P
- Cooper N *see* Tuladhar BR, 95P
- Cortijo J *see* Morcillo EJ, 83P
- Costall B *see* Smith JW, 71P
- Cotton R *see* Poucher SM, 135P
- Cowley S *see* Parker MG, 146P
- Criscuoli M *see* Lecci A, 77P
- Criscuoli M *see* Lecci A, 84P
- Criscuoli M *see* Lecci A, 85P
- Croke DT *see* Clifford JJ, 11P
- Cross AJ, JonDel Rio M *see* Ruiz E, 112P
- Del Rio M *see* Tejerina T, 113P
- Delagrange P *see* Ting KN, 127P
- Delpón E *see* Longobardo M, 110P
- Delpón E, Caballero R, Valenzuela C, Longobardo M & Tamargo J Direct effects of losartan and its active metabolite on a human cardiac cloned potassium channel (Kv1.5), 114P
- Desvergne B *see* Wahli W, 150P
- Devchand P *see* Wahli W, 150P
- Dewhurst DG, Atherton JG, Bulbulia Y & Shafiq I A computer simulation of an investigative approach to teaching renal function in humans to undergraduate students, 143P
- Dewhurst DG & Davies D Endocrine glands: an introductory level computer-based interactive tutorial for undergraduate students, 144P
- Díaz de Rojas F *see* Calatayud S, 37P
- Díaz MJ *see* Martínez-Larrañaga MR, 39P
- Diez-Ariza M, Ramirez MJ, Lasheras B & Del Rio J Mechanisms for the enhanced acetylcholine release induced by 5-HT₂ receptor antagonists in rat entorhinal cortex slices, 58P
- Docherty JR *see* Browne M, 100P

- Dominiczak AF *see* Dowell FJ, 97P
Doods H *see* King P, 134P
Dowell FJ, Martin WJ, Dominiczak AF & Hamilton CA Basal nitric oxide is deficient in both male and female spontaneously hypertensive stroke-prone rats, 97P
Downham MR *see* Gardiner SM, 119P
Drago J *see* Clifford JJ, 11P
Dronfield S, Egan K, Marsden CA & Green AR The potency of tacrine, donepezil, rivastigmine and metrifonate in inducing tremor and salivation in rats, 48P
Duarte J *see* Jiménez R, 96P
Dunn WR *see* Wallis SJ, 128P
Dursun SM *see* Bujas Bobanovic M, 63P
Dursun SM *see* Bujas Bobanovic M, 70P
Dzimiri N *see* Almotrefi AA, 136P
- Edwards G *see* Bell JO, 42P
Edwards G *see* Gardener MJ, 27P
Edwards G *see* Smith SL, 36P
Edwards G *see* Smith SL, 139P
Edwards R *see* Gilbert E, 40P
Egan K *see* Dronfield S, 48P
Elliott J *see* Bailey SR, 142P
Elliott JM *see* Mitchell AL, 60P
Emson P *see* Phillips T, 35P
Englert HC *see* Billman GE, 25P
Englert HC *see* Bohn H, 24P
Englert HC *see* Gögelein H, 23P
Englert HC *see* Linz W, 26P
Escribá PV & García-Sevilla JA
Coordinate regulation of receptor for activated C-kinase and protein kinase C in brains of morphine-treated rats, 31P
Esplugues J *see* Beltrán B, 38P
Esplugues JV *see* Barrachina MD, 91P
Esplugues JV *see* Beltrán B, 38P
Esplugues JV *see* Calatayud S, 37P
Esplugues JV *see* Calatayud S, 93P
Esplugues JV *see* Ramírez MC, 92P
Esteban B *see* Colado MI, 43P
Esteban B *see* O'Shea E, 44P
Evans AM *see* Wilson HL, 30P
Evans AT *see* Khan I, 49P
- Fajardo S *see* Pérez-Vizcaino F, 111P
Fernandez de Arriba A, Gómez LA, Cavalcanti FL, Merlos MJ & Forn J Pharmacological characterization of a novel and highly potent nonpeptide AT1 receptor antagonist, UR-7247, *in vitro*, 107P
Fernandez M *see* Bellido I, 132P
Fernandez-Cruz ML *see* Martínez-Larrañaga MR, 39P
Fernández-Tomé P *see* Lizasoain I, 65P
Fletcher S, Richards DA & Barnes NM
No evidence for a difference in central 5-HT₁ receptor expression between GAERS and an outbred control strain of rats, 57P
Flores O *see* Reverte M, 20P
Flower RJ Nuclear Receptor Symposium: Chairman's outline notes, 145P
Flower RJ *see* Ajuebor MN, 2P
Flower RJ *see* Choudhury Q, 74P
Forn J *see* de Arriba F, 107P
Frechilla D *see* Ruiz-Golvano P, 133P
Freeman S *see* Poucher SM, 135P
Frejo MT *see* Martínez-Larrañaga MR, 39P
Fu Y *see* Khadour FH, 19P
- Galione A *see* Wilson HL, 30P
Galli SJ *see* Button CL, 3P
Gálvez J, Garrido M, Merlos M & Zarzuelo A Intestinal antiinflammatory activity of UR-12745 on a rat model of colitis, 94P
Ganado P *see* Ruiz E, 112P
Ganado P *see* Tejerina T, 113P
García-Barrado MJ, Sancho C, Martín M & Moratinos J, Effects of calcium channel antagonists on isoprenaline-induced hyperglycaemia, lipolysis and insulin secretion in the rabbit, 130P
García-Osta A *see* Ruiz-Golvano P, 133P
García-Sevilla JA *see* Boronat MA, 68P
García-Sevilla JA *see* Escribá PV, 31P
Gardener MJ, Edwards G & Weston AH Potassium channel modulation by *cis*-5,8,11,14,17-eicosapentaenoic acid in rat portal vein cells, 27P
Gardiner SM, Auton TR, Downham MRT, Sharp HL, Kemp PA, March JE, Rushton A, Bennett T & Glover JF Effects of active immunisation against angiotensin peptides on the pressor effects of exogenous angiotensin 1 (A1) in conscious rats, 119P
Gardiner SM, Kemp PA, March JE, Martin KF, Heal DJ & Bennett T Regional haemodynamic effects of sibutramine hydrochloride in conscious, Long-Evans rats, 118P
Gardiner SM, Kemp PA, March JE, Woolley J & Bennett T Changes in packed cell volume (PCV) and plasma glucose and tumour necrosis factor (TNF)- α levels during infusion of lipopolysaccharide (LPS) in conscious rats, 121P
Gardiner SM, Kemp PA, March JE & Bennett T Evidence for involvement of calcitonin gene-related peptide (CGRP), but not adrenomedullin (ADM), in lipopolysaccharide (LPS)-induced vasodilatation in conscious rats, 120P
Gardiner SM *see* Ishak S, 117P
Garrido M *see* Gálvez J, 94P
- Gilbert E, Edwards R, Schulz-Utermochl T, Boobis A, Rose S & Jenner P Expression of P450 enzymes in primary rat ventral mesencephalic culture, 40P
Giles H *see* Browning C, 34P
Giles MB *see* Poucher SM, 135P
Giner RM *see* Ríos JL, 75P
Giuliani S *see* Lecci A, 77P
Giuliani S *see* Lecci A, 84P
Giuliani S *see* Lecci A, 85P
Glover JF *see* Gardiner SM, 119P
Gögelein H, Englert HC & Schölkens BA Effects of the novel cardio-selective K_{ATP} channel blocker HMR 1883 on K_{ATP} channels in guinea pig hearts and on rat pancreatic β -cells, 23P
Gomez A *see* Bellido I, 132P
Gómez LA *see* de Arriba F, 107P
Gonzalez FJ Impact of gene knockout models in xenobiotic metabolism and chemical carcinogenesis, 152P
Goudie AJ & Taylor A Olanzapine generalisation to the clozapine discriminative stimulus is determined by clozapine training dose, 54P
Goudie AJ *see* Burgess ZS, 52P
Goudie AJ *see* Burgess ZS, 53P
Goudie AJ *see* Smith JA, 55P
Grahame-Smith DG *see* Mitchell AL, 60P
Granados R *see* Colado MI, 43P
Granados R *see* O'Shea E, 44P
Grant A *see* Clarke NJ, 153P
Gray GA *see* Bailey SR, 142P
Green AR, Murray TK, Misra A & Cross AJ Identification of clo-methiazole metabolites in the gerbil, 45P
Green AR *see* Colado MI, 43P
Green AR *see* Cross AJ, 46P
Green AR *see* Dronfield S, 48P
Green AR *see* Murray TK, 47P
Green AR *see* O'Shea E, 44P
Grimwood S *see* Murray F, 12P
Grimwood S *see* Richards P, 61P
Grondin A, Bibby MC & Brown JE Chemosensitivity studies using novel tamoxifen analogues and a doxorubicin-tamoxifen prodrug against cultured human breast tumours, 140P
Großer T *see* Zacharowski K, 106P
Guardiola-Lemaitre B *see* Ting KN, 127P
- Haapalinna A *see* MacDonald E, 73P
Hagan JJ *see* Rogers DC, 10P
Hagger G *see* Clarke NJ, 153P
Hamilton CA *see* Dowell FJ, 97P
Harper AJ *see* Rogers DC, 10P
Harris S *see* Clarke NJ, 153P
Heal DJ *see* Gardiner SM, 118P
Heal DJ *see* Smith SL, 50P
Heal DJ *see* Smith SL, 51P

- Heal DJ *see* Sudan HL, 78P
 Heapy CG *see* Poucher SM, 135P
 Heery D *see* Parker MG, 146P
 Helyes Zs *see* Szolcsányi J, 8P
 Hervias I *see* Aguirre N, 59P
 Hidalgo A *see* Sánchez M, 99P
 Hindmarsh JG *see* Rose S, 7P
 Holtom PE, Bennett GW, Needham PL & Aspley S Effect of chronic anti-psychotic drugs on neurotensin binding in rat brain regions, 14P
 Horton RW *see* Maurya M, 76P
 Hughes DA & Coker SJ Mechanisms contributing to the interaction of diazepam with the cascade of events following β -adrenoceptor stimulation in isolated atria, 21P
 Hughes IE *see* Boschmans S-A, 103P
 Hughes IE *see* Perkin MF, 115P
 Humphrey PPA *see* Miller KJ, 33P
 Humphries RG *see* Jarvis GE, 32P
 Hunter AJ *see* Rogers DC, 10P
 Hutson PH *see* Murray F, 12P
 Hutson PH *see* Richards P, 61P
- Ibarra M *see* Pérez-Vizcaino F, 111P
 Ijpenberg A *see* Wahli W, 150P
 Iravani MM, Rose S & Jenner P Transient induction of inducible nitric oxide synthase immunoreactivity in NMDA receptor-mediated neurotoxicity in the rat caudate putamen, 62P
 Ishak S, Bennett T & Gardiner SM Involvement of endothelin and angiotensin II in the pressor effects of nitric oxide synthase inhibition in conscious, hypertensive, transgenic [(mRen-2)²⁷] rats, 117P
 Ishii S *see* Pickavance L, 138P
- Jarvis GE, Humphries RG, Robertson MJ & Leff P ADP can induce aggregation of human platelets via both P_{2Y} and P_{2T} receptors, 32P
 Jaureguizar N *see* Lukas J, 5P
 Javid FA & Naylor RJ Investigation of the contractile effect of 2-methyl-5-HT on the terminal region of *Suncus murinus* intestine, 90P
 Jeannin E *see* Wahli W, 150P
 Jelic P *see* Barton M, 86P
 Jenner P *see* Gilbert E, 40P
 Jenner P *see* Iravani MM, 62P
 Jenner P *see* Rose S, 7P
 Jewell C *see* Cidowski JA, 147P
 Jiménez J *see* Jiménez R, 96P
 Jiménez R, Andriambeloson E, Pérez-Vizcaino, Andriantsitohaina R, Jiménez J, Zarzuela A, Duarte J & Tamargo J Endothelium-dependent contractile response of myricetin in rat isolated vascular smooth muscle, 96P
 Jones DNC *see* Rogers DC, 10P
- Jones JA *see* Cross AJ, 46P
 Jowett MI *see* Clarke NJ, 153P
 Jung O *see* Linz W, 26P
 Jung W *see* Linz W, 26P
- Katugampola S, Warner JA & Shaw K Towards defining the involvement of type 1 5-hydroxytryptamine receptors in proliferation of Jurkat T lymphocytes, 82P
 Kaye CM *see* Bloomer JC, 41P
 Keller H *see* Wahli W, 150P
 Kemp PA *see* Gardiner SM, 118P
 Kemp PA *see* Gardiner SM, 119P
 Kemp PA *see* Gardiner SM, 120P
 Kemp PA *see* Gardiner SM, 121P
 Kennedy J *see* Murray F, 12P
 Khadour FH, O'Brien DW, Fu Y, Armstrong PE & Schulz B Pacing-induced heart failure upregulates endothelial nitric oxide synthase in left atrium but not ventricles, 19P
 Khan I, Smythe JW & Evans AT 4-Aminopyridine has significant anticholinesterase activity at micromolar concentrations *in vitro*, 49P
 Kilpatrick IC *see* Sudan HL, 78P
 King DJ *see* Moran RJ, 67P
 King P, Widdowson PS, Doods H & Williams G The Y1 receptor antagonists BW1229U91 and BIBP3226 recognise different [¹²⁵I]-PYY binding sites, 134P
 King P *see* Pickavance L, 138P
 Kobilka BK *see* MacDonald E, 73P
 Kondo K *see* Zacharowski K, 104P
 Krey G *see* Wahli W, 150P
- Laight DW *see* Bowes J, 105P
 Lal H, Williams KI & Woodward B Chronic hypoxia differentially alters the vasoconstrictor responses to endothelin-1, phenylephrine and U46619 in rat isolated pulmonary blood vessels, 125P
 Lang D *see* Mosfer S, 124P
 Lasheras B *see* Aguirre N, 59P
 Lasheras B *see* Díez-Ariza M, 58P
 Lecci A, Meini S, Tramontana M, Giuliani S, Criscoli M & Maggi CA Capsaicin does not alter rat urinary bladder motor responses induced by a B₁ receptor agonist after lipopolysaccharide treatment, 84P
 Lecci A, Meini S, Tramontana M, Giuliani S, Criscoli M & Maggi CA Characterization of kinin B₁ receptor-mediated motor responses in normal or inflamed rat urinary bladder *in vivo*, 85P
 Lecci A, Meini S, Tramontana M, Giuliani S, Criscoli M & Maggi CA Dexamethasone ameliorates cyclophosphamide-induced cystitis in rats, 77P
- Leff P *see* Jarvis GE, 32P
 Lewis L *see* Pei Q, 72P
 Lewis MJ *see* Mosfer S, 124P
 Leza JC *see* Cárdenas A, 64P
 Leza JC *see* De Alba J, 66P
 Leza JC *see* Lizasoain I, 65P
 Liddle EC *see* Davidson J, 81P
 Link RE *see* MacDonald E, 73P
 Linz W, Jung O, Englert HC & Schölkens BA The benefit of ischaemic preconditioning is not abolished by the cardioselective K_{ATP} channel blocker HMR 1883 in rabbits, 26P
 Little HJ & Cho K Evidence that potentiation by corticosterone of the response of dopamine-sensitive neurones in the ventral tegmental area to NMDA is mediated by glucocorticoid (Type II) receptors, 6P
 Little HJ *see* Watson WP, 9P
 Little LA *see* Davidson J, 80P
 Liu ZD *see* Smith SL, 36P
 Lizasoain I, Fernández-Tomé P, Leza JC, Lorenzo P & Moro MA Protective effects of cyclic GMP on the neuronal death induced by SIN-1 in the presence of superoxide dismutase, 65P
 Lizasoain I *see* Cárdenas A, 64P
 Lizasoain I *see* De Alba J, 66P
 Lock EA *see* Savidge JR, 131P
 Longobardo M, Delpón E, Caballero R, Tamargo J & Valenzuela C Effects of changes in extracellular pH on R(+)-bupivacaine-induced block of hKv1.5 channels, 110P
 Longobardo M *see* Delpón E, 114P
 López-Miranda V *see* Aleixandre MA, 123P
 López-Miranda V *see* Civantos B, 116P
 López-Miranda V *see* Ortega A, 122P
 López-Novoa JM *see* Reverte M, 20P
 Lorenzo P *see* Cárdenas A, 64P
 Lorenzo P *see* De Alba J, 66P
 Lorenzo P *see* Lizasoain I, 65P
 Louttit JB *see* Travers A, 102P
 Lukas J, Calvo R, Jaureguizar N, Suarez E, Zamacona M, Valle M & Raczká E Lerisetron Pk-Pd *in vivo*: experimental results and comparison with a pharmacokinetic (unbound concentration) pharmacodynamic theory, 5P
- McAllister P *see* Davidson J, 80P
 MacDonald E, Sallinen J, Viitamaa T, Haapalinna A, Scheinin M, Link RE & Kobilka BK Elevated sensitivity to the increase in serotonin turnover after α_2 -adrenoceptor blockade in mice with threefold overexpression of α_2 -adrenoceptor subtype, 73P
 McKay DT *see* Choudhury Q, 74P
 McKay L *see* Cidowski JA, 147P

- McKnight AT *see* Mason SL, 13P
 McLean WG *see* Smith SL, 36P
 McLean WG *see* Smith SL, 139P
 McQuade R *see* Zetterström TSC, 69P
 Maggi CA *see* Lecci A, 77P
 Maggi CA *see* Lecci A, 84P
 Maggi CA *see* Lecci A, 85P
 Maggs JL *see* Bell JO, 42P
 Máñez S *see* Ríos JL, 75P
 March JE *see* Gardiner SM, 118P
 March JE *see* Gardiner SM, 119P
 March JE *see* Gardiner SM, 120P
 March JE *see* Gardiner SM, 121P
 Marsden CA *see* Dronfield S, 48P
 Marshall K *see* Abbas F, 141P
 Marshall P *see* Davidson J, 81P
 Marti-Cabrera M *see* Morcillo EJ, 83P
 Martin KF *see* Gardiner SM, 118P
 Martin KF *see* Smith SL, 50P
 Martin KF *see* Smith SL, 51P
 Martin M *see* García-Barrado MJ, 130P
 Martin W *see* Dowell FJ, 97P
 Martinez M *see* Martínez-Larrañaga MR, 39P
 Martinez MA *see* Martínez-Larrañaga MR, 39P
 Martínez-Larrañaga MR, Díaz MJ, Martínez MA, Fernandez-Cruz ML, Frejo MT, Martínez M & Anadón A Inhibition of the cytochrome P4501A, P4502B and P4503A subfamilies in the liver of rats treated with fleroxacin, 39P
 Martínez-Losa M *see* Morcillo EJ, 83P
 Mason SL & McKnight AT Pharmacological characterisation of the novel synthetic hexapeptide, Ac-Arg-Tyr-Tyr-Arg-Trp-Lys-NH₂, at the rat brain ORL₁ receptor using [³H]-nociceptin and [³⁵S]-GTPγS binding assays, 13P
 Maurya M, Theodorou AE & Horton RW Paroxetine down-regulates corticosteroid receptors in rat brain and thymus, 76P
 Mazzei FA *see* Megson IL, 16P
 Megson IL, Sogo N, Campanella C, Mazzei FA, Butler AR & Webb DJ S-nitrosothiols cause sustained nitric-oxide mediated vasodilatation in human saphenous vein: potential as long-term nitric oxide donor drugs in coronary artery bypass grafts, 16P
 Meini S *see* Lecci A, 77P
 Meini S *see* Lecci A, 84P
 Meini S *see* Lecci A, 85P
 Merlos M *see* de Arriba F, 107P
 Merlos M *see* Gálvez J, 94P
 Meyer J *see* Zacharowski K, 106P
 Michel AD *see* Miller KJ, 33P
 Middlemiss D *see* Travers A, 102P
 Miller KJ, Michel AD, Chessell IP & Humphrey PPA Functional evidence for allosteric effects of cibacron blue at the P2X₄ receptor, 33P
 Misra A *see* Green AR, 45P
 Mitchell AL, Phipps SL, Grahame-Smith DG & Elliott JM Bromocriptine acts as a partial agonist at the human 5-HT_{2A} receptor, 60P
 Moorji A *see* Almotrefi AA, 136P
 Moran RJ, Bell WR & King DJ Basal dopamine release and the response to acute haloperidol in the core and shell sub-regions of rat nucleus accumbens, 67P
 Moratinos J *see* García-Barrado MJ, 130P
 Morcillo EJ, Cortijo J, Marti-Cabrera M, Villagrasa V, Berto L, Ortiz JL & Martínez-Losa M Effects of glaucine on human isolated bronchus and human polymorphonuclear leukocytes, 83P
 Moro MA *see* Cárdenas A, 64P
 Moro MA *see* De Alba J, 66P
 Moro MA *see* Lizasoain I, 65P
 Mosfer S, Lang D & Lewis MJ NADH/NADPH oxidase-mediated superoxide anion production by coronary microvascular endothelial cells is upregulated in a guinea pig model of left ventricular hypertrophy, 124P
 Murray F, Kennedy J, Hutson PH & Grimwood S Investigation of NMDA receptor ligand occupancy using *in vivo* [³H]-MK-801 binding, 12P
 Murray TK, Snape MF, Cross AJ & Green AR Comparison of the time course of the tremorogenic effect of tacrine, donepezil and NXX-066 in rats, 47P
 Murray TK *see* Cross AJ, 46P
 Murray TK *see* Green AR, 45P
 Naylor RJ *see* Javid FA, 90P
 Naylor RJ *see* Tuladhar BR, 95P
 Needham PL *see* Holtom PE, 14P
 Needham PL *see* Sudan HL, 78P
 Neira M *see* Angulo J, 17P
 Németh J *see* Szolcsányi J, 8P
 Oakley R *see* Cidlowski JA, 147P
 O'Brien DW *see* Khadour FH, 19P
 Olmos G *see* Boronat MA, 68P
 O'Neill PM *see* Bell JO, 42P
 Opie LH *see* Aitchison KA, 22P
 Orallo F & Camiña M Study of the vasodilator effects of resveratrol, a natural phenolic component of wines, in rat aorta, 108P
 Oroszi G *see* Szolcsányi J, 8P
 Ortega A, Aleixandre MA, López-Miranda V & Civantos B Potassium- and α₁-adrenoceptor-induced contractile activity of spontaneously hypertensive rat aorta in the presence of different calcium concentrations, 122P
 Ortega A *see* Aleixandre MA, 123P
 Ortega A *see* Civantos B, 116P
 Ortiz JL *see* Morcillo EJ, 83P
 O'Shea E, Esteban B, Granados R, Green AR & Colado MI Role of body temperature in the protective action of haloperidol against MDMA-induced neurodegeneration, 44P
 O'Shea E *see* Colado MI, 43P
 Park BK *see* Bell JO, 42P
 Parker MG, Bevan C, Cowley S, Heery D, Valentine J & White R Transcriptional activation by the oestrogen receptor, 146P
 Pei Q, Lewis L, Ainsworth K & Zetterström TSC Effects of antidepressant treatments on mRNA expression of G protein-coupled potassium channel (GIRG) subunits in the rat brain, 72P
 Pei Q *see* Zetterström TSC, 69P
 Peiró C *see* Angulo J, 17P
 Pérez-Vizcaino F, Cogolludo A, Fajardo S, Zaragoza-Arnáez F, Ibarra M & Tamargo J Involvement of Ca²⁺ channel blockade in nicorandil-induced vasodilation, 111P
 Pérez-Vizcaino F *see* Jiménez R, 96P
 Perkin MF, Boschmans S-A, De Jager G & Swan GE Effect of ouabain and 1α,2α-epoxyscillirosidin on ventricular fibrillation threshold in Langendorff-perfused guinea-pig heart, 115P
 Perkin MF *see* Boschmans S-A, 103P
 Perretti M *see* Ajuebor MN, 2P
 Perris AD *see* Buck N, 109P
 Phillips T, Bevan N, Emson P & Rees S The use of [³⁵S]-GTPγS binding to assess G protein coupling of human type 2 metabotropic glutamate receptor, 35P
 Phipps SL *see* Mitchell AL, 60P
 Pickavance L, Widdowson PS, King P, Ishii S, Tanaka H & Williams G MCC-555 treatment to young ZDF rats attenuates the development of overt diabetes, 138P
 Pintér E *see* Szolcsányi J, 8P
 Piqué JM *see* Calatayud S, 93P
 Plane F & Stuart-Smith K Phenylephrine markedly potentiates the contraction of porcine isolated pulmonary arteries to other contractile agonists, 126P
 Poucher SM, Freeman S, Heapy CG, Daniels SM, Cotton R & Giles MB Pharmacological characterization of the protease-activated receptors in human erythroleukaemic cells, 135P
 Purcell WM *see* Brooks AC, 4P
 Quintana A *see* Raczka E, 101P
 Raczka E & Quintana A Indomethacin-

- induced effects on cerebral circulation in the awake rat are unrelated to prostacyclin, which is not a cerebral vasodilator, 101P
- Ramírez MC, Calatayud S, Beltrán B, Barrachino MD & Esplugues JV Modulation by NSAIDs of gastric nitric oxide synthesis, 92P
- Ramírez MC *see* Calatayud S, 93P
- Ramírez MJ *see* Díez-Ariza M, 58P
- Razeka E *see* Lukas J, 5P
- Recio MC *see* Ríos JL, 75P
- Redfern CPF Retinoic acid receptors, 148P
- Rees S *see* Phillips T, 35P
- Regan CF *see* Clarke NJ, 153P
- Reverte M, Flores O, Vidal S, Arévalo M & López-Novoa JM Long-term L-arginine administration reduces nephrosclerosis in uninephrectomized spontaneously hypertensive rats, 20P
- Richards DA *see* Fletcher S, 57P
- Richards P, Hutson PH & Grimwood S Comparison of [³H]ifenprodil binding in native and stably expressed recombinant NMDA receptors, 61P
- Richardson AG *see* Buck N, 109P
- Richardson JP *see* Clarke NJ, 153P
- Rigg L *see* Brooks AMS, 98P
- Ríos JL, Giner RM, Recio MC, Mañez S, Uriburu ML & de la Fuente JR Do sesquiterpene lactones act as anti-inflammatory agents through a protein synthesis-mediated mechanism?, 75P
- Robertson HA *see* Bujas Bobanovic M, 63P
- Robertson HA *see* Bujas Bobanovic M, 70P
- Robertson MJ *see* Jarvis GE, 32P
- Robinson T *see* Williams CA, 28P
- Rodríguez-Mañas L *see* Angulo J, 17P
- Rogers DC, Jones DNC, Slade PD, Harper AJ, Hunter AJ & Hagan JJ Detailed behavioural phenotype characterisation of ApoE knockout mice, 10P
- Rose S, Hindmarsh JG & Jenner P MPP⁺-evoked hydroxyl radical formation in the rat striatum *in vivo* is altered by the monoamine oxidase inhibitors selegiline and clorgyline, but not pargyline, 7P
- Rose S *see* Gilbert E, 40P
- Rose S *see* Iravani MM, 62P
- Rotondo D *see* Cameron P, 79P
- Rotondo D *see* Davidson J, 80P
- Rotondo D *see* Davidson J, 81P
- Rubín JM *see* Sánchez M, 99P
- Rubio MP *see* Ruiz-Golvano P, 133P
- Ruiz E, Del Río M, Ganado P, Sanz M & Tejerina T L-citrulline, the by-product of NO synthesis, decreases vascular smooth muscle cell proliferation, 112P
- Ruiz E *see* Tejerina T, 113P
- Ruiz-Golvano P, Frochilla D, García-Osta A, Rubio MP, Almendral JM & Del Río J Supranigral grafting of BDNF-producing fibroblasts prevents the dopaminergic and 5-HTergic neurotoxicity induced by intrastriatal injection of MPP⁺ in rats, 133P
- Rushton A *see* Gardiner SM, 119P
- Sadler CJ *see* Smith SL, 139P
- Sallinen J *see* MacDonald E, 73P
- Sanchez de la Cuesta F *see* Bellido I, 132P
- Sánchez M, Rubin JM, Cantabrana B, Varona AB, Hidalgo A & Bordallo C Increases of ornithine decarboxylase activity in the positive inotropism induced by androgens in isolated left atrium of rat, 99P
- Sánchez-Ferrer A *see* Angulo J, 17P
- Sánchez-Ferrer CF *see* Angulo J, 17P
- Sancho C *see* García-Barrado MJ, 130P
- Sanz M *see* Ruiz E, 112P
- Sanz M *see* Tejerina T, 113P
- Sanz MJ *see* Calatayud S, 37P
- Sanz MJ *see* Calatayud S, 93P
- Savidge JR, Sturgess NC, Bristow DR & Lock EA Discrimination of whole-cell currents mediated by AMPA- and kainate-type glutamate receptors in rat cultured cerebellar granule cells, 131P
- Scalbert E *see* Ting KN, 127P
- Scheinin M *see* MacDonald E, 73P
- Schneidmüller D *see* Zacharowski K, 106P
- Schoelkens BA *see* Bohn H, 24P
- Schoelkens BA *see* Linz W, 26P
- Schölkens BA *see* Billman GE, 25P
- Schölkens BA *see* Gögelein H, 23P
- Schulz R *see* Khadour FH, 19P
- Schulz-Utermöhl T *see* Gilbert E, 40P
- Senior J *see* Abbas F, 141P
- Shafiq I *see* Dewhurst DG, 143P
- Sharp HL *see* Gardiner SM, 119P
- Sharp NA *see* Clarke NJ, 153P
- Shaw K *see* Katugampola S, 82P
- Shih M-F, Slough S, Williams CA & Taberner PV Effects of the imidazoline S-22068 on *in vivo* glucose utilization and hepatic glycogen synthesis in mice, 87P
- Shih M-F *see* Barton M, 86P
- Shih M-F *see* Williams CA, 28P
- Sibley DR *see* Clifford JJ, 11P
- Slade PD *see* Rogers DC, 10P
- Slough S *see* Shih M-F, 87P
- Smith JA & Goudie AJ Lack of evidence for the role of D4 receptors in the behavioural effects of clozapine in rats, 55P
- Smith JW, Costall B & Smythe JW Thyroxine enhances cognitive performance in rats challenged with scopolamine, 71P
- Smith JW *see* Buck N, 109P
- Smith SL, Edwards G, Ward SA, Liu ZD & McLean WG The effect of iron chelators on the neurotoxicity of artemisinin derivatives *in vitro*, 36P
- Smith SL, Martin KF & Heal DJ Demonstration of neuroprotection by the novel anticonvulsant, BTS 72 664, after permanent focal cerebral ischaemia in rats, 50P
- Smith SL, Martin KF & Heal DJ Improvement of functional deficit after permanent focal ischaemia in rats provided by the novel anti-convulsant, BTS 72 664, 51P
- Smith SL, Sadler CJ, Edwards G, Ward SA & McLean WG The free radical-mediated neurotoxicity of artemisinin derivatives *in vitro*, 139P
- Smythe JW *see* Khan I, 49P
- Smythe JW *see* Smith JW, 71P
- Snaith MR *see* Clarke NJ, 153P
- Snape MF *see* Murray TK, 47P
- Sogo N *see* Megson IL, 16P
- Somoza B *see* Ruiz E, 112P
- Sourkov S, Tabernero A & Vila E Influence of N^G-nitro-L-arginine methylester (L-NAME) on vasoconstriction induced by exogenous and endogenous noradrenaline in rat tail artery, 18P
- Stewart AG *see* Vlahos R, 1P
- Stimson WH *see* Cameron P, 79P
- Stowe RL & Barnes NM Development of a radioligand binding assay to selectively label 5-HT₁ receptors in rat brain, 56P
- Stuart-Smith K *see* Plane F, 126P
- Sturgess NC *see* Savidge JR, 131P
- Suarez E *see* Lukas J, 5P
- Sudan HL, Kilpatrick IC, Needham PL & Heal DJ Influence of dexamethasone, hydrocortisone and progesterone on *Xenopus* oocyte maturation, 78P
- Sugden D *see* Ting KN, 127P
- Swan GE *see* Perkin MF, 115P
- Szolcsányi J, Németh J, Oroszi G, Helyes Zs & Pintér E Effect of capsaicin and resiniferatoxin on the release of sensory neuropeptides in the rat isolated trachea, 8P
- Taberner PV *see* Barton M, 86P
- Taberner PV *see* Shih M-F, 87P
- Taberner PV *see* Williams CA, 28P
- Tabernero A *see* Badia A, 129P
- Tabernero A *see* Sourkov S, 18P
- Tafur M *see* Martínez-Larrañaga MR, 39P
- Tamargo J *see* Bellido I, 132P
- Tamargo J *see* Delpón E, 114P
- Tamargo J *see* Jiménez R, 96P
- Tamargo J *see* Longobardo M, 110P

- Tamargo J *see* Pérez-Vizcaino F, 111P
 Tanaka H *see* Pickavance L, 138P
 Taylor A *see* Goudie AJ, 54P
 Tejerina T *see* Ruiz E, 112P
 Terrades D *see* Badia A, 129P
 Terrar DA *see* Brooks AMS, 98P
 Theodorou AE *see* Maurya M, 76P
 Thiemermann C *see* Bowes J, 15P
 Thiemermann C *see* Bowes J, 105P
 Thiemermann C *see* Zacharowski K, 104P
 Tighe O *see* Clifford JJ, 11P
 Ting KN, Cheng HY, Davies DJ, Guardiola-Lemaitre B, Scalbert E, Delagrange P, Sugden D & Wilson VG The effects of melatonin and other indole-based analogues on vascular tone of the porcine isolated coronary artery, 127P
 Tjerina T, Ganado P, Del Rio M, Sanz M & Ruiz E Antiproliferative effects of indapamide on vascular smooth muscle cells, 113P
 Topps S *see* Clarke NJ, 153P
 Tramontana M *see* Lecci A, 77P
 Tramontana M *see* Lecci A, 84P
 Tramontana M *see* Lecci A, 85P
 Travers A, Middlemiss D & Louttit JB Cardioprotection after repeated dosing with GR79236, and adenosine A₁ receptor agonist, 102P
 Tuladhar BR, Cooper N & Naylor RJ, The effect of PDE1, PDE2, PDE5 selective and non-selective phosphodiesterase inhibitors on peristalsis in the guinea-pig isolated ileum, 95P
 Uriburu ML *see* Ríos JL, 75P
 Valentine J *see* Parker MG, 146P
 Valenzuela C *see* Delpón E, 114P
 Valenzuela C *see* Longobardo M, 110P
 Valle M *see* Lukas J, 5P
 Vallejo S *see* Angulo J, 17P
 Varona AB *see* Sánchez M, 99P
 Vidal S *see* Reverte M, 20P
 Viitamaa T *see* MacDonald E, 73P
 Vila E *see* Sourkov S, 18P
 Villagrasa V *see* Morcillo EJ, 83P
 Vivas NM *see* Badia A, 129P
 Vlahos R & Stewart AG Cytokines inhibit airway smooth muscle DNA synthesis by glucocorticoid-sensitive induction of cyclo-oxygenase-2, 1P
 Waddington JL *see* Clifford JJ, 11P
 Wahli W, Krey G, Devchand P, Keller H, Ijpenberg A, Jeannin E, Braissant O & Desvergne B Signalling by peroxisome proliferator-activated receptors, 150P
 Wallis SJ, Wilson VG & Dunn WR Effect of overnight storage on the functional properties of human isolated, pressurized, mesenteric resistance arteries, 128P
 Ward SA *see* Bell JO, 42P
 Ward SA *see* Smith SL, 36P
 Ward SA *see* Smith SL, 139P
 Warner JA *see* Katugampola S, 82P
 Warner TD *see* Zacharowski K, 106P
 Watson WP & Little HJ Effect of prior chronic ethanol intake on the locomotor response to an environment associated with repeated nicotine administration, 9P
 Webb DJ *see* Megson IL, 16P
 Webster J *see* Cidlowski JA, 147P
 Weston AH *see* Gardener MJ, 27P
 Whelan CJ *see* Brooks AC, 4P
 White R *see* Parker MG, 146P
 Widdowson PS *see* King P, 134P
 Widdowson PS *see* Pickavance L, 138P
 Williams CA, Robinson T, Shih M-F & Taberner PV Effects of the α_2 -adrenoceptor agonist UK 14304 on lipogenesis in mice following chronic ethanol treatment, 28P
 Williams CA *see* Shih M-F, 87P
 Williams G *see* King P, 134P
 Williams G *see* Pickavance L, 138P
 Williams KI *see* Lal H, 125P
 Wilson HL, Evans AM & Galione A Cyclic AMP and cGMP differentially regulate the production of the calcium-mobilising metabolites, nicotinic acid adenine dinucleotide phosphate and cyclic ADP-ribose, 30P
 Wilson VG *see* Ting KN, 127P
 Wilson VG *see* Wallis SJ, 128P
 Winstanley PA *see* Bell JO, 42P
 Wong M-PM, Young KW, Cooper DMF & Young JM Calcium-dependent inhibition of agonist-stimulated cyclic AMP accumulation in human U373 MG astrocytoma cells, 29P
 Wood D *see* Grondin A, 140P
 Woodward B *see* Lal H, 125P
 Woolley J *see* Gardiner SM, 121P
 Yegutkin G & Burnstock G Kinetic characterization of [³H]ATP binding to rat liver plasma membranes, 137P
 Yellon DM *see* Aitchison KA, 22P
 Young JM *see* Wong M-PM, 29P
 Young KW *see* Wong M-PM, 29P
 Zacharowski K, Großer T, Schneidmuller D, Buerke M, Mayer J & Darius H Trepidil acts as a potent inhibitor of neointima formation following balloon injury: examination of proliferation and apoptosis *in vivo* and *in vitro*, 106P
 Zacharowski K, Kondon K & Thiemermann C The selective EP₃-prostanoid receptor agonist, ONO-AE-248, reduces infarct size in a rat model of myocardial ischaemia and reperfusion, 104P
 Zamacona M *see* Lukas J, 5P
 Zaragoza-Arnáez F *see* Pérez-Vizcaino F, 111P
 Zarzuelo A *see* Gálvez J, 94P
 Zarzuelo A *see* Jiménez R, 96P
 Zetterström TSC *see* Pei Q, 72P
 Zetterström TSC, McQuade R & Pei Q Pre-treatment with the non-NMDA antagonist DNQX attenuates ECS-induced gene expression for BDNF in rat brain, 69P

Keyword Index

- A10 Cell line, rat, 112P, 113P
 Absence epilepsy, 57P
 Acetylcholine, 47P, 48P, 71P
 Acetylcholine release, 58P
 Activated C-kinase 1 receptors, 31P
 Active immunisation, 119P
 Adenosine A₁ receptor agonists, 102P
 S-Adenosyl-L-methionine, 132P
 Adenylyl cyclase, 21P
 Adipose tissue, 86P
 ADP, 32P
 Adrenoceptors, 126P
 α -Adrenoceptors, 18P, 116P
 α_1 -Adrenoceptor subtypes, 129P
 α_2 -Adrenoceptors, 28P
 α_2 -Adrenoceptor subtypes, 73P
 β -Adrenoceptors, 21P
 Adrenomedullin, 120P
 Allosteric effects, 33P
 Alniditan, 82P
 9-Aminoacridine, 49P
 4-Aminopyridine, 49P
 AMPA receptors, 131P
 Androgens, 99P
 Androgen receptors, 149P
 Angiotensin AT₁ receptors, 107P
 Angiotensin II, 107P, 117P
 Angiotensin peptides, 119P
 Anti-inflammatory activity, 75P
 Anticholinesterase, 49P
 Anticonvulsants, 50P, 51P
 Antioestrogen, 140P
 Aorta, rat, 96P, 108P, 111P
 Aorta, SHR, 122P
 Aorta reactivity 123p
 Apolipoprotein E, 10P
 Apoptosis, 106P
 Arachidonic acid, 74P
 Artemether, 42P
 Artemisinin, 36P, 139P
 Arteries, coronary, bypass grafts, 16P
 Arteries, pulmonary, 125P
 Arteries, resistance, 128P
 Arteries, tail, 18P
 Atipamezole, 73P
 ATP binding, 137P
 Atrium, rat, 99P
 Autoinhibition, 66P
 Autoradiography, 57P
 Behaviour, 11P
 Binding, 14P
 Blood pressure, 119P
 Bradykinin B₂ receptors, 77P, 85P
 Brain, rat, 56P, 134P
 Bromocriptine, 60P
 Bronchus, human, 83P
 Bufadienolides, 115P
 Bupivacaine, 110P
 cADP-ribose, 30P
 Calcitonin gene-related peptide, 120P
 Calcium, 29P, 122P
 Calcium channel blockers, 130P
 cAMP, 30P, 34P
 Capsaicin, 8P
 Cardioprotection, 104P
 CBL, 144P
 Cell proliferation, 74P
 Cerebral circulation, 101P
 C-fos, 63P
 cGMP, 30P, 65P
 Chemical carcinogenesis, 152P
 Chemokines, 2P
 Chemosensitivity, 140P
 Cholinesterase inhibitors, 47P, 48P
 Chronic hypoxia, 125P
 Circadian systems, 34P
 L-Citrulline, 112P
 Clomethiazole, 43P, 45P, 46P
 Clomethiazole metabolites, 45P
 Clozapine, 52P, 53P, 54P, 55P
 CNS, 38P
 Cognition, 71P
 Colonic inflammation, 94P
 Colonic mucosa, human, 89P
 Computer-based learning, 144P
 Computer simulation, 143P
 Contractile activity, 122P
 Contractile responses, 90P
 Corticosteroid receptors, 76P
 Corticosterones, 6P
 Cyclic AMP, 29P
 Cyclophosphamide, 85P
 CYP2D6, 41P
 Cystic fibrosis, 151P
 Cytochrome P450 enzymes, 40P
 Cytokines, 1P
 Data analysis, 142P
 2-Deoxy-glucose uptake, 87P
 Desensitisation, 60P
 Dexamethasone, 78P
 Diabetes, 138P
 Diazepam, 21P
 Dietary calcium, 116P, 123P
 Discrimination, 55P
 Diseases, human, 151P
 DNQX, 69P
 Dopamine, 11P, 55P, 67P, 133P
 Dopamine D_{1A} receptors, 11P
 Dopamine D₂-like receptors, 11P
 Dose-response curves, flat, 142P
 Down-regulation, 76P
 Down-reocorticoid receptors, 147P
 Droloxifene, 100P
 Drug development, 153P
 E-3174 114P
 ECS 69P, 72P
 Electroconvulsive shock, 69P, 72P
 Electrolyte transport, 88P
 Endocrine physiology, 144P
 Endothelial dysfunction, 17P
 Endothelial nitric oxide synthase, 19P
 Endothelins, 117P
 Endothelin-1, 125P
 Endothelium, 109P, 124P, 128P
 Endotoxaemia, 120P, 121P
 Endotoxins, 91P
 Environments, 9P
 EPA, 27P
 EP₃-receptor agonists, 104P
Escherichia coli 0157:H7, 79P
 Ethanol, 9P, 28P, 86P, 132P
 Extracellular pH 110P
 Fatty acids, 80P, 81P
 Flat dose-response curves, 142P
 Fleroxacin, 39P
 Focal ischaemia, 50P, 51P
 FP agonists, 141P
 Free radicals, 43P, 139P
 Functional deficit 51P
 GABA_A receptors 58P
 Gastric acid secretion 91P
 Gastric damage 37P, 93P
 Gastric secretion, 38P
 Gene expression, 147P
 Gene knockout models, 152P

GIRK mRNA expression, 72P
 Glaucine, 83P
 Glibenclamide, 23P, 26P
 Glucocorticoids, 1P, 6P
 Glucocorticoid receptors, 147P
 Glucoregulation, 121P
 Glucuronide, 42P
 Glutamate, 64P
 Glutathione, 59P
 Glycosylated oxyhaemoglobin, 17P
 G-proteins, 35P, 129P
 GR 79236, 102P
 Granulocytes, human, 83P
 [³⁵S]-GTPγS, 13P
 [³⁵S]-GTPγS binding, 35P
 Guanylate cyclase, 111P

Haemodynamics, 118P
 Heart, guinea-pig, 115P
 Heart failure, 19P
 Heart rate, 98P
 HEL cells, 135P
 Histamine, 29P
 hKv1.5 channels, 110P
 HMR 1883, 23P, 26P
 5-HT, 59P, 89P, 133P
 5-HT₁ receptors, 82P
 5-HT_{1A} receptors, 132P
 5-HT_{2A} receptors, 60P
 5-HT₂ receptors, 57P, 58P
 5-HT₃ receptors, 56P
 Hydroxyl radicals, 7P
 Hyperreflexia, 84P
 Hypertension, 97P
 Hypertensive rats, 123P
 Hyperthermia, 44P
 Hypoxia–reperfusion, 109P

Ifenprodil, 61P
 IL-1β, 2P
 Ileal mucosa, human, 88P
 Imidazoline I₂ receptors, 68P
 Imidazolines, 87P
 Immediate early genes, 70P
 Immune responsiveness, 81P
In vivo binding, 12P
 Indapamide, 113P
 Indomethacin, 101P
 Inducible nitric oxide synthase, 62P, 64P
 Industrial perspective, 153P
 Inflammation, 4P, 77P, 84P
 Inhibition, 41P
 Inhibition P450 enzymes, 39P
 Insulin secretion, 130P
 Iron, 36P
 Ischaemia, 24P, 25P, 46P, 66P, 104P
 Ischaemia–reperfusion, 15P
 Ischaemic arrhythmia, 103P
 Ischaemic preconditioning, 22P, 26P
 Isoprenaline-induced lipolysis, 130P

JL13, 53P

K⁺ channels, 27P, 88P, 114P
 Kainate receptors, 131P
 K_{ATP}-channels, 15P, 25P
 K_{ATP}-channel blockade, 23P, 26P
 K_{ATP}-channel blockers, 24P
 Ketoprofen, 79P
 Knockout mice, 10P

L-NAME, 18P, 63P
 Lerisetron, 5P
 Lipogenesis, 28P, 86P
 Liver plasma membranes, rat, 137P
 Losartan, 114P

Mast cells, 3P, 4P
 Maturation, 78P
 MCC-555, 138P
 MCP-1, 2P
 MDMA, 43P, 44P, 59P
 Melatonin, 127P
 Melatonin receptors, 34P
 Mesencephalic cell culture, 40P
 Mesenteric hyperaemia, 118P
 Metabolism, 42P
 Metabotropic glutamate receptors, type 2, 35P
 2S,4R-4-Methyl glutamate, 131P
 N-Methyl-D-aspartate, 62P
 3,4-Methylenedioxymethamphetamine, 43P, 44P, 59P
 2-Methyl-5-HT, 90P
 Microdialysis, 67P
 Microvessels, human, 17P
 Micturition reflexes, 85P
 MK-801, 12P
 Monoamine oxidase inhibition, 7P
 Morphine addiction, 31P
 Morphine tolerance, 68P
 Morphine-induced antinociception, 68P
 MPP⁺, 7P
 Myocardial ischaemia, 22P
 Myocardial protection, 102P
 Myometrium, human, 141P
 Myricetin, 96P

NAADP, 30P
 Nadolol, 136P
 NADPH–P450 oxidoreductase, 40P
 Neurodegeneration, 44P
 Neuroleptics, 54P
 Neuroprotection, 46P, 50P
 Neurotensin, 14P
 Neurotoxicity, 36P, 62P, 65P, 139P
 NF-κB, 64P
 Nicorandil, 111P
 Nicotine, 9P
 Nitric oxide, 3P, 15P, 16P, 19P, 37P, 38P, 65P, 93P, 97P, 117P
 Nitric oxide activity, 92P
 Nitric oxide synthase, 66P
 S-Nitrosothiols, 16P
 NMDA, 6P, 12P, 61P
 [³H]-Nociceptin, 13P

Nomenclature, 145P
 Noradrenaline, 100P
 Normotensive rats, 123P
 NSAIDs, 37P, 92P
 NSAIDs side effects, 92P
 Nuclear receptor symposium, 145P, 146P, 147P, 148P, 149P, 150P
 Nucleus accumbens, 67P

Oestrogen, 100P
 Oestrogen receptors, 146P
 Olanzapine, 54P
 Opioid receptors, 22P
 ORL receptors, 13P
 Oxygen radicals, 4P
 Oxytocin, 91P

Packed-cell volumes, 121P
 PAF antagonism, 94P
 Pancreatic β-cells, 23P
 Paroxetine, 76P
 PARS inhibitors, 105P
 Peristalsis, 95P
 PGE₂, 79P
 PGF_{2α}, 141P
 Pharmacodynamics, 5P
 Pharmacokinetics, 5P
 Pharmacology, 56P
 Phencyclidine, 70P
 Phenotype characterisation, 10P
 Phosphodiesterase, 83P
 Phosphodiesterase enzymes, 95P
 Phospholipase A₂, 74P
 Pithed rat, 116P
 Platelet aggregation, 32P
 Polyamines, 99P
 Portal hypertension, 93P
 Potassium channels, 27P, 88P, 114P
 PPARs, 150P
 Prostacyclin, 101P
 Protease activated receptors, 135P
 Protein kinase C, 31P
 Protein kinase C activity, 136P
 Protein synthesis blockage, 75P
 Psychosis, 52P
 Pulmonary artery, 126P
 Purinoceptors, P_{2T} subtypes, 32P
 Purinoceptors, P_{2X} subtypes, 33P
 Purinoceptors, P_{2Y1} subtypes, 32P
 [¹²⁵I]-PPY binding sites, 134P

Renal functions, 143P
 Reperfusion, 104P
 Resiniferatoxin, 8P
 Resveratrol, 108P
 Retinoic acid receptors, 148P
 Ropinirole, 41P
 Ryanodine, 98P

S 22068, 87P
 Scavengers, 105P
 Schizophrenia, 14P, 63P, 70P

Sensory neuropeptides, 8P
Sesquiterpene lactones, 75P
SHRSP, 97P
Sibutramine, 118P
Sino-atrial nodes, 98P
Smooth muscle, 126P
Smooth muscle, airways, 1P
Smooth muscle, rat, 27P
Smooth muscle cells, 106P
Sodium nitroprusside, 80P
Stem cell factor, 3P
Stereochemistry, 136P
Storage, 128P
Subtype selective antagonists, 61P
Sudden death, 24P, 25P
Suncus murinus intestine, 90P
Superoxide anions, 105P, 124P

T_H cells, 89P
T lymphocyte proliferation, 82P
Tacrine, 49P

Tamoxifen, 140P
Teaching, 143P
Thyroxine, 71P
TNF- α , 79P
Tolerance, 52P, 53P
Transgenic mice, 73P
Transgenic models symposium, 151P, 152P, 153P
Transgenic rats, 117P
Tremors, 47P, 48P

U937 cells, 80P
UK 14304, 28P
Undergraduate teaching, 144P
UR 7247, 107P
UR 12746, 94P
Urinary bladder compliance, 77P

Vas deferens, rat, 129P
Vascular tone, 127P

Vasodilators, 109P
Vasodilator activity, 108P
Veins, pulmonary, 125P
Ventral tegmentum, 6P
Ventricular arrhythmia, 115P
Ventricular hypertrophy, left, 124P
Vinpocetine, 95P
VSMC proliferation, 112P, 113P

Water maze, 71P

Xenobiotic metabolism, 152P
Xenopus oocytes, 78P
Xylamine, 103P

Y1 receptor antagonists, 134P

ZDF rats, 138P