British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

University of Southampton (Joint Meeting with the Physiological Society)

8th-11th September 1998

The British Journal of Pharmacology is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The British Journal of Pharmacology publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus two original copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 (0)171 417 0431/2/3; Fax: +44 (0)171 417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)181 882 7199; Fax: +44 (0)181 882 7209

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to British Journal of Pharmacology, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publisher: Jayne Marks. Production Controller: Jane Torr. Supplement Editor: Timothy Kopp. Supplement Production Controller: Theresa Emerick.

WWW The British Journal of Pharmacology is on the internet at: http://www.stockton-press.co.uk

All information on the website is free and includes: editor's details, scope, latest table of contents, paper abstracts, subscription prices, reprint ordering, sample copy ordering, news, supplement information, contact names in publishing, production, marketing and advertising departments. Register now to have the table of contents sent to you as soon as they are updated.

Subscriptions – 1999 Subscription Rates – British Journal of Pharmacology Institutional Subscriptions Print (Hard Copy); EU £890, Rest of World (surface mail) £985/US\$1625, Rest of World (airmail) £1182/US\$1950.

Electronic - Online only £890/US\$1469

Combined - Electronic Online & Print EU £979, Rest of World (surface mail) £1084/US\$1789, Rest of World (airmail) £1281/US\$2114.

Subscriptions - Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The

Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions - USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel, NJ 07001, USA. Subscription price for institutions is \$1505 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 2323 Randolph Avenue, Avenel NJ 07001

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

Copyright © 1998 Stockton Press ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007 – 1188/98 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

University of Southampton (Joint Meeting with the Physiological Society) 8th–11th September, 1998

Author Index

Adham N see Cahir M, 38P

Akam EC, Nahorski SR & Challiss RAJ

Analysis of M₁, M₂, M₃, M₄-muscarinic cholinoceptor—G protein

coupling using [³⁵S]-GTPγS and Gα-specific immunoprecipitation, 24P

Alexander PD see Bridgland-Taylor

Alexander PD see Bridgland-Taylor MH, 82P

Alexander SPH Binding of the antagonist radioligand ['H]-ZM241385 to A_{2A}-adenosine receptors in rat brain homogenates, 27P

Andersson DA, Zygmunt PM & Högestätt ED Pharmocological evidence for the involvement of IK_{ca} and SK_{ca} in EDHF-mediated relaxation of the rat hepatic artery, 9P

Andersson MB see Bertelsen M, 120P Andrews RC see McIntyre CA, 16P Andrews TG, Laight DW, Änggård EE

& Carrier MJ Evidence for enhanced endothelial function in the obese Zucker rat which is reversible by dietary antioxidants, 116P

Andrews TG, Laight DW, Änggård EE & Carrier MJ Pharmacological action of insulin to inhibit endothelium-dependent vasodilation in the obese Zucker rat perfused hindlimb in situ, 117P

Andrews TJ see Kengatharan M, 115P Änggård EE see Andrews TJ, 116P Änggård EE see Andrews TJ, 117P Änggård EE see Bertelsen M, 120P Änggård EE see Gunnarsson PT, 119P Änggård EE see Kaw AV, 118P Änggård EE see Kengatharan M, 115P Änggård EE see Laight DW, 114P Antunes E see Conran N, 30P Antunes E see Ferreira HHA, 125P Antunes E see Teixeira CE, 14P Arden SA see Thompson SA, 72P

Arkle S, Hanahoe A & Shum CMC Effects of KN-62, RO-31-8220, Mn²⁺, Ni²⁺ and Co²⁺ on ATP⁴⁻-stimulated responses in rat parotid salivary glands *in vitro*, 83P

Attwell PJE, Singh Kent N, Jane DE, Croucher MJ & Bradford MH The group II metabotropic glutamate receptor agonist DCG-IV increases generalized seizure thresholds in the amygdala kindling model of epilepsy, 46P

Avella MA see Grieve DJ, 97P

Babwah R see Iravani MM, 44P
Barnes NM see Stowe RL, 55P
Barnes PJ see Patel HJ, 10P
Barton CL, Jay MT & Hutson PH 5HT_{1A} receptor binding in vivo using
['H]-MPPF, a selective 5-HT_{1A} re-

ceptor ligand, 56P

Baxter GS see Darker IT, 95P
Bell MI, Richardson PJ, Pinnock RD &
Lee K APCD depolarises rat cholinergic interneurones through activation of group I metabotropic glutamate receptors, 47P

Belvisi MG see Birrell M, 89P Belvisi MG see Patel HJ, 10P Bennett T see Gardiner SM, 91P Bennett T see Gardiner SM, 92P Bennett T see Ishak S, 93P

Bertelsen M, Andersson MB, Änggård EE & Carrier MJ Role of reactive oxygen species on trans-endothelial insulin transport, 120P

Bictash M see Hawcock AB, 59P Birkett S see Freeman N, 101P Birrell M, Haddad E-B, McCluskie K, Hele D, Phipps S, Webber SE, Foster M & Belvisi MG Effect of the P38 kinase inhibitor, SB 203580, in a model of airway inflammation, 89P Blackburn TP see Reavill C, 65P Blank JL see Wylie PG, 25P Blease K, Chen Y, Hellewell PG & Burke-Gaffney A Interactions between lipoteichoic acid and lipopolysaccharide on human lung microvascular endothelial cell adhesion molecule expression and interleukin-8 release, 31P

Blyth KL, Meecham K, Hughes J & Williams RG Gabapentin binding in the rat spinal cord: effect of rhizotomy and capsaicin, 53P Botham KM see Grieve DJ, 97P

Bowes J, Perrett D & Thiemermann C
The effect of PARS inhibitors on
changes in NAD and high energy
phosphates caused by myocardial
ischaemia and reperfusion in the
rabbit, 131P

Bowes J, Ruetten H, Martorana PA, Stockhausen H & Thiermermann C The PARS inhibitor 3-aminobenzamide reduces infarct size in a pig model of myocardial ischaemia and reperfusion, 132P

Bowes J see McDonald MC, 37P
Bowes J see Zacharowski K, 133P
Boyd DF see Roberts C, 57P
Boyd DF see Yeung SY, 41P
Bradford HF see Attwell PJE, 46P
Branchek TA see Cahir M, 38P
Brawley L, MacDonald A & Shaw AM
Role of endothelium in classical and atypical β-adrenoceptor-mediated vasorelaxation in rat isolated aorta,

Bridgland-Taylor MH, Dale IL, Alexander PD, Tucker E, Midha A, Randall VA, Sullivan E & Pollard CE

Validation of a high throughput screen to detect potential modulators of Ca2+-release-activated Ca2 channels in Jurkat T-cells, 82P Broadley KJ see Asmawi MZ, 87P Brown AM see Price GW, 58P Brown T see Bunton D, 100P Buckingham JC see Rhodes KF, 61P Buckley MG see McEuen AR, 126P Bulmer DCE, Hoskin KL, Lasalandra M & Goadsby PJ L-NAME reduces Fos expression in trigemino-cervical complex after superior sagittal sinus stimulation, 49P

Bunton D, MacDonald A, Brown T & Shaw AM Receptor subtypes for 5hydroxytryptamine in bovine pulmonary conventional and supernumerary arteries, 100P

Burke-Gaffney A & Hellewell PG Extracellular matrix proteins associated with human bronchial epithelial cells mediate eosinophil adhesion, 29P

Burke-Gaffney A see Blease K, 31P Butler P see Gardiner JC, 39P

Cahir M. Konkel MJ, Durkin MM, Wetzel JM, Branchek TA & Craig DA Autoradiographic distribution of the α_{1D} -adrenoceptor in the rat CNS, 38P

Callado LF & Stamford JA The α_{2} -

adrenoceptor controlling noradrenaline release in the rat locus coeruleus is of the α_{2A} -subtype: voltammetric evidence, 3P Campbell WB see Sampson LJ, 111P Caputi AP see Cuzzocrea S, 112P Cardy TJA & Taylor CW Ca2+independent inhibition of type 1 inositol trisphosphate receptors by

calmodulin, 22P Cardy TJA see Morris SA, 21P Carrier MJ see Andrews TJ, 116P Carrier MJ see Andrews TJ, 117P Carrier MJ see Bertelsen M, 120P Carrier MJ see Gunnarsson PT, 119P Carrier MJ see Kaw AV, 118P Carrier MJ see Kengatharan M, 115P Carrier MJ see Laight DW, 114P Chadha A & Duty S Alterations in GABA, α_1 , β , and γ , receptor subunit gene expression in the globus pallidus in the 6-hydroxydopamine (6-OHDA) lesioned rat model of Parkinson's disease, 43P

Challiss RAJ see Davis RJ, 23P Challiss RAJ see Wylie PG, 25P Chambers CJ, Emsley AM, Taberner PV & Plane F Interaction of hypoglycaemic imidazolines with KATPchannel-mediated relaxation in rat aorta, 105P

Challiss RAJ see Akam EC, 24P

Chapple CR see Davis BJ, 12P Chapple CR see Hawthorn MH, 12P Chatterjee PK & Thiemermann C The poly(ADP-ribose) synthetase inhibitor 3-aminobenzamide protects rat renal proximal tubular cells against oxidant stress-mediated cellular injury and death, 113P

Cheer JF, Kendall DA & Marsden CA In vivo evidence for oleamide as a potential endocannabinoid ligand, 67P

Chen Y see Blease K, 31P Chess-Williams R see Davis BJ, 13P Chess-Williams R see Hawthorn MH, 12P

Church MK see Coward WR, 32P Church MK see McEuen AR, 126P Clark A. Watson WP & Little HJ Effects of nicotine infusion on operant selfadministration of ethanol, 1P Clayton JK see Duckworth N, 98P Collier PA see Harding DP, 127P Compton SJ see McEuen AR, 126P Conran N. Ferreira HHA. Antunes E & de Nucci G Inhibition of FMLP-

stimulated eosinophil in vitro chemotaxis by N[∞]-nitro-L-arginine methyl ester, 30P Coogan AN & O'Connor JJ Interleukin-1β inhibits a tetraethylammoniuminduced synaptic potentiation in the

rat dentate gyrus in vitro, 34P Correa V see Morris SA, 21P Costa E see Ferreira HHA, 125P Costantino G see Cuzzocrea S, 112P Coward WR & Church MK The modu-

lation of NK-kB and subsequent cytokine production in human purified mast cells: a role for protein kinase A, 32P Craig DA see Cahir M, 38P

Crankshaw DJ see Oliveira L, 109P Crankshaw DJ see Oliveira L, 110P Croucher MJ see Attwell PJE, 46P Croucher MJ see Thomas LS, 45P Cucchi P, Patacchini R, Renzetti AR & Maggi CA MEN 11420 is a potent antagonist at the naive and transfected

human tachykinin NK, receptor, 74P Cuzzocrea S, De Sarro GB, Costantino G, De Sarro A & Caputi AP Interleukin-6 knock out mice exhibit a resistance to splanchnic artery occlusion shock, 112P

Dale IL see Bridgland-Taylor MH, 82P Darker IT, Millns PJ, Selbie L, Randall MD, S-Baxter G & Kendall DA Cannabinoid (CB₁) receptor expression is associated with mesenteric resistance vessels but not thoracic aorta in the rat, 95P Davidson J see Presland JP, 85P

Davis BJ, Chapple CR & Chess-

Williams R α_1 -Adrenoceptor subtypes in human penile tissue, 13P

Davis RJ, Challiss RAJ & Nahorski SR Antagonism of receptor-mediated Ins(1,4,5)P₃-induced Ca²⁺ signalling by the partial agonist 3F-Ins(1)-P,(4,5)PS, 23P De Luca IMS see Ferreira HHA, 125P

de Nucci G see Conran N. 30P De Nucci G see Ferreira HHA, 125P De Nucci G see Teixeira CE, 14P De Sarro A see Cuzzocrea S, 112P De Sarro GB see Cuzzocrea S, 112P de Souza PM, Flower RJ & Goulding NJ Characterisation of glucocorticoidinduced p155 expression by human monocytes, 121P

Desai KM see Laight DW, 114P Dimova NG & Dryden WF Protein kinase activities in rat brain following exposure to antidepressant drugs of different classes, 84P

Dougall IG see Bridgland-Taylor MH,

Dryden WF see Dimova NG, 84P Duckworth N, Marshall K, Senior J & Clayton JK A preliminary study of the TP-receptor population along the length of the human isolated umbilical artery, 98P

Dupourqué B see Koubanakis M, 71P Durkin MM see Cahir M, 38P Duty S see Chadha A, 43P

Ebenezer IS, Vellucci SV & Parrott RF Effects of the histamine-3 (H-3) reeptor agonist GT2016 on food intake and cortisol secretion in pigs, 64P

Ebenezer IS see Smith M, 63P Edmunds NJ & Woodward B Actions of ceramide on insulin-stimulated glycogen synthesis in the isolated perfused rat heart, 129P

Edwards G, Gardener MJ, Walker SD & Weston AH Comparison of effects of 1-EBIO and NS1619 on K⁺ currents in vascular smooth muscle and endothelial cells, 106P Edwards G see Walker SD, 88P

Elliot A see McIntyre CA, 16P Elliott J see Grieve DJ, 97P Ellis SW see Hayhurst GP, 80P Emsley AM, Wyatt MC, Jeremy JY, Sorenson JRJ & Plane F Inhibition of endothelium-dependent relaxation of rat isolated aortic rings by a low molecular mass complex of copper, 19P

Emsley AM see Chambers CJ, 105P Emsley AM see Freeman N, 101P Emsley AM see Wyatt MC, 108P

Ferreira HHA, de Luca IMS, Costa E,

Medeiros MV, Zanardo RCO, Martins AR, Antunes E & de Nucci G The effect of N^{ω} -nitro-L-arginine methyl ester on the number of bone marrow eosinophils and expression of NO synthase isoforms in rat bone marrow eosinophils, 125P Ferreira HHA see Conran N, 30P Flower RJ see de Souza PM, 121P Foll F see Kengatharan M, 115P Foster M see Birrell M, 89P Fox A see Panesar MS, 122P Fox A see Patel HJ, 10P Fox A see Reeve AJ, 50P Fraser S, Gillard NP & Sheridan RD Effects of the antileukemic agent, amsacrine, on the cardiac action potential recorded in sheep isolated Purkinje fibres, 128P Freeman N, Emsley AM, Birkett S, Johnson JL & Jeremy JY Thapsi-

Gale J see Hawcock AB, 59P Gardener MJ see Edwards G, 106P Gardiner JC, Gupta P, Butler P, Pryke JG & Roffey SJ The sodium channel modulators lamotrigine and 4030W92 block ectopic discharge originating in rat sciatic neuromas, 39P

gargin inhibits microangiogenesis in

rat isolated aorta, in vitro, 101P

Gardiner SM, Kemp PA, March JE & Bennett T Effects of recombinant human insulin-like growth factor-1 (rhIGF-1) on regional haemodynamics in conscious rats, 92P

Gardiner SM, Kemp PA, March JE & Bennett T Recombinant human, but not murine, leptin causes hindquarters vasoconstriction in conscious rats, 91P

Gardiner SM see Ishak S, 93P Gardner NM see Asmawi MZ, 87P Garland CJ see Hinton JM, 99P Garland CJ see Sampson LJ, 111P Gentry CT see Panesar MS, 122P German EJ, Wood D & Hurst MA Comparison of muscarinic receptor subtypes in the sheep ciliary muscle and iris sphincter using a radioligand binding approach, 62P Gerrard PA see Melotto S, 68P Gillard NP see Fraser S, 128P Gittos MW see Yeung SY, 41P Giuliano F & Warner TD Ex vivo assay to determine the cyclooxygenase selectivity of non-steroidal antiinflammatory drugs, 35P Goadsby PJ see Bulmer DCE, 49P Gopaul NK see Laight DW, 114P Goulding NJ see de Souza PM, 121P Gray GA see McIntyre CA, 16P Grieve DJ, Avella MA, Botham KM & Elliott J Evidence that endotheliumderived nitric oxide production is

increased following oral propylthiouracil treatment in the rat, 97P Gristwood R see Harding DP, 127P Gunnarsson PT, Laight DW, Änggård EE & Carrier MJ Elevated plasma total antioxidant status in the obese Zucker rat assessed by a physiological microassay, 119P Gunnarsson PT see Kaw AV, 118P Gupta P see Gardiner JC, 39P

Haddad E-B see Birrell M, 89P

Hadoke PWF, Kotelevtsev Y, Williams BC, Mullins JJ & Walker BR Selective attenuation of adrenoceptormediated contraction by endotheliumderived nitric oxide in isolated mouse aortae, 107P Hadoke PWF see Islam MZ, 102P Hadoke PWF see McIntyre CA, 16P Halfpenny J see Patel HJ, 10P Hall TL see Wetherell JR, 69P Halliwell R see Thomas P, 42P Halliwell RF, Thomas P, Smart TG, Martinez-Torres A & Miledi R Subunit selective modulation of GABA, receptors by the NSAID mefenamic acid, 26P

Hamilton LC, Jimenez C & Warner TD
Heme oxygenase-1 induction has no
significant effect on the vascular
reactivity of rat aortic rings, 103P
Hanahoe A see Arkle S, 83P
Hancox JC see Teschemacher A, 77P
Hansard MJ, Smith LA, Jackson MJ &
Jenner P The antiparkinsonian ability
of bupropion in MPTP-treated
common marmosets, 66P

Harding DP, Collier PA, Huckle RM, Gristwood R & Spridgen E Cardiotoxic effects of levobupivacaine, bupivacaine and ropivacaine: an *in* vitro study in guinea-pig and human cardiac muscle, 127P

Harris D, Kendall DA & Randall MD Characterization of cannabinoidreceptors mediating EDHF responses in the rat isolated mesentery, 96P

Harris D, Kendall DA & Randall MD Effects of AM 404, a cannabinoid reuptake inhibitor, on EDHFmediated relaxations in the rat isolated mesentery, 15P

Hawcock AB, Bictash M, Lightbown I, Trevethick M & Gale J Is Kojic amine a GABA_B receptor agonist in the rat isolated anococygeus?, 59P

Hawthorn MH, Chapple CR & Chess-Williams R Inhibitory effects of the mucosa on the contractile responses of the pig detrusor muscle, 12P Hayes PC see Islam MZ, 102P Hayhurst GP, Ellis SW, Lennard MS &

Hayhurst GP, Ellis SW, Lennard MS & Tucker GT Evidence that phenylalanine 481 is a substrate-contact

residue in the active site of cytochrome P450 2D6, 80P Hele D see Birrell M, 89P Hellewell PG see Blease K, 31P Hellewell PG see Burke-Gaffney A, 29P Hill SJ see Presland JP, 85P Hinton JM, Plane F & Garland CJ Detection of mRNA for 5-HT_{1B} and 5-HT_{1D} receptors in porcine coronary arteries by in situ RT-PCR, 99P Ho M see Price GW, 58P Högestätt ED see Andersson DA, 9P Hopwood SE & Stamford JA Differing effects of paroxetine and fluoxetine on 5-HT release and reuptake in the rat dorsal raphé nucleus, 54P Hoskin KL see Bulmer DCE, 49P Hubbard PD & Lummis SCR Zn² modulation of the 5-HT, receptor, 86P

Huckle RM see Harding DP, 127P
Hudson AL see Parker CA, 76P
Hudson AL see Robinson ESJ, 70P
Hughes J see Blyth KL, 53P
Hughes J see Purbrick S, 52P
Hughes P, Richardson AG & Smith JW
The effect of external acidosis on the action of calcium entry blockers in rat aorta, 104P

Hughes ZA & Sharp T Evidence that pindolol lacks the ability to enhance the effect of SSRIs on presynaptic 5-HT function, 6P

Hurst MA see German EJ, 62P Hutson P see Thompson SA, 72P Hutson PH see Barton CL, 56P

Iravani MM, Babwah R, Rose S & Jenner P Dopamine cell loss and expression of inducible nitric oxide synthase immunoreactivity following intranigral injection of lipopoly-saccharide, 44P

Ishak S, Bennett T & Gardiner SM No role for angiotensin II (AII) or endothelin (ET) in the pressor response induced by nitric oxide synthase (NOS) inhibition in vasopressindeficient, hypertensive (DI/H) rats, 93P

Islam MZ, Williams BC, Madhavan KK, Hayes PC & Hadoke PWF V₁-receptors mediate the contractile response to arginine vasopressin in hepatic arteries from patients with and without cirrhosis, 102P

Jackson HC see Robinson ESJ, 70P Jackson MJ see Hansard MJ, 66P Jackson MJ see Maratos E, 4P James CH see Thomas P, 42P Jane DE see Attwell PJE, 46P Jane DE see Thomas LS, 45P Javid FA & Naylor RJ Characterisation

of the 5-HT receptor mediating the contraction response to DOI in the proximal region of the Suncus murinus intestine, 60P Jay MT see Barton CL, 56P Jenner P see Hansard MJ, 66P Jenner P see Iravani MM, 44P Jenner P see Maratos E, 4P Jeremy JY see Emsley AM, 19P Jeremy JY see Freeman N, 101P Jeremy JY see Wyatt MC, 108P Jimenez C see Hamilton LC, 103P Johnson JL see Freeman N, 101P Jones G see Yeung SY, 41P Jones H, Paul W & Page CP Poly-Llysine (PLL)-induced neutrophil (PMN) accumulation and plasma exudation (PE) in rabbit skin: role of sulphation in inhibitory action of heparin, 123P Jones R see Teschemacher A, 77P

Kaiser S & Wonnacott S Nicotinic acetylcholine receptors on glutamatergic nerve terminals can enhance dopamine release in rat striatum, 48P Kaw AV, Gunnarsson PT, Laight DW, Änggård EE & Carrier MJ Endothelial dysfunction following experimental oxidant stress in the rat *in vivo*, 118P Kelly S, Uney JB & McCulloch J Effect of intense metabolic stress upon heat shock protein 70i transgenic mice: a [14C]-2-deoxyglucose autoradiography study, 2P

Kemp PA see Gardiner SM, 92P
Kendall DA see Cheer JF, 67P
Kendall DA see Darker IT, 95P
Kendall DA see Harris D, 15P
Kendall DA see Harris D, 96P
Kengatharan M, Foll F, Pettersson K,
Andrews TJ, Wågberg M, Änggård
EE & Carrier MJ Reduction in
plasma levels of 8-epi-prostaglandin
F2α and reversal of endothelial
dysfunction by vitamin E in the
Watenabe heritable hyperlipidaemic
rabbit, 115P

Kemp PA see Gardiner SM, 91P

Kent NS see Attwell PJE, 46P Kettle A see Reavill C, 65P Knowles ID & Ramage AG Activation of central 5-HT_{2B} receptors causes renal sympathoexcitation in anaesthetized rats, 8P

Konkel MJ see Cahir M, 38P Kotelevtsev Y see Hadoke PWF, 107P Koubanakis M, Leake LD & Dupourqué B The use of the leech (*Hirudo* medicinalis) Retzius cell as a model for studying the action of convulsants and anticonvulsants, 71P

Laight DW, Desai KM, Gopaul NK,

Änggård EE & Carrier MJ Dietary vitamin E reduces oxidant stress and improves insulin action in the obese Zucker rat in vivo, 114P Laight DW see Andrews TJ, 116P Laight DW see Andrews TJ, 117P Laight DW see Gunnarsson PT, 119P Laight DW see Kaw AV, 118P Lal H, Williams KI & Woodward B Cardiac reactivity to endothelin-1 (ET-1) and U46619 is differentially altered in isolated perfused hearts from chronically-hypoxic (CH) rats, 90P Lal H, Williams KI & Woodward B Normoxic perfusion of chronically-

Lal H, Williams KI & Woodward B
Normoxic perfusion of chronicallyhypoxic (CH) rat isolated lungs leads
to pulmonary vasoconstriction mediated by endogenous endothelins via
the activation of ET_B receptors, 11P
Langmead C see Smart D, 28P
Lasalandra M see Bulmer DCE, 49P
Leach M, Olbrich A & Thiermermann C
The stable nitroxide radical Tempol
attenuates the multiple organ dysfunction caused by endotoxin in the
rat, 134P
Leake LD see Koubanakis M, 71P

Lee K see Bell MI, 47P
Lennard MS see Hayhurst GP, 80P
Lever R & Page CP Effect of heparin
upon adhesion of polymorphonuclear
leucocytes to stimulated human
umbilical vein endothelial cells and
adhesion molecule expression in
vitro, 33P

Lightbown I see Hawcock AB, 59P Little HJ see Clark A, 1P Lummis SCR see Hubbard PC, 86P

McCluskie K see Birrell M, 89P
McCulloch J see Kelly S, 2P
MacDonald A see Brawley L, 18P
MacDonald A see Bunton D, 100P
McDonald MC, Bowes J & Thiemermann C The stable nitroxide radical
Tempol reduces infarct size caused by regional ischaemia and reperfusion in the isolated, perfused heart of the rat, 37P

McDonald MC see Zacharowski K, 133P

McDonnell JA see Presland JP, 85P McEuen AR, Buckley MG, Compton SJ & Walls AF Detection and preliminary characterisation of a unique protein constituent of basophil secretory granules, 126P

McIntyre CA, Andrews RC, Elliot A, Gray GA, Williams BC, McKnight JA, Walker BR & Hadoke PWF Endothelium-derived hyperpolarizing factor mediates to a large extent acetylcholine-induced relaxation of human subcutaneous resistance

arteries, 16P MacKenzie A & Martin W A superoxide dismutase mimetic impairs basal nitric oxide activity in rat aorta, 17P McKnight AT see Nicholson JR, 5P McKnight AT see Smart D, 28P McKnight JA see McIntyre CA, 16P McLoughlin CM & Moore PK Effect of 7-nitroindazole and related indazoles on inducible nitric oxide synthase in vitro and in vivo, 124P Madhavan KK see Islam MZ, 102P Maggi CA see Cucchi P, 74P Maratos E, Jackson MJ, Pearce RKB, Jenner P & Marsden CD Comparison of repeated treatment with L-DOPA, pergolide and apomorphine on dyskinesia induction in MPTP-treated common marmosets, 4P March JE see Gardiner SM, 91P March JE see Gardiner SM, 92P Marsden CA see Cheer JF, 67P Marsden CD see Maratos E, 4P Marshall K see Duckworth N, 98P Martin F see O'Connor N, 81P Martin W see MacKenzie A, 17P Martinez-Torres A see Halliwell RF, 26P Martins AR see Ferreira HHA, 125P Martorana PA see see Bowes J, 132P Mason R see Sokal DM, 40P Mathie A see Yeung SY, 41P Medeiros MV see Ferreira HHA, 125P Meecham K see Purbrick S, 52P Meecham KG see Blyth KL, 53P Melotto S, Poffe A, Gerrard PA, Reggiani A, Trist D & Ratti E Use of telemetric recording of EEG, EMG and EOG to assess sleep parameters in the common marmoset, 68P Middlemiss DN see Roberts C, 57P Midha A see Bridgland-Taylor MH, 82P Miledi R see Halliwell RF, 26P

Middlemiss DN see Roberts C, 57P
Midha A see Bridgland-Taylor MH, 82F
Miledi R see Halliwell RF, 26P
Millar JA see Yeung SY, 41P
Millar JA see Yeung SY, 41P
Millar JA see Darker IT, 95P
Mistry R see Smith AP, 7P
Mitchell JA see Stanford SJ, 20P
Mitchell JA see Stanford SJ, 94P
Moore PK see McLoughlin CM, 124P
Morris SA, Correa V, Cardy TJA &
Taylor CW Interactions between
inositol trisphosphate receptors and
fluorescent Ca²⁺ indicators, 21P
Mullins JJ see Hadoke PWF, 107P
Mumford H see Wetherell JR, 69P

Nahorski SR see Akam EC, 24P Nahorski SR see Davis RJ, 23P Naylor RJ see Javid FA, 60P Nicholson JR & McKnight AT The effect of the antagonist Ac-RYYRWKNH₂ and the antagonist [Phe¹ψ(CH₂—NH)Gly²]nociceptin(1-13)NH₂ at the ORL1 receptor of central and peripheral sites, 5P Nutt DJ see Parker CA, 76P Nutt DJ see Robinson ESJ, 70P

O'Boyle KM see O'Connor N, 81P O'Connor JJ see Coogan AN, 34P O'Connor N, Page D, Martin F, Rogers M & O'Boyle KM Actions of dopamine and A68930 on BHK cells cotransfected with D, and D, receptors, 81P

Olbrich A, Zacharowski K & Thiemermann C The EP₃-receptor agonists M&B 28767 and GR 63799X reduce the cell injury and death caused by hydrogen peroxide in rat cardiomyoblasts, 130P

Olbrich A see Leach M, 134P Olbrich A see Zacharowski K, 36P Olbrich A see Zacharowski K, 133P Oliveira L, Stallwood N & Crankshaw DJ An investigation into the downturn in response to 8-isoprostaglandin E, in human umbilical artery in vitro, 110P

Oliveira L & Crankshaw DJ Excitatory effects of isoprostanes in the human umbilical artery *in vitro*, 109P

Page CP see Jones H, 123P
Page CP see Lever R, 33P
Page D see O'Connor N, 81P
Panesar MS, Gentry CT, Urban L,
Walker K & Fox A A model of
persistent, inflammation-induced
mechanical hyperalgesia in the
mouse, 122P

Parker CA, Nutt DJ & Hudson AL ['H]clonidine binding sites in rat kidney: a model for putative central imidazoline-1 sites, 76P
Parker TL see Sokal DM, 40P
Parrott RF see Ebenezer IS, 64P
Patacchini R see Cucchi P, 74P
Patel HJ, Halfpenny J, Venkatesan P, Barnes PJ, Yacoub MH, Fox A & Belvisi MG Modulation of acetyl-choline release from cholinergic nerves innervating human and guinea-pig trachea by endomorphin-1 and -2, 10P

Paul W see Jones H, 123P
Payne SL & Strange PG Mechanisms of ligand binding and agonist efficacy at the human D_{2short} dopamine receptor, 73P

Pearce RKB see Maratos E, 4P Pepper JR see Stanford SJ, 20P Perrett D see Bowes J, 131P Pettersson K see Kengatharan M, 115P Phipps S see Birrell M, 89P Pinhorn V see Wetherell JR, 69P Pinnock RD see Bell MI, 47P Plane F see Chambers CJ, 105P Plane F see Emsley AM, 19P Plane F see Hinton JM, 99P Plane F see Sampson LJ, 111P Plane F see Wyatt MC, 108P Poffe A see Melotto S, 68P Pollard CE see Bridgland-Taylor MH, 82P

Presland JP, Davidson J, McDonnell JA & Hill SJ Insulin-induced modulation of agonist action at the human adenosine A, receptor in CHO cells expressing both insulin and human adenosine A, receptors, 85P

Price GW, Ho M, Scott C, Selkirk JV & Brown AM 5-HT receptor agonist—antagonist binding affinity ratios as a measure of intrinsic activity, 58P Pryke JG see Gardiner JC, 39P Purbrick S, Meecham K, Hughes J &

Williams RG Influence of gabapentin on c-fos expression in rat spinal cord following intraplantar formalin injection, 52P

Ramage AG see Knowles ID, 8P Randall MD see Darker IT, 95P Randall MD see Harris D, 15P Randall MD see Harris D, 96P Randall VA see Bridgland-Taylor MH, 82P

Ratti E see Melotto S, 68P Reavill C, Kettle A, Holland V, Riley G & Blackburn TP 5-HT_{3C} receptor antagonists, but not a 5-HT_{2A} or 5-HT_{2B} receptor antagonist, attenuate haloperidol-induced catalepsy in rat, 65P

Reeve AJ, Fox A, Walker MJK & Urban L The spinal effects of interleukin-1β and an interleukin-1 converting enzyme inhibitor, SDZ-224-015 on the responses of dorsal horn neurones in the anaesthetized rat, 50P Reggiani A see Melotto S, 68P Renzetti AR see Cucchi P, 74P Rhodes KF, Steiner T & Buckingham JC Inhibitory effects of sumatriptan and zolmitriptan in the rat electrically stimulated vas deferens, 61P Richardson AG see Hughes P, 104P Richardson PJ see Bell MI, 47P Ridley DL & Wonnacott S Modulation

of α7-containing nicotinic receptor expression in SH-SY5Y cells and primary hippocampal cultures, 78P Roberts C, Boyd DF, Price GW,

Middlemiss DN & Routledge C Enhancement of 5-ht_{1h} and 5-ht_{1d} receptor antagonist effects on extracellular 5-ht levels, 57P

Robinson ESJ, Nutt DJ, Jackson HC & Hudson AL Time course of spontaneous behavioural effects of antisense oligonucleotides targeting the α_{2D} -adrenoceptor in the rat, 70P Roffey SJ see Gardiner JC, 39P

Rogers M see O'Connor N, 81P Rose S see Iravani MM, 44P Routledge C see Roberts C, 57P Ruetten H see Bowes J, 132P

Sampson LJ, Plane F, Campbell WB & Garland CJ Pathways for arachidonic acid-evoked relaxation in the rabbit isolated femoral artery, 111P Scott C see Price GW, 58P Selbie L see Darker IT, 95P Selkirk JV see Price GW, 58P Senior J see Duckworth N, 98P Seward E see Teschemacher A, 77P Sharp T see Hughes ZA, 6P Sharples CGV & Wonnacott S Protein synthesis dependence of nicotine

synthesis dependence of nicotine mediated upregulation of nicotinic acetylcholine receptors in the M10 cell line, 79P Shaw AM see Brawley L, 18P Shaw AM see Bunton D, 100P

Sheridan RD see Fraser S, 128P Shum CMC see Arkle S, 83P Smart D, Langmead C & McKnight AT Inhibition by PD165929, a BB, antagonist of desensitisation at the human BB, receptor, 28P Smart TG see Halliwell RF, 26P Smart TG see Thomas P, 42P Smith AP see Wetherell JR, 69P Smith JW see Hughes P, 104P Smith LA see Hansard MJ, 66P

Smith M & Ebenezer IS The effects of chronic administration of the 5HT agonist gepirone on food intake in food-deprived rats, 63P

Sokal DM, Parker TL & Mason R

Differential effect of thapsigargin on bicuculline- and gabazine-induced epileptiform excitability in dissociated rat hippocampal neurones, 40P Sorenson JRJ see Emsley AM, 19P Sorenson JRJ see Wyatt MC, 108P Spridgen E see Harding DP, 127P Stallwood N see Oliveira L, 110P Stamford JA see Callado LF, 3P Stamford JA see Hopwood SE, 54P Stanford SJ, Pepper JR & Mitchell JA GM-CSF release from human vascular smooth muscle cells is suppressed by co-induced COX-2, 20P

Stanford SJ & Mitchell JA ATP-induced vasodilatation in the rat isolated mesenteric bed exhibits two apparent phases, 94P

Steiner T see Rhodes KF, 61P Stockhausen H see see Bowes J, 132P Stowe RL & Barnes NM Co-localisation of 5-HT, receptor mRNA with GAD, like immunoreactivity in rat brain neurones, 55P

Strange PG see Payne SL, 73P Sugden D see Teh M-T, 75P Sullivan E see Bridgland-Taylor MH, 82P Taberner PV see Chambers CJ, 105P Tattersall JEH, Smith AP, Waters K, Mistry R & Weeden D Therapeutic action of HI-6 against soman poisoning in vitro: an interspecies comparison. 7P

Tattersall JEH see Smith AP, 7P
Taylor CW see Cardy TJA, 22P
Taylor CW see Morris SA, 21P
Teh M-T & Sugden D GR128107 is a
partial melatonin receptor agonist on
Xenopus laevis melanophores, 75P

Teixeira CE, Antunes E & de Nucci G
The effects of α- and β-adrenoceptor
antagonists on the rabbit corpus
cavernosum relaxation mediated by
Tityus serrulatus scorpion venom,
14P

Teschemacher A, Hancox LC, Seward E & Witchel E Imipramine at clinically relevant concentrations blocks heterologously expressed HERG, a K' channel responsible for 'Long QT Syndrome', 77P

Thiemermann C see Bowes J, 131P Thiemermann C see Bowes J, 132P Thiemermann C see Chatterjee PK, 113P

Thiemermann C see Leach M, 134P Thiemermann C see McDonald MC, 37P

Thiemermann C see Olbrich A, 130P Thiemermann C see Zacharowski K, 36P

Thiemermann C see Zacharowski K, 133P

Thomas LS, Jane DE & Croucher MJ Glutamate autoreceptors of the mGlu, sub-type enhance neuronal glutamate release in the rat forebrain *in vitro*, 45P

Thomas P, Halliwell R, James CH & Smart TG Modulation of GABA_A receptors by mefenamic acid: Involvement of asparagine 290 in the second transmembrane domain of the β2 subunit, 42P

Thomas P see Halliwell RF, 26P
Thompson SA, Arden SA, Wingrove
PB, Whiting PJ & Wafford KA The
selectivity of furosemide for α6containing GABA, receptors is
determined in part by Ile228, 72P

Trevethick M see Hawcock AB, 59P
Trew EA, Xie XM & Trezise DJ Modulation of synaptic transmission in the rat spinal cord in vitro by 4030W92, a novel antihyperalgesic agent, 51P
Trezise DJ see Trew EA, 51P
Trist D see Melotto S, 68P
Tucker E see Bridgland-Taylor MH, 82P
Tucker GT see Hayhurst GP, 80P

Uney JB see Kelly S, 2P Urban L see Panesar MS, 122P Urban L see Reeve AJ, 50P

Vellucci SV see Ebenezer IS, 64P Venkatesan P see Patel HJ, 10P

Wafford KA see Thompson SA, 72P Wågberg M see Kengatharan M, 115P Walker BR see Hadoke PWF, 107P Walker BR see McIntyre CA, 16P Walker K see Panesar MS, 122P Walker MJK see Reeve AJ, 50P Walker RJ see Koubanakis M, 71P Walker SD, Edwards G & Weston AH Functional significance of $I_{K(N)}$ in rat pulmonary artery, 88P Walker SD see Edwards G, 106P Walls AF see McEuen AR, 126P Warner TD see Giuliano F, 35P Warner TD see Hamilton LC, 103P Waters K see Smith AP, 7P Watson WP see Clark A, 1P Webber SE see Birrell M, 89P Weeden D see Smith AP, 7P Weston AH see Edwards G, 106P Weston AH see Walker SD, 88P Wetherell JR, Hall TL, Pinhorn V & Mumford H The effect of cholinergic drugs on a range of parameters in the guinea-pig, 69P Wetzel JM see Cahir M, 38P Whiting PJ see Thompson SA, 72P Williams BC see Hadoke PWF, 107P Williams BC see Islam MZ, 102P

Williams BC see McIntyre CA, 16P

Williams KI see Lal H, 11P

Williams KI see Lal H, 90P

Williams RG see Blyth KL, 53P

Williams RG see Purbrick S, 52P

Wingrove PB see Thompson SA, 72P Witchel H see Teschemacher A, 77P Wonnacoti S see Kaiser S, 48P Wonnacott S see Ridley DL, 78P Wonnacott S see Sharples CGV, 79P Wood D see German EJ, 62P Woodward B see Edmunds NJ, 129P Woodward B see Lal H, 11P Woodward B see Lal H, 90P Wyatt MC, Emsley AM, Jeremy JY, Sorenson JRJ & Plane F Low molecular mass complexes of transition metals inhibit vasoconstriction in rat isolated aortic rings, 108P Wyatt MC see Emsley AM, 19P Wylie PG, Challiss RAJ & Blank JL Comparative study of extracellular signal regulated protein kinase (ERK) and c-Jun NH,-terminal kinase (JNK) in CHO cells expressing M,- and M,muscarinic receptors, 25P

Xie XM see Trew EA, 51P

Yacoub MH see Patel HJ, 10P Yeung SY, Millar JA, Boyd DF, Jones G, Gittos MW & Mathie A Block of neuronal K, potassium currents by fluoxetine and iprindole, 41P

Zacharowski K, McDonald MC, Bowes J, Olbrich A & Thiemermann C The stable nitroxide radical Tempol reduces the infarct size caused by regional myocardial ischaemia and reperfusion in the anaesthetised rat, 133P

Zacharowski K, Olbrich A & Thiemermann C Agonists of the prostanoid EP,-receptor reduce myocardial infarct size in a rat model of myocardial ischaemia and reperfusion, 36P

Zacharowski K see Olbrich A, 130P Zaini Asmawi M, Gardner NM & Broadley KJ Effects of PDE inhibition on in vitro desensitization of tracheal β-adrenoceptor function, 87P

Zanardo RCO see Ferreira HHA, 125P Zygmunt PM see Andersson DA, 9P

Keyword Index

Acidosis 104P Active sites 80P Adenosine 27P Adenosine A, receptors 85P Adhesion 33P α-Adrenoceptor antagonists 14P α_{1D} -Adrenoceptors 38P α,-Adrenoceptors 70P β-Adrenoceptors 18P β-Adrenoceptor antagonists 14P β-Adrenoceptor desensitization 87P Adrenoceptor subtypes 13P Agonist binding 73P Agonist efficacy 73P Airway inflammation 89P Alcohol 1P Allergic inflammation 32P Allergies 126P Anaesthetics 127P Angiotensin 93P Anticonvulsants 71P Antidepressants 6P, 84P Antioxidants 114P, 116P Antioxidant defence 119P Antisense oligonucleotides 70P Aorta 104P Aorta, mouse 107P Aorta, rat 18P Aortic rings, rat 101P Arachidonic acid 111P Arginine vasopressin 102P Arteries, femoral, rabbit 111P Arteries, hepatic, human 102P Arteries, internal mammary 20P Arteries, pulmonary 88P Arteries, resistance, human 16P Arteries, supernumerary 100P Arteries, umbilical 98P Arteries, umbilical, human 109P, 110P Arteries, porcine, coronary 99P Asparagine 290 42P Assays ex vivo 35P Atherosclerosis 20P, 115P Autoradiography 2P, 38P Autoreceptors 45P

Basophil secretory granules 126P Behavioural observations 70P Bicuculline 40P Bladder 12P Blood pressure 8P Bombesin 28P Bone marrow, rat 125P Brain, mouse 56P Brain, rat 84P Bupropion 66P

Calcium entry blockers 104P Calcium independent regulation 22P Calcium indicators 21P Calcium signalling antagonism 23P Calcium-calmodulin kinase II 78P Calmodulin binding 22P cAMP 81P Cannabinoids 15P, 95P, 96P Carbachol 12P Carbon monoxide 103P Cardiac action potentials 128P Cardiac arrhythmias 77P Cardiovascular system 103P, 127P Catalepsy 65P CB1/5HT, receptors 67P Cell death 130P Cell injury 130P Cell signalling 25P Cell surface antigens 121P Central nervous system 6P, 38P Ceramide 129P c-fos 52P Cholinergic agonists 69P Cholinergic neurotransmission 10P Chronic hypoxia 11P, 90P Clonidine 76P Corpus cavernosum, rabbit 14P CRAC channels 82P Cycloheximide 79P

DCG-IV 46P
Dependence 1P
DOI 60P
Dopamine 44P
Dopamine D, receptors 81P
Dopamine D, receptors 73P, 81P
Dopamine release 48P
Dopamine transporters 66P
Dorsal raphe nucleus 54P
Drug effects 128P
Dyskinesia 4P

Cyclo-oxygenase 35P Cytochrome P450 2D6 80P

1-EBIO 106P

Ectopic discharge 39P Electrophysiology 26P, 86P, 127P **Endomorphins 10P** Endothelins 11P, 93P Endothelin-1 90P Endothelium 18P, 19P, 33P, 94P, 97P, 116P, 117P, 118P, 120P Endothelium dependent relaxation 111P Endothelium-derived hyperpolarizing factor 9P, 15P, 16P, 96P Endothelium-derived nitric oxide 107P Endotoxic shock 134P Eosinophil adhesion 29P Eosinophil emigration 30P Eosinophil locomotion 125P EP,-receptor agonists 36P, 130P Epibatidine binding 79P Epileptiform activity 71P Epithelial cells 29P Ex vivo assays 35P Extracellular matrix proteins 29P

Feeding 5P
Fenamate non-steroidal anti-inflammatory drugs 26P, 42P
Fluoxetine 41P
FMLP 30P
Food intake 63P, 64P
Formalin 52P
Furosemide 72P

GABA_A receptor-β subunits 42P GABA_A receptors 43P, 72P GABA_B 59P Gabapentin 52P ['H]-Gabapentin 53P Gabazine 40P Gepirone 63P Glucocorticoid action 121P Glutamate 45P, 47P G-protein 24P G-protein activation 81P GR128107 75P Gram-negative sepsis 31P Gram-positive sepsis 31P [35S]-GTPyS binding 24P Guanylyl cyclase 94P

Haemodynamics 91P Haloperidol 65P Heart 37P, 90P, 129P, 131P, 132P Heat shock protein 70i 2P Heme oxygenase 103P Heparin 33P, 123P HERG 77P HI-6 7P High energy phosphates 131P High throughput screen 82P Hippocampus 34P Histamine 64P Histamine H3 receptors 64P 5-HT 6P 5-HT receptors 100P 5-HT_{IA} 58P 5-HT_{IA} receptors 63P 5-HT_{IA} receptor binding 56P 5-HT_{IB} receptors 57P, 99P 5-HT_{1B/D} 61PP 5-HT_{1D} receptors 57P, 99P 5-HT, receptors 60P 5-HT, receptor antagonists 65P 5-HT_{2B} receptors 8P 5-HT, receptors 55P HU210 67P 5-Hydroxydecanote 36P Hypertension 93P Hypothermia 69P Hypoxia 88P

Imidazolines 105P Imidazoline binding sites 76P Immunohistochemistry 55P In situ hybridisation 43P, 55P In situ RT-PCR 99P Inflammation 44P, 122P, 123P Inositol trisphosphate receptors 21P, Ins(1,4,5)P,-receptors 23P Insulin 85P, 117P, 120P, 129P Insulin resistance 114P Insulin-like growth factor-1 92P Interleukin-1ß 34P, 50P Interleukin-6 112P Iprindole 41P Ischaemia 36P, 133P Isolated anococcygeus, rat 59P Isoprostanes 109P, 110P, 115P

Jurkat T-cells 82P

IK_{Ca} channels 106P

Kidney, rat 76P KN-62 83P

Leech Retzius cells 71P
Leptin 91P
Leukocyte recruitment 31P
Ligand-gated ion channels 86P
Localisation 53P
Locus coeruleus 3P
Long QT syndrome 77P
Long-term potentiation 34P

L-type channels 78P Lung 11P

Lung microvascular endothelium 31P

MAP kinase 25P Marmoset sleep-wake cycle 68P Mechanical hyperalgesia 122P Melatonin receptors 75P MEN 10627 74P MEN 11420 74P Metabotropic glutamate receptors 45P, N-Methyl-D-aspartate receptors 2P Microangiogenesis 101P Microassays 119P Microdialysis 57P Migraine 49P Monocloncal antibodies 126P Mouse hyperalgesia 122P ['H]-MPPF 56P, 58P MPTP 4P Mucosa 12P

Muscarinic acetylcholine receptors 24P

Muscarinic M, receptor heterogeneity

Muscarinic receptors 25P, 62P

62P

L-NAME 30P, 49P
Neuroma 39P
NF-κB 32P
Nicotine 1P
Nicotinic receptor upregulation 78P, 79P
Nitric oxide 17P, 19P, 44P, 93P, 94P, 97P, 103P, 108P, 118P, 124P
Nitric oxide synthase 49P, 125P
7-Nitroindazole 124P
Nociceptin 5P
Nociception 49P, 50P, 51P
Non-steroidal anti-inflammatory drugs 35P
Noradrenaline 3P, 107P

Ocular muscles 62P ODA 67P ['H]8-OH-DPAT 58P Operant responding 1P ORL1 receptors 5P Oxidant stress 113P, 114P, 115P, 116P, 118P, 130P

P1 hydrolysis 85P
P2X, 83P
P38 kinase inhibitors 89P
Parkinson's disease 4P, 43P, 66P
Partial agonism 23P
Patch clamp 47P
PD165929 28P
PDE inhibitors 87P
Penile tissue, human 13P
Phagocyte function 121P
Phosphates, high energy 131P

Pigment granule aggregation 75P Poly(ADP-ribose) synthetase 113P, 132P Polycations 123P Potassium channels 9P, 88P Potassium channel blockers 16P Potassium channel openers 106P Potassium ATP channels 105P Potassium currents 41P Prazosin 13P Pressor effect 92P Presynaptic modulation 48P Propylthiouracil 97P Protein kinase 84P Protein kinase A 32P Pulmonary arteries, bovine 100P

QT prolongation 128P

Radioligand binding 27P, 86P
Reactive oxygen species 37P, 120P, 133P, 134P
Receptor desensitisation 28P
Receptor subtypes 59P
Recombinant GABA_A receptors, human 26P
Relaxation 110P
Renal proximal tubular cells, rat 113P
Reperfusion 36P, 133P
Reperfusion injuries 37P, 131P, 132P
Ro-31-8220 83P

Scintillation proximity assay 21P Scorpion venom 14P Screen, high throughput 82P Seizures 46P Selective serotonin reuptake inhibitors Sepsis 124P Sleep 68P Smooth muscle 105P, 108P Sodium channels 39P, 51P Soman 7P Spinal cord 50P, 51P, 53P Splanchnic artery occlusion shock 112P Striatal slices 48P Striatum 47P Substrate-contact residue 80P Sumatriptan 61P Suncus murinus intestine 60P Superoxide anions 17P Superoxide dismutase mimetics 17P Sympathetic nerve activity 8P

Tachykinin NK₂ receptors 74P Telemetry 68P Tempol 133P, 134P Tetraethylammonium 34P Thapsigargin 40P, 101P Thoracic aortae, rat 95P Thromboxane receptors 98P TP receptors 109P Trachea, guinea-pig 87P Transition metals 19P, 108P Tricyclic antidepressants 77P

Vas deferens, rat 61P Vascular endothelium 9P Vascular system 95P Vasoconstriction 91P, 92P Veins, saphenous 20P Voltammetry 3P, 54P V₁-receptors 102P

Xenopus oocytes 72P

4030W92 51P

Umbilical artery, human isolated 98P

ceptors 102P Zucker rats 116P, 117P, 119P