

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

Stakis Metropole Hotel, Brighton
(King's College, London)

6th–8th January 1999

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus three original copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 (0)171 417 0431/2/3; Fax: +44 (0)171 417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)181 882 7199; Fax: +44 (0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publisher: Sue Deeley. Production Controller: Jane Torr. Supplement Editor: Timothy Kopp. Supplement Production Controller: Theresa Emerick.

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.stockton-press.co.uk>

All information on the website is free and includes: editor's details, scope, latest table of contents, paper abstracts, subscription prices, reprint ordering, sample copy ordering, news, supplement information, contact names in publishing, production, marketing and advertising departments. Register now to have the table of contents sent to you as soon as they are updated.

Subscriptions – 1999 Subscription Rates – British Journal of Pharmacology
Institutional Subscriptions Print (Hard Copy); EU £890, Rest of World (surface mail) £985/US\$1625, Rest of World (airmail) £1182/US\$1950.

Electronic – Online only £890/US\$1469.

Combined – Electronic Online & Print EU £979, Rest of World (surface mail) £1084/US\$1789, Rest of World (airmail) £1281/US\$2114.

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The

Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1505 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to *British Journal of Pharmacology*, Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

Copyright © 1999 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/99 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

Stakis Metropole Hotel, Brighton

(King's College, London)

6th–8th January, 1999

Author Index

- Abramowski D *see* McMullan AJ, 256P
 Adami M, Citterio F, Ongini E & Monopoli A The adenosine A₂ receptor blocker, SCH 58261, is effective over a 2-week administration regimen in haloperidol-induced catalepsy, 283P
 Agambai D *see* Pönicke K, 212P
 Ahluwalia A *see* Chen Z, 53P
 Ahluwalia A *see* Scotland RS, 56P
 Ahn K *see* Maguire JJ, 193P
 Ahtee L *see* Seppä T, 279P
 Ainsworth K *see* Hyde JE, 280P
 Akinsanya KO *see* Smith DM, 226P
 Al Taher AY, Brady G & Hollingsworth M Quantification of the mRNA levels of some potassium channels in human uterus and other human tissues, 128P
 Al-Ruwaitea ASA *see* Chiang T-J, 243P
 Alexander B, Gryf-Lowczowski JVD, Salisbury J, Sherlock D & Benjamin IS Purine receptors in rabbit thoracic aorta are more vulnerable to denaturation on storage at 4°C in University of Wisconsin solution than cholinergic receptors, 40P
 Alexander B *see* Yang W, 68P
 Alexander B *see* Yang W, 72P
 Alexander PD *see* Pollard CE, 85P
 Allen JD *see* Spiers JP, 189P
 Allgeier H *see* Gasparini F, 249P
 Allgeier H *see* Varney MA, 248P
 Allison C & Pratt JA Regional alterations in [³H]-AMPA binding in rat brain after chronic diazepam treatment, 246P
 Amaechi U, Thompson KM, Burt RP & Marshall I Differing affinities of Rec 15/2615, Rec 15/2627, Rec 15/2856, Rec 15/3043 and SNAP 5089 at α_{1A}-adrenoceptors in rat epididymal vas deferens and portal vein, 107P
 Anderson SMP *see* Cross AJ, 294P
 Andersson K-E Insights into the neurotransmitter control of the lower urinary tract: possibilities for drug therapy, 320P
 Angelini GD *see* Jeremy JY, 31P
 Änggård EE *see* Kaw AV, 176P
 Änggård EE *see* Laight DW, 165P
 Antonios TFT *see* Graves JE, 95P
 Arch JRS, Kaumann AJ, Molenaar P, Sennitt MV, Berge JM, Chapman H & Kelly J Studies on a novel selective β₂-adrenoceptor agonist in human right atrial appendage and human white adipocytes, 100P
 Arch JRS *see* Cai X, 4P
 Arch JRS *see* Cutler DJ, 259P
 Arkle S, Blake R & Packwood E Effects of calcium antagonists on myo-inositol hexakisphosphate-stimulated Ca²⁺ mobilisation in rat cerebral cortical synaptosomes, 118P
 Armenia A *see* Munavvar AS, 185P
 Armstrong D & Strange PG Allosteric regulation of the human D_{2short} dopamine receptor by 5-(N-methyl-N-isobutyl) amiloride, 110P
 Aspley S *see* Prow MR, 257P
 Assié MB & Koek W 8-OH-DPAT labels 5-HT_{1A} receptors and 5-HT uptake sites as well as other serotonergic binding sites in the rat brain raphe area, 255P
 Atkins HD *see* Thompson CL, 247P
 Atkinson J *see* Chillon JM, 34P
 Atkinson J *see* Vandeputte C, 175P
 Audinot V, Newman-Tancredi A & Millan MJ Estimation of 'full' inverse agonism at G-protein-coupled receptors by [³⁵S]-GTPγS binding at h5-HT_{1D} receptors expressed in CHO cells, 83P
 Aziz-Cooke F *see* Rose S, 6P
 Babaei H, Evans AT & McCurrie Actions of oestrogens on isolated primate aortic rings, 140P
 Bagetta G *see* Nucci C, 297P
 Bagetta G *see* Richards DA, 253P
 Barnard EA *see* Simon J, 127P
 Barnes NM *see* Fletcher S, 131P
 Barnes NM *see* McMullan AJ, 256P
 Barrand MA *see* Wheeler RD, 164P
 Barton C *see* Garrett L, 237P
 Barton CL, Jay MT, Meurer L & Hutson PH GR205171, a selective NK₁ receptor antagonist attenuates stress-induced increase of dopamine metabolism in rat medial prefrontal cortex, 284P
 Battram CH, Birrell MA, Ling A, Webber SE & Belvisi MG The time course of sephadex-induced rat lung inflammation and a comparison of the activity of various anti-inflammatory drugs, 160P
 Baxter GF *see* Jonassen AK, 201P
 Baxter GF *see* Mocanu MM, 198P
 Baxter GF *see* Pell TJ, 208P
 Baxter GS *see* Coleman RA, 91P
 Beani L *see* Siniscalchi A, 266P
 Bell JP, Lang D & Lewis MJ Loss of nitric oxide synthase and soluble guanylate cyclase protein in rat coronary microvascular endothelial cells after culture, 170P
 Belvisi MG *see* Battram CH, 160P
 Belvisi MG *see* Hele DJ, 158P
 Benito-Orfila MA *see* Smith DM, 226P
 Benjamin IS *see* Alexander B, 40P
 Benjamin IS *see* Yang W, 68P
 Benjamin IS *see* Yang W, 72P
 Bennet T *see* Gardiner SM, 186P

- Bennet T *see* Gardiner SM, 187P
 Bennet T *see* Gardiner SM, 188P
 Bennett GC, Ford APDW & Boarder MR Characterisation of P2 receptors on cerebral cortical cell cultures from embryonic rats, 12P
 Bennett NK *see* Campbell JM, 278P
 Bennett T *see* Rajab P, 27P
 Bentley JC, Marsden CA, Sleight AJ & Fone KCF Effect of the 5-HT_{1A} antagonist, Ro 04-6790 on food consumption in rats trained to a fixed feeding regime, 66P
 Berge JM *see* Arch JRS, 100P
 Bernardi G *see* Hainsworth AH, 291P
 Bertorelli R, Corradini L & Ongini E Nociceptin and the putative ORL1 antagonist [Phe¹((CH₂-NH)Gly²)-nociceptin(1-13)NH₂], act as antinociceptive peptides in Freund's adjuvant-induced arthritis, a chronic model of pain, 268P
 Beuckelmann DJ *see* Salameh A, 114P
 Bhagat K *see* Hingorani AD, 52P
 Bhatnagar S *see* Kortekaas R, 228P
 Bianchi C *see* Siniscalchi A, 266P
 Billington CK, Jobson TM & Hall IP Extracellular matrix protection promotes survival of human cultured airway smooth muscle cells, 84P
 Billington CK & Hall IP Chronic M2 stimulation increases forskolin-induced cyclic AMP formation in human cultured airway smooth muscle cells, 119P
 Biollaz M *see* Gasparini F, 249P
 Birkett S *see* Jeremy JY, 31P
 Birrell M *see* Battram CH, 160P
 Birrell M *see* Hele L, 158P
 Bischoff A & Michel MC Nifedipine attenuates neuropeptide effects in vivo, 32P
 Bischoff A *see* Czyborra P, 211P
 Bischoff A *see* Fetscher C, 210P
 Bischoff A *see* Limmroth V, 153P
 Bishoff N *see* Vandeputte C, 175P
 Bittinger F *see* Wessler I, 92P
 Black JW *see* Harper EA, 101P
 Black JW *see* Harper EA, 102P
 Blackburn DM *see* Michael-Titus AT, 113P
 Blake R *see* Arkle S, 118P
 Blanchette A, Nguyen T-D & Thorin E Atherosclerosis-associated Gβ₁ overexpression induces changes in receptor coupling and endothelin-1 production in cultured human coronary endothelial cells, 54P
 Bland JE *see* Millasseau SC, 221P
 Bleuel Z *see* Richards JG, 13P
 Bleuel Z *see* Richards JG, 99P
 Bloom SR *see* Smith DM, 226P
 Bloom SR *see* Upton PD, 139P
 Blundell JE *see* Halford JCG, 239P
 Blyth KL *see* Meecham KG, 275P
 Boarder MR *see* Bennett GC, 12P
 Boarder MR *see* Roberts JA, 82P
 Bolton S *see* Hinton JM, 217P
 Bonhaus DW, Eglén RM, Martin GR, Flippin LA, Greenhouse RJ, Jaime S, Rocha C, Dawson M, Van Natta K, Chang LK, Pulido-Rios T, Webber A, Cao Z & Wong L RS-127445, a novel, selective 5-HT receptor antagonist, inhibits neurogenic inflammatory responses in rat dura mater, 262P
 Borrelli E *see* Clifford JJ, 62P
 Bountra C *see* Cougnon-Aptel N, 285P
 Bowery N *see* Sutcliffe R, 273P
 Bowery NG *see* Whitehead KJ, 296P
 Bowes J *see* Mota-Filipe H, 206P
 Bowes M, Panesar M, Gentry C, Urban L, Gasparini F, Kuhn R & Walker K Anti-hyperalgesic effects of the novel metabotropic glutamate receptor 5 antagonist, methylphenylethynylpyridine, in rat models of inflammatory pain, 250P
 Bradshaw CM *see* Chiang T-J, 243P
 Brady G *see* Al-Tajer AY, 128P
 Brady MM, Philip JG, Wells DJ, Christian HC, Morris JF, Croxtall JD, Flower RJ & Buckingham JC Expression and localisation of lipocortin 1 in the rat adrenal gland, 138P
 Brain S *see* Greenacre S, 151P
 Brain SD *see* Cao T, 148P
 Brain SD *see* Pintér E, 44P
 Brain SD *see* Pintér E, 147P
 Brar BK *see* Jonassen AK, 201P
 Breese EJ, Wood EG, Curtis MJ, Warner TD & Mitchell JA Effects of COX-1 and COX-2-selective NSAIDs on prostaglandin E₂ and GM-CSF production by human synoviocytes, 155P
 Bristow LJ *see* Garrett L, 237P
 Broadley KJ *see* Gardner NM, 194P
 Broadley KJ *see* Spruntulis L, 159P
 Broadley KJ *see* Zaini Asmawi M, 216P
 Brodde O-E *see* Dhein S, 37P
 Brodde O-E *see* Pönicke K, 212P
 Brodde O-E *see* Salameh A, 114P
 Brown AM *see* Thomas DR, 14P
 Brown B *see* Pintér E, 44P
 Brown J *see* Fraser NJ, 123P
 Brown SG, Wildman SS, King BF & Burnstock G Diadenosine polyphosphates as pharmacological tools to identify P2X_{1,2,3,4} subunits, 24P
 Brownhill V, Dyer E & McKnight AT Agonist-dependent coupling of the NK₁-receptor, 286P
 Buckingham JC *see* Brady MM, 138P
 Buckingham JC *see* John CD, 137P
 Buckingham JC *see* Philip JG, 86P
 Buckingham JC *see* Smith DM, 226P
 Buckingham JC *see* Upton PD, 139P
 Buckingham R *see* Cai X, 4P
 Buckingham RE *see* Charlton SJ, 214P
 Buckingham RE *see* Cutler DJ, 259P
 Bukasa A, Vojnovic I, Giuliano F, Saunders M, Mitchell JA & Warner TD Selectivities of non-steroidal anti-inflammatory drugs as inhibitors of purified ovine COX-1 and COX-2: effects of human plasma, 156P
 Bult H *see* Crauwels HML, 219P
 Bult H *see* Geerts IS, 39P
 Bunday RA, Keys B & Nahorski SR Comparison of the G-protein coupling of recombinant α_{1B}-adrenoceptors and endogenous M₃-muscarinic receptors co-expressed in the SH-SY5Y neuroblastoma, 116P
 Burnstock G *see* Brown SG, 24P
 Burnstock G *see* Zhong Y, 23P
 Burt RP *see* Amaechi U, 107P
 Busch A *see* Ruetten H, 200P
 Butler AR *see* Megson IL, 78P
 Cai X, Tadavayon M, Buckingham R, Wilson S, Arch JRS, Widdowson PS, Wilding JPH & Williams G Changes in orexin mRNA during altered energy balance: influences of leptin and insulin, 4P
 Calabresi P *see* Hainsworth AH, 291P
 Callingham B, Hartshorn S, Crosbie AE, Hiley CR, Vuylsteke A, Ritchie AJ & Latimer RD The action of diaspirin cross-linked haemoglobin on the reactivity of human isolated left internal mammary and radial arterial rings, 70P
 Calo G *see* Okawa H, 270P
 Calvert GR, Thompson KSJ, Martin KF & Heal DJ Docosahexaenoic acid affects glutamate-induced cell death in primary cortical cultures, 252P
 Campbell JM, Gilmore DP, Russell D, Growney CA, Favor G, Bennett NK, Payne AP, Davies RW & Stone TW The release of dopamine and its metabolites in the striatum of conscious AS/AGU rats, 278P
 Canaider S, Solito E, Goulding NJ, Flower RJ & Perretti M Increased apoptosis in cells overexpressing lipocortin 1, 41P
 Cannizzaro C *see* Iravani MM, 233P
 Cannizzaro C *see* Zeng B-Y, 61P
 Cao T, Gerard NP & Brain SD Analysis of neurokinin-1 (NK₁) receptor-mediated oedema formation: use of NK₁ knockout mice, 148P
 Cao Z *see* Bonhaus DW, 262P
 Capdeville-Atkinson C *see* Spitzbarth-Régrigny E, 94P
 Capdeville-Atkinson C *see* Vandeputte C, 174P
 Capdeville-Atkinson C *see* Vandeputte C, 175P
 Carey J *see* Coleman RA, 91P
 Carrier MJ *see* Kaw AV, 176P
 Carrier MJ *see* Laight DW, 165P

- Carruthers AM, Sellers LA, Feniuk W & Humphrey PPA The human recombinant sst₂ receptor couples to multiple G proteins in CHO-K1 membranes: quantification by [³⁵S]-GTPγS binding and Gα immunoprecipitation, 124P
- Castleden C Clinical pharmacology of the lower urinary tract: needs met and unmet, 319P
- Castro ME, Harrison PJ & Sharp T Affinity of β-adrenoceptor ligands for pre- and post-synaptic 5-HT_{1A} receptors in rat brain, 260P
- Cellek S, Ziesen T & Moncada S Non-adrenergic non-cholinergic responses in the rabbit vaginal wall are mediated by nitrergic neurotransmission, 98P
- Centonze D *see* Hainsworth AH, 291P
- Cerulli L *see* Nucci C, 297P
- Chadah A, Dawson L & Duty S Effect of 6-hydroxytryptamine-lesioning on the full complement of GABA_A receptor subunit gene expression in the rodent basal ganglia and thalamus, 272P
- Chadha A *see* Dawson L, 60P
- Challiss RAJ *see* Sherriffs HJ, 117P
- Chang LK *see* Bonhaus DW, 262P
- Chapman H *see* Arch JRS, 100P
- Chapple CR *see* Hawthorn MH, 222P
- Charlton P *see* Wheeler RD, 164P
- Charlton SJ, Buckingham RE, Smith SA & Piercy V Differential vasorelaxant effects of rosiglitazone, its metabolites and troglitazone, 214P
- Chatterjee PK, Zacharowski K & Thiemermann C The poly(ADP-ribose) synthetase inhibitor 3-amino-benzamide reduces ischaemia-reperfusion injury in the kidney of the rat *in vivo*, 51P
- Chazot PL *see* Chopra B, 254P
- Chazot PL *see* Hawkins LM, 1P
- Chazot PL *see* Thompson CL, 247P
- Cheetham SC *see* Halford JCG, 239P
- Cheetham SC *see* Hansard MJ, 64P
- Chen Z, Ahluwalia A, Selwood DL, Vallance P & Hingorani AD Enhancement of endothelium-dependent vasodilatation by oestradiol 17-β: role of the pterin pathway, 53P
- Chess-Williams R *see* Hawthorn MH, 222P
- Chessell IP, Michel AD & Humphrey PPA Determinants of human P2X₇ large pore formation, 19P
- Chessell IP *see* Hibell AD, 20P
- Chessell IP *see* Kirkup AJ, 87P
- Chessell IP *see* Simon J, 127P
- Chiang T-J, Mobini S, Al-Ruwaitea ASA, Ho M-Y, Bradshaw CM & Szabadi E Effect of *d*-amphetamine on operant timing behaviour in rats, 243P
- Chillon JM, Régrigny O, Lartaud-Idjouadiene I, Delagrèze P, Scalbert E & Atkinson J Melatonin constricts rat cerebral arterioles *in vivo* by blocking Ca²⁺-activated K⁺ (BK_{Ca}) channels, 34P
- Choppin A, Hegde SS & Eglen RM Pharmacological characterisation of muscarinic receptors in dog ciliary smooth muscle, 93P
- Choppin A, Stepan GJ, Loury D, Watson N & Eglen RM Effect of ovariectomy on muscarinic receptors in rat isolated uterus *in vivo*, 105P
- Chopra B, Chazot PL, Mugnaini M & Stephenson FA A comparison between the binding affinities of two novel glycine site antagonists to cloned NMDA receptor subtypes, 254P
- Chowienzyk P Endothelial dysfunction and oxidative stress in man *in vivo*, 316P
- Chowienzyk PJ *see* Millasseau SC, 221P
- Chowienzyk PJ *see* Stratton PD, 220P
- Chowienzyk PJ *see* Walker H, 73P
- Christian HC *see* Brady MM, 138P
- Christian M & Gillies GE Effects of 17β-oestradiol and environmental oestrogens on developing rat hypothalamic dopaminergic neurones in culture, 141P
- Chu DQ *see* Pintér E, 147P
- Citterio F *see* Adami M, 283P
- Clapham JC *see* Harrold JA, 135P
- Clayton NM *see* Cougnon-Aptel N, 285P
- Clifford JJ, Usiello A, Vallone D, Kinsella A, Borrelli E & Waddington JL Topographical evaluation of behavioural phenotype in a line of mice with targeted gene deletion of the D₂ dopamine receptor, 62P
- Cochran SM, McKerchar CE, Morris BJ & Pratt JA Clozapine and haloperidol evoke differential patterns of local cerebral glucose utilisation in the rat, 289P
- Cockcroft JR *see* Millasseau SC, 221P
- Coelho-de-Souza AN *see* Leal-Cardoso JH, 143P
- Coleman RA, Carey J, Murphy OE & Baxter GS Prostanoid EP receptor mRNA expression in human tissues: correlation with functional expression, 91P
- Collins GGS *see* Dewhurst DG, 298P
- Connor HE *see* Parsons SJW, 120P
- Constanti A *see* Postlethwaite M, 292P
- Constantin-Teodosiu D *see* Rajab P, 27P
- Cook DA *see* Shephard SL, 146P
- Cooper AJ *see* McMullan AJ, 256P
- Corbett AD *see* Paterson SJ, 142P
- Corman B *see* Spitzbarth-Régrigny E, 94P
- Corman B *see* Vandeputte C, 174P
- Corradini L *see* Bertorelli R, 268P
- Cosford N *see* Varney MA, 248P
- Costa S *see* Iravani MM, 232P
- Costa S *see* Iravani MM, 233P
- Costall B *see* Kortekaas R, 228P
- Costall B *see* Kortekaas R, 295P
- Costall B *see* Neill JC, 65P
- Costall B *see* Philpott K, 229P
- Costall B *see* Smith AG, 234P
- Costall B *see* Smith AG, 235P
- Costall B *see* Smith JW, 230P
- Cougnon-Aptel N, Munglani R, Clayton NM, Ward P & Bountra C Changes in spinal cord neuropeptides in the adjuvant model of chronic inflammatory hyperalgesia in the presence and absence of the neurokinin 1 (NK1) receptor antagonist GR205171, 285P
- Cover PO *see* John CD, 137P
- Cover PO *see* Philip JG, 86P
- Cox HM *see* Layland J, 183P
- Cox HM *see* McCloskey DT, 182P
- Crauwels HML, Jordaens FH, Van den Bossche R, Herman AG & Bult H Collar-induced intimal thickening in the rabbit carotid artery after local administration of albumin and glycated albumin, 219P
- Criddle DN, Scarpato HC, Santos GCM & Leal-Cardoso JH Selective inhibitory effects of niflumic acid on 5-HT-induced contraction of the rat isolated fundus, 103P
- Criddle DN *see* Leal-Cardoso JH, 143P
- Croppock HA *see* Upton PD, 139P
- Crosbie AE *see* Callingham BA, 70P
- Cross AJ, Anderson SMP, John VH, De Souza RJ & Green AR Clomethiazole attenuates hypoxia-induced damage to rat cerebellar granule cells *in vitro*, 294P
- Croxall JD *see* Brady MM, 138P
- Culliford SJ & Kozlowski RZ Effects of pyrethroids on volume-sensitive chloride channels, 28P
- Cunningham F *see* Rickards K, 161P
- Curtis MJ *see* Breese EJ, 155P
- Cutler DJ, Morris R, Sheridhar V, Wattam TA, Arch JRS, Wilson S, Buckingham RE & Williams G Immunochemical investigation of a novel hypothalamic feeding peptide, orexin-A: anatomical distribution in rat brain and spinal cord and its relationship to other hypothalamic neurotransmitter systems, 259P
- Czyborra P, Fetscher C, Meyer zu Heringdorf D, Jakobs KH, Michel MC & Bischoff A Rat microvessel contraction by sphingolipids: structure-activity relationship and role of endothelial mediators, 211P
- Czyborra P *see* Fetscher C, 210P
- Dallman MF *see* Kortekaas R, 228P
- Danhof M *see* Van der Graaf PH, 136P

- Daniels S *see* Freeman S, 130P
Dass B *see* Iravani MM, 233P
Dass B *see* Zeng B-Y, 61P
Davenport AP *see* Maguire JJ, 193P
Davenport AP *see* Télamaque-Potts S, 55P
Davenport AP *see* Wiley KE, 180P
Davie CS *see* Pollard CE, 85P
Davies MRP *see* Paterson SJ, 142P
Davies RW *see* Campbell JM, 278P
Dawson L, Chadha A & Duty S Locomotor effects following injection of the group II mGluR agonist, DCG-IV, into the substantia nigra pars reticulata of the reserpine-treated rat model of Parkinson's disease, 60P
Dawson L *see* Chadha A, 272P
Dawson M *see* Bonhaus DW, 262P
de Ceballos ML *see* Serrano A, 269P
de Graaf R *see* Rinia-Feenstra M, 168P
De Greef HJMM *see* Van der Graaf PH, 136P
de Mol BAJM *see* Rinia-Feenstra M, 168P
De Souza RJ *see* Cross AJ, 294P
De Vries P *see* Willems EW, 184P
Delagrangé P *see* Chillon JM, 34P
Delany C, Hawcock AB & Trevethick MA Characterisation of tachykinin NK₁ receptors in the rat isolated oesophagus, 104P
Denney A *see* Laight DW, 165P
Devi LA *see* Harrison C, 271P
Dewhurst DG, Collins GGS & Shafiq I A computer-based interactive tutorial to teach the physiology and pharmacology of the neuromuscular junction to undergraduate students, 298P
Dhein S, Krüsemann K & Pejman P Effects of the I_{K,ATP} blockers glibenclamide and HMR 1883 on cardiac electrophysiology during regional ischaemia and reperfusion, 37P
Dhein S *see* Salameh A, 114P
Dickinson K, North TJ & Jones RB BTS 67 582 may mediate insulin secretion via the putative pancreatic islet imidazoline receptor, 133P
Diener HC *see* Limmoth V, 153P
Diener HC *see* Schubert K, 152P
Ding DC *see* Hinton JM, 217P
Disney G *see* Green A, 112P
Docherty J *see* Lavelle A, 33P
Dolan S, Field LC & Nolan AM Differential expression of nitric oxide synthase isoforms and NADPH-diaphorase staining in spinal cord following carrageenan-induced peripheral inflammation, 288P
Dolan S & Nolan AM Acute mechanical nociceptive processing in sheep is mediated by activation of N-methyl D-aspartate receptors, nitric oxide synthase and cyclooxygenase-2 enzymes, 8P
Dominiczak AF *see* O'Dowd GJ, 167P
Doods H *see* King P, 3P
Dora KA & Garland CJ A role for the endothelium in K⁺ channel modulation of vasoconstriction in rat mesenteric arteries, 36P
Dunn PM *see* Zhong Y, 23P
Duty S *see* Chadha A, 272P
Duty S *see* Dawson L, 60P
Duty S *see* Spencer JPE, 162P
Dyer E *see* Brownhill V, 286P
Ebenezer IS, Parrott RF & Vellucci SV Pretreatment with 8-OH-DPAT or gepirone does not attenuate the depressant effect of CCK on operant food intake in pigs, 258P
Ebenezer IS *see* Houston AJ, 238P
Ebenezer IS *see* Romans KN, 240P
Ebenezer IS *see* Smith M, 245P
Egan TM *see* McMahon RA, 18P
Eglen RM *see* Bonhaus DW, 262P
Eglen RM *see* Choppin A, 93P
Eglen RM *see* Choppin A, 105P
Elliott J & Reynolds GP Agonist-stimulated GTPγ-[³⁵S] binding to 5-HT_{1A} receptors in human post-mortem hippocampus, 263P
Elliott JM, Phipps SL, Pei Q, Zetterstrom T & Grahame-Smith DG Electroconvulsive shock induced localised and persistent increases in BDNF protein in rat brain, 5P
Elliott JM *see* Piacentini L, 179P
Evans AT *see* Babaei H, 140P
Evans AT *see* Hudson NJ, 166P
Evans BA *see* Summers RJ, 126P
Evans P *see* Greenacre S, 151P
Evans TW *see* Price S, 77P
Farthing MJG *see* McCartney SA, 145P
Faull RLM *see* Richards JG, 13P
Faull RLM *see* Richards JG, 99P
Favor G *see* Campbell JM, 278P
Feniuk W *see* Carruthers AM, 124P
Feniuk W *see* Smalley KSM, 125P
Ferber B, Rose S, Jenner A, Halliwell B & Jenner P 6-Hydroxydopamine-induced increase in free radical production in rat striatum is accompanied by oxidative DNA damage: an *in vivo* microdialysis study, 10P
Ferro A *see* Queen LR, 74P
Ferro A *see* Queen LR, 75P
Fetscher C, Czyborra P, Meyer zu Heringdorf D, Jakobs KH, Michel MC & Bischoff A Ceramide relaxes rat mesenteric microvessels, 210P
Fetscher C *see* Czyborra P, 211P
Field LC *see* Dolan S, 288P
Finn DP, Harbuz MS, Nutt DJ & Hudson AL The imidazoline, (I₁) site-selective ligand BU224 elevates plasma corticosterone in rats, 134P
Finnis-Lane C, Turner L & Tang K Nitric oxide mediates relaxation of rabbit corpus cavernosum through activation of cGMP-dependent protein kinases, 223P
Fletcher S, Hope AG, Franklin FCH & Barnes NM Isolation of a partial cDNA clone of the porcine 5-HT_{3A} receptor subunit, 131P
Flippin LA *see* Bonhaus DW, 262P
Flor PJ *see* Gasparini F, 249P
Flor PJ *see* Varney MA, 248P
Flower RJ *see* Brady MM, 138P
Flower RJ *see* Canaider S, 41P
Flower RJ *see* Getting SJ, 45P
Flower RJ *see* John CD, 137P
Flower RJ *see* Philip JG, 86P
Fone KCF *see* Bentley JC, 66P
Foord SM *see* Fraser NJ, 123P
Ford APDW *see* Bennett GC, 12P
Ford WR & Hiley CR Angiotensin AT₂ receptor stimulation exacerbates myocardial ischaemia-reperfusion injury, 47P
Foster M *see* Hele DJ, 158P
Fox A *see* Patel S, 274P
Franklin FCH *see* Fletcher S, 131P
Franklin JL & Strange PG Agonist-induced up-regulation of an epitope-tagged human D_{2(short)} dopamine receptor subunit, 16P
Fraser NJ, Main MJ, Brown J, Wise A & Foord SM The amino termini of RAMPs determine the glycosylation state of CRLR and whether it is an adrenomedullin or CGRP receptor, 123P
Fraser S *see* Lansdell KA, 215P
Freeman S, Sharpe PM, Daniels S, Riley I & Poucher SM Protease-activated receptor (PAR-2) mediated mitogenic response in human lung fibroblasts, 130P
Frenguelli BG *see* Harney SC, 7P
Fuhrmann R *see* Hammermann R, 150P
Furman BL *see* Zhang L, 218P
Gadsdon P *see* Jeremy JY, 31P
Gardiner SM, Kemp PA, March JE, Reffin D, Mullins JJ & Bennett T Interindividual variability in blood pressures of male, heterozygous ((mRen-2)27) transgenic rats, 188P
Gardiner SM, Kemp PA, March JE & Bennett T Effects of FR 167653 on the haemodynamic responses to lipopolysaccharide infusion in conscious rats, 186P
Gardiner SM, Kemp PA, March JE & Bennett T Effects of glibenclamide on vasodilatation during endotoxaemia in conscious rats, 187P
Gardiner SM *see* Rajab P, 27P
Gardner NM, Gumbleton M & Broadley KJ Effect of mast cell degranulation

- on A₁-receptor-mediated protection from hypoxia-induced myocardial stunning, 194P
- Gardner NM *see* Zaini Asmawi M, 216P
- Garland CJ *see* Dora KA, 36P
- Garland CJ *see* Hinton JM, 217P
- Garland CJ *see* Sampson LJ, 173P
- Garrett L, Barton C, Bristow LJ & Hutson PH The selective 5-HT_{2C/2B} receptor antagonist SB221284 enhances the behavioural and biochemical effects of morphine in mice, 237P
- Gasparini F, Lingenhoehl K, Flor PJ, Munier N, Heinrich M, Vranesic I, Biollaz M, Heckendorn R, Allgeier H, Varney M, Johnson E, Hess SD, Velicelebi G & Kuhn R Methylphenylethynylpyridine (MPEP): a novel potent, subtype-selective and systemically active antagonist at metabotropic glutamate receptor subtype 5, 249P
- Gasparini F *see* Bowes M, 250P
- Gasparini F *see* Varney MA, 248P
- Geerts IS, Matthys KE, Herman AG & Bult H Enhanced activity of serotonin receptors in the collared carotid artery of the rabbit, 39P
- Gehring D *see* Ruetten H, 200P
- Gentry C *see* Bowes M, 250P
- Gentry CT *see* Patel S, 274P
- George SJ *see* Jeremy JY, 31P
- Gerard NP *see* Cao T, 148P
- Getting SJ, Flower RJ & Perretti M ACTH 4–10 activates melanocortin type 3 receptor to inhibit neutrophil migration, 45P
- Ghatei MA *see* Upton PD, 139P
- Giles H *see* Parsons SJW, 120P
- Gillard NP *see* Lansdell KA, 215P
- Gillies GE *see* Christian M, 141P
- Gilmore DP *see* Campbell JM, 278P
- Giuliano F *see* Bukasa A, 156P
- Goddard H & Terrar DA Effects of halothane on calcium transients and contractions in guinea-pig and rat isolated ventricular myocytes, 203P
- Godfraind T *see* Krensek P, 192P
- Goetghebuer P *see* Lightowler S, 241P
- Gomes P & Soares-da-Silva P Characteristics of L-DOPA and L-5-HTP transport in RBE4 cells, an immortalised cell line of rat capillary cerebral endothelial cells, 132P
- Gomes P & Soares-da-Silva P Interaction between L-DOPA and 3-O-methyl-L-DOPA at the level of the blood-barrier depends on cellular location of the substrates, 111P
- Göthert M *see* Messeri DM, 157P
- Goulding NJ *see* Canaider S, 41P
- Grahame-Smith DG *see* Elliott JM, 5P
- Grandy DK *see* Harrison C, 271P
- Grandy DK *see* Okawa H, 270P
- Graves JE, Taylor PD, Antonios TFT, MacAllister RJ & Singer DRJ Vascular reactivity of isolated subcutaneous fat resistance arteries from older people, 95P
- Graves JE *see* Singh N, 96P
- Grayson B, Mohammed H & Kelly ME The effect of quinpirole in a murine place conditioning paradigm, 231P
- Green A, O'Shaughnessy C, Disney G, Rees S & Marshall F Reporter assays for human cannabinoid CB1 and CB2 receptors for the identification of novel agonists, 112P
- Green AR *see* Cross AJ, 294P
- Greenacre S, Ridger V, Evans P, Halliwell B & Brain SD Detection of nitrated proteins in peroxynitrite-treated rat skin and effects of nitrated plasma proteins on plasma extravasation, 151P
- Greenhaff PL *see* Rajab P, 27P
- Greenhouse RJ *see* Bonhaus DW, 262P
- Griffin GE *see* Hingorani AD, 52P
- Growney CA *see* Campbell JM, 278P
- Grundy D *see* Kirkup AJ, 87P
- Grundy MM *see* Lever R, 43P
- Gryf-Lowczowski JVD *see* Alexander B, 40P
- Guerrini R *see* Okawa H, 270P
- Guile SD *see* Pollard CE, 85P
- Gumbleton M *see* Gardner NM, 194P
- Hacksell U *see* Payne SL, 109P
- Hainsworth AH, Marfia GA, Centonze D, Leach MJ, Bernardi G & Calabresi P The neuroprotective agent BW-619C89 inhibits neuronal excitability and synaptic transmission in rat corticostriatal slices, 291P
- Hajós-Korcsok H, McTavish SFB & Sharp T Effect of selective monoamine uptake inhibitors on extracellular 5-HT and noradrenaline in the hippocampus of the awake rat, 261P
- Halford JCG, Cheetham SC, Heal DJ & Blundell JE Effects in the rat of BTS 71 091 on food intake and the behavioural satiety sequence, 239P
- Hall IP *see* Billington CK, 84P
- Hall IP *see* Billington CK, 119P
- Hall IP *see* Scott MGH, 122P
- Hall JM *see* Nicholls J, 195P
- Halliwell B *see* Ferger B, 10P
- Halliwell B *see* Greenacre S, 151P
- Halliwell B *see* Spencer JPE, 162P
- Hamilton CA *see* O'Dowd GJ, 167P
- Hamilton LC & Warner TD Death of rat aortic smooth muscle cells is reduced by heme oxygenase-1 induction and by exogenous biliverdin, 46P
- Hamilton S *see* Roberts SJ, 144P
- Hamilton S *see* Summers RJ, 126P
- Hammermann R, Mössner J, Fuhrmann, Wessler I & Racké K Parallel regulation of L-arginine transport and NO synthesis, and mRNA expression for different cationic amino acid transporters and inducible NO synthase in rat alveolar macrophages, 150P
- Hammermann R *see* Messeri DM, 157P
- Hansard MJ, Smith LA, Jackson MJ, Cheetham SC & Jenner P The ability of selective monoamine reuptake inhibitors to reverse the motor and behavioural deficits in MPTP-treated common marmosets, 64P
- Haq S *see* Lever R, 43P
- Harbuz MS *see* Finn DP, 134P
- Harden TK *see* Kennedy C, 21P
- Harden TK *see* Kennedy C, 22P
- Hargreaves RJ *see* Shephard SL, 146P
- Harney SC, Frenguelli BG & Lambert JJ Neurosteroid modulation of GABA_A receptor-mediated miniature inhibitory postsynaptic currents in the rat hippocampus, 7P
- Harper EA, Hasseldine A, Shankley NP & Black JW Comparison of the apparent affinity of histamine H₃-receptor ligands in guinea-pig cortex and ileum longitudinal muscle myenteric plexus: further evidence for receptor heterogeneity, 101P
- Harper EA, Nelson RJ, Shankley NP & Black JW Characterisation of the binding of [³H]-histamine to histamine H₃-receptor sites in guinea-pig cerebral cortex membranes, 102P
- Harrington LS *see* Pell TJ, 208P
- Harrison C, McNulty S, Smart D, Rowbotham DJ, Grandy DK, Devi LA & Lambert DG Intracellular Ca²⁺ in single adherent Chinese hamster ovary cells is increased through activation of recombinant μ , δ and κ opioid receptors, 271P
- Harrison PJ *see* Castro ME, 260P
- Harrold JA, Widdowson PS, Clapham JC & Williams G Changes in uncoupling protein mRNAs in dietary-obese rats and their relationship to thermogenesis, 135P
- Harrold JA *see* Malek JA, 267P
- Harrold JA *see* Park S-Y, 264P
- Hartshorn S *see* Callingham BA, 70P
- Harvey DJ *see* Nahas GG, 299P
- Hasseldine A *see* Harper EA, 101P
- Hawcock AB *see* Delany C, 104P
- Hawkins LM, Chazot PL & Stephenson FA Characterisation of the binding of [³H]-Ro 25-6981 to recombinant N-methyl-D-aspartate receptors, 1P
- Hawthorn MH, Chapple CR, Noble AJ & Chess-Williams R Role of tyrosine kinase in mediating noradrenaline-induced contractions in human prostate, 222P
- Heal DJ *see* Calvert GR, 252P
- Heal DJ *see* Halford JCG, 239P
- Heal DJ *see* Prow MR, 257P
- Heal DJ *see* Rowley HL, 244P

- Heapy CG *see* Loxham SJG, 35P
- Heath BM & Terrar DA Regulation of cyclic ADP ribose (cADPR) production by protein kinase A in cardiac ventricular microsomes prepared from guinea-pig heart, 204P
- Heckendorn R *see* Gasparini F, 249P
- Hegde SS *see* Choppin A, 93P
- Heijenbrok FJ, Mathy M-J, Pfaffendorf M & van Zwieten PA Increased β -adrenergic vasorelaxant responses in rat carotid arteries with neointima are not related to alteration in the NO system, 76P
- Heiligers JPC *see* Willems EW, 184P
- Heinrich M *see* Gasparini F, 249P
- Heinroth-Hoffmann I *see* Pönicke K, 212P
- Hele DJ, Birrell M, Foster M, Webber SE & Belvisi MG The effect of endothelin antagonists on endothelin-1 and lipopolysaccharide-induced microvascular leakage in rat airways, 158P
- Helme RD & Khalil Z Inflammation and pain in the ageing population, 311P
- Helmi A *see* Munavvar AS, 185P
- Henderson G *see* Patel MK, 11P
- Hendrie CA & Starkey NJ Prosocial effects of chronic fluoxetine in pair-disrupted female gerbils, 67P
- Hendrie CA *see* Starkey NJ, 236P
- Herman AG *see* Crauwels HML, 219P
- Herman AG *see* Geerts IS, 39P
- Herold CL *see* Kennedy C, 21P
- Hess SD *see* Gasparini F, 249P
- Hess SD *see* Varney MA, 248P
- Hestin D & Johns EJ Renal reperfusion injury is ameliorated by allopurinol, 59P
- Hewitt PJ *see* Hudson NJ, 166P
- Hibell AD, Simon J, Michel AD, Chessell IP & Humphrey PPA Species differences between P2X₇ receptors, 20P
- Hiley CR *see* Callingham BA, 70P
- Hiley CR *see* Ford WR, 47P
- Hiley CR *see* White R, 38P
- Hingorani AD, Bhagat K, Palacios M, Griffin GE, MacAllister RJ & Vallance P Acute systemic inflammation impairs endothelium-dependent dilatation in humans, 52P
- Hingorani AD *see* Chen Z, 53P
- Hinton JM, Plane F, Ding DC, Bolton S & Garland CJ Modification of 5-HT-induced vasoconstriction of porcine isolated coronary arteries in the presence of an oxygen scavenger, 217P
- Hirst RA *see* Okawa H, 270P
- Hladky SB *see* Wheeler RD, 164P
- Ho M-Y *see* Chiang T-J, 243P
- Hobbs AJ *see* Hussain MB, 71P
- Hollingsworth M *see* Al-Taher AY, 128P
- Honbo NY *see* Piacentini L, 179P
- Horner V *see* Lavelle A, 33P
- Hope AG *see* Fletcher S, 131P
- Hopkins E *see* Russell RJ, 224P
- Horton J, Williams A, Smith-Phillips Z, Martin R & O'Beirne G Direct intracellular measurement of prostaglandin (PG) E₂ synthesis in mouse cultured fibroblast cells: effect of cyclooxygenase (COX) inhibitors, 154P
- Hoult JRS *see* Pintér E, 44P
- Hoult JRS *see* Pintér E, 147P
- Hourani SMO *see* Nicholls J, 195P
- Hourani SMO *see* Park H-S, 196P
- Hourani SMO *see* Prentice DJ, 197P
- Houston AJ, Wong JCL & Ebenezer IS The effects of the GABA_B agonist baclofen on volaemic drinking in rats, 238P
- Hoyer D *see* Siehler SS, 25P
- Hoyer D *see* Siehler SS, 26P
- Hudson AL, Price R, Tyacke RJ, Lallies MD, Parker CA & Nutt DJ Harmane, norharmane and tetrahydro β -carboline have high affinity for rat imidazole binding sites, 2P
- Hudson AL *see* Finn DP, 134P
- Hudson AL *see* Parker CA, 106P
- Hudson NJ, Hewitt PJ, Yeung CK, Smyth JW & Evans AT Effect of process parameters on the dopamine and lipid peroxidation potential of welding fumes of markers for neurotoxicity, 166P
- Hughes J *see* Meecham KG, 275P
- Humphrey PPA *see* Carruthers AM, 124P
- Humphrey PPA *see* Chessell IP, 19P
- Humphrey PPA *see* Hibell AD, 20P
- Humphrey PPA *see* Kirkup AJ, 87P
- Humphrey PPA *see* Simon J, 127P
- Humphrey PPA *see* Smalley KSM, 125P
- Hunter J Neuroprotectant agents and stroke: high-risk or golden opportunity? 323
- Hurley PT *see* McMahon RA, 18P
- Hussain MB, Hobbs AJ & MacAllister RJ Enhanced sensitivity of the soluble guanylate cyclase/cyclic GMP system in the eNOS knockout mouse, 71P
- Hutchinson DS *see* Summers RJ, 126P
- Hutson PH *see* Barton CL, 284P
- Hutson PH *see* Garrett L, 237P
- Hyde JE, Smith SE, Ainsworth K & Sharp T Repeated administration of venlafaxine, maprotiline and mianserin increases dopamine D₂ but not D₁ receptor expression in the nucleus accumbens of the rat, 280P
- IJzerman AP *see* Van der Graaf PH, 136P
- Iravani MM, Costa S, Jackson MJ, Dass B, Cannizzaro C, Tel B, Yeng B-Y, Pearce RKB & Jenner P GDNF-induced proliferation of nigral dopamine neurons and reduction of striatal expression of preproenkephalin mRNA in MPTP-treated, L-DOPA-primed common marmosets, 233P
- Iravani MM, Costa S, Jackson MJ, Pearce RKB & Jenner P Reduction of L-DOPA-induced dyskinesias following intraventricular administration of GDNF in common marmosets, 232P
- Iversen LL Targeting age-related disorders in the brain, 304P
- Jachec C *see* Varney MA, 248P
- Jackson CL *see* Miller AL, 172P
- Jackson G *see* Walker H, 73P
- Jackson M *see* Treseder SA, 63P
- Jackson MJ *see* Hansard MJ, 64P
- Jackson MJ *see* Iravani MM, 232P
- Jackson MJ *see* Iravani MM, 233P
- Jaffar M *see* Leal-Cardoso JH, 143P
- Jaime S *see* Bonhaus DW, 262P
- Jakobs KH *see* Czyborra P, 211P
- Jakobs KH *see* Fetscher C, 210P
- Jamal H *see* Smith DM, 226P
- Javitch JA *see* Wilson J, 108P
- Jay MT *see* Barton CL, 284P
- Jenner A *see* Ferger B, 10P
- Jenner P *see* Ferger B, 10P
- Jenner P *see* Hansard MJ, 64P
- Jenner P *see* Iravani MM, 232P
- Jenner P *see* Iravani MM, 233P
- Jenner P *see* Rose S, 6P
- Jenner P *see* Treseder SA, 63P
- Jenner P *see* Zeng B-Y, 61P
- Jensen MW *see* Landells LJ, 163P
- Jeremy JY, Lloyd CT, Mehta D, Johnson JL, George SJ, Birkett S, Gadsdon P & Angelini GD Pretreatment of porcine vein grafts with thapsigargin reduces neointimal thickness, 31P
- Jeremy JY *see* Miller AL, 172P
- Jobson TM *see* Billington CK, 84P
- Jobson TM *see* Scott MGH, 122P
- Johansson AM *see* Payne SL, 109P
- John CD, Cover PO, Taylor AD, Morris JF, Flower RJ, Solito E & Buckingham JC Evidence from *in vivo* and *in vitro* studies that the inhibitory actions of lipocortin 1 on anterior pituitary function require amino acid residues 13–26, 137P
- John VH *see* Cross AJ, 294P
- Johns EJ *see* Hestin D, 59P
- Johns EJ *see* Munavvar AS, 185P
- Johnson E *see* Gasparini F, 249P
- Johnson EC *see* Varney MA, 248P
- Johnson JL *see* Jeremy JY, 31P
- Jonassen AK, Brar BK, Mjøs OD, Sack MN, Latchman DA, Baxter GF & Yellon DM Insulin modifies myocyte apoptosis and reduces myocardial infarct size when administered at reperfusion: a novel mechanism of

- protection, 201P
- Jones H, Paul W & Page CP Differential effects of unfractionated heparin and poly-L-glutamic acid on rabbit cutaneous responses, 149P
- Jones RB *see* Dickinson K, 133P
- Jordaens FH *see* Crauwels HML, 219P
- Kanumilli S, Toms NJ, Philpotts J & Roberts PJ Novel glutamate-mediated inhibition of forskolin-stimulated cyclic AMP accumulation in rat cultured cerebellar astrocytes, 121P
- Karliner JS *see* Piacentini L, 179P
- Kaumann AJ *see* Arch JRS, 100P
- Kaw AV, Laight DW, Änggård EE & Carrier MJ Evidence for enhanced endothelium-dependent vasodilation *in vitro* in the obese Zucker rat independent of nitric oxide and prostanoids, 176P
- Kelly J *see* Arch JRS, 100P
- Kelly ME *see* Babaei H, 140P
- Kelly ME *see* Grayson B, 231P
- Kelly RP *see* Millasseau SC, 221P
- Kelso EJ *see* Spiers JP, 189P
- Kemp PA *see* Gardiner SM, 186P
- Kemp PA *see* Gardiner SM, 187P
- Kemp PA *see* Gardiner SM, 188P
- Kennedy C, Herold CL, Qi A, Nicholas RA & Harden TK Differing pharmacological properties of the human and rat P3Y4 receptors, 21P
- Kennedy C, Qi A, Nicholas RA & Harden TK Differential coupling of the human P2Y11 receptor to phospholipase C and adenylyl cyclase, 22P
- Kennedy MD, Steward LJ, Morris BJ & Pratt JA Continuous subcutaneous delivery of haloperidol increases D2 receptor binding in rat striatum, 276P
- Kennedy MD *see* Steward LJ, 265P
- Kennett GA *see* Lightowler S, 241P
- Kentish JC *see* Layland J, 183P
- Kentish JC *see* McCloskey DT, 182P
- Kerwin R Genomics and drug invention, 303P
- Keys B *see* Bunday RA, 116P
- Khakh BS *see* Patel MK, 11P
- Khalil Z *see* Helme RD, 311P
- Kilpatrick IC *see* Prow MR, 257P
- Kilpatrick IC *see* Rowley HL, 244P
- King BF *see* Brown SG, 24P
- King P, Widdowson PS, Doods H & Williams G Regulation of neuropeptide Y release from hypothalamic slices by Y1, Y2 and Y5 NPY receptor ligands, 3P
- Kinsella A *see* Clifford JJ, 62P
- Kirkman E, Ohnishi M & Watkins P Effects of morphine on the response to primary thoracic blast injury in the anaesthetized rat, 30P
- Kirkman E *see* Ohnishi M, 29P
- Kirkpatrick CJ *see* Wessler I, 92P
- Kirkup AJ, Grundy D, Chessell IP & Humphrey PPA α, β -Methylene-ATP evokes excitation of mesenteric afferent nerves, 87P
- Kirkwood TBL Cellular mechanisms of ageing, 307P
- Kirkwood TBL Normal and abnormal ageing processes in man, 301P
- Klingelschmidt A *see* Richards JG, 13P
- Kloek JJ *see* Rinia-Feenstra M, 168P
- Koek W *see* Assié MB, 255P
- Koenig JA *see* Smalley KSM, 125P
- Kortekaas R, Bhatnagar S, Dallman MF, Costall B & Smythe JW Effects of different stress stimuli on paraventricular thalamic neurone discharge rates, 228P
- Kortekaas R, Costall B & Smythe JW Additional evidence for an EEG arousal effect of the median raphe nucleus in the rat, 295P
- Kortekaas R *see* Philpott K, 229P
- Kozlowski RZ *see* Culliford SJ, 28P
- Kredan MB, Lang D & Lewis MJ Anti-oxidant vitamins C and E inhibit homocysteine-induced production of superoxide anions by cultured porcine aortic endothelial cells, 171P
- Krenek, Kyselovic J, Morel N, Wibo M & Godfraind T Angiotensin-induced endothelin expression in isolated rat aorta, functional consequence and inhibition by calcium antagonist, 192P
- Krüsemann K *see* Dhein S, 37P
- Kuhn R *see* Bowes M, 250P
- Kuhn R *see* Gasparini F, 249P
- Kuhn R *see* Varney MA, 248P
- Kyselovic J *see* Krenek P, 192P
- Lacey MG *see* Tofighy A, 9P
- Laight DW, Denney A, Änggård EE & Carrier MJ Physiological microassay of tissue glutathione status *in vitro*, 165P
- Laight DW *see* Kaw AV, 176P
- Lalies MD *see* Hudson AL, 2P
- Lambert DG *see* Harrison C, 271P
- Lambert DG *see* Okawa H, 270P
- Lambert DG *see* Siniscalchi A, 266P
- Lambert JJ *see* Harney SC, 7P
- Lancashire B *see* Prow MR, 257P
- Landells LJ, Jensen MW, Orr LM, Spina D, O'Connor BJ & Page CP Effect of PDE3 and PDE4 inhibitors on proliferation of human peripheral blood mononuclear cells from healthy and asthmatic donors, 163P
- Lang D *see* Bell JP, 170P
- Lang D *see* Kredan MB, 171P
- Lang D *see* Mosfer SI, 191P
- Lankhuizen IM, van Veghel R, Saxena PR & Schoemaker RG Effects of AVP and antagonists on coronary and mesenteric arteries in infarcted rats, 205P
- Lansdell KA, Fraser S, Gillard NP & Patmore L Effects of cisapride on the cardiac action potential recorded in sheep isolated Purkinje fibres, 215P
- Lartaud-Idjouadiene I *see* Chillon JM, 34P
- Latchman DS *see* Jonassen AK, 201P
- Latimer RD *see* Callingham BA, 70P
- Lavelle A, Honner V & Docherty J Investigation of the effects of MDMA at α -adrenoceptors in the rat, 33P
- Layland J & Kentish JC The effects of α_1 - and β_2 -adrenoceptor stimulation on the frequency for maximum power output (f_{op}) of rat isolated cardiac trabeculae undergoing 'physiological' contractions, 183P
- Leach MJ *see* Hainsworth AH, 291P
- Leal-Cardoso HJ *see* Criddle DN, 103P
- Leal-Cardoso JH, Lima CC, Coelho-de-Souza AN, Monte FJQ, Jaffar M & Criddle DN Effects of methyl-eugenol on the contractile activity of the guinea-pig isolated ileum, 143P
- Lee K *see* White R, 38P
- Lees P *see* Rickards K, 161P
- Leeuwijn RS *see* Zeegers A, 209P
- Leff P *see* Pollard CE, 85P
- Lever R, Haq S, Grundy MM, Richardson NV & Page CP Effects of heparinases and heparin upon the adhesive functions and surface characteristics of human umbilical vein endothelial cells, 43P
- Lewis L *see* Pei Q, 277P
- Lewis MJ *see* Bell JP, 170P
- Lewis MJ *see* Kredan MB, 171P
- Lewis MJ *see* Mosfer SI, 191P
- Libri V *see* Postlethwaite M, 292P
- Lightowler S, Goetghebeur P, Weiss SM & Kennett GA Effect of withdrawal from chronic chlordiazepoxide administration in the rat elevated zero maze test of anxiety, 241P
- Limmroth V, Bischoff A, Yu X, Moskowitz MA, Diener HC & Michel MC Inhibition of neurogenic inflammation by ketoprofen does not involve cyclo-oxygenase inhibition, 153P
- Limmroth V *see* Schubert K, 152P
- Lindahl T Repair of endogenous damage to DNA, 308P
- Ling A *see* Battram CH, 160P
- Lingenhoehl K *see* Gasparini F, 249P
- Little RA *see* Ohnishi M, 29P
- Liu XH & Morris R The effects of metabotropic glutamate receptor agonists on neurones in the superficial laminae (LI III) of the dorsal horn of the rat lumbar spinal cord *in vitro*, 251P
- Lloyd CT *see* Jeremy JY, 31P
- Lombardo M *see* Nucci C, 297P
- Loury D *see* Choppin A, 105P
- Loxham SJG, Poucher SM & Heapy CG

- The haemodynamic profile of the potassium channel opener, ZD6169, in the anaesthetised dog, 35P
- Lucas-Teixeira VA, Vieira-Coelho MA, Serrão MP & Soares-da-Silva P Fasting enhances α_2 -adrenoceptor-mediated effects on jejunal epithelial transport in 20-day-old rats, 88P
- Lyons D Converting enzyme, the sympathetic nervous system and endothelial function in relation to ageing, 317P
- MacAllister RJ *see* Graves JE, 95P
- MacAllister RJ *see* Hingorani AD, 52P
- MacAllister RJ *see* Hussain MB, 71P
- MacAllister RJ *see* Singh N, 96P
- McCartney SA, Mitchell JA, Farthing JG & Warner TD GM-CSF is produced in high concentrations by inflamed colonic mucosa from patients with ulcerative colitis and is down-regulated by co-incubation with dexamethasone, 145P
- McCloskey DT & Kentish JC Lack of effect of inositol 1,4,5-trisphosphate on Ca^{2+} uptake into, and Ca^{2+} release from, the sarcoplasmic reticulum in saponin-skinned isolated ventricular muscles from rat, 182P
- McCurrie JR *see* Babaei H, 140P
- McDermott BJ *see* Spiers JP, 189P
- McKerchar CE *see* Cochran SM, 289P
- McKnight AT *see* Brownhill V, 286P
- McKnight AT *see* Malek JA, 267P
- McMahon RA, Hurley PT, Egan TM, Nelson A, Rogers M & Martin F Genomic structure of the human P2X₂ receptor: alternative splicing generates multiple transcripts, 18P
- McMullan AJ, Cooper AJ, Abramowski D & Barnes NM Cellular localisation of the 5-HT_{2C} receptor in the rat brain, 256P
- McNulty S *see* Harrison C, 271P
- McPhaden AR *see* Miller AM, 199P
- McQuade R *see* Pei Q, 277P
- Macrae IM *see* Miller WH, 181P
- McTavish SFB *see* Hajós-Korcsok É, 261P
- Maguire JJ, Ahn K & Davenport AP Inhibition of big endothelin-1 (big ET-1) responses in endothelium-denuded human coronary artery by the selective endothelin-converting enzyme-1 (ECE-1) inhibitor PD159790, 193P
- Main MJ *see* Fraser NJ, 123P
- Malek JA, Widdowson PS, Harrold JA, McKnight AT & Williams G Changes in nociceptin receptor density in dietary-obese rats, 267P
- Malherbe P *see* Richards JG, 13P
- Mamas MA & Terrar DA Actions of arachidonic acid on contraction and spontaneous activity in guinea-pig isolated ventricular myocytes, 202P
- Mann GE Endothelial cell gene expression and oxidative stress, 315P
- March JE *see* Gardiner SM, 186P
- March JE *see* Gardiner SM, 187P
- March JE *see* Gardiner SM, 188P
- Marfia GA *see* Hainsworth AH, 291P
- Marsden CA *see* Bentley JC, 66P
- Marsden CD *see* Treseder SA, 63P
- Marshall F *see* Green A, 112P
- Marshall HW *see* Ohnishi M, 29P
- Marshall I *see* Amaechi U, 107P
- Martin F *see* McMahon RA, 18P
- Martin F *see* Page DT, 17P
- Martin GR *see* Bonhaus DW, 262P
- Martin IL *see* Steele JA, 15P
- Martin KF *see* Calvert GR, 252P
- Martin R *see* Horton J, 154P
- Martin W Oxidative stress and abnormal neurotransmission in genital smooth muscle, 321P
- Mathy M-J *see* Heijnenbroek FJ, 76P
- Mathy M-J *see* Peters SLM, 169P
- Mathy M-J *see* Pfaffendorf M, 213P
- Matthys KE *see* Geerts IS, 39P
- Mayer RJ *see* Rajab P, 27P
- Mazzei FA *see* Megson IL, 78P
- Meecham KG, Blyth KL, Hughes J & Williams RG [³H]-Gabapentin binding in the rat spinal cord following local ibotenic acid injections, 275P
- Megson IL, Roseberry MJ, Miller MR, Mazzei FA, Butler AR & Webb DJ S-Nitrosothiols are nitric oxide donor drugs that do not engender vascular tolerance and remain effective in glyceryl trinitrate-tolerant rat femoral arteries, 78P
- Mehta D *see* Jeremy JY, 31P
- Menzies JRW *see* Paterson SJ, 142P
- Messer J *see* Richards JG, 13P
- Messer J *see* Richards JG, 99P
- Messeri DM, Hammermann R, Gothert M & Racké K Extracellular ATP enhances responsiveness of rat alveolar macrophages to lipopolysaccharides (LPS) to induce nitric oxide synthesis, 157P
- Meurer L *see* Barton CL, 284P
- Meyer zu Heringdorf D *see* Czyborra P, 211P
- Meyer zu Heringdorf D *see* Fetscher C, 210P
- Michael-Titus AT, Whelpton R & Blackburn DM [³H]-Substance P binding in striatal slices: interaction with substance P fragments, 113P
- Michel AD *see* Chessell IP, 19P
- Michel AD *see* Hibell AD, 20P
- Michel AD *see* Simon J, 127P
- Michel MC *see* Bischoff A, 32P
- Michel MC *see* Czyborra P, 211P
- Michel MC *see* Fetscher C, 210P
- Michel MC *see* Limmroth V, 153P
- Michel MC *see* Schubert K, 152P
- Middlemiss DN *see* Thomas DR, 14P
- Millan MJ *see* Audinot V, 83P
- Millasseau SC, Bland JE, Kelly RP, Prasad K, Cockcroft JR, Ritter JM & Chowienzyk PJ Comparison of effects of GTN on the digital volume and radial pressure pulse waveforms, 221P
- Miller AL, Jackson CL, Jeremy JY & Plane F Recovery of relaxation to acetylcholine in mouse isolated carotid arteries ten days after endothelial denudation *in vivo*, 172P
- Miller AM, McPhaden AR, Wadsworth RM & Wainwright CL Mechanisms underlying leucocyte adhesion following vascular injury and the relevance of leukocytes in neointima formation in a rabbit model of restenosis, 199P
- Miller MR *see* Megson IL, 78P
- Miller WH, Macrae IM & Wadsworth RM Reduction of nitrgic neuronal vasodilation in rabbit basilar arteries, 181P
- Mitchell JA *see* Breese EJ, 155P
- Mitchell JA *see* Bukasa A, 156P
- Mitchell JA *see* McCartney SA, 145P
- Mitchell JA *see* Price S, 77P
- Mitchell JA *see* Stanford SJ, 42P
- Mitchell JA *see* Stanford SJ, 79P
- Mitchell JA *see* Woods M, 50P
- Mitchell JA *see* Woods M, 177P
- Mjøs OD *see* Jonassen AK, 201P
- Mobini S *see* Chiang T-J, 243P
- Mocanu MM, Baxter GF & Yellon DM Transforming growth factor β 1 limits infarct size when administered prior to reperfusion in a rat isolated heart model, 198P
- Mohammad H *see* Grayson B, 231P
- Molenaar P *see* Arch JRS, 100P
- Moncada S Endothelium-derived nitric oxide, 314P
- Moncada S *see* Celtek S, 98P
- Monopoli A *see* Adami M, 283P
- Monte FJQ *see* Leal-Cardoso JH, 143P
- Morel N *see* Krensek P, 192P
- Morrell NW *see* Upton PD, 139P
- Morris BJ *see* Cochran SM, 289P
- Morris BJ *see* Kennedy MD, 276P
- Morris BJ *see* Steward LJ, 265P
- Morris JF *see* Brady MM, 138P
- Morris JF *see* John CD, 137P
- Morris JF *see* Philip JG, 86P
- Morris R *see* Cutler DJ, 259P
- Morris R *see* Liu XH, 251P
- Morrone LA *see* Richards DA, 253P
- Mortimore MP *see* Pollard CE, 85P
- Mosfer S, Lang D & Lewis MJ Endothelin-1-induced superoxide anion production by guinea-pig coronary microvascular endothelial cells: a role in left ventricular hypertrophy, 191P
- Moskowitz MA *see* Limmroth V, 153P
- Mössner J *see* Hammermann R, 150P
- Mota-Filipe H, Bowes J & Thieme-

- mann C The stable nitroxide radical tempol protects human endothelial cells against the cellular injury caused by hydrogen peroxide, 206P
- Mugnaini M *see* Chopra B, 254P
- Mullins JJ *see* Gardiner SM, 188P
- Munavvar AS, Armneia A, Yusof APM, Helmi A & Johns EJ Evaluation of α_1 -adrenoceptor subtypes in the renal vasculature of diabetic spontaneously hypertensive rats, 185P
- Munglani R *see* Cougnon-Aptel N, 285P
- Munier N *see* Gasparini F, 249P
- Murkitt KL & Wood MD Allosteric modulation of functional responses at the hM1 and hM3 receptors by brucine and gallamine, 290P
- Murphy OE *see* Coleman RA, 91P
- Mutel V *see* Richards JG, 13P
- Naeem S *see* Patel S, 274P
- Nahas GG & Harvey D Psychoactive cannabinoids and membrane signalling: a putative mechanism, 299P
- Nahorski SR *see* Bunday RA, 116P
- Nahorski SR *see* Sherriffs HJ, 117P
- Nandha KA *see* Smith DM, 226P
- Naylor AM Phosphodiesterase inhibitors: a novel approach to combat erectile dysfunction, 322P
- Naylor AM *see* Wibberley A, 97P
- Needham PL *see* Rowley HL, 244P
- Neill JC, Wilson AW & Costall B 5-HT agonists attenuate operant responding for an ethanol paired conditioned stimulus, 65P
- Neill JC *see* Hendrie CA, 67P
- Neill JC *see* Smith AG, 234P
- Neill JC *see* Smith AG, 235P
- Neill JC *see* Starkey NJ, 236P
- Nelson A *see* McMahon RA, 18P
- Nelson RJ *see* Harper EA, 102P
- Newgreen DT *see* Nunn PA, 227P
- Newgreen DT *see* Williamson IJR, 225P
- Newman-Tancredi A *see* Audinot V, 83P
- Nguyen T-D & Thorin E Effect of bosentan on myogenic tone and α -adrenergic-dependent contraction of rabbit resistance arteries, 190P
- Nguyen T-D *see* Blanchette A, 54P
- Nicholas RA *see* Kennedy C, 21P
- Nicholas RA *see* Kennedy C, 22P
- Nicholls J, Hourani SMO & Hall JM Characterisation of receptors mediating vasomotor effects of adenosine analogues in hamster cheek pouch, 195P
- Nisticò R *see* Nucci C, 297P
- Noble AJ *see* Hawthorn MH, 222P
- Nolan AM *see* Dolan S, 8P
- Nolan AM *see* Dolan S, 288P
- North TJ *see* Dickinson K, 133P
- Nucci C, Piccirilli S, Rodinò P, Lombardo M, Nisticò R, Bagetta G & Cerulli L Monocular deprivation enhances citrulline content in the lateral geniculate nucleus of new-born rats and this is prevented by N^G -nitro-L-arginine methyl ester (L-NAME), 297P
- Nunn PA & Newgreen DT An investigation into the bladder responses induced via pelvic nerve stimulation in the anaesthetised rat, 227P
- Nunn PA *see* Williamson IJR, 225P
- Nutt DJ *see* Finn DP, 134P
- Nutt DJ *see* Hudson AL, 2P
- Nutt DJ *see* Parker CA, 106P
- O'Beirne G *see* Horton J, 154P
- O'Boyle KM *see* Page DT, 17P
- O'Conner N *see* Page DT, 17P
- O'Connor B COPD: the need for new treatments, 312P
- O'Connor BJ *see* Landells LJ, 163P
- O'Dowd GM, Hamilton CA, Reid JL & Dominiczak AF Nicorandil: potassium channel opener or nitrovasodilator in human arteries?, 167P
- Ohnishi M, Marshall HW, Kirkman E & Little RA Morphine attenuates the response to cardiopulmonary receptor stimulation in the anaesthetized rat, 29P
- Ohnishi M *see* Kirkman E, 30P
- O'Kane EM & Stone TW Barium prevents adenosine A₁ receptor changes of EPSP-spike coupling, 282P
- O'Kane EM & Stone TW Intracellular study of an adenosine receptor interaction in hippocampal pyramidal cells, 281P
- Okawa H, Hirst RA, Calo G, Guerrini R, Grandy DK & Lambert DG Effects of [Phe¹((CH₂-NH)Gly²)nociceptin(1-13)NH₂ and Ac-RYYRWK-NH₂ on cAMP formation in Chinese hamster ovary cells expressing the rat nociceptin receptor, 270P
- Olbrich A, Zacharowski K & Thieme-mann C The multiple organ dysfunction caused by lipoteichoic acid and peptidoglycan is attenuated by the stable nitroxide radical tempol in the rat, 207P
- Olbrich A *see* Zacharowski K, 49P
- Oliveira CC *see* Leal-Cardoso JH, 143P
- Ongini E *see* Bertorelli R, 268P
- Orr LM *see* Landells LJ, 163P
- Orr WC & Sohal RS Genetics and transgenics: what do they tell us about ageing?, 309P
- O'Shaughnessy C *see* Green A, 112P
- Owen A *see* Zeng B-Y, 61P
- Packwood E *see* Arkle S, 118P
- Page C *see* Rickards K, 161P
- Page CP *see* Jones H, 149P
- Page CP *see* Landells LJ, 163P
- Page CP *see* Lever R, 43P
- Page DT, O'Connor N, Rogers M, Martin F & O'Boyle KM Evidence for interactions between D₁ and D_{2A} dopamine receptors co-expressed in BHK cells, 17P
- Palacios M *see* Hingorani AD, 52P
- Panesar M *see* Bowes M, 250P
- Papaioannou M *see* Summers RJ, 126P
- Parada A & Soares-da-Silva P Sch 23390 prevents the cocaine antisensitisation effects of dizocilpine, 242P
- Park H-S & Hourani SMO Different effects of adenine nucleotide analogues on the responses mediated by adenosine 5' diphosphate (ADP) receptors on human platelets, 196P
- Park S-Y, Widdowson PS, Harrold JA & Williams G Selective neuroanatomical changes in 5-HT_{1A} and 5-HT_{2A} receptors and reuptake sites in dietary-obese rats, 264P
- Parker CA, Nutt DJ & Hudson AL Autoradiographic study of [³H]-mivazerol binding sites in the rat heart following chemical sympathectomy, 106P
- Parker CA *see* Hudson AL, 2P
- Parmentiner E *see* Vandeputte C, 175P
- Parratt JR *see* Zhang L, 218P
- Parrott RF & Vellucci S Inability of the tachykinin NK₁ receptor antagonist GR 205171 to modify endotoxin-induced fever and cortisol release in pigs, 287P
- Parrott RF *see* Ebenezer IS, 258P
- Parsons SJW, Connor HE & Giles H Differences in antagonist profile determined by direct and reporter gene measurement of cyclic AMP at the human CRH₁ receptor, 120P
- Patel AP *see* Pell TJ, 208P
- Patel MK, Khakh BS & Henderson G Characterisation of P2X receptors in rat trigeminal mesencephalic nucleus, 11P
- Patel S, Naeem S, Gentry CT, Urban L & Fox A The effects of the GABA_B agonist CGP35024 in models of neuropathic and inflammatory pain and in the rat isolated hemisectioned spinal cord, 274P
- Paterson SJ, Davies MRP, Menzies JRW & Corbett AD The ORL-receptor antagonist [Phe¹((CH₂-NH)Gly²)nociceptin(1-13)NH₂ causes contraction in rat and mouse colon, 142P
- Patmore L *see* Lansdell KA, 215P
- Paul W *see* Jones H, 149P
- Payne AP *see* Campbell JM, 278P
- Payne SL, Strange PG, Johansson AM & Hackzell U Investigating mechanisms of agonist action at the human D_{2short} dopamine receptor, 109P

- Pearce B *see* Phillips J, 115P
 Pearce RKB *see* Iravani MM, 232P
 Pearce RKB *see* Iravani MM, 233P
 Pearce SM *see* Whitehead KJ, 296P
 Pei Q, Lewis L, McQuade R & Zetterström TSC Administration of 6-OHDA abolished GIRK2 expression in substantia nigra, 277P
 Pei Q *see* Elliott JM, 5P
 Pejman P *see* Dhein S, 37P
 Pell TJ, Patel AP, Harrington LS, Sack MN, Yellon DM & Baxter GF Neither heat stress nor ischaemic preconditioning alter myocardial mRNA expression of the ATP-sensitive potassium subunit Kir 6.2, 208P
 Pepper JR *see* Stanford SJ, 42P
 Perretti M *see* Canaider S, 41P
 Perretti M *see* Getting SJ, 45P
 Peters SLM, Mathy M-J, Pfaffendorf M & Van Zwieten PA Mechanism of reactive oxygen species-induced aortic vasoconstriction and deterioration of functional integrity, 169P
 Pfaffendorf M, Mathy M-J, van der Lee R & van Zwieten PA Effect of mibefradil and verapamil on the tachycardic response to noradrenaline and electrical stimulation in the pithed rat, 213P
 Pfaffendorf M *see* Heijenbrok FJ, 76P
 Pfaffendorf M *see* Peters SLM, 169P
 Pfaffendorf M *see* Rinia-Feenstra M, 168P
 Pfaffendorf M *see* van der Lee R, 57P
 Philip JG, Cover PO, Morris JF, Flower RJ & Buckingham JC Modulation of pituitary hormone release by central or peripheral administration of anti-lipocortin 1 antisera, 86P
 Philip JG *see* Brady MM, 138P
 Phillips J & Pearce B Evidence for constitutive and inducible cyclooxygenase expression in cultured glia, 115P
 Philpott K, Kortekaas R, Smith JW, Costall B & Smythe JW Aged, cognitively-impaired rats have reduced plasma total cholesterol levels, 229P
 Philpotts J *see* Kanumilli S, 121P
 Phipps SL *see* Elliott JM, 5P
 Piacentini L, Honbo NY & Karliner JS Endothelin-1-induced proliferation of neonatal rat cardiac fibroblasts is redox sensitive, 179P
 Piccirilli S *see* Nucci C, 297P
 Piercy V *see* Charlton SJ, 214P
 Pinnock RD *see* White R, 38P
 Pintér E, Brown B, Hoult JRS & Brain SD Role of neurokinin 1 (NK₁) receptors in the vascular and cellular phases of inflammation induced by thermal injury and mustard oil, 44P
 Pintér E, Chu DQ, Hoult JRS & Brain SD Lack of evidence for interactions between the tachykinin NK₁ receptor and IL-1 β -mediated events in the rat cutaneous microvasculature, 147P
 Plane F *see* Hinton JM, 217P
 Plane F *see* Miller AL, 172P
 Plane F *see* Sampson LJ, 173P
 Pollard CE, Davie CS, Roberts SM, Alexander PD, Springthorpe B, Mortimore MP, Guile SD & Leff P Identification of an apparently novel, nucleotide-recognising receptor linked to chloride secretion in rabbit and human airway epithelium, 85P
 Postlethwaite M, Constanti A & Libri V Caffeine blocks the post-stimulus afterdepolarising tail current (I_{ADP}) induced by muscarinic receptor activation in olfactory cortical neurones *in vitro*, 292P
 Poucher SM *see* Freeman S, 130P
 Poucher SM *see* Loxham SJG, 35P
 Prasad K *see* Millasseau SC, 221P
 Pratt JA *see* Allison C, 246P
 Pratt JA *see* Cochran SM, 289P
 Pratt JA *see* Kennedy MD, 276P
 Pratt JA *see* Steward LJ, 265P
 Prentice DJ & Hourani SMO Characterisation of adenosine receptors mediating relaxation in hamster isolated aorta, 197P
 Price R *see* Hudson AL, 2P
 Price S, Evans TW & Mitchell JA Atrial dysfunction induced by endotoxin in rats is modulated by L-arginine: role of nitric oxide, 77P
 Prow MR, Lancashire B, Kilpatrick IC, Aspley S & Heal DJ Co-administration of phentermine with D-fenfluramine causes additive effects on rat brain 5-HT release *in vivo* and *in vitro*, 257P
 Pulido-Rios T *see* Bonhaus DW, 262P
 Pönicke K, Heinroth-Hoffmann I, Agambai D & Brodde O-E Effects of prostanoids on inositol phosphate formation and protein synthesis in rat neonatal ventricular cardiomyocytes, 212P
 Qi A *see* Kennedy C, 21P
 Qi A *see* Kennedy C, 22P
 Queen LR & Ferro A Genistein and daidzein activate the L-arginine/nitric oxide system in human endothelial cells, 74P
 Queen LR & Ferro A Mechanism of nitric oxide synthase activation by β -adrenoceptors in human vascular endothelium, 75P
 Racké K *see* Hammermann R, 150P
 Racké K *see* Messeri DM, 157P
 Racké K *see* Wessler I, 92P
 Rajab P, Constantin-Teodosiu D, Mayer RJ, Gardiner SM, Bennett T & Greenhaff PL Increase in proteasome activity 6 h after a single bolus administration of the β_2 -adrenoceptor agonist clenbuterol in conscious rats, 27P
 Ramage AG *see* Wibberley A, 97P
 Rao S *see* Varney MA, 248P
 Rawlins MD Priorities in drug regulation and development, 306P
 Rees ES *see* Scott MGH, 122P
 Rees GM *see* Walcot NRH, 178P
 Rees S *see* Green A, 112P
 Reffin D *see* Gardiner SM, 188P
 Régrigny O *see* Chillon JM, 34P
 Reid JL *see* O'Dowd GJ, 167P
 Reynolds GP *see* Elliott J, 263P
 Richards DA & Morrone LA Extracellular glutamate levels following intrahippocampal infusion of α -dendrotoxin and dendrotoxin-K in the rat, 253P
 Richards JG, Messer J, Bleuel Z, Malherbe P, Klingelschmidt A, Faull RLM & Mutel V Distribution and abundance of binding sites for a potent, selective AMPA receptor antagonist [³H]-Ro 48-8587 in human brain, 13P
 Richards JG, Messer J, Bleuel Z & Faull RLM Quantitative enzyme radioautography reveals an up-regulation of MAO-A and MAO-B in discrete brain regions of patients with Huntington's chorea, 99P
 Richardson NV *see* Lever R, 43P
 Rickards K, Page C, Lees P & Cunningham F Phosphodiesterase isoenzyme profiles in neutrophils from asymptomatic COPD and normal horses, 161P
 Ridger V *see* Greenacre S, 151P
 Rinia-Feenstra M, Stoker W, de Graaf R, Kloek JJ, de Mol BAJM, Pfaffendorf M & Van Zwieten PA Comparison of functional properties of human saphenous vein preparations harvested by minimally invasive techniques, 168P
 Ritchie AJ *see* Callingham BA, 70P
 Ritter JM *see* Millasseau SC, 221P
 Ritter JM *see* Stratton PD, 220P
 Ritter JM *see* Walker H, 73P
 Roberts JA & Boarder MR Differential regulation of mitogenesis by transfected P2Y receptors, 82P
 Roberts PJ *see* Kanumilli S, 121P
 Roberts SJ, Hamilton S & Summers RJ Regulation of β_2 -adrenoceptors by thyroid hormone in rat ileal smooth muscle, 144P
 Roberts SM *see* Pollard CE, 85P
 Rocha C *see* Bonhaus DW, 262P
 Rodi D *see* Siniscalchi A, 266P
 Rodinò P *see* Nucci C, 297P
 Rogers M *see* McMahon RA, 18P

- Rogers M *see* Page DT, 17P
- Romans KN & Ebenezer IS The hypophagic effect of lithium chloride in rats is attenuated by pretreatment with the cyclo-oxygenase inhibitor ibuprofen, 240P
- Rose S, Aziz-Cooke F & Jenner P Depletion of striatal glutathione by L-buthionine-[S,R]-sulphoxamine does not alter basal or K⁺-stimulated dopamine efflux in the rat striatum: an *in vivo* microdialysis study, 6P
- Rose S *see* Ferger B, 10P
- Rose S *see* Treseder SA, 63P
- Rose S *see* Zeng B-Y, 61P
- Roseberry MJ *see* Megson IL, 78P
- Rowbotham DJ *see* Harrison C, 271P
- Rowley HL, Kilpatrick IC, Needham PL & Heal DJ Effects of zotepine and comparator antipsychotics on extracellular dopamine in the frontal cortex of freely-moving rats, 244P
- Ruetten H, Gehring D & Busch A Caspase inhibitors improve post-ischaemic functional recovery in rat isolated working hearts, 200P
- Ruotsalainen M *see* Seppä T, 279P
- Russell D *see* Campbell JM, 278P
- Russell RJ, Tang K, Hopkins E & Turner L Effects of superoxide generation on nitric oxide-mediated relaxation responses in rabbit corpus cavernosum, 224P
- Sacaan A *see* Varney MA, 248P
- Sack MD *see* Jonassen AK, 201P
- Sack MN *see* Pell TJ, 208P
- Salameh A, Dhein S & Beuckelmann DJ Effects of cariporide (Hoe 642) on intracellular calcium homeostasis during acidosis in cardiac myocytes, 114P
- Salisbury J *see* Alexander B, 40P
- Sampson LJ, Plane F & Garland CJ A study of relaxation mechanisms activated by the novel nitric oxide donor, diethylamine NONOate, in the rat isolated mesenteric artery, 173P
- Santori E *see* Varney MA, 248P
- Santos GCM *see* Criddle DN, 103P
- Saunders M *see* Bukasa A, 156P
- Saxena PR *see* Lankhuizen IM, 205P
- Saxena PR *see* van Heijningen CL, 58P
- Saxena PR *see* Willems EW, 184P
- Sbrenna S *see* Siniscalchi A, 266P
- Scalbert E *see* Chillon JM, 34P
- Scarpato HC *see* Criddle DN, 103P
- Schjoth B *see* Vandeputte C, 175P
- Schoemaker RG *see* Lankhuizen IM, 205P
- Schoemaker RG *see* van Heijningen CL, 58P
- Schubert K, Diener HC, Michel MC & Limmroth V NO synthase inhibition by ketoprofen enantiomers, 152P
- Scotland RS, Vallance PJ & Ahluwalia A Modulation of contraction of vasa vasorum: mechanisms and implications for conduit vessel physiology, 56P
- Scott MGH, Jobson TM, Swan C, Rees ES & Hall IP Effects of a range of β_2 agonists on intracellular cyclic AMP content and cyclic AMP driven gene expression in primary cultures of human airway smooth muscle cells, 122P
- Sellers LA *see* Carruthers AM, 124P
- Selwood DL *see* Chen Z, 53P
- Sennitt MV *see* Arch JRS, 100P
- Seppä T, Ruotsalainen M & Ahtee L Effect of acute nicotine on striatal dopamine output and metabolism in rats kept at different ambient temperatures, 279P
- Serrano A & de Ceballos ML Enkephalinergic modulation of striatal glutamate and GABA release *in vivo* following a nigrostriatal lesion in the rat, 269P
- Serrão MP *see* Lucas-Teixeira VA, 88P
- Serrão P *see* Vieira-Coelho MA, 81P
- Seuwen K *see* Siehler SS, 25P
- Seuwen K *see* Siehler SS, 26P
- Shafiq I *see* Dewhurst DG, 298P
- Shahid M *see* Smith AG, 234P
- Shahid M *see* Smith AG, 235P
- Shankley NP *see* Harper EA, 101P
- Shankley NP *see* Harper EA, 102P
- Sharp T *see* Castro ME, 260P
- Sharp T *see* Hajós-Korcsok É, 261P
- Sharp T *see* Hyde JE, 280P
- Sharp T *see* Singewald N, 293P
- Sharpe PM *see* Freeman S, 130P
- Shepherd SL, Cook DA & Hargreaves RJ Induction of B₁ bradykinin receptors with lipopolysaccharide treatment in B₂ bradykinin receptor knockout mice, 146P
- Sheridhar V *see* Cutler DJ, 259P
- Sherlock D *see* Alexander B, 40P
- Sherriffs HJ, Nahorski SR & Challiss RAJ Methacholine-evoked Ca²⁺-signalling in CHO m1 cells is inhibited by Li⁺ in a myo-inositol-reversible manner, 117P
- Siehler SS, Seuwen K & Hoyer D System- and agonist-dependent ligand-receptor interactions at human somatostatin hsst₁ receptors: radioligand and [³⁵S]-GTPγS binding and adenylate cyclase inhibition studies, 26P
- Siehler SS, Zupanc GKH, Seuwen K & Hoyer D Characterisation of the cloned fish somatostatin receptor sst₁, a member of the SRIF₁-receptor family: atypical pharmacological features, 25P
- Silke B *see* Spiers JP, 189P
- Simon J, Chessell IP, Jones CA, Michel AD, Barnard EA & Humphrey PPA Molecular cloning and characterisation of splice variants of the mouse P2X₄ receptor, 127P
- Simon J *see* Hibell AD, 20P
- Singer DRJ *see* Graves JE, 95P
- Singer DRJ *see* Singh N, 96P
- Singewald N & Sharp T Effects of anxiogenic/panicogenic drugs on Fos expression in the locus coeruleus, periaqueductal gray and dorsal raphe nucleus, 293P
- Singh N, Graves JE, McAllister RJ & Singer DRJ Vitamin C does not alter endothelium-dependent dilatation in the forearm of elderly humans, 96P
- Siniscalchi A, Sbrenna S, Rodi D, Beani L & Bianchi C Inhibitory effect of nociceptin on [³H]-5HT release from the rat cerebral cortex, 266P
- Sleight AJ *see* Bentley JC, 66P
- Slough S & Taberner PV MAO_A inhibition is not responsible for the improved glucose tolerance following the imidazoline S 22068, 129P
- Smalley KSM, Koenig JA, Feniuk W & Humphrey PPA Internalisation characteristics of the human recombinant somatostatin 4 (hsst₄) receptor expressed in CHO-K1 cells, 125P
- Smart D *see* Harrison C, 271P
- Smith AG, Costall B, Neill JC & Shahid M Effect of the putative dopamine D₃ receptor antagonist U99194 on locomotor behaviour in the common marmoset, 234P
- Smith AG, Costall B, Neill JC & Shahid M Effect of the putative dopamine D₃ receptor antagonist U99194 on progressive ratio responding in the common marmoset, 235P
- Smith DM, Nandha KA, Benito-Orfila MA, Jamal H, Akinsaya KO & Bloom SR Expression of neuromedin U receptors in the rat uterus after chronic treatment with gonadal steroid hormones, 226P
- Smith DM *see* Upton PD, 139P
- Smith JW, Costall B & Smythe JW Effects of thyroxine on cognitive function and brain cholinesterase activity, 230P
- Smith JW *see* Philpott K, 229P
- Smith LA *see* Hansard MJ, 64P
- Smith M & Ebenezer IS Tolerance does not develop to the hypophagic effects of the 5HT_{1A} agonist buspirone in food-deprived rats after chronic administration, 245P
- Smith SA *see* Charlton SJ, 214P
- Smith SE *see* Hyde JE, 280P
- Smith-Phillips Z *see* Horton J, 154P
- Smythe JW *see* Hudson NJ, 166P
- Smythe JW *see* Kortekaas R, 228P
- Smythe JW *see* Kortekaas R, 295P

- Smythe JW *see* Philpott K, 229P
 Smythe JW *see* Smith JW, 230P
 Soares-da-Silva P & Serrão MP Sensitivity to UIC2 and verapamil of native and human P-glycoprotein in LLC-PK₁ and LLC-GA5 Col300 renal cells, 90P
 Soares-da-Silva P *see* Gomes P, 111P
 Soares-da-Silva P *see* Gomes P, 132P
 Soares-da-Silva P *see* Lucas-Teixeira VA, 88P
 Soares-da-Silva P *see* Parada A, 242P
 Soares-da-Silva P *see* Serrão MP, 90P
 Soares-da-Silva P *see* Vieira-Coelho MA, 81P
 Soares-da-Silva P *see* Vieira-Coelho MA, 89P
 Sohal RS *see* Orr WC, 309P
 Solito E *see* Canaider S, 41P
 Solito E *see* John CD, 137P
 Souness JE *see* Landells LJ, 163P
 Spencer JPE, Whiteman M & Halliwell B (introduced by S Duty) Hypochlorous acid-induced modification of DNA in human respiratory tract epithelial cells: potentiation of oxidation and chlorination reactions by nitrite, 162P
 Spiers JP, Kelso EJ, Allen JD, Silke B & McDermott BJ Contractile effects of endothelin-1 in ventricular cardiomyocytes isolated from normal and lipopolysaccharide (LPS)-treated rats, 189P
 Spina D *see* Landells LJ, 163P
 Spitzbarth-Régrigny E, Vandeputte C, Corman B, Tschirhart E & Capdeville-Atkinson C Impact of age on the involvement of a pertussis toxin-sensitive G_i-protein in agonist-induced calcium-sensitivity of tension in the rat tail artery, 94P
 Spitzbarth-Régrigny E *see* Vandeputte C, 174P
 Springthorpe B *see* Pollard CE, 85P
 Spruntulis L & Broadley KJ Non-specific bronchial hyperresponsiveness, early and late asthmatic responses and cell influx in a conscious guinea-pig model of asthma, 159P
 Stanford SJ, Pepper JR & Mitchell JA Evidence for a role of prostacyclin in COX-2 suppression of GM-CSF release by human vascular cells, 42P
 Stanford SJ & Mitchell JA The prolonged phase of ATP-induced vasodilatation in rat mesenteric vessels is mediated by a cannabinoid-type ligand, 79P
 Starkey NJ & Hendrie CA Interaction between previous social history and the effects of chronic fluoxetine in male gerbils, 236P
 Starkey NJ *see* Hendrie CA, 67P
 Steele JA & Martin IL Interaction of oestrone and 17 β -oestradiol with the 5-HT₁ receptor, 15P
 Stepan GJ *see* Choppin A, 105P
 Stephenson FA *see* Chopra B, 254P
 Stephenson FA *see* Hawkins LM, 1P
 Stephenson FA *see* Thompson CL, 247P
 Steward LJ, Kennedy MD, Pratt JA & Morris BJ Continuous subcutaneous delivery of clozapine decreases 5-HT_{2A} receptor binding in rat brain, 265P
 Steward LJ *see* Kennedy MD, 276P
 Stewart A *see* Wheeler RD, 164P
 Stone TW *see* Campbell JM, 278P
 Stone TW *see* O'Kane EM, 281P
 Stone TW *see* O'Kane EM, 282P
 Stooker W *see* Rinia-Feenstra M, 168P
 Strange PG *see* Armstrong D, 110P
 Strange PG *see* Franklin JL, 16P
 Strange PG *see* Payne SL, 109P
 Strange PG *see* Wilson J, 108P
 Stratton PD, Chowienczyk PJ & Ritter JM Na⁺-H⁺ exchange in human platelets exposed to propionate, 220P
 Summers RJ, Hutchinson DS, Papaioannou M, Hamilton S & Evans BA Expression and pharmacological properties of the mouse β_{1A} - and β_{1B} -adrenoceptor in CHO-K1 cells, 126P
 Summers RJ *see* Roberts SJ, 144P
 Sutch R & Bowery N GABA_B modulation of GABA release is apparently altered in a rat model of absence epilepsy, 273P
 Swan C *see* Scott MGH, 122P
 Swift CG The age factor in therapeutics, 300P
 Szabadi E *see* Chiang T-J, 243P
 Taberner PV *see* Slough S, 129P
 Tadayyon M *see* Cai X, 4P
 Taddei S Interaction between the effects of ageing and of cardiovascular risk factors on endothelial function, 318P
 Tang K *see* Finnis-Lane C, 223P
 Tang K *see* Russell RJ, 224P
 Taylor AD *see* John CD, 137P
 Taylor PD *see* Graves JE, 95P
 Taylor SG *see* Thomas DR, 14P
 Tel B *see* Iravani MM, 233P
 Tel BC *see* Zeng B-Y, 61P
 Télémaque-Potts S, Yanagisawa M & Davenport AP Modulation of endothelin receptor densities following endogenous overexpression of endothelin-1 in the rat, 55P
 Terrar DA *see* Goddard H, 203P
 Terrar DA *see* Heath BM, 204P
 Terrar DA *see* Mamas MA, 202P
 Thiernemann C *see* Chatterjee PK, 51P
 Thiernemann C *see* Mota-Filipe H, 206P
 Thiernemann C *see* Olbrich A, 207P
 Thiernemann C *see* Zacharowski K, 48P
 Thiernemann C *see* Zacharowski K, 49P
 Thomas DR, Brown AM, Taylor SG & Middlemiss DN 5-CT stimulation of adenylyl cyclase activity in guinea-pig hippocampus: evidence for involvement of 5-HT₇ and 5-HT_{1A} receptors, 14P
 Thompson CL, Atkins HD, Stephenson FA & Chazot PL Immunohistochemical localisation of the NMDA receptor NR1 and NR2C/D subunits in the mammalian hippocampus and cerebellum, 247P
 Thompson KM *see* Amaechi U, 107P
 Thompson KSJ *see* Calvert GR, 252P
 Thorin E Nitric oxide-dependent relaxation of human isolated coronary arteries to acetylcholine: effect of coronary heart disease, 69P
 Thorin E *see* Blanchette A, 54P
 Thorin E *see* Nguyen T-D, 190P
 Tofighy A & Lacey MG Atypical pharmacology of the excitation by dopamine of rat subthalamic nucleus neurones *in vitro*, 9P
 Toms NJ *see* Kanumilli S, 121P
 Treseder SA, Jackson M, Rose S, Jenner P & Marsden CD The effects of central DOPA decarboxylase inhibition on the motor actions of A86929 and quinpirole administered in combination to MPTP-lesioned marmosets, 63P
 Trevethick MA *see* Delany C, 104P
 Trion M *see* Willems EW, 184P
 Tschirhart E *see* Spitzbarth-Régrigny E, 94P
 Tschirhart E *see* Vandeputte C, 174P
 Turner L *see* Finnis-Lane C, 223P
 Turner L *see* Russell RJ, 224P
 Tyacke RJ *see* Hudson AL, 2P
 Upton PD, Wharton J, Coppock HA, Smith DM, Gbatei MA, Bloom SR & Morrell NW Adrenomedullin (AM), a vasodilator peptide secreted by human pulmonary artery derived cells, increases intracellular cAMP and inhibits DNA synthesis, 139P
 Urban L *see* Bowes M, 250P
 Urban L *see* Gasparini F, 249P
 Urban L *see* Patel S, 274P
 Usiello A *see* Clifford JJ, 62P
 Vallalón CM *see* Willems EW, 184P
 Vallance P *see* Chen Z, 53P
 Vallance P *see* Hingorani AD, 52P
 Vallance PJ *see* Scotland RS, 56P
 Vallone D *see* Clifford JJ, 62P
 Van den Bossche R *see* Crauwels HML, 219P
 Van der Graaf PH, Van Schaick EA, Visser SAG, De Greef HJMM,

- Ijzermann AP & Danhof M Mechanistic pharmacokinetic-pharmacodynamic modelling of anti-lipolytic effects of adenosine A₁ receptor ligands: prediction of tissue-dependent efficacy *in vivo*, 136P
- van der Lee R, Pfaffendorf M & van Zwieten PA Effect of mibefradil and verapamil on electrical field stimulation-induced contractions in the rat tail artery, 57P
- van der Lee R *see* Pfaffendorf M, 213P
- van Heijningen CL, Saxena PR & Schoemaker RG 'Classic' as well as 'remote' cardiac preconditioning is prevented by Hoe 140, 58P
- Van Natta K *see* Bonhaus DW, 262P
- Van Shaick EA *see* Van der Graaf PH, 136P
- van Veghel R *see* Lankhuizen IM, 205P
- van Wilgenburg H *see* Zeegers A, 209P
- van Zwieten PA *see* Heijenbrok FJ, 76P
- van Zwieten PA *see* Peters SLM, 169P
- van Zwieten PA *see* Pfaffendorf M, 213P
- van Zwieten PA *see* Rinia-Feenstra M, 168P
- van Zwieten PA *see* van der Lee R, 57P
- Vandeputte C, Parmentier E, Villemot JP, Bishoff N, Schjoth B, Atkinson J & Capdeville-Atkinson C Protein tyrosine kinase is involved in the vasoconstrictor response to endothelin-1 of the human internal mammary artery, 175P
- Vandeputte C, Spitzbarth-Régrigny E, Corman B, Tschirhart E & Capdeville-Atkinson C Age, pertussis toxin and agonist-induced vasoconstriction of the rat aorta, 174P
- Vandeputte C *see* Spitzbarth-Régrigny E, 94P
- Varney M *see* Gasparini F, 249P
- Varney MA, Cosford N, Jachec C, Rao C, Sacca A, Santori E, Allgeier H, Gasparini F, Flore PJ, Kuhn R, Hess SD, Veliclebi G & Johnson EC Characterization of SIB-1757 and SIB-1893: highly selective antagonists at metabotropic glutamate receptor subtype 5, 248P
- Veliclebi G *see* Gasparini F, 249P
- Veliclebi G *see* Varney MA, 248P
- Vellucci SV *see* Ebenezer IS, 258P
- Vellucci SV *see* Parrott RF, 287P
- Vieira-Coelho MA, Serrão MP & Soares-da-Silva P Ontogenic influences on the regulation of rat intestinal Na⁺-K⁺ ATPase by G proteins, 81P
- Vieira-Coelho MA & Soares-da-Silva P The age-dependent inhibitory effects of dopamine on rat jejunal electrolyte transport and Na⁺-K⁺ ATPase are mediated through D₁ receptors, 89P
- Vieira-Coelho MA *see* Lucas-Teixeira VA, 88P
- Vignola AM Remodelling of tissues: implications for ageing and novel treatment regimes, 313P
- Villemot JP *see* Vandeputte C, 175P
- Viña J The ageing mitochondrion: a target for therapeutic intervention?, 310P
- Visser SAG *see* Van der Graaf PH, 136P
- Voigt MM *see* McMahon RA, 18P
- Vojnovic I *see* Bukasa A, 156P
- Vranesic I *see* Gasparini F, 249P
- Vuylsteke A *see* Callingham BA, 70P
- Waddington JL *see* Clifford JJ, 62P
- Wadsworth RM *see* Miller AM, 199P
- Wadsworth RM *see* Miller WH, 181P
- Wainwright CL *see* Miller AM, 199P
- Walcot NRH, Woods M, Wood EG, Rees GM & Warner TD The role of vascular smooth muscle cells in serum and cytokine-stimulated endothelin-1 production in rat intact aorta, 178P
- Walker H, Jackson G, Ritter JM & Chowienzyk PJ Reproducibility of bilateral forearm plethysmography to endothelial-dependent vasodilators, 73P
- Walker K *see* Bowes M, 250P
- Ward P *see* Coughnon-Aptel N, 285P
- Warner TD *see* Breese EJ, 155P
- Warner TD *see* Bukasa A, 156P
- Warner TD *see* Hamilton LC, 46P
- Warner TD *see* McCartney SA, 145P
- Warner TD *see* Walcott NRH, 178P
- Warner TD *see* Woods M, 50P
- Warner TD *see* Woods M, 177P
- Watkins P *see* Kirkman E, 30P
- Watson N *see* Choppin A, 105P
- Wattam TA *see* Cutler DJ, 259P
- Wayman CP *see* Finnis-Lane C, 223P
- Wayman CP *see* Russell RJ, 224P
- Webb DJ *see* Megson IL, 78P
- Webb DJ Targeting age-related disorders in the arteries, 305P
- Webber A *see* Bonhaus DW, 262P
- Webber SE *see* Battram CH, 160P
- Webber SE *see* Hele DJ, 158P
- Weiss SM *see* Lightowler S, 241P
- Wells DJ *see* Brady MM, 138P
- Wessler I, Racké K, Bittinger F & Kirkpatrick CJ Expression of choline acetyltransferase in human glial and immune cells, 92P
- Wessler I *see* Hammermann R, 150P
- Wharton J *see* Upton PD, 139P
- Wheeler RD, Stewart A, Charlton P, Barrand MA & Hladky SB Inhibition of vincristine uptake into P-glycoprotein-containing vesicles by the resistance modifier, XR9051, 164P
- Whelpton R *see* Michael-Titus AT, 113P
- White R, Pinnock RD, Lee K & Hiley CR Cannabinoid receptor-mediated inhibition of a methoxamine-induced Cl⁻ current in rat mesenteric artery, 38P
- Whitehead KJ, Pearce SM & Bowery NG Amino acid efflux from the rat spinal cord *in vivo* in response to thermal stimulation of the hindpaw, 296P
- Whiteman M *see* Spencer JPE, 162P
- Wibberley A, Naylor AM & Ramage AG An investigation of the pathways involved in changes in bladder and urethral pressures evoked by DMPP, tyramine and bladder distension in anaesthetised rats, 97P
- Wibo M *see* Krensek P, 192P
- Widdowson PS *see* Cai X, 4P
- Widdowson PS *see* Harrold JA, 135P
- Widdowson PS *see* King P, 3P
- Widdowson PS *see* Malek JA, 267P
- Widdowson PS *see* Park S-Y, 264P
- Wildman SS *see* Brown SG, 24P
- Wiley KE & Davenport AP The nitric oxide donor S-nitroso-N-acetyl penicillamine (SNAP) does not alter endothelin-1-induced constrictions in human small cell arteries, 180P
- Willems EW, Trion M, De Vries P, Heiligers JPC, Villalón CM & Saxena PR Involvement of α_1 - and α_2 -adrenoceptors in the constriction of carotid arteriovenous anastomoses (AVAs) in anaesthetised pigs, 184P
- Williams A *see* Horton J, 154P
- Williams G *see* Cutler DJ, 259P
- Williams G *see* Harrold JA, 135P
- Williams G *see* King P, 3P
- Williams G *see* Malek JA, 267P
- Williams G *see* Park S-Y, 264P
- Williams RG *see* Meecham KG, 275P
- Williamson IJR, Nunn PA & Newgreen DA Investigations of the bladder versus cardiovascular selectivity of tiropramide *in vitro* and *in vivo*, 225P
- Wilson AW *see* Neill JC, 65P
- Wilson J, Javitch JA & Strange PG A point mutation in the third intracellular loop of the human D_{2-short} dopamine receptor increases agonist binding affinities, 108P
- Wilson S *see* Cai X, 4P
- Wilson S *see* Cutler DJ, 259P
- Wise A *see* Fraser NJ, 123P
- Wong JCL *see* Houston AJ, 238P
- Wong L *see* Bonhaus DW, 262P
- Wong M-PM & Young JM Evidence that two pathways of Ca²⁺ entry are involved in the inhibitory action of thapsigargin on drug-induced cyclic AMP accumulation in human U373 MG astrocytoma cells, 80P
- Wood EG *see* Breese EJ, 155P
- Wood EG *see* Walcott NRH, 178P
- Wood EG *see* Woods M, 50P
- Wood EG *see* Woods M, 177P
- Wood MD *see* Murkitt KL, 290P

- Woods M, Wood EG, Mitchell JA & Warner TD Effect of tyrosine kinase inhibitor on cytokine-stimulated endothelin-1 production in human vascular smooth muscle cells, 177P
- Woods M, Wood EG, Mitchell JA & Warner TD Studies with CGS 26303, an inhibitor of endothelin converting enzyme, supports the presence of intracellular endothelin-converting enzyme in human vascular smooth muscle cells, 50P
- Woods M *see* Walcott NRH, 178P
- Yanagisawa M *see* Télémaque-Potts S, 55P
- Yang W, Benjamin IS & Alexander B The effects of S-methylisothiourea (SMT), an inducible nitric oxide synthase inhibitor, on hepatic vascular responsiveness in rats with secondary biliary cirrhosis, 68P
- Yang W, Benjamin IS & Alexander B The role of nitric oxide in hepatic arterial and portal venous responses to noradrenaline and ATP in rats with secondary biliary cirrhosis, 72P
- Yates RA New molecules for older people: selectivity and specificity, 302P
- Yellon DM *see* Jonassen AK, 201P
- Yellon DM *see* Mocanu MM, 198P
- Yellon DM *see* Pell TJ, 208P
- Yeung CK *see* Hudson NJ, 166P
- Young JM *see* Wong M-PM, 80P
- Yu X *see* Limmroth V, 153P
- Yusuf APM *see* Munavvar AS, 185P
- Zacharowski K, Olbrich A & Thiernemann C Reduction of myocardial injury by the EP₃ receptor agonist TEI-3356 in the rat may involve the activation of PKC and of K_{ATP}-channels in the rat, 49P
- Zacharowski K & Thiernemann C Effects of sCR1sLe¹ on the infarct size following regional myocardial ischaemia and reperfusion in the anaesthetised rat, 48P
- Zacharowski K *see* Chatterjee PK, 51P
- Zacharowski K *see* Olbrich A, 207P
- Zaini Asmawi M, Gardner NM & Broadley KJ *In vitro* desensitization of atrial β_1 -adrenoceptor function: effects of PDE inhibition, 216P
- Zeegers A, van Wilgenburg H & Leeuwin RS Modification of responses of the rat heart to benzodiazepine agonists and inverse agonists by PK 11195 and flumazenil, 209P
- Zeng B-Y *see* Iravani MM, 233P
- Zeng BY, Dass B, Owen A, Rose S, Cannizzaro C, Tel BC & Jenner P α -Synuclein mRNA expression in the nucleus accumbens, striatum and substantia nigra of rat is differentially affected by 6-hydroxydopamine lesioning, 61P
- Zetterstrom T *see* Elliott JM, 5P
- Zetterström TSC *see* Pei Q, 277P
- Zhang L, Beastall G, Parratt JR & Furman BL Possible role of hypothyroidism in the reduction in ischaemia-reperfusion arrhythmias in hearts from streptozotocin-diabetic rats, 218P
- Zhong Y, Dunn PM & Burnstock G P2X receptors on mouse and guinea-pig pelvic ganglion neurons exhibit different Zn²⁺ and pH sensitivities, 23P
- Ziessen T *see* Celtek S, 98P
- Zupanc GKH *see* Siehler SS, 25P

Keyword Index

- Absence epilepsy 273P
 Acetaminophen 152P
 Acetylcholine 53P, 69P, 73P
 Acidosis 114P
 ACTH 45P
 Acute phase response 287P
 Adenosine 281P, 282P
 Adenosine A₁ receptors 136P
 Adenosine A_{2A} 195P, 197P
 Adenosine A₃ receptors 194P
 Adenosine receptor blockers 283P
 Adenylate cyclase inhibition 26P
 Adenylyl cyclase 14P, 119P
 Adhesion 43P
 Adrenal glands, rat 138P
 α -Adrenergic agonists 190P
 Adrenoceptors 182P, 183P
 α -Adrenoceptors 33P, 184P, 185P, 222P
 α_1 -Adrenoceptors 116P
 α_{1A} -Adrenoceptors 107P
 α_2 -Adrenoceptors 88P, 106P
 β -Adrenoceptors 75P, 76P
 β -Adrenoceptor desensitization 216P
 β_2 -Adrenoceptors 122P
 β_3 -Adrenoceptors 126P, 144P
 β_3 -Adrenoceptor agonists 100P
 Adrenomedullin 123P, 139P
 Advanced glycation end products 219P
 Afterdepolarizing tail current (I_{ADP}) 292P
 Ageing 94P, 95P, 96P, 229P
 Aggregation 196P
 Agonism, operational model of 136P
 Agonists 16P
 Agonist-dependent coupling 286P
 Airways 158P
 Airway epithelium 85P
 Airway hyperresponsiveness 159P
 Airway leukocyte infiltration 159P
 Airway smooth muscle 119P
 Allopurinol 59P
 Allosterism 110P
 Alternative splice variants 127P
 Alveolar macrophages 157P
 Amiloride 110P
 Amino acid release 296P
 Amino acid residues 137P
 Amino acid transporters, L-type 111P, 132P
 3-Aminobenzamide 51P
 AMPA 246P
 AMPA receptor antagonists 13P
 Amphetamines 243P
 Amplification 109P
 Angiotensin 192P
 Angiotensin II 47P
 Angiotensin AT₂ receptors 47P
 Antagonists 249P, 250P
 Anti-depressants 280P
 Anti-inflammation 45P
 Anti-inflammatory drugs 160P
 Antibodies 247P
 Antipsychotics 289P
 Antipsychotics, atypical 244P
 Anxiety 241P, 293P
 Aorta 169P, 197P
 Aorta, marmoset 140P
 Aorta, rat 174P, 192P
 Aortic smooth muscle cells, rat 46P
 Apoptosis 41P, 84P, 200P, 201P
 Arachidonic acid 202P
 Arginine-vasopressin and antagonists 205P
 L-Arginine transport 150P
 Arousal 295P
 Arrhythmias 37P
 Arteries, coronary 205P
 Arteries, coronary, human 69P, 180P, 193P
 Arteries, coronary, porcine 217P
 Arteries, human 167P
 Arteries, internal mammary, human 70P
 Arteries, mammary, human 175P
 Arteries, mesenteric, rat 36P, 173P
 Arteries, small mesenteric 205P
 Arteries, tail, rat 57P, 174P
 Arterioles 195P
 Arterioles, cerebral, rat 34P
 Arteriovenous anastomoses 184P
 Arthritis 268P
 Asthma 163P
 Astrocytes 121P
 Atherosclerosis 219P
 ATP 21P, 22P, 24P, 40P, 68P, 72P, 79P, 127P
 Na⁺,K⁺-ATPase 81P, 89P
 Atria, guinea-pig 216P
 Autonomic pharmacology 24P
 Autoradiography 246P
 Baclofen 238P
 Barium 282P
 Basal ganglia 272P
 Behaviour 230P, 239P
 Benzodiazepines 209P
 Biliverdin 46P
 Binding 113P
 Binding affinities 108P
 Binding studies 26P
 Bladder 227P
 Bladder function 225P
 Bladder function *in vivo* 227P
 Blast injury 30P
 Blood platelets 220P
 Blood pressure variability 188P
 Bradykinin 52P, 58P
 Bradykinin receptors 146P
 Brain 2P, 230P, 247P
 Brain, human 13P, 263P
 Brain, rat 5P, 256P, 277P
 Brain derived neurotrophic factor 5P
 Brain raphe area, rat 255P
 BTS-67582 133P
 Buspirone 245P
 L-Buthionine-[S,R]-sulphoxamine 6P
 Bypass grafts 168P
 Caffeine 292P
 Calcitonin gene related peptide 123P
 Calcium 114P, 118P
 Calcium antagonists 57P
 Calcium channels 214P
 Calcium channel blockers 213P
 Calcium sensitivity 94P
 Calcium signalling 117P
 Calcium transients 202P, 203P
 Calcium-activated Cl channels 38P
 Calcium-inhibitable adenylyl cyclase 80P
 Cannabinoids 38P, 79P
 Cannabinoid receptors 112P
 Captopril 188P
 β -Carboline 2P
 Cardiac actions 209P
 Cardiac action potentials 215P
 Cardiac fibroblasts 179P
 Cardiac muscle 182P, 183P, 202P, 203P, 204P
 Cardiac protection 58P
 Cardiomyocytes 212P
 Cardiopulmonary receptor stimulation 29P
 Cardiovascular disease 29P, 30P, 95P, 146P
 Cariporide 114P
 Carotid artery, collared, rabbit 39P
 Catecholamine release 213P
 CCK 258P

cDNA clones 131P
 Cells 82P
 Cell swelling 220P
 Cellular localisation 256P
 Ceramide 210P
 Cerebellar granule cells 294P
 Cerebral cortex, rat 266P
 CGP-12177 100P
 Chloride channels 28P
 Chloride secretion 85P
 Cholesterol 229P
 Chronic benzodiazepines 246P
 Chronic clozapine 265P
 Chronic obstructive pulmonary disease, equine 161P
 Ciliary muscle, dog 93P
 Cisapride 215P
 Citalopram 255P
 Citrulline 297P
 Clenbuterol 27P
 Clomethiazole 294P
 Cloning 18P
 CNS 260P, 261P, 280P, 293P
 Cocaine sensitisation 242P
 Cognition 229P
 Colitis 145P
 Collared carotid artery 39P
 Colon 142P
 Competitive antagonists 120P
 Complement system 48P
 Computer-based learning 298P
 Conditioned place aversion 231P
 Conditioned stimulus 65P
 Conscious model, guinea-pig 159P
 Conscious rat 225P
 Contractile activity 140P
 Coronary artery bypass grafting 31P
 Corpus cavernosum 223P, 224P
 Corticosterone 134P
 Corticotropin releasing factor 120P
 Cultured coronary endothelial cells, human 54P
 Cyclic ADP ribose 204P
 Cyclic AMP 42P, 121P, 122P, 270P
 Cyclic AMP response elements 122P
 Cyclic GMP-dependent kinase 223P
 Cyclo-oxygenase 8P, 153P, 156P
 Cyclo-oxygenase inhibitors 115P, 154P
 Cyclo-oxygenase-2 42P, 155P
 Cytokines 50P, 177P, 178P, 199P

Darifenacin 93P
 Dendrotoxin 253P
 Denudation *in vivo* 172P
 Depression 67P, 236P
 Developing hypothalamus 141P
 Diabetes 133P, 185P
 Diaspirin cross-linked haemoglobin 70P
 Diethylamine NONOate 173P
 Digital photoplethysmography 221P
 Dilatation 52P, 96P
 Discharge rates 228P
 Dispersion 37P
 Dizocilpine 242P
 DMPP 97P

DNA 10P
 DNA damage 162P
 DNA synthesis 139P
 L-DOPA 63P, 90P, 132P, 232P
 L-DOPA-RBE4 cells 111P
 Dopamine 9P, 17P, 81P, 89P, 244P, 269P, 278P, 279P, 280P, 283P
 Dopamine agonists 63P
 Dopamine neurones 233P, 277P
 Dopamine oxidation 166P
 Dopamine receptors 108P, 110P
 Dopamine D₁ receptors 89P
 Dopamine D₁/D₂ receptor co-expression 17P
 Dopamine D₁/D₂ receptor interactions 17P
 Dopamine D₂ receptors 62P
 Dopamine D₂ short receptors 16P, 109P
 Dopamine D₃ receptors 234P, 235P
 Dopamine release 6P
 Dopaminergic behaviour 62P
 Dopaminergic neurones 141P
 Dyskinesia 232P

EDHF 36P, 176P
 EEGs 295P
 Efficacy 109P
 Electrical field stimulation 57P
 Electroconvulsive shock 5P
 Electrolyte transport 88P, 89P
 Electrophysiology 9P, 291P
 Endothelial dysfunction 52P, 95P
 Endothelial function 172P
 Endothelins 158P, 191P
 Endothelin receptors 55P
 Endothelin-1 54P, 56P, 175P, 178P, 179P, 180P
 Endothelin-converting enzymes 193P
 Endothelium 40P, 43P, 74P, 75P, 169P, 170P, 171P, 191P, 206P, 210P, 211P
 Endothelium-derived factors 69P, 190P
 Endotoxaemia 72P, 186P, 187P
 Energy balance 4P, 135P, 267P
 Environmental oestrogens 141P
 Enzyme radioautography 99P
 EP₃ receptors 91P
 EP₃-receptor agonists 49P
 Essencial oil 143P
 Estrone 15P
 Ethanol 65P
 Na⁺/H⁺-Exchangers 114P, 220P
 Excitotoxicity 252P

Fasting 88P
 Feeding behaviour 66P
d-Fenfluramine 257P
 Fibroblasts 130P
 Fibronectin 84P
 Fluoxetine 67P, 236P
 Food intake 239P, 245P, 258P
 Forearm blood flow 73P
 Fos 293P
 Free radicals 46P

Fundus 103P
 Fura-2 271P

GABA 269P
 GABA release 273P
 GABA_A receptors 7P, 272P
 GABA_B 238P
 GABA_B agonists 274P
 Gabapentin 275P
 GDNF 232P, 233P
 Genistein 222P
 Gepirone 258P
 GIRKs 277P
 Glia 115P
 Glial cells 92P
 Glucocorticoids 86P
 Glucose 129P
 Glutamate 1P, 121P, 253P, 254P, 269P
 Glutathione 6P, 165P
 Glyceryltrinitrate 221P
 Glycine site 254P
 P-Glycoprotein 164P
 Glycosaminoglycans 43P
 G-proteins 54P, 81P, 83P
 G-protein coupling 116P
 G_i-proteins 94P
 GR-205171 284P
 Gram-positive shock 207P
 Granulocyte-macrophage colony-stimulating factor 42P, 144P, 155P
 Group I mGluRs 248P
 GTP cyclohydrolase-1 53P
 [³⁵S]-GTPγS binding 124P, 263P

Haemodynamics 35P
 Haloperidol 276P
 Halothane 203P
 Hamster 195P, 197P
 Heart 200P
 Heart, rat 106P
 Heart failure 205P
 Heart rate 213P
 Heme oxygenase-1 46P
 Heparin 149P
 Hippocampus 7P, 281P
 Hippocampus, guinea-pig 14P
 Histamine H₁ receptors 101P, 102P
 Homocysteine 171P
 HPA axis 134P, 138P
 5-HT 103P, 260P, 261P
 5-HT agonists 65P
 5-HT levels 257P
 5-HT receptors 217P
 5-HT release 266P
 5-HT_{1A} 260P
 5-HT_{1A} agonists 245P
 5-HT_{1A} receptors 263P
 5-HT_{1B} 83P
 5-HT_{1B} receptors 39P
 5-HT_{2A} receptors 265P
 5-HT_{2B} receptors 262P
 5-HT_{2C} receptors 237P, 256P
 5-HT₃ receptors 15P, 131P
 5-HT₆ antagonists 66P

5-HT₆ receptors 66P
 5-HT₇ receptors 14P
 Huntington's chorea 99P
 Hydroxy radicals 10P
 6-Hydroxydopamine 10P, 61P
 5-Hydroxytryptamine 264P
 L-5-Hydroxytryptophan 132P
 Hyperalgesia 285P
 Hypertension 55P
 Hypochlorous acid 162P
 Hypothyroidism 218P
 Hypoxia 179P, 194P, 294P

Ibotenic acid 275P
 I_{K,ATP} 37P
 Ileum 143P
 Imidazoline 2P, 129P, 133P
 Imidazoline binding sites 134P
 Immune cells 92P
 Immunocytochemistry 259P
 Induced neointima 39P
 Inducible nitric oxide synthase 157P
 Infarct size 198P
 Inflammation 52P, 144P, 148P, 149P, 154P, 219P, 288P
 Inflammatory pain 250P, 274P
 iNOS 189P
 Inositol phosphates 212P
 InsP₃ 182P
 Insulin 201P
 Integrins 84P
 Interleukin-1 β 147P, 186P
 Internalisation 125P
 Intestines 81P, 88P
 Intracellular endothelin converting enzymes 50P
 Inverse agonism 83P
 Ion channels 291P
 IP₆ 118P
 Ischaemia-reperfusion 59P, 201P
 Ischaemia-reperfusion arrhythmias 218P
 Ischaemia-reperfusion injuries 47P, 200P,
 Isolated oesophagus 104P

Jejunum 87P, 89P

K_{ATP} 208P
 K_{ATP} channels 49P, 187P
 Ketoprofen 152P, 153P
 Kidney function 59P
 Kir 6.2 208P

Lacidipine 192P
 Langendorff heart 209P
 Lanthanum 80P
 Lateral geniculate nucleus 297P
 Lateral hypothalamus 259P
 Leptin 4P
 Leukocytes 199P
 Lipocortin 41P

Lipocortin-1 86P, 137P, 138P
 Lipolysis 136P
 Lipopolysaccharides 189P
 Lipopolysaccharide fever 287P
 Lithium 117P
 Liver, rat 165P
 LLC-GA5 Col300 90P
 LLC-PK₁ 90P
 Locomotor behaviour 234P
 Locus coeruleus 11P
 Lung inflammation 160P

Macrophages 150P
 MAO 99P
 MAO_A 129P
 Marmoset 234P, 235P
 Mast cell degranulation 194P
 MDMA 33P
 Median raphe nucleus 295P
 Melatonin 34P
 Mesenteric afferents 87P
 Mesenteric beds 79P
 Mesolimbic dopamine system 237P
 Metabolic syndrome X 176P
 Metabotropic glutamate receptors 60P, 251P
 Metabotropic glutamate receptor antagonists 248P
 Methoxamine 38P
 Methoxyacetylserotonin 53P
 Methyl-eugenol 143P
 3-O-Methyl-L-DOPA 111P
 mGluR5 248P, 249P, 250P
 Microassay 165P
 Microcirculation 56P
 Microdialysis 6P, 244P, 253P, 296P
 Microphysiology 126P
 Microvascular leakage 158P
 Microvasculature 148P
 Migraine 262P
 Mitogenesis 82P
 Mivazerol 106P
 Modulators 290P
 Monoamine reuptake inhibition 64P
 Monoamine reuptake inhibitors 239P
 Monocular deprivation 297P
 Mononuclear cell proliferation 163P
 Morphine hyperactivity 237P
 Mouse 231P
 MPTP 232P, 233P
 MPTP-treated common marmosets 64P
 mRNA 91P
 mRNA expression 61P
 mRNA quantification 128P
 Muscarinic receptors 93P, 116P, 117P, 290P
 Muscarinic receptors, in rat uterus 105P
 Muscarinic M2 receptors 119P
 Mutation 108P
 Myocardial contractility 77P
 Myocardial ischaemia 198P
 Myocardial ischaemia, and reperfusion 48P, 49P
 Myocardial stunning 194P
 Myogenic tone 190P

1321N1 82P
 Na⁺/H⁺-exchangers 114P, 220P
 Na⁺,K⁺-ATPase 81P, 89P
 NANC responses 98P
 Neointima 76P
 Neointima formation 31P
 Neurogenic inflammation 153P
 Neurokinin NK₁ receptors 147P, 286P
 Neurokinin NK₁ receptor antagonists 284P, 285P, 287P
 Neurokinin NK₂ receptors 104P
 Neuromedin U 226P
 Neuromuscular junctions 298P
 Neuronal cells 12P
 Neuropathic pain 274P
 Neuropeptides 148P
 Neuropeptide Y 3P, 32P
 Neuropeptide Y receptors 3P
 Neuroprotection 252P, 291P
 Neurosteroids 7P
 Neurotoxicity 166P
 Neutrophil accumulation 44P, 147P
 Neutrophils, equine 161P
 Nicorandil 167P
 Nicotine 279P
 Nifedipine 32P
 Niflumic acid 103P
 Nigrostriatal lesions 269P
 Nigrostriatal tract 278P
 Nitrergic neuronal vasodilation 181P
 Nitrergic neurotransmission 98P
 Nitric oxide 8P, 40P, 68P, 70P, 71P, 72P, 74P, 75P, 76P, 77P, 78P, 162P, 180P, 223P, 224P, 288P
 Nitric oxide donors 173P
 Nitric oxide synthase 152P, 170P
 Nitric oxide synthesis 150P
 S-Nitrosothiols 78P
 Nitrotyrosine 151P
 NMDA 8P
 NMDA receptors 1P, 247P, 254P
 Nociceptin 142P, 266P, 268P, 270P
 Nociceptin receptors 267P
 Nociception 8P, 251P, 296P
 Non-competitive 249P
 Non-neuronal acetylcholine 92P
 Non-steroidal anti-inflammatory drugs 156P
 Noradrenaline 56P, 261P
 NOS knockout 71P
 NSD-1015 63P
 Nucleotide-recognising receptors 85P

Obesity 135P, 264P, 267P
 Oestradiol-17 β 53P
 Oestrogen-induced relaxation 140P
 8-OH-DPAT 255P, 258P
 Olfactory cortex 292P
 Ontogeny 81P, 89P
 Operant behaviour 243P
 Opioids 29P, 30P
 Opioid receptors 271P
 Orexin 4P
 Orexin-A 259P
 Organic nitrates 78P

ORL₁-receptors 142P
Osmotic minipumps 265P, 276P
Ovariectomy 105P
Oxidative stress 176P
Oxygen radicals 206P

Papez circuit 289P
Parkinson's disease 60P, 272P, 283P
PCR 131P
PD-159790 193P
Pelvic ganglion 23P
Peroxynitrite 151P
Pertussis toxins 174P
P-glycoprotein 90P, 164P
pH 23P
Phentermine 257P
Phosphodiesterase 163P
Phosphodiesterase inhibitors 216P
Phosphodiesterase isoenzymes 161P
Phytoestrogens 74P
Pig 184P
Pituitary function 137P
Pituitary hormone release 86P
Plasma extravasation 44P, 151P
Platelets 196P
Poly(ADP-ribose) synthetase 51P
Polyunsaturated fatty acids 252P
Pores 19P
Portal vein, rat 107P
Potassium channels 36P, 128P, 167P
Potassium-channel openers 35P
Power output 183P
PPADS 20P
Preconditioning 58P, 208P
Preproenkephalin mRNA 233P
Presynaptic inhibition 285P
Progressive ratio schedule 235P
Prostaglandins 154P, 156P
Prostanoids 212P
Prostanoid EP₁ receptors 91P
Prostanoid EP₁-receptor agonists 49P
Prostate, human 222P
Protease activated receptors 130P
Proteasome activity 27P
Protein kinase C 49P
Pulmonary vasculature 139P
Purines 281P, 282P
Purinoceptors 157P
Purinoceptor P2 subtypes 12P, 21P, 22P
Purinoceptor P2X subtypes 11P, 20P, 23P, 24P, 87P, 127P
Purinoceptor P2X₂ subtypes 18P
Purinoceptor P2X₃ subtypes 19P
Purinoceptor P2Y subtypes 82P
Purinoceptor P2Z subtypes 19P
Pyrethroid insecticides 28P

QT prolongation 215P
Quinpirole 231P

Radial tonometry 221P
Radical scavengers 206P, 207P
Radioautography 13P

Radioligands 25P
Radioligand binding 55P, 101P, 102P, 270P
RAMPs 123P
Rat 55P, 207P, 213P, 227P, 241P, 242P
RBE4 cells 132P
Reactive oxygen species 169P
Receptor expression 91P, 226P
Receptor heterogeneity 101P, 102P
Receptors 264P, 290P
Receptor subtypes 22P
Regional ischemia 37P
Regulation 144P
Release 3P
Renal function 32P
Renal haemodynamics 185P
Renal ischaemia-reperfusion injury 51P
Renal tubular cells 90P
Reperfusion 198P
Reporter assays 112P, 120P
Restenosis 199P
RS-127445 262P

Salbutamol 73P
Sch-23390 242P
Schizophrenia 289P
Selectine 48P
Sephadex 160P
Sepsis 77P
Shape change 196P
Signal transduction 169P
Single cell calcium 271P
Skeletal muscle 27P
Skin 149P
Smooth muscle contraction 105P
SMT 68P
Social behaviour 67P, 236P
Soluble guanylate cyclase 71P, 170P
Somatostatin 124P, 125P
Somatostatin receptors 26P
Sphingolipids 211P
Spinal cord 251P, 275P, 288P, 296P
Splice-variants 18P, 126P
SRIF receptors 25P
sst₄ receptors 125P
sst₄ receptors 124P
Steroids 15P
Streptozotocin 218P
Stress 228P, 284P
Striatum 113P, 276P, 278P, 279P
Substance P 113P
Substantia nigra 60P
Subthalamic nucleus 9P
Subtypes 104P
Subtype selective 1P
Superoxide 171P, 181P, 191P, 224P
Synaptosomes 273P
Synoviocytes 155P
 α -Synuclein 61P

Tachykinin NK₁ receptors 104P
Targeted gene deletion 62P
Tempol 207P
Thalamus 228P

Thapsigargin 80P
Thermal injury 44P
Thiazolidindiones 214P
Thromboxane 56P
Thromboxane A₂ release 115P
Thyroid 230P
Thyroid hormones 144P
Timing behaviour 243P
Tiropramide 225P
TNF- α 186P
TNP-ATP 11P
Tolerance 78P, 245P
Transforming growth factor β ₁ 198P
Transgenic mice 146P
Transgenic rats 188P
Tryptase 130P
Tyrosine kinase 175P, 222P
Tyrosine kinase inhibitors 177P

U937 cells 41P
Uncoupling proteins 135P
Undergraduate teaching 298P
Up-regulation 16P
Urethra 97P
Urinary bladder 97P
Uterus 128P, 226P
UTP 21P

Vaginal wall, rabbit 98P
Vas deferens, rat 107P
Vascular pharmacology 172P
Vascular reactivity, rabbit 39P
Vascular smooth muscle 178P
Vascular smooth muscle cells, human 50P, 177P
Vasculature 40P
Vasoconstriction 34P, 174P, 211P, 217P
Vasoconstrictors 168P
Vasodilatation 187P, 210P
Vasodilators 168P
Vasorelaxation 214P
Vasospasm 181P
VDCC 118P
Veins, human 168P
Vein grafts 31P
Ventricular cardiomyocytes 189P
Vesicle uptake 164P
Vitamin C 96P

Water intake 238P
Welding fumes 166P
White adipocyte lipolysis, human 100P
Withdrawal 241P

XR-9051 164P

YO-PRO-1 20P

ZD-6169 35P
Zinc 23P