

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

Casa Diocesana, Seminário de Vilar, Porto, Portugal

Joint Meeting with the Sociedade Portuguesa de Farmacologia

8th–9th April 1999

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus three original copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 (0)171 417 0431/2/3; Fax: +44 (0)171 417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arncliffe Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)181 882 7199; Fax: +44 (0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publisher: Sue Deeley. Production Controller: Jane Torr. Supplement Editor: Timothy Kopp. Supplement Production Controller: Theresa Emerick.

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.stockton-press.co.uk>

All information on the website is free and includes: editor's details, scope, latest table of contents, paper abstracts, subscription prices, reprint ordering, sample copy ordering, news, supplement information, contact names in publishing, production, marketing and advertising departments. Register now to have the table of contents sent to you as soon as they are updated.

Subscriptions – 1999 Subscription Rates – *British Journal of Pharmacology*
Institutional Subscriptions Print (Hard Copy): EU £890, Rest of World (surface mail) £985/US\$1625, Rest of World (airmail) £1182/US\$1950.

Electronic – Online only £890/US\$1469.

Combined – Electronic Online & Print EU £979, Rest of World (surface mail) £1084/US\$1789, Rest of World (airmail) £1281/US\$2114.

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The

Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1505 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to *British Journal of Pharmacology*, Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

Copyright © 1999 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/99 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

Casa Diocesana, Seminário de Vilar, Porto, Portugal

(Joint Meeting with the Sociedade Portuguesa de Farmacologia)

8th–9th April, 1999

Author Index

- Ahluwalia A *see* McLean PG, 113P
 Ahluwalia A *see* Varsani M, 96P
 Albino-Teixeira A *see* Morato M, 110P
 Alcobia T, Morais J, Maldonado J, Morais E, Freitas M, Providência L & Teixeira F Reperfusion therapy and plasma catecholamine levels after acute myocardial infarction, 103P
 Alldridge LC, Plevin RJ & Bryant CE Effects of lipocortin-1 on mitogen-activated protein kinases, 13P
 Almeida AM *see* Falcão AC, 86P
 Almeida L, Morgadinho MT, Fontes Ribeiro CA, Cabrita S, Matos Beja ML & Teixeira F Cholesterol diet and arterial noradrenaline content, 6P
 al-Swayeh OA, Clifford R & Moore PK Anti-oedema and antinociceptive effect of nitroprednisone and nitroflurbiprofen, 84P
 Alves-Rodrigues A, Leurs R, Panula P & Timmerman H Age-related changes in the histamine H₃-receptor of the rat brain, 31P
 Ambrósio AF, Silva AP, Malva JO & Soares-de-Silva P Inhibition of L-type Ca²⁺ channels by carbamazepine in rat cultured hippocampal neurons stimulated with ionotropic glutamate receptor agonists, 46P
 Angelini GD *see* Khan M, 39P
 Ånggård EE *see* Kengatharan M, 11P
 Arede S *see* Macedo TRA, 52P
 Atterwill CK *see* Presland KJ, 45P
 Atterwill CK *see* Presland KJ, 63P
 Azevedo I *see* Calhau C, 87P
 Azevedo I *see* Martel F, 88P
- Bagger P *see* Dashwood MR, 8P
 Bailey CP & Jones RSG NK₂-receptor activation increases spontaneous solution, 117P
 Bönisch H, Runkel F, Brüss M, Roubert C & Giros B The role of certain amino acids for the function of the desipramine-sensitive noradrenaline transporter, 136P
- Cabrita S *see* Almeida L, 6P
 Calhau C, Martel F, Hipólito-Reis C & Azecedo I Effect of P-glycoprotein modulators on alkaline phosphatase activity in rat cultured hepatocytes, 87P
 Calhau C *see* Martel F, 88P
 Cancela JM, Churchill GC & Galione A Co-ordination of agonist-induced calcium signalling patterns by NAADP in pancreatic acinar cells, 16P
 Cannizzaro C *see* Zeng B-Y, 19P
 Caramona MM *see* Falcão AC, 86P
 Caramona MM *see* Mendes AF, 82P
 Carmo A, Cunha-Vaz JG, Pato de Carvalho A & Lopes MC Blood–retina barrier permeability and interleukin-1 β level in retinas from streptozotocin model of diabetic rats, 81P
 Carnuccio R *see* Iuvone T, 36P
 Carrier MJ *see* Kengatharan M, 11P
 Carvalho AP *see* Ambrósio AF, 46P
 Carvalho AP *see* Mendes AF, 82P
 Carvalho AP *see* Santos PF, 142P
 Carvalho CM *see* Ambrósio AF, 46P
 Carvalho F, Fernandes E, Remião F, Gomes-da-Silva J, Tavares MA & Bastos ML Effect of repeated exposure to *d*-amphetamine on endogenous antioxidants in the rat brain, 65P
 Cavadas C, Cotrim MD, Mosimann F, Fontes Ribeiro CA & Grouzmann E Neuropeptide Y release and receptors in human chromaffin cells, 126P
- GABA-release in the rat nucleus tractatus solitarius *in vitro*, 48P
 Barker S *see* Corder R, 10P
 Bastos ML *see* Carvalho F, 65P
 Beaumont V *see* Fowler CE, 71P
 Bennett GC, Ford APDW & Boarder MR Localisation of P2 receptors on cerebral cortical cell cultures from embryonic rats, 61P
 Benovic JL *see* Willets JM, 26P
 Betts LC, Kato K & Kozłowski RZ Endothelin-1 and contraction of rat renal arteries, 99P
 Bitsios P *see* Phillips MA, 129P
 Bitsios P *see* Phillips MA, 130P
 Boarder MR *see* Bennett GC, 61P
 Boarder MR *see* Dixon CJ, 25P
 Boarder MR *see* White PJ, 4P
 Borges N *see* Parada A, 20P
 Bosman IJ *see* de Boer D, 41P
 Bowery BJ *see* Meoni P, 47P
 Bowery NG *see* Meoni P, 47P
 Boyle JP *see* Davie CS, 1P
 Boyle JP *see* Dormer JP, 108P
 Bradshaw CM *see* Phillips MA, 129P
 Bradshaw CM *see* Phillips MA, 130P
 Brain KL *see* Trout SJ, 53P
 Bristow DR *see* Leeson AH, 54P
 Broadley KJ Are β_1 - and β_2 -adrenoceptor-mediated functional responses differentially desensitized: a role for phosphodiesterase?, 137P
 Bromidge SM *see* Hirst WD, 23P
 Bromidge SM *see* Routledge C, 21P
 Brown AM *see* Routledge C, 21P
 Brüss M *see* Bönisch H, 136P
 Bryant CE *see* Alldridge LC, 13P
 Burt RP, Chapple CR & Marshall I Noradrenaline releases Ca²⁺ from ryanodine-sensitive intracellular stores in rat isolated epididymal vas deferens which can be filled by a high K⁺ Krebs

- Cavadas C *see* Neta C, 97P
 Challiss RAJ *see* Davie CS, 1P
 Challiss RAJ *see* Saunders R, 127P
 Chapple CR *see* Burt RP, 117P
 Charlett A, Dobbs RJ, Dobbs SM, Peterson DW & Weller C Is *Helicobacter pylori* antigen responsible for changes in circulating immunoglobulin associated with ageing?, 80P
 Charlett A, Dobbs RJ, Dobbs SM, Weller C & Peterson DW Does *Helicobacter pylori* account for increase in serum interleukin-6 and tumour necrosis factor- α with age, and interleukin-6 and cortisol with parkinsonism?, 79P
 Chatterjee PK, Zacharowski K & Thiemermann C The poly(ADP-ribose) synthetase inhibitor 1,5-dihydroxyisoquinoline reduces renal ischaemia-reperfusion injury in the rat *in vivo*, 102P
 Chatterjee PK & Thiemermann C The stable nitroxide radical tempol reduces hydrogen peroxide-mediated cellular injury in primary cultures of rat renal proximal tubular cells, 101P
 Churchill GC *see* Cancela JM, 16P
 Cicala C, Morello S, Harriot P & Cirino G PAR1 and PAR2 modulate blood pressure in anaesthetised rats, 2P
 Cirino G *see* Cicala C, 2P
 Clifford R *see* al-Swayeh OA, 84P
 Coelho JE, de Mendonça A & Ribeiro JA Contribution of muscarinic and α_2 -adrenergic receptors to the depression of synaptic transmission induced by hypoxia, 32P
 Colado MI, Esteban B, O'Shea E, Martinez I & Green AR Effect of 7-nitroindazole on the hypothermia and the striatal dopamine loss induced by MDMA in mice, 70P
 Colado MI *see* Esteban B, 69P
 Cole JC *see* O'Callaghan M, 132P
 Corder R, Khan N, Wood EG, Lees DM & Barker S Effect of calcium channel blockers on basal and tumour necrosis factor α -stimulated endothelin-1 synthesis in bovine aortic endothelial cells, 10P
 Corder R *see* Kengatharan M, 11P
 Correia-da-Sá P, Timóteo MA & Ribeiro JA The A_{2A} -adenosine agonist, CGS 21680C, facilitates acetylcholine release by activating L-type calcium currents during prolonged depolarisation of the rat motor nerve terminals, 51P
 Cortada A *see* Fresco P, 123P
 Costenla AR, de Mendonça A, Sebastião AM & Ribeiro JA 2-Chloroadenosine inhibits NMDA currents in rat cultured bipolar retina cells, 27P
 Costenla AR *see* de Mendonça A, 138P
 Cotrim MD *see* Cavadas C, 126P
 Crankshaw DJ & Popat A Estimating the inhibitory potency of prostanoid EP receptor agonists in human non-pregnant myometrium *in vitro*, 73P
 Crankshaw DJ *see* Popat A, 74P
 Crankshaw DJ *see* Popat A, 75P
 Crankshaw DJ *see* Senchyna M, 40P
 Crosby J *see* Parker CA, 72P
 Cruz TF *see* Mendes AF, 82P
 Cunha RA, Malva JO & Ribeiro JA Kainate receptors coupled to G_i/G_o proteins in the rat hippocampus, 17P
 Cunha RA & Ribeiro JA Increase in the number, G-protein coupling and efficiency of adenosine A_{2A} receptors in the cortex of aged rats, 28P
 Cunha RA *see* Lopes LV, 29P
 Cunha RA *see* Pereira MF, 62P
 Cunha Reis D, Sebastião AM & Ribeiro JA Adenosine modulates the neuro-modulatory action of VIP on [3H]-GABA release from rat hippocampal synaptosomes, 30P
 Cunha-Reis D *see* Sebastião AM, 140P
 Cunha-Vaz JG *see* Carmo A, 81P
 Cunha-Vaz JG *see* Gaspar MN, 112P
 Cunnane TC *see* Trout SJ, 53P
 Cunningham MO, Wood SJ & Jones RSG Phenytoin enhances spontaneous GABA-mediated inhibition in the rat entorhinal cortex, 49P
 Curtis TM & Scholfield CN Endothelin blocks L-type calcium channels in microvascular smooth muscle of the rabbit choroid, 9P
 D'Acquisto F *see* Iuvone T, 36P
 Daly CJ *see* McGrath JC, 133P
 Dashwood MR, Jagroop IA, Gorog D & Bagger P A potential role for endothelin-1 in peripheral vascular disease, 8P
 Dashwood MR *see* Jagroop IA, 91P
 Dashwood MR *see* Khan M, 118P
 Dass B *see* Zeng B-Y, 19P
 Dass N *see* Trout SJ, 53P
 Davie CS, Challiss RAJ, Standen NB & Boyle JP Characterisation of K^+ channels present in intact fragments of rat cerebral arterioles, 1P
 de Boer D, dos Reis LJAL, Pylon N, Gijzels M, Bosman IJ & Maes RAA Preliminary results on the urinary excretion of 2C-B (4-bromo-2,5-dimethoxy-phenethylamine) and its metabolites in humans, 41P
 de Mendonça A *see* Coelho JE, 32P
 de Mendonça A *see* Costenla AR, 27P
 de Mendonça A, Costenla AR & Ribeiro J Adenosine modulates phenomena of synaptic plasticity in the hippocampus of old rats, 138P
 Dewhurst DG & Hughes IE The pharma-CAL-ogy project: is there life after death?, 89P
 Dillon MP *see* Parker CA, 72P
 Diniz C, Fresco P, Queiroz G & Gonçalves J Influence of α_2 -auto-receptor blockade on the A_{2A} -mediated facilitation of noradrenaline release in rat isolated tail artery, 114P
 Diniz C *see* Queiroz G, 115P
 Dixon CJ, Woods NM & Green AK Evidence that $P2Y_1$ and $P2Y_2$ receptors regulate calcium oscillations in single hepatocytes, 25P
 Dobbs RJ *see* Charlett A, 79P
 Dobbs RJ *see* Charlett A, 80P
 Dobbs SM *see* Charlett A, 79P
 Dobbs SM *see* Charlett A, 80P
 Dora KA *see* Jiménez R, 107P
 Dormer JP & Boyle JP The modulation of vascular tone in rat pial arterioles *in vitro* by nitric oxide and BK_{Ca} -activation, 108P
 dos Reis LJAL *see* de Boer D, 41P
 Doyle KM *see* Presland KJ, 45P
 Doyle KM *see* Presland KJ, 63P
 Duarte CB *see* Santos PF, 142P
 Duarte Correia JH *see* Villa de Brito MT, 106P
 Edwards G *see* Walker SD, 98P
 Edwards J *see* Wray D, 128P
 Edwards MM, Jackson HC, Nutt DJ & Hudson AL Investigation of the affinity of monoamine reuptake inhibitors for rat brain imidazoline 2 binding sites, 56P
 Eglen RM *see* Parker CA, 72P
 Emsley AM *see* Khan M, 39P
 Esteban B, O'Shea E, Martinez I, Green AR & Colado MI Similar brain concentrations of MDMA have different neurotoxic effects following central or peripheral drug administration, 69P
 Esteban B *see* Colado MI, 70P
 Evans DIP, Woodhall GL & Jones RSG L-AP4-induced facilitation of glutamate release in layer V of the rat entorhinal cortex *in vitro*, 68P
 Falcão AC, Almeida AM & Caramona MM Kinetic profile of theophylline in critically ill patients: assessment of their inter- and intra-individual variability, 86P
 Fashola E, Paul A, Strange PG & Plevin R Dissociation of 5-HT $_{1A}$ receptor-stimulated MAP kinase activity and DNA synthesis in transfected CHO cells, 14P
 Fernandes E *see* Carvalho F, 65P
 Figueiredo A *see* Rocha-Pereira P, 83P
 Finn DP, Harbuz MS, Nutt DJ & Hudson AL The effect of idazoxan on

- corticosterone levels in control and restraint-stressed rats, 92P
- Fontes Ribeiro CA *see* Almeida L, 6P
- Fontes Ribeiro CA *see* Cavadas C, 126P
- Fontes Ribeiro CA *see* Gaspar MN, 112P
- Fontes Ribeiro CA *see* Macedo TRA, 52P
- Fontes Ribeiro CA *see* Neta C, 97P
- Ford APDW *see* Bennett GC, 61P
- Fowler CE, Beaumont V & Henderson G Inhibition of calcium channel currents by somatostatin and L362855 in NG108-15 cells, 71P
- Fozard JR *see* Hannon JP, 76P
- Fozard JR *see* Hannon JP, 77P
- Fraser S *see* Lansdell KA, 111P
- Freitas M *see* Alcobia T, 103P
- Fresco P, Saraiva L, Oliveira J, Cortada A, Pinto E & Gonçalves J Structure-activity studies of phorbol ester compounds on PKC-activation using an *in vivo* phenotypic yeast assay: influence of substituents at C-12 and C-13, 123P
- Fresco P *see* Diniz C, 114P
- Fresco P *see* Oliveira J, 124P
- Fresco P *see* Queiroz G, 115P
- Gager T *see* Routledge C, 21P
- Galione A *see* Cancela JM, 16P
- Garland CJ *see* Hinton JM, 94P
- Garland CJ *see* Jiménez R, 107P
- Garland CJ *see* Sampson LJ, 95P
- Gaspar MN, Fontes Ribeiro CA, Cunha-Vaz JG & Macedo TRA Response of retinal arterioles *in vivo* to sensory neuropeptides in the rabbit, 112P
- Gijzels M *see* de Boer D, 41P
- Gillard NP *see* Lansdell KA, 111P
- Giros B *see* Bönisch H, 136P
- Gomes P & Soares-da-Silva P Apical L-dopa- Na^+ cotransport and intracellular pH in OK cells, 43P
- Gomes R *see* Sampaio Maia MB, 125P
- Gomes-da Silva J *see* Carvalho F, 65P
- Gonçalves J *see* Diniz C, 114P
- Gonçalves J *see* Fresco P, 123P
- Gonçalves J *see* Oliveira J, 124P
- Gonçalves J *see* Queiroz G, 115P
- Gonçalves ML *see* Villa de Brito MT, 106P
- Gorog D *see* Dashwood MR, 8P
- Green AK *see* Dixon CJ, 25P
- Green AR *see* Colado MI, 70P
- Green AR *see* Esteban B, 69P
- Grouzmann E *see* Cavadas C, 126P
- Guimarães S *see* Morato M, 110P
- Guimarães S *see* Moura D, 135P
- Guimarães S *see* Paiva MQ, 5P
- Guimarães S *see* Pinheiro H, 7P
- Habens F *see* Kengatharan M, 11P
- Hafner G *see* Zacharowski K, 33P
- Hagan JJ *see* Rogers DC, 22P
- Hainzl D, Parada A & Soares-da-Silva P Enantio-selective oxidation of 10,11-dihydro-10-hydroxy-dibenz/b,f/azepine-5-carboxamide, an active metabolite of oxcarbazepine, in the rat, 42P
- Hannon JP, Tigani B, Mazzoni L & Fozard JR Mechanism of airway hyperreactivity to adenosine induced by allergen challenge in actively sensitised Brown Norway rats, 76P
- Hannon JP, Tigani B, Mazzoni L & Fozard JR The receptor mediating the augmented broncho-constrictor response to adenosine induced by allergen challenge in actively sensitised Brown Norway rats, 77P
- Harbuz MS *see* Finn DP, 92P
- Harriot P *see* Cicala C, 2P
- Harris NC & Khan D Gamma-hydroxybutyrate is not potentiated by nipecotic acid, 66P
- Harrison S, Page CP & Spina D Role of protein kinase G on excitatory NANC contractions in guinea-pig isolated bronchus, 119P
- Heal DJ *see* Presland KJ, 45P
- Heal DJ *see* Presland KJ, 63P
- Henderson G *see* Fowler CE, 71P
- Herman AG *see* Iuvone T, 36P
- Hill MA *see* Murphy TV, 3P
- Hill PB *see* Hinton JM, 94P
- Hill SJ *see* Scott AC, 18P
- Hinton JM, Hill PB & Garland CJ Involvement of protein kinase C (PKC) in 5-HT_{1B/1D} receptor signalling in the rabbit isolated renal artery, 94P
- Hipólito-Reis C *see* Calhau C, 87P
- Hirst WD, Minton JAL, Bromidge SM, Routledge C, Middlemiss DN & Price GW [¹²⁵I]SB-258585 – a selective antagonist radioligand for 5-HT₂ receptors, 23P
- Huang WX, Kingsbury MP, Hunter RJ, Turner MA & Sheridan DJ Evidence of increased endothelium-mediated vasodilatation following chronic aortic constriction, 104P
- Hudson AL, Robinson ESJ, Lallies MD & Nutt DJ An antisense approach to the pharmacology of the α_{2AD} -adrenoceptor in the rat, 134P
- Hudson AL *see* Edwards MM, 56P
- Hudson AL *see* Finn DP, 92P
- Hudson AL *see* Lallies MD, 58P
- Hudson AL *see* Parker CA, 72P
- Hudson AL *see* Price RE, 57P
- Hudson AL *see* Robinson ESJ, 55P
- Hughes IE *see* Dewhurst DG, 89P
- Hunter AJ *see* Rogers DC, 22P
- Hunter RJ *see* Huang WX, 104P
- Herman AG Involvement of mast cell degeneration in LPS-induced plasma leakage in rat skin, 36P
- Jackson HC *see* Edwards MM, 56P
- Jackson HC *see* Robinson ESJ, 55P
- Jagroop IA & Mikhailidis DP Doxazosin, a selective α_1 -adrenoceptor antagonist, also inhibits serotonin-induced shape change in human platelets, 91P
- Jagroop IA *see* Dashwood MR, 8P
- Javid FA & Naylor RJ Investigation of the effect of 5-hydroxytryptamine as an emetic and anti-emetic agent in *Suncus murinus* (musk shrew), 121P
- Javid FA & Naylor RJ Investigation of tachyphylaxis to DOI-induced contraction in the proximal region of the *Suncus murinus* (musk shrew) intestine, 122P
- Jenner P *see* Treseder SA, 24P
- Jenner P *see* Zeng B-Y, 19P
- Jeremy JY *see* Khan M, 39P
- Jiménez R, Dora KA & Garland CJ A role for K^+ in relaxation responses to acetylcholine in rabbit isolated arcuate artery, 107P
- Jones RSG *see* Bailey CP, 48P
- Jones RSG *see* Cunningham MO, 49P
- Jones RSG *see* Evans DIP, 68P
- Jones RSG *see* Wood SJ, 67P
- Jones RSG *see* Woodhall GL, 50P
- Kato K *see* Betts LC, 99P
- Katugampola SD *see* Stewart M, 93P
- Keenan AK *see* Kelleher S, 109P
- Keir SD, Spina D & Page CP The effect of subcutaneous chronic infusion with R-, S- and RS-salbutamol on airways responsiveness to histamine, bradykinin and leukotriene C4 in the guinea-pig, 78P
- Kelleher S & Keenan AK Qualitative differences in angiotensin II-mediated modulation of tolerance to dethionoate and sodium nitroprusside in rat aortic smooth muscle cells, 109P
- Kelly E *see* Willets JM, 26P
- Kengatharan M, Habens F, Corder R, Ånggård EE & Varrier MJ Comparison of the effect of a peptidoglycan fragment and lipopolysaccharide on nitrite production in J7.DEF3 macrophage cells *in vitro*, 11P
- Kennedy C Characteristics of human P2Y receptor subtypes, 143P
- Khan D *see* Harris NC, 66P
- Khan M, Thompson CS, Emsley AM, Mumtaz F, & Jeremy JY Copper augments the inhibitory effect of homocysteine on relaxation of the rabbit corpus cavernosum: new risk

- factors for erectile dysfunction, 39P
- Khan M, Thompson CS, Mumtaz F, Mikhailidis DP, Morgan RJ & Dashwood M Time-dependent up-regulation of neuronal 5-hydroxytryptamine binding sites in the detrusor of a rabbit model of partial bladder outlet obstruction, 118P
- Khan N *see* Corder R, 10P
- Kingsbury MP, Teevan CP, Turner MA & Sheridan DJ Endothelium-dependent and -independent coronary vasodilator responses are reduced in left ventricular hypertrophy, 105P
- Kingsbury MP *see* Huang WX, 104P
- Kozłowski RZ *see* Betts LC, 99P
- Kumari R *see* White PJ, 4P
- Lal H, Williams KI & Woodward B Chronic hypoxia (CH) augments conversion of big ET-1 and vasoconstrictor response to ET-1 in rat perfused lungs, 100P
- Lalies MD, Wilson J, Robinson ESJ, Nutt DJ & Hudson AL Unilateral quinolinic acid lesion decreases imidazoline-2 site binding in rat striatum, 58P
- Lalies MD *see* Hudson AL, 134P
- Langley RW *see* Phillips MA, 129P
- Langley RW *see* Phillips MA, 130P
- Lansdell KA, Fraser S, Gillard NP, Templeton AGB & Patmore L Comparison of the effects of sotalol on the cardiac action potential recorded in ovine and canine isolated Purkinje fibres, 111P
- Lautt WW *see* Macedo MP, 37P
- Lautt WW *see* Macedo MP, 120P
- Lees DM *see* Corder R, 10P
- Leeson AH, Zamani MR & Bristow DR Acute histamine exposure induced the phosphorylation of a 58kDa protein in mouse hypothalamic GT1-7 neuronal cells, 54P
- Legare DJ *see* Macedo MP, 37P
- Leicher T *see* Wray D, 128P
- Leurs R *see* Alves-Rodrigues A, 31P
- Lightowler S *see* Routledge C, 21P
- Lima BS *see* Pinto R, 116P
- Little HJ *see* O'Callaghan M, 132P
- London NJM *see* White PJ, 4P
- Lopes LV, Cunha RA & Ribeiro JA Cross-talk between A₁/A_{2A} adenosine receptors in the rat hippocampus and cortex, 29P
- Lopes MC *see* Carmo A, 81P
- Lopes MC *see* Mendes AF, 82P
- Luscombe S *see* Price RE, 57P
- MacAllister R *see* Varsani M, 96P
- McDonald M *see* Mota-Filipe H, 35P
- Macedo AM *see* Macedo TRA, 52P
- Macedo MP, Ramos FD & Lautt WW Characterisation of the parasympathetic dependent release of an hepatic insulin sensitizing substance (HISS) in the rat, 120P
- Macedo MP, Takayama S, Legare DJ & Lautt WW Parasympathetic nerves facilitate insulin action in the post-prandial state, 37P
- Macedo MP *see* Sebastião AM, 140P
- Macedo TRA, Pinto CM, Arede S, Morgadinho MT, Pacheco MF, Macedo AM & Fontes Ribeiro CA Comparative effects of morphine, cocaine and morphine plus cocaine on plasma and brain catecholamines in rats, 52P
- Macedo TRA *see* Gaspar MN, 112P
- Macedo TRA *see* Neta C, 97P
- McGrath JC, Mackenzie JF & Daly CJ Sub-cellular localisation of α_1 -adrenoceptors in live cells and tissues, 133P
- McHarg AD *see* Stewart M, 93P
- Mackenzie JF *see* McGrath JC, 133P
- McLean P, Perretti M & Ahluwalia A The involvement of kinin B1 receptors in the hypotensive response to endotoxin in rats, 113P
- Maes RAA *see* de Boer D, 41P
- Magina S *see* Pinheiro H, 7P
- Maldonado J *see* Alcobia T, 103P
- Malva JO *see* Ambrósio AF, 46P
- Malva JO *see* Cunha RA, 17P
- Marques MC *see* Villa de Brito MT, 106P
- Marsh HC *see* Zacharowski K, 33P
- Marshall I *see* Burt RP, 117P
- Marshall I *see* Varsani M, 96P
- Martel F, Ribeiro L, Calhau C & Azevedo I Characterization of the efflux of the organic cation MPP in rat cultured hepatocytes, 88P
- Martel F *see* Calhau C, 87P
- Martinez I *see* Colado MI, 70P
- Martinez I *see* Esteban B, 69P
- Matos Beja ML *see* Almeida L, 6P
- Mazzoni L *see* Hannon JP, 76P
- Mazzoni L *see* Hannon JP, 77P
- Mendes AF, Lopes MC, Caramona MM, Pato Carvalho A & Cruz TF N-Acetylcysteine, diphenyl-eneiodonium and N-monomethylarginine inhibit IL-1 β -induced NO production in articular chondrocytes: a study of potency, 82P
- Meoni P, Uroda M, Bowery BJ & Bowery NG Binding of [³H]GABA and of [³H]CGP 62349 to the GABA receptor are differentially affected in Alzheimer's disease prefrontal cortex, 47P
- Middlemiss DN *see* Hirst WD, 23P
- Middlemiss DN *see* Routledge C, 21P
- Mikhailidis DP *see* Jagroop IA, 91P
- Mikhailidis DP *see* Khan M, 39P
- Mikhailidis DP *see* Khan M, 118P
- Milligan CJ *see* Wray D, 128P
- Minton JAL *see* Hirst WD, 23P
- Moore PK *see* al-Swayeh OA, 84P
- Morais E *see* Alcobia T, 103P
- Morais J *see* Alcobia T, 103P
- Morato M, Albino-Teixeira A, Moura D, Paiva MQ & Guimarães S Effects of angiotensin II in the mesenteric artery of DPSPX (1,3-dipropyl-8-sulfo-phenylxanthine)-hypertensive rats, 110P
- Morato M *see* Paiva MQ, 5P
- Morello S *see* Cicala C, 2P
- Morgadinho MT *see* Almeida L, 6P
- Morgadinho MT *see* Macedo TRA, 52P
- Morgan RJ *see* Khan M, 39P
- Morgan RJ *see* Khan M, 118P
- Mosimann F *see* Cavadas C, 126P
- Moss SF *see* Routledge C, 21P
- Mota-Filipe H, McDonald M & Thiemermann C The stable nitroxide radical tempol attenuates the multiple organ dysfunction caused by haemorrhagic shock in the rat, 35P
- Moura D, Paiva MQ & Guimarães S Prejunctional effects of angiotensin II and bradykinin in the heart and blood vessels, 135P
- Moura D *see* Morato M, 110P
- Moura D *see* Paiva MQ, 5P
- Moura D *see* Pinheiro H, 7P
- Mumtaz F *see* Khan M, 39P
- Mumtaz F *see* Khan M, 118P
- Murphy TV, Spurrell BE & Hill MA Tyrosine phosphorylation and myogenic responses in arterioles, 3P
- Nahorski SR *see* Saunders R, 127P
- Napier CM *see* Stewart M, 93P
- Naylor RJ *see* Javid FA, 121P
- Naylor RJ *see* Javid FA, 122P
- Neta C, Fontes Ribeiro CA, Cavadas C, Silva J & Macedo TRA ATP released by sympathetic stimulation of the human uterine artery: contraction by P2 receptors and inhibition of noradrenaline release through A₁ receptors, 97P
- Newman H *see* Routledge C, 21P
- Nikbakht M-R *see* Stone TW, 141P
- Nutt DJ *see* Edwards MM, 56P
- Nutt DJ *see* Finn DP, 92P
- Nutt DJ *see* Hudson AL, 134P
- Nutt DJ *see* Lalies MD, 58P
- Nutt DJ *see* Parker CA, 72P
- Nutt DJ *see* Price RE, 57P
- Nutt DJ *see* Robinson ESJ, 55P
- O'Callaghan M, Cole JC & Little HJ Effects of vehicle injections on the preference of C57 strain mice for alcohol, 132P
- O'Kane EM & Stone TW Induction of

- LTP in the CA1 area of rat hippocampus following ATP perfusion, 59P
- O'Kane EM *see* Stone TW, 141P
- Oliveira J, Saraiva L, Fresco P, Pinto E & Gonçalves J Chelerythrine reverts the phenotypic effects of PKC α activation on an *in vivo* yeast phenotypic assay, 124P
- Oliveira J *see* Fresco P, 123P
- O'Shea E *see* Colado MI, 70P
- O'Shea E *see* Esteban B, 69P
- Owen A *see* Zeng B-Y, 19P
- Pacheco MF *see* Macedo TRA, 52P
- Page CP *see* Harrison S, 119P
- Page CP *see* Keir SD, 78P
- Paiva MQ, Morato M, Moura D & Guimarães S Post-junctional α_2 -adrenoceptor subtypes in dog and rat veins, 5P
- Paiva MQ *see* Morato M, 110P
- Paiva MQ *see* Moura D, 135P
- Panula P *see* Alves-Rodrigues A, 31P
- Parada A, Borges N, Vieira-Coelho MA & Soares-da-Silva P Effect of brain catechol-O-methyl-transferase inhibition by tolcapone on amphetamine-induced behaviour in the rat, 20P
- Parada A *see* Hainzl D, 42P
- Parent J-L *see* Willets JM, 26P
- Parker CA, Hudson AL, Nutt DJ, Dillon MP, Eglen RM & Crosby J Tryptophan: a distinct but biologically inactive component of clonidine-displacing substance, 72P
- Patmore L *see* Lansdell KA, 111P
- Pato de Carvalho A *see* Carmo A, 81P
- Paul A, Torrie L & Plevin R Inhibition of LPS-stimulated NE κ B signalling and iNOS induction in raw 264.7 macrophages by the tyrosine phosphatase inhibitor pervanadate, 12P
- Paul A, Wilson S & Plevin R Inhibition of inhibitory κ B kinase enhances lipopolysaccharide stimulation of SAP kinases in rat aortic smooth muscle cells, 15P
- Paul A *see* Fashola E, 14P
- Pereira MF, Cunha RA & Ribeiro JA Tonic adenosine neuromodulation is unaltered in motor nerve endings of aged rats, 62P
- Perretti M *see* McLean PG, 113P
- Peterson DW *see* Charlett A, 79P
- Peterson DW *see* Charlett A, 80P
- Phillips MA, Langley RW, Bitsios P, Bradshaw CM & Szabadi E The effects of some antidepressants on prepulse inhibition of the acoustic startle reflex in man, 130P
- Phillips MA, Szabadi E, Bradshaw CM, Langley RW & Bitsios P Effects of reboxetine, fluvoxamine and amitriptyline upon spontaneous pupillary fluctuations in healthy human volunteers, 129P
- Pinheiro H, Vaz-da-Silva MJ, Magina S, Moura D & Guimarães S Effect of bradykinin and angiotensin II on noradrenaline release from the rat ventricle, 7P
- Pinto CM *see* Macedo TRA, 52P
- Pinto E *see* Fresco P, 123P
- Pinto E *see* Oliveira J, 124P
- Pinto R, Vieira C & Silva Lima B Role of L-NOARG pathway in the rat vas deferens induced contractility by noradrenaline and phenylephrine, 116P
- Plane F *see* Sampson LJ, 95P
- Plevin R *see* Fashola E, 14P
- Plevin R *see* Paul A, 12P
- Plevin R *see* Paul A, 15P
- Plevin RJ *see* Alldridge LC, 13P
- Pongs O *see* Wray D, 128P
- Popat A, Subramanian S & Crankshaw DJ Effect of prolonged treatment with sulprostone on α protein levels in human non-pregnant myometrium *in vitro*, 75P
- Popat A & Crankshaw D Bell-shaped concentration-effect curves to excitatory EP receptor agonists in human non-pregnant myometrium *in vitro*, 74P
- Popat A *see* Crankshaw DJ, 73P
- Porter KE *see* White PJ, 4P
- Presland KJ, Doyle KM, Heal DJ, Purcell DJ, Purcell WM & Atterwill CK Comparison of anoxic and ischaemic damage in a novel organotypic *in vitro* spheroid model of stroke: assessment with lactate dehydrogenase (LDH) and the cytokine tumour necrosis factor α (TNF α), 45P
- Presland KJ, Doyle KM, Heal DJ, Purcell WM & Atterwill CK Glial and neuronal changes in a potential model of stroke utilising *in vitro* spheroid cultures: a comparative study of anoxia/ischaemia, 63P
- Price G *see* Routledge C, 21P
- Price GW *see* Hirst WD, 23P
- Price RE, Luscombe S, Tyacke RJ, Nutt DJ & Hudson AL Affinities of β -carbolines for I_2 -binding sites in rabbit brain membranes, 57P
- Providência L *see* Alcobia T, 103P
- Purcell WM *see* Presland KJ, 45P
- Purcell WM *see* Presland KJ, 63P
- Pylon N *see* de Boer D, 41P
- Queiroz G, Diniz C, Fresco P & Gonçalves J Facilitation by adenosine of noradrenaline release in rat isolated vas deferens is prevented by blockade of α_2 -autoreceptors, 115P
- Queiroz G *see* Diniz C, 114P
- Quilter CA *see* Rogers DC, 22P
- Quintanilha A *see* Rocha-Pereira P, 83P
- Ramos FD *see* Macedo MP, 120P
- Rebello I *see* Rocha-Pereira P, 83P
- Reis F, Tavares P & Teixeira F Platelet aggregation, calcium and serotonin in cyclosporin A-induced hypertensive rats, 90P
- Remião F *see* Carvalho F, 65P
- Reza Zamani M *see* Leeson AH, 54P
- Ribeiro F *see* Carmo A, 81P
- Ribeiro JA *see* Coelho JE, 32P
- Ribeiro JA *see* Correia-de-Sá P, 51P
- Ribeiro JA *see* Costenla AR, 27P
- Ribeiro JA *see* Cunha RA, 17P
- Ribeiro JA *see* Cunha RA, 28P
- Ribeiro JA *see* Cunha Reis D, 30P
- Ribeiro JA *see* de Mendonça A, 138P
- Ribeiro JA *see* Lopes LV, 29P
- Ribeiro JA *see* Pereira MF, 62P
- Ribeiro JA *see* Sebastião AM, 140P
- Ribeiro L *see* Martel F, 88P
- Richardson P Striatal adenosine receptors and Parkinson's disease, 139P
- Riley G *see* Routledge C, 21P
- Robinson ESJ, Nutt DJ, Jackson HC & Hudson AL Uptake of fluorescently labelled antisense to α_{2AD} -adrenoceptors into rat brain following i.c.v. injection, 55P
- Robinson ESJ *see* Hudson AL, 134P
- Robinson ESJ *see* Lallies MD, 58P
- Robinson TL *see* Rogers DC, 22P
- Rocha-Pereira P, Rebello I, Santos-Silva A, Figueiredo A, Ferra MA, Quintanilha A & Teixeira F Leukocyte activation and oxidative stress in psoriasis, 83P
- Rogers DC, Robinson TL, Quilter CA, Hunter AJ, Routledge C & Hagan JJ Cognitive enhancement effects of the selective 5-HT $_2$ antagonist SB-271046, 22P
- Rose S *see* Treseder SA, 24P
- Rose S *see* Zeng B-Y, 19P
- Roubert C *see* Bönisch H, 136P
- Routledge C, Price G, Bromidge SM, Moss SF, Newman H, Riley G, Gager T, Brown AM, Lightowler S & Middlemiss DN Characterisation of SB-271046, a potent and selective 5-HT $_2$ receptor antagonist, 21P
- Routledge C *see* Hirst WD, 23P
- Routledge C *see* Rogers DC, 22P
- Routledge C *see* Stean T, 131P
- Runkel F *see* Bönisch H, 136P
- Sampaio Maia MB, Fomes R & Soares-da-Silva P P-glycoprotein phosphorylation/dephosphorylation and cellular accumulation of L-DOPA, 125P

- Sampson LJ, Plane F & Garland CJ Modulation of forskolin-evoked relaxation by agents which specifically raise cGMP in rat isolated mesenteric artery, 95P
- Santos PF, Carvalho AP & Duarte CB Adenosine modulates differentially the release of ACh and GABA in cultures enriched in amacrine-like neurons, 142P
- Santos-Silva A *see* Rocha-Pereira P, 83P
- Saores-da-Silva P *see* Parada A, 20P
- Saraiva L *see* Fresco P, 123P
- Saraiva L *see* Oliveira J, 124P
- Saunders R, Challiss RAJ & Nahorski SR Extracellular Ca^{2+} modulates agonist-stimulated phosphoinositide signalling in Chinese hamster ovary cells inducibly expressing human recombinant mGluR1 α , 127P
- Scholfield CN *see* Curtis TM, 9P
- Scott AC & Hill SJ Visualization and properties of two N-terminal epitope-tagged human H_1 histamine receptors, 18P
- Scott K *see* Sharma SC, 85P
- Sebastiao AM, Macedo MP, Cunha-Reis D & Ribeiro JA Tonic activation of adenosine A_1 and A_{2A} receptors modulates facilitatory actions of neuropeptides on transmission in the rat hippocampus, 140P
- Sebastião AM *see* Costenla AR, 27P
- Sebastião AM *see* Cunha Reis D, 30P
- Senchyna M, Stallwood N & Crankshaw DJ Semi-quantitative RT-PCR analysis of excitatory prostanoid receptor mRNA expression in human non-pregnant myometrium, 40P
- Serrão P *see* Soares-da-Silva P, 44P
- Sharma SC & Scott K Effect of grapefruit juice on urinary excretion of salicylates, 85P
- Sheridan DJ *see* Huang WX, 104P
- Sheridan DJ *see* Kingsbury MP, 105P
- Silva AP *see* Ambrósio AF, 46P
- Silva J *see* Neta C, 97P
- Slough S & Taberner PV An imidazole compound (S 22954) produces hyperglycaemia in CBA/Ca mice, 38P
- Smith JCE, Watts J & Whitton PS Acute treatment with clomipramine and the NMDA ion channel antagonist amantadine increases extracellular serotonin in the frontal cortex of the rat, 64P
- Soares-da-Silva P & Serrão P Effect of P-glycoprotein substrates and inhibitors on the apical outward transfer of L-DOPA in LLC-PK $_1$ and LLC-GA5 Col300 renal cells, 44P
- Soares-da-Silva P *see* Ambrósio AF, 46P
- Soares-da-Silva P *see* Gomes P, 43P
- Soares-da-Silva P *see* Hainzl D, 42P
- Soares-da-Silva P *see* Sampaio Maia MB, 125P
- Spina D *see* Harrison S, 119P
- Spina D *see* Keir SD, 78P
- Spurrell BE *see* Murphy TV, 3P
- Stallwood N *see* Senchyna M, 40P
- Standen NB *see* Davie CS, 1P
- Stein T, Routledge C & Upton N Anticonvulsant properties of the selective 5-HT $_6$ receptor antagonist SB-271046 in the rat maximal electroshock seizure threshold test, 131P
- Stewart M, Namper CM, Katugampola SD, McHarg AD & Wallis RM The binding affinity and functional activity of eletriptan and other 5-HT $_{1B/1D}$ agonists at the human recombinant 5-HT $_{1B}$ and 5-HT $_{1D}$ receptors, 93P
- Stone TW, O'Kane EM & Nikbakht M-R Purine receptor interactions and nucleotide effects in rat hippocampus, 141P
- Stone TW ATP responses of interneurons in the rat hippocampus, 60P
- Stone TW *see* O'Kane EM, 59P
- Strange PG *see* Fashola E, 14P
- Subramanian S *see* Popat A, 75P
- Szabadi E *see* Phillips MA, 129P
- Szabadi E *see* Phillips MA, 130P
- Taberner PV *see* Slough S, 38P
- Takayama S *see* Macedo MP, 37P
- Tavares MA *see* Carvalho F, 65P
- Tavares P *see* Reis F, 90P
- Teevan CP *see* Kingsbury MP, 105P
- Teixeira F *see* Alcobia T, 103P
- Teixeira F *see* Almeida L, 6P
- Teixeira F *see* Reis F, 90P
- Teixeira F *see* Rocha-Pereira P, 83P
- Tel BC *see* Zeng B-Y, 19P
- Templeton AGB *see* Lansdell KA, 111P
- Thiemermann C *see* Chatterjee PK, 101P
- Thiemermann C *see* Chatterjee PK, 102P
- Thiemermann C *see* Mota-Filipe H, 35P
- Thiemermann C *see* Zacharowski K, 33P
- Thiemermann C *see* Zacharowski K, 34P
- Thompson CS *see* Khan M, 39P
- Thompson CS *see* Khan M, 118P
- Tigani B *see* Hannon JP, 76P
- Tigani B *see* Hannon JP, 77P
- Timmerman H *see* Alves-Rodrigues A, 31P
- Timóteo MA *see* Correia-de-Sá P, 51P
- Torrie LJ *see* Paul A, 12P
- Treseder SA, Rose S & Jenner P The central dopa decarboxylase inhibitor, NSD-1015, does not prevent L-DOPA-induced circling behaviour in 6-OHDA-lesioned rats, 24P
- Trout SJ, Brain KL, Dass N & Cunnane TC Effects of nicotine on intracellular calcium dynamics in sympathetic nerve terminal varicosities, 53P
- Turner MA *see* Huang WX, 104P
- Turner MA *see* Kingsbury MP, 105P
- Tyacke RJ *see* Price RE, 57P
- Upton N *see* Stein T, 131P
- Uroda M *see* Meoni P, 47P
- Varsani M, MacAllister R, Ahluwalia A & Marshall I Investigation of the α_1 adrenoceptor subtype(s) mediating contraction in the human internal mammary artery, 96P
- Vaz-da-Silva MJ *see* Pinheiro H, 7P
- Vieira C *see* Pinto R, 116P
- Vieira-Coelho MA *see* Parada A, 20P
- Villa de Brito MT, Duarte Correia JH & Marques MC Role of endothelium in abnormal vascular response to adenosine in portal hypertension, 106P
- Walker SD, Edwards G & Weston AH Characterisation of Kv1.5 expressed in HEK 293 cells: a comparison with native rat pulmonary artery delayed rectifier potassium currents, 98P
- Wallis RM *see* Stewart M, 93P
- Watts J *see* Smith JCE, 64P
- Weller C *see* Charlett A, 79P
- Weller C *see* Charlett A, 80P
- Weston AH *see* Walker SD, 98P
- White PJ, Kumari R, Poster KE, London NJM & Boarder MR ATP and PDGF stimulate proliferation differentially in vascular smooth muscle cells from the human saphenous vein and internal mammary artery, 4P
- Whitton PS *see* Smith JCE, 64P
- Wilkinson J *see* Presland KJ, 45P
- Willems JM, Parent J-L, Benovic JL & Kelly E Reduced expression of GRK2 in NG108-15 cells leads to a specific reduction in adenosine receptor desensitization, 26P
- Williams KI *see* Lal H, 100P
- Wilson J *see* Lalies MD, 58P
- Wilson S *see* Paul A, 15P
- Wood EG *see* Corder R, 10P
- Wood SJ, Woodhall GL & Jones RSG Presynaptic GABA $_B$ receptors control spontaneous GABA release in entorhinal cortical neurones, 67P
- Wood SJ *see* Cunningham MO, 49P
- Woodhall GL & Jones RSG Ifenprodil blocks NMDA autoreceptors in the rat entorhinal cortex *in vitro*, 50P
- Woodhall GL *see* Evans DIP, 68P
- Woodhall GL *see* Wood SJ, 67P
- Woods NM *see* Dixon CJ, 25P
- Woodward B *see* Lal H, 100P

Wray D, Young B, Edwards J, Milligan CJ, Leicher T & Pongs O A domain in the potassium channel β_3 subunit involved in lack of inactivation in oocytes, 128P

Young B *see* Wray D, 128P

Zacharowski K, Hafner G, Marsh HC &

Thiemermann C Effects of sCR1 on Troponin T release and on the infarct size following regional myocardial ischaemia and reperfusion in the anaesthetised rat, 33P

Zacharowski K & Thiemermann C Pretreatment with endotoxin reduces myocardial infarct size in the anaesthetised rat, 34P

Zacharowski K *see* Chatterjee PK, 102P

Zeng B-Y, Dass B, Owen A, Rose S, Cannizzaro C, Tel BC & Jenner P Chronic L-DOPA administration increases secretogranin II mRNA expression in the dopamine depleted striatum and nucleus accumbens of 6-OHDA-lesioned rats, 19P

Keyword Index

- Acetylcholine 62P
 AChE 63P
 Acoustic startle reflex 130P
 Acute myocardial infarction 103P
 Adenosine 27P, 28P, 62P, 77P, 106P, 115P, 138P, 140P, 142P
 Adenosine receptors 26P, 30P, 114P, 115P
 Adenosine A₁ receptors 29P
 Adenosine A_{2A} receptors 29P, 51P
 Adenosine A_{2B} receptors 77P
 Adenosine-induced bronchoconstriction 76P
 α₂-Adrenergic receptors 32P
 Adrenoceptors 5P
 α₁-Adrenoceptors 133P
 α₁-Adrenoceptor subtypes 96P
 α₂-Adrenoceptors 55P, 134P
 β-Adrenoceptors 137P
 Ageing 28P, 31P, 79P, 80P, 138P
 Agmatine 57P
 β-Agonists 78P
 Airway smooth muscles 119P
 Alcohol 132P
 Alkaline phosphatases 87P
 Allergic inflammation of the lungs 76P, 77P
 Alzheimer's disease 47P
 Amino acids 136P
 Amphetamines 20P
 d-Amphetamines 65P
 Anaesthetised rat 33P, 34P, 102P
 Angiotensin II 7P, 109P, 110P, 135P
 Anticonvulsants 42P
 Antidepressants 129P, 130P
 Antioxidant enzymes 65P
 Antisense approach 134P
 Antisense oligonucleotides 55P
 Aortic smooth muscle cells 15P
 Arteries 6P
 Arteries, internal mammary, human 96P
 Arteries, mesenteric, rat 95P
 Arteries, pulmonary, rat 98P
 Arteries, renal 99P
 Arteries, uterine, human 97P
 Arterioles 3P
 Arthritis 82P
 α₂-Autoreceptors 114P, 115P
 Bell-shaped curves 74P
 Big endothelin-1 100P
 Bladder outlet obstruction 118P
 Blood pressure 2P
 Blood vessels 8P
 Bradykinin 7P, 135P
 Brain, rat 65P
 Brain slices 66P
 BRB permeability 81P
 Bronchial hyperreactivity 77P
 Bronchial hyperresponsiveness 78P
 C57 mouse strain 132P
 Calcium 16P, 53P
 Calcium channels 9P
 Carbamazepine 46P
 β-Carboline 57P
 Cardiac action 111P
 Cardiovascular disease 10P
 Catecholamines 52P, 103P
 2C-B 41P
 CCK 16P
 Cell signalling 127P
 Central administration 69P
 Cerebral arterioles 1P, 108P
 CGS 21680 114P
 Characterisation 1P
 Chelerythrine 124P
 Cholesterol diet 6P
 Chromaffin cells, human 126P
 Chronic aortic constriction 104P
 Chronic hypoxia 100P
 Clonidine-displacing substances 72P
 Cocaine 52P
 Cognition 22P
 Complement system 33P
 Computer-based learning 89P
 Contractility 116P
 Copper 39P
 Coronary reserves 105P
 Coronary vascular reactivity 105P
 Corticosterones 92P
 Cotransmission 97P
 Critically ill patients 86P
 Cyanamid-154806 71P
 Cyclosporin A 90P
 CYP 3A4 85P
 Desensitisation 54P, 71P, 74P, 75P, 137P
 Desipramine 136P
 Diabetes 112P
 Diazepam 132P
 1,5-Dihydroxyisoquinoline 102P
 DNA synthesis 14P
 DOI 122P
 L-DOPA 19P, 43P, 44P, 125P
 L-DOPA-induced circling 24P
 Dopamine 20P
 Doxazosin 91P
 DPSPX 110P
 EDHF 107P
 Eletriptan 93P
 Emesis 121P
 Endothelial function 10P
 Endothelin 9P, 10P
 Endothelin ET_A receptors 8P
 Endothelin ET_B receptors 8P
 Endothelin-1 8P, 99P
 Endothelium 106P, 107P
 Endothelium-mediated vasodilatation 104P
 Endotoxins 34P
 Entorhinal cortex 49P, 67P, 68P
 EP receptors 40P, 73P, 74P, 75P
 Epididymal vas deferens, rat 117P
 Epilepsy 46P
 Epitope-tag 18P
 Erectile dysfunction 39P
 Extracellular calcium 127P
 Forskolin 95P
 GABA 66P, 67P
 GABA release 30P, 48P
 GABA_B receptors 47P
 GFAP 63P
 G_i/G_o-coupled receptors 71P
 Glutamate release 50P, 68P
 P-Glycoprotein 44P, 87P, 125P
 G-proteins 17P, 28P
 G-protein coupling 47P
 G-α-proteins 75P
 Grapefruit juice 85P
 GRK2 26P
 Haemorrhagic shock 35P
 HEK 293 cells 98P
Helicobacter pylori 79P, 80P

Hepatic insulin sensitizing substances 37P, 120P
 Hepatic parasympathetic nerves 37P, 120P
 Hepatocytes, rat 87P, 88P
 Heterogeneity 78P
 Hippocampus 17P, 29P, 31P, 140P
 Hippocampus, rat 141P
 Histamine H₁ receptors 18P, 54P
 Histamine H₂ receptors 31P
 Homocysteine 39P
 HPLC 72P
 5-HT 64P, 91P, 94P, 121P
 5-HT_{1A} receptors 13P
 5-HT_{1B} receptors 93P
 5-HT_{1D} receptors 93P
 5-HT₂ receptors 21P, 23P, 131P
 5-HT₂ receptor antagonists 22P
 Huntington's disease 58P
 6-Hydroxydopamine lesioned rats 24P
 Hyperglycaemia 38P
 Hypertension 90P
 Hypertensive rats 110P
 Hyperthermia 70P
 Hypoxia 32P

Idazoxan 92P
 Ifenprodil 50P
 IL-1 82P
 IL-1 β 81P
 Imidazoline 38P, 56P, 57P, 58P
 Immune/inflammatory responses 79P
 Immunoglobins 80P
In vivo assays 123P, 124P
 Inactivation 128P
 Insulin resistance 37P, 120P
 Interneurons 60P
 Intestine 122P
 Intracellular binding sites 133P
 Intracellular calcium stores 117P
 Intracellular pH 43P
 Ionotropic glutamate receptors 46P

Kainate 17P
 K_{ATP} 38P
 Kidney 101P, 102P
 Kinin B₂ receptors 113P
 Kv1.5 channels 98P

LDH 45P
 Left ventricular hypertrophy 105P
 Lipid peroxidation 83P
 Lipocortin-1 13P
 Lipopolysaccharides 11P
 LLC-GA5 Col 300 cells 44P
 LLC-PK₁ cells 44P
 Long-term potentiation 138P
 LPS 36P
 LTP 59P
 Lung, bovine 72P

Macrophages 11P, 12P

MAP kinases 14P
 Mast cell activation 76P
 Mast cell degranulation 36P
 MDMA 69P
 MDMA neurotoxicity 70P
 Metabolism 42P
 Metabotropic receptors 68P
 Microvessels 9P
 Mitogen activated protein kinase 13P
 Mixed agonists 73P
 Molecular pharmacology 18P
 Monoamine reuptake inhibitors 56P
 Monoamine turnover 134P
 Morphine 52P
 MPP⁺ efflux 88P
 Multiple organ failure 35P
 Muscarinic receptors 32P
 Myocardial infarction 33P, 34P
 Myogenic responses 3P
 Myometrium, human 40P, 73P, 74P, 75P

NAADP 16P
 Neurobehavioural pharmacology 21P, 131P
 Neurokinin NK₁ receptors 48P
 Neuromuscular junction 51P, 62P
 Neuronal 5-hydroxytryptamine 118P
 Neuropeptides 140P
 Neuropeptide Y 126P
 Neuropharmacology 21P, 23P, 131P
 Neuroprotection 141P
 Neurotoxicity 69P
 Neurotransmitter release 142P
 Neutrophil activation 83P
 NF κ B 12P, 15P
 NG108-15 cells 26P
 Nicotine 53P
 Nisoxetine 56P
 Nitric oxide 11P, 108P, 116P
 Nitric oxide donors 109P
 Nitroflurbiprofen 84P
 7-Nitroindazole neuroprotection 70P
 Nitroprednisone 84P
 NMDA 27P
 NMDA antidepressant action 64P
 NMDA autoreceptors 50P
 NO inhibitors 82P
 Nociception 84P
 NONMEM 86P
 Noradrenaline content 6P
 Noradrenaline release 7P
 Noradrenaline transporters 136P
 NOS activity 81P
 NSD-1015 24P
 Nucleotides 59P, 60P

Oedema 84P
 6-OHDA 19P
 OK cells 43P
 Oxcarbazepine 42P

Parkinsonism 79P

Parkinson's disease 139P
 PARS inhibitors 102P
 Perfused lungs 100P
 P-Glycoprotein 44P, 87P, 125P
 Pharma-CAL-ogy 89P
 Phenytoin 49P
 Phorbol esters 123P, 125P
 Phosphatase 12P
 Phosphodiesterases 137P
 Phosphorylation 54P
 PKC 94P, 125P
 PKC α 123P, 124P
 Platelets 90P
 Platelet shape change 91P
 Poly(ADP-ribose) synthetase 102P
 Portal hypertension 106P
 Post-functional receptors 135P
 Potassium channels 1P, 108P, 128P
 Potential prolongation 111P
 Prefunctional receptors 135P
 Prepulse inhibition 130P
 Prostanoid receptors 40P, 73P, 74P, 75P
 Protease activated receptors 2P
 Protein kinase G 119P
 Protein phosphatases 125P
 Proximal tubular cells 101P
 Psoriasis 83P
 Pupil 129P
 Purines 59P, 60P, 143P
 Purinoceptors 25P, 141P
 Purinoceptor P2 subtypes 4P, 25P, 61P, 97P
 Purinoceptor P2Y subtypes 25P, 61P, 143P
 Pyrimidine 143P

QT-interval 111P
 Quinolinic acid 58P

Rabbit 118P
 Rat 2P, 20P, 22P, 42P, 55P
 Reactive oxygen species 101P
 Receptors 127P
 Receptor binding 23P
 Relaxation 95P, 119P
 Renal impairment 101P, 102P
 Reperfusion 103P
 Restraint stress 92P
 Retina 27P
 Retina cells 142P
 Retinal vessels 112P
 rOCT1 88P
 RT-PCR 40P
 Ryanodine 117P

SAP kinases 15P
 Second window of protection 34P
 Secretogranin II mRNA 19P
 Sedation 129P
 Sensory neuropeptides 112P
 Serotonin 91P, 121P
 Skin, rat 36P

Sodium 43P	Tachyphylaxis 122P	Uptake 66P
Sotalol 111P	Tempol 35P, 101P	Urinary salicylates 85P
Spheroids 45P, 63P	Theophylline 86P	
Spontaneous release 67P	TNF α 45P	
Stress 132P	Tolcapone 20P	Vas deferens 116P
Striatal neurotransmitters 139P	Tolerance 109P	Vascular smooth muscle 4P, 94P
β -Subunits 128P	Troponin T 33P	Vasoconstriction 99P
<i>Suncus murinus</i> 121P, 122P	Tryptophan 72P	Vasodilation 107P
Sympathetic varicosities 53P	Tyrosine 12P	Veins, femoral, rat 5P
Syncope 104P	Tyrosine phosphorylation 3P	Veins, mesenteric, dog 5P
		VIP 30P
Tachykinins 48P	Undergraduate teaching 89P	Voltage-sensitive calcium channels 51P