

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

14th–16th July 1999

University of Nottingham

Joint Meeting with the Deutsche Gesellschaft für experimentelle
und klinische Pharmakologie und Toxikologie

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, Excerpta Medica, BIOSIS, CABS, CINAHL and Index Medicus.

Editorial Manuscripts (plus three original copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 (0)171 417 0431/2/3; Fax: +44 (0)171 417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arncliffe Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)181 882 7199; Fax: +44 (0)181 882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publisher: Sue Deeley. Production Controller: Jane Torr. Supplement Editor: Emma Smith. Supplement Production Controller: Theresa Emerick.

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.stockton-press.co.uk>

All information on the website is free and includes: editor's details, scope, latest table of contents, paper abstracts, subscription prices, reprint ordering, sample copy ordering, news, supplement information, contact names in publishing, production, marketing and advertising departments. Register now to have the table of contents sent to you as soon as they are updated.

Subscriptions – 1999 Subscription Rates – British Journal of Pharmacology Institutional Subscriptions Print (Hard Copy): EU £890, Rest of World (surface mail) £985/US\$1625, Rest of World (airmail) £1182/US\$1950.

Electronic – Online only £890/US\$1469.

Combined – Electronic Online & Print EU £979, Rest of World (surface mail) £1084/US\$1789, Rest of World (airmail) £1281/US\$2114.

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The

Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1505 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to British Journal of Pharmacology, Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

Reprints of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

Copyright © 1999 Stockton Press
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$12.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/99 \$12.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

University of Nottingham

(Joint Meeting with the Deutsche Gesellschaft für experimentelle und klinische Pharmakologie und Toxikologie)

14th–16th July, 1999

Author Index

- Abbas F *see* Grady A, 105P
- Ainsworth K, Smith SE & Sharp T
Effect of the SSRI sertraline on extra-cellular dopamine and dopamine receptor expression in the nucleus accumbens of the rat, 172P
- Aktories K *see* Scheele J, 108P
- Aktories K *see* Scheele JS, 37P
- Aktories K *see* Scheele JS, 133P
- Aktories K *see* Scheele JS, 134P
- Aktories K *see* Scheele JS, 135P
- Al-Ruwaitea ASA *see* Chiang T-J, 198P
- Alexander SPH, Hamilton EL, Pollock A & Tarrant RJ Characterisation of the binding of the antagonist radioligand [³H]-ZM241385 to A_{2A} adenosine receptors in particulate and slice preparations from porcine striatum, 182P
- Alexander SPH *see* De Bank PA, 40P
- Alexander SPH *see* Jackson AM, 127P
- Alexander SPH *see* Millns P, 152P
- Alexandrov A, Keffel S, Neumann T, Goepel M, Schulz R, Heusch G & Michel MC Inhibition and enhancement of apoptosis by α_1 -adrenoceptor stimulation, 144P
- Ali BH *see* Tanira MOM, 177P
- Allgaier C *see* Eschke D, 132P
- Allgaier C *see* Scheibler P, 154P
- Almotrefi AA, Dzimir N & Premkumar LS Evaluation of the antifibrillatory drug interactions between lidocaine and propranolol in perfused rabbit hearts, 55P
- Alvarez Fischer D *see* Kuschinsky K, 217P
- Aly SM *see* El-Dakhakhny M, 20P
- Anavi-Goffer S *see* Coutts AA, 190P
- Anderson MC & Burleigh DE Evidence for an indirect mode of action of thapsigargin on intestinal epithelial cells, 150P
- Änggård EE *see* Kengatharan M, 64P
- Änggård EE *see* Laight DW, 115P
- Angst MS *see* Lötsch J, 200P
- Ashmeade T, Hatcher JP, Hatcher P, Jones DNC & Routledge C The effect of orexin-A and orexin-B on the modulation of neuroendocrine markers, 117P
- Ashmeade T *see* Munton RP, 171P
- Aspley S *see* Marsden CA, 216P
- Atkins A *see* Munton RP, 171P
- Auton TR *see* Gardiner SM, 79P
- Avella MA *see* Goulter AB, 52P
- Bader M *see* Fink H, 215P
- Bailey P *see* Wicke K, 5P
- Baker PN *see* Kenny LC, 44P
- Ball HA *see* Gardiner SM, 77P
- Banner KH, Bracey J, Trevethick MA & Gale JD Time course of TNBS-induced colitis in the mouse, 101P
- Barker S, Khan N, Wood EG & Corder R Comparison of endothelin-1 gene expression with expression of isoforms of endothelin-converting enzyme-1 in bovine endothelial and vascular smooth muscle cells, 46P
- Barker S *see* Khan N, 61P
- Barnard EA *see* Jones CA, 38P
- Barnes NM *see* Kotzian E, 155P
- Barnes PJ *see* Lynch OT, 147P
- Barnes SE *see* Kengatharan M, 64P
- Barton CL, Jay M, Bristow LJ & Hutson PH Phencyclidine-induced increase of nucleus accumbens dopamine efflux and locomotor activity is enhanced by the 5-HT_{2C/2B} receptor antagonist SB221284, 6P
- Bashir AK *see* Tanira MOM, 177P
- Baxter GS *see* Day NC, 7P
- Beastall GH *see* Zhang L, 118P
- Beck KF *see* Klasen S, 17P
- Becker K *see* Krautheim A, 125P
- Beckett SRG, Millns PJ, Kendall DA The effect of cannabinoid ligands on [³⁵S]GTP γ S binding in the rat brain, 193P
- Beckett SRG, Roe C & Kendall DA The effect of oleamide on the pattern of C-Fos immunoreactivity in the rat, 192P
- Beckett SRG *see* Marsden CA, 216P
- Begg M, Nelemans SA & Molleman A CB₁ cannabinoid receptor-mediated activation of K⁺ current in DDT₁ MF-2 cells is entirely dependent on the presence of extracellular Ca²⁺, 140P
- Bellerby N, Bodley J, Copas D, Dowling S, Furby J, Husband M, Townsend A, Wood TJB, Bennett GW, Fone KCF, Kendall DA, Marsden CA & Parker TL Long-term change in social interaction without accompanying serotonergic neurotoxicity following MDMA treatment of young adult rats, 8P
- Bennett GW *see* Bellerby N, 8P
- Bennett GW *see* Cramp JAV, 168P
- Bennett T *see* Fong CY, 112P
- Bennett T *see* Gardiner SM, 77P
- Bennett T *see* Gardiner SM, 78P
- Bennett T *see* Gardiner SM, 79P
- Bennett T *see* Gardiner SM, 81P
- Bennett T *see* Hamad AM, 114P
- Bennett T *see* Pang LH, 113P
- Bennett T *see* Vongvatcharanon U, 76P
- Benton DCH, Dunn PM, Chen JQ,

- Galanakis D, Ganellin CR, Malik-Hall M, Shah M, Haylett DG & Jenkinson DH UCL 1848: a novel bis-quinolinium cyclophane which blocks apamin-sensitive K⁺ channels with nanomolar affinity, 39P
- Benwell KR *see* Lamb H, 131P
- Beresford IJM *see* Parsons SJW, 129P
- Bialojan S *see* Unger L, 167P
- Bischoff A, Meyer zu Heringdorf D, Jakobs KH & Michel MC Glucopsychosine enhances urine flow rate and sodium excretion in anaesthetized rats, 54P
- Bitar MS *see* Pilcher CWT, 180P
- Blakely R *see* Scholze P, 163P
- Blakely RD *see* Joyce PI, 178P
- Blanpain C, Libert F, Lee B, Vakili J, Migeotte I, Govaerts C, Maho A, Samson M, Doranz B, Rucker J, Detheux M, Vassart G, Doms RW & Parmentier M The role of CCR5 and other chemokine receptors in HIV entry, 224P
- Blaylock NA, Malone KE, Ward DK, Ledger R & Wilson VG α -adrenoceptors in porcine cerebral cortex slices do not affect [³H]-cyclic AMP accumulation, 30P
- Böckmann S *see* Diener A, 138P
- Bodley J *see* Bellerby N, 8P
- Boehm S Characterisation of pre- and post-synaptic α -adrenoceptor subtypes in rat hippocampal neurons, 11P
- Botham KM *see* Goulter AB, 52P
- Boulos P *see* Hoyle CHV, 25P
- Bowen WP, Carey JE, Miah A, McMurray HF, Munday PW, James RS, Brown AM & Coleman RA Determination of cytochrome P450 3A4 induction in primary human hepatocytes using quantitative real-time PCR, 27P
- Bowery NG *see* Sutch RJ, 3P
- Bracey J *see* Banner KH, 101P
- Bradshaw CM *see* Chiang T-J, 198P
- Brand A, Eschke D & Nieber K Activation of both the adenosine A1 and A3 receptors inhibits synaptic transmission in rat cortical pyramidal cells, 12P
- Brand A *see* Eschke D, 132P
- Brandt C, Ebert U & Löscher W The antiapoptotic effect of the NMDA-receptor antagonist MK-801 in the kainate model of temporal lobe epilepsy, 9P
- Brandt U *see* Gohla A, 223P
- Braun H, Schäfer K & Höllt V Experimental brain injury in rats: time course of hippocampal cell damage and activation of microglia, 15P
- Brechlin P *see* Krauthaim A, 125P
- Breese EJ, Warner TD, Patchett SE & Mitchell JA The prostacyclin analogue, cicaprost, reverses the increase in GM-CSF production caused by NSAID treatment of human gastric biopsies, 19P
- Breese EJ *see* Gray PA, 98P
- Brice S *see* Piotrowski W, 89P
- Briscoe MG *see* Poucher SM, 73P
- Bristow LJ *see* Barton CL, 6P
- Broadhurst J *see* Dewhurst DG, 207P
- Brockie HC, Pertwee RG & Ross RA Inhibition of nitric oxide release in RAW 264.7 cells by cannabinoids, 94P
- Brodde O-E *see* Dhein S, 49P
- Brodde O-E *see* Grapow M, 59P
- Brodde O-E *see* Kabat A, 50P
- Brodde O-E *see* Pönicke K, 58P
- Bromidge SM *see* Minton JAL, 157P
- Brooks AC, Gustafsson F, Whelan CJ & Molleman A Reactive oxygen species generation by non-immunological mast cell activation: modulation by the synthetic cannabinoid CP55,940, 16P
- Brown AM *see* Bowen WP, 27P
- Brown AM *see* Day NC, 7P
- Browning C *see* Parsons SJW, 129P
- Brune K *see* Tegeder I, 99P
- Bruner E *see* Scheele JS, 37P
- Bruner EP *see* Scheele JS, 133P
- Bruner EP *see* Scheele JS, 134P
- Bruner EP *see* Scheele JS, 135P
- Brunn C, Schloos J, Lemansky P, Sewing S & Mest H-J Insulin as a feedback regulator of glucagon-like peptide-1 (GLP-1) release?, 107P
- Buckingham R *see* Cai XJ, 202P
- Buckley C, Hadoke PWF, Henry E & O'Brien C Functional responses of subcutaneous resistance arteries isolated from patients with normal pressure glaucoma, 53P
- Buckley CH *see* Islam MZ, 72P
- Buckley G *see* Robinson AJ, 151P
- Buckley GA *see* Buckley C, 53P
- Burleigh DE *see* Anderson MC, 150P
- Cai XJ, Buckingham R, Tadayyon M, Widdowson PS & Williams G Stimulation of leptin by 2-deoxy-D-glucose independence from adiposity and involvement of feeding, 202P
- Calixto JJ *see* Williams TJ, 149P
- Callado LF, Hopwood SE, Hancock PJ & Stamford JA Effects of dizocilpine on noradrenaline, serotonin and dopamine efflux and uptake: an *in vitro* voltammetric study in rat brain slices, 162P
- Carey JE *see* Bowen WP, 27P
- Carollo M, Christie M & Perretti M CC chemokine expression in a murine model of chronic granuloma, 22P
- Carr CMR, Lawson K Effect of the L-arginine analogue N^G-nitro-L-arginine methyl ester on vaso-relaxations to ATP-sensitive potassium channel openers in rat isolated aorta, 63P
- Carrier MJ *see* Kengatharan M, 64P
- Carrier MJ *see* Laight DW, 115P
- Cartwright KA *see* Parsons SJW, 129P
- Castro ME, Pei Q & Sharp T Effect of a selective serotonin reuptake inhibitor (SSRI) given in combination with a 5-HT_{1A} antagonist on forebrain expression of the immediate early gene ARC, 165P
- Challiss RAJ *see* Selkirk JV, 32P
- Chapman V *see* Drew L, 14P
- Chapple CR *see* Davis BJ, 26P
- Chapple CR *see* Yamanishi T, 104P
- Cheer JF, Kendall DA, Marsden CA & Mason R Lack of response suppression follows repeated cannabinoid application in rat ventral tegmentum, 191P
- Chen JQ *see* Benton DCH, 39P
- Chen Y-Y *see* Doggrell SA, 85P
- Chess-Williams R *see* Davis BJ, 26P
- Chess-Williams R *see* Yamanishi T, 104P
- Chessell IP *see* Jones CA, 38P
- Chiang T-J, Mobini S, Al-Ruwaitea ASA, Ho M-Y, Bradsahw CM & Szabadi E The effect of *d*-amphetamine on the behaviour of rats in an operant timing schedule, 198P
- Choppin A, Loury DN, Watson N, Hegde SS & Eglen RM S-Secoverine: a defining ligand in muscarinic M₃ receptor characterization, 33P
- Choppin A, Smith S, Hegde SS & Eglen RM Role of pigmentation in the atypical behaviour of darifenacin in dog ciliary smooth muscle, 90P
- Christie M *see* Carollo M, 22P
- Cilia J *see* Ireland MD, 159P
- Clark GS, Strong PN, de Allie FA, Joseph JS, Kini M, Gopalkrishnakone P, Jeyaseelan K & Owen DG A novel peptide toxin from the Indian red scorpion blocks the voltage-gated cloned potassium channel, hKv1.6, 88P
- Clarke RW *see* Ward RE, 170P
- Clayton J *see* Grady A, 105P
- Clayton JK *see* Duckworth NJ, 106P
- Clothier RH *see* Dobson RRH, 95P
- Colado MI *see* Mechan AO, 185P
- Coldwell MC *see* Ghadessy R, 145P
- Coleman RA *see* Bowen WP, 27P
- Copas D *see* Bellerby N, 8P
- Corbett AD *see* Ho M, 84P
- Corder R *see* Barker S, 46P
- Corder R *see* Khan N, 61P
- Costall B *see* Smith AG, 196P
- Costanza RM & Terry P Cocaine-induced hypophagia and locomotor hyperactivity: a comparison of the effects of dopamine 'D1-like' and 'D2-like' receptor subtype blockade, 195P
- Cotecchia S *see* Deighan C, 91P
- Cotecchia S *see* Hein P, 87P

- Coupar IM *see* Hemedah M, 100P
 Coutts AA, Anavi-Goffer S, Mackie K, Pertwee RG & Irving AJ Agonist-induced inhibition of cell surface cannabinoid receptor expression in cultured hippocampal neurones, 190P
 Coutts AA *see* Ross RA, 13P
 Coward S *see* Harper D, 96P
 Cox HM, Pollock EL & Tough IR Responses to Y receptor agonists are insensitive to haloperidol pre-treatment in human and mouse colonic mucosae *in vitro*, 102P
 Cox HM *see* Holliday ND, 28P
 Cramp JAV, Bennett GW & Routledge C Change in 5-HIAA/5-HT ratio in the hippocampus following intravenous but not intracerebroventricular injection of DHEAS, 168P
 Crosby J *see* Parker CA, 194P
 Cunnane TC *see* Jackson VM, 65P
- Dall'aglio M *see* Piotrowski W, 89P
 Dalley JW *see* McGaughy J, 218P
 Daniels DV *see* Williams TJ, 149P
 Darling S *see* Hoyle CHV, 34P
 Das AM *see* Lim LHK, 21P
 Davenport AP *see* Johnström P, 45P
 Davenport AP *see* Maguire JJ, 60P
 Davis BJ, Weiner M, Chapple CR & Chess-Williams R The α_{1L} -adrenoceptor mediates contraction in human vas deferens, 26P
 Day NC, Page KJ, Mitchell JN, Baxter GS & Brown AM Visualisation and characterisation of functional 5-HT receptors in the human hippocampus by [3 S]GTP γ S autoradiography, 7P
 de Allie FA *see* Clark GS, 88P
 Dean E *see* Dobson RRH, 95P
 Debank PA, Kendall DA & Alexander SPH A simple assay for fatty acid hydrolyase activity, 40P
 Deighan C, Slattery DFA, Mackenzie JF, Cotecchia S & McGrath JC The characterisation of α_1 -adrenoceptors in murine liver using radioligand binding and transgenic mice, 91P
 Del Soldato P *see* Gray PA, 98P
 Delacourt S *see* Piotrowski W, 89P
 Desai KM *see* Laight DW, 115P
 Detheux M *see* Blanpain C, 224P
 Dewhurst DG & Broadhurst J A computer simulation of the cat nictitating membrane preparation for undergraduate pharmacology students, 207P
 Dhanasekaran S *see* Tanira MOM, 177P
 Dhein S, Salameh A, Olbrich A & Kabat A Effects of chronic vitamin E treatment on hyperglycaemia-induced endothelial dysfunction in porcine aortic endothelial cells, 49P
 Dhein S *see* Grapow M, 59P
 Dhein S *see* Kabat A, 50P
 Dickenson JM *see* Robinson AJ, 151P
- Diener A, Böckmann S & Paegelow I Influence of bradykinin potentiating peptide, α (BPP, α) on bradykinin (BK)-evoked effects in different targets, 138P
 Dillon MP *see* Parker CA, 194P
 Dixon AK *see* Shah B, 128P
 Dobson RRH, Dean E, Kent C, Clothier RH, Garle MJ & Kendall DA Modulation of rhodamine-123 uptake in cannabinoid-treated RAW264 cells, 95P
 Doggrell SA & Chen Y-Y β -Adrenoceptors in the maturation of aortae from normotensive and pre-hypertensive rats, 85P
 Doms RW *see* Blanpain C, 224P
 Doods H *see* King P, 174P
 Doranz B *see* Blanpain C, 224P
 Dowling S *see* Bellerby N, 8P
 Downham MR *see* Gardiner SM, 79P
 Draper LM *see* Smith JA, 71P
 Drew L & Chapman V Spinal administration of HU210, a cannabinoid agonist, attenuates nociceptive transmission in the carrageenan model of inflammation, 14P
 Duckworth NJ, Clayton JK, Marshall K & Senior J The effect of the EP $_2$ agonist, butaprost, on the contractile response to oxytocin on isolated human myometrium from pregnant donors, 106P
 Dunn PM *see* Benton DCH, 39P
 Dunn WR *see* Ishak S, 43P
 Dunn WR *see* Kenny LC, 44P
 Duty S *see* Spencer JPE, 186P
 Dzimir N *see* Almotrefi AA, 55P
- Earl CD *see* Ferger B, 188P
 Ebejer MJ *see* Fenech AG, 121P
 Ebert U *see* Brandt C, 9P
 Ebert U *see* Schwabe K, 1P
 Eger K *see* Eschke D, 132P
 Eglen RM *see* Choppin A, 33P
 Eglen RM *see* Choppin A, 90P
 Eglen RM *see* Martin RS, 103P
 Eglen RM *see* Parker CA, 194P
 Ehrenreich H Cognitive alteration following cannabis use in humans, 209P
 El-Dakhakhny M & Aly SM Study on the protective role of *Nigella sativa* oil on steroid-induced osteoporosis in rats, 20P
 Elliott J *see* Goulter AB, 52P
 Elliott JM *see* Mechan AO, 185P
 Ellul-Micallef R *see* Fenech AG, 121P
 Elton RC, Garle MJ & Fry JR Use of a glutathione depletion assay for the detection of neoantigen-forming and redox-cycling compounds, 110P
 Eschke D, Brand A, Scheibler P, Hess S, Eger K, Allgaier C, Nieber K Characterization of a newly synthesized pyrimido[4,5-*b*]indole (PPPIA) as an adenosine A1 receptor agonist, 132P
 Evans TW *see* Gitlin JM, 41P
 Everitt BJ *see* McGaughy J, 218P
- Faizi S *see* Gilani AH, 56P
 Fedrowitz M *see* Gernert M, 2P
 Felice AE *see* Fenech AG, 121P
 Fenech AG, Ebejer MJ, Felice AE, Ellul-Micallef R & Hall IP Mutation screening of the human muscarinic M $_2$ receptor gene in Maltese asthmatic patients, 121P
 Ferger B, Teismann P, Ealer CD, Sautter J, Kuschinsky K & Oertel WH Protective effects of cyclooxygenase inhibition against MPTP toxicity, 188P
 Ferger B *see* Kuschinsky K, 217P
 Fink H, Voits M, Bader M & Voigt J-P Serotonergic mechanisms and feeding behaviours, 215P
 Flower RJ *see* Lim LHK, 21P
 Fone KCF *see* Bellerby N, 8P
 Fone KCF *see* Kotzian E, 155P
 Fone KCF *see* Marsden CA, 216P
 Fone KCF *see* Ward RE, 170P
 Fong CY, Pang LH, Holland E & Knox AJ Transforming growth factor β_1 stimulated IL-8 release, cyclooxygenase-2 expression and prostaglandin E $_2$ release in human airway smooth muscle cells, 112P
 Ford APDW *see* Williams TJ, 149P
 Foster JJ *see* Gardiner SM, 77P
 Foster JR *see* Pickavance LC, 116P
 Fozard JR *see* Tigani B, 111P
 Franke H, Krügel U & Illes P P2Y- and P2X-receptor-mediated mitogenic effects on astrocytes *in vitro*, 153P
 Freeman AS *see* Wicke K, 5P
 Fry JR *see* Elton RC, 110P
 Fry JR *see* Hammond AH, 109P
 Fulford A *see* Marsden CA, 216P
 Furby J *see* Bellerby N, 8P
 Furman BL *see* Zhang L, 118P
- Galanakis D *see* Benton DCH, 39P
 Gale JD *see* Banner KH, 101P
 Ganellin CR *see* Benton DCH, 39P
 Gardiner SM, Auton TR, Downham MR, Spencer DC, Sharp HL, Rosul A, Rushton A, Kemp PA, March JE, Bennett T & Glover JF Active immunisation with two different carrier proteins conjugated with an angiotensin 1 (A1) analogue in conscious rats: pressor effects of A1 and anti-A1 antibody response, 79P
 Gardiner SM, Kemp PA, March JE, Ball HA, Foster JJ & Bennett T Early involvement of vasopressin in the cardiovascular sequelae of endotoxaemia in conscious rats, 77P
 Gardiner SM, Kemp PA, March JE &

- Bennett T Carotid haemodynamic responses to angiotensin II in conscious, hypertensive, transgenic rats, 78P
- Gardiner SM, Kemp PA, March JE & Bennett T Regional haemodynamic effects of the cannabinoid agonist, WIN 55212-2, in conscious rats, 81P
- Gardiner SM *see* Ishak S, 43P
- Gardiner SM *see* Ralevic V, 80P
- Garle MJ *see* Dobson RRH, 95P
- Garle MJ *see* Elton RC, 110P
- Geisslinger G *see* Lötsch J, 200P
- Geisslinger G *see* Tegeder I, 99P
- Gerhardt CC *see* Issad T, 222P
- Gernert M, Febrowitz M, Rehders JH, Richter A & Löscher W Effect of locally-applied pentylene-tetrazole on nigral single unit activity in a rodent model of paroxysmal dystonia, 2P
- Ghadessy R, Middlemiss DN & Coldwell MC Pharmacology of human dopamine D2 receptor coupling to changes in cytoplasmic Ca^{++} through the chimeric G-protein, Gqi5, determined by FLIPR fluorimetry, 145P
- Gibson TM, Stevenson LA, Ross RA, Saha B, Razdan RK & Pertwee RG Partial agonist-inverse agonist behaviour of 6'-azidohept-2'-yne-D⁸-tetrahydrocannabinol at cannabinoid CB₁ and CB₂ receptors, 189P
- Giembycz MA *see* Lynch OT, 147P
- Gilani AH, Shaheen F, Hussain H & Saeed SA Isolation and calcium antagonist activity of 3,4-dimethoxy benzaldehyde from *Daucus carota*, 56P
- Giles H *see* Parsons SJW, 129P
- Gitlin JM, Evans TW, Pepper JR & Mitchell JA Regulation of cyclooxygenase activity by activators of soluble guanylyl cyclase in human vascular smooth muscle cells, 41P
- Glover JF *see* Gardiner SM, 79P
- Glusa E, Storey RF, Sanderson HM & Heptinstall S Influence of the ADP antagonists AR-C67085 and A2P5P on ADP-induced responses of platelets and isolated arteries, 51P
- Goepel M *see* Alexandrov A, 144P
- Goepel M *see* Hein P, 87P
- Gohla A, Klages B, Wettschureck N, Brandt U, Schultz G & Offermans S Regulation of ρ -dependent processes through G₁₂ and G₁₃, 223P
- Gopalakrishnakone P *see* Clark GS, 88P
- Gopaul NK *see* Laight DW, 115P
- Gorter R A whole-plant cannabis extract for anorexia/cachexia in cancer patients, 212P
- Göthert M *see* Hammermann R, 18P
- Goulter AB, Avella MA, Botham KM & Elliott J The effects of oxidised chylomicron remnant-like particles on endothelial cell function in freshly isolated porcine coronary artery, 52P
- Govaerts C *see* Blanpain C, 224P
- Grady A, Abbas F, Clayton J, Woodward DF, Marshall K & Senior J FP-receptor heterogeneity in the isolated myometrium from pregnant and non-pregnant donors, 105P
- Graham M *see* Marsden CA, 216P
- Grapow M, Seyfarth T, Dhein S & Brodde O-E Comparison of the effects of endothelin 1 on force of contraction in right and left ventricles of the rat heart, 59P
- Gray PA, Breese EJ, Del Soldato P, Warner RD & Mitchell JA Comparison of NSAIDs and NO-NSAIDs on PGE₂ and GMCSF production by human synoviocytes, 98P
- Green AR *see* Mechan AO, 185P
- Green AR *see* Nelson RM, 183P
- Greger G *see* Wicke K, 5P
- Gros J *see* Issad T, 222P
- Gross G *see* Needham PL, 169P
- Gross G *see* Teschendorf HJ, 166P
- Gross G *see* Unger L, 167P
- Gross G *see* Wicke K, 5P
- Gühring H *see* Tegeder I, 99P
- Gustafsson F *see* Brooks AC, 16P
- Güttler K *see* Herrlitz B, 69P
- Habens F *see* Kengatharan M, 64P
- Hadoke PWF *see* Buckley C, 53P
- Hadoke PWF *see* Islam MZ, 72P
- Hainsworth AH *see* Nelson RM, 183P
- Hales CN Foetal programming of syndrome X, 220P
- Hall IP *see* Fenech AG, 121P
- Hall IP *see* Scott MGH, 123P
- Hall IP *see* Wheatley AP, 122P
- Hamad AM, Johnson SR & Knox AJ Antiproliferative effects of nitric oxide and atrial natriuretic peptide in human cultured airway smooth muscle cells, 114P
- Hamilton EL *see* Alexander SPH, 182P
- Hammerman R, Messeri MD, Mössner J, Göthert M & Racké K Evidence for a lipopolysaccharide (LPS) inducible L-arginine selective cationic amino acid transporter in rat alveolar macrophages (AM ϕ) linked to iNOS, 18P
- Hammermann R *see* Klasen S, 17P
- Hammond AH & Fry JR Differences in toxicity of two structural isomers of dichloropropanol can be partially explained by differential metabolism, 109P
- Hancock PJ *see* Callado LF, 162P
- Hannon JP *see* Tigani B, 111P
- Harper D, Coward S & Jackson D Effect of propranolol on ovalbumin-induced contraction of lung from sensitised guinea-pigs, 96P
- Harper D & Jackson D A new *in vitro* model to study the response to allergen in dog nasal epithelium, 97P
- Harris D, Kendall DA & Randall MD Endothelium-dependent relaxation to K⁺ in the rat isolated mesenteric arterial bed, 42P
- Harrold JA, Widdowson PS & Williams G Leptin release following high-energy diet feeding and prior to increased adiposity predicts the final degree of obesity in rats, 119P
- Harrold JA *see* Park S-Y, 160P
- Hashimoto Y & Lambert DG Studies on the desensitisation of recombinant human nociceptin receptors expressed in Chinese hamster ovary cells, 176P
- Hatcher J *see* Munton RP, 171P
- Hatcher P *see* Munton RP, 171P
- Hawthorn MH *see* Yamanishi T, 104P
- Hayes PC *see* Islam MZ, 72P
- Haylett DG *see* Benton DCH, 39P
- Heal DJ *see* Kilpatrick IC, 66P
- Hegde SS *see* Choppin A, 33P
- Hegde SS *see* Choppin A, 90P
- Hein P, Cotecchia S, Goepel M & Michel MC Comparison of [³H]-prazosin and [³H]tamsulosin labelling of wild-type and constitutively active α_{1B} receptors, 87P
- Heinroth-Hoffmann I *see* Pönicke K, 58P
- Hellewell PG *see* Lynch OT, 147P
- Hemedah M, Coupur IM & Mitchelson FJ Absence of histamine H₃ receptors in rat ileum and human colon, 100P
- Hemmati P *see* Munton RP, 171P
- Henry E *see* Buckley C, 53P
- Heptinstall S *see* Glusa E, 51P
- Hepworth MB & Pinnock RD Inhibition of the bradykinin-induced sensitization of heat activated currents in dorsal root ganglion cells by the anti-hyperalgesic compound Gabapentin, 184P
- Herrlitz B, Güttler K & Klaus W On the antioxidant activity of dihydropyridine-calcium antagonists, 69P
- Hess S *see* Eschke D, 132P
- Heusch G *see* Alexandrov A, 144P
- Hill SJ *see* Hopkinson HE, 139P
- Hill SJ *see* Jackson AM, 127P
- Hill SJ *see* Selbie LA, 36P
- Hill SJ *see* Smith JA, 35P
- Hill SJ *see* Smith JA, 71P
- Hirst WD *see* Minton JAL, 157P
- Hirst WD *see* Roberts JC, 156P
- Ho M, Watson A, Corbett AD & McKnight AT Characterisation of the ORL₁ receptor on adrenergic nerves in the anococcygeus, 84P
- Ho M-Y *see* Chiang T-J, 198P
- Hogestatt ED *see* Zygmunt PM, 211P
- Holland E *see* Fong CY, 112P
- Holland E *see* Pang LH, 113P
- Holliday ND & Cox HM Mutation of the potential palmitoylation site of the rat neuropeptide Y Y₁ receptor

- suppresses its functional desensitisation, 28P
- Höllt V *see* Braun H, 15P
- Holt JDS, Little HJ Effect of the dihydropyridine calcium channel antagonist, nimodipine, on ethanol consumption after long term access to alcohol, 199P
- Hopkinson HE, Latif ML & Hill SJ Constitutive activity of endogenously expressed β_2 -adrenoceptors in BC3H1 cells, 139P
- Hopwood SE *see* Callado LF, 162P
- Hoyle CHV, Raja MAK, Tjiang ET, Lincoln J & Boulos P Acetylcholinesterase activity is elevated in diverticular disease, 25P
- Hoyle CHV, Sundaralingham P & Darling S Antagonism of muscarinic cholinergic receptors by eserine in the ileum of the NMRI mouse and myelencephalic blebs mouse mutant, 34P
- Hudson AL *see* Parker CA, 194P
- Hüllt V *see* Krosiak T, 120P
- Humphrey PPA *see* Jones CA, 38P
- Husband M *see* Bellerby N, 8P
- Hussain H *see* Gilani AH, 56P
- Hutson PH *see* Barton CL, 6P
- Illes P *see* Franke H, 153P
- Illes P *see* Krügel U, 173P
- Illes P *see* Scheibler P, 154P
- Ireland MD, Cilia J, Jones DNC, Routledge C & Leslie RA C-Fos expression patterns induced in the rat brain by clozapine, haloperidol and the selective 5-HT₆ receptor antagonist SB-271046, 159P
- Irfanullah *see* Gilani AH, 56P
- Irving AJ *see* Coutts AA, 190P
- Irving AJ *see* Ross RA, 13P
- Ishak S, Gardiner SM & Dunn WR Enhanced NO-mediated vasodilator responses in pressurized mesenteric resistance arteries isolated from hypertensive, transgenic (mRen-2)27 rats, 43P
- Ishii S *see* Pickavance LC, 116P
- Islam MZ, Buckley CH, Madhavan KK, Hayes PC & Hadoke PWF Presence of vasoconstrictor 5-HT₁-like receptors in human hepatic artery, 72P
- Issad T, Gerhardt CC, Gros J & Strosberg AD New signalling pathways modulated in the β_3 -adrenergic receptor, 222P
- Jackson D *see* Harper D, 96P
- Jackson D *see* Harper D, 97P
- Jackson SM, Alexander SPH & Hill SJ Intracellular calcium mobilization following activation of an endogenous muscarinic receptor in human embryonic kidney (HEK 293) cells, 127P
- Jackson VM, Trout SJ & Cunnane TC Regional variation in responses of rabbit isolated pulmonary artery to nerve stimulation, 65P
- Jagger E, Sokal DM, Parker TL, Mason R, Kirillov A & Wiggins H Multi-channel extracellular recordings from a hippocampal neuronal network culture: a demonstration, 206P
- Jakobs KH *see* Bischoff A, 54P
- James RS *see* Bowen WP, 27P
- Jamshidi N *see* Taylor DA, 205P
- Javitch JA *see* Wilson J, 141P
- Jay M *see* Barton CL, 6P
- Jenkinson DH *see* Benton DCH, 39P
- Jeyaseelan K *see* Clark GS, 88P
- Johnson SR *see* Hamad AM, 114P
- Johnström P & Davenport AP *In vitro* characterisation of [¹⁸F]-BQ3020, the first positron emitting ligand synthesised for the endothelin ET_B receptor, 45P
- Jonas M *see* Munday MK, 24P
- Jones CA, Chessell IP, Simon J, Barnard EA, Michel AD & Humphrey PPA Operational properties of mouse P2X₄ receptors: a species comparison, 38P
- Jones DNC *see* Ireland MD, 159P
- Jones DNC *see* Munton RP, 171P
- Jones NC & Taylor DA Investigation into the clozapine-induced hypothermia in mice, 204P
- Joseph JS *see* Clark GS, 88P
- Joyce PI, Rowbotham DJ, Blakeley RD & Lambert DG Effects of local anaesthetic agents on [³H]-nisoxetine binding to recombinant human nor-epinephrine transporters, 178P
- Julius D *see* Zygmunt PM, 211P
- Kabat A & Dhein S Chronic treatment with acetylsalicylic acid attenuates endothelial dysfunction induced by high D-glucose concentrations in porcine aortic endothelial cells, 50P
- Kabat A *see* Dhein S, 49P
- Kaehler ST, Kouvelas D, Sinner C, Philippu A & Singewald N Peripheral chemoreceptor stimulation activates 5-HT neurons in the locus coeruleus of conscious rats, 86P
- Kaehler ST, Sinner C, Kouvelas D & Philippu A Inescapable electric shock and conditioned fear influence the release of amino acids in the locus coeruleus, 197P
- Kattinger A *see* Scholze P, 163P
- Keddie JR *see* Poucher SM, 73P
- Keen M *see* Saithna A, 158P
- Keffel S *see* Alexandrov A, 144P
- Kemp PA *see* Gardiner SM, 77P
- Kemp PA *see* Gardiner SM, 78P
- Kemp PA *see* Gardiner SM, 79P
- Kemp PA *see* Gardiner SM, 81P
- Kendall DA *see* Beckett SRG, 192P
- Kendall DA *see* Beckett SRG, 193P
- Kendall DA *see* Bellerby N, 8P
- Kendall DA *see* Cheer JF, 191P
- Kendall DA *see* De Bank PA, 40P
- Kendall DA *see* Dobson RRH, 95P
- Kendall DA *see* Harris D, 42P
- Kendall DA *see* Kenny LC, 44P
- Kendall DA *see* Millns PJ, 143P
- Kendall DA *see* Ralevic V, 82P
- Kendall DA *see* Ralevic V, 83P
- Kendall DA *see* Roberts RE, 68P
- Kengatharan M, Habens F, Barnes SE, Carrier MJ, Änggård E & Weinberg PD Characteristics of the pulse waveform during altered nitric oxide synthesis in the New Zealand white rabbit, 64P
- Kennedy C *see* Paul A, 29P
- Kenny LC, Baker PN, Randall MD, Kendall DA & Dunn WR Differences in endothelial function in pregnancy and pre-eclampsia, 44P
- Kent C *see* Dobson RRH, 95P
- Khan N, Barker S, Wood EG, Lees DM & Corder R Tamoxifen and 5-nitro-2-(3-phenylpropylamino)-benzoic acid (NPBB) reduce basal and stimulated endothelin-1 secretion from bovine aortic endothelial cells, 61P
- Khan N *see* Barker S, 46P
- Kharitonov G *see* Scheele JS, 37P
- Kharitonov VG *see* Scheele JS, 133P
- Kharitonov VG *see* Scheele JS, 134P
- Kharitonov VG *see* Scheele JS, 135P
- Kilbinger H *see* Mang C, 92P
- Kilpatrick IC, Traut M & Heal DJ Monoamine oxidase inhibition determined in rat brain is unlikely to account for cardiovascular risks associated with fenfluramine and phentermine, 66P
- King NV *see* Selbie LA, 36P
- King P, Widdowson PS, Doods H & Williams G *In vitro* effect of cytokines on neuropeptide Y release from hypothalamic slices, 174P
- Kini M *see* Clark GS, 88P
- Kirillov A *see* Jagger E, 206P
- Kittner H *see* Krügel U, 173P
- Klages B *see* Gohla A, 223P
- Klasen S, Hammerman R, Beck KF, Pfeilschifter J & Racké K Increase of arginase in rat alveolar macrophages by lipopolysaccharides occurs independent of the concomitant iNOS induction, 17P
- Klaus W *see* Herrlitz B, 69P
- Knox AJ *see* Fong CY, 112P
- Knox AJ *see* Hamad AM, 114P
- Knox AJ *see* Pang LH, 113P
- Koch T *see* Krosiak T, 120P
- Kotzian E, Barnes NM & Fone KCF Immunohistochemical localisation of the 5-HT_{4A} receptor in the rat brain, 155P

- Kouvelas D *see* Kaehler ST, 86P
 Kouvelas D *see* Kaehler ST, 197P
 Krauthelm A, Brechlin P, Becker K, Winkler M & Steinfelder HJ Functional characterisation of okadaic acid resistance in HIT cells, 125P
 Krosiak T, Kroch T & Hüllt V The human 23kDa phosphatidyl ethanolamine binding protein: a novel modulator of μ -opioid receptor coupling and desensitisation, 120P
 Krügel U, Kittner H & Illes P Studies on the relationships between extracellular dopamine in the rat nucleus accumbens and quantitative EEG, 173P
 Krügel U *see* Franke H, 153P
 Kuschinsky K, Alvarez Fischer D & Ferger B Reward mechanisms: conditioning and sensitisation, 217P
 Kuschinsky K *see* Ferger B, 188P
- Laight DW, Desai KM, Gopaul NK, Ånggård E & Carrier MJ A pro-oxidant challenge *in vivo* is pro-diabetic in the insulin-resistant obese Zucker rat, 115P
 Lal H, Williams KI & Woodward B ET_B receptor-mediated bronchoconstriction is potentiated in lungs from chronically hypoxic rats, 70P
 Lamb H, Benwell KR, Revell DF, Read S, Sheardown MJ & Porter RHP Pharmacological characterisation of human A₁ and A_{2A} receptors co-expressed with G α_{i6} in CHO-K1 cells using a fluorimetric imaging plate reader (FLIPR), 131P
 Lambert DG *see* Hashimoto Y, 176P
 Lambert DG *see* Joyce PI, 178P
 Lambert DG *see* Nelson RM, 183P
 Lapiz MDS, Parker TL & Marsden CA Changes in phencyclidine-induced behaviour following isolation rearing in the rat, 201P
 Lashari I *see* Saeed SA, 57P
 Latif ML *see* Hopkinson HE, 139P
 Lau WAK *see* Skupek HD, 161P
 Lawson K *see* Carr CMR, 63P
 Ledger R *see* Blaylock NA, 30P
 Lee B *see* Blanpain C, 224P
 Lee K *see* Preston Z, 126P
 Lee K *see* Shah B, 128P
 Lee K *see* Stevens EB, 124P
 Lees DM *see* Khan N, 61P
 Lemansky P *see* Brunn C, 107P
 Leslie RA *see* Ireland MD, 159P
 Leslie RA *see* Roberts JC, 156P
 Libert F *see* Blanpain C, 224P
 Lim LHK, Perretti M, Flower RJ & Das AM Glucocorticoid hormones reduce integrin expression on murine eosinophils, 21P
 Lincoln J *see* Hoyle CHV, 25P
 Lindsay MA *see* Lynch OT, 147P
 Little HJ *see* Holt JDS, 199P
- Liu L, Paul A & Plevin R The effect of NF- κ B inhibitors on IRF-1 expression in raw 264.7 macrophages, 146P
 Liu XH & Morris R An inhibitory action of neuropeptide Y (NPY) on neurones in the rat spinal cord superficial dorsal horn (laminae I-IV) *in vitro*, 175P
 Löscher W *see* Brandt C, 9P
 Löscher W *see* Gernert M, 2P
 Löscher W *see* Schwabe K, 1P
 Lötsch J, Tegeder I, Angst MS & Geislinger G Antinociceptive effect of morphine-6-glucuronide in P-glycoprotein knockout and wildtype mice in the hotplate test, 200P
 Loury DN *see* Choppin A, 33P
 Lummis SCR & Spier AD Identification of a tryptophan residue as a determinant of agonist binding in the 5-HT₃ receptor, 142P
 Luong LA *see* Martin RS, 103P
 Lynch OT, Gienbycz MA, Barnes PJ, Hellewell PG & Lindsay MA 'Outside-in' signalling mechanisms underlying CD11b/CD18-mediated NADPH oxidase activation in human adherent blood eosinophils, 147P
- McCulloch A *see* Millns PJ, 143P
 McDonagh AN *see* Parsons SJW, 129P
 MacEwan DJ *see* Ross RA, 13P
 McFarlane SM *see* Ross RA, 13P
 McGaughy J, Dalley JW, Everitt BJ & Robbins TW Behavioural and neurochemical evidence for a role of cortical acetylcholine in visual attention, 218P
 McGrath JC *see* Deighan C, 91P
 Mackenzie JF *see* Deighan C, 91P
 Mackie K *see* Coutts AA, 190P
 McKnight AT *see* Ho M, 84P
 McKnight AT *see* Maneuf YP, 164P
 MacLennan SJ *see* Martin RS, 103P
 MacLennan SJ *see* Williams TJ, 149P
 McMurray HF *see* Bowen WP, 27P
 Madhavan KK *see* Islam MZ, 72P
 Magde D *see* Scheele JS, 37P
 Magde D *see* Scheele JS, 133P
 Magde D *see* Scheele JS, 134P
 Magde D *see* Scheele JS, 135P
 Maguire JJ & Davenport AP *In vitro* vasoconstrictor activity of novel peptide endothelin-1(1-31) is due to conversion to endothelin-1(1-21) in human internal mammary artery by an enzyme other than endothelin converting enzyme, 60P
 Maho A *see* Blanpain C, 224P
 Malik M *see* Benton DCH, 39P
 Malone KE *see* Blaylock NA, 30P
 Maneuf YP & McKnight AT Study of the ORL₁ receptor modulating K⁺-evoked [³H]5-HT release from rat cortical slices, 164P
 Mang C & Kilbinger H Modulation by nitric oxide (NO) of acetylcholine (ACh) release from guinea-pig trachea, 92P
- March JE *see* Gardiner SM, 77P
 March JE *see* Gardiner SM, 78P
 March JE *see* Gardiner SM, 79P
 March JE *see* Gardiner SM, 81P
 Marsden CA, Fone KCF, Beckett SRG, Fulford A, Graham M, Neophytou S & Aspley S Brain amines and aversion, 216P
 Marsden CA *see* Bellerby N, 8P
 Marsden CA *see* Cheer JF, 191P
 Marsden CA *see* Lapiz MDS, 201P
 Marsden CA *see* Muchimapura S, 203P
 Marshall K *see* Duckworth NJ, 106P
 Marshall K *see* Grady A, 105P
 Martasek P *see* Scheele JS, 37P
 Martasek P *see* Scheele JS, 133P
 Martasek P *see* Scheele JS, 134P
 Martasek P *see* Scheele JS, 135P
 Martin GR *see* Martin RS, 103P
 Martin GR *see* Williams TJ, 149P
 Martin RS, Long LA, Welsh NJ, Eglen RM, Martin GR & MacLennan SJ Cannabinoid CB₁ receptors mediate inhibition of neuronally-evoked contractions of isolated urinary bladder from the rat and mouse, but not human, pig, dog or monkey, 103P
 Martin W *see* Wallis SJ, 62P
 Mason R *see* Cheer JF, 191P
 Mason R *see* Jagger E, 206P
 Mason R *see* Muchimapura S, 203P
 Mason R *see* Mundey M, 93P
 Mason R *see* Sokal DM, 179P
 Masters BSS *see* Scheele JS, 37P
 Masters BSS *see* Scheele JS, 133P
 Masters BSS *see* Scheele JS, 134P
 Masters BSS *see* Scheele JS, 135P
 Mazzoni L *see* Tigani B, 111P
 Mechan AO, Elliott JM, Colado MI & Green AR Altered thermoregulatory response to high ambient temperature (30°C) in MDMA-pretreated rats, 185P
 Meller R *see* Teo J, 130P
 Messeri MD *see* Hammermann R, 18P
 Messner K & Reynolds GP An *in vitro* model of inflammatory neurodegeneration and its neuroprotection by antioxidants, 187P
 Mest H-J *see* Brunn C, 107P
 Meyer zu Heringdorf D *see* Bischoff A, 54P
 Miah A *see* Bowen WP, 27P
 Michel AD *see* Jones CA, 38P
 Michel MC *see* Alexandrov A, 144P
 Michel MC *see* Bischoff A, 54P
 Michel MC *see* Hein P, 87P
 Middlemiss DN *see* Ghadessy R, 145P
 Middlemiss DN *see* Minton JAL, 157P
 Migeotte I *see* Blanpain C, 224P
 Millns P & Alexander SPH Autoradiographic analysis of the binding of the antagonist radioligand [³H]-ZM241385 to A_{2A} adenosine receptors in rat

- striatum, 152P
- Millns PJ, McCulloch A, Randall MD & Kendall DA Catecholamine-stimulated [³⁵S]GTPγ-S binding in rat heart, 143P
- Millns PJ *see* Beckett SRG, 193P
- Minton JAL, Hirst WD, Bromidge SM, Routledge C, Middlemiss DN & Price GW Characterisation of [¹²⁵I]SB-258585 binding to 5-HT₆ receptors in native tissues, 157P
- Mitchell JA *see* Breese EJ, 19P
- Mitchell JA *see* Gitlin JM, 41P
- Mitchell JA *see* Gray PA, 98P
- Mitchell JN *see* Day NC, 7P
- Mitchelson FJ *see* Hemedah M, 100P
- Mobini S *see* Chiang T-J, 198P
- Molleman A *see* Begg M, 140P
- Molleman A *see* Brooks AC, 16P
- Morris R *see* Liu XH, 175P
- Mössner J *see* Hammermann R, 18P
- Muchimapura S, Marsden CA & Mason R Effect of social isolation on hippocampal 5-HT_{1A} receptor activity in the Lister hooded rat, 203P
- Müller D *see* Scheibler P, 154P
- Munday PW *see* Bowen WP, 27P
- Munday M, Mason R & Wilson VG A study of the effect of ibogaine against neurogenic contractions of the rat vas deferens and guinea-pig isolated detrusor muscle, 93P
- Munday MK, Jonas M, Scholefield JH & Wilson VG Pharmacological examination of neurogenic responses of the sheep isolated internal anal sphincter, 24P
- Munton RP, Hemmati P, Ashmeade T, Routledge C, Atkins A, Jones DNC, Hatcher J, Hatcher P & Taylor SG Orexin A and B induce different effects on dopamine and 5-HT turnover in various rat brain areas, 171P
- Murkin KL, Nasir S, Roxbee-Cox L & Wood MD Pharmacological profile of the human CCR2b receptor expressed in rat basophilic leukaemia cells: evidence for partial agonist activity of MCP-3 and MCP-4, 148P
- Nahorski SR *see* Selkirk JV, 32P
- Nannan B *see* Piotrowski W, 89P
- Nasir S *see* Murkitt KL, 148P
- Needham P *see* Teschendorf HJ, 166P
- Needham PL, Gross G & Wicke K Atypical antipsychotic profile of BTS 79 018 may be mediated by central 5-HT_{1A} agonist activity, 169P
- Neill JC *see* Smith AG, 196P
- Nelemans SA *see* Begg M, 140P
- Nelson RM, Sprague J, Green AR, Lambert DG & Hainsworth AH Glutamate release from rat brain slices in response to hypoxia/aglycaemia: inhibition by clomethiazole, 183P
- Neophytou S *see* Marsden CA, 216P
- Neumann T *see* Alexandrov A, 144P
- Neupert W *see* Tegeder I, 99P
- Nieber K *see* Brand A, 12P
- Nieber K *see* Eschke D, 132P
- Nutt DJ *see* Parker CA, 194P
- Obrenovitch TP *see* Urenjak J, 10P
- O'Brien C *see* Buckley C, 53P
- Oertel WH *see* Ferger B, 188P
- Offermanns S *see* Gohla A, 223P
- Oglesby IB *see* Williams TJ, 149P
- Olbrich A *see* Dhein S, 49P
- O'Rahilly S Molecular defects in the regulation of human body mass, 221P
- Owen DG *see* Clark GS, 88P
- Paegelow I *see* Diener A, 138P
- Page KJ *see* Day NC, 7P
- Pang LH, Holland E & Knox AJ Involvement of protein kinase A and protein kinase C in bradykinin-stimulated cyclooxygenase-2 induction in human airway smooth muscle cells, 113P
- Pang LH *see* Fong CY, 112P
- Park S-Y, Harrold JA, Widdowson PS & Williams G Food restriction down-regulates the density of the 5-HT_{1B} and 5-HT_{2A} receptor in the ventromedial hypothalamic nucleus, 160P
- Parker CA, Hudson AL, Nutt DJ, Dillon MP, Eglen RM & Crosby J Reverse phase-HPLC analysis of clonidine-displacing substance present in NG108-15 cells, 194P
- Parker KG *see* Vongvatcharanon U, 76P
- Parker TL *see* Bellerby N, 8P
- Parker TL *see* Jagger E, 206P
- Parker TL *see* Lapid MDS, 201P
- Parker TL *see* Sokal DM, 179P
- Parker TL *see* Vongvatcharanon U, 76P
- Parmentier M *see* Blanpain C, 224P
- Parratt JR *see* Zhang L, 118P
- Parsons SJW, Beresford IJM, Browning C, Cartwright KA, McDonagh AN & Giles H A comparison of the abilities of chemokine ligands to compete for [¹²⁵I] MIP-1α and [¹²⁵I] RANTES binding to the chemokine receptor CCR1, 129P
- Patchett SE *see* Breese EJ, 19P
- Patel S *see* Roberts JC, 156P
- Paul A, Torrie LJ, Kennedy C & Plevin R P2Y receptor-mediated inhibition of stress-activated protein kinases in the human endothelial cell hybrid EAH926, 29P
- Paul A *see* Liu L, 146P
- Pei Q *see* Castro ME, 165P
- Pepper JR *see* Gitlin JM, 41P
- Perretti M *see* Carollo M, 22P
- Perretti M *see* Lim LHK, 21P
- Pertwee RG Pharmacology of cannabinoid receptors and their ligands, 208P
- Pertwee RG *see* Brockie HC, 94P
- Pertwee RG *see* Coutts AA, 190P
- Pertwee RG *see* Gibson TM, 189P
- Pertwee RG *see* Ross RA, 13P
- Peskar BA *see* Peskar BM, 23P
- Peskar BM & Peskar BA Salicylate antagonizes the effects of selective cyclooxygenase-2 inhibitors on gastric mucosal integrity in rats, 23P
- Pfeilschifter J *see* Klasen S, 17P
- Philippu A Cardiovascular regulation: importance of the locus coeruleus, 213P
- Philippu A *see* Kaehler ST, 86P
- Philippu A *see* Kaehler ST, 197P
- Pickavance LC, Widdowson PS, Foster JR, Ishii S, Tanaka H & Williams G The thiazolidinedione, MCC-555, prevents nitric oxide synthase induction in the pancreas of ZDF rats, 116P
- Piffl Ch *see* Scholze P, 163P
- Pilcher CWT, Bitar MS & Thomas ML Paradoxical effects of the non-opioid peptide nociceptin (orphanin FQ) on nociceptin in rats, 180P
- Pinnock RD *see* Hepworth MB, 184P
- Pinnock RD *see* Preston Z, 126P
- Pinnock RD *see* Shah B, 128P
- Pinnock RD *see* Stevens EB, 124P
- Piotrowski W, Brice S, Dall'aglio M, Delacourt S & Nannan B Effect of electrode material on the inhibition of non-adrenergic, non-cholinergic responses of isolated guinea-pig taenia caeci by N^ω-nitro-L-arginine (NOARG), 89P
- Plevin R *see* Liu L, 146P
- Plevin R *see* Paul A, 29P
- Pollock A *see* Alexander SPH, 182P
- Pollock EL *see* Cox HM, 102P
- Pönicke K, Heinroth-Hoffmann I & Brodde O-E Propranolol increases noradrenaline-induced protein synthesis in ventricular cardiomyocytes of the adult rat, 58P
- Porter RHP *see* Lamb H, 131P
- Poucher SM, Keddie JR & Briscoe MG A comparison of the *in vivo* pharmacology of clenbuterol enantiomers upon skeletal muscle tone, vascular muscle and cardiac chronotropic responses, 73P
- Poucher SM *see* Worrall V, 74P
- Poucher SM *see* Worrall V, 75P
- Premkumar LS *see* Almotrefi AA, 55P
- Preston Z, Lee K, Richardson PJ & Pinnock RD Neurokinin-3 receptors are expressed on GABAergic interneurons and evoke GABA release in the mouse striatum, 126P
- Price GW *see* Minton JAL, 157P
- Price GW *see* Selkirk JV, 32P
- Racké K *see* Hammermann R, 18P
- Racké K *see* Klasen S, 17P

- Raja MAK *see* Hoyle CHV, 25P
- Ralevic V & Gardiner SM Attenuated constriction to methoxamine perfusion and augmented responses to vasorelaxants in isolated perfused mesenteric arterial beds from endotoxaemic rats, 80P
- Ralevic V & Kendall DA Effects of cannabinoid receptor ligands on sympathetic neurogenic contraction of rat isolated perfused mesenteric arterial bed, 82P
- Ralevic V & Kendall DA SR1417161, a cannabinoid receptor antagonist, augments vasorelaxation mediated by capsaicin-sensitive primary afferents of rat isolated mesenteric arterial beds, 83P
- Ralevic V A, adenosine receptors, but not P2 purine receptors, inhibit prejunctionally sympathetic neurotransmission in the hamster isolated mesenteric arterial bed, 48P
- Rana S *see* Saeed SA, 57P
- Randall MD Involvement of gap junctional communication in cardiac preconditioning in rat isolated heart, 47P
- Randall MD *see* Harris D, 42P
- Randall MD *see* Kenny LC, 44P
- Randall MD *see* Millns PJ, 143P
- Randall MD *see* Sokal DM, 179P
- Randall MD *see* Ting KN, 67P
- Randall MD The cardiovascular actions of cannabinoids: more questions than answers, 210P
- Rasheed H *see* Saeed SA, 57P
- Razdan RK *see* Gibson TM, 189P
- Read S *see* Lamb H, 131P
- Reavill C *see* Roberts JC, 156P
- Reeve AJ, Walker MJK & Urban L Galanin facilitates the responses of dorsal horn wide-dynamic neurones in the anaesthetized rat, 181P
- Rehders JH *see* Gernert M, 2P
- Revell DF *see* Lamb H, 131P
- Reynolds GP *see* Messmer K, 187P
- Richardson PJ *see* Preston Z, 126P
- Richter A *see* Gernert M, 2P
- Robbins TW *see* McGaughy J, 218P
- Roberts JC, Hirst WD, Reavill C, Patel S, Routledge C & Leslie RA Autoradiographic localisation of the 5-HT₆ receptor in the CNS of the rat using [¹²⁵I]SB-258585, 156P
- Roberts RE, Kendall DA & Wilson VG The effect of removal of the endothelium on α_2 -adrenoceptor-mediated vasoconstriction in porcine isolated ear arteries, 68P
- Robinson AJ & Dickenson JM Adenosine A₁ receptor-mediated activation of the MAP kinase signalling pathway in DDT₁MF-2 cells, 151P
- Roe C *see* Beckett SRG, 192P
- Roman LJ *see* Scheele JS, 37P
- Roman LJ *see* Scheele JS, 133P
- Roman LJ *see* Scheele JS, 134P
- Roman LJ *see* Scheele JS, 135P
- Rommelspacher H *see* Krosiak T, 120P
- Ross RA, Coutts AA, McFarlane SM, Irving AG, Pertwee RG, MacEwan DJ & Scott RH Evidence for cannabinoid receptor-mediated inhibition of voltage-activated Ca²⁺ currents in neonatal rat cultured DAG neurones, 13P
- Ross RA *see* Brockie HC, 94P
- Ross RA *see* Gibson TM, 189P
- Rosul A *see* Gardiner SM, 79P
- Routledge C *see* Ashmeade T, 117P
- Routledge C *see* Cramp JAV, 168P
- Routledge C *see* Ireland MD, 159P
- Routledge C *see* Minton JAL, 157P
- Routledge C *see* Munton RP, 171P
- Routledge C *see* Roberts JC, 156P
- Rowbotham DJ *see* Joyce PI, 178P
- Roxbee-Cox L *see* Murkitt KL, 148P
- Rucker J *see* Blanpain C, 224P
- Rushton A *see* Gardiner SM, 79P
- Sadiq M *see* Gilani AH, 56P
- Saeed O *see* Saeed SA, 57P
- Saeed SA, Rasheed H, Rana S, Saeed O, Lashari I & Shah BH Synergistic interaction of histamine and adrenaline in platelet aggregation involves activation of phospholipase C and MAP kinase pathways, 57P
- Saeed SA *see* Gilani AH, 56P
- Saha B *see* Gibson TM, 189P
- Saithna A & Keen M The effect of stimulators of differentiation on 5-HT₃ and muscarinic receptor expression in NG108-15 cells, 158P
- Salameh A *see* Dhein S, 49P
- Sampaio Maia MB & Soares-da-Silva P Control of luminal uptake of L-DOPA at the blood-brain barrier by Ca²⁺/calmodulin mediated pathways, 4P
- Samson M *see* Blanpain C, 224P
- Sanderson HM *see* Glusa E, 51P
- Sautter J *see* Ferger B, 188P
- Schäfer K *see* Braun H, 15P
- Scheele J, Kharitonov VG, Martasek P, Bruner EP, Roman LJ, Sharma VS, Masters BSS & Magde D Kinetics of CO ligation with nitric oxide synthase by flash photolysis and stopped-flow spectrophotometry, 135P
- Scheele J, Martasek P, Bruner EP, Kharitonov VG, Roman LJ, Sharma VS, Masters BSS & Magde D Kinetics of CO ligation with a Cys331Ala mutant of neuronal nitric oxide synthase by flash photolysis and stopped-flow spectrophotometry, 134P
- Scheele J, Martasek P, Bruner EP, Kharitonov VG, Roman LJ, Sharma VS, Masters BSS & Magde D Kinetics of CO ligation with a mutant lacking the calmodulin binding domain of endothelial nitric oxide synthase by flash photolysis and stopped-flow spectrophotometry, 133P
- Scheele J A comparison on the concentrations of certain pesticides and polychlorinated hydrocarbons in bone marrow and fat tissue, 108P
- Scheele JS, Bruner E, Kharitonov VG, Martasek P, Toman LJ, Masters BSS & Magde D Kinetics of NO ligation with nitric oxide synthase by flash photolysis and stopped-flow spectrophotometry, 37P
- Scheibler P, Müller D, Illes P & Allgaier C Developmental changes in NMDA receptor function and subunit expression in cultured mesencephalic neurones, 154P
- Scheibler P *see* Eschke D, 132P
- Schloos J *see* Brunn C, 107P
- Scholefield JH *see* Munday MK, 24P
- Scholz P, Sitte H, Pifl Ch, Cattinger A, Blakely R & Singer EA A superfusion study on carrier-mediated release in cells stably expressing the human cloned 5-HT transporter, 163P
- Schultz G *see* Gohla A, 223P
- Schulz R *see* Alexandrov A, 144P
- Schwabe K, Ebert U & Löscher W Effect of micro-injections of vigabatrin in the central piriform cortex on the development of amygdala kindling in rats, 1P
- Scott MGH, Swan C & Hall IP Differential expression of human β_2 -adrenoceptor promoter constructs in COS-7, BEAS-2B and cultured human airway smooth muscle cells, 123P
- Scott RH *see* Ross RA, 13P
- Selbie LA, King NV, Wilson J & Hill SJ Use of recombinant aequorin to investigate the augmentation by adenosine A₁-receptors of calcium responses to ATP in CHO-K1 cells, 36P
- Selbie LA *see* Smith JA, 35P
- Selkirk JV, Challiss RAJ, Price GW & Nahorski SR Differential coupling to endogenous G protein sub-populations in CHO and BHK cell lines recombinantly expressing mGlu1 α receptors, 32P
- Senior J *see* Duckworth NJ, 106P
- Senior J *see* Grady A, 105P
- Serrão P *see* Soares-da-Silva P, 136P
- Serrão P *see* Soares-da-Silva P, 137P
- Sewing S *see* Brunn C, 107P
- Seyfarth T *see* Grapow M, 59P
- Shah B, Lee K, Pinnock RD & Dixon AK Distribution of voltage-gated sodium channel subunits in the rat CNS: a comparative study, 128P
- Shah BH *see* Saeed SA, 57P
- Shah M *see* Benton DCH, 39P
- Shaheen F *see* Gilani AH, 56P
- Sharma VS *see* Scheele JS, 133P
- Sharma VS *see* Scheele JS, 134P

- Sharma VS *see* Scheele JS, 135P
 Sharp HL *see* Gardiner SM, 79P
 Sharp T Regulatory functions of amines in the CNS: mood and depression, 214P
 Sharp T *see* Ainsworth K, 172P
 Sharp T *see* Castro ME, 165P
 Sharp T *see* Teo J, 130P
 Sheardown MJ *see* Lamb H, 131P
 Simon J *see* Jones CA, 38P
 Singer EA *see* Scholze P, 163P
 Singewald N *see* Kaehler ST, 86P
 Sinner C *see* Kaehler ST, 86P
 Sinner C *see* Kaehler ST, 197P
 Sitte HH *see* Scholze P, 163P
 Skupek HD, Lau WAK & Taylor DA Comparison of dopamine D2 receptor sites labelled by [³H]-spiperone in the striatum and nucleus accumbens with regard to morphine preference in the rat, 161P
 Slattery DA *see* Deighan C, 91P
 Smith AG, Costall B & Neill JC Failure of selective dopamine₂ receptor antagonists to attenuate 7-OH-DPAT-induced inhibition of progressive ratio responding in the common marmoset *Callithrix jacchus*, 196P
 Smith JA, Draper LM & Hill SJ Increased 5-HT-stimulated inositol phosphate generation in response to hypoxia: studies with cultured human umbilical artery smooth muscle cells, 71P
 Smith JA, Selbie LA & Hill SJ Stimulated adenosine A₁-receptor expression in response to hypoxia, 35P
 Smith S *see* Choppin A, 90P
 Smith SE *see* Ainsworth K, 172P
 Soares-da-Silva P & Serrão P Apical uptake of L-DOPA by L-type amino acid transporter in porcine kidney LLC-PK₁ cells, 136P
 Soares-da-Silva P & Serrão P Ca²⁺/calmodulin mediated pathways and the control of apical uptake of L-DOPA in porcine kidney LLC-PK₁ cells, 137P
 Soares-da-Silva P *see* Sampaio Maia MB, 4P
 Sokal DM, Parker TL, Randall MD & Mason R The role of intercellular gap-junction communication on bicuculline-induced epileptiform excitability in dissociated rat hippocampal neurones *in vitro*: effects of carbenoxolone, 179P
 Sokal DM *see* Jagger E, 206P
 Spencer DC *see* Gardiner SM, 79P
 Spencer JPE, Vinge-Roth N, Steventon GB & Duty S Oxidative stress and loss of [³H]paroxetine binding in rat cortex following chronic 3,4-methylenedioxy-metamphetamine (MDMA) administration, 186P
 Spier AD *see* Lummis SCR, 141P
 Sprague J *see* Nelson RM, 183P
 Stamford JA *see* Callado LF, 162P
 Steinfelder HJ *see* Krauthelm A, 125P
 Stepan GJ *see* Williams TJ, 149P
 Stevens EB, Pinnock RD & Lee K Inhibition of K_{ATP} channel activity by ketoconazole in CRI-G1 insulin-secreting cells, 124P
 Stevenson LA *see* Gibson TM, 189P
 Steventon GB *see* Spencer JPE, 186P
 Storey RF *see* Glusa E, 51P
 Strange PG *see* Wilson J, 141P
 Strong PN *see* Clark GS, 88P
 Strosberg AD *see* Issad T, 222P
 Sundaralingham P *see* Hoyle CHV, 34P
 Sutch RJ & Bowery NG Measurement of [³H]GABA release from slices reveals altered GABA_B receptor function in Genetic Absence Epilepsy Rats from Strasbourg, 3P
 Swan C *see* Scott MGH, 123P
 Szabadi E *see* Chiang T-J, 198P
 Tadayyon M *see* Cai XJ, 202P
 Tanaka H *see* Pickavance LC, 116P
 Tanira MOM, Ali BH, Bashir AK & Dhanasekaran S The effect of *Rhazya stricta* strongly basic alkaloidal fraction on rat brain catecholamines, 177P
 Tarrant RJ *see* Alexander SPH, 182P
 Tassa S *see* Williams TJ, 149P
 Taylor DA & Jamshidi N The effect of D⁹-tetrahydrocannabinoid and SR 141716 on the appetite of rats, 205P
 Taylor DA *see* Jones NC, 204P
 Taylor DA *see* Skupek HD, 161P
 Taylor SG *see* Munton RP, 171P
 Tegeder I, Neupert W, Gühring H, Brune K & Geisslinger G Effects of the selective cyclo-oxygenase-2 inhibitor NS398 on prostanoïd release from the stomach and other rat organs: comparison with non-selective COX-inhibitors, 99P
 Tegeder I *see* Lötsch J, 200P
 Teismann P *see* Ferger B, 188P
 Teo J, Meller R & Sharp T Effect of mGluR activation on the release of endogenous glutamate from cultured C6 glioma cells, 130P
 Terry P *see* Costanza RM, 195P
 Teschendorf H-J *see* Wicke K, 5P
 Teschendorf HJ, Needham P & Gross G Belaperidone: antidopaminergic and antiserotonergic effects *in vivo*, 166P
 Thomas MI *see* Pilcher CWT, 180P
 Tigani B, Hannon JP, Mazzoni L & Fozard JR Effects of wortmannin on antigen-induced airway inflammation and bronchoconstrictor responsiveness in actively sensitised Brown Norway rats, 111P
 Ting KN, Randall MD & Wilson VG Effects of melatonin and trolox on ischaemia-reperfusion injury in the Langendorff rat isolated heart, 67P
 Tjiang ET *see* Hoyle CHV, 25P
 Torrie LJ *see* Paul A, 29P
 Tough IR *see* Cox HM, 102P
 Townsend A *see* Bellerby N, 8P
 Traut M *see* Kilpatrick IC, 66P
 Traut M *see* Unger L, 167P
 Trevethick MA *see* Banner KH, 101P
 Trout SJ *see* Jackson VM, 65P
 Unger L, Bialojan S, Gross G & Traut M Belaperidone: comparison of its receptor profile with clozapine, 167P
 Urban L *see* Reeve AJ, 181P
 Urenjak J & Obrenovitch TP Effects of kynurenine-3-hydroxylase inhibition on extracellular kynurenic acid and N-methyl-D-aspartate-induced depolarisation in the rat brain, 10P
 Vakili J *see* Blanpain C, 224P
 Vassart G *see* Blanpain C, 224P
 Vinge-Rothe N *see* Spencer JPE, 186P
 Voigt J-P *see* Fink H, 215P
 Voits M *see* Fink H, 215P
 von Bergmann K Drugs and hyperlipidaemia, 219P
 Vongvatcharanon U, Parker KG & Parker TL Increased apoptosis and reduced cardiac ventricular wall volume in the postnatal transgenic m(Ren-2)27 rat, 76P
 Waddell ID *see* Worrall V, 74P
 Waddell ID *see* Worrall V, 75P
 Walker MJK *see* Reeve AJ, 181P
 Wallis SJ & Martin W Suppression of myogenic and vasoconstrictor tone in porcine cerebral artery by basal nitric oxide, 62P
 Ward DK *see* Blaylock NA, 30P
 Ward RE & Clarke RW Involvement of 5-HT_{1A} receptors in opioid-induced descending inhibition of a spinal reflex in the decerebrated rabbit, 170P
 Warner TD *see* Breese EJ, 19P
 Warner TD *see* Gray PA, 98P
 Watson A *see* Ho M, 84P
 Watson N *see* Choppin A, 33P
 Weddige FK *see* Wicke K, 5P
 Weinberg PD *see* Kengatharan M, 64P
 Weiner M *see* Davis BJ, 26P
 Welsh NJ *see* Martin RS, 103P
 Wettschureck N *see* Gohla A, 223P
 Wheatley AP & Hall IP Expression of homologues of the transient receptor potential (TRP) gene in primary cultured human airway smooth muscle cells, 122P
 Whelan CJ *see* Brooks AC, 16P
 Wicke K, Bailey P, Freeman AS, Greger G, Groß G, Teschendorf H-J &

- Weddige FK Effects of belaperidone in acute and chronic electrophysiological models: comparison to rat catalepsy and phase II clinical motor side-effect data, 5P
- Wicke K *see* Needham PL, 169P
- Widdowson P *see* Cai XJ, 202P
- Widdowson PS *see* Harrold JA, 119P
- Widdowson PS *see* King P, 174P
- Widdowson PS *see* Park S-Y, 160P
- Widdowson PS *see* Pickavance LC, 116P
- Wiggins H *see* Jagger E, 206P
- Wilbraham J *see* Worrall V, 74P
- Wilbraham J *see* Worrall V, 75P
- Williams BC *see* Islam MZ, 72P
- Williams G *see* Cai XJ, 202P
- Williams G *see* Harrold JA, 119P
- Williams G *see* King P, 174P
- Williams G *see* Park S-Y, 160P
- Williams G *see* Pickavance LC, 116P
- Williams KI *see* Lal H, 70P
- Williams TJ, Tassa S, Calixto JJ, Stepan GJ, Oglesby IB, MacLennan SJ, Martin GR, Ford APDW & Daniels DV Endogenous 5-HT and the effect of growth media on expression and function of human recombinant 5-HT, and 5-HT₂ receptors in HEK-293 cells, 149P
- Wilson J, Javitch JA & Strange PG Effect of a point mutation in the human D_{2short} dopamine receptor on agonism and inverse agonism, 141P
- Wilson J *see* Selbie LA, 36P
- Wilson VG *see* Blaylock NA, 30P
- Wilson VG *see* Munday M, 93P
- Wilson VG *see* Munday MK, 24P
- Wilson VG *see* Roberts RE, 68P
- Wilson VG *see* Ting KN, 67P
- Winkler M *see* Krautheim A, 125P
- Wong JCL *see* Costanza RM, 195P
- Wong MP-M & Young JM Ca²⁺-entry associated with histamine inhibition of drug-induced cyclic AMP accumulation in human U373 MG astrocytoma cells, 31P
- Wood EG *see* Barker S, 46P
- Wood EG *see* Khan N, 61P
- Wood MD *see* Murkitt KL, 148P
- Wood TJB *see* Bellerby N, 8P
- Woodward B *see* Lal H, 70P
- Woodward DF *see* Grady A, 105P
- Worrall V, Wilbraham J, Waddell ID & Poucher SM Comparison of the anabolic effects of (±) clenbuterol, (–) clenbuterol and (+) clenbuterol in denervated rat hind-limb muscle, 75P
- Worrall V, Wilbraham J, Waddell ID & Poucher SM The relative anabolic potency of (±) clenbuterol, (–) clenbuterol and (+) clenbuterol in slow twitch-oxidative and fast twitch-glycolytic muscles of rats, 74P
- Yamanishi T, Hawthorn MH, Chapple CR & Chess-Williams R The role of M2-muscarinic receptors in contraction of the pig urinary bladder, 104P
- Young JM *see* Wong M-PM, 31P
- Zhang L, Parratt JR, Beastall GH & Furman BL Involvement of hypothyroidism in the reduction in ischaemia-reperfusion arrhythmias in hearts from streptozotocin diabetic rats, 118P
- Zygmunt PM, Julius D & Hogestatt ED Anandamide – an endogenous modulator of vanilloid receptors?, 211P

Keyword Index

- Absence epilepsy 3P
 Acetylcholine 25P, 34P
 Acetylsalicylic acid 50P
 Adenosine 36P, 131P
 Adenosine receptors 35P, 152P, 182P
 Adenosine A₁ receptors 12P, 48P
 Adenosine A₂ receptors 12P
 Adenylyl cyclase 141P
 Adhesion 147P
 Adiposity 202P
 ADP-receptor antagonists 51P
 Adrenaline 57P
 β_2 -Adrenergic receptors 123P
 β_3 -Adrenergic receptor signalling pathways 222P
 α -Adrenoceptors 58P
 α_1 -Adrenoceptors 91P, 144P
 α_{1L} -Adrenoceptors 26P
 α_2 -Adrenoceptors 11P, 30P, 68P
 β -Adrenoceptors 58P, 85P, 104P
 β_2 -Adrenoceptors 73P, 139P
 Airway inflammatory response 112P
 Airway smooth muscle, human 113P, 114P, 122P, 123P
 Alcohol 199P
 Allergen challenge 111P
 Amines 214P, 216P
 Amphetamines 198P
 Anabolic effects 74P, 75P
 Anandamide 208P, 210P, 211P
 Angiotensin I 79P
 Angiotensin II 78P
 Angiotensin receptors 76P
 Anococcygeus muscle 84P
 Antiarrhythmics 55P
 Antibodies 79P
 Antidepressants 214P
 Antigen challenge 96P, 97P
 Anti-obesity agents 66P
 Antioxidants 67P, 69P, 187P
 Antipsychotics 159P, 166P, 167P, 169P
 Apamin-sensitive potassium channels 39P
 Apoptosis 9P, 76P, 125P, 144P
 Appetite 205P, 212P
 Arginase isoenzymes 17P
 L-Arginine 24P
 L-Arginine transport 18P
 Arrhythmias 118P
 Arterial pulse 64P
 Arteries, cerebral 62P
 Arteries, coronary, porcine 52P
 Arteries, hepatic, human 72P
 Arteries, internal mammary, human 60P
 Arteries, isolated 51P
 Arteries, pulmonary, rabbit 65P
 Arteries, subcutaneous resistance, human 53P
 Arteries, umbilical, human 105P
 Asthma 121P
 Astrocytes 153P
 ATP 38P, 153P
 Atrial natriuretic peptide 114P
 Autoradiography 152P
 Aversion 216P
 Basal ganglia 2P
 Basophilic leukaemia cells, rat 148P
 Behavioural models 166P
 Binding studies 156P
 Bladder 103P
 Bladder, pig 104P
 Blood platelets 51P
 Blood vessels 85P
 BQ3020 45P
 Bradykinin 184P
 Bradykinin potentiation 138P
 Brain 177P
 Brain, human 7P
 Brain, pig 182P
 Brain, rat 159P, 168P, 173P, 175P
 Bronchoconstriction 70P
 C6 glioma 130P
 Cachexia 212P
 Calcium 13P, 36P, 122P, 131P, 199P
 Calcium antagonists 56P, 69P
 Calcium entry 31P
 Calcium/calmodulin 4P, 137P
 Calcium-inhibitable adenylyl cyclase 31P
 Calmodulin domain deletion mutants 133P
 cAMP 30P, 139P, 176P
 Cancer 174P
 Cannabinoids 13P, 14P, 16P, 40P, 81P, 94P, 95P, 103P, 191P, 193P, 208P, 209P, 210P, 211P
 Cannabinoid receptors 82P, 83P, 140P, 190P, 208P
 Cannabinoid receptor ligands 189P
 Cannabis extract 212P
 Carbenoxolone 179P
 Cardiac preconditioning 47P
 Cardiomyocytes 76P
 Cardiovascular homeostasis 213P
 Cardiovascular system 61P, 143P
 Carotid haemodynamics 78P
 Catecholamines 143P, 177P
 CCR1 129P
 CD11b 21P
 Cell movements 223P
 Cell shapes 223P
 Cellular differentiation 158P
 Central nervous system 128P
 Cerebral cortex, porcine 30P
 c-Fos 159P, 192P
 Chemokines 129P
 Chemokine receptors 224P
 Chemokine receptor activation 148P
 Chemoreceptors 86P
 Chimeric G-proteins 145P
 Chloride channel blockers 61P
 Chlorinated hydrocarbons 108P
 CHO cells 36P
 Chronic hypoxia 70P
 Chylomicron remnant-like particles 52P
 Ciliary smooth muscle 90P
 Clenbuterol 73P, 74P, 75P
 Clomethiazole 183P
 Clonidine-displacing substances 194P
 Clozapine 204P
 CO 133P, 134P, 135P
 Cognitive alterations 209P
 Colon, human 100P, 102P
 Colon, mouse 101P
 Computer simulations of experiments 207P
 Conditioned fear 197P
 Constitutively active receptors 141P
 Contraction 90P
 Cortical acetylcholine 218P
 COX (cyclo-oxygenase) 19P
 COX inhibitors 188P
 COX-2 99P, 113P
 COX-2 inhibitors 23P
 CPA 132P
 Cyclic AMP 30P, 139P, 176P
 Cys331 mutants 134P
 Cytochrome P450 27P
 Cytokines 112P, 174P
 Cytoplasmic calcium 145P
 Darifenacin 90P
Daucus carota 56P

DDT₁MF-2 cells 140P, 151P
 2-Deoxy-D-glucose 202P
 Descending inhibition 170P
 Desensitisation 176P
 Detrusor muscle, guinea-pig 93P
 Dexamethasone 21P
 DHP derivatives 69P
 D₄/5-HT_{2A} 5P, 166P, 167P
 Diabetes 49P, 118P, 222P
 Diabetic angiopathy 50P
 Dialysis 6P
 Dichloropropanol 109P
 Dietary obesity 119P
 Diuresis 54P
 Diverticular disease 25P
 Dizocilpine 162P
 L-DOPA 4P, 136P, 137P
 Dopamine 6P, 141P, 172P, 173P, 191P
 Dopamine receptors 195P
 Dopamine D₂ receptors 145P, 161P, 196P
 Dopamine D₃ receptors 196P
 Drug dependence 161P, 217P
 Dystonia 2P

EEG 173P
 Electrophysiology 169P, 206P
 Endogenous cannabinoids 208P
 Endogenous muscarinic receptors 127P
 Endothelial function 49P
 Endothelins 46P, 61P, 78P
 Endothelin receptors, human 45P
 Endothelin-converting enzymes 46P
 Endothelin ET₁ 59P
 Endothelin ET₁₍₁₋₃₁₎ 60P
 Endothelin ET_B receptors 70P
 Endothelium 68P
 Endothelium-derived hyperpolarizing factor (EDHF) 42P, 44P
 Endotoxaemia 77P, 80P
 Enterocytes 150P
 Eosinophils 147P
 EP₂ receptors 106P
 Epidermoid carcinoma cells A431, human 138P
 Epileptogenesis 1P, 9P
 Epithelial ion transport 28P, 102P
 Eserine 25P, 34P
 Ethanol 154P
 Excitatory and inhibitory amino acids 197P
 Extracellular signal-regulated kinase 144P
 Extrapyramidal side-effects 5P

Fatty acid amide hydrolase 40P
 Feedback inhibition 107P
 Feeding behaviour 215P
 Feeding and locomotor activities 195P
 Fenfluramine 66P
 FLIPR 148P
 Foetal programming 220P
 Food restriction 160P

Forskolin 30P

GABA 175P
 [³H]-GABA release 3P
 GABA_B receptors 3P
 Galanin 181P
 Gap junctions 42P, 47P, 179P
 Gastric mucosal integrity 23P
 Gastritis 19P
 Genetic abnormalities 221P
 Glial cells 15P
 Glucagon-like peptide-1 (GLP-1) 107P
 Glutamates 130P
 Glutamate release 11P, 183P
 Glutathione 110P
 Glutathione depletion 109P
 GM-CSF 19P, 98P
 G-proteins 143P, 223P
 G-protein-coupled receptors 7P
 GTPγS 193P

Heart 47P, 55P
 Heart, rat 59P
 Heat-activated currents 184P
 HEK 293 cells 127P
 HeLa cells 156P
 Hepatic metabolism 109P
 Hepatocytes, human 27P
 Hippocampal cell damage 15P
 Hippocampal neurons 11P, 190P
 Hippocampus 179P, 206P
 Histamine 31P, 57P
 Histamine H₃ receptors 100P
 HIV 224P
 5-HT 8P, 71P, 86P, 164P, 155P, 160P, 170P, 203P, 204P, 215P
 5-HT receptors 7P
 5-HT transporters 163P
 5-HT₁-like receptors 72P
 5-HT_{1A} agonists 169P
 5-HT_{1A} receptors 185P
 5-HT₂ receptors 6P
 5-HT₃ receptors 158P
 5-HT₄ 149P
 5-HT₄ receptors 155P
 5-HT₆ receptors, 156P
 5-HT₆ receptors, human 155P
 5-HT₇ 149P
 Hybridisation *in situ* 128P
 Hyperglycaemia 50P
 Hyperlipidaemia 219P
 Hypotension 56P
 Hypothalamic–pituitary–adrenal axis 160P
 Hypothermia 204P
 Hypothyroidism 118P
 Hypoxia 35P

Ibogaine 93P
 Ifenprodil 154P
 Ileum, guinea-pig 138P
 Ileum, mouse 34P
 Ileum, rat 100P

Immediate early genes 165P
 Immunisation 79P
 Immunohistochemistry 155P
 Immunoprecipitation 32P
 Inflammation 22P, 187P
 Inflammatory bowel disease 101P
 Inositol phosphates 71P
 Insulin receptors 107P
 Insulin resistance 110P
 Insulin resistance syndrome 220P
 Internal anal sphincter, sheep 24P
 Interneurons 126P
 Intracellular calcium 140P
 Intracellular calcium mobilization 127P
 Inverse agonism 96P
 IRF-1 146P
 Ischaemia 183P
 Ischaemia–reperfusion injury 67P
 Isolation rearing 201P

Ketoconazole 124P
 Kinetics 37P, 133P
 Kir 120P
 Kynurenic acid 10P

Leptin 119P, 202P
 Ligand-gated ion channels 142P
 Limbic system 1P, 9P
 LLC-PK₁ cells 136P, 137P
 Local anaesthetics 178P
 Locus coeruleus 86P, 197P, 213P
 L-type amino acid transporters 136P

Macrophages 17P, 18P, 146P
 MAP kinase 151P
 Marmoset 196P
 Mast cells 16P
 Maturation 85P
 MDMA 8P, 185P, 186P
 MDR 125P
 Melanin 90P
 Melanocortin-4 receptors 119P
 Mesenteric arterial bed 80P, 82P, 83P
 Mesenteric vasoconstriction 77P
 Metabotropic glutamate receptors 32P
 mGluR 130P
 Microelectrode arrays 206P
 Microinjection 1P
 MIP-1α 22P
 Molecular defects 221P
 Molecular/cellular pharmacology 46P
 Monoamines 162P
 Monoamine oxidase 66P
 Monoamine turnover 171P
 Morphine preference 161P
 Morphine-6-glucuronide 200P
 MPTP toxicity 188P
 Muscarinic acetylcholine receptors 158P
 Muscarinic receptors 33P, 90P, 104P, 121P
 Muscarinic M₃ receptors 33P
 Muscarinic M₂ receptors 33P

Myogenic tone 62P
 Myometrium, human 105P, 106P

NADPH oxidase 147P
 L-NAME 24P, 63P
 NANC electrical field stimulation 89P
 Nasal epithelium, dog 97P
 Natriuresis 54P
 Neoantigens 110P
 Neurodegeneration 186P, 187P
 Neuroendocrine markers 117P
 Neurogenic inflammation 16P
 Neurogenic responses 24P
 Neurones 13P, 103P
 Neuropeptide Y 174P, 175P
 Neuroprotection 10P
 Neurosteroids 168P
 Neurotransmitter binding sites 142P
 Neutrophils 22P
 NF-B 146P
 NG108-15 cells 194P
 Nictitating membrane, cat 207P
Nigella sativa oil 20P
 Nisoxetine 178P
 Nitric oxide 17P, 24P, 37P, 41P, 43P, 44P, 52P, 62P, 64P, 89P, 114P, 116P, 135P
 Nitric oxide release 94P
 Nitric oxide synthase 37P, 133P, 134P, 135P
 Nitric oxide synthesis 18P
 NMDA receptors 10P, 154P
 NO-NSAIDs 98P
 Nociceptin 84P, 164P, 176P, 180P
 Nociception 14P, 181P, 200P
 Norepinephrine 178P
 Normal pressure glaucoma 53P
 NS398 99P
 Nucleus accumbens 172P

O-1184 189P
 Obese Zucker rats 115P
 Obesity 221P, 222P
 8-OH-DPAT 203P
 Oleamide 40P, 192P
 Operant behaviour 196P, 198P
 Opioids 170P
 μ -Opioid receptors 93P
 μ -Opioid receptor coupling 120P
 Orexin-A 117P, 171P
 Orexin-B 117P, 171P
 ORL₁ 84P
 Osteoporosis 20P
 Oxidant stress 110P
 Oxidative stress 186P
 Oxygen 35P
 Oxytocin 106P

Palmitoylation 28P
 Palmitoylethanolamide 94P
 Pancreatic β cells, 124P
 Paroxetine 165P
 Patch clamp 88P, 140P

PCB 108P
 PEBP 120P
 Phencyclidine 201P
 Phosphatase inhibitors 125P
 PI3 kinase 111P
 Platelet aggregation 57P
 Polymorphisms 121P
 Positron emission tomography 45P
 Potassium ATP channels 124P
 Potassium ATP channel openers 63P
 Potassium channels, apamin-sensitive 39P
 Potassium currents 140P
 Potassium relaxation 42P
 PPIA 132P
 Prazosin 26P
 [³H]-Prazosin 87P
 Prefrontal cortex 12P
 Pregnancy 44P
 Promoters 123P
 Propranolol 58P, 96P
 Prostacyclin 41P
 Prostanoids 112P
 Prostanoid release 99P
 Protection 20P
 Protein kinases 113P
 Psychopharmacological disorders 168P
 Psychosis 5P
 Psychostimulants 195P
 Pulmonary inflammation 111P
 Purine P2 receptors 48P
 Purine P2X receptors 153P
 Purine P2X₄ receptors 38P
 Purine P2Y receptors 153P
 Purine P2Y₂ receptors 29P
 Purinergic transmission 93P

Quantitative RT-PCR 27P

Radioligand binding 87P, 91P, 129P, 182P
 Rat 192P, 193P
 RAW 264 cells 95P
 RAW 264.7 cells 94P
 RBE 4 cells 4P
 Receptors 131P, 139P
 Receptor binding 167P
 Receptor G protein coupling 32P
 Redox cycling 110P
 Release 164P
 Reverse phase-HPLC 194P
 Reward mechanisms 217P
Rhazya stricta 177P
 Rhodamine 95P

Salicylate 23P
 SAP kinases 29P
 [¹²⁵I]-SB-258585 157P
 SCG neurones 39P
 Schizophrenia 201P
 Scorpion toxin 88P
 Secretomotor neurones 150P
 Sensory nerves 83P

Sensory transduction 184P
 Sepsis 41P
 Serum 149P
 Single unit recordings 2P
 Sitostanol 219P
 SK channels 39P
 Skeletal muscle 73P, 74P, 75P, 71P
 SNAP capsaicin 92P
 Social interaction 8P
 Social isolation 203P
 Sodium channels 128P
 Sphingolipids 54P
 Spinal cord 14P, 181P
 Spinal nociception 180P
 SR 141716 205P
 SR 141716A 190P
 SSRI 172P
 Statins 219P
 Stress-induced analgesia 180P
 Striatum 126P
 Superfusion 163P
 Suramin 38P
 Sympathetic nerves 65P, 82P
 Sympathetic neurotransmission 48P
 Synaptic transmission 12P
 Synoviocytes 98P

Tachykinins 126P
 Taenia caeci, guinea-pig 89P
 [³H]-Tamsulosin 87P
 Δ^9 -Tetrahydrocannabinol 205P
 TGF- β 112P
 Thapsigargin 150P
 Thermoregulation 185P
 Thiazolidinedione 116P
 Timing behaviour 198P
 Tissue distribution 108P
 TNBS 101P
 TNF 29P
 TP-receptors 105P
 Trachea, guinea-pig 92P
 Transgenic mice 91P
 Transgenic rats 43P
 Transient receptor potential (TRP) genes 122P
 Traumatic brain injury 15P
 Tryptophan 142P

UK-14304 30P
 Undergraduate teaching 207P
 Uptake 163P
 Ussing chamber 97P

Vanilloid receptors 211P
 Vas deferens 140P
 Vas deferens, human 26P
 Vas deferens, mouse 189P
 Vas deferens, rat 93P
 Vascular endothelium 53P
 Vascular smooth muscle 63P
 Vasoconstriction 60P, 65P, 68P, 72P
 Vasodilatation 43P, 81P
 Vasodilators 64P

Vasopressin 77P
Vasorelaxation 80P
Ventral tegmental area 191P
Ventricular cardiomyocytes 58P
Ventricular contractility 59P
Ventricular dysfunction 67P
Ventricular fibrillation 55P
Visual attention 218P

Vitamin E 49P
VLA-4 21P
Voltage-gated ion channels 88P
Voltammetry 162P

WAY-100635 165P
(+)-WIN 55212 190P

WIN 55212-2 81P
Wortmannin 111P

Y receptors 28P, 102P

ZDF rat 116P