

# **British Journal of Pharmacology**

## **Proceedings Supplement**

Proceedings of the British Pharmacological Society Meeting

8th–10th September 1999

**University of Leeds**

The *British Journal of Pharmacology* is published by Stockton Press, a division of Macmillan Press Ltd. It is the official publication of the British Pharmacological Society.

**Scope** The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, EMBASE/Excerpta Medica, BIOSIS, Elsevier Biobase/Current Awareness in Biological Sciences, CINAHL and Index Medicus.

**Editorial** Manuscripts (plus three original copies) and all editorial correspondence should be sent to: The Editorial Office, *British Journal of Pharmacology*, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 (0)207 417 0432; Fax: +44 (0)207 7417 0430.

**Advertisements** Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 (0)208 882 7199; Fax: +44 (0)208 882 7299.

**Publisher** All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526. Publishing Manager: Sue Deeley. Production Controller: Jane Torr.

**WWW** The *British Journal of Pharmacology* is on the internet at: <http://www.stockton-press.co.uk>

The journals' home pages contain a range of information free to all readers. This includes: Editors' Details, Aims and Scope, Instructions to Authors, Subscription Prices, Reprint Ordering, Sample Copy Ordering and News, together with the contact names of our Publishing, Production, Marketing and Advertising Departments.

Readers can view Tables of Contents and Abstracts to all articles since 1997. Register now to have the Tables of Contents sent to you as each issue is published. Subscribers to the 1999 on-line version of the journal have access to PDF files with the full text of all articles published since 1997.

**Subscriptions – 2000 Subscription Rates – *British Journal of Pharmacology***  
**Institutional Subscriptions** Print (Hard Copy); EU £960, Rest of World (surface mail) £1060/US\$1664, Rest of World (airmail) £1272/US\$1997.

**Electronic – Online only** £960/US\$1507.

**Combined – Electronic Online & Print** EU £1056, Rest of World (surface mail) £1166/US\$1831, Rest of World (airmail) £1378/US\$2164.

**Personal Subscriptions (USA only)**

Print (Hard Copy) surface mail \$295; air mail \$628

**Electronic - Online only** \$295

**Combined – Electronic Online & Print**

Surface mail \$325; airmail \$384

**Subscriptions – Outside the USA**

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

**Subscriptions – USA**

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, UK.

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

*British Journal of Pharmacology* (ISSN 0007-1188) is published twice a month by Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1664 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to *British Journal of Pharmacology*, Macmillan Press Ltd, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

**Reprints** of any article in this journal are available from Stockton Press, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 (0)1256 329242; Fax: +44 (0)1256 810526.

**Copyright** © 1999 Stockton Press

ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Stockton Press for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$15.00 per copy is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA. 0007-1188/99 \$15.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

# INDEX TO PROCEEDINGS SUPPLEMENT

University of Leeds  
8th–10th September, 1999

## Author Index

- Abdelmawla AH, Langley RW, Szabadi E & Bradshaw CM Are  $\beta_1$ -adrenoceptors involved in the isoprenaline-evoked dilatation of the human dorsal hand vein?, 257P
- Allen NH *see* Malcolm CS, 287P
- Anadón A *see* Martínez MA, 277P
- Anadón A *see* Martínez-Larrañaga MR, 276P
- Angelini GD *see* Jeremy JY, 245P
- Aronson JK *see* John NG, 253P
- Asghar AUR, Bird GC, Batten TFC & King AE Glutamate transporters and modulation of primary afferent-mediated synaptic transmission in the rat spinal dorsal horn *in vitro*, 236P
- Atack J *see* Chadha A, 293P
- Atack J *see* Howell O, 292P
- Atkinson PJ, Thomas DR, Ho M, Bromidge SM, Hagan JJ, Middlemiss DN & Price GW [ $^3$ H]-SB-269970 radiolabels 5-HT<sub>1</sub> receptors in guinea-pig cerebral cortex membranes, 286P
- Atkinson PJ *see* Price GW, 233P
- Bailey SR & Cunningham FM Treatment of equine endothelial cells with substance P induces eosinophil adherence, 270P
- Ball SG *see* Fearon IM, 238P
- Bannister JPA, Main MJ, Sivaprasadarao A & Wray D Co-expression of domains D1-S4 and S5-S6 of the voltage-gated potassium channel Kv2.1, 254P
- Bannister JPA, Young BA, Sivaprasadarao A & Wray D Mutations of conserved extracellular cysteine residues in the inwardly rectifying potassium channel Kir2.3, 227P
- Barlow RB, Bond SM, Grant C, McQueen DS, Smart J & Yaqoob Z Operational windows make functional antagonism appear independent, 302P
- Barlow RB A survey of the slopes of concentration–response curves, 301P
- Barnes NM *see* Green KN, 298P
- Barrantes GE *see* Ortells MO, 278P
- Batten TFC *see* Asghar AUR, 236P
- Batram CH, Birrell M, Foster M, Webber SE & Belvisi MG Comparison of inhaled spasmogen as determinants of airway hyper-responsiveness in a murine model of asthma, 271P
- Battu GR, Zeitlin IJ, Gray AI & Waterman PG Inhibitory actions on rat myeloperoxidase of molecules isolated from anti-inflammatory extracts of *Commiphora kua*, 274P
- Beech D *see* Dibb KM, 255P
- Beech DJ *see* Cheong A, 240P
- Beech DJ *see* Davies AM, 226P
- Beech DJ *see* Guibert C, 239P
- Beeson D *see* Vincent A, 307P
- Belvisi MG *see* Batram CH, 271P
- Bickerdike MJ *see* Wadsworth GC, 297P
- Bird GC *see* Asghar AUR, 236P
- Birrell M *see* Batram CH, 271P
- Bond SM *see* Barlow RB, 302P
- Bonnert T *see* Chadha A, 293P
- Bowmer CJ *see* Smith JA, 229P
- Bowmer CJ *see* Smith JA, 258P
- Boyd SM *see* Bryan-Lluka LJ, 234P
- Boyett MR *see* Dibb KM, 255P
- Bradshaw CM *see* Abdelmawla AH, 257P
- Brain SD *see* Rawlingson A, 272P
- Breese EJ, Wood EG, Gray PA, Curtis MJ, Warner TD & Mitchell JA Effects of disease modifying anti-rheumatic drugs and corticosteroids on prostaglandin E<sub>2</sub> and GM-CSF production by cytokine-stimulated human synoviocytes, 248P
- Broadley KJ *see* Toward TJ, 275P
- Bromidge SM *see* Atkinson PJ, 286P
- Bromidge SM *see* Price GW, 233P
- Bromidge SM *see* Thomas DR, 232P
- Bryan-Lluka LJ, Boyd SM & Papacostas MH Thyroxine causes cell type-dependent regulation of the serotonin and noradrenaline transporters, 234P
- Buckley C, Hadoke PWF, Henry E & O'Brien C Altered balance of endothelium-derived relaxing factors in the acetylcholine-mediated relaxation of subcutaneous resistance arteries isolated from patients with normal pressure glaucoma, 263P
- Buckley C, McIntyre C-A & Hadoke PWF Heterogeneity of endothelial cell function in vessels isolated from human subcutaneous fat, 264P
- Buckley CH *see* Hadoke PWF, 265P
- Buckley GA *see* Buckley C, 263P
- Burnstock G *see* King BF, 231P
- Burnstock G *see* Liu M, 230P
- Cannizzaro C *see* Tel BC, 282P
- Carnell AJ, Pitcher T & Singh L Evaluation of (+)-HA-966 in a rat model of surgical pain, 291P
- Centurión D, Sánchez-López A, Ortiz M, De Vries P, Saxena P & Villalón CM Role of 5-HT<sub>1B</sub> and 5-HT<sub>2</sub> receptors in the decreases in internal carotid blood flow induced by 5-HT in the dog, 262P
- Chadha A, Bonnert T, Whiting P, Duty S, McKernan R, Atack J & Sur C Expression of a novel GABA<sub>A</sub> receptor subunit  $\theta$  in rat brain, 293P
- Chapman V *see* Harris J, 290P
- Chatterjee PK *see* Zacharowski K, 244P
- Cheong A & Beech DJ Ionic currents activated by depolarisation in smooth muscle cells of cerebral precapillary arterioles, 240P

- Clifford R *see* Keeble J, 267P  
Coker SJ *see* Fraser JL, 251P  
Colyer J *see* McDonald RL, 252P  
Croxen R *see* Vincent A, 307P  
Cunningham FM *see* Bailey SR, 270P  
Curtis MJ *see* Breese EJ, 248P  
Cuthbert A Functional role of CFTR chloride channels on airway and gut epithelia, 305P
- Davies AM, Jones WD, Eardley I & Beech DJ Expression and functional importance of Kv channels in human bladder smooth muscle, 226P  
Dawson L, Megalou M & Duty S Antiparkinsonian potential of the group II mGluR agonist, DCG-IV, following intraventricular administration in the reserpine-treated rat model of Parkinson's disease, 283P  
De Vries P *see* Centurión D, 262P  
del Soldato P *see* Keeble J, 267P  
Deraet M *see* Keeble J, 267P  
Dewhurst D *see* Hollingsworth M, 303P  
Diaz MJ *see* Martinez MA, 277P  
Diaz MJ *see* Martínez-Larrañaga MR, 276P  
Dibb KM, Leach R, Lancaster MK, Findlay JBC & Boyett MR Block of the cardiac muscarinic K<sup>+</sup> channel Kir3.1/Kir3.4 by flufenamic acid, 255P  
Dunn PM *see* Liu M, 230P  
Duty S *see* Chadha A, 293P  
Duty S *see* Dawson L, 283P
- Eardley I *see* Davies AM, 226P  
Ebenezer IS, Parrott RF & Vellucci SV Effects of acute buspirone on operant food intake in food-deprived and satiated pigs, 295P  
Ebenezer IS A70104 and food intake in rats: evidence against a role for endogenous peripheral CCK as a satiety factor, 296P  
Ebenezer IS *see* Houston AJ, 294P  
Elliott AI *see* Hadoke PWF, 265P  
Evans TW *see* Jordan S, 247P  
Evans TW *see* Price S, 243P
- Fearon IM, Ball SG & Peers C Clotrimazole inhibition of human recombinant cardiac L-type Ca<sup>2+</sup> channel  $\alpha_{1c}$  subunits stably expressed, 238P  
Fernandez-Cruz ML *see* Martínez-Larrañaga MR, 276P  
Field MJ, McCleary S & Singh L The gabapentin analogue 3-methyl-gabapentin blocks both static and dynamic components of mechanical allodynia in a rat model of neuropathic pain, 235P  
Findlay JBC Mapping of the ligand binding domain of the human tachykinin receptor, 308P  
Findlay JBC *see* Dibb KM, 255P  
Flemming R *see* Guibert C, 239P  
Flowers RJ *see* Ortells MO, 278P  
Ford APDW *see* Snowball RK, 228P  
Foster M *see* Battram CH, 271P  
Foster SJ *see* Zacharowski K, 244P  
Foulkes R *see* Holland K, 273P  
Foulkes R *see* Hughes PM, 250P  
Frank S *see* Zacharowski K, 246P  
Fraser JL & Coker SJ Acute and chronic effects of second and third generation progestogens on rat platelet aggregation, 251P  
Frejo MT *see* Martínez-Larrañaga MR, 276P
- Gallacher M *see* MacLean MR, 259P  
Gawler D Role of the Ras GAP C2 domain in the convergence of the heterotrimeric and monomeric G protein, 312P  
Gibson A *see* Wallace P, 299P  
Gozzard N *see* Holland K, 273P  
Gozzard N *see* Hughes PM, 250P  
Grant C *see* Barlow RB, 302P  
Gray AI *see* Battu GR, 274P  
Gray PA *see* Breese EJ, 248P  
Green KN, Harris NC & Barnes NM An investigation into the actions of 5-HT on the rat anococcygeus muscle, 298P  
Greenacre S *see* Rawlins A, 272P  
Gualix J *see* King BF, 231P  
Guibert C, Reynolds EV, Flemming R & Beech DJ Inhibition of contractile responses by thapsigargin in precapillary arteriolar smooth muscle cells, 239P
- Haapalinna A *see* MacDonald E, 288P  
Hadoke PWF, McIntyre C-A, Buckley CH, Jones GC, Elliott AI, McKnight J, Williams BC & Walker BR Endothelium-dependent potassium chloride-mediated relaxation of human resistance arteries, 265P  
Hadoke PWF *see* Buckley C, 263P  
Hadoke PWF *see* Buckley CH, 264P  
Hagan JJ *see* Atkinson PJ, 286P  
Hagan JJ *see* Price GW, 233P  
Hagan JJ *see* Thomas DR, 232P  
Harris J, Millns PJ, Kendall DA & Chapman V The effect of cannabinoid ligands on [<sup>35</sup>S]GTP $\gamma$ S binding in spinal cord slices of non-inflamed and inflamed rats, 290P  
Harris NC *see* Green KN, 298P  
Harrison SM *see* McDonald RL, 252P  
Harvey V, Jones J, Misra A, Quirk K, Sheardown M, Weiss S & Knight AR Pharmacology of human recombinant adenosine A<sub>2A</sub> receptors and rat striatal A<sub>2A</sub> receptors: possible species differences, 289P  
Harvey V *see* Quirk K, 285P  
Henderson Z *see* Ramsden M, 237P  
Henry E *see* Buckley C, 263P  
Hillier C *see* MacLean MR, 259P  
Hipkins N, Leafe J, Ramsden M, Hooper N & Pearson HA Effect of stable transfection of presenilins on K<sup>+</sup> channel activity in HEK-293 cell line, 281P  
Ho M *see* Atkinson PJ, 286P  
Ho M *see* Price GW, 233P  
Hobom M *see* Hofmann F, 304P  
Hofmann F, Lacinova L, Marais E, Hobom M & Klugbauer N Calcium channels, 304P  
Holland K, Gozzard N, Owens R & Foulkes R Fc $\epsilon$ R1 immunoconjugate inhibits IgE-mediated passive cutaneous anaphylaxis (PCA) in the rat, 273P  
Hollingsworth M, Hughes I & Dewhurst D Implementing technology-based teaching and learning in pharmacology, 303P  
Hooper N *see* Hipkins N, 281P  
Houston AJ, Wong JCL & Ebenezer IS The effects of the GABA<sub>A</sub> receptor agonist muscimol on water intake on rats, 294P  
Howell O, Atack J, McKernan R & Sur C Mapping of the  $\alpha 5$  subunit containing GABA receptor in the human hippocampus, 292P  
Huddart H *see* Mukerji MS, 256P  
Hughes I *see* Hollingsworth M, 303P  
Hughes PM, Johnson Z, Okoye R, Gozzard N & Foulkes R Time course of cellular recruitment and expression of VCAM-1 following inhaled antigen challenge in the neonatally-sensitised rabbit, 250P
- IJzerman A Molecular analysis of the ligand binding site on the  $\beta_2$  adrenoceptor, 309P
- Jenner P *see* Tel BC, 282P  
Jeremy JY, del Soldato P, Naseem KM & Angelini GD Effect of the nitric oxide-aspirin adduct, NCX 4016, on relaxation of the corpus cavernosum and platelet function *in vitro*: potential role in the treatment of erectile dysfunction, 245P  
John NG & Aronson JK Effects of homocysteine on potassium channels in human platelets, 253P  
Johns EJ *see* Mustafa MR, 268P  
Johnson Z *see* Hughes PM, 250P  
Jones GC *see* Hadoke PWF, 265P  
Jones J *see* Harvey V, 289P  
Jones WD *see* Davies AM, 226P  
Jordan S, Evans TW & Mitchell J

- Oxidative stress acts synergistically with IL-1 $\beta$ , but not TNF $\alpha$ , to enhance IL-8 release by human pulmonary artery smooth muscle cells, 247P
- Keeble J, Clifford R, Deraet M, Munro G, del Soldato P & Moore PK Vaso-relaxant effect of nitroflurbiprofen in rat aorta and kidney, 267P
- Kendall DA *see* Harris J, 290P
- Kenner GA *see* Wadsworth GC, 297P
- King AE *see* Asghar AUR, 236P
- King BF, Liu M, Pintor J, Gualix J, Miras-Portugal MT & Burnstock G Antagonism of rP2X<sub>1</sub> and rP2X<sub>3</sub> receptors by diinosine polyphosphates, 231P
- King BF *see* Liu M, 230P
- Klugbauer N *see* Hofmann F, 304P
- Knight AR *see* Harvey V, 289P
- Knight AR *see* Quirk K, 285P
- Lacinova L *see* Hofmann F, 304P
- Lamb H *see* Malcolm CS, 287P
- Lancaster MK *see* Dibb KM, 255P
- Langley RW *see* Abdelmawla AH, 257P
- Leach R *see* Dibb KM, 255P
- Leaf J *see* Hipkins N, 281P
- Leathard HL *see* Mukerji MS, 256P
- Lee K *see* McNulty S, 284P
- Lees DM *see* Woods M, 241P
- Lever R *see* Smailbegovic A, 249P
- Linden I-B *see* MacDonald E, 288P
- Liu M, Dunn PM, King BF & Burnstock G Adrenal chromaffin cells of guinea-pig, but not rat, express an ATP-gated ion channel similar to the P2X<sub>2</sub> phenotype, 230P
- Liu M *see* King BF, 231P
- McCleary S *see* Field MJ, 235P
- MacDonald E, Viitamaa T, Linden I-B, Haapalinna A & Männistö P Entacapone, a peripheral COMT inhibitor, improves the central bioavailability of L-DOPA and its ability to increase dopamine levels in rat brain, 288P
- McDonald RL, Colyer J & Harrison SM Regional variations in the location of Na-Ca exchanger protein in guinea-pig heart at cellular and tissue levels, 252P
- McFadzean I *see* Wallace P, 299P
- McGinn JS & MacLean MR Grape skin extract induces both endothelium-dependent and endothelium-independent vasorelaxation in rabbit aorta, 266P
- MacIntyre C-A *see* Buckley CH, 264P
- MacIntyre C-A *see* Hadoke PWF, 265P
- McKernan R *see* Chadha A, 293P
- McKernan R *see* Howell O, 292P
- McKnight J *see* Hadoke PWF, 265P
- MacLean MR, Gallacher M, Hillier C, McMurray JV & Petrie MC Adrenomedullin is an extremely potent vasodilator of human small muscular pulmonary arteries, 259P
- MacLean MR *see* McGinn JS, 266P
- MacLean MR *see* Morecroft I, 260P
- McMurray JV *see* MacLean MR, 259P
- McNulty S, Lee K, Pinnock RD & Mason S Primary human astrocytes possess functional bombesin receptors, 284P
- McQueen DS *see* Barlow RB, 302P
- Main MJ *see* Bannister JPA, 254P
- Malcolm CS, Allen NH, Lamb H, Revell D & Porter RHP Rapid desensitisation of human 5-HT<sub>2B</sub> receptors measured by fluorimetry: comparison with human 5-HT<sub>2A</sub> and 5-HT<sub>2C</sub> VSV and INI receptor isoforms, 287P
- Männistö P *see* MacDonald E, 288P
- Marais E *see* Hofmann F, 304P
- Martinez-Larrañaga MR, Diaz MJ, Martinez MA, Frejo MT, Martinez M, Fernando-Cruz ML, Tafur M & Anadón A Changes in cytochrome P450 isoenzymes by new fluoroquinolones, 276P
- Marthan R *see* Savineau JP, 261P
- Martinez M *see* Martinez-Larrañaga MR, 276P
- Martinez MA, Martinez-Larrañaga MR, Diaz MJ & Anadón A Testosterone hydroxylases in evaluating induction and inhibition of cytochrome P450 isoenzymes by tilmicosin: comparison with erythromycin, 277P
- Martinez MA *see* Martinez-Larrañaga MR, 276P
- Martinez-Larrañaga MR *see* Martinez MA, 277P
- Mason S *see* McNulty S, 284P
- Megalou M *see* Dawson L, 283P
- Middlemiss DN *see* Atkinson PJ, 286P
- Middlemiss DN *see* Price GW, 233P
- Middlemiss DN *see* Thomas DR, 232P
- Milligan G Mutational analysis of the interface between receptors and G proteins: implications for pharmacological analysis and ligand nomenclature, 310P
- Millns PJ *see* Harris J, 290P
- Miras-Portugal MT *see* King BF, 231P
- Misra A *see* Harvey V, 289P
- Misra A *see* Quirk K, 285P
- Mitchell JA *see* Breese EJ, 248P
- Mitchell JA *see* Jordan S, 247P
- Mitchell JA *see* Price S, 243P
- Mitchell JA *see* Stanford SJ, 242P
- Mitchell JA *see* Stanford SJ, 269P
- Mitchell JA *see* Woods M, 241P
- Mitchell R A novel interface between G protein-coupled receptors (GPCRs) and small G proteins, 311P
- Moore PK *see* Keeble J, 267P
- Morecroft I & MacLean MR Evidence for pharmacological synergism in rat small muscular pulmonary arteries, 260P
- Mukerji MS, Leathard HL & Huddart H Suppressive effects of progesterone on rat portal vein contractility mediated by BK<sub>Ca</sub> opening, 256P
- Munro G *see* Keeble J, 267P
- Mustafa MR & Johns EJ Haeme oxygenase induction and the regulation of the rat renal vasculature, 268P
- Naseem KM *see* Jeremy JY, 245P
- Naylor AM *see* Wibberley A, 225P
- Newland C *see* Vincent A, 307P
- North RA Pharmacology of P2X receptors, 306P
- Nunn PA *see* Wibberley A, 225P
- O'Brien C *see* Buckley C, 263P
- Okoye R *see* Hughes PM, 250P
- Olbrich A *see* Zacharowski K, 244P
- Ortells MO & Barrantes GE Ion channel-channel blocker interactions in the nicotinic acetylcholine receptor, 278P
- Ortiz M *see* Centurión D, 262P
- Owens R *see* Holland K, 273P
- Page CP *see* Smailbegovic A, 249P
- Papacostas MH *see* Bryan-Lluka LJ, 234P
- Parrott RF *see* Ebenezer IS, 295P
- Pauvert O *see* Savineau JP, 261P
- Pearce RKB *see* Tel BC, 282P
- Pearson HA *see* Hipkins N, 281P
- Pearson HA *see* Ramsden M, 237P
- Peers C *see* Fearon IM, 238P
- Peers C *see* McDonald RL, 252P
- Peers C *see* Taylor SC, 300P
- Pepper JR *see* Stanford SJ, 242P
- Pepper JR *see* Stanford SJ, 269P
- Petrie MC *see* MacLean MR, 259P
- Pfeilschifter J *see* Zacharowski K, 246P
- Pinnock RD *see* McNulty S, 284P
- Pintor J *see* King BF, 231P
- Pitcher T *see* Carnell AJ, 291P
- Plested P *see* Vincent A, 307P
- Porter RHP *see* Malcolm CS, 287P
- Price GW, Atkinson PJ, Ho M, Bromidge SM, Hagan JJ, Middlemiss DN & Thomas DR [<sup>3</sup>H]-SB-269970: a selective antagonist radioligand for 5-HT<sub>2</sub> receptors, 233P
- Price GW *see* Atkinson PJ, 286P
- Price GW *see* Thomas DR, 232P
- Price S, Evans TE & Mitchell JA Endotoxaemia alters inotropic response to isoprenaline in papillary muscles: an effect that is modulated by L-NAME, 243P
- Quirk K, Misra A, Harvey V & Knight

- AR The VSV isoform of the human 5-HT<sub>2C</sub> receptor couples to endogenous G-proteins in CHO cells, 285P  
 Quirk K *see* Harvey V, 289P
- Ramage AG *see* Snowball RK, 228P  
 Ramage AG *see* Wibberley A, 225P  
 Ramsden M, Henderson Z & Pearson H Alterations in neuronal ion channel activity by amyloid  $\beta$  protein that are not associated with neurotoxicity, 237P  
 Ramsden M *see* Hipkins N, 281P  
 Rawlingson A, Greenacre S & Brain SD Detection of nitrated protein in a rat model of local cutaneous thermal injury, 272P  
 Revell D *see* Malcolm CS, 287P  
 Reynolds EV *see* Guibert C, 239P  
 Rose S *see* Tel BC, 282P
- Sampaio-Maia MB & Soares-da-Silva P Apical uptake of L-DOPA by L-type amino acid transporter in Caco-2 cells, 279P  
 Sampaio-Maia MB & Soares-da-Silva P Control of liminal uptake of L-DOPA in human intestinal epithelial Caco-2 cells by Ca<sup>2+</sup>/calmodulin-mediated pathways, 280P  
 Sánchez-López A *see* Centurión D, 262P  
 Savineau JP, Pauvert O & Marthan R Effect of nitric oxide on calcium signalling in vascular myocytes from the rat pulmonary artery, 261P  
 Saxena P *see* Centurión D, 262P  
 Shaw SM *see* Taylor SC, 300P  
 Sheardown M *see* Harvey V, 289P  
 Singh L *see* Carnell AJ, 291P  
 Singh L *see* Field MJ, 235P  
 Sivaprasadarao A *see* Bannister JPA, 227P  
 Sivaprasadarao A *see* Bannister JPA, 254P  
 Smailbegovic A, Page CP & Lever R Effects of heparin upon adhesion of human peripheral blood mononuclear cells to human stimulated umbilical vein cells and adhesion molecule expression *in vitro*, 249P  
 Smart J *see* Barlow RB, 302P  
 Smith JA, Bowmer CJ & Yates MS Differential expression of renal adenosine A<sub>1</sub> receptors induced by acute renal failure, 258P  
 Smith JA, Bowmer CJ & Yates MS Distribution of renal adenosine A<sub>1</sub> receptors: effect of dietary sodium chloride, 229P
- Snowball RK, Williams TJ, Ford APDW & Ramage AG The role of 5-HT<sub>1A</sub> receptors and  $\alpha_1$ -adrenoceptors in the control of the 'micturition reflex' in the anaesthetized male rat, 228P  
 Soares-da-Silva P *see* Sampaio Maia MB, 279P  
 Soares-da-Silva P *see* Sampaio Maia MB, 280P  
 Soldato P *see* Jeremy JY, 245P  
 Stanford SJ, Pepper JR & Mitchell JA COX-2 differentially regulates GM-CSF and G-CSF production by human venous smooth muscle cells, 242P  
 Stanford SJ, Pepper JR & Mitchell JA Endogenous GM-CSF modulates COX-2 activity in human venous smooth muscle cells, 269P  
 Sur C *see* Chadha A, 293P  
 Sur C *see* Howell O, 292P  
 Szabadi E *see* Abdelmawla AH, 257P
- Tafur M *see* Martinez-Larrañaga MR, 276P  
 Tang T *see* Vincent A, 307P  
 Taylor SC, Shaw SM & Peers S Cyanide-evoked quantal catecholamine release from phytochromocytoma (PC12) cells, 300P  
 Tel BC, Cannizzaro C, Pearce RKB, Rose S & Jenner P Differential effects of ropinirole, bromocriptine and L-DOPA on striatal preprodynorphin mRNA expression in the MPTP-treated marmoset, 282P  
 Thiemermann C *see* Zacharowski K, 244P  
 Thiemermann C *see* Zacharowski K, 246P  
 Thomas DR, Bromidge SM, Hagan JJ, Middlemiss DN & Price GW SB-269970 is a potent and selective antagonist at human cloned and guinea-pig brain 5-HT<sub>2</sub> receptors, 232P  
 Thomas DR *see* Atkinson PJ, 286P  
 Thomas DR *see* Price GW, 233P  
 Toward TJ & Broadley KJ Characteristics of airway hyperreactivity, cell influx and steroid sensitivity after inhaled LPS in conscious guinea-pigs, 275P
- Vellucci SV *see* Ebenezer IS, 295P  
 Viitamaa T *see* MacDonald E, 288P  
 Villalón CM *see* Centurión D, 262P  
 Vincent A, Beeson D, Newland C, Croxen R, Plested P & Tang T Involvement of acetylcholine receptors in autoimmune and genetic disorders, 307P
- Wadsworth GC, Weiss SM, Bickerdike MJ & Kennett GA A pharmacological investigation of motor disturbances induced by mCPP and MK-212 in the rat, 297P  
 Walker BR *see* Hadoke PWF, 265P  
 Wallace P, McFadzen I & Gibson A The guanylyl cyclase/cGMP system reduces tone but not capacitative calcium influx activated by thapsigargin in mouse anococcygeus cells, 299P  
 Wanstall JC *see* Bryan-Lluka LJ, 234P  
 Warner TD *see* Breese EJ, 248P  
 Warner TD *see* Woods M, 241P  
 Waterman PG *see* Battu GR, 274P  
 Webber SE *see* Battram CH, 271P  
 Weiss S *see* Harvey V, 289P  
 Weiss SM *see* Wadsworth GC, 297P  
 Whiting P *see* Chadha A, 293P  
 Wibberley A, Nunn PA, Naylor AM & Ramage AG The role of nitric oxide and cGMP in reflex- and DMPP-evoked changes in bladder and urethral pressures in the anaesthetised rat, 225P  
 Williams BC *see* Buckley CH, 264P  
 Williams BC *see* Hadoke PWF, 265P  
 Williams TJ *see* Snowball RK, 228P  
 Wong JCL *see* Houston AJ, 294P  
 Wood EG *see* Breese EJ, 248P  
 Wood EG *see* Woods M, 241P  
 Woods M, Wood EG, Lees DM, Mitchell JA & Warner TD A role for NF- $\kappa$ B in the stimulation by cytokines of endothelin-1 release in human vascular smooth muscle cells, 241P  
 Wray D *see* Bannister JPA, 227P  
 Wray D *see* Bannister JPA, 254P
- Yaqoob Z *see* Barlow RB, 302P  
 Yates MS *see* Smith JA, 229P  
 Yates MS *see* Smith JA, 258P  
 Young BA *see* Bannister JPA, 227P
- Zacharowski K, Frank S, Pfeilschifter J & Thiemermann C Antiserum to tumor necrosis factor or interleukin 1 does not abolish the second window of protection induced by lipoteichoic acid in the rat heart, 246P  
 Zacharowski K, Olbrich A, Chatterjee K, Foster SJ & Thiemermann C ODQ, an inhibitor of soluble guanylyl cyclase, reduces the renal/liver dysfunction/injury in *in vivo* models of Gram-positive and Gram-negative shock in the rat, 244P  
 Zeitlin IJ *see* Battu GR, 274P

# Keyword Index

- Acetylcholine 255P
- Acetylcholine receptors 307P
- Acute renal failure 258P
- Adenosine 289P
- Adenosine A<sub>1</sub> receptors 229P, 258P
- Adenylyl cyclase 232P
- Adhesion 249P
- Adrenal medullary cells 230P
- Adrenoceptors 228P
- β<sub>1</sub>-Adrenoceptors 257P
- β<sub>2</sub>-Adrenoceptors 309P
- Adrenomedullin 259P
- Airway hyperreactivity 275P
- Airway hyperresponsiveness 271P
- Airway inflammation 250P
- Allergic diseases 273P
- Allodynia 235P
- Alzheimer's disease 281P, 292P
- Amino acid transporters, L-type 279P
- Amperometry 300P
- Amyloid β protein 237P
- Annexin VI 312P
- Anococcygeus muscle 298P
- Anti-GM-CSF antibodies 269P
- Anti-inflammatories 274P
- Antibiotics 277P
- Antigen challenge 250P
- Aorta 266P, 267P
- Arteries, pulmonary 259P, 260P
- Arteries, resistance, human 259P, 263P, 264P, 265P
- Arterioles 239P, 240P
- Astrocytes, human 284P
- ATP 230P, 231P
- Autoradiography 258P
  
- Bacterial antimicrobials 276P
- Behaviour 294P
- Bladder 226P, 228P
- Bombesin 284P
  
- C2 domain 312P
- Caco-2 cells 279P, 280P
- Calcium 237P, 239P
- Calcium channels 238P, 304P
- Calcium mobilisation 284P
- Calcium oscillations 261P
- Calcium/calmodulin 280P
- Cannabinoid receptors 290P
- Capacitative calcium influx 299P
- Cardiac calcium currents 238P
  
- Cardiovascular system 262P
- Cell influx 275P
- Cerebral cortex, guinea-pig 286P
- CF genes 305P
- CFTR 305P
- cGMP 225P, 299P
- [<sup>3</sup>H]-CGS-21680 289P
- Channel blocking 278P
- Cholecystokinin 296P
- Clotrimazole 238P
- Commiphora kua* 274P
- Computer-assisted learning 303P
- COMT inhibition 288P
- Concentration–response curves 301P
- Contractility 243P
- COX-2 242P, 269P
- CPCRs 310P, 311P
- Currents 281P
- Cyanide 300P
- CYP450 isoenzymes 276P, 277P
- Cysteine 227P
  
- Desensitisation 287P
- Desogestrel 251P
- Dietary sodium chloride 229P
- Dinucleotides 231P
- DMARDs 248P
- L-DOPA 279P, 280P, 282P, 288P
- Dopamine agonists 282P
- Dorsal hand veins 257P
- Dorsal horn 236P
- Dyskinesia 282P
  
- Endothelial cells 270P
- Endothelin-1 241P
- Endothelium-derived hyperpolarising factor 263P, 265P
- Entacapone 288P
- Equine eosinophils 270P
- Erectile dysfunction 245P
- Exocytosis 300P
- Expression 227P
  
- Food deprivation 295P
- Food intake 296P
- Functional antagonism 302P
- Fyn 312P
  
- GABA 294P
  
- GABA<sub>A</sub> receptors 293P
- GAPs 312P
- G-CSF 242P
- Gi-coupled 5-HT<sub>1</sub> receptors 260P
- Glaucoma, normal pressure 263P
- Glutamate transporters 236P
- GM-CSF 242P, 248P
- Gram-negative shock 244P
- Gram-positive shock 244P, 246P
- Grape skin extract 266P
- GTPyS 285P
- [<sup>35</sup>S]-GTPyS binding 290P
  
- Haeme oxygenase 268P
- Heart 255P
- Heart, guinea-pig 252P
- Heart, rat 246P
- Hemin 268P
- Heparin 249P
- Hippocampus, guinea-pig 232P
- Hippocampus, human 292P
- Homocysteine 253P
- 5-HT 287P
- 5-HT receptors 228P, 262P, 298P
- 5-HT<sub>1</sub> receptors 232P
- 5-HT<sub>1A</sub> receptor agonists 295P
- 5-HT<sub>2C</sub> 285P, 297P
- 5-HT<sub>2</sub> receptors 286P
- 5-HT<sub>3</sub> receptors, human 233P
  
- IgE 273P
- Immunoconjugate 273P
- Inflammation 244P
- Inhaled spasmogens 271P
- Interleukin-8 247P
- Intraventricular administration 283P
- Ion channels 254P, 255P, 278P
- Ion channel symposium 304P, 305P, 306P, 307P
- Ischaemia–reperfusion injuries 246P
- Isoforms 285P
- Isoprenaline 257P
  
- KC1 265P
- Kidney 229P, 267P
- Kidney, rat 268P
  
- Ligand binding 308P, 309P
- LPS 275P

LTA 246P  
L-type amino acid transporters 279P

Membrane hyperpolarisation 284P  
Metabotropic glutamate receptors 283P

Mice 271P  
Micturition 225P  
Migraine 262P  
Molecular modelling 278P  
Monoamine transporters 234P  
Mononuclear cells 249P  
Motor disturbances 297P  
Myeloperoxidase inhibitors 274P

NCX 4016 245P  
Neuropathic pain 235P  
NFκB 241P  
Nitric oxide 225P, 243P, 267P  
Nitroflurbiprofen 267P  
Nitrotyrosine 272P  
NK2 receptors 308P  
NMDA antagonists 291P  
NO/cGMP effect 261P  
Norethisterone 251P  
Normal pressure glaucoma 263P

Operational windows 302P  
Oxidative stress 247P

P2X receptors 230P, 231P, 306P  
Parkinson's disease 283P

Periphery 298P  
Peroxynitrite 272P  
PGE<sub>2</sub> 248P  
Platelets 253P  
Platelet aggregation 251P  
Postsurgical pain 291P  
Potassium 237P  
Potassium channels 226P, 227P, 240P, 253P, 256P  
Pre-emptive analgesia 291P  
Progesterone 256P  
P-values 301P  
Pyk2 312P

Ras 312P  
Rat 244P, 297P  
Receptors 287P  
α<sub>2</sub>-Receptors 292P  
Receptor binding 233P  
Regulation 234P  
Renal failure 258P  
Renal injuries 244P  
Resource packs 303P

S1–S4 domains 254P  
Satiety 295P  
Satiety factors 296P  
[<sup>3</sup>H]-SB-269970 233P, 286P  
Sepsis 243P  
Shaker channels 254P  
Small G proteins 311P  
Smooth muscle 226P, 239P, 240P  
Smooth muscle cells 269P  
Sodium–calcium exchangers 252P

Spasmogens, inhaled 271P  
Spinal cord 236P, 290P  
Statistics 301P  
Steroid sensitivity 275P  
Streptozocin 235P  
Substance P 270P  
θ-Subunits 293P  
SWOP 246P  
Synergism 260P  
Synoviocytes 248P

Teaching 303P  
Testosterone hydroxylase 277P  
Thapsigargin 299P  
Thermal injuries 272P  
Thyroid hormones 234P  
7TM receptors symposium 308P, 309P, 310P, 311P

Vascular contractility 256P  
Vascular endothelium 264P  
Vascular smooth muscle cells 247P  
Vascular smooth muscle cells, human 241P  
Vascular tone 261P  
Vasodilation 259P  
Vasorelaxation 266P  
VCAM-1 250P

Water intake 294P

[<sup>3</sup>H]-ZM-241385 289P