

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

5th–7th January 2000

University of Cambridge

The *British Journal of Pharmacology* is published by Nature Publishing Group, a division of Macmillan Publishers Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, EMBASE/Excerpta Medica, BIOSIS, Elsevier Biobase/Current Awareness in Biological Sciences, CINAHL and Index Medicus.

Editorial Manuscripts (plus three original copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 207417 0432; Fax: +44 2077417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 208882 7199; Fax: +44 208882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 1256 329242; Fax: +44 1256 810526. Publishing Manager: Sue Deeley. Production Controller: Jane Torr.

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.bjpharmacol.org/>

The journals' home pages contain a range of information free to all readers. This includes: Editors' Details, Aims and Scope, Instructions to Authors, Subscription Prices, Reprint Ordering, Sample Copy Ordering and News, together with the contact names of our Publishing, Production, Marketing and Advertising Departments.

Readers can view Tables of Contents and Abstracts to all articles since 1997. Register now to have the Tables of Contents sent to you as each issue is published. Subscribers to the 2000 on-line version of the journal have access to PDF and HTML files with the full text of all articles published since 1997.

Subscriptions – 2000 Subscription Rates – *British Journal of Pharmacology*
Institutional Subscriptions Print (Hard Copy); EU £960, Rest of World (surface mail) £1060/US\$1664, Rest of World (airmail) £1272/US\$1997.

Electronic – Online only £960/US\$1507.

Combined – Electronic Online & Print EU £1056, Rest of World (surface mail) £1166/US\$1831, Rest of World (airmail) £1378/US\$2164.

Personal Subscriptions (USA only)
Print (Hard Copy) surface mail \$295; air mail \$628

Electronic – Online only \$295

Combined – Electronic Online & Print
Surface mail \$325; airmail \$384

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The Subscription Department, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007–1188) is published twice a month by Nature Publishing Group, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1664 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to *British Journal of Pharmacology*, Nature Publishing Group, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

Reprints of any article in this journal are available from Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 1256 329242; Fax: +44 1256 810526.

Copyright © 2000 Macmillan Publishers Ltd

ISSN 0007–1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Nature Publishing Group for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. 0007–1188/00 \$15.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

University of Cambridge

5th–7th January, 2000

Author Index

- Abogadie FC *see* Hadley JK, 93P
 Aceves J *see* Arias-Montaña JA, 66P
 Achan V *see* Tran C, 271P
 Adam G *see* Richards JG, 37P
 Adkins CE & Taylor CW Types 1, 2 and 3 inositol 1,4,5-trisphosphate receptors are inhibited by Ca²⁺-calmodulin, 241P
 Adkins CE *see* Morris SA, 240P
 Ahluwalia A *see* Chauhan SD, 1P
 Akhondzadeh S, Shabestari OL & Farzanehgan ZM Potentiation of muscimol-induced long-term depression by diazepam and chlordi-azepoxide, 163P
 Akhtar S *see* Islam A, 244P
 Al-Rashed S *see* Cao T, 95P
 Alder JT, Johansson AM & Strange PG The relative binding affinities of a series of 2-(dipropylamino)tetralins at the human 5-HT_{1A} receptor expressed in CHO cells, 242P
 Alderton F *see* Sellers LA, 263P
 Allcock GH, Allegra M, Flower RJ & Perretti M Effect of lipocortin 1 on LPS-induced neutrophil accumulation in the rat, 96P
 Allegra M *see* Allcock GH, 96P
 Allen JD *see* Spiers JP, 202P
 Allen NH *see* Porter RHP, 243P
 Alton E CFTR gene therapy, 292P
 Amico MC *see* Morrone LA, 165P
 Andrews N, Davis B, Gonzalez MI, Oles R, Singh L & McKnight AT Effect of gastrin-releasing peptide (GRP) on rat hippocampal GABA levels and audiogenic seizures in the DBA/2 mouse, 161P
 Änggård EE *see* Laight DW, 197P
 Anthony DM & Jones RB BTS 67 582, an anti-diabetic agent, is more effective in lowering plasma glucose than the second-generation sulphonylurea, glibenclamide, in *ob/ob* mice, 182P
 Argent BE Regulation of CFTR by bicarbonate ions, 289P
 Arias-Montaña JA, Floran B, Garcia M, Aceves J & Young JM Histamine inhibits depolarisation-induced dopamine-dependent release of GABA in rat striatum via an action on H₃-receptors, 66P
 Arkle S & Douzenis A Effects of calmidazolium and 17 β -oestradiol on amylase release and permeabilisation to ethidium bromide in ATP-stimulated rat parotid acini *in vitro*, 268P
 Arkle S *see* Lodge CS, 174P
 Aspley S *see* Lane EL, 154P
 Aspley S *see* Lane EL, 155P
 Aspley S *see* Prow MR, 157P
 Aspley S *see* Rowley HL, 144P
 Aspley S *see* Rowley HL, 145P
 Attack J *see* Chadha A, 61P
 Atkinson PJ, Thomas DR, Hagan JJ, Middlemiss DN & Price GW [³H]-SB-269970 selectively radiolabels 5-HT₂ receptors in mouse, rat and pig brain membranes, 132P
 Bäck M *see* Norel X, 29P
 Bäck M *see* Walch L, 30P
 Bagetta G *see* Corasaniti MT, 114P
 Bagetta G *see* Morrone LA, 165P
 Bagetta G *see* Nucci C, 136P
 Bagrij T & Barrand MA Characteristics of reduced glutathione efflux from human lung tumour cells containing different amounts of multidrug resistance-associated protein, MRP1, 266P
 Bailey SA & Cunningham FM Stimulated equine eosinophils produce IL-1 and TNF- α -like activity: effects on endothelium-dependent adherence, 220P
 Balt JC, Mathy M-J, Pfaffendorf M & van Zwieten PA Influence of the AT₁-receptor blockers losartan, irbesartan and telmisartan on the facilitation of sympathetic neurotransmission by angiotensin II in the pithed rat model, 55P
 Barnard EA *see* Filippov AK, 45P
 Barrand MA *see* Bagrij T, 266P
 Barrand MA *see* Hladky SB, 267P
 Bass CA *see* Vickers SP, 152P
 Bastia E *see* Bertorelli R, 121P
 Battah SH *see* Whitaker CJ, 89P
 Battram CH *see* Birrell MA, 224P
 Battram CH *see* Birrell MA, 225P
 Baxter GF *see* Ebrahim Z, 191P
 Becker K, Giessler C, Pönicke K & Brodde O-E Inositol phosphate formation in rat thoracic and abdominal aorta, 209P
 Beckett S *see* Shah Y, 122P
 Beech DJ *see* Guibert C, 6P
 Beech DJ *see* Sadaba R, 212P
 Beer MS *see* Handford EJ, 277P
 Beer MS *see* Stanton JA, 278P
 Bell JP, Mosfer SI, Lang D & Lewis MJ Vitamin C improves endothelial function in a pressure overload model of left ventricular hypertrophy in the guinea-pig, 194P
 Bell MI, Pinnock RD & Lee K Multiple metabotropic glutamate receptors modulate excitatory synaptic transmission in rat striatal cholinergic interneurons, 106P
 Bell MI, Richardson PJ, Pinnock RD & Lee K Histamine depolarises cholinergic interneurons in the rat striatum through an H₁ receptor-mediated inward current, 128P
 Beltramo M *see* Rabuffetti M, 117P
 Belvisi M *see* Underwood SL, 222P
 Belvisi MG *see* Birrell MA, 224P
 Belvisi MG *see* Birrell MA, 225P
 Belvisi MG *see* Hele DJ, 223P
 Belvisi MG *see* McCluskie K, 227P

- Bennett T *see* Gardiner SM, 5P
 Bennett T *see* Gardiner SM, 47P
 Bennett T *see* Gardiner SM, 204P
 Bennett T *see* Ralevic V, 141P
 Benovic JL *see* Willets JM, 92P
 Beresford IJM *see* Browning C, 42P
 Berg G *see* Hamilton CA, 193P
 Bermudez I *see* Houlihan LM, 279P
 Bernat A *see* Berry CN, 57P
 Berry CN, Lorrain J, Lochot S,
 Delahaye M, Lalé A, Savi P, Lechaire
 J, Bernat A, Schaeffer P, Herbert JM
 & O'Connor SE Antiplatelet and oral
 antithrombotic activity of SL
 65.0472, 57P
 Bertorelli R, Bastia E, Citterio F, Forlani
 A & Monopoli A The μ -opioid re-
 ceptor response is unaltered in ORL-1
 knockout mice, 121P
 Bewick GA, Smith SL, Viggers JA,
 Guerin CJ, Heal DJ & Cheetham SC
 A comparison of the distribution of
 orexin A and the orexin receptors,
 OX1 and OX2, in lean and obese
 Zucker rats, 147P
 Bhalla P, Sharma HS, Wurch T, Pauwels
 PJ & Saxena PR Molecular cloning
 and pharmacological characterisation
 of porcine 5-HT_{1D} receptor, 189P
 Bickerdike MJ, Kennett GA & Vickers
 SP Lack of tolerance to reduced
 weight gain resulting from chronic
 (14 day) administration of 5HT_{2C}
 receptor agonists to rats, 71P
 Bidouard JP *see* O'Connor SE, 58P
 Bigoni R *see* Calo G, 120P
 Bingham S *see* Lever IJ, 115P
 Birdsall NJM *see* Browning C, 42P
 Birdsall NJM *see* Tränkle C, 248P
 Birdsey G *see* Tran C, 271P
 Birrell MA, Battram CH, Haddad EB,
 McCluskie K, Bohme GA, Webber
 SE, Foster ML & Belvisi MG The
 role of inducible nitric oxide synthase
 in sephadex-induced airway inflam-
 mation in the rat, 225P
 Birrell MA, Battram CH, McCluskie K,
 Pecoraro M, Webber SE, Foster ML
 & Belvisi MG Effect of the P38
 kinase inhibitor, SB 203580, on
 sephadex-induced airway inflamma-
 tion in the rat, 224P
 Birrell MA *see* Hele DJ, 223P
 Birrell MA *see* McCluskie K, 227P
 Bischoff A, Meyer zu Heringdorf D,
 Jakobs KH & Michel MC Sphin-
 gosine-1-phosphate-induced vaso-
 constriction in anaesthetized rats is
 pertussis toxin-sensitive, 213P
 Blethyn K, Dickinson K, Jones RB &
 Heal DJ Evidence to demonstrate that
 lactate production can be used as a
 metabolic rate marker in immortalised
 C₂C₁₂ skeletal muscle myocytes *in*
vitro, 179P
 Bohme GA *see* Birrell MA, 225P
 Bond RA *see* Callaerts-Vegh Zs, 11P
 Booth CE, Kirkup AJ, Hicks GA,
 Grundy D & Humphrey PPA Effects
 of somatostatin on the activity of rat
 mesenteric afferent nerves *in vivo*,
 87P
 Bootman MD *see* Young KW, 15P
 Bountra C *see* Clayton NM, 75P
 Bountra C *see* Collins SD, 76P
 Bowery NG *see* Richards DA, 108P
 Bowery NG *see* Sutch RJ, 67P
 Bowery NG *see* Whitehead KJ, 62P
 Boyle RW *see* Whitaker CJ, 89P
 Brady G *see* Richards GR, 214P
 Brain SD *see* Cao T, 95P
 Brain SD *see* Foster PA, 219P
 Brain SD *see* Ketsawatsakul U, 235P
 Brain SD *see* Whiteman M, 234P
 Brain SD *see* Whiteman M, 236P
 Bramwell S *see* Small J, 119P
 Brawley L, Shaw AM & MacDonald A
 Atypical β -adrenoceptor-mediated
 vasorelaxation in rat isolated aorta
 may involve a cAMP-independent
 pathway, 184P
 Brazdil R *see* Clayton NM, 75P
 Breese EJ, Patchett SE, Warner TD &
 Mitchell JA G-CSF production is
 elevated from antral biopsies of
 patients with gastritis, but only in-
 creased by indomethacin in patients
 negative for *Helicobacter pylori*
 infection, 31P
 Bridges RJ *see* Danahay H, 270P
 Brink C *see* Norel X, 29P
 Brink C *see* Walch L, 30P
 Broadhurst J *see* Dewhurst DG, 282P
 Broadley KJ *see* Lewis CA, 230P
 Broadley KJ *see* Toward TJ, 228P
 Brodde O-E *see* Becker K, 209P
 Brodde O-E *see* Seyfarth T, 185P
 Brooks AVS, Mitchell JA & Burke-
 Gaffney A Involvement of p38
 mitogen-activated protein kinase in
 interleukin-8 release from human
 neutrophils, 102P
 Brooks SP *see* Lindgren S, 72P
 Brough SJ, Jewitt F, Jerman JC & Smart
 D Characterisation using FLIPR of a
 bombesin receptor endogenously
 expressed in CHO-DG44 cells, 269P
 Brough SJ *see* Jerman JC, 73P
 Brown C, Kilty I & Jenkinson S Regula-
 tion of 15-lipoxygenase isoenzymes
 by cytokines in human cultured
 normal bronchial epithelial cells,
 229P
 Brown DA *see* Filippov AK, 45P
 Brown DA *see* Hadley JK, 93P
 Brown JF *see* Lodge CS, 174P
 Brown T, Bunton D, MacDonald A &
 Shaw AM 5-HT_{1D}-like receptor in
 bovine pulmonary supernumerary
 arteries, 186P
 Brown T *see* Clayton NM, 75P
 Browning C, Beresford IJM & Birdsall
 NJM The effect of guanine
 nucleotides and receptor density on
 agonist binding to human recombin-
 ant adenosine A₁ receptors, 42P
 Bruijns RHJ, Van den Bossche RMA &
 Bult H Effect of cytochalasin D on
 vascular reactivity and cellular out-
 growth in the rabbit carotid artery,
 49P
 Bult H *see* Bruijns RHJ, 49P
 Bult H *see* Crauwels HML, 198P
 Bult H *see* Geerts IS, 188P
 Bunday RA & Nahorski SR Desens-
 itisation profiles of the endogenous
 M₃-muscarinic receptor and the
 recombinant α -adrenoceptor in SH-
 SY5Y human neuroblastoma assessed
 by a direct measure of G-protein
 coupling, 40P
 Bunton D *see* Brown T, 186P
 Burgaud J-L *see* Paul-Clark MJ, 98P
 Burgaud JL, Tallet D, Oudart N & Del
 Soldato P NO-steroids: a class of new
 anti-asthmatic agents induced bron-
 chodilation on guinea-pig trachea *in*
vitro, 28P
 Burke-Gaffney A *see* Brooks AVS,
 102P
 Burke-Gaffney A *see* Jordan S, 101P
 Burnham M *see* Richards GR, 214P
 Burnstock G *see* Zhong Y, 46P
 Burton TJ & Ferguson DR Vesicular in-
 section of epithelial sodium channels
 into urothelial cell membranes is
 stimulated by cyclic AMP, 33P
 Butler J *see* Hamilton CA, 193P
 Butler SA *see* Lane EL, 154P
 Butler SA *see* Prow MR, 157P
 Butler SA *see* Rowley HL, 144P
 Butler SA *see* Rowley HL, 145P
 Bycroft BW *see* Gardiner SM, 47P
 Callaerts-Vegh Z, Pocius JS, Michael
 LH, Taffet GE, Hartley CJ, Evans K,
 Entman ML & Bond RA Effects of
 treatment with alprenolol and
 carvedilol in a mouse myocardial
 infarct model of heart failure, 11P
 Callamaras N *see* Marchant JS, 238P
 Callingham BA, Campbell OJ, Hiley
 CR, Crosbie AE & Vuylsteke A
 Actions of *o*-raffinose cross-linked
 haemoglobin on isolated segments of
 rat thoracic aorta, 51P
 Callingham BA *see* Hickey MA, 160P
 Callingham BA *see* Milton AS, 56P
 Caló G, Rizzi A, Bigoni R, Marzola G,
 Guerrini R, Salvadori S & Regoli D
 The nociceptive receptor antagonist,
 [Nphe¹]NC(1-13)NH₂, reverses toler-
 ance to systemic morphine-induced
 analgesia, 120P
 Calo G *see* Hashimoto Y, 77P
 Calver AR *see* Hirst WD, 80P
 Camacho J & Rees S Characterisation of

- neuropeptide NPY₁ and NPY₂ receptor-mediated stimulation of a mitogen-activated protein kinase reporter gene in CHO cells, 252P
- Camacho J *see* Scott S, 253P
- Campbell OJ *see* Callingham BA, 51P
- Campos-Toimil M, Edwardson JM & Thomas P Comparison of the effects of acetylcholine and vasoactive intestinal peptide on intracellular Ca²⁺ and zymogen granule exocytosis in rat pancreatic acinar cells, 19P
- Cao T, Pinter E, Al-Rashed S, Gerard NP & Brain SD The involvement of the NK₁ receptor in neutrophil accumulation: a study in wildtype and NK₁ receptor knockout mice, 95P
- Carlier B *see* Christophe B, 232P
- Carrier MJ *see* Laight DW, 197P
- Carroll R, Gant V & Yellon DM Delayed preconditioning and diazoxide-mediated cytoprotection occur independently of a change in mitochondrial membrane potential in a human cardiac cell line, 14P
- Carruthers AM, Sellers LA, Malek JA & Humphrey PPA Somatostatin sst_{2(a)} and sst_{2(b)} receptors mediated opposing proliferative effect by differential G $\beta\gamma$ -activation of distinct signalling pathways, 17P
- Cerulli L *see* Nucci C, 136P
- Chadha A, Atack J, Sur C & Duty S The 5-HT_{1B} agonist, CP93129, inhibits GABA release from slices of rat globus pallidus and reverses akinesia following intrapallidal administration in the reserpine-treated rat, 61P
- Chapman V *see* Harris J, 140P
- Chapple CR *see* Davis BJ, 52P
- Chatelain P *see* Christophe B, 232P
- Chatterjee PK, Zacharowski K, Cuzzocrea S, Mota-Filipe H, McDonald MC & Thiemermann C Calpain inhibitor 1 reduces the renal dysfunction and injury associated with ischaemia-reperfusion of the kidney of the rat *in vivo*, 34P
- Chatterjee PK *see* Zacharowski K, 12P
- Chatterjee PK *see* Zacharowski K, 13P
- Chauhan SD, MacAllister RJ, Clapp LH & Ahluwalia A Evidence that NO may contribute to 'EDHF-like' responses in rat mesenteric and hepatic small arteries, 1P
- Cheetham SC *see* Bewick GA, 147P
- Cheetham SC *see* Lane EL, 156P
- Cheetham SC *see* Viggers JA, 133P
- Chen Z *see* Clarke S, 36P
- Chess-Williams R *see* Davis BJ, 52P
- Chessell IP *see* Hibell AD, 43P
- Chessell IP *see* Jones CA, 260P
- Chong LK & Peachell PT Influence of genetic polymorphisms in the β_2 -adrenoceptor on desensitization in human lung mast cells, 41P
- Choppin A & Eglen RM Pharmacological characterisation of muscarinic receptors in feline and human isolated ciliary smooth muscle, 206P
- Christophe B, Gillard M, Smeyers D, Carlier B, Chatelain P, Peck M & Massingham R Influence of receptor reserve on H₁-histamine antagonism by cetirizine: comparison between isolated guinea-pig trachea and ileum, 232P
- Churchill GC *see* Thomas JM, 237P
- Churchill GC *see* Webb RJ, 180P
- Citterio F *see* Bertorelli R, 121P
- Clapp LH *see* Chauhan SD, 1P
- Clark A *see* Lindgren S, 72P
- Clarke S, Chen Z, Hsu M-S, Pintar J, Hill RG & Kitchen I Upregulation of the ORL1 receptor in mice lacking the orphanin FQ peptide gene, 36P
- Clayton NM, Brown T, Brazdil R, Collins SD, Pass M, Sheehan MJ & Bountra C The effect of the highly selective adenosine A1 agonist GR79236 in models of nociceptive, acute and chronic inflammatory pain, 75P
- Clayton NM *see* Collins SD, 76P
- Clementi E *see* Rabuffetti M, 117P
- Coats P *see* Jarajapu YPR, 183P
- Cole SL, Schindler M & Humphrey PPA Use of an inducible expression system to examine the effects of altering human sst_{2(a)} receptor expression levels on receptor activation, 86P
- Collins SD, Clayton NM, Sheehan MJ, Pass M & Bountra C The effect of GR79236, a highly selective adenosine A1 receptor agonist, on the treatment of neuropathic pain in the rat, 76P
- Collins SD *see* Clayton NM, 75P
- Cook D Control of epithelial sodium channels in mouse salivary ducts, 290P
- Coppell AL & Zetterström TSC Biphasic expression of brain-derived neurotrophic factor gene in rat hippocampus following fluoxetine treatment, 134P
- Corasaniti MT, Strongoli MC, Piccirilli S, Nisticò R, Finazzi-Agrò A & Bagetta G Evidence that CCR5 and CXCR4 chemokine receptors are involved in the mechanisms of HIV-1 gp120-induced apoptosis in the neocortex of rat, 114P
- Correa V, Marwood RD, Shuto S, Riley AM, Jenkins DJ, Potter BVL & Taylor CW Potent analogues of adenophostin A that release the intracellular Ca²⁺ stores of hepatocytes, 239P
- Corteling R & Trifilieff A Differential proliferative response to protease activated receptor (PAR) agonists on guinea-pig tracheal cultured smooth muscle cells, 272P
- Cotecchia S *see* Hein P, 265P
- Cottrell GA *see* Green KA, 69P
- Cousens D *see* Scott S, 253P
- Cox HM & Tough IR Functional studies with a novel neuropeptide Y Y₂ receptor antagonist, BIIIE0246, in isolated mucosal preparations from the rat gastrointestinal tract, 85P
- Cox HM *see* Holliday ND, 173P
- Cox HM *see* Tough IR, 172P
- Crauwels HML, Van Hove CE, Herman AG & Bult H Acetylcholine-induced relaxation in the carotid and the femoral artery of the mouse, 198P
- Crosbie AE *see* Callingham BA, 51P
- Croucher MJ, Lawrence V & Thomas LS Agonist activity of sulphur-containing excitatory amino acids at presynaptic metabotropic glutamate adrenoceptors, 107P
- Crunelli V *see* Richards DA, 108P
- Cunha-Reis D, Sebastião AM & Ribeiro JA Adenosine modulates the excitatory action of VIP on synaptic transmission in the CA1 area of the hippocampus, 126P
- Cunningham FM *see* Bailey SR, 220P
- Cunningham MO & Jones RSG The anticonvulsant, lamotrigine, reciprocally modulates glutamate and GABA release in the rat entorhinal cortex, 68P
- Curtis TM & Scholfield CN Endothelin stimulates a nifedipine-sensitive store-filling Ca influx but inhibits L-type Ca channels in microvascular smooth muscle of rat retina *in vitro*, 20P
- Cuthbert AW *see* Keogh J, 233P
- Cuzzocrea S *see* Chatterjee PK, 34P
- Cuzzocrea S *see* Zacharowski K, 12P
- Dabrowski D *see* Underwood SL, 222P
- Dacke CG *see* Price M, 148P
- Daemmgen J *see* Wu D, 192P
- Damazar AS, Tavares de Lima W & Oliani SM Pharmacological modulation of inflammatory cells and vascular permeability during allergic reaction in rat airways, 216P
- D'Amico M, Di Filippo C, Solito E, Flower RJ & Perretti M Lipocortin 1 inhibits myocardial infarct by reducing local neutrophil infiltration, 97P
- Danahay H, Bridges RJ & Poll CT Protease-mediated inhibition of chloride secretion in T84 human colonic cells, 270P
- Danhof M *see* Visser SAG, 81P
- Danhof M *see* Zuideveld KP, 38P
- Davenport AP *see* Katugampola SD, 205P
- Davenport AP *see* Maguire JJ, 201P

- Davenport AP *see* Wiley KE, 200P
Davenport E *see* Macfarlane SR, 21P
Davis B *see* Andrews N, 161P
Davis BJ, Noble A, Chapple CR & Chess-Williams R Human prostate-artery selectivity of tamsulosin, doxazosin and alfuzosin, 52P
Davis JB *see* Jerman JC, 73P
de Mol BAJM *see* Rinia-Feenstra M, 211P
De Nucci G *see* Giuliano F, 99P
De Smedt H *see* Morris SA, 240P
De Vries P *see* Willems EW, 54P
de Vries R *see* van den Broek RWM, 190P
Dean P Pharmacologu *in silico*: reduction to practice?, 287P
Del Río J *see* Otano A, 113P
Del Soldato P *see* Burgaud JL, 28P
Del Soldato P *see* Gray PA, 217P
Del Soldato P *see* Paul-Clark MJ, 98P
Delahaye M *see* Berry CN, 57P
Desai KM *see* Laight DW, 197P
Dewhurst DG & Doherty M A computer simulation of the Langendorff heart preparation to teach the pharmacology of the autonomic control of the heart to undergraduate students, 281P
Dewhurst DG, Todd M & Broadhurst J A computer-based interactive student activity to teach the process of drug discovery, 282P
Di Filippo C *see* D'Amico M, 97P
Dickenson JM Adenosine A₁ receptor-mediated activation of protein kinase B in DDT₁MF-2 cells, 256P
Dickenson JM *see* Robinson AJ, 251P
Dickinson K *see* Blethyn K, 179P
Dickinson K *see* Skill MJ, 143P
Dinudom A *see* Cook DI, 290P
Ditchfield CM, Pillary TS, Savill J & Hall IP IGF-1 mediated inhibition of apoptosis in rat mesangial cells, 275P
Dixon AK *see* Shah BS, 250P
Dixon AK *see* Small J, 119P
Doherty M *see* Dewhurst DG, 281P
Dominiczak AF *see* Hamilton CA, 193P
Donaldson F, McEvoy L, Lang D & Lewis MJ An aortic-banded pressure overload model of left ventricular hypertrophy in the rat: vascular responses proximal and distal to the stenosis compared, 208P
Doods H *see* Wu D, 192P
Dorman A *see* Spiers JP, 202P
Douzenis A *see* Arkle S, 268P
Drieu La Rochelle C *see* O'Connor SE, 58P
Duffin KJ *see* Marshall JWB, 162P
Dunn PM *see* Zhong Y, 46P
Duty S *see* Chadha A, 61P
Duty S *see* Whiteman M, 181P
Duval N *see* O'Connor SE, 58P
Easton N *see* Lightowler S, 153P
Ebenezer IS *see* Patel JD, 146P
Ebenezer IS *see* Patel SM, 149P
Ebenezer IS *see* Price M, 148P
Ebenezer IS *see* Smith M, 151P
Ebrahim Z, Yellon DM & Baxter GF Bradykinin-induced cardioprotection is attenuated in the rat hypertrophied heart, 191P
Edwards C *see* Whitaker CJ, 89P
Edwards G *see* Richards GR, 214P
Edwardson JM *see* Campos-Toimil M, 19P
Eglen RM *see* Choppin A, 206P
Eglen RM *see* Smith P, 246P
Ellis GJ *see* Richards JG, 37P
Empson RM, Gee VJ, Sheardown MJ & Newberry NR On the mechanism of action of chlormethiazole in the rat cortex *in vitro*, 110P
Emson PC *see* Selmer I-S, 261P
Entman ML *see* Callaerts-Vegh Zs, 11P
Escott KJ *see* McMillan SJ, 27P
Eseh-Sumbele P, Evans AT & McCurrie JR Oestrogen-induced relaxation in primate aorta, 199P
Evans AT *see* Eseh-Sumbele P, 199P
Evans BA *see* Hutchinson DS, 175P
Evans K *see* Callaerts-Vegh Zs, 11P
Evans TW *see* Gitlin JM, 32P
Evans TW *see* Jordan S, 101P
Evans TW *see* Price S, 8P
Evans TW *see* Price S, 9P
Ezzaher A *see* Norel X, 29P
Fan T-P *see* Sengupta S, 218P
Farhat N *see* Thorin E, 50P
Farzanehgan ZM *see* Akhondzadeh S, 163P
Faull RLM *see* Selmer I-S, 261P
Fehlmann D *see* Feuerbach D, 84P
Feniuk W *see* Smalley KSM, 264P
Ferguson DR *see* Burton TJ, 33P
Fernandez I *see* Thompson KSJ, 109P
Fernandez I *see* Thompson KSJ, 135P
Feuerbach D, Fehlmann D, Nunn C, Siehler S, Seuwen K, Langenegger D & Hoyer D Cloning, expression and pharmacological characterisation of the mouse somatostatin sst₁ receptor: coupling to luciferase activity via the serum responsive element, 84P
Feuerbach D *see* Gazi L, 88P
Field MJ, McCleary S & Singh L Gabapentin and the NK₁ receptor antagonist CI-1021 act synergistically to block allodynia induced in a rat model of neuropathic pain, 79P
Field MJ, McCleary S & Singh L The selective NMDA NR1/2B antagonist PD 174494 possesses antihyperalgesic and antiallodynic actions in inflammatory and neuropathic models of pain, 118P
File SE, Kenny PJ, Ouagassal A-M & Gregson NA The effects of dantrolene in an animal model of malignant hyperthermia, 142P
File SE *see* Kenny PJ, 131P
Filippov AK, Barnard EA & Brown DA The adenine nucleotide P2Y₁ receptor (highly abundant in brain) couples to both N-type Ca²⁺- and M-type K⁺ channels in neurons, 45P
Finazzi-Agrò A *see* Corasaniti MT, 114P
Fitzgerald WJ *see* Rosales R, 280P
Floran B *see* Arias-Montaña JA, 66P
Flower RJ *see* Allcock GH, 96P
Flower RJ *see* D'Amico M, 97P
Flower RJ *see* Getting SJ, 226P
Flower RJ *see* Paul-Clark MJ, 98P
Fone KCF *see* Kogan HA, 150P
Fone KCF *see* Woolley ML, 64P
Ford APDW *see* Snowball RK, 35P
Forlani A *see* Bertorelli R, 121P
Forsyth MJ *see* Whitaker CJ, 89P
Foster M *see* Hele DJ, 223P
Foster M *see* McCluskie K, 227P
Foster M *see* Underwood SL, 222P
Foster ML *see* Birrell MA, 224P
Foster ML *see* Birrell MA, 225P
Foster ML *see* McMillan SJ, 27P
Foster PA & Brain SD The role of intercellular adhesion molecule (ICAM) in nerve growth factor (NGF)-induced hyperalgesia, 219P
Foxon GR & Halliwell RF An investigation of the hypothesis that non-steroidal anti-inflammatory drugs modulate neuronal ligand-gated ion channels, 116P
Fozard J *see* Danahay H, 270P
Fozard JR, Roindeau C, Hannon JP, Tigani B & Mazzoni L Mechanism of airway hyperreactivity to adenosine induced by LPS challenge in Brown Norway rats, 94P
Fraser S *see* Lancaster AV, 207P
Frawley LA & Koenig JA Binding and endocytosis of somatostatin₂ agonists and receptors, 83P
Frechilla D *see* Otano A, 113P
Fret HR *see* Geerts IS, 188P
Galione A *see* Patel S, 25P
Galione A *see* Solanki PK, 274P
Galione A *see* Thomas JM, 237P
Galione A *see* Webb RJ, 180P
Garabette M, Martin KF & Redfern PH Diurnal variation in 5-HT overflow in the SCN of the rat in response to NMDA receptor stimulation, 60P
Garabette ML, Martin KF & Redfern PH The effect of non-NMDA glutamate receptor stimulation on 5-HT overflow from the SCN of the rat, 104P
Garcia M *see* Arias-Montaña JA, 66P
Gardener MJ *see* Richards GR, 214P
Gardiner SM, Harty C, Williams P, Pritchard D, Bycroft BW & Bennett T

- N*-(3-Oxododecanoyl)-L-homoserine lactone causes bradycardia in conscious rats, 47P
- Gardiner SM, Kemp PA, March JE & Bennett T Comparative haemodynamic effects of i.p. administration of anandamide or CGRP in conscious rats, 5P
- Gardiner SM, Kemp PA, March JE & Bennett T Regional haemodynamic responses to ganglion blockade in conscious, hypertensive transgenic rats, 204P
- Gardiner SM *see* Ralevic V, 141P
- Gascard JP *see* Walch L, 30P
- Gautier E *see* O'Connor SE, 58P
- Gazi L, Feuerbach D, Sommer B & Schoeffter P System and assay-dependent efficacy of dopamine D₄ receptor ligands at human dopamine D_{4.4} receptors, 88P
- Gee VJ *see* Empson RM, 110P
- Geerts IS, Fret HR, Herman AG & Bult H Collar placement increases 5-HT_{1B} receptor mRNA level in the rabbit carotid artery, 188P
- Gerard NP *see* Cao T, 95P
- Gerbershagen H-P *see* Seyfarth T, 185P
- Getting SJ, Flower RJ & Perretti M A natural agonist of the MC3 receptor inhibits acute inflammation, 226P
- Gherardi E *see* Sengupta S, 218P
- Giessler C *see* Becker K, 209P
- Giles H *see* Martin A, 82P
- Gillard M *see* Christophe B, 232P
- Gillard N *see* Lancaster AV, 207P
- Gitlin JM, Evans TW, Pepper JR & Michell JA The activators of soluble guanylyl cyclase inhibit PGE₂ release under conditions of high and low endogenous arachidonic acid, 32P
- Giuliano F, Vojnovic I, De Nucci G & Warner TD Cyclooxygenase selectivity of non-steroidal anti-inflammatory drugs (NSAIDs) in humans: *ex vivo* evaluation, 99P
- Glen CD *see* Richards GR, 214P
- Goepel M *see* Hein P, 265P
- Gomes P, Vieira-Coelho MA & Soares-da-Silva P Inhibition of Na⁺-K⁺ ATPase in opossum kidney (OK) cells by D₁ and D₂ dopamine receptor stimulation, 171P
- Gomes P & Soares-da-Silva P Effects of dopamine upon intracellular pH in opossum kidney (OK) cells, 169P
- Gomes P & Soares-da-Silva P Trans-epithelial flux of sodium and handling of L-DOPA in renal epithelial cells, 170P
- Gonzales I *see* Small J, 119P
- Gonzalez MI *see* Andrews N, 161P
- Grandy DK *see* Harrison C, 78P
- Grant V *see* Carroll R, 14P
- Gray MA *see* Argent BE, 289P
- Gray PA, Warner TD, Vojnovic I, Parikh A, Scadding G, Del Soldato P & Mitchell JA Leukotriene production in human blood is reduced by NO-aspirin but not aspirin: comparisons between responses in healthy volunteers and aspirin-sensitive asthmatics, 217P
- Green A *see* Martin A, 82P
- Green AR *see* Marshall JWB, 162P
- Green AR *see* Nelson RM, 105P
- Green KA, Powell B & Cottrell GA Amiloride drugs both block and enhance the action of H⁺ ions on rat dorsal root ganglion neurones, 69P
- Gregson NA *see* File SE, 142P
- Grosset A *see* O'Connor SE, 58P
- Grundy D *see* Booth CE, 87P
- Guerin CJ *see* Bewick GA, 147P
- Guerrini R *see* Calo G, 120P
- Guerrini R *see* Hashimoto Y, 77P
- Guibert C & Beech DJ Direct coupling between nitrenergic nerve terminals and Ca²⁺ in smooth muscle cells of rabbit cerebral cortex arterioles, 6P
- Haddad EB *see* Birrell MA, 225P
- Haddad E-B *see* McCluskie K, 227P
- Haddad E-B *see* Underwood SL, 222P
- Hadley JK, Noda M, Selyanko AA, Wood IC, Abogadie FC, Jentsch TJ & Brown DA Effects of tetraethylammonium on KCNQ1-4 and on heteromeric KCNQ2/KCNQ3 and KCNQ2/KCNQ3(T323Y) potassium channels, 93P
- Hagan JJ *see* Atkinson PJ, 132P
- Hagan JJ *see* Roberts JC, 245P
- Hainsworth AH *see* Nelson RM, 105P
- Hall IP *see* Ditchfield CM, 275P
- Halliwell B *see* Ketsawatsakul U, 235P
- Halliwell B *see* Spencer JPE, 196P
- Halliwell B *see* Whiteman M, 181P
- Halliwell B *see* Whiteman M, 234P
- Halliwell B *see* Whiteman M, 236P
- Halliwell RF *see* Foxon GR, 116P
- Hamilton CA, Berg G, Butler J, Pathi V, Reid JL & Dominiczak AF Does superoxide attenuate carbachol-mediated relaxations in human radial arteries?, 193P
- Handford EJ, Stanton JA, McAllister G & Beer MS Agonist-induced [³⁵S]-GTPγS binding mediated by the hEdg2 receptor, 277P
- Handford EJ *see* Stanton JA, 278P
- Handley SL *see* Islam A, 244P
- Haneef F & Simmonds MA Effects of cholesterol and some analogues on [³H]-FNZ binding, 112P
- Haneef F *see* Simmonds MA, 111P
- Hannon JP *see* Fozard JR, 94P
- Hanson PJ *see* Lodge CS, 174P
- Harrington N *see* Wyatt A, 139P
- Harris CA *see* Schindler M, 127P
- Harris D, Ralevic V, Kendall DA & Randall MD Capsaicin and ruthenium red antagonism of anandamide-induced relaxation is blocked by L-NAME in the rat mesenteric arterial bed, 3P
- Harris J & Chapman V Spinal administration of the endocannabinoid anandamide inhibits C-fibre evoked post-discharge responses of dorsal horn neurones in carrageenan inflamed rats, 140P
- Harrison C, Rowbotham DJ, Grandy DK & Lambert DG μ-Opioid receptor desensitisation and down-regulation induced by endomorphin-1, 78P
- Hartley CJ *see* Callaerts-Vegh Zs, 11P
- Harty C *see* Gardiner SM, 47P
- Harvey KF *see* Cook DI, 290P
- Hashimoto Y, Caló G, Guerrini R, Smith G & Lambert DG Desensitisation and down-regulation of human recombinant nociceptin receptors expressed in Chinese hamster ovary cells, 77P
- Hayes B *see* Schindler M, 127P
- Heal DJ *see* Bewick GA, 147P
- Heal DJ *see* Blethyn K, 179P
- Heal DJ *see* Lane EL, 154P
- Heal DJ *see* Lane EL, 155P
- Heal DJ *see* Lane EL, 156P
- Heal DJ *see* Prow MR, 157P
- Heal DJ *see* Rowley HL, 144P
- Heal DJ *see* Rowley HL, 145P
- Heal DJ *see* Skill MJ, 143P
- Heal DJ *see* Thompson KSJ, 109P
- Heal DJ *see* Thompson KSJ, 135P
- Heal DJ *see* Thompson KSJ, 158P
- Heal DJ *see* Viggers JA, 133P
- Heath BM & Terrar DA Regulation of I_{K3} by forskolin reduces the blocking effect of E4031 in guinea-pig isolated ventricular myocytes, 48P
- Heiligers JPC *see* Willems EW, 54P
- Hein P, Cotecchia S, Goepel M & Michel MC Inverse agonism at α_{1B}-adrenoceptors: quinazolines vs non-quinazolines, 265P
- Heinroth-Hoffmann I *see* Seyfarth T, 185P
- Hele DJ, Birrell MA, Webber SE, Foster M & Belvisi MG Mediator involvement in antigen-induced microvascular leakage into the airways and bronchospasm in ovalbumin sensitised Brown Norway rats, 223P
- Herbert JM *see* Berry CN, 57P
- Herdon HJ *see* Langmead CJ, 276P
- Herman AG *see* Crauwels HML, 198P
- Herman AG *see* Geerts IS, 188P
- Hibell AD, Michel AD, Chessell IP & Humphrey PPA Increases in inward currents and agonist potency at P2X₂ receptors following repeated agonist application, 43P
- Hibell AD, Michel AD, Xing M & Humphrey PPA Slow closure of the P2X₂ receptor ion channel and its association with agonist potency,

- 259P
- Hickey MA & Morton AJ Mice transgenic for the human Huntington's disease mutation are not more susceptible to 3-nitropropionic acid than wild type mice, 160P
- Hicks GA *see* Booth CE, 87P
- Higgins CF ABC transporters, channels and channel regulation, 288P
- Hiley CR *see* Callingham BA, 51P
- Hill KJ & Hill SJ A possible role for protein kinase C (PKC) isoforms in A₁ adenosine receptor signalling to the nucleus, 24P
- Hill RG *see* Clarke S, 36P
- Hill SJ *see* Hill KJ, 24P
- Hillier C *see* Jarajapu YPR, 183P
- Hirst WD, Rice SQJ, Minton JAL, Calver AR, Pangalos MN, Jenkins O & Price GW Characterisation of a CHO cell line stably co-expressing GABA_BR1b and GABA_BR2 receptors, 80P
- Hladky SB, Patel K & Barrand MA Intracellular pH in a MRP1 overexpressing lung tumour cell line, 267P
- Hladky SB *see* Rosales R, 280P
- Hobbs AJ *see* Hussain MB, 2P
- Hodder SJ *see* Lodge CS, 174P
- Högestätt ED *see* Ralevic V, 4P
- Holliday ND & Cox HM Functional somatostatin (SRIF) responses in human adenocarcinoma cells transfected with human or rat sst₂ receptors, 173P
- Houlihan LM & Bermudez I Diltiazem and verapamil inhibit the human α 7-nicotinic acetylcholine receptor, 279P
- Howson PA *see* Miller JC, 103P
- Hoyer D *see* Feuerbach D, 84P
- Hsu M-S *see* Clarke S, 36P
- Hulme EC *see* Ward SDC, 247P
- Humphrey PPA *see* Booth CE, 87P
- Humphrey PPA *see* Carruthers AM, 17P
- Humphrey PPA *see* Cole SL, 86P
- Humphrey PPA *see* Hibell AD, 43P
- Humphrey PPA *see* Hibell AD, 259P
- Humphrey PPA *see* Jones CA, 260P
- Humphrey PPA *see* Michel AD, 44P
- Humphrey PPA *see* Schindler M, 127P
- Humphrey PPA *see* Sellers LA, 263P
- Humphrey PPA *see* Selmer I-S, 261P
- Humphrey PPA *see* Smalley KSM, 264P
- Humphrey PPA *see* Smith PA, 16P
- Humphrey PPA *see* Smith PA, 262P
- Hussain MB, MacAllister RJ & Hobbs AJ Regulation of cGMP-mediated vasorelaxation in mouse thoracic aorta: interactions of the soluble and particulate guanylate cyclases, 2P
- Hutchinson DS, Papaioannou M, Evans BA, Lowell BB & Summers RJ Relaxation to β -adrenoceptor agonists in ileum from β_3 -adrenoceptor knock-out mice is mediated by β_1 -adrenoceptors, 175P
- Ishola A *see* Sadaba R, 212P
- Islam A, Thompson KSJ, Akhtar S & Handley SL Antisense oligodeoxynucleotide to rat glucocorticoid receptor, given ICV in polymer microspheres, reduces glucocorticoid and increases 5-HT_{2A}-receptor binding, 244P
- Iversen L Alzheimer's disease: treating the illness rather than the symptoms, 286P
- Jackson HC *see* Lane EL, 156P
- Jakobs KH *see* Bischoff A, 213P
- Jane DE *see* Miller JC, 103P
- Janiak P *see* O'Connor SE, 58P
- Jarajapu YPR, Coats P, MacDonald A, Hiller C & McGrath JC Increased α_1 and α_2 -adrenoceptor-mediated contractile responses of human skeletal muscle resistance arteries in chronic limb ischaemia, 183P
- Javitch JA *see* Wilson J, 255P
- Jeggo RD, Wang Y, Jordan D & Ramage AG The effects of 5-HT_{1B/1D/1F} receptor ligands on the activity of nucleus tractus solitarius (NTS) neurones in anaesthetized rats: an *in vivo* ionophoretic study, 63P
- Jenkins DJ *see* Correa V, 239P
- Jenkins O *see* Hirst WD, 80P
- Jenkinson S *see* Brown C, 229P
- Jenner P *see* Spencer JPE, 196P
- Jentsch TJ *see* Hadley JK, 93P
- Jerman JC, Brough SJ, Davis JB, Middlemiss DN & Smart D The anandamide transport inhibitor AM404 is an agonist at the rat vanilloid receptor (VR1), 73P
- Jerman JC *see* Brough SJ, 269P
- Jewitt F *see* Brough SJ, 269P
- Johansson AM *see* Alder JT, 242P
- John GW *see* Le Grand B, 187P
- John GW *see* Létienne R, 53P
- Jones CA, Chessell IP, Simon J, Smith PA & Humphrey PPA Rundown of ATP-induced response in recombinant P2X₄ receptors is not calcium or ATP dependent, 260P
- Jones DNC *see* Langmead CJ, 276P
- Jones EJ *see* Marshall JWB, 162P
- Jones H, Page CP & Paul W A comparison of poly-L-lysine (PLL) and *Alternaria tenuis*-induced responses in rabbit skin, 215P
- Jones MG *see* Lever IJ, 115P
- Jones RB *see* Anthony DM, 182P
- Jones RB *see* Blethyn K, 179P
- Jones RB *see* Skill MJ, 143P
- Jones RSG *see* Cunningham MO, 68P
- Jordan D *see* Jeggo RD, 63P
- Jordan SJ, Evans TW, Burke-Gaffney A & Mitchell JA Toxins associated with Gram negative and Gram positive bacteria stimulate IL-8 release from human blood: implications for ARDS, 101P
- Kanke T, MacFarlane SR, Seatter M & Plevin R Regulation of c-Jun-N-terminal kinase and p38 MAP kinase by proteinase activated receptor-2 in human skin epithelial cell line NCT2544, 23P
- Kanke T *see* Macfarlane SR, 21P
- Katugampola SD & Davenport AP Angiotensin receptors and alternative pathways for the local generation of angiotensin II in the human left ventricle, 205P
- Kelly E *see* Willets JM, 92P
- Kelly E *see* Willets JM, 257P
- Kelso EJ *see* Spiers JP, 202P
- Kemp PA *see* Gardiner SM, 5P
- Kemp PA *see* Gardiner SM, 204P
- Kendall DA *see* Harris D, 3P
- Kendall DA *see* Ralevic V, 4P
- Kendall DA *see* Ralevic V, 141P
- Kendall DA *see* Shah Y, 122P
- Kennedy C *see* Westfall TD, 177P
- Kennedy C *see* Westfall TD, 178P
- Kennett G *see* Wyatt A, 139P
- Kennett GA *see* Bickerdike MJ, 71P
- Kennett GA *see* Lightowler S, 153P
- Kennett GA *see* Vickers SP, 152P
- Kenny PJ, File SE & Neal MJ Evidence for a dual influence of nicotinic acetylcholine receptors on hippocampal serotonin release, 131P
- Kenny PJ *see* File SE, 142P
- Keogh J & Cuthbert AW Stimulation of chloride secretion in murine colonic and nasal epithelia by chlorzoxazone, 233P
- Ketsawatsakul U, Whiteman M & Halliwell B Effects of bicarbonate on the peroxynitrite scavenging activity of polyphenols, 235P
- Ketsawatsakul U *see* Whiteman M, 234P
- Ketsawatsakul U *see* Whiteman M, 236P
- Kilpatrick IC *see* Lane EL, 154P
- Kilpatrick IC *see* Lane EL, 155P
- Kilpatrick IC *see* Lane EL, 156P
- Kilpatrick IC *see* Prow MR, 157P
- Kilpatrick IC *see* Rowley HL, 144P
- Kilpatrick IC *see* Rowley HL, 145P
- Kilty I *see* Brown C, 229P
- Kirkman E, Sawdon M, Ohnishi M & Watkins P Effects of morphine on the response to haemorrhage after primary thoracic blast injury in the anaesthetised rat, 26P
- Kirkup AJ *see* Booth CE, 87P
- Kitchen I *see* Clarke S, 36P
- Klee S *see* Whelan CJ, 221P
- Klingelschmid A *see* Richards JG, 37P
- Koenig JA *see* Frawley LA, 83P
- Koenig JA *see* Smalley KSM, 264P

- Kogan HA, Fone KCF, Marsden CA & O'Neill MF Modulation of restraint stress-induced c-fos immunoreactivity by the 5-HT_{1A} antagonist SB-258719 in the rat brain, 150P
- Komwatana P *see* Cook DI, 290P
- Koopmans RP *see* van der Lee R, 210P
- Kumar S *see* Cook DI, 290P
- Labat C *see* Norel X, 29P
- Lad CJ *see* Thomas JM, 237P
- Laight DW, Desai KM, Änggård EE & Carrier MJ Assessment of nitrate tolerance and total antioxidant status in the rat *in vivo*, 197P
- Lalé A *see* Berry CN, 57P
- Lamb H *see* Porter RHP, 243P
- Lambert DG *see* Calo G, 120P
- Lambert DG *see* Harrison C, 78P
- Lambert DG *see* Hashimoto Y, 77P
- Lambert DG *see* Nelson RM, 105P
- Lancaster AV, Mair D, Lansdell KA, Fillard N, Fraser S, Templeton D, Parker S, Templeton AGB & Patmore L Effects of primaquine diphosphate and erythromycin on the cardiac action potential recorded in ovine and canine Purkinje fibres and guinea-pig papillary muscles, 207P
- Lane EL, Prow MR, Aspley S, Kilpatrick IC & Heal DJ *d*-Fenfluramine releases 5-HT from whole blood of rats as measured by *in vitro* microdialysis, 155P
- Lane EL, Prow MR, Butler SA, Aspley S, Kilpatrick IC & Heal DJ A simplified method for the measurement of endogenous 5-HT in rat whole blood using *in vitro* microdialysis, 154P
- Lane EL, Viggers JA, Prow MR, Jackson HC, Cheetham SC, Kilpatrick IC & Heal DJ The effect of *d*-fenfluramine on food intake and some 5-HT neurochemical parameters in the rat, 156P
- Lang D *see* Bell JP, 194P
- Lang D *see* Donaldson F, 208P
- Langenegger D *see* Feuerbach D, 84P
- Langmead CJ, Ratcliffe SJ, Jones DNC & Herdon HJ Characterisation of binding of [¹²⁵I] prolactin-releasing peptide (PrRP-20) to GPR10, a novel G-protein coupled receptor, 276P
- Lansdell KA *see* Lancaster AV, 207P
- Lapiz MDS, Mateo Y, Parker TL & Marsden CA Noradrenergic involvement in the exploratory behaviour of isolation reared rats, 164P
- Lawrence V *see* Croucher MJ, 107P
- Lazareno S *see* Tränkle C, 248P
- Le Grand B, Panissé A, Perez M, Pauwels PJ & John GW Zolmitriptan stimulates a Ca²⁺-dependent K⁺ current in C6 glioma cells stably expressing recombinant human (h) 5-HT_{1B} receptors, 187P
- Le Grand B *see* Létienne R, 53P
- Lechaire J *see* Berry CN, 57P
- Leconte B *see* Norel X, 29P
- Lee K *see* Bell MI, 106P
- Lee K *see* Bell MI, 128P
- Lee K *see* Patel MK, 125P
- Lee K *see* Shah BS, 250P
- Lee K *see* Small J, 119P
- Lee K *see* Stevens EB, 249P
- Leiper J *see* Tran C, 271P
- Leist M *see* Nucci C, 136P
- Leresche N *see* Richards DA, 108P
- Leslie RA *see* Roberts JC, 245P
- Létienne R, Vié B, Puech A, Vieu S, Le Grand B & John GW Evidence that the anti-anginal agent, ranolazine, behaves as a weak β -adrenoceptor antagonist, 53P
- Lever IJ, Jones MG, Bingham S, Parsons A & McMahon SB Exogenous nitric oxide potentiates responses of trigeminal neurones to electrical or chemical stimulation in a rat model of migraine, 115P
- Lewin GR Molecular components of the mechanotransducer in nociceptors, 294P
- Lewis CA & Broadley KJ Comparative effects of the leukotriene D₄ receptor antagonists iralukast and zafirlukast in a model of ozone-induced airway hyperreactivity and inflammation, 230P
- Lewis MJ *see* Bell JP, 194P
- Lewis MJ *see* Donaldson F, 208P
- Liberman R *see* Westfall TD, 178P
- Lightowler S, Easton N & Kennett GA Investigation of the contribution of 5-HT_{2B} receptor activation to the activity of Ro 60-0175 in the rat social interaction model of anxiety, 153P
- Lim LHK *see* Paul-Clark MJ, 98P
- Lindgren S, Brooks SP, Clark A & Little HJ Infusion of nicotine can increase the operant self-administration of ethanol, 72P
- Lipp P *see* Young KW, 15P
- Little HJ *see* Lindgren S, 72P
- Liu XH & Morris R A slowly developing facilitation of neurones in rat lumbar spinal superficial dorsal horn *in vitro* produced by neurotensin is blocked by SR48962, 138P
- Lloyd J *see* Richards GR, 214P
- Lochot S *see* Berry CN, 57P
- Lodge CS, Moran AE, Hodder SJ, Hanson PJ & Brown JF Effects of nitric oxide releasing non-steroidal anti-inflammatory drug derivatives on secretory activity in rat gastric epithelial cells, 174P
- Lorrain J *see* Berry CN, 57P
- Lowell BB *see* Hutchinson DS, 175P
- Létienne R, Vié B, Puech A, Vieu S, Le Grand B & John GW Evidence that the anti-anginal agent, ranolazine, behaves as a weak β -adrenoceptor antagonist, 53P
- Luby C *see* Milton AS, 56P
- Lucas-Teixeira VA, Vieira-Coelho MA, Serrão P & Soares-da-Silva P Sensitivity of intestinal Na⁺-K⁺ ATPase to inhibition by dopamine in spontaneous hypertensive and Wistar-Kyoto rats, 166P
- Lummis SCR *see* Reeves DC, 39P
- Lundstrom K *see* Richards JG, 65P
- MaassenVanDenBrink A *see* van den Broek RWM, 190P
- McAllister G *see* Handford EJ, 277P
- McAllister G *see* Stanton JA, 278P
- MacAllister RJ *see* Chauhan SD, 1P
- MacAllister RJ *see* Hussain MB, 2P
- McCleary S *see* Field MJ, 79P
- McCleary S *see* Field MJ, 118P
- McCluskie K, Haddad E-B, Birrell MA, Webber SE & Foster M The effect of the seleno-organic compound Ebselen on LPS-induced airway inflammation, 227P
- McCluskie K *see* Birrell MA, 224P
- McCluskie K *see* Birrell MA, 225P
- McCurrie JR *see* Eseh-Sumbele P, 199P
- McDermott BJ *see* Spiers JP, 202P
- MacDonald A *see* Brawley L, 184P
- MacDonald A *see* Brown T, 186P
- MacDonald A *see* Jarajapu YPR, 183P
- McDonald MC *see* Chatterjee PK, 34P
- McEvoy L *see* Donaldson F, 208P
- MacFarlane S *see* Kanke T, 23P
- MacFarlane SR, Kanke T, Seatter M, Davenport E, Paul A & Plevin R Trypsin stimulates the NF κ B signalling pathway in NCTC 2544 transfected with human PAR-2, 21P
- McGrath JC *see* Jarajapu YPR, 183P
- McKnight AT *see* Andrews N, 161P
- McKnight AT *see* Maneuf YP, 123P
- McKnight AT *see* Purbrick S, 231P
- McLaughlin DP *see* Mathews KS, 137P
- McMahon SB Neurotrophin and pain, 296P
- McMahon SB *see* Lever IJ, 115P
- McMillan SJ, Escott KJ, Webber SE, Foster ML & Sargent CA Anti-inflammatory effects of heat-killed *Mycobacterium vaccae* in murine antigen-induced airway inflammation, 27P
- McNaughton PA Nociceptor responses to bradykinin and heat, 295P
- Maguire JJ, Telyatnikova N & Davenport AP Role for chymase in the conversion of big endothelin-1 to biologically active endothelin peptides by endothelium-denuded human umbilical vein *in vitro*, 201P
- Mair D *see* Lancaster AV, 207P

- Malcolm CS *see* Porter RHP, 243P
Malek JA *see* Carruthers AM, 17P
Malherbe P *see* Richards JG, 65P
Maneuf YP & McKnight AT Facilitatory effect of calcitonin gene-related peptide on K⁺-evoked release of dopamine in the rat caudal striatum, 123P
Manfredi A *see* Rabuffetti M, 117P
March JE *see* Gardiner SM, 5P
March JE *see* Gardiner SM, 204P
Marchant JS, Callamaras N & Parker I Characterization of an inositol 1,4,5,-trisphosphate-sensitive calcium store in *Xenopus tropicalis* oocytes, 238P
Marsden CA *see* Kogan HA, 150P
Marsden CA *see* Lapiz MDS, 164P
Marsden CA *see* Shah Y, 122P
Marsden CA *see* Woolley ML, 64P
Marshall F *see* Martin A, 82P
Marshall FH *see* Scott S, 253P
Marshall JWB, Jones EJ, Duffin KJ, Green AR & Ridley RM The low affinity NMDA receptor antagonist ARR 15896AR reduced hemineglect and infarct size in a primate model of stroke, 162P
Marshall KM *see* Eseh-Sumbele P, 199P
Marston DL & Strange PG Increase in dopamine D₂₅ receptor and G protein levels following sodium butyrate treatment of a recombinant CHO cell line, 273P
Martin A, Parsons S, Wilson R, Green A, Walls S, Giles H & Marshall F Pharmacological analysis of human GABA_B R1a/R2 and R1b/R2 heterodimers expressed in CHO cells: allosteric modulation of agonists and antagonists by Ca²⁺, 82P
Martin KF *see* Garabette ML, 60P
Martin KF *see* Garabette ML, 104P
Martin KF *see* Thompson KSJ, 109P
Martin KF *see* Thompson KSJ, 135P
Martin KF *see* Thompson KSJ, 158P
Marwood RD *see* Correa V, 239P
Marzola G *see* Calo G, 120P
Massingham R *see* Christophe B, 232P
Mateo Y *see* Lapiz MDS, 164P
Matharu A-L *see* Willets JM, 257P
Mathews KS, McLaughlin DP, O'Neill MJ & Stamford JA Neuroprotective effects of the neuronal channel blocker LY 393615 against cerebral hypoxic-hypoglycaemic insult *in vitro*, 137P
Mathy M-J *see* Balt JC, 55P
Matthews EK *see* Whitaker CJ, 89P
Mazzoni L *see* Fozard JR, 94P
Meecham K *see* Purbrick S, 231P
Messer J *see* Richards JG, 37P
Messer J *see* Richards JG, 65P
Meyer zu Heringdorf D *see* Bischoff A, 213P
Michael LH *see* Callaerts-Vegh Zs, 11P
Michel AD, Xing M & Humphrey PPA Can the P2X₇ receptor exist in more than one affinity state for agonists?, 44P
Michel AD *see* Hibell AD, 43P
Michel AD *see* Hibell AD, 259P
Michel MC *see* Bischoff A, 213P
Michel MC *see* Hein P, 265P
Middlemiss DN *see* Atkinson PJ, 132P
Middlemiss DN *see* Jerman JC, 73P
Middlemiss DN *see* Scott C, 159P
Miller JC, More JCA, Howson PA & Jane DE Pharmacological identification of mGlu1 and mGlu5 group I metabotropic receptor subtypes on neonatal rat motoneurons, 103P
Milligan CJ & Wray D The effects of PCMBs on S4 cysteine mutants of the human potassium channel hKv2.1, 91P
Milton AS, Luby C & Callingham BA The responses of the digital artery of the fallow deer, *Dama dama*, to 5-HT in the winter of 1998-1999, 56P
Minton JAL *see* Hirst WD, 80P
Mitchell JA *see* Breese EJ, 31P
Mitchell JA *see* Brooks AVS, 102P
Mitchell JA *see* Gitlin JM, 32P
Mitchell JA *see* Gray PA, 217P
Mitchell JA *see* Jordan S, 101P
Mitchell JA *see* Price S, 8P
Mitchell JA *see* Price S, 9P
Mitchell JA *see* Stanford SJ, 100P
Mitchell JA *see* Woods M, 10P
Mitchell JA *see* Woods M, 203P
Mohr K *see* Tränkle C, 248P
Monopoli A *see* Bertorelli R, 121P
Moran AE *see* Lodge CS, 174P
More JCA *see* Miller JC, 103P
Morris BJ *see* Steward LJ, 129P
Morris P *see* Shah Y, 122P
Morris R *see* Liu XH, 138P
Morris SA, Adkins CE, De Smedt H, Sienaert I, Török K & Taylor CW Identification of calmodulin-binding sites in type 1 inositol 1,4,5-trisphosphate receptors, 240P
Morris SA *see* Swatton JE, 18P
Morrone LA, Romanelli L, Amico MC & Valeri P Inhibitory effect of the adenosine A₁ and κ-opioid systems on the expression of the μ-withdrawal response in the guinea-pig ileum: reversal by cholecystokinin, 165P
Morton AJ *see* Hickey MA, 160P
Mosfer SI *see* Bell JP, 194P
Mota-Filipe H *see* Chatterjee PK, 34P
Movahed P *see* Ralevic V, 4P
Munsch C *see* Sadaba R, 212P
Mutel V *see* Richards JG, 37P
Mutel V *see* Richards JG, 65P
Mynett A *see* Tränkle C, 248P
Nahorski SR *see* Bunday RA, 40P
Nahorski SR *see* Rae A, 255P
Nahorski SR *see* Smith P, 246P
Nahorski SR *see* Wheldon LM, 90P
Nahorski SR *see* Young KW, 15P
Neal MJ *see* Kenny PJ, 131P
Nedergaard OA *see* Uhrenholt TR, 176P
Nelson RM, Green AR, Lambert DG & Hainsworth AH The mechanism of inhibition of clomethiazole on ischaemia-induced glutamate release from cerebral cortex *in vivo*, 105P
Newberry NR *see* Empson RM, 110P
Nicotera P *see* Nucci C, 136P
Nisticò R *see* Corasaniti MT, 114P
Nisticò R *see* Nucci C, 136P
Noble A *see* Davis BJ, 52P
Noda M *see* Hadley JK, 93P
Norel X, Labat C, Bäck M, Ezzaher A, Leconte B, Walch L & Brink C Cholinesterase activities in thoracic tissues from normotensive (WKY) and hypertensive (SHR) rats, 29P
Norel X *see* Walch L, 30P
Nucci C, Piccirilli S, Nisticò R, Cerulli L, Leist M, Nicotera P & Bagetta G Evidence that poly(ADP)ribose polymerase is involved in apoptosis induced by monocular deprivation (MD) in the lateral geniculate nucleus (LGN) of new-born mice, 136P
Nunn C *see* Feuerbach D, 84P
O'Connor SE, Grosset A, Duval N, Drieu La Rochelle C, Gautier E, Bidouard JP & Janiak P 5-HT_{1B} and 5-HT_{2A} receptor antagonist properties of SL 65.0472 *in vivo*, 58P
O'Connor SE *see* Berry CN, 57P
Ohnishi M *see* Kirkman E, 26P
Ohresser S *see* Richards JG, 65P
Oles R *see* Andrews N, 161P
Oliani SM *see* Damazo AS, 216P
O'Neill MF *see* Kogan HA, 150P
O'Neill MJ *see* Mathews KS, 137P
Ongini E *see* Rabuffetti M, 117P
O'Reilly CM *see* Argent BE, 289P
Otano A, Frechilla D & Del Rio J Effect of antidepressant drugs on glucocorticoid receptor translocation in rat hippocampus, 113P
Otto M *see* Zacharowski K, 12P
Ouagazzal A-M *see* File SE, 142P
Oudart N *see* Burgaud JL, 28P
Pacaud P *see* Sadaba R, 212P
Page CP *see* Jones H, 215P
Pangalos MN *see* Hirst WD, 80P
Panissié A *see* Le Grand B, 187P
Papaioannou M *see* Hutchinson DS, 175P
Papotti M *see* Schindler M, 127P
Parikh A *see* Gray PA, 217P
Parker I *see* Marchant JS, 238P
Parker S *see* Lancaster AV, 207P
Parker TL *see* Lapiz MDS, 164P
Parsons A *see* Lever IJ, 115P

- Parsons S *see* Martin A, 82P
 Pass M *see* Clayton NM, 75P
 Pass M *see* Collins SD, 76P
 Patchett SE *see* Breese EJ, 31P
 Patel JD & Ebenezer IS Effect of 2-NAP on food intake in rats: implications for the cholecystokinin-satiety hypothesis, 146P
 Patel K *see* Hladky SB, 267P
 Patel K *see* Scott S, 253P
 Patel MK, Pinnock RD & Lee K Adenosine modulates excitatory synaptic transmission in the dorsal horn of the adult spinal cord via an A₁ receptor-mediated effect, 125P
 Patel S, Robb-Gaspers LD & Thomas AP Attenuation of Ca²⁺ signalling by induction of Type II nitric oxide synthase in rat hepatocytes, 25P
 Patel SM & Ebenezer IS The effects of the benzodiazepine inverse agonist 3-methoxycarbonyl-amino- β -carboline (β -CMC) on food and water intake in rats, 149P
 Pathi V *see* Hamilton CA, 193P
 Patmore L *see* Lancaster AV, 207P
 Patrick S *see* Soliakov L, 124P
 Paul A *see* Macfarlane SR, 21P
 Paul A *see* Torrie LJ, 22P
 Paul W *see* Jones H, 215P
 Paul-Clark MJ, Lim LHK, Del Soldato P, Burgaud J-L, Flower RJ & Perretti M NCX-1015, a novel derivative of prednisolone with enhanced anti-inflammatory activity, 98P
 Pauwels PJ *see* Bhalla P, 189P
 Pauwels PJ *see* Le Grand B, 187P
 Peachell PT *see* Chong LK, 41P
 Pearce SM *see* Whitehead KJ, 62P
 Peck M *see* Christophe B, 232P
 Pecoraro M *see* Birrell MA, 224P
 Pepper JR *see* Gitlin JM, 32P
 Pepper JR *see* Stanford SJ, 100P
 Perez M *see* Le Grand B, 187P
 Perretti M *see* Allcock GH, 96P
 Perretti M *see* D'Amico M, 97P
 Perretti M *see* Getting SJ, 226P
 Perretti M *see* Paul-Clark MJ, 98P
 Pfaffendorf M, Sand C & van Zwieten PA Effects of oxidative stress on the spontaneous and carbachol-stimulated myogenic activity of the rat isolated portal vein, 7P
 Pfaffendorf M *see* Balt JC, 55P
 Pfaffendorf M *see* Rinia-Feenstra M, 211P
 Pfaffendorf M *see* Sand C, 195P
 Pfaffendorf M *see* van der Lee R, 210P
 Phillips I *see* Thompson KSJ, 158P
 Piccirilli S *see* Corasaniti MT, 114P
 Piccirilli S *see* Nucci C, 136P
 Pillay TS *see* Ditchfield CM, 275P
 Pinnock RD *see* Bell MI, 106P
 Pinnock RD *see* Bell MI, 128P
 Pinnock RD *see* Patel MK, 125P
 Pinnock RD *see* Shah BS, 250P
 Pinnock RD *see* Small J, 119P
 Pinnock RD *see* Stevens EB, 249P
 Pintar J *see* Clarke S, 36P
 Pinter E *see* Cao T, 95P
 Plevin R *see* Kanke T, 23P
 Plevin R *see* Macfarlane SR, 21P
 Plevin R *see* Torrie LJ, 22P
 Pocius JS *see* Callaerts-Vegh Zs, 11P
 Poll CT *see* Danahay H, 270P
 Pönicke K *see* Becker K, 209P
 Pönicke K *see* Seyfarth T, 185P
 Popham A *see* Tränkle C, 248P
 Porter RHP, Allen NH, Lamb H, Revell D & Malcolm CS Characterisation of recombinant human 5-HT_{2c} edited (VSV) and unedited (INI) receptors, 243P
 Potter BVL *see* Correa V, 239P
 Powell B *see* Green KA, 69P
 Pratt JA *see* Steward LJ, 129P
 Price GW *see* Atkinson PJ, 132P
 Price GW *see* Hirst WD, 80P
 Price GW *see* Scott C, 159P
 Price M, Dacke CG & Ebenezer IS Effect of calcitonin gene-related peptide (CGRP) on food intake in male rats, 148P
 Price S, Evans TW & Mitchell JA Effect of endotoxaemia on the inotropic and chronotropic effects of endothelin: role of cyclo-oxygenase, 9P
 Price S, Evans TW & Mitchell JA The effect of endotoxaemia on the inotropic response to isoprenaline: the role of cyclic AMP, 8P
 Prince RJ & Weston AH Tacrine block of muscle nicotinic acetylcholine receptors, 130P
 Pritchard D *see* Gardiner SM, 47P
 Prow MR, Aspley S, Butler SA, Rowley HL, Kilpatrick IC & Heal DJ The use of behavioural correlates in mice to differentiate psychostimulants, hallucinogens and entactogens, 157P
 Prow MR *see* Lane EL, 154P
 Prow MR *see* Lane EL, 155P
 Prow MR *see* Lane EL, 156P
 Prow MR *see* Rowley HL, 144P
 Prow MR *see* Rowley HL, 145P
 Puech A *see* Létienne R, 53P
 Purbrick S, Williams RG, McKnight AT & Meecham K Synergistic effects of the two non-peptide tachykinin antagonists, CI-1021 and GR159897, on capsaicin-induced bronchoconstriction in the anaesthetised guinea-pig, 231P
 Rabuffetti M, Sciorati C, Tarozzo G, Clementi E, Manfredi A, Ongini E & Beltramo M Long-lasting neuroprotective effect of caspase-1 inhibition by Ac-YVAD.cmk: involvement of apoptosis and inflammation, 117P
 Rae A & Tobin AB Comparison of the abilities of partial agonists to mediate phosphorylation and desensitisation of a G_i-coupled receptor, 254P
 Rakovic Š *see* Solanki PK, 274P
 Ralevic V, Kendall DA, Bennett T & Gardiner SM Comparison of the effects of anandamide and methanandamide in bioassays, 141P
 Ralevic V, Kendall DA, Randall MD, Zygmunt PM, Movahed P & Högestätt ED Vanilloid receptors on capsaicin-sensitive sensory nerves mediate relaxation to methanandamide in the rat isolated mesenteric bed, 4P
 Ralevic V Prolonged phase of vasodilatation to ATP in rat mesenteric bed is attenuated by P2X receptor desensitization but does not involve capsaicin-sensitive sensory nerves, 258P
 Ralevic V *see* Harris D, 3P
 Ramage AG *see* Jeggo RD, 63P
 Ramage AG *see* Snowball RK, 35P
 Ramphir N *see* Westfall TD, 177P
 Randall MD *see* Harris D, 3P
 Rang H Hotting up: the vanilloid receptor so far, 284P
 Rang HP *see* Savidge JR, 74P
 Ranson J *see* Smart D, 70P
 Ratcliffe SJ *see* Langmead CJ, 276P
 Redfern PH *see* Garabette ML, 60P
 Redfern PH *see* Garabette ML, 104P
 Rees ES *see* Scott S, 253P
 Rees S *see* Camacho J, 252P
 Reeves DS & Lummis SCR Mutation of an isoleucine residue in M2 alters the Ca²⁺ permeability of 5-HT_{3A} receptors, 39P
 Regoli D *see* Calo G, 120P
 Reid JL *see* Hamilton CA, 193P
 Revell D *see* Porter RHP, 243P
 Ribeiro JA *see* Cunha Reis D, 126P
 Rice SQJ *see* Hirst WD, 80P
 Richards DA, Bowery NG, Leresche N & Crunelli V Weak anti-absence action of ethosuximide infused directly into the ventrobasal thalamic complex in a genetic rat model of absence epilepsy, 108P
 Richards GR, Glen CD, Brady G, Burnham M, Edwards G, Gardener MJ, Lloyd J & Weston AH Identification of Na⁺,K⁺ ATPase subtypes in rat hepatic and mesenteric arteries, 214P
 Richards JG, Ellis GJ, Adam G, Klingelschmid A, Messer J, Schlaefer E-J, Roughley BS & Mutel V Characterisation of [³H]quisqualate binding to rat recombinant metabotropic glutamate 1a and 5a receptors and to rat brain sections, 37P
 Richards JG, Lundstrom K, Messer J, Malherbe P, Ohresser S & Mutel V [³H]LY354740 binding to mGlu2/3 receptors in the perforant path: effects

- of ions and lesions, 65P
Richardson PJ *see* Bell MI, 128P
Ridley RM *see* Marshall JWB, 162P
Riley AM *see* Correa V, 239P
Rinia-Feenstra M, Pfaffendorf M, van Gulik TM, de Mol BAJM & van Zwieten PA Time-dependent changes of the functional properties of isolated saphenous vein preparations exposed to various preservation solutions, 211P
Rizzi A *see* Calo G, 120P
Robb-Gaspers LD *see* Patel S, 25P
Roberts JC, Thomas DR, Hagan JJ & Leslie RA Autoradiographic localisation of the 5-HT₇ receptor in the guinea-pig brain using [³H]SB-269970, 245P
Roberts PJ *see* Miller JC, 103P
Robin AB *see* Rae A, 254P
Robinson AJ & Dickenson JM Pertussis toxin-sensitive activation of MAP kinase by the histamine H₁ receptor in DDT₁MF-2 cells, 251P
Roe C *see* Shah Y, 122P
Romanelli L *see* Morrone LA, 165P
Rondeau CM *see* Fozard JR, 94P
Rosales R, Fitzgerald WJ & Hladky SB Kernel density estimation as a method for displaying and interpreting tabulated dwell time data, 280P
Rossier BC Epithelial sodium channels: role in the control of blood pressure and lung fluid clearance, 291P
Roughley BS *see* Richards JG, 37P
Rowbotham DJ *see* Harrison C, 78P
Rowley HL, Butler SA, Prow MR, Aspley S, Kilpatrick IC & Heal DJ Dopaminergic transmission in the rat nucleus accumbens is not involved in sibutramine's reduction in food intake: an *in vivo* microdialysis study, 144P
Rowley HL, Butler SA, Prow MR, Aspley S, Kilpatrick IC & Heal DJ Effects of sibutramine, phentermine and *d*-amphetamine on extracellular dopamine levels in the nucleus accumbens and on the locomotor activity of rats, 145P
Rowley HL *see* Prow MR, 157P
Rusic-Pavletic J *see* Zuideveld KP, 38P
Sadaba R, Ishola A, Munsch C, Pacaud P & Beech DJ Block of thromboxane A₂-induced contraction by a rho-kinase inhibitor in human internal mammary artery, 212P
Salim K *see* Stanton JA, 278P
Salvadori S *see* Calo G, 120P
Sampaio-Maia MB & Soares-da-Silva P Ca²⁺/calmodulin-mediated pathways regulate the uptake of L-DOPA in mouse neuroblastoma Neuro 2A cells, 168P
Sampaio-Maia MB & Soares-da-Silva P Mouse neuroblastoma Neuro 2A cells take up L-DOPA through the L-type amino acid transporter, 167P
Sand C, Pfaffendorf M & van Zwieten PA The protective effect of thiol-containing compounds against oxygen stress-induced decrease of contractile force in rat isolated left atria, 195P
Sand C *see* Pfaffendorf M, 7P
Santa Maria J *see* Tran C, 271P
Sargent BJ *see* Thompson KSJ, 109P
Sargent BJ *see* Thompson KSJ, 135P
Sargent BJ *see* Thompson KSJ, 158P
Sargent CA *see* McMillan SJ, 27P
Sarkar S *see* Westfall TD, 177P
Savi P *see* Berry CN, 57P
Savidge JR & Rang HP The responses of cultured sensory neurons and CHO cells expressing the rat vanilloid receptor (VR1) to heat and capsaicin: studies with intracellular calcium imaging, 74P
Savill J *see* Ditchfield CM, 275P
Sawdon M *see* Kirkman E, 26P
Saxena PR *see* Bhalla P, 189P
Saxena PR *see* van den Broek RWM, 190P
Saxena PR *see* Willems EW, 54P
Scadding G *see* Gray PA, 217P
Schaeffer P *see* Berry CN, 57P
Schindler M, Harris CA, Hayes B, Papotti M & Humphrey PPA Immunohistochemical localisation of the adenosine A1 receptor in human brain, spinal cord and trigeminal ganglia, 127P
Schindler M *see* Cole SL, 86P
Schindler M *see* Sellers LA, 263P
Schindler M *see* Selmer I-S, 261P
Schlaeger E-J *see* Richards JG, 37P
Schoeffter P *see* Gazi L, 88P
Scholfield CN *see* Curtis TM, 20P
Schwarz J-C Histamine H₁ receptors and their ligands: from functional aspects to therapeutic applications, 283P
Sciorati C *see* Rabuffetti M, 117P
Scott C, Watson J, Middlemiss DN & Price GW 5-HT_{1B} receptor agonist: antagonist binding affinity differences as a measure of intrinsic activity, 159P
Scott S, Patel K, Camacho J, Cousens D, Marshall FH & Rees ES Purinergic receptor regulation of MAP kinase reporter genes, 253P
Seatter M *see* Kanke T, 23P
Seatter M *see* Macfarlane SR, 21P
Sebastião AM *see* Cunha Reis D, 126P
Sellers LA, Alderton F, Schindler M & Humphrey PPA Opposing proliferative effects of somatostatin sst_{2(A)} and sst_{2(B)} receptor isoforms are mediated by differential activation of p38 or Akt pathways, 263P
Sellers LA *see* Carruthers AM, 17P
Sellers LA *see* Smalley KSM, 264P
Sellers LA *see* Smith PA, 16P
Sellers LA *see* Smith PA, 262P
Selmer I-S, Schindler M, Humphrey PPA, Waldvogel H, Faull RLM & Emson PC Immunohistochemical localisation of the somatostatin sst₄ receptor in rat and human brain, 261P
Selyanko AA *see* Hadley JK, 93P
Sengupta S, Gherardi E & Fan T-P Hepatocyte growth factor/scatter factor (HGF/SF) accelerates angiogenesis in sponge implants in mice: modulation by L-NAME and NS398, 218P
Serrão P *see* Lucas-Teixeira VA, 166P
Seuwen K *see* Feuerbach D, 84P
Seyfarth T, Heinroth-Hoffmann I, Gerbershagen H-P, Pönicke K & Brodde O-E Right ventricular β -adrenoceptors in monocrotaline-treated rats, 185P
Shabestari OL *see* Akhondzadeh S, 163P
Shah BS, Pinnock RD, Lee K & Dixon AK The voltage-dependent sodium channel subunit β 3 is the predominant β subunit expressed during development in rat CNS, 250P
Shah Y, Roe C, Beckett S, Marsden CA, Kendall DA & Morris P Lack of effect of oleamide on extracellular dopamine and 5-HT in the striatum and accumbens of the rat, 122P
Sharma HS *see* Bhalla P, 189P
Shaw AM *see* Brawley L, 184P
Shaw AM *see* Brown T, 186P
Sheardown MJ *see* Empson RM, 110P
Sheehan M *see* Clayton NM, 75P
Sheehan M *see* Collins SD, 76P
Shuto S *see* Correa V, 239P
Siehler S *see* Feuerbach D, 84P
Sienaert I *see* Morris SA, 240P
Silke B *see* Spiers JP, 202P
Simmonds MA & Haneef F Pregnanolone-induced increases in [³H]-flunitrazepam binding involve low affinity binding sites, 111P
Simmonds MA *see* Haneef F, 112P
Simon J *see* Jones CA, 260P
Sine SM *see* Prince RJ, 130P
Singh L *see* Andrews N, 161P
Singh L *see* Field MJ, 79P
Singh L *see* Field MJ, 118P
Singh L *see* Small J, 119P
Skill MJ, Dickinson K, Jones RB & Heal DJ Thermogenic effect of chronic sibutramine treatment in female Wistar rats, 143P
Slater NA *see* Viggers JA, 133P
Sleight AJ *see* Woolley ML, 64P
Small J, Lee K, Gonzalez I, Bramwell S, Singh L, Pinnock RD & Dixon AK Up-regulation of phosphacan gene expression in the rat lumbar spinal

- cord following streptozotocin-induced hyperalgesia, 119P
- Smalley KSM, Sellers LA, Koenig JA, Feniuk W & Humphrey PPA Agonist-specific desensitisation of the human somatostatin sst₄ receptor may be accounted for by receptor phosphorylation and not internalisation, 264P
- Smart D & Ranson J Pharmacological characterization of the human bombesin receptor subtype 3 (BRS-3) receptor endogenously expressed in NC1-N417 cells, 70P
- Smart D *see* Brough SJ, 269P
- Smart D *see* Jerman JC, 73P
- Smeyers D *see* Christophe B, 232P
- Smith G *see* Hashimoto Y, 77P
- Smith JCE & Whitton PS Nitric oxide regulates NMDA-evoked dopamine release in the raphe nuclei and frontal cortex of the freely moving rat, 59P
- Smith M & Ebenezer The suppressant effect of the 5-HT_{1A} agonist ipsapirone on food intake in food deprived rats is mediated by 5-HT_{1A} receptors, 151P
- Smith P, Eglen RM & Nahorski SR Human muscarinic M₂ and M₃ cholinergic coupling to G-protein and phospholipase C activation, 246P
- Smith PA, Sellers LA & Humphrey PPA Proliferation of pancreatic β cells is inhibited by somatostatin sst₂ receptors via a mechanism involving SAPK activation and the dephosphorylation of ERK1/2?, 262P
- Smith PA, Sellers LA & Humphrey PPA Somatostatin inhibits electrical activity in the murine pancreatic β -cell line, MIN 6, by activation of an inwardly-rectifying K⁺ channel, 16P
- Smith PA *see* Jones CA, 260P
- Smith SL *see* Bewick GA, 147P
- Smulders CJGM *see* Visser SAG, 81P
- Snape M *see* Wyatt A, 139P
- Sneddon P *see* Westfall TD, 177P
- Sneddon P *see* Westfall TD, 178P
- Snowball RK, Williams TJ, Ford APDW & Ramage AG Investigation of the role of α_{1A} - and α_{1D} -adrenoceptors in the control of the 'micturition reflex' in the anaesthetized male rat, 35P
- Soares-da-Silva P *see* Gomes P, 169P
- Soares-da-Silva P *see* Gomes P, 170P
- Soares-da-Silva P *see* Gomes P, 171P
- Soares-da-Silva P *see* Lucas-Teixeira VA, 166P
- Soares-da-Silva P *see* Sampaio Maia MB, 167P
- Soares-da-Silva P *see* Sampaio Maia MB, 168P
- Solanki PK, Rakovic S, Galione A & Terrar DA Possible regulation of cardiac ADP-ribosyl cyclase by cGMP-dependent mechanisms, 274P
- Soliakov L, Patrick S & Wonnacott S Co-operation between nicotinic AChR and muscarinic AChR in the modulation of [³H]dopamine release from rat striatal nerve terminals, 124P
- Solito E *see* D'Amico M, 97P
- Sommer B *see* Gazi L, 88P
- Spencer JPE, Whiteman M, Jenner P & Halliwell B 5-S-Cysteinylyl-conjugates of catecholamines induce oxidative stress and delayed cell death in mesencephalic dopaminergic cells, 196P
- Spencer JPE *see* Whiteman M, 181P
- Spiers JP, Dorman A, Allen JD, Kelso EJ, McDermott BJ & Silke B Increased transient expression of endothelin-1 in ventricular myocardium isolated from an experimental model of endotoxic shock, 202P
- Stamford JA *see* Mathews KS, 137P
- Stanford SJ, Pepper JR & Mitchell JA Conditioned medium from human stimulated venous smooth muscle cells inhibits neutrophil apoptosis: relevance of endogenously produced GM-CSF and G-CSF, 100P
- Stanhope K *see* Wyatt A, 139P
- Stanton JA, Handford EJ, Salim K, McAllister G & Beer MS LPA-induced [³⁵S]GTP γ S binding mediated by mouse and human hEdg2 receptors, 278P
- Stanton JA *see* Handford EJ, 277P
- Stassen JM *see* Wu D, 192P
- Stevens EB, Pinnock RD & Lee K The voltage-gated sodium channel β 3 subunit modulates α III channel gating in *Xenopus* oocytes, 249P
- Steward A *see* Corteling R, 272P
- Steward LJ, Pratt JA & Morris BJ Modulation of muscarinic mRNA (m1, m2 and m3) after acute and chronic clozapine and haloperidol treatment, 129P
- Strange PG *see* Alder JT, 242P
- Strange PG *see* Marston DL, 273P
- Strange PG *see* Wilson J, 255P
- Strongoli MC *see* Corasaniti MT, 114P
- Summers RJ *see* Hutchinson DS, 175P
- Sur C *see* Chadha A, 61P
- Sutch RJ & Bower NG GABA_B receptor-mediated inhibition of [³H]-GABA release from cerebrocortical slices is not altered in Genetic Absence Epilepsy Rats from Strasbourg, 67P
- Swatton JE, Morris SA & Taylor CW Type 3 inositol trisphosphate receptors in RINm5F cells mediate quantal Ca²⁺ release and are biphasically regulated by cytosolic Ca²⁺, 18P
- Taffet GE *see* Callaerts-Vegh Zs, 11P
- Tallet D *see* Burgaud JL, 28P
- Tarozzo G *see* Rabuffetti M, 117P
- Tavares de Lima W *see* Damazo AS, 216P
- Taylor CW *see* Adkins CE, 241P
- Taylor CW *see* Correa V, 239P
- Taylor CW *see* Morris SA, 240P
- Taylor CW *see* Swatton JE, 18P
- Telyatnikova N *see* Maguire JJ, 201P
- Templeton AGB *see* Lancaster AV, 207P
- Templeton D *see* Lancaster AV, 207P
- Terrar DA *see* Heath BM, 48P
- Terrar DA *see* Solanki PK, 274P
- Thiemermann C *see* Chatterjee PK, 34P
- Thiemermann C *see* Zacharowski K, 12P
- Thiemermann C *see* Zacharowski K, 13P
- Thomas AP *see* Patel S, 25P
- Thomas DR *see* Atkinson PJ, 132P
- Thomas DR *see* Roberts JC, 245P
- Thomas JM, Churchill GC, Lad CJ & Galione A Pharmacological characteristics of [³²P] cADPR binding to sea urchin egg homogenate, 237P
- Thomas LS *see* Croucher MJ, 107P
- Thomas P *see* Campos-Toimil M, 19P
- Thompson KSJ, Martin KF, Sargent BJ, Pascual R, Fernandez I & Heal DJ BTS 72664: a broad spectrum anti-convulsant as demonstrated in a variety of rat and mouse epilepsy models, 109P
- Thompson KSJ, Martin KF, Sargent BJ, Senar S, Pascual R, Fernandez I & Heal DJ BTS 72664: ligand binding and enzyme activity show no specific affinity; [⁸⁶Rb] efflux from depolarised synaptosomes indicates a membrane depolarisation effect, 135P
- Thompson KSJ, Phillips I, Martin KF, Sargent BJ & Heal DJ BTS 72664: its mode of action deduced from rat cortical wedge, rat hippocampal slice and mouse cortical neurone patch clamp studies, 158P
- Thompson KSJ *see* Islam A, 244P
- Thorin E, Véquaud P & Farhat N Involvement of an endothelin-1-dependent anti-apoptotic effect in the proliferative response of cultured endothelial cells to α_1 -adrenergic receptor stimulation, 50P
- Tigani B *see* Fozard JR, 94P
- Todd M *see* Dewhurst DG, 282P
- Tom B *see* Willems EW, 54P
- Török K *see* Morris SA, 240P
- Torrie LJ, Paul A & Plevin R The effect of H₂O₂ on lipopolysaccharide-stimulated NF- κ B activation in rat aortic smooth muscle cells, 22P
- Tough IR & Cox HM Functional studies with the somatostatin (SRIF) sst₂ receptor antagonist, L-Tyr⁸-Cyanamid-154806 in rat colonic mucosa, 172P

- Tough IR *see* Cox HM, 85P
- Toward TJ & Broadley KJ The role of NO on changes in airway reactivity induced by exposure of guinea-pigs to inhaled LPS, 228P
- Tran C, Achan V, Birdsey G, Santa Maria J, Leiper J & Vallance P Retinoic acid increases NO production in endothelial cells and induces DDAH II gene expression: possible mechanism for NO regulation during development, 271P
- Tränkle C, Mynett A, Weyand O, Popham A, Lazareno S, Mohr K & Birdsall NJM A filtration assay for the routine measurement of the binding of a radiolabelled allosteric ligand to the allosteric site on M₂ muscarinic receptors, 248P
- Treijtel N *see* Zuideveld KP, 38P
- Trevethick M *see* Brown C, 229P
- Trifilieff A *see* Corteling R, 272P
- Uhrenholt TR & Nedergaard OA Role of N- and L-type calcium channels in the release of noradrenaline from sympathetic neurons in rabbit carotid artery, 176P
- Underwood SL, Haddad E-B, Dabrowski D, Webber S, Foster M & Belvisi MG Sephadex-induced airway eosinophilia in the rat: molecular and cellular characterisation of the model, 222P
- Valeri P *see* Morrone LA, 165P
- Vallance P *see* Tran C, 271P
- Van den Bossche RMA *see* Bruijns RHJ, 49P
- van den Broek RWM, Maassen VanDenBrink R, de Vries R & Saxena PR Differential effects of the 5-HT_{1B} receptor antagonist SB224289 on sumatriptan-induced contractions in human blood vessels relevant to antimigraine therapy, 190P
- van der Graaf PH *see* Visser SAG, 81P
- van der Graaf PH *see* Zuideveld KP, 38P
- van der Lee R, Pfaffendorf M, van Montfrans GA, van Lieshout JJ, Koopmans RP & van Zwieten PA Comparison of the differential time course of nifedipine in human and rat vascular models, 210P
- van Gulik TM *see* Rinia-Feenstra M, 211P
- Van Hove CE *see* Crauwels HML, 198P
- van Lieshout JJ *see* van der Lee R, 210P
- van Montfrans GA *see* van der Lee R, 210P
- van Zwieten PA *see* Balt JC, 55P
- van Zwieten PA *see* Rinia-Feenstra M, 211P
- van Zwieten PA *see* Sand C, 195P
- van Zwieten PA *see* van der Lee R, 210P
- van Zwieten *see* Pfaffendorf M, 7P
- Véquaud P *see* Thorin E, 50P
- Vickers SP, Bass CA & Kennett GA Interaction of 5-HT_{2A} and 5-HT_{2C} receptors in the mediation of head shake behaviour in rats, 152P
- Vickers SP *see* Bickerdike MJ, 71P
- Vié B *see* Létienne R, 53P
- Vieira-Coelho MA *see* Gomes P, 171P
- Vieira-Coelho MA *see* Lucas-Teixeira VA, 166P
- Vieu S *see* Létienne R, 53P
- Viggers JA, Slater NA, Cheetham SC & Heal DJ Does phentermine potentiate the reduction in 5-HT reuptake sites produced by *d*-fenfluramine in rat brain?, 133P
- Viggers JA *see* Bewick GA, 147P
- Viggers JA *see* Lane EL, 156P
- Villalón CM *see* Willems EW, 54P
- Visser SAG, Smulders CJGM, van der Graaf PH & Danhof M Biphasic and dose-dependent *in vivo* time-course of GABA_A receptor-mediated EEG effects of the neurosteroid alfaxalone in rats, 81P
- Vojnovic I *see* Giuliano F, 99P
- Vojnovic I *see* Gray PA, 217P
- Vuylsteke A *see* Callingham BA, 51P
- Walch L, Bäck M, Gascard JP, Brink C & Norel X Muscarinic receptors involved in the relaxation of human pulmonary veins, 30P
- Walch L *see* Norel X, 29P
- Walcot NR *see* Woods M, 203P
- Waldvogel H *see* Selmer I-S, 261P
- Walls S *see* Martin A, 82P
- Wang Y *see* Jeggo RD, 63P
- Ward SDC & Hulme EC Carbachol and acetylcholine may have different modes of interaction with mutant M₁ muscarinic acetylcholine receptors, 247P
- Warner TD *see* Breese EJ, 31P
- Warner TD *see* Giuliano F, 99P
- Warner TD *see* Gray PA, 217P
- Warner TD *see* Woods M, 10P
- Warner TD *see* Woods M, 203P
- Waterson S *see* Westfall TD, 178P
- Watkins P *see* Kirkman E, 26P
- Watson J *see* Scott C, 159P
- Webb RJ, Churchill GC & Galione A Nicotinic acid adenine dinucleotide phosphate degradation in mammalian tissue, 180P
- Webber S *see* Underwood SL, 222P
- Webber SE *see* Birrell MA, 224P
- Webber SE *see* Birrell MA, 225P
- Webber SE *see* Hele DJ, 223P
- Webber SE *see* McCluskie K, 227P
- Webber SE *see* McMillan SJ, 27P
- Westfall DP *see* Westfall TD, 177P
- Westfall DP *see* Westfall TD, 178P
- Westfall TD, Liberman R, Waterson S, Westfall DP, Sneddon P & Kennedy C Release of ATPase from the rabbit vas deferens during sympathetic nerve stimulation, 178P
- Westfall TD, Sarkar S, Ramphir N, Westfall DP, Sneddon P & Kennedy C Characterisation of the ATPase released during sympathetic nerve stimulation of the guinea-pig isolated vas deferens, 177P
- Weston AH *see* Prince RJ, 130P
- Weston AH *see* Richards GR, 214P
- Weyand O *see* Tränkle C, 248P
- Whelan CJ & Klee S Inhibition of tumour necrosis factor α (TNF α) release by drugs used in the treatment of ulcerative colitis (UC), 221P
- Wheldon LM, Nahorski SR & Willars GB Agonist-mediated translocation and down-regulation of phospholipase C isoforms in the human neuroblastoma, SH-SY5Y, 90P
- Whitaker CJ, Battah SH, Forsyth MJ, Edwards C, Boyle RW & Matthews EK Photosensitisation of pancreatic tumour cells by a series of *d*-amino-laevulinic acid (ALA) esters, 89P
- Whitehead KJ, Pearce SM & Bowery NG Characterisation of 5-HT efflux from the rat spinal cord dorsal horn *in vivo*, 62P
- Whiteman M, Ketsawatsakul U & Halliwell B Enhancement of thiol and disulphide-mediated peroxynitrite-dependent α_1 -antiproteinase inactivation by bicarbonate, 234P
- Whiteman M, Ketsawatsakul U & Halliwell B Modulation of peroxynitrite scavenging activity of antioxidants by bicarbonate, 236P
- Whiteman M, Spencer JPE & Halliwell B Mechanism of peroxynitrite toxicity to human cultured synovial fibroblasts: a comparison with hypochlorous acid, 181P
- Whiteman M *see* Ketsawatsakul U, 235P
- Whiteman M *see* Spencer JPE, 196P
- Whitton PS *see* Smith JCE, 59P
- Wiley KE & Davenport AP The effects of novel nitric oxide donors the NONOates on endothelin-1-induced contractions and binding characteristics in human tissue, 200P
- Willars GB *see* Wheldon LM, 90P
- Willems EW, De Vries P, Heiligers JPC, Tom B, Villalón CM & Saxena P Carotid vascular effects mediated by α_1 -adrenoceptors in anaesthetised pigs: possible implications for migraine therapy, 54P
- Willems JM, Benovic JL & Kelly E GRK6 selectively regulates secretin

- receptor responsiveness, 92P
- Willets JM, Matharu A-L and Kelly E [³H]-ZM 241385 binding to endogenous A_{2A} adenosine receptors is regulated by agonist pretreatment and GRK2, 257P
- Williams P *see* Gardiner SM, 47P
- Williams RG *see* Purbrick S, 231P
- Williams TJ *see* Snowball RK, 35P
- Wilson J, Javitch JA & Strange PG Effect of a point mutation in the third intracellular loop of the human dopamine D_{2short} receptor on agonist affinity, potency and efficacy, 255P
- Wilson R *see* Martin A, 82P
- Wilson S Orphan receptors and the discovery of orexins, a family of hypothalamic neuropeptides involved in regulating feeding and arousal, 285P
- Winpenny JP *see* Argent BE, 289P
- Wonnacott S *see* Soliakov L, 124P
- Wood EG *see* Woods M, 10P
- Wood EG *see* Woods M, 203P
- Wood IC *see* Hadley JK, 93P
- Wood JN The molecular biology of nociceptor sodium channels, 293P
- Woods M, Walcot NR, Wood EG, Mitchell JA & Warner TD IL-4 and IL-13 modulate cytokine-induced endothelin-1 production in human vascular smooth muscle cells, 203P
- Woods M, Wood EG, Mitchell JA & Warner TD Cytokine-stimulation of ET-1 release from human vascular smooth muscle cells (HVSMCs) is modulated by cAMP, 10P
- Woolley ML, Marsden CA, Sleight AJ & Fone KCF Reversal of a scopolamine-induced deficit in object discrimination by a selective 5-HT₆ receptor antagonist, Ro-046790, in rats, 64P
- Wray D *see* Milligan CJ, 91P
- Wu D, Stassen JM, Daemmgen J & Doods H Effects of BIIB513 on ischaemia-induced arrhythmias and myocardial infarction in anaesthetised rats, 192P
- Wurch T *see* Bhalla P, 189P
- Wyatt A, Harrington N, Kennett G, Snape M & Stanhope K Behavioural effects of 3,5-dimethyladamantan-1-aminohydrochloride and 1-amino-3,5-dimethyladamantane in two animal models of analgesia, 139P
- Xing M *see* Hibell AD, 259P
- Xing M *see* Michel AD, 44P
- Yellon DM *see* Carroll R, 14P
- Yellon DM *see* Ebrahim Z, 191P
- Young JA *see* Cook DI, 290P
- Young JM *see* Arias-Montaña JA, 66P
- Young KW, Bootman MD, Lipp P & Nahorski SR Sphingolipid-dependent calcium mobilisation in SH-SY5Y neuroblastoma cells, 15P
- Zacharowski K, Chatterjee PK & Thiemermann C Pretreatment with lipoteichoic acid reduces myocardial infarct size in the anaesthetised rat, 13P
- Zacharowski K, Otto M, Cuzzocrea S, Chatterjee PK & Thiemermann C Lipoteichoic acid induces delayed protection in the rat heart via inhibition of endothelium/leucocyte interactions, 12P
- Zacharowski K *see* Chatterjee PK, 34P
- Zetterström TSC *see* Coppel AL, 134P
- Zhong Y, Dunn PM & Burnstock G P2X receptors on guinea-pig pelvic ganglion neurons exhibit novel sensitivity to antagonists suramin, Cibacron blue and PPADS, 46P
- Zuideveld KP, Treijtel N, Rusic-Pavletic J, van der Graaf PH & Danhof M Novel approach for the quantitative description of 5-HT_{1A} receptor agonism *in vivo*: differentiation between full, partial and silent agonists, 38P
- Zygmunt PM *see* Ralevic V, 4P

Keyword Index

- Absence epilepsy 67P, 108P
 Acetylcholine 247P
 Acetylcholine receptors 130P, 279P
 ACTH₄₋₁₀ 226P
 Actin 49P
 Adenophostin 239P
 Adenosine 94P, 126P, 127P, 165P
 Adenosine A₁ agonists 75P, 76P
 Adenosine A₁ receptors 24P, 125P, 256P
 Adenosine A_{2A} receptors 257P
 Adenosine 5'-triphosphate 177P, 178P, 260P
 Adenosine 5'-triphosphate receptors 43P
 Adherence 220P
 Adhesion of neutrophils 219P
 Adrenoceptors 183P
 α -Adrenoceptors 54P, 195P
 α_1 -Adrenoceptors 35P
 α_1 -Adrenoceptor antagonists 52P
 α_{1B} -Adrenoceptors 40P, 265P
 α_2 -Adrenoceptors 50P
 β -Adrenoceptors 185P
 β -Adrenoceptors, atypical 184P
 β_2 -Adrenoceptors 41P
 β_3 -Adrenoceptors 175P
 Agonists 159P
 Airway hyperreactivity 228P, 230P
 Airway inflammation 27P, 222P, 224P, 225P, 227P
 Airways, rat 216P
 Akt 263P
 Alcohol 72P
 Allergic reaction 216P
 Allosterism 82P
 Alphaxalone 81P
 Alprenolol 11P
 Amiloride potentiation 69P
 δ -Aminolaevulinic acid esters 89P
 Analgesia 139P
 Analgesics 75P, 76P
 Anandamide 3P, 5P, 73P, 141P
 Angina 53P
 Angiotensin converting enzymes 205P
 Angiotensin AT₁ blockers 55P
 Angiotensin II 55P, 205P
 Antagonist differences 159P
 Antibodies 127P, 261P
 Antidepressants 113P
 Antigens 215P, 223P
 Antiobesity drugs 144P, 145P
 Antioxidants 197P, 235P
 Antipsychotics 129P
 Anxiety 153P
 Aorta 29P
 Aorta, abdominal 209P
 Aorta, primate 199P
 Aorta, thoracic 209P
 Aorta segments, rat 51P
 Apoptosis 50P, 114P, 136P, 275P
 AQ-RA 741 206P
 Arrhythmias 192P
 Arteries 212P
 Arteries, carotid 49P, 54P, 188P
 Arteries, digital 56P
 Arteries, internal mammary, human 200P
 Arteries, mesenteric, human 52P
 Arteries, pulmonary supernumerary 186P
 Arteries, tail, rat 210P
 Aspirin-sensitive asthmatics 217P
 Atria, left, rat 195P
 Atrial contractility 11P
 Atrial natriuretic peptide 2P
 Audiogenic seizures 161P
 Autonomic control of the heart 281P
 Autonomic neurotransmission 177P, 178P
 Autoradiography 36P
 Autoreceptors 107P
 Bacteria 47P
 BCECF 267P
 Behaviour 164P
 Behavioural correlates 157P
 Benzodiazepine inverse agonists 149P
 Bioassays 141P
 Bladder reflexes 35P
 Blast injury 26P
 Blood vessels, isolated, human 190P
 Body weight 143P
 Bombesin 269P
 Bombesin receptors, subtype 2 70P, 161P
 Bombesin receptors, subtype 3 70P
 Bradycardia 47P
 Bradykinin 191P
 Brain, guinea-pig 245P
 Brain, rat 133P
 Brain-derived neurotrophic factors 134P
 Bronchial epithelial cells, normal human 229P
 Bronchial hyperreactivity 94P
 Bronchoconstriction 231P
 Bronchospasms 223P
 BTS 67,582 182P
 Buspirone 38P
 Butyrate 273P
 BzATP 43P, 44P, 259P
 Calcitonin gene-related peptide 5P, 123P, 148P
 Calcium 6P, 18P, 19P, 25P, 82P, 238P
 Calcium antagonists 210P
 Calcium channels 45P, 137P
 Calcium channels, L-type 20P
 Calcium channel antagonists 279P
 Calcium channel blockers 176P
 Calcium mobilisation 15P, 180P, 237P
 Calcium/calmodulin 168P
 Calcium-dependent potassium currents 187P
 Calmidazolium 268P
 Calmodulin 237P, 240P, 241P
 Calpain inhibitor-1 34P
 CAM 255P
 cAMP 10P, 255P
 Cannabinoids 4P, 73P, 122P, 140P
 Capsaicin 231P
 Cardiac hypertrophy 194P, 208P
 Carotid artery 54P
 Carrageenan 118P
 Carrageenan inflammation 140P
 Carvedilol 11P
 Caspases 117P
 C₂C₁₂ myocytes 179P
 CCL39 cells 84P
 Cell proliferation 17P
 Cerebral cortex arterioles 6P
 Cerebral ischaemia 137P
 Cetirizine 232P
 c-fos 24P, 150P
 CGRF 148P
 CGRP 5P, 123P, 148P
 Chemokines 114P
 Chlordiazepoxide 163P
 Chlorzoxazone 233P
 CHO cell lines 80P
 Cholecystokinin 146P, 165P
 Cholecystokinin-satiety hypothesis 146P
 Cholesterol 112P
 Cholinesterase 29P
 Chronic constrictive injury 118P
 Chymase 201P, 205P
 Ciliary muscles, feline and human 206P
 Circadian rhythm 60P, 104P
 Clomethiazole 105P

Clozapine 129P
 β -CMC 149P
 Colitis 221P
 Colonic T84 cells, human 270P
 Computer simulations 281P
 Confocal microscopy 83P
 Coronary artery bypass graft surgery 193P
 Cortex 261P
 Corticosteroids 244P
 CP-93,129 63P
 Critical limb ischaemia 183P
 Cyclic ADP-ribose 237P, 274P
 Cyclic AMP 8P, 33P, 184P
 Cyclic AMP accumulation 88P
 Cyclic GMP 274P
 Cyclo-oxygenase 9P, 32P, 99P
 Cyclo-oxygenase-2 100P, 218P
 CYN 154806 173P
 5-S-CysteinyI-conjugates 196P
 Cytokines 117P, 229P
 Cytokine production 220P

Dantrolene 142P
 Darifenacin 206P
 DDT₁MF-2 cells 251P, 256P
 Delayed preconditioning 14P
 Dependence 72P
 Dependency plots 280P
 Descending colon, rat 172P
 Desensitisation 40P, 77P, 78P, 92P, 243P, 254P, 257P, 264P
 Development 250P
 Dexamethasone 96P
 Dialysis 145P
 Diazepam 163P
 Dimethylarginine dimethylaminohydrolase 271P
 Dinitrophenol 179P
 DNA oxidation 196P
 L-DOPA 167P, 168P, 170P
 Dopamine 123P, 144P, 166P, 169P, 171P
 Dopamine D₁ receptors 66P, 171P
 Dopamine D₂ receptors 171P
 Dopamine D_{2s} receptors 255P, 273P
 Dopamine D₄ receptor ligands 88P
 Dopamine release 122P, 124P
 Dorsal root ganglia 69P
 DPAT 242P
 DSP-4 164P
 Dwell time histograms 280P

E4031 48P
 Ebselen 227P
 Ecdysone inducible expression system 86P
 EDHF 1P
 EEG 81P
 Electrical field stimulation 210P
 Electrophysiology 116P, 130P, 158P
 Endocytosis 83P
 Endogenous 5-HT 154P
 Endomorphin-1 78P

Endothelial cells 50P
 Endothelial function 194P
 Endothelin 202P
 Endothelin-1 10P, 200P, 203P
 Endothelin-converting enzymes 201P
 Endothelium 30P, 199P
 Endothelium-dependent relaxation 198P
 Endothelium-derived hyperpolarizing factor 198P, 214P
 Endotoxic shock 202P
 Enhanced anti-inflammatory activity 98P
 Eosinophils, equine 220P
 Epilepsy 109P, 110P
 Epithelia 233P
 Epithelial ion transport 85P, 172P, 173P
 Epithelial sodium channels 33P
 Erythromycin 207P
 Ethidium 44P
 Ethosuximide 108P
 Excitatory postsynaptic currents 125P
 Exocrine 19P
 Exploration 164P

Fallow deer 56P
 Feeding behaviour 71P
 Fenfluramine 71P
d-Fenfluramine 155P, 156P
 Filtration assays 248P
 Fixed dose ratios 79P
 Flunitrazepam 111P
 Fluoxetine 134P
 Food intake 143P, 146P, 148P, 149P, 151P, 156P
 Forskolin 48P
 Functional desensitisation 41P

GABA 61P, 105P, 110P
 GABA release 66P, 68P, 161P
 [³H]-GABA release 67P
 GABA_A receptors 81P, 111P, 112P
 GABA_B 82P
 GABA_B receptors 67P
 GABA_BR1b 80P
 GABA_BR2 80P
 Gastric biopsy 31P
 Gastrointestinal mucosa, rat 85P
 Gastrointestinal tract 175P
 G-CSF 31P
 Gene expression 119P
Globus pallidus 61P
 Glucocorticoid receptors 113P
 Glutamate 107P, 110P
 Glutamate release 68P, 105P
 Glutathione efflux 266P
 gp120 114P
 GPR10 receptors 276P
 G-proteins 17P, 40P, 213P, 246P, 273P
 G-protein-coupled receptors 42P
 G-protein-coupled receptor kinases 92P, 257P
 GR 55562 63P
 Group 1 receptors 103P
 [³⁵S]-GTP γ S binding 277P, 278P

Guanine nucleotides 42P

Haemodynamics 204P
 Haemorrhages 26P
 Head shakes 152P
 Head twitches 157P
 Heart 8P, 9P, 274P
 Heart, rat 53P
 Heart failure 185P
 hEdg2 receptors 277P
 hEdg2 receptors, mouse and human 278P
Helicobacter pylori 31P
 Hepatocyte growth factor/scatter factor 218P
 Hippocampus 113P, 126P, 131P, 261P
 Hippocampus, rat 134P
 Histamine 128P
 Histamine H₁ receptors 232P, 251P
 Histamine H₂ receptors 66P
 Histones 100P
 5-HT 56P, 57P, 60P, 104P, 131P, 133P, 150P, 153P, 189P, 243P
 5-HT neurochemistry 156P
 5-HT receptors 58P
 5-HT release 62P, 155P
 5-HT_{1A} 38P, 242P
 5-HT_{1A} receptors 35P, 151P
 5-HT_{1B} 159P
 5-HT_{1B} agonists 61P
 5-HT_{1B} mRNA 188P
 5-HT_{1B} receptors 63P, 190P
 5-HT_{1D} receptors 63P
 5-HT_{1D}-like receptors 186P
 5-HT_{1F} receptors 63P
 5-HT_{2A} receptors 152P
 5-HT_{2C} receptors 71P, 152P
 5-HT₇ 132P
 5-HT₇ receptors 245P
 Huntington's disease 160P
 Hydrogen ions 69P
 Hydrogen peroxide 22P
 Hyperalgesia 119P, 219P
 Hypertension 166P, 204P
 Hypertrophy 191P
 Hypochlorous acid 181P

IGF-1 275P
 I_{Kr} 48P
 Ileum/trachea, guinea-pig 232P
 Immunocytochemistry 147P
 Immunotherapy 27P
In vitro binding 37P
In vitro microdialysis 154P
In vitro neuropharmacology 135P, 158P
In vivo microdialysis 59P
 Inducible nitric oxide synthase 225P
 Inflammation 95P, 226P, 230P
 Inflammatory cells 216P
 Inflammatory pain 75P
 Inositol 209P
 Inositol phosphates 246P
 Inositol trisphosphates 238P, 239P
 Inositol trisphosphate receptors 18P,

- 239P, 240P, 241P
 Inositol 1,4,5-trisphosphate 25P
 Insulin secretion 16P
 Interleukin-4 203P
 Interleukin-8 102P
 Interleukin-13 203P
 Internalisation 264P
 Intestine 166P
 Intracellular calcium 74P, 269P
 Intracellular pH 267P
 Intrinsic activities 159P
 Inverse agonism 265P
 Inwardly-rectifying potassium channels 16P
 Ion channels 158P, 259P
 Ion channel fluxes 135P
 Ion selectivity 39P
 Ion transport 233P
 Isapirone 151P
 Ischaemia-reperfusion injury 34P
 Isolating rearing 164P
- KCNQ channels 93P
 Keratinocytes 21P
 Kernel density estimation 280P
 Ketanserin 189P
 KFKB 21P
 Kidney 34P
 ρ -Kinase 212P
 Knockout mice 2P
- Lactate production 179P
 Lamotrigine 68P
 Langendorff heart preparation 281P
 Leucocyte adhesion 96P
 Leukotrienes 217P
 Ligand-gated ion channels 116P
 Lipocortin 1 97P
 Lipopolysaccharides 22P, 94P, 96P, 228P
 Lipoteichoic acid 13P
 15-Lipoxygenase 229P
 Locomotor activity 145P, 157P
 Long-term depression 163P
 LTD_A receptor antagonists 230P
 Luciferase 84P
 Lung injury 101P
 Lung mast cells, human 41P
 Lung pharmacology 70P
 [³H]-LY-354740 65P
 Lysophosphatidic acid 15P
- Malignant hyperthermia 142P
 MAP kinase 252P, 253P, 262P
 MAP kinase activation 251P
 MC3 receptors 226P
 M-channels 93P
 Medulla 261P
 Mesenteric arterial bed 258P
 Metabolic rate 179P
 Metabotropic glutamate receptors 106P
 Metabotropic receptors 37P, 65P,
- 103P
 Methanandamide 141P
N-Methyl-aspartate antagonists 139P
 $\alpha\beta$ -Methylene ATP 46P
 Microdialysis 62P, 144P
 Microvascular leakage 223P
 Migraine 115P
 Migration 49P
 Mitochondrial integrity 14P
 Monocrotaline 185P
 Monocular deprivation 136P
 Mucus 174P
 Multidrug resistance-associated protein 266P, 267P
 Muscarinic receptors 7P, 30P, 124P, 206P, 246P, 247P
 Muscarinic M₁ RNA 129P
 Muscarinic M₂ receptors 248P
 Mutagenesis 91P, 247P
Mycobacterium vaccae 27P
 Myeloperoxidase 96P
 Myocardial infarction 11P, 97P, 192P
 Myocardial ischaemia reperfusion 12P
 Myocardium 202P
 Myogenic activity 7P
 Myopathy 142P
- NAADP 180P
 Na⁺-H⁺ exchange 169P, 170P, 192P
 Na⁺-K⁺ ATPase 166P, 170P, 171P, 214P
 L-NAME 193P
 NCX-1015 98P
 Neonatal rat 103P
 Neuro 2A cells 167P, 168P
 Neuroblastoma cells 90P
 Neuromedin B 70P, 269P
 Neuronal excitability 187P
 Neuronal nicotinic receptors 124P
 Neuronal nitric oxide 6P
 Neuropathic pain 76P
 Neuropeptides 138P, 147P
 Neuropeptide Y 252P
 Neuropeptide Y Y₂ receptors 85P
 Neuropharmacology 109P, 244P
 Neurophysiology 115P
 Neuroprotection 137P, 162P
 Neurotransmitter inactivation 177P, 178P
 Neurotransmitter-gated channels 39P
 Neutrophils 95P, 101P, 102P, 219P
 Neutrophil infiltration 97P
 Nicotine 72P, 131P, 221P
 Nitrate tolerance 197P
 Nitric oxide 1P, 3P, 25P, 28P, 32P, 51P, 59P, 115P, 174P, 198P, 199P, 200P, 218P, 228P, 234P, 236P
 Nitric oxide aspirin 217P
 Nitric oxide non-steroidal anti-inflammatory drugs 174P
 Nitric oxide synthase 2P, 271P
 3-Nitropropionic acid 160P
 Nitrosoperoxycarbonate 234P, 236P
 NMDA receptors 60P
 NMDA-evoked dopamine release 59P
- Nociceptin 77P, 120P
 Nociceptin receptor antagonists 77P, 120P
 Nociception 138P
 non-NMDA receptors 104P
 Non-steroidal anti-inflammatory drugs 31P, 99P, 100P, 116P
 Noradrenaline 164P
 Noradrenaline release 176P
 NTS neurones 63P
 Nuclear factor κ B 22P
- Obesity 133P, 147P
 Object discrimination 64P
 ob/ob mice 182P
 Octreotide 87P
 Oestradiol 199P
 17 β -Oestradiol 268P
 8-OH-DPAT 38P
 OK cells 169P, 170P, 171P
 Oleamide 122P
 Open channel blockers 130P
 Operant self-administration 72P
 Opiate withdrawal 165P
 Opioids 26P
 Opioid receptors 78P
 μ -Opioid receptors 121P
 ORL-1 36P
 ORL-1 knockout mice 121P
 Orphanin FQ knockout 36P
 Oxidant stress 194P, 197P
- p38 kinase 263P
 p38 mitogen-activated protein kinase 102P
 Pain 127P
 Pancreatic β cells 262P
 Papillary muscles, guinea-pig 207P
 PAR agonists 272P
 Parkinson's disease 196P
 Partial agonists 254P
 Patch-clamp 106P, 128P
 Pelvic ganglion 46P
 Perforant paths 65P
 Peroxynitrite 181P, 234P, 235P, 236P
 Phosphatase 180P
 Phosphates 209P
 Phospholipase C 90P
 Phosphorylation 264P, 275P
 Photosensitisation of tumour cells 89P
 Pithed rat 55P
 Plasma exudation 215P
 Plasma glucose 182P
 Platelet activation 57P
 Poly(ADP)ribose polymerase 136P
 Polycations 215P
 Polyphenols 235P
 Portal vein, rat 7P
 Potassium channels 45P, 91P
 Potassium channel blockers 176P
 Potassium ATP channels 14P
 Preconditioning 191P
 Pregnanolone 111P, 112P
 Preservation 211P

Primaquine 207P
Prolactin-releasing peptides 276P
Prostate, human 52P
Protease-activated receptors 270P
Protein kinase B activation 256P
Protein kinase C 23P, 24P
Proteinase activated receptor-2 21P, 23P
Protoporphyrin IX 89P
Proximity assays 240P
Pulmonary veins, human 30P
Purinergic transmission 253P
Purinoreceptor P2 subtypes 258P
Purinoreceptor P2X subtypes 46P
Purinoreceptor P2X₄ subtypes 260P
Purinoreceptor P2X₇ subtypes 43P, 44P, 259P, 268P
Purinoreceptor P2Y subtypes 45P
Purkinje fibres, ovine and canine 207P

Quantal calcium release 18P
Quinazolines 265P
Quisqualate 37P
Quorum-sensing molecules 47P

Rabbit 188P, 211P
Radioautography 65P
Radioligand binding 132P, 248P
o-Raffinose cross-linked and polymerised human haemoglobin 51P
Ranolazine 53P
Rat 12P, 13P, 63P, 139P, 153P, 222P
Reactive oxygen species 7P, 195P
Receptor binding 135P
Receptor density 42P
Receptor phosphorylation 254P
Receptors 243P, 261P
Regional myocardial ischaemia reperfusion 13P
Release 107P, 123P
Reporter 252P, 253P
Resistance arteries 183P
Resistance vessels 1P
Retina, rat 20P
Retinoic acid 271P
Ro-046790 64P
RT-PCR 214P
Rundown 260P

SB 203580 224P
[³H]-SB-269970 132P, 245P
Scavengers 195P
Scintillation 240P
Scopolamine-induced deficit 64P
Second window of protection 12P
S-Secoverine 206P
Secretin 92P
Secretion 19P
Seizures 109P
Sensory ganglia 127P
Sensory nerves 4P, 258P
Sensory neurons 74P
Sephadex 222P, 224P, 225P
Sepsis 8P, 9P, 101P
SHR rat 29P
Sibutramine 143P
Site-directed mutagenesis 39P
SL 65.0472 57P, 58P
Smooth muscle 32P
Sodium 170P
Sodium channels 249P
Somatostatin 16P, 83P, 86P, 261P
Somatostatin sst₂ receptors 87P, 172P, 173P, 262P
Somatostatin sst_{2(a)} receptors 17P, 263P
Somatostatin sst_{2(a)} receptors, human 86P
Somatostatin sst_{2(b)} receptors 17P, 263P
Somatostatin sst₄ receptors 264P
Sphingolipids 15P
Sphingosine-1-phosphates 213P
Spinal cord 62P, 119P, 125P, 138P, 140P
Stereoselectivity 242P
Steroids 28P
Store-filling calcium influx 20P
Streptozocin 79P, 118P
Stress 150P
Stress-activated protein kinases 23P
Striatum 106P, 128P
Strokes 162P
Substance P 95P
 β -Subunits 249P, 250P
Sumatriptan 63P, 189P, 190P
Superoxide 193P
Sympathetic nervous system stimulation 55P

Synergy 231P
Synovial fibroblasts 181P

Tetraethylammonium 93P
Thromboxane A₂ 212P
7-TM receptors 276P
TNF- α 221P
Tolerance, to morphine analgesia 120P
Trachea, guinea-pig 28P
Tracheal smooth muscle cells, guinea-pig 272P
Transcriptional regulation 244P
Transgenic mouse 160P, 175P
Transgenic rat 204P
Translocation 90P
Transporters 167P, 168P
Trypsin 21P, 270P

Urethral reflexes 35P
Urinary bladder 33P

Vanilloid receptors 3P, 4P, 73P, 74P
Vas deferens 121P
Vascular smooth muscle 54P, 184P
Vascular smooth muscle cells, human 10P, 203P
Vasoactive intestinal peptides 126P
Vasoconstriction 58P, 208P, 213P
Vasodilatation 5P
Vasorelaxation 2P, 208P
Veins, saphenous 211P
Veins, umbilical, human 201P
Ventrobasal thalamus 108P
Visceral pain 87P
Voltage sensors 91P
Voltage-gated sodium channels 250P
von Grey hairs 79P

Water intake 149P
WAY 100635 151P
Whole blood 154P, 155P

Xenopus 238P
Xenopus oocytes 249P