

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

12th–14th July 2000

Cardiff University

University of Wales College of Medicine

**Guest Society: American Society for
Pharmacology and Experimental Therapeutics**

INDEX TO PROCEEDINGS SUPPLEMENT
Cardiff University
University of Wales College of Medicine
Guest Society: American Society for Pharmacology and Experimental
Therapeutics
12th–14th July, 2000

Author Index

- Abou-Mohamed G, Kaesemeyer WH, Caldwell RB & Caldwell RW Role of L-arginine in the vascular actions and development of tolerance to nitroglycerin, 69P
- Abou-Mohamed G *see* El-Remessey AB, 97P
- Abou-Mohamed G *see* Jin L, 68P
- Abulrob AG, Simons C & Gumbleton M Increased intracellular concentration of P-glycoprotein substrates in multidrug resistant cells by molecules isolated from grapefruit oil, 126P
- Accili D *see* McNamara F, 4P
- Aigbirhio FI *see* Johnström P, 87P
- Aker LA *see* Dwivedi C, 48P
- Aleixandre MA, Fernández M, López-Miranda V & Ortega A Hypoxia-reoxygenation in cold-stored rabbit aorta scavenges nitric oxide by releasing superoxide anions, 96P
- Aleixandre MA *see* Civantos B, 99P
- Aleixandre MA *see* Ortega A, 86P
- Aleixandre MA *see* Rodríguez-Pérez P, 95P
- Aleixandre MA *see* Roldán E, 76P
- Alexander SPH *see* Jackson AM, 37P
- Anders MW The role of cytoprotective mechanisms in modulating toxicity, 144P
- Angelini GD *see* Bulbulia RA, 31P
- Angelini GD *see* Shukla N, 8P
- Änggård EE *see* Bertelsen M, 127P
- Änggård EE *see* Laight DW, 101P
- Aryisena J, Kigozi M, Packainathan A, Blaylock NA & Wilson VG A study of the effect of co-activation of adenylyl cyclase on α_2 -adrenoceptor-mediated responses of the porcine isolated tail and coronary arteries, 79P
- Aspley S *see* Dunn WR, 81P
- Atkinson PJ, Price GW, Hagan JJ & Thomas DR [3 H]-SB-269970 radiolabels 5-HT₂ receptors in human brain membrane homogenates, 40P
- Avellanal M *see* Roldán E, 76P
- Barnes NM *see* Fletcher S, 108P
- Barrigón S *see* Rodríguez-Pérez P, 95P
- Bartoli M *see* El-Remessey AB, 97P
- Batey AJ & Coker SJ Lack of *torsade de pointes* with terfenadine compared to clofilium in an *in vivo* model, 14P
- Bell JP, Donaldson F, Wilson JF, Williams PE, Lewis MJ & Fisher M Decreased endothelial nitric oxide synthase expression at low shear stress regions of the arterial vasculature, 72P
- Benes J *see* Vieira-Coelho MA, 2P
- Beresford IJM, Sheehan MJ, Brown AJ & Dowell SJ Characterisation of a yeast reporter assay for the human adenosine A₁ receptor, 123P
- Beresford IJM *see* Browning C, 35P
- Beresford IJM *see* Browning C, 36P
- Berry C *see* Stirrat A, 88P
- Bertelsen M, Änggård EE & Carrier MJ Oxidative stress impairs insulin uptake in bovine aortic endothelial cells, 127P
- Bertrand C *see* Trifilieff A, 116P
- Bettler B, Bischoff S, Froestl W, Lingenhoehl BK, Malitschek J, Mosbacher J, Pagano A, Rovelli G, Urwyler S, Karschin A, Pin J-P, Shigemoto R & Kaupmann K Molecular insights into GABA_A receptor physiology, 149P
- Billington S *see* Dunn WR, 81P
- Binns KE *see* Salt TE, 44P
- Birdsall NJM, Browning C & Leppik RA Evidence for ligand-induced changes in the dimerisation of Class 1 GPCRs, 152P
- Birdsall NJM *see* Browning C, 35P
- Birdsall NJM *see* Browning C, 36P
- Bischoff S *see* Bettler B, 149P
- Black JW *see* Morton MF, 54P
- Blackburn B *see* Zacharowski K, 25P
- Blaylock NA, Shah A & Wilson VG Pharmacological evidence for pre- and post-junctional α_2 -adrenoceptors in the porcine isolated rectal artery, 80P
- Blaylock NA *see* Aryisena J, 79P
- Blaylock NA *see* Carle C, 78P
- Blethyn K *see* Hughes SW, 45P
- Boachie-Ansah G *see* Grainger J, 75P
- Bond RA *see* Evans KJ, 12P
- Bonifácio MJ, Vieira-Coelho MA, Costa JL & Soares-da-Silva P Kinetics of native and a recombinant form of rat soluble catechol-O-methyltransferase, 6P
- Borges N *see* Vieira-Coelho MA, 2P
- Bouvier M Biochemical and biophysical evidence of G protein-coupled receptor dimerization, 148P
- Bowery NG *see* Meza-Toledo S, 46P
- Brain KL *see* Jackson VM, 58P
- Bridson SJ *see* Flavin F, 119P

- Bridges RJ *see* Danahay H, 20P
 Broadley KJ *see* Lewis-Lakelin M, 112P
 Broadley KJ *see* Martin TJ, 114P
 Broadley KJ *see* Spruntulis L, 19P
 Broadley KJ *see* Toward TJ, 113P
 Brodie ME, Peterson DW & Raman V
 The open campus: a distributed learning general pharmacology course, 131P
 Brown AJ *see* Beresford IJM, 123P
 Browning C, Beresford IJM, Sheehan MJ & Birdsall NJM Characterisation of biphasic [³⁵S]GTPγS responses of human adenosine A₁ receptors using partial agonists and the allosteric enhancer PD 81,723, 36P
 Browning C, Beresford IJM & Birdsall NJM Biphasic [³⁵S]GTPγS functional responses of human adenosine A₁ receptors expressed in Chinese hamster ovary (CHO) cell membranes, 35P
 Browning C *see* Birdsall NJM, 152P
 Brunton LL *see* Gustafsson AB, 67P
 Bulbulia RA, Wan S, Yim A, Johnson JL, Smith FCT, Angelini GD & Jeremy JY The endothelin_A receptor antagonist, BSF 302146, is a potent inhibitor of porcine vein graft thickening, *in vivo*, 31P
 Burnham MP, Richards GR, Edwards G & Weston AH Identification and localization of Na⁺K⁺ ATPase α-subunits in rat arteries, 83P
 Busse R *see* Fleming I, 137P
 Busseuil DM, Middleton A, Middleton B, Wilson VG A study of the effect of methyl-β-cyclodextrin on cholesterol content and vascular responses of the porcine isolated coronary artery, 10P

 Caldwell RB *see* Abou-Mohamed G, 69P
 Caldwell RB *see* El-Remessey AB, 97P
 Caldwell RB *see* Jin L, 68P
 Caldwell RB *see* Kaesemeyer WH, 70P
 Caldwell RW *see* Abou-Mohamed G, 69P
 Caldwell RW *see* El-Remessey AB, 97P
 Caldwell RW *see* Jin L, 68P
 Caldwell RW *see* Kaesemeyer WH, 70P
 Callaerts-Vegh Zs *see* Evans KJ, 12P
 Campbell L & Gumbleton M Aberrant caveolin-1 expression in psoriasis: a signalling hypothesis, 121P
 Carle C, Blaylock NA & Wilson VG Pharmacological examination of vasoconstrictor α₁ adrenoceptors of the porcine isolated splenic artery, 78P
 Carrier MJ *see* Bertelsen M, 127P
 Carrier MJ *see* Laight DW, 101P
 Chan KM *see* Jones RL, 63P
 Chapman V *see* Kelly S, 47P
 Chapple CR *see* Sellers DJ, 33P
 Chapple CR *see* Sellers DJ, 62P
 Chapple CR *see* Templeman L, 61P
 Chaytor AT, Hutcheson IR, Marsh WL & Griffith TM Inhibition of EDHF-type relaxation by glycyrrhetic acid derivatives in rabbit superior mesenteric artery, 28P
 Cheeta S *see* Irvine EE, 1P
 Chen H *see* Mohuczy D, 94P
 Chess-Williams R *see* Sellers DJ, 33P
 Chess-Williams R *see* Sellers DJ, 62P
 Chess-Williams R *see* Templeman L, 61P
 Choukairi F *see* Erhorn S, 100P
 Civantos B & Aleixandre MA Effect of dietary calcium and amlodipine on the arterial blood pressure of spontaneously hypertensive rats, 99P
 Clark JC *see* Johnström P, 87P
 Clifford J *see* McNamara F, 4P
 Cogolludo A, Pérez-Vizcaíno F, Zaragoza-Arnáez F, Ibarra M, López-López G & Tamargo J Mechanisms of sodium nitroprusside-induced vasodilation in pulmonary and mesenteric arteries from neonatal piglets, 71P
 Cogolludo AL *see* Pérez-Vizcaíno F, 9P
 Coker SJ *see* Batey AJ, 14P
 Coker SJ *see* Farkas A, 93P
 Coker SJ *see* Fraser JL, 92P
 Cope DW *see* Hughes SW, 45P
 Cornett R *see* James MO, 104P
 Corteling R *see* Trifileff A, 116P
 Costa JL *see* Bonifácio MJ, 6P
 Costa JL *see* Vieira-Coelho MA, 125P
 Couldwell C *see* Sellers DJ, 33P
 Cousins R *see* Sheehan MJ, 34P
 Croke D *see* McNamara F, 4P
 Crozier A *see* McGinn JS, 102P
 Crunelli V *see* Hughes SW, 45P
 Cunnane TC *see* Jackson VM, 58P
 Cunningham JR *see* Pollock EL, 43P

 Danahay H, Thomas E, Bridges RJ & Poll CT PAR2-mediated inhibition of electrolyte transport in human bronchial epithelial cells, 20P
 Daniels S & Wittmann S The effects of pressure on cell signalling, 129P
 Davenport AP *see* Johnström P, 87P
 Davenport AP *see* Katugampola SD, 84P
 Davenport AP *see* Katugampola SD, 85P
 Davenport AP *see* Kuc RE, 89P
 Davenport AP *see* Maguire JJ, 30P
 Davenport AP *see* Wiley KE, 7P
 Davis TP *see* Witt KA, 122P
 Dawe H *see* Kidd EJ, 107P
 Desai KM *see* Laight DW, 101P
 Deslandes PN, Pache DM & Sewell RDE Does naloxone have differing actions on reward?, 53P
 Deuchar GA, Hicks MN & MacLean MR Blockade of NOS uncovers a more potent vasoconstrictor response to big-endothelin in the pulmonary circulation of rabbits with pulmonary hypertension, 65P
 Deuchar GA, Hicks MN & MacLean MR SB209670, a mixed endothelin receptor antagonist, blocks the greater pulmonary pressor response to ET-1 following L-NAME in rabbits with pulmonary hypertension, 66P
 Devi L, Jordan BA, Gupta A, Trapraizze N, Nagy V & Gomes I Modulation of function by heterodimerization of opioid receptors, 150P
 Dewhurst DG *see* Findlater G, 130P
 Dolan S, Huan M, Kelly JG & Nolan AM Differential regulation of inducible transcription factors c-fos and c-jun mRNA in spinal cord following surgical inflammation, 106P
 Donaldson F *see* Bell JP, 72P
 Doods H & Wu D Evidence for heterogeneity of CGRP-like receptors in rat vas deferens, 23P
 Doods H *see* Wu D, 24P
 Dora KA, Garland CJ A crucial influence of precontraction on potassium-induced relaxation in the rat isolated mesenteric artery, 27P
 Doshi S *see* Erhorn S, 100P
 Douglas SAD *see* Stirrat A, 88P
 Dowell SJ *see* Beresford IJM, 123P
 Drago J *see* McNamara F, 4P
 Duarte J, Pérez-Palencia R, Vargas F, Jiménez R, Pérez-Vizcaíno F, Zarzuelo A & Tamargo J Chronic antihypertensive effects of the bioflavonoid quercetin in spontaneously hypertensive rats, 98P
 Duarte J *see* Pérez-Vizcaíno F, 9P
 Duncan J Surgery and non-pharmacological treatments, 133P
 Dunn WR, Aspley S & Billington S Responses to 5-HT in rat isolated cerebral resistance arteries, 81P
 Dwivedi C, Aker LA & Guan X Effects of hydrocortisone treatment in dopaminergic receptor binding in rat brain striatum, 48P

 Edwards G *see* Burnham MP, 83P
 Egelton RD *see* Witt KA, 122P
 Eglen RM *see* Welsh NJ, 56P
 Eglen RM *see* Welsh NJ, 57P
 El-Hashim AZ, Wyss D & Lewis CA Simultaneous measurement of anti-tussive and anti-bronchoconstrictor effects of neurokinin receptor antagonists against citric acid-induced cough in guinea-pigs, 115P

- Ellaway R *see* Findlater G, 130P
- El-Remessey AB, Bartoli M, Abou-Mohamed G, Caldwell RW & Caldwell RB Mechanism of vascular injury in experimental diabetic retinopathy, 97P
- Erhorn S, Choukairi F, Lang D, Doshi S & Lewis MJ Folic acid reverses methionine-induced endothelial dysfunction in rabbit isolated aortic ring preparations, 100P
- España G *see* Roldán E, 76P
- Evans KJ, Callaerts-Vegh Zs, Liu X & Bond RA Infusion of β -adrenoceptor antagonists and inverse agonists restores histamine responses in transgenic mice with cardiac overexpression of the β_2 -adrenoceptor, 12P
- Farkas A & Coker SJ Comparison of erythromycin, terikalant and clofilium in an *in vivo* model of *torsade de pointes*, 93P
- Fernández M *see* Aleixandre MA, 96P
- Fernández M *see* Ortega A, 86P
- Fernandez-Perez S, Pache DM, Spencer PSJ & Sewell RDE Differential effects of 5-HT_{1A} receptor activation in a combined delayed-matching/non-matching-to-position task, 52P
- Fernandez-Perez S *see* Pache DM, 52P
- Ferrari L *see* Morgan ET, 17P
- File SE *see* Irvine EE, 1P
- Findlater G, Shaw J, Ellaway R & Dewhurst DG An interactive multimedia computer-assisted learning program to teach basic anatomy and mechanical function of the respiratory system to medical students, 130P
- Finn DP, Lallies MD, Harbuz MS, Hudson AL & Nutt DJ Effect of the imidazoline₂ (I₂) site-selective ligand BU224 on *in vivo* noradrenaline release and plasma corticosterone in control and chronically stressed rats, 21P
- Fisher M *see* Bell JP, 72P
- Flavin F, Presland JP, Vincent MJ, Mokhtar N, Briddon SJ & Hill SJ Differential effect of the protein kinase C inhibitors Go-6976 and Go-6983 on signalling to the nucleus from the human insulin receptor, 119P
- Fleming I & Busse R From integrins to eNOS: the endothelial cell as a mechanoreceptor, 137P
- Fletcher S, Franklin FCH, Hope AG & Barnes NM Identification of a putative novel splice variant of the porcine 5-HT_{1A} receptor subunit, 108P
- Flores A *see* Roldán E, 76P
- Foord SM *see* Marshall FH, 151P
- Fozard J *see* Danahay H, 20P
- Fozard JR & Mazzoni L Lipopolysaccharide-induced airway hyper-responsiveness (AHR) to methacholine and substance P in guinea-pigs: effect of antagonists of NK₁ and NK₂ receptors, 18P
- Fozard JR *see* El-Hashim AZ, 115P
- Fozard JR *see* Lewis CA, 118P
- Fozard JR *see* Palser A, 117P
- Fozard JR *see* Trifilieff A, 116P
- Franklin FCH *see* Fletcher S, 108P
- Fraser JL & Coker SJ Effects of acute and chronic administration of nor-ethisterone on ischaemia-induced arrhythmias, 92P
- Froestl W *see* Bettler B, 149P
- Fryer RM, Wang Y, Hsu AK & Gross GJ Regulation of opioid receptor-induced cardioprotection by protein kinase C: isoform-specific PKC translocation, 91P
- Fuchs S *see* McNamara F, 4P
- Fuentes M *see* Trifilieff A, 116P
- Fuhrmann M *see* Hammermann R, 16P
- Garland CJ *see* Dora KA, 27P
- Giles H *see* Sheehan MJ, 34P
- Giuliano F & Warner TD No evidence that sodium salicylate inhibits LPS-induced expression of COX-2 in anaesthetised rats, 15P
- Gomes I *see* Devi L, 150P
- Goodfellow J Testing endothelial function using ultrasound, 142P
- Grahames CM *see* Kidd EJ, 107P
- Grainger J, Senaratna RN & Boachie-Ansah G The role of the endothelium and arachidonic acid metabolites in the vasorelaxant actions of anandamide in sheep coronary arteries, 75P
- Griffith TM Gap junctions and endothelial regulation of vascular tone, 140P
- Griffith TM *see* Chaytor AT, 28P
- Griffith TM *see* Martin PEM, 29P
- Gross GJ *see* Fryer RM, 91P
- Guan X *see* Dwivedi C, 48P
- Gumbleton M *see* Abulrob AG, 126P
- Gumbleton M *see* Campbell L, 121P
- Gupta A *see* Devi L, 150P
- Gustafsson AB, Villegas S & Brunton LL Regulation of NO synthase by phosphorylation and Ca²⁺/CaM in cardiac fibroblasts, 67P
- Hagan JJ *see* Atkinson PJ, 40P
- Hainzl D *see* Parada A, 3P
- Hammerman R, Stichnote C, Fuhrmann M & Racké K Lipopolysaccharide (LPS)-stimulated L-arginine uptake in rat alveolar macrophages (AMΦ) is driven by iNOS-dependent L-arginine turnover, 16P
- Hammermann R *see* Hornuß C, 109P
- Handley SL *see* MacInnes N, 51P
- Hannon JP *see* Palser A, 117P
- Harbuz MS *see* Finn DP, 21P
- Harper EA *see* Morton MF, 54P
- Harris D, Kendall DA & Randall MD Anandamide-induced vasorelaxation is partially sensitive to inhibition of Na⁺/K⁺-ATPases in the rat isolated mesenteric bed, 74P
- Harris D *see* Oh WC, 77P
- Henderson GN *see* James MO, 104P
- Hicks MN *see* Deuchar GA, 65P
- Hicks MN *see* Deuchar GA, 66P
- Hill SJ *see* Flavin F, 119P
- Hill SJ *see* Jackson AM, 37P
- Hill SJ *see* Richards JK, 120P
- Hope AG *see* Fletcher S, 108P
- Hopkins LF, Johal M & Wilson JF Chronic treatment with simvastatin increases contractility of rabbit isolated aortic rings to phenylephrine by a mechanism not involving nitric oxide, 73P
- Hopwood SE & Stamford JA Noradrenergic modulation of 5-HT release in the rat dorsal raphe nucleus via α_1 and α_2 adrenoceptors: *in vitro* voltammetric evidence, 42P
- Hornuß C, Juergens UR, Hammerman R & Racké K Extracellular lysophospholipids stimulate superoxide production in rat alveolar macrophages, possibly via EDG receptors, 109P
- Hruby VJ *see* Witt KA, 122P
- Hruska KA *see* Kim YS, 128P
- Hsu AK *see* Fryer RM, 91P
- Huan M *see* Dolan S, 106P
- Huang W *see* Neff JA, 103P
- Huber JD *see* Witt KA, 122P
- Hudson AL *see* Finn DP, 21P
- Hudson AL *see* Slattery DA, 39P
- Hudson AL *see* Tyacke RJ, 38P
- Hughes GA *see* Robertson DA, 105P
- Hughes SW, Cope DW, Blethyn K & Crunelli V Facilitation of fast (5–50 Hz) and slow (0.1–1 Hz) oscillations in thalamocortical neurones by activation of Group 1 metabotropic glutamate receptors, 45P
- Humphrey PPA *see* Kidd EJ, 107P
- Humphrey PPA *see* Kidd EJ, 124P
- Hutcheson IR *see* Chaytor AT, 28P
- Hutson P *see* Kelly M, 82P
- Ibarra M *see* Cogolludo A, 71P
- Ibarra M *see* Pérez-Vizcaino F, 9P
- Ingenito AJ *see* Wright RC, 90P
- Irvine EE, Cheeta S & File SE Development of tolerance to the anxiogenic effect of nicotine is mediated by the dorsal hippocampus, 1P
- Isaiah L *see* Kim YS, 128P

- Jackson AM, Alexander SPH, Hill SJ
Role of calcium in the M₃ muscarinic receptor-mediated potentiation of A_{2B} adenosine receptor-induced cyclic AMP accumulation in HEK 293 cells, 37P
- Jackson VM, Trout SJ, Brain KL & Cunnane TC Nerve-evoked calcium transients in sympathetic axons of mouse vas deferens are modulated by K_A and K_V but not by K_{Ca}, 58P
- James MO, Cornett R, Henderson GN, Shrods AL & Stacpoole PW Destruction of glutathione S-transferase zeta protein by dichloroacetic acid treatment, 104P
- Jeremy JY *see* Bulbulia RA, 31P
- Jeremy JY *see* Shukla N, 8P
- Jiménez R *see* Duarte J, 98P
- Jin L, Abou-Mohamed G, Caldwell RB & Caldwell RW Homocysteine inhibits NO formation by reducing L-arginine transport, 68P
- Jin L *see* Kaesemeyer WH, 70P
- Johal M *see* Hopkins LF, 73P
- Johnson JL *see* Bulbulia RA, 31P
- Johnson MR Genetics of epilepsy, 134P
- Johnström P, Aigbirhio FI, Clark JC, Pickard JD & Davenport AP Synthesis and preliminary *in vivo* characterisation of [¹⁸F]-ET-1, a PET radioligand for the endothelin receptor, 87P
- Jones AI What is new in paracetamol (acetaminophen) poisoning?, 146P
- Jones LA & Wann KT Activation of a hyperpolarization-dependent channel by 8-bromo-cAMP in Alzheimer model fibroblasts, 64P
- Jones RL, Chan KM & Rudd JA Investigation of prostanoid EP₄ and IP₁ systems in isolated blood vessels of piglets, 63P
- Jordan BA *see* Devi L, 150P
- Juergens UR *see* Hornuß C, 109P
- Kaesemeyer WH, Ogonowski AA, Jin L, Caldwell RB & Caldwell RW Endothelial nitric oxide synthase is a site of superoxide synthesis in endothelial cells treated with nitroglycerin, 70P
- Kaesemeyer WH *see* Abou-Mohamed G, 69P
- Karschin A *see* Bettler B, 149P
- Katugampola SD, Matthewson SR & Davenport AP Characterization of [¹²⁵I]-(PYR¹) apelin-13, the putative ligand for the APJ orphan receptor in human tissue, 85P
- Katugampola SD & Davenport AD Human internal mammary artery possesses a greater density of thromboxane A₂ receptors than the coronary artery: differential distribution in human vasculature, 84P
- Kaupmann K *see* Bettler B, 149P
- Kelly JG *see* Dolan S, 106P
- Kelly M, Maubach K, Wingrove P, Whiting P & Seabrook G Pharmacology of the human α5H105Rβ3γ2s GABA_A receptor expressed in *Xenopus* oocytes, 82P
- Kelly S & Chapman V Spinal capsaicin reduces Aδ- and C-fibre-evoked responses of dorsal horn neurones in non-inflamed and carrageenan-inflamed anaesthetised rats, 47P
- Kendall DA *see* Harris D, 74P
- Kendall DA *see* Richards JK, 120P
- Kendall DA *see* Roberts RE, 11P
- Khadour FH *see* Tatchum-Talom R, 13P
- Kidd EJ, Michel AD, Grahames CM, Dawe H & Humphrey PPA P2X₇ receptor expression and function in human THP-1 cells, 107P
- Kidd EJ, Thompson KT, Michel AD & Humphrey PPA The effect of receptor expression and temperature on agonist potency at the P2X₇ receptor assessed using an inducible expression system, 124P
- Kigozi M *see* Aryisena J, 79P
- Kilbinger H *see* Mang CF, 32P
- Kim YS, Isaiah L & Hruska KA Differentiation of Ca²⁺ mobilization mediated by pharmacological and physiological doses of vitamin D₃ in HOS cells in suspension culture, 128P
- Kinsella A *see* McNamara F, 4P
- Kirk A *see* Stirrat A, 88P
- Kuc RE, Maguire JJ & Davenport AP Localisation of binding sites for human [¹²⁵I]-urotensin II (U-II), the novel orphan receptor ligand, in human and rat CNS and peripheral tissues, 89P
- Laight DW, Desai KM, Änggård EE & Carrier MJ Endothelial dysfunction generated by a pro-oxidant, pro-diabetic challenge in the insulin-resistant, obese Zucker rat *in vivo*, 101P
- Lalies MD *see* Finn DP, 21P
- Lang D Homocysteine and endothelial dysfunction: the role of oxidative stress, 141P
- Lang D *see* Erhorn S, 100P
- Learmonth DA *see* Vieira-Coelho MA, 2P
- Leppik RA *see* Birdsall NJM, 152P
- Lewis CA, Steward A, Subramanian N & Fozard JR Pharmacology of NKP608, a novel selective neurokinin-1 receptor antagonist with oral activity, 118P
- Lewis CA *see* El-Hashim AZ, 115P
- Lewis MJ *see* Bell JP, 72P
- Lewis MJ *see* Chaytor AT, 28P
- Lewis MJ *see* Erhorn S, 100P
- Lewis MJ *see* Martin PEM, 29P
- Lewis-Lakelin M & Broadley KJ Adenosine releases histamine from sensitized but not unsensitized guinea-pig lung mast cells in the presence of zileuton and indomethacin, 112P
- Lingenhoehl BK *see* Bettler B, 149P
- Lisanti MP Caveolins in signalling, oncogenic transformation and muscular dystrophy, 138P
- Liu X *see* Evans KJ, 12P
- Lohmann T *see* Bettler B, 149P
- López-López G *see* Cogolludo A, 71P
- López-López G *see* Pérez-Vizcaino F, 9P
- López-Miranda V *see* Aleixandre MA, 96P
- Loureiro AI *see* Parada A, 3P
- Lyles GA *see* Robertson DA, 105P
- McGinn JS, Crozier A & MacLean MR Comparison of the vasodilator activities of various grape and tea extracts, 102P
- MacInnes N & Handley SL Agmatine, harmane, ibogaine and the monoamine oxidase inhibitor RO41-1049 substitute for the imidazoline I₂ site ligand 2-BFI in the rat drug discrimination paradigm, 51P
- McKirdy SW, Tzafetta K, Naylor IL, Sharpe DT The effect of lisinopril on the healing of excisional skin wounds of the rat, 22P
- McKirdy SW *see* Tzafetta K, 110P
- McKirdy SW *see* Tzafetta K, 111P
- MacLean MR *see* Deuchar GA, 65P
- MacLean MR *see* Deuchar GA, 66P
- MacLean MR *see* McGinn JS, 102P
- MacLean MR *see* Stirrat A, 88P
- McNamara F, Clifford J, Kinsella A, Accili D, Fuchs S, Drago J, Croke D & Waddington J Topographically based specification of behavioural phenotype in congenic mice with targeted gene deletion of the D₃ dopamine receptor, 4P
- McNeill JR *see* Tatchum-Talom R, 13P
- Maguire JJ & Davenport AP Constrictor responses of the novel peptide human urotensin II (U-II) and endothelin-1 (ET-1) compared in endothelium-denuded human arteries and veins *in vitro*, 30P
- Maguire JJ *see* Kuc RE, 89P
- Malitschek J *see* Bettler B, 149P
- Mang CF, Trümpler S & Kilbinger H Inhibition by endogenous nitric oxide of acetylcholine release in the mouse

- isolated ileum, 32P
- Mann GE Interactions between the nitric oxide and heme oxygenase signalling pathways in endothelial and smooth muscle cells in oxidative stress, 139P
- Marsh WL *see* Chaytor AT, 28P
- Marshall FH & Foord SM RAMPs (Receptor Activity Modifying Proteins) as determinants of GPCR ligand selectivity, 151P
- Marston DL & Strange PG Increase in efficacy and potency of dopamine D_{2short} receptor agonists following sodium butyrate treatment, 5P
- Martin EA The toxicology of tamoxifen, 147P
- Martin PEM & Griffith TM The effects of ouabain and 18 α -glycyrrhetic acid on gap junction intercellular communication and stability, 29P
- Martin TJ & Broadley KJ Histological identification of the effects of adenosine and antigen on degranulation of mast cell subtypes in sensitized guinea-pig airways, 114P
- Matthewson SR *see* Katugampola SD, 85P
- Maubach K *see* Kelly M, 82P
- Mazzoni L *see* Fozard JR, 18P
- Mazzoni L *see* Palser A, 117P
- Mehta JL *see* Mohuczy D, 94P
- Meza-Toledo S & Bowery NG Baclofen inhibits electrically evoked GABA release from rat substantia nigra slices without evidence for autoreceptors, 46P
- Michel AD *see* Kidd EJ, 107P
- Michel AD *see* Kidd EJ, 124P
- Middlemiss DN *see* Scott C, 41P
- Middleton A *see* Busseuil DM, 10P
- Middleton B *see* Busseuil DM, 10P
- Mikhailidis DP *see* Shukla N, 8P
- Mohuczy D, Chen H, Mehta JL & Phillips MI A new approach to the heart protection: antisense to angiotensin converting enzyme, 94P
- Mokhtar N *see* Flavin F, 119P
- Moody DE *see* Neff JA, 103P
- Morgan ET, Peng N & Ferrari L Regulation of CYP2B1 expression by endogenous nitric oxide, 17P
- Morgan ET Physiological and pathophysiological regulation of cytochrome P450, 145P
- Morgan RJ *see* Shukla N, 8P
- Morton MF, Harper EA, Tavares IA, Shankley NP & Black JW Characterisation of CCK₁ receptors in human gallbladder using [³H]-L-364,718 as radiolabel, 54P
- Mosbacher J *see* Bettler B, 149P
- Nagy V *see* Devi L, 150P
- Naylor IL *see* McKirdy SW, 22P
- Naylor IL *see* Tzafetta K, 110P
- Naylor IL *see* Tzafetta K, 111P
- Neal MJ *see* Pollock EL, 43P
- Neff JA, Huang W & Moody DE Identification of cytochrome P450s capable of 1- α -acetyl-methadol (LAAM) and norLAAM N-demethylation, 103P
- Nolan AM *see* Dolan S, 106P
- Nutt DJ *see* Finn DP, 21P
- Nutt DJ *see* Slattery DA, 39P
- Nutt DJ *see* Tyacke RJ, 38P
- Ogonowski AA *see* Kaesemeyer WH, 70P
- Oh WC, Harris D & Randall MD Mechanisms of potassium-induced vasorelaxation in the rat aorta, 77P
- Ortega A, Fernández M & Aleixandre MA Endothelial vasoconstrictor factors counteract the effect of high extracellular calcium in spontaneously hypertensive rat aorta, 86P
- Ortega A *see* Aleixandre MA, 96P
- Ortega A *see* Roldán E, 76P
- Pache DM *see* Deslandes PN, 53P
- Packianathan A *see* Aryisena J, 79P
- Pagano A *see* Bettler B, 149P
- Palser A, Hannon JP, Tigani B, Mazzoni L & Fozard JR Time-dependent changes in bronchial responsiveness to direct and indirect bronchospasmodogens following allergan challenge in actively sensitised Brown Norway rats, 117P
- Parada A, Loureiro AI, Vieira-Coelho MA, Hainzl D & Soares-da-Silva P BIA 3-202 enhances the availability of L-DOPA to the brain and reduces its O-methylation, 3P
- Parada A & Soares-da-Silva P BIA 3-202 does not potentiate amphetamine-induced dopaminergic hyperactivity, 50P
- Parada A & Soares-da-Silva P BIA 3-202 does not potentiate locomotor hyperactivity during increased dopaminergic stimulation, 49P
- Parada A *see* Vieira-Coelho MA, 2P
- Park BK Mechanisms of drug toxicity: an overview, 143P
- Patsalos PN Anti-epileptic drug monitoring and interactions in epileptic therapy, 135P
- Peng N *see* Morgan ET, 17P
- Peréz Leirós C *see* Rosignoli F, 55P
- Pérez-Palencia R *see* Duarte J, 98P
- Pérez-Vizcaíno F *see* Cogolludo A, 71P
- Pérez-Vizcaíno F *see* Duarte J, 98P
- Peterson DW *see* Brodie ME, 131P
- Phillips MI *see* Mohuczy D, 94P
- Pickard JD *see* Johnström P, 87P
- Pin J-P *see* Bettler B, 149P
- Poll CT *see* Danahay H, 20P
- Pollock EL, Cunningham JR & Neal MJ Dopamine acting at D₄ receptors modulates nitric oxide release in the rabbit retina, 43P
- Presland JP *see* Flavin F, 119P
- Price GW *see* Atkinson PJ, 40P
- Price GW *see* Roberts C, 59P
- Price GW *see* Scott C, 41P
- Pérez-Vizcaíno F, Ibarra M, López-López G, Zaragoza-Arnáez F, Cogolludo AL, Duarte J & Tamargo J Vasodilator effects of quercetin and its metabolites, isorhamnetin and tamarixetin, in rat isolated vessels, 9P
- Racké K *see* Hammermann R, 16P
- Racké K *see* Hornuß C, 109P
- Raman V *see* Brodie ME, 131P
- Randall MD *see* Harris D, 74P
- Randall MD *see* Oh WC, 77P
- Richards GR *see* Burnham MP, 83P
- Richards JK, Hill SJ & Kendall DA Inhibition of CREB/CRE-directed gene transcription by desmethyl-imipramine (DMI) in a CHO-K1 cell line, 120P
- Richardson M *see* Stirrat A, 88P
- Roberts C & Price GW Interaction of serotonin autoreceptor antagonists in the rat dorsal raphe nucleus: an *in vitro* fast cyclic voltammetry study, 59P
- Roberts RE α_1 -Adrenoceptor-mediated vasoconstriction: involvement of MAP kinase signal transduction cascade and calcium influx, 11P
- Robertson DA, Hughes GA & Lyles GA Inducible nitric oxide synthase expression in lipopolysaccharide-treated cultured smooth muscle cells from rat mesenteric lymphatic vessels, 105P
- Robinson ESJ *see* Tyacke RJ, 38P
- Rodríguez-Pérez P & Barrigón S Inhibition of creatine kinase activity decreases the functional recovery of rabbit myocardium after an ischaemia-reperfusion challenge, 95P
- Roldán E, Avellanal M, España G, Flores A, Ortega A & Aleixandre MA Potassium and noradrenaline responses in isolated poplitea preparations from patients with serious peripheral occlusive arteriopathy, 76P
- Rosignoli F & Peréz Leirós C Activation of nitric oxide synthase through muscarinic acetylcholine receptors in rat parotid, 55P
- Rovelli G *see* Bettler B, 149P
- Rudd JA *see* Jones RL, 63P
- Salt TE & Binns KE Antagonism of

- metabotropic glutamate receptor-mediated responses and nociceptive responses by the mGlu5 receptor-selective antagonist MPEP in the rat thalamus, 44P
- Sander L New antiepileptic drugs, 132P
- Schulz R *see* Tatchum-Talom R, 13P
- Scott C, Watson J, Middlemiss DN & Price GW Investigation of 5-HT_{1B} receptor function in rat striatal membranes using [³⁵S]GTPγS binding, 41P
- Seabrook G *see* Kelly M, 82P
- Sellers DJ, Yamanishi T, Chapple CR, Couldwell C, Yasuda K & Chess-Williams R M3-muscarinic receptor-mediated contractile responses in porcine detrusor muscle *in vitro*, 33P
- Sellers DJ, Yamanishi T, Chapple CR, Yasuda K & Chess-Williams R Muscarinic receptor subtype mediating contractile responses of human detrusor muscle *in vitro*, 62P
- Senaratna RN *see* Grainger J, 75P
- Sewell RDE *see* Deslandes PN, 53P
- Sewell RDE *see* Pache DM, 52P
- Shah A *see* Blaylock NA, 80P
- Shankley NP *see* Morton MF, 54P
- Shankley NP *see* Welsh NJ, 56P
- Shankley NP *see* Welsh NJ, 57P
- Sharpe DT *see* McKirdy SW, 22P
- Sharpe DT *see* Tzafetta K, 110P
- Sharpe DT *see* Tzafetta K, 111P
- Shaw J *see* Findlater G, 130P
- Sheehan MJ, Wilson DJ, Cousins R & Giles H Relative intrinsic efficacy of adenosine A1 receptor agonists measured using functional and radioligand binding assays, 34P
- Sheehan MJ *see* Beresford IJM, 123P
- Sheehan MJ *see* Browning C, 36P
- Shigemoto R *see* Bettler B, 149P
- Shroads AL *see* James MO, 104P
- Shukla N, Taberner PV, Thompson CS, Mikhailidis DP, Morgan RJ, Angelini GD & Jeremy JY Homocysteine further augments impaired acetylcholine-stimulated relaxation and cyclic GMP formation in aortae from diabetic rabbits, 8P
- Simons C *see* Abulrob AG, 126P
- Slattery DA, Hudson AL & Nutt DJ Inhibition of imidazoline I₂ site binding by potassium channel modulators, 39P
- Slough S, Watkins J & Taberner PV Evidence for a functional presynaptic imidazoline receptor in the mouse isolated vas deferens, 60P
- Smith FCT *see* Bulbulia RA, 31P
- Soares-da-Silva P *see* Bonifácio MJ, 6P
- Soares-da-Silva P *see* Parada A, 3P
- Soares-da-Silva P *see* Parada A, 49P
- Soares-da-Silva P *see* Parada A, 50P
- Soares-da-Silva P *see* Vieira-Coelho MA, 2P
- Soares-da-Silva P *see* Vieira-Coelho MA, 125P
- Spencer PSJ *see* Pache DM, 52P
- Spruntulis L & Broadley KJ Involvement of A₃ receptors in allergic responses of the airways in conscious, sensitised guinea-pigs, 19P
- Stacpoole PW *see* James MO, 104P
- Stamford JA *see* Hopwood SE, 42P
- Steward A *see* Lewis CA, 118P
- Stichnote C *see* Hammermann R, 16P
- Stirrat A, Douglas SAD, Kirk A, Berry C, Richardson M & MacLean MR Vasodilator effect of hU-11 on human pulmonary and resistance arteries, 88P
- Strange PG *see* Marston DL, 5P
- Subramanian N *see* Lewis CA, 118P
- Taberner P *see* Shukla N, 8P
- Taberner PV *see* Slough S, 60P
- Tamargo J *see* Cogolludo A, 71P
- Tamargo J *see* Duarte J, 98P
- Tamargo J *see* Pérez-Vizcaíno F, 9P
- Tatchum-Talom R, Khadour FH, Schulz R & McNeill JR Chronic swim training potentiates acetylcholine haemodynamic responses in normotensive rats, 13P
- Tavares IA *see* Morton MF, 54P
- Templeman L, Chapple CR & Chess-Williams R The role of urothelium-derived inhibitory factor in the pig bladder neck, 61P
- Thiemermann C *see* Zacharowski K, 25P
- Thiemermann C *see* Zacharowski K, 26P
- Thomas DR *see* Atkinson PJ, 40P
- Thomas E *see* Danahay H, 20P
- Thompson CS *see* Shukla N, 8P
- Thompson KT *see* Kidd EJ, 124P
- Tigani B *see* Palser A, 117P
- Toward T & Broadley KJ Early and late phase bronchoconstrictions, airway hyperreactivity, cell influx and steroid or rolopram sensitivity after inhaled ozone in conscious guinea-pigs, 113P
- Trapaidze N *see* Devi L, 150P
- Trifilieff A, Corteling R, Wyss D, Fuentes M & Bertrand C Anti-inflammatory effect of an inducible nitric oxide inhibitor in murine allergen-induced airway inflammation: mechanism of action, 116P
- Trout SJ *see* Jackson VM, 58P
- Trumpler S *see* Mang CF, 32P
- Tyacke RJ, Robinson ESJ, Hudson AL & Nutt DJ *In vivo* inactivation of imidazoline, binding sites by a novel irreversible ligand, 38P
- Tzafetta K, McKirdy SW, Naylor IL & Sharpe DT A role for H1 antagonists to facilitate wound healing?, 110P
- Tzafetta K, McKirdy SW, Naylor IL & Sharpe DT Is there a role for promethazine in wound healing?, 111P
- Tzafetta K *see* McKirdy SW, 22P
- Urwylter S *see* Bettler B, 149P
- Vargas F *see* Duarte J, 98P
- Vieira-Coelho MA, Borges N, Parada A, Learmonth DA, Benes J & Soares-da-Silva P BIA 3-202, a long-acting catechol-O-methyltransferase inhibitor with limited brain access, 2P
- Vieira-Coelho MA, Costa JL & Soares-da-Silva P Inhibition of rat soluble catechol-O-methyltransferase by BIA 3-202, a reversible tight-binding inhibitor, 125P
- Vieira-Coelho MA *see* Bonifácio MJ, 6P
- Vieira-Coelho MA *see* Parada A, 3P
- Villegas S *see* Gustafsson AB, 67P
- Vincent MJ *see* Flavin F, 119P
- Waddington J *see* McNamara F, 4P
- Walker M Emerging concepts in the treatment of *status epilepticus*, 136P
- Wan S *see* Bulbulia RA, 31P
- Wang Y *see* Fryer RM, 91P
- Wann KT *see* Jones LA, 64P
- Warner TD *see* Giuliano F, 15P
- Watkins J *see* Slough S, 60P
- Watson J *see* Scott C, 41P
- Welsh NJ, Eglen RM & Shankley NP Agonist potency provides evidence for functionally coupled muscarinic M₂ receptors on mouse urinary bladder, 56P
- Welsh NJ, Eglen RM & Shankley NP Pharmacological comparison of the muscarinic receptors mediating contraction of the guinea-pig left atrium, gastric smooth muscle and mouse urinary bladder, 57P
- Weston AH *see* Burnham MP, 83P
- Whiting P *see* Kelly M, 82P
- Wiley KE & Davenport AP Nitric oxide is a more effective physiological antagonist of endothelin-1- than U46619-mediated constrictions in human coronary artery, 7P
- Williams PE *see* Bell JP, 72P
- Wilson DJ *see* Sheehan MJ, 34P
- Wilson JF *see* Bell JP, 72P
- Wilson JF *see* Hopkins LF, 73P
- Wilson VG *see* Aryisena J, 79P
- Wilson VG *see* Blaylock NA, 80P
- Wilson VG *see* Busseuil DM, 10P
- Wilson VG *see* Carle C, 78P
- Wingrove P *see* Kelly M, 82P
- Witt KA, Egelton RD, Huber JD, Hruby

- VJ & Davis TP Blood-brain barrier permeability assessment of stereoselective opioid analogues, 122P
- Wittmann S *see* Daniels S, 129P
- Wright RC & Ingenito AJ Prevention of isolation-induced hypertension with a non-peptide kappa-opioid receptor agonist, 90P
- Wu D & Doods H Effects of the CGRP antagonist BIBN4096BS on neurogenic vasodilation in anaesthetised rats, 24P
- Wu D *see* Doods H, 23P
- Wyss D *see* El-Hashim AZ, 115P
- Wyss D *see* Trifilieff A, 116P
- Yamanishi T *see* Sellers DJ, 33P
- Yamanishi T *see* Sellers DJ, 62P
- Yasuda K *see* Sellers DJ, 33P
- Yasuda K *see* Sellers DJ, 62P
- Yim A *see* Bulbulia RA, 31P
- Zacharowski K, Blackburn B & Thiernemann C Ranolazine reduces myocardial infarct size and cardiac troponin T release in the anaesthetised rat, 25P
- Zacharowski K & Thiernemann C Pharmacological preconditioning of the rat heart with lipoteichoic acid or endotoxin is not abolished by a K_{ATP} channel inhibitor, 26P
- Zaragoza-Arnáez F *see* Cogolludo A, 71P
- Zaragoza-Arnáez F *see* Pérez-Vizcaíno F, 9P
- Zarzuelo A *see* Duarte J, 98P

Keyword Index

- Acetaminophen, 146P
- Acetyl methadol *N*-demethylation, 103P
- Acetylcholine, 13P
- Acetylcholine release, 32P
- N*-Acetylcysteine, 146P
- Adenosine, 19P, 112P, 114P, 117P
- Adenosine A₁ receptors, 34P, 123P
- Adenosine A_{2b} receptors, 37P
- Adenosine A₃ receptors, 18P
- Adenosine receptor function, 35P, 36P
- α₁-Adrenoceptors, 80P
- α₂-Adrenoceptors 11P, 60P, 79P., 80P
- α_{2A}-Adrenoceptors, 78P
- β-Adrenoceptors 10P., 12P
- β₂-Adrenoceptors, 120P
- Adverse drug reactions, 143P
- Agmatine, 51P
- Agonist efficacy, 36P
- Agonist potency, 56P, 124P
- Airways, 113P
- Airways obstruction, 115P
- Allergen challenge, 117P
- Allosteric enhancers, 36P
- Alzheimer's disease, 64P
- Amlodipine, 99P
- Amphetamines, 49P, 50P
- Amylase, 55P
- Anandamide, 74P, 75P
- Angiotensin converting enzymes, 94P
- Antagonists, 12P, 24P
- Antagonist selectivity, 63P
- Anti-epileptic drugs, 132P, 135P
- Antigens, 114P
- Antisense, 94P
- Aorta, 73P, 102P
- Aortic rings, 100P
- Apelin, 85P
- APJ receptors, 85P
- L-Arginine transport, 16P
- L-Arginine uptake, 68P
- Arrhythmias, 14P, 92P, 93P
- Arterial bifurcations, 72P
- Arterial blood pressure, 99P
- Arteries, atherosclerotic coronary, 84P
- Arteries, cerebral resistance, 81P
- Arteries, coronary, bypass surgery, 31P
- Arteries, coronary, human, 7P
- Arteries, coronary, porcine, 10P, 79P
- Arteries, coronary, sheep, 75P
- Arteries, human, 30P
- Arteries, internal mammary, 84P
- Arteries, isolated splenic, porcine, 78P
- Arteries, mesenteric, 27P, 83P
- Arteries, pulmonary, 71P
- Arteries, rectal, porcine, 80P
- Arteries, resistance, human, 88P
- Arteries, tail, porcine, 79P
- Autoreceptors, 59P
- Baclofen, 46P
- Basic anatomy, 130P
- Behavioural phenotypes, 4P
- Benzodiazepines, 82P
- BIA 3-202, 2P, 3P, 49P, 50P, 125P
- Binding studies, 39P
- Biphasic response, 35P
- Bladder, 61P
- Blood vessels, 9P, 63P
- Blood-brain barrier, 122P
- Bradykinin, 117P
- Brain, 2P, 3P, 49P, 50P
- Brain, human, 40P
- Brain, rat, 38P
- Breast cancer, 147P
- Bronchial epithelium, 20P
- Bronchoconstrictor sensitivity, 117P
- Brown Norway rats, 117P
- Calcium, 58P, 86P
- Calcium influx, 11P
- Calcium mobilisation, 128P
- Cancer chemotherapy, 126P
- Capsules, 110P, 111P
- Carbenoxolone, 28P
- β-Carbolines, 51P
- Cardiac fibroblasts, 67P
- Cardiovascular disease, 139P
- Catechol-*O*-methyltransferase, 2P, 6P, 49P, 125P
- Caveolins, 138P
- Caveolin-1, 121P
- CCK₁ receptors, 54P
- Cell signalling, 129P
- CGRP, 23P, 24P
- Chemokines, 116P
- Cholesterol, 10P
- Computer-assisted learning, 130P
- Conscious guinea-pigs, 113P
- Constitutive activity, 35P
- Corticosterones, 21P
- Cough, 115P
- Creatine kinase, 95P
- Crosstalk, 37P
- Cx43 GFP chimera, 29P
- Cyclic AMP, 67P
- Cyclic GMP, 8P, 71P
- Cyclo-oxygenase-2, 15P
- Cytochrome P450, 17P, 145P
- Cytochrome P450 selective metabolism, 103P
- Cytoprotection, 144P
- 4-DAMP, 33P, 62P
- Delayed preconditioning, 26P
- Desmethylimipramine, 120P
- Detrusor, 33P, 62P
- Diabetes, 101P
- Diabetes mellitus, 8P
- Dichloroacetic acid, 104P
- Dietary calcium, 99P
- Dihydrocortisones, 48P
- Dimerization, 148P
- Distance learning, 131P
- L-DOPA, 3P
- Dopamine, 5P, 43P, 53P
- Dopamine D₃ knockout mice, 4P
- Dopamine D₃ receptors, 4P
- Dopaminergic receptors, 48P
- Dorsal hippocampus, 1P
- Dorsal raphe nucleus, 42P
- Drug design, 122P
- Drug metabolism, 143P, 145P
- Drug toxicity, 143P, 144P
- EDHF, 27P, 28P, 83P
- Efficacy, 5P
- Endarterectomy, 76P
- Endothelial cells, 137P
- Endothelial dysfunction, 100P, 141P
- Endothelial function, 142P
- Endothelial nitric oxide synthase, 68P, 70P, 72P
- Endothelial regulation, 140P
- Endothelial vasoconstrictor factors, 86P
- Endothelins, 65P, 66P
- Endothelin ET-1, 7P, 30P, 87P
- Endothelin ET_A receptor antagonists, 31P
- Endothelin receptors, human, 87P
- Endothelium, 77P, 101P, 127P
- Endothelium-dependent relaxation, 79P
- Endothelium derived hyperpolarizing

factor, 27P, 28P, 83P
Entacapone, 2P, 49P, 50P
Epilepsy, 132P, 134P, 135P, 136P
Epilepsy surgery, 133P
Exercise, 13P
Expression, 5P

Fibroblasts, 64P
Flavonoids, 98P
Forskolin, 10P, 78P, 79P, 80P

GABA release, 46P
GABA_A receptors, 82P
Gall bladder, human, 54P
Gap junctions, 29P, 74P, 77P, 140P
Gastric smooth muscle, 57P
Gene transcription, 120P
Genetics, 134P
Genotoxicity, 147P
Glycyrhethinic acid, 28P
G-protein-coupled receptors, 34P, 123P, 148P, 149P, 152P
Grape extracts, 102P
Grapefruit oil, 126P
GST-zeta, 104P
[³⁵S]-GTPγS binding, 41P

Heart, 94P
Heart, human, 85P
Heme oxygenase, 139P
Hepatocytes, 17P
Heterodimerization, 151P
Heteromerization, 149P
High pressure, 129P
Hindquarter blood flow, 13P
Histamine release, 112P
Histamine H₁ antagonists, 110P, 111P
Homocysteine, 8P, 68P, 141P
5-HT₁, 1P, 42P, 59P, 81P, 117P
5-HT_{1A} receptors, 52P
5-HT_{1B} receptors, 41P
5-HT_{1B/1D} receptors, 81P
5-HT_{3A}, 108P
5-HT₇ receptors, 40P
Hyperglycaemia, 97P
Hypertension, 90P
Hypoxia, 96P

Ileum, 32P
Imidazoline, 21P, 38P, 39P, 60P
Immune cells, 107P
Inducible expression system, 124P
Inducible nitric oxide synthase, 16P, 105P
Inducible transcription factors, 106P
Inflammation, 106P
Insulin, 119P, 127P
Inverse agonists, 12P
Ion transport, 20P
Irreversible ligands, 38P
Ischemia-reperfusion, 95P

Ischemic preconditioning, 91P
Isolated poplitea preparations, 76P
Isolation stress, 90P
Isoprenaline, 79P
Isorhamnetin, 9P

[³H]-L-364,718, 54P
LAAM *N*-demethylation, 103P
Left ventricular dysfunction, 65P, 66P
Ligand binding, 152P
Lipopolysaccharides, 18P, 105P
Lisinopril, 22P
Liver, 2P, 6P, 125P
Lung inflammation, 116P
Lymphatic smooth muscle cells, 105P
Lysophospholipids, 109P

Macrophages, 16P, 109P
Maleylacetone, 104P
MAP kinase, 11P
Mast cells, 112P, 114P
Mechanoreceptors, 137P
Metabotropic glutamate receptors, 44P
Methacholine, 18P, 117P
Methionine, 100P
3-*O*-Methyl-L-DOPA, 3P
Methyl-β-cyclodextrin, 10P
Microdialysis, 50P
Multidrug resistance, 126P
Multimedia, 131P
Muscarinic receptors, 56P, 57P, 61P
Muscarinic receptor subtypes, 33P, 62P
Muscarinic M₃ receptors, 37P, 55P
Mutagenesis, 82P
Myocardial infarction, 91P
Myocardial ischaemia, 25P, 26P, 92P, 95P
Myocardial reperfusion, 25P, 26P
Myofibroblasts, 22P, 110P, 111P

Naloxone, 53P
Neurogenic vasodilation, 24P
Neurokinin NK₁ receptors, 18P
Neurokinin NK₂ receptors, 18P
Neurotransmission, 80P
Nicotine, 1P
Nitric oxide, 7P, 17P, 32P, 43P, 67P, 73P, 96P, 101P, 116P
Nitric oxide synthase, 55P, 69P, 139P
Nitroglycerin, 69P, 70P
NKP608, 118P
Nociception, 44P, 47P
Noradrenaline, 21P, 42P
Norethisterone, 92P

1,25(OH)₂D₃, 128P
8-OH-DPAT, 52P
Oocytes, 129P
Opioids, 91P
Opioid receptors, 150P
κ-Opioid receptors, 90P

Orphan receptors, 89P
Oscillations, 45P
Ouabain, 29P
Oxidant stress, 101P
Oxidative stress, 127P, 141P
Ozone, 113P

Paracetamol, 146P
Peptides, 122P
Peripheral occlusive arteriopathy, 76P
Pharmacology, 131P
Plethysmography, 115P
Poisoning, 146P
Positron emission tomography, 87P
Potassium channels, 58P, 64P
Potassium channel blockers, 93P
Potassium channel modulators, 39P
Potassium ions, 27P
Potassium relaxation, 77P
Prostacyclin analogues, 63P
Protease activated receptors 2, 20P
Protein kinase C, 91P, 119P
Protein-protein interactions, 150P
Psoriasis, 121P
Pulmonary hypertension, 65P, 66P
Purinoreceptor P2X, subtypes, 107P
Purinoreceptor P2X, subtypes, human, 124P

QT prolongation, 14P
Quercetin, 9P, 98P

Ranolazine, 25P
Receptor activity modifying proteins, 151P
Receptor function, 148P
Receptor physiology, 149P
Recombinant, 6P
Relative intrinsic efficacy, 34P
Reoxygenation, 96P
Reporter genes, 119P
Reporter gene assay, 123P
Respiratory system, 130P
Retina, 43P
Retinal endothelial cells, 97P
Rewards, 53P

[³H]-SB-269970, 40P
Selective NK-1 receptor antagonists, 118P
Sensitised guinea-pigs, 18P
Shear stress, 72P
Short-term memory function, 52P
Signal transduction, 121P, 138P
Simvastatin, 73P
Sodium nitroprusside, 71P
Sodium/potassium ATPase, 83P
Sodium pump, 74P
Sodium salicylate, 15P
Somatosensory thalamus, 44P
Spinal cord, 106P

Splice variants, 108P	Tachykinins, 18P, 118P	Urothelium, 61P
Spontaneously hypertensive rats, 86P, 98P	Tamoxifen, 147P	Vagal nerve stimulation, 133P
Status epilepticus, 136P	Tea extracts, 102P	Vanilloid receptors, 47P
Stress, 48P	Thalamus, 45P	Vas deferens, 60P
Striatum, rat, 41P	Therapeutic monitoring, 135P	Vas deferens, rat, 23P
Substance P, 18P	Thromboxane A ₂ , 84P	Vascular injury, 97P
Substantia nigra, rat, 46P	Tight-binding inhibitors, 125P	Vascular tone, 140P
Subunit cloning, 108P	Tissue, human, 89P	Vasoconstriction, 78P, 79P, 80P
Superoxide, 70P	Tolerance, 69P	Vasodilator, 88P
Superoxide anions, 96P	<i>Torsade de pointes</i> , 14P, 93P	Vasorelaxation, 75P, 102P
Superoxide production, 109P	U46619, 78P	VDR, 128P
Sympathetic nerves, 58P	Ultrasound, 142P	Vein graft thickening, 31P
Symposia, 132P, 133P, 134P, 135P, 136P, 137P, 138P, 139P, 140P, 141P, 142P, 143P, 144P, 145P, 146P, 147P, 148P, 149P, 150P, 151P, 152P	Upregulation of receptor expression, 107P	Veins, human, 30P
	Urinary bladder, 56P, 57P	Voltammetry, 59P
	Urotensin-II, 30P, 88P, 89P	Wound healing, 22P, 110P, 111P