

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

18–21st December 2000

University of Birmingham

INDEX TO PROCEEDINGS SUPPLEMENT

University of Birmingham

Proceedings of the British Pharmacological Society Meeting 18th–21st December, 2000

Author Index

- Abdelrahman M, McDonald MC, Cuzzocrea S & Thiemermann C Effects of tyrphostin AG126 on the multiple organ failure caused by severe haemorrhage and resuscitation in the anaesthetised rat, 119P
- Abdelrahman M, McDonald MC, Wayman NS & Thiemermann C Effects of L-N-(L-iminoethyl)lysine (L-NIL) on the circulatory failure and multiple organ injury in haemorrhagic shock in the anaesthetised rat, 120P
- Abdul-Hamid MA *see* Cousins ID, 249P
- Adami M, Coruzzi G, Soldani G, Todorov S, Zamfirova R, Stavrev E, Brown DR & Kulkarni-Narla A Investigation of CB₁ cannabinoid receptors mediating antisecretory effects in rat stomach, 244P
- Ahtee L *see* Gädénäs H, 180P
- Alexander SPH *see* Barbadillo-Muñoz M, 96P
- Allan L *see* Elands CM, 147P
- Allcock GH *see* Calatayud S, 197P
- Allen PB *see* Snyder GL, 268P
- Amadesi S *see* Harrison S, 206P
- Amico MC *see* Romanelli L, 246P
- Andreoli M *see* Tessari M, 183P
- Andrews NA *see* Maneuf YP, 222P
- Andrews SW *see* Chen J, 63P
- Anning PB *see* Gitlin JM, 28P
- Anning PB *see* Price S, 1P
- Anning PB *see* Price S, 2P
- Ashton D *see* Langlois X, 264P
- Aspley S *see* Woolard J, 27P
- Atkinson J *see* Nivoit P, 107P
- Attucci S *see* Moroni F, 74P
- Autore G, Marzocco S, Sorrentino R, Lippolis L, d'Emmanuele di Villa Bianca R, Baydoun A & Pinto A Regulation of expression of inducible nitric oxide synthase by the uraemic catabolite methylguanidine (MG), 200P
- Autore G *see* Sorrentino R, 129P
- Back M, Kumlin M & Dahlen S-E S-hexyl-glutathione changes receptor preference and metabolism of leukotriene D₄ in the guinea-pig trachea, 238P
- Bäck M *see* Sakata K, 22P
- Bader M Functional analysis of the kallikrein-kinin system in transgenic animal models, 266P
- Bagetta G & Corasaniti TM Mechanism of apoptosis induced by the HIV coat protein gp120 in the brain of rat, 259P
- Bagetta G *see* Navarra M, 230P
- Bagetta G *see* Romanelli L, 246P
- Bailey SR, Wheeler-Jones C & Elliott J Uptake of 5-hydroxytryptamine by equine digital vein endothelial cells: inhibition by amines found in the equine caecum, 105P
- Bailey SR *see* Strange F, 104P
- Baines IA, Hickinson MM, Draper LM, Bottoms MA, Mitchell JN, Bowen WP & Brown AM Cytotoxicity of the thiazolidinedione compounds troglitazone and pioglitazone in human isolated hepatocytes, 251P
- Ballabeni V *see* Barocelli E, 243P
- Balt JC, Mathy M-J, Pfaffendorf M & Van Zwieten PA Blockade of pre- and post-synaptically located AT₁-receptors: a comparison between losartan, irbesartan, telmisartan, valsartan, candesartan, eprosartan and embusartan, 30P
- Banchelli G *see* Raimondi L, 25P
- Bandiera S *see* La M, 33P
- Bani D *see* Masini E, 9P
- Baraldi PG *see* Gessi S, 56P
- Barbadillo-Muñoz M, Trimble P, Ralevic V, Williams G & Alexander SPH Relaxation of the porcine isolated, pre-contracted coronary artery by ATP and ADP: mediation via A_{2A} adenosine receptors, 96P
- Bardswell SC, Woods M, Bishop-Bailey D, Wood EG, Mitchell JA & Warner TD Effect of peroxisome proliferator-activated receptor agonists on cytokine-stimulated endothelin-1 production in human vascular smooth muscle cells, 97P
- Bargoni A *see* Zara GP, 252P
- Barnard EA *see* Simon J, 219P
- Barnes NM, Brady CA, Dawlatly S, Lin L, Williams JM & Hope AG The pharmacological significance of protein-protein interactions, 263P
- Barnes PJ *see* de Souza PM, 43P
- Barocelli E, Chiaverini M, Ballabeni V, Calcina F, Bertoni S & Impicciatore M Rat gastric acid secretion: functional evidence for a role of H₃ histamine receptors, 243P
- Baronti R *see* Masini E, 9P
- Bartolini A, Galeotti N, Ghelardini C, Zoppi M, Del Bene E, Raimondi L & Benforti E Hypofunctionality of Gi proteins as aetiopathogenetic mechanism for migraine and cluster headache, 55P
- Bastia E, Impagnatiello F, Freduzzi S, Ongini E & Monopoli A The A_{2A} adenosine receptor antagonists are effective in models of Parkinson's disease through the modulation of both D₂ and D₁ dopaminergic pathways, 160P
- Battu GR, Zeitlin IJ & Gray AI Anti-inflammatory activity on adjuvant-

- induced arthritis in rats of octa-nordammarane triterpenes from resin extracts of *Commiphora kua*, 199P
- Baxter GF, Ebrahim Z & Yellon DM AMP579, an adenosine A₁ and A_{2A} receptor agonist, attenuates lethal reperfusion injury in rat heart via the P42/P44 MAPK pathway, 7P
- Baxter GF, Kis A & Yellon DM AMP579, an adenosine A₁ and A_{2A} receptor agonist, limits infarct size in rabbit heart *in vivo* when given at reperfusion: role of A_{2A} receptor activation, 8P
- Baxter GF *see* Ebrahim Z, 10P
- Baxter GF *see* Ebrahim Z, 90P
- Baydoun A *see* Autore G, 200P
- Baydoun A *see* Sorrentino R, 129P
- Beckett S *see* Kelly JA, 187P
- Beckett SRG *see* Jhaveri MD, 185P
- Beer MS *see* Handford EJ, 77P
- Belelli D *see* Peden DR, 171P
- Belvisi MG *see* Birrell M, 204P
- Belvisi MG *see* Clarke DL, 40P
- Belvisi MG *see* Patel HJ, 42P
- Beneforti E *see* Bartolini A, 55P
- Bennett GW *see* Kelly JA, 187P
- Bennett T *see* Woolard J, 27P
- Benton RS *see* Giovannini MG, 174P
- Bernardi G *see* Calabresi P, 269P
- Berrino L *see* D'Amico M, 66P
- Bertelli A *see* Giovannini L, 253P
- Bertelli AAE *see* Giovannini L, 253P
- Bertoni S *see* Barocelli E, 243P
- Bertorelli R *see* Corradini L, 169P
- Besong G *see* Melchiorri D, 46P
- Betz H, Laube B, Evers E, Fuhrmann J, Hermann A, Grosskreutz Y & Kneussel M Glycine receptors, GABA_A receptors and gephyrin: protein interactions at inhibitory synapses, 262P
- Bianchi L *see* Fattori M, 173P
- Bianchi L *see* Giovannini MG, 174P
- Bianchi L *see* Guasparini G, 76P
- Bianchi L *see* Pedata F, 154P
- Bianchi M & Panerai AE Anti-hyperalgesic effects of lornoxicam, piroxicam, meloxicam, ketorolac and aspirin in rats, 51P
- Biandizzi C *see* De Paolis B, 18P
- Bibb JA *see* Snyder GL, 268P
- Bigoni R *see* Rizzi D, 228P
- Billington CK & Hall IP Effects of a range of pro- and anti-inflammatory agents on adenylyl cyclase sensitisation and muscarinic M2 regulation in human airway smooth muscle cells, 205P
- Bilotta A *see* Navarra M, 230P
- Bingham D *see* Cameron P, 85P
- Birrell M, McCluskie K, Yacoub MH & Belvisi MG Effect of the HMG-CoA reductase inhibitor, pravastatin, on Sephadex-induced airway inflammation in the rat, 204P
- Bischoff A *see* Püttmann K, 207P
- Bischoff A *see* Weeking C, 111P
- Bishop-Bailey D *see* Bardswell SC, 97P
- Bishop-Bailey D *see* Patel HJ, 42P
- Bishop-Bailey D *see* Thomas MA, 118P
- Bishop-Bailey D, Hla T & Warner TD Peroxisome proliferator-activated (PPAR) γ ligands induce vascular smooth muscle cell apoptosis, 29P
- Blake R *see* Maneuf YP, 222P
- Bland-Ward PA, Feniuk W & Humphrey PPA The adenosine A₁ receptor agonist GR79236 inhibits evoked firing of medullary dorsal horn neurones in the anaesthetised rat, 54P
- Bland-Ward PA *see* Martindale J, 170P
- Blandizzi C, Scheibner J, Hein L, Trendelenburg AU & Del Tacca M Presynaptic regulation of noradrenergic and cholinergic neurotransmission in the ileal myenteric plexus of α_{2AD} -adrenoceptor knockout mice, 13P
- Blaney FE *see* Langmead CJ, 213P
- Blitzer RD *see* Giovannini MG, 146P
- Bolam JP *see* Fattori M, 173P
- Bonabello A, Galmozzi MR, Bruzzese T & Zara GP Analgesic effect of bisphosphonates in mice, 164P
- Bonnert T *see* Brown NA, 221P
- Bordoni F *see* Pedata F, 154P
- Borea PA *see* Gessi S, 56P
- Borman RA, Gilbert MB, Harmer DW, James RS, Clark KL, Coleman RA & Davis RJ Differential expression of mRNA for ion channels and transporters in cystic fibrosis (CF) and non-CF human lung samples, 237P
- Borracci P *see* Carratù MR, 17P
- Borrelli F, Izzo AA, Mereto E, Russo A & Capasso F Effect of senna on growth of aberrant crypt foci and tumours in the rat colon, 19P
- Bottoms MA *see* Baines IA, 251P
- Bountra C *see* Clayton N, 151P
- Bountra C *see* Clayton NM, 49P
- Bountra C *see* Collins SD, 48P
- Bova S *see* Trevisi L, 128P
- Bowen WP *see* Baines IA, 251P
- Bowery BJ, Meza-Toledo S & Bowery NG Differential effect of GABA_B receptor antagonists on electrically-evoked release of [³H]-GABA in nigral and cerebrocortical slices of rat brain, 177P
- Bowery NG *see* Bowery BJ, 177P
- Bowery NG *see* Dang K, 179P
- Bowery NG *see* Princiville A, 178P
- Bowery NG *see* Richards DA, 75P
- Bowery NG *see* Smith CGS, 136P
- Boxall A *see* Elands CM, 147P
- Brady CA *see* Barnes NM, 263P
- Brain S *see* Dewhurst DG, 255P
- Brain SD *see* Foster PA, 201P
- Brain SD *see* Grant AD, 202P
- Brazdil R *see* Clayton N, 151P
- Brazdil R *see* Clayton NM, 49P
- Breese EJ *see* Gray PA, 36P
- Bridges AM *see* Langmead CJ, 213P
- Brini AT, Degl'Innocenti D & Dombrowicz D Characterisation of the human Fc ϵ RI α subunit promoter region and its modulation by interleukin-4 and by receptor engagement, 193P
- Briscini L *see* Corradini L, 169P
- Broadhurst J *see* Dewhurst DG, 255P
- Brodde O-E *see* Dhein S, 26P
- Brodde O-E *see* Leineweber K, 21P
- Brodde O-E *see* Polontchouk LO, 65P
- Brodde O-E *see* Salameh A, 215P
- Brown AM *see* Baines IA, 251P
- Brown AM *see* Day NC, 82P
- Brown DR *see* Adami M, 244P
- Brown JT, Comet M-A, Hussein JF & Prince RJ Mutational analysis of neuronal nicotinic acetylcholine receptor agonist binding sites, 226P
- Brown NA, Kerby J, Bonnert T & Wafford KA Pharmacology of a novel $\alpha 4\beta 3\delta$ GABA_A receptor cell line, 221P
- Brown T, Bunton D, MacDonald A, Irvine J & Shaw AM The effect of tyrosine kinase and MAP kinase inhibition on contractile responses to U46619 and 5-hydroxytryptamine in bovine pulmonary supernumerary arteries, 239P
- Brown TA *see* Clayton NM, 49P
- Brunelleschi S, Lavagno L, Colangelo D & Viano I Tachykinin activation of human monocytes from normal and rheumatoid patients: effects of cyclosporin A, 35P
- Brunelleschi S, Penengo L, Lavagno L, Santoro C, Colangelo D, Viano I & Gaudino G Macrophage-stimulating protein (MSP) activates human macrophages, 38P
- Bruno V *see* Melchiorri D, 46P
- Bruzzese T *see* Bonabello A, 164P
- Bryant CE *see* Royle MCJ, 37P
- Bucci M, Roviezzo F, Cicala C & Cirino G Involvement of heat shock protein (Hsp-90) in 17-beta-oestradiol-induced vasorelaxation *in vitro*, 23P
- Bucci M *see* Cicala C, 109P
- Buckingham JC *see* John CD, 34P
- Bunton D *see* Brown T, 239P
- Bunton D *see* Tracey A, 233P
- Burk RM *see* Chen J, 63P
- Buschauer A *see* Püttmann K, 207P
- Büscher R *see* Li Y, 209P
- Buyukafsar K *see* Martin W, 71P
- Cacciaguerra S & Spampinato S Characterisation of σ_1 recognition sites in NG

- 108-15 cells by receptor binding and Ca^{2+} mobilization, 217P
- Cagiano R *see* Carratù MR, 17P
- Cagiano R *see* Sartiani L, 72P
- Calabresi P, Gubellini P, Cenonze D, Picconi B, Bernardi G, Chergui K, Fienberg AA & Greengard P Stimulation of D1/PKA/DARPP-32/PP1 pathway is required for corticostriatal LTD and LTP, 269P
- Calatayud S, Allcock GH, Perretti M, Mitchell JA & Warner TD Comparison of the effects of the selective COX-2 inhibitor, DFP, and indomethacin on leukocyte-endothelial cell interactions in the rat mesentery, 197P
- Calatayud S, Warner TD & Mitchell JA Modulation of colony stimulating factor release and apoptosis in human colon cancer cells by anticancer drugs, 245P
- Calcina F *see* Barocelli E, 243P
- Calderan L *see* Tessari M, 183P
- Calo G *see* Rizzi D, 228P
- Camerino C *see* De Luca A, 250P
- Cameron P, Bingham D, Rotondo D & Plevin R The effect of *E. coli* 0157:H7 and its associated verotoxins on the stress-activated protein kinase and NF κ B pathways in Vero cells, 85P
- Canevari L *see* Zeng B-Y, 158P
- Capasso A & Loizzo A Purinoceptors are involved in the control of acute morphine withdrawal, 247P
- Capasso F *see* Borrelli F, 19P
- Capasso F *see* Izzo AA, 44P
- Capasso R *see* Izzo AA, 44P
- Caputi AP *see* Cuzzocrea S, 41P
- Cargnelli G *see* Trevisi L, 128P
- Carratù MR, Cagiano R, Tattoli M, Trabace L, Borraci P & Cuomo V Prenatal exposure to carbon monoxide impairs myelination and sphingomyelin homeostasis in the sciatic nerve of rat offspring, 17P
- Carruthers AM, Sellers LA, Jenkins DW, Feniuk W & Humphrey PPA Adenosine A_1 receptor-mediated inhibition of calcitonin gene-related peptide release from rat trigeminal neurones, 47P
- Carvalho LCRM *see* Soares de Moura R, 101P
- Castro Resende A *see* Soares de Moura R, 101P
- Catalioto R-M, Santicoli P, Turini D & Maggi CA Characterization of bradykinin-induced intracellular Ca^{2+} increase in human colon smooth muscle cells, 240P
- Cater HL, Poyner DR & Hartell NA The effect of CGRP and CGRP₈₋₃₇ on synaptic transmission in Purkinje cells in the cerebellum, 148P
- Cattabeni F *see* Gardoni F, 261P
- Cavalli R *see* Zara GP, 252P
- Cavanni P *see* Griffante C, 216P
- Cecere G *see* Masini E, 9P
- Centonze D *see* Calabresi P, 269P
- Cerbai E *see* DePaoli P, 127P
- Cerbai E *see* Sartiani L, 72P
- Cerletti C *see* Rotondo S, 198P
- Cetrone M *see* De Luca A, 250P
- Chahwala SB *see* McAllister KHM, 124P
- Chan WY *see* McIlhinney RAJ, 260P
- Chapman V *see* Kelly S, 162P
- Chapman V *see* Millns PJ, 163P
- Chapman V *see* Sokal DM, 52P
- Chapple CR *see* Yamanishi T, 231P
- Chatterjee BE *see* Chatterjee PK, 123P
- Chatterjee BE *see* Patel N, 12P
- Chatterjee PK, Pedersen H, Chatterjee BE, McDonald MC, Thomson AS, Threadgill MD & Thiemermann C The poly(ADP-ribose) polymerase inhibitor 5-aminoisoquinoline reduces oxidative stress-mediated renal dysfunction in the rat *in vivo* and *in vitro*, 123P
- Chatterjee PK *see* Patel N, 12P
- Chatterjee PK *see* Zacharowski K, 5P
- Cechi M *see* Fattori M, 173P
- Chen J, Krauss AH-P, Protzman CE, Gil DW, Usansky H, Burk RM, Andrews SW & Woodward DF Studies on the pharmacology of prostamide $\text{F}_{2\alpha}$, a naturally occurring substance, 63P
- Chergui K *see* Calabresi P, 269P
- Chess-Williams R *see* Yamanishi T, 231P
- Chessell IP *see* Martindale J, 170P
- Chessell IP *see* Thompson KM, 229P
- Chiamulera C *see* Tessari M, 183P
- Chiavarini M *see* Barocelli E, 243P
- Chow KBS *see* Wise H, 87P
- Chowienzyk PJ *see* de Saram K, 93P
- Christie M *see* Werry TD, 88P
- Cicala C, Morello S, Bucci M & Cirino G A peptide activating protease activated receptor-2 reduces the vascular response to phenylephrine *in vitro* and *in vivo*, 109P
- Cicala C *see* Borrelli F, 19P
- Cicala C *see* Bucci M, 23P
- Cilia A, Poggesi E, Testa R & Leonardi A Correlation between effects on [^{35}S]GTP γ S binding and low/high affinity ratios for the human 5-HT $_{1A}$ receptor transfected in HeLa cells, 220P
- Cirino G *see* Bucci M, 23P
- Cirino G *see* Cicala C, 109P
- Cirino G *see* Papapetropoulos A, 3P
- Ciruela F *see* McIlhinney RAJ, 260P
- Clark AG *see* Elands CM, 147P
- Clark JC *see* Johnström P, 99P
- Clark KL *see* Borman RA, 237P
- Clarke DL, Patel HJ, Mitchell JA, Yacoub MH, Giembycz MA & Belvisi MG Regulation of the release of colony-stimulating factors from human airway smooth muscle cells by prostaglandin E_2 , 40P
- Clayton N, Kozlowski CM, Brazdil R & Bountra C Colorectal distension-evoked iNOS, nitrotyrosine and c-fos expression in the anaesthetised rat is inhibited by the selective iNOS inhibitor GW274150, 151P
- Clayton NM, Brown TA, Sargent RS, Brazdil R, Collins SD, Sheehan MJ & Bountra C The effect of the selective low-efficacy adenosine A_1 agonist GR190178, in models of nociceptive, acute and established pain hypersensitivity in the rat, 49P
- Clayton NM *see* Collins SD, 48P
- Clifford J *see* McNamara F, 81P
- Coats P, Johnston F, MacDonald J, McMurray JJ & Hillier C Endothelium-derived hyperpolarizing factor in human pressurised small subcutaneous resistance arteries may be a product of phospholipase A $_2$ and cytochrome P450 metabolism, 67P
- Coats P *see* Jarajapu YPR, 20P
- Coats P *see* Jarajapu YPR, 106P
- Coker SJ *see* Farkas A, 116P
- Coker SJ *see* Fraser JL, 6P
- Colado MI, O'Shea E, Esteban B & Green AR Prevention of 3,4-methylenedioxymethamphetamine (MDMA; Ecstasy)-induced neurodegeneration by the clomethiazole analogue AR-A008055, 133P
- Colangelo D *see* Brunelleschi S, 35P
- Colangelo D *see* Brunelleschi S, 38P
- Cole SL, Sellers LA, Schindler M, Zhang H-T, Helboe L & Humphrey PPA Detection of somatostatin and somatostatin receptor types in the rat trigeminal ganglion, 165P
- Coleman RA *see* Borman RA, 237P
- Colivicchi MA *see* Fattori M, 173P
- Collin L *see* Roberts C, 145P
- Collins SD, Clayton NM, Sheehan MJ, Cousins R & Bountra C The effect of GR190178, a selective low-efficacy adenosine A_1 receptor agonist, on the treatment of neuropathic hyperalgesia in the rat, 48P
- Collins SD *see* Clayton NM, 49P
- Colucci R *see* De Paolis B, 18P
- Comet M-A *see* Brown JT, 226P
- Conte Camerino D *see* De Luca A, 250P
- Conte Camerino D *see* Desaphy J-F, 224P
- Conte Camerino D *see* Talon S, 225P
- Conte Camerino D *see* Tricarico D, 210P
- Copani A *see* Melchiorri D, 46P
- Corasaniti TM *see* Bagetta G, 259P
- Corfe B *see* Dive C, 257P

- Corradini L, Briscini L, Ongini E & Bertorelli R The nociceptin system plays a crucial role in the modulation of the allodynic-like behaviour of neuropathic rats, 169P
- Corsi M *see* Griffante C, 216P
- Corsi M *see* Tessari M, 183P
- Coruzzi G *see* Adami M, 244P
- Cotecchia S *see* Nivoit P, 107P
- Cousins ID, Abdul-Hamid MA, Mann GS, Harriss DR & Hill SJ Intracellular Ca^{2+} responses to carbachol in human cultured detrusor smooth muscle cells: evidence for an involvement of both M_2 and M_3 muscarinic receptors, 249P
- Cousins R *see* Collins SD, 48P
- Cozzi A *see* Moroni F, 74P
- Cozzi A *see* Pellegrini-Giampietro D, 73P
- Criddle DN, Macêdo LB, Meireles AVP, Leal-Cardoso JH, Scarparo HC & Jaffar M Comparative inhibitory effects of niflumic acid and novel synthetic analogues on contractile responses of the rat stomach fundus, 242P
- Croke D *see* McNamara F, 81P
- Crozier A *see* McGinn JS, 94P
- Cuomo L *see* Melchiorri D, 46P
- Cuomo V *see* Carratù MR, 17P
- Cuomo V *see* Sartiani L, 72P
- Cuzzocrea S, McDonald MC, Mazzon E, Dugo L, Mota-Filipe H, Caputi AP & Thiemermann C Effects of 5-aminoisoquinolinone, a water-soluble, potent inhibitor of the activity of poly(ADP-ribose) polymerase on P-selectin and intercellular adhesion molecule-1 in lung injury, 41P
- Cuzzocrea S *see* Abdelrahman M, 119P
- D'Agostino B, Galleli L, Marrocco G, Mazzeo F, De Palma R & Rossi F Role of sensory neuropeptides in *Parietaria judaica*-induced airway hyperresponsiveness in sensitized rabbit, 236P
- Dahlén S-E *see* Bäck M, 238P
- Dahlén S-E *see* Sakata K, 22P
- Dainty I *see* Werry TD, 88P
- Dalton RL, Dowell SJ & Sheehan MJ Functional significance of sequence variants in the C-terminal tail of the human adenosine A_{2A} receptor, 59P
- D'Amico M, Di Filippo C, Piegari E, Berrino L, Filipelli A & Rossi P Interaction between ouabain and endothelin-1 in blood pressure effects elicited from the periaqueductal grey area of rats, 66P
- Dang K, Patel S, Urban L & Bowery NG Comparative binding of [^3H]-CPG62349 and [^3H]-GABA in the spinal lamina II of chronically GABA $_B$ agonist treated neuropathic rats, 179P
- Danieli-Betto D *see* Trevisi L, 128P
- Dass N, Davis JB & Sanger GJ Responses to E-capsaicin in detrusor tissue from both wildtype and vanilloid receptor-1 null mice, 14P
- D'Auria MV *see* Trevisi L, 128P
- Davenport AP *see* Johnström P, 99P
- Davenport AP *see* Katugampola SD, 114P
- Davenport AP *see* Katugampola SD, 115P
- Davenport AP *see* Wiley KE, 24P
- Davies CH *see* Watson J, 83P
- Davis JB *see* Dass N, 14P
- Davis RJ *see* Borman RA, 237P
- Dawlatly S *see* Barnes NM, 263P
- Day NC, Watson J, Page KJ, Mitchell JN, Munday PW, Price GW & Brown AM Characterisation of native tissue 5-HT receptors in the human dorsal raphe nucleus (DRN) by [^{35}S]GTPγ autoradiography, 82P
- Day NC *see* Watson J, 83P
- De Bellis M *see* Talon S, 225P
- de Gaetano G *see* Rotondo S, 198P
- De Luca A, Pierno S, Liantonio A, Cetrone M, Camerino C, Rüegg UT & Conte Camerino D Taurine ameliorates *in vitro* and *in vivo* the electrical and contractile properties of skeletal muscle fibres of dystrophic MDX mouse, 250P
- De Luca A *see* Desaphy J-F, 224P
- De Luca A *see* Talon S, 225P
- De Palma R *see* D'Agostino B, 236P
- De Paolis B, Blandizzi C, Colucci R & Del Tacca M Acetylcholinesterase blockade does not account for the cardiac inhibitory effects of the anticancer drug irinotecan, 18P
- de Saram K, McNeill KL, Khokher S, Ritter JM & Chowienzyk PJ Differential effects of vitamin C and superoxide dismutase mimetic on NO-mediated vasodilatation in rabbit aortic rings during oxidant stress, 93P
- de Souza PM, Kankaanranta H, Barnes PJ, Giembycz MA & Lindsay MA Caspase-mediated cleavage of MST1 during apoptosis of human eosinophils, 43P
- Degl'Innocenti D *see* Brini AT, 193P
- Del Bene E *see* Bartolini A, 55P
- Del Tacca M *see* Blandizzi C, 13P
- Del Tacca M *see* De Paolis B, 18P
- Delahaye M, Galzin AM & O'Connor SE Antagonism of 5-HT-induced contraction of porcine isolated coronary artery by SL 65.0472, 103P
- Della Corte L *see* Fattori M, 173P
- Della Corte L *see* Giovannini MG, 174P
- Della Corte L *see* Guasparini G, 76P
- Dell'Elba G *see* Rotondo S, 198P
- Dello Russo C *see* Pozzoli G, 212P
- d'Emmanuele di Villa Bianca R *see* Autore G, 200P
- d'Emmanuele di Villa Bianca R *see* Sorrentino R, 129P
- DePaoli P, Cerbai E, Koidl B, Kirchengast M, Sartiani L & Mugelli A Selectivity of calcium channel blockers on T- and L-type calcium currents in guinea-pig ventricular myocytes, 127P
- DePaoli P *see* Sartiani L, 72P
- Desaphy J-F, De Luca A, Pierno S, Lentini G, Franchini C, Tortorella V, George AL & Conte Camerino D Mutant-specific mexiletine block of myopathic sodium channels explained by differences in gating, 224P
- Dewhurst DG, Brain S & Broadhurst J A computer simulation of experiments to demonstrate the effects of pharmacological agents on the cutaneous inflammatory response in the anaesthetised rabbit to undergraduate students, 255P
- Dhein S, Schaefer T, Polontchouk L & Weng S Involvement of protein kinase C (PKC) in the effect of antiarrhythmic peptide (AAP) on cardiac gap junctions, 26P
- Dhein S *see* Polontchouk LO, 65P
- Dhein S *see* Salameh A, 215P
- Di Filippo C *see* D'Amico M, 66P
- Di Luca M *see* Gardoni F, 261P
- Di Renzo GF *see* Navarra M, 230P
- Dive C, Griffiths G, Corfe B, Makin G & Hickman JA The role of the Bcl-2 family proteins in integrating signals generated by drug-induced cellular damage, 257P
- Docherty JR *see* McDaid J, 110P
- Docherty JR *see* Rajamani K, 248P
- Dombrowicz D *see* Brini AT, 193P
- Domenico E *see* Moroni F, 74P
- Dougall IG *see* Langham CJ, 195P
- Douthwaite M *see* Leishman DJ, 131P
- Dowell SJ *see* Dalton RL, 59P
- Drago J *see* McNamara F, 81P
- Draper LM *see* Baines IA, 251P
- Drinkenburg WHIM *see* Elands CM, 147P
- Dugo L *see* Cuzzocrea S, 41P
- Duty S *see* Johnston T, 172P
- Eandi M *see* Zara GP, 252P
- Easter A & Spruce AE Calcium channel subtypes modulated by recombinantly expressed GABA $_B$ receptors in NG108-15 cells, 176P
- Easter A & Spruce AE Recombinant expression of GABA $_B$ receptors in NG108-15 cells using polyethyleneimine (PEI), 175P
- Ebelt B *see* Polontchouk LO, 65P
- Ebenezer IS, Parrott RF & Vellucci SV Effects of intracerebroventricular (icv)

- administration of WAY 100635 on the effects of 8-OH-DPAT on operant food intake in satiated and fasted pigs, 186P
- Ebenezer IS *see* Romans KN, 182P
- Ebrahim Z, Yellon DM & Baxter GF Bradykinin elicits delayed myocardial protection in rat heart via a nitric oxide-dependent mechanism, 90P
- Ebrahim Z, Yellon DM & Baxter GF Omapatrilat lowers the threshold for induction of ischaemic preconditioning via activation of the bradykinin B₂ receptor, 10P
- Ebrahim Z *see* Baxter GF, 7P
- Edwards G *see* Weston AH, 68P
- Elands CM, Drinkenburg WHIM, Clark AG, Allan L, Boxall A, Hill DR & Shahid M Electrophysiological and electroencephalographical characterisation in rats indicates CX516 to be an anxiolytic, 147P
- Elliott J *see* Bailey SR, 105P
- Elliott J *see* Katz LM, 95P
- Elliott J *see* Strange F, 104P
- Elliott JM *see* Mechan AO, 184P
- Elneil S, Skepper JN, Kidd EJ, Williamson JG, Sellers LA & Ferguson DR Evidence for differential expression of P2X₁ and P2X₂, and purine receptors in the detrusor muscle and urothelium, respectively, in the rat and human urinary bladder, 16P
- Emery CJ *see* Lal H, 102P
- Emery CJ *see* Sisodiya A, 234P
- Emiliano AF *see* Soares de Moura R, 101P
- Esposito G *see* Izzo AA, 44P
- Esteban B *see* Colado MI, 133P
- Evangelista V *see* Rotondo S, 198P
- Evans TW *see* Gitlin JM, 28P
- Evans TW *see* Price S, 1P
- Evans TW *see* Price S, 2P
- Evans TW *see* Wort SJ, 64P
- Evers E *see* Betz H, 262P
- Fariba F & Simmonds M Some effects of membrane cholesterol on AMPA receptors in acutely dissociated hippocampal neurones, 150P
- Farkas A & Coker SJ Prostaglandin E2 prevents clofilium-induced torsade de pointes, 116P
- Fattori M, Bianchi L, Collivicchi MA, Chechi M, Bolam JP & Della Corte L The evoked release of GABA and taurine from the striatopallidal (indirect) pathway: a dual probe microdialysis study in the freely-moving rat, 173P
- Feely J *see* Spiers JP, 98P
- Feniuk W *see* Bland-Ward PA, 54P
- Feniuk W *see* Carruthers AM, 47P
- Feniuk W *see* Jarvie E, 167P
- Ferguson DR *see* Elneil S, 16P
- Félétou M *see* Weston AH, 68P
- Fienberg AA *see* Calabresi P, 269P
- Fienberg AA *see* Snyder GL, 268P
- Filippelli A *see* D'Amico M, 66P
- Filippi C *see* Giovannini L, 253P
- Finn DP, Hudson AL, Harbuz MS & Nutt DJ The effect of the imidazoline₂ (I₂) site selective ligand BU224 in rat exposed to a forced swim test paradigm, 181P
- Floresani M *see* Trevisi L, 128P
- Flores N *see* Kingsbury M, 91P
- Flower RJ *see* Getting SJ, 32P
- Flower RJ *see* Goulding NJ, 194P
- Flower RJ *see* John CD, 34P
- Flower RJ *see* La M, 33P
- Foster M *see* Foster PA, 201P
- Foster PA, Wicks S, Foster M & Brain SD Nerve growth factor (NGF) induces extravascular accumulation of macrophages and lymphocytes, in addition to neutrophils, in rat dorsal skin, 201P
- Fotsis T *see* Papapetropoulos A, 3P
- Franchini C *see* Desaphy J-F, 224P
- Franchini C *see* Talon S, 225P
- Frank S *see* Zacharowski K, 4P
- Fraser JL & Coker SJ Desogestrel reduces ventricular fibrillation induced by reperfusion but not by ischaemia, 6P
- Fredduzzi S *see* Bastia E, 160P
- Fuhrmann J *see* Betz H, 262P
- Fundaro A *see* Zara GP, 252P
- Galdi S *see* Snyder GL, 268P
- Galeotti N *see* Bartolini A, 55P
- Gallelli L *see* D'Agostino B, 236P
- Galmazzi MR *see* Bonabello A, 164P
- Galzin AM *see* Delahaye M, 103P
- Gao J-L *see* Perretti M, 203P
- Gardener MJ *see* Weston AH, 68P
- Gardiner SM *see* Woolard J, 27P
- Gardoni F, Schrama LH, Kamal A, Gispén WH, Cattabeni F & Di Luca M Competitive binding of α CaMKII and PSD-95 to the NR2A C-terminal domain, 261P
- Gasco MR *see* Zara GP, 252P
- Gaster L *see* Roberts C, 145P
- Gaster L *see* Watson J, 83P
- Gaudino G *see* Brunelleschi S, 38P
- Ge J, Hamilton W, Shahid M, Hill DR & Walker G The effects of Org 25935 on the extracellular levels of glycine in brain regions of freely moving rats, 135P
- George AL *see* Desaphy J-F, 224P
- Geppetti P *see* Gessi S, 56P
- Geppetti P *see* Harrison S, 206P
- Germinario E *see* Trevisi L, 128P
- Gessi S, Varani K, Merighi S, Morelli A, Leung E, Baraldi PG, Spalluto G & Borea PA Pharmacological and biochemical characterisation of A₃ adenosine receptors in Jurkat T cells, 56P
- Getting SJ, Flower RJ & Perretti M Effect of melanocortin agonists on joint inflammation, 32P
- Getting SJ *see* Perretti M, 203P
- Ghadessy R & Kelly E Evidence that PKA and PKC regulate endogenous secretin receptor responsiveness, 62P
- Ghelardini C *see* Bartolini A, 55P
- Giannini E *see* Lattanzi R, 45P
- Giembycz MA *see* Clarke DL, 40P
- Giembycz MA *see* de Souza PM, 43P
- Gil DW *see* Chen J, 63P
- Gilbert E, Owen A, Rose S & Jenner P Prolonged elevation of PPE-A and PPT mRNA following chronic L-DOPA treatment of 6-OHDA lesioned rats, 80P
- Gilbert MB *see* Borman RA, 237P
- Giovannini L, Migliori M, Origlia N, Longoni B, Panichi V, Filippi C, Bertelli AAE & Bertelli A Acute cyclosporine A nephrotoxicity: protective effect of L-propionylcarnitine on lipid peroxidation in rat isolated and perfused kidney (IPRK), 253P
- Giovannini MG, Blitzer RD, Wong T, Morrison JH, Pepeu G, Iyengar R & Landau EM Regulation of CAMKII by the MAPK pathway in long-term potentiation, 146P
- Giovannini MG, Rakovska A, Benton RS, Bianchi L, Della Corte-L & Pepeu G ACh and GABA release from the cortex and hippocampus of the rat during novelty and habituation, 174P
- Giovannini MG *see* Guasparini G, 76P
- Gispén WH *see* Gardoni F, 261P
- Gitlin JM, Evans TW, Stanford SJ, Anning PB & Mitchell JA Modulation of anandamide-evoked relaxation in the rat isolated mesenteric bed by the PGI₂ analogue cicaprost, 28P
- Giuliano F & Warner TD COX-1-derived PGE₂: a comparison between human and rat blood, 196P
- Gäddnäs H, Pietilä K & Ahtee L Circadian activity in mice during chronic oral nicotine administration, 180P
- Goepel M *see* Li Y, 209P
- Gomeni R *see* Griffante C, 216P
- Gomes P, Vieira-Coelho MA & Soares-da-Silva P Decreases in Na⁺ trans-epithelial flux by dopamine is primarily dependent on inhibition of the apical Na⁺/H⁺ exchanger, 60P
- Gomes P & Soares-da-Silva P Gi protein coupled D₂-like receptors stimulate ATP-sensitive K⁺ channels through a cyclic AMP-independent pathway in OK cells, 211P
- Gomes P & Soares-da-Silva P Involve-

- ment of multiple signalling pathways during stimulation of renal dopamine D₁-like receptors, 208P
- Gomes P *see* Vieira-Coelho MA, 31P
- Goulding NJ, Rajakulendran S, Goulding PN, Perretti M, Flower RJ & Guyre PM Monocyte CD163 expression is regulated by glucocorticoids and lipopolysaccharide but not by chemokines, 194P
- Goulding PN *see* Goulding NJ, 194P
- Grant AD & Brain SD Capsaicin-mediated neurogenic vasodilatation in neurokinin-1 (NK₁) receptor knockout mice, 202P
- Gray AI *see* Battu GR, 199P
- Gray PA, Breese EJ, Wood EG, Warner TD & Mitchell JA Respective effects of cAMP elevation versus cGMP elevation on GMCSF release by human synoviocytes, 36P
- Green AR *see* Colado MI, 133P
- Green AR *see* Mechan AO, 184P
- Greengard P *see* Calabresi P, 269P
- Greengard P *see* Snyder GL, 268P
- Griffante C, Remelli R, Gomeni R, Trist DG, Reggiani A, Cavanni P & Corsi MI Characterisation of substance P-induced calcium release by using the NK₁ antagonists L0733,060, GR205171 and MK-0869 in human NK₁-CHO cells, 216P
- Griffiths G *see* Dive C, 257P
- Grigoriadis DE *see* Langlois X, 264P
- Grosskreutz Y *see* Betz H, 262P
- Guaspirini G, Bianchi L, Giovannini MG, Pepeu G & Della Corte L Extracellular concentrations of acetylcholine, GABA, glutamate and aspartate in the rat ventral hippocampus during exploratory activity in an open field, 76P
- Gubellini P *see* Calabresi P, 269P
- Gudgeon C *see* Kanumilli S, 142P
- Guo C & Piacentini L Divergent regulations of MMP-2 and MMP-9 in adult rat cardiac fibroblasts: mechanism of proMMP-2 activation, 132P
- Guyre PM *see* Goulding NJ, 194P
- Haddingham KH *see* Macaulay A, 223P
- Hagan JJ Dopamine D₁ receptors: pharmacology and potential therapeutic applications, 271P
- Hagendorff A *see* Salameh A, 215P
- Hall IP *see* Billington CK, 205P
- Hall M *see* Smith E, 168P
- Hamilton W *see* Ge J, 135P
- Handford EJ, Smith D, McAllister G, Stanton JA & Beer MS Edg4 receptor distribution and functionality, 77P
- Handley SL *see* MacInnes N, 79P
- Harbuz MS *see* Finn DP, 181P
- Harmer DW *see* Borman RA, 237P
- Harries MH *see* Roberts C, 145P
- Harries MH *see* Watson J, 83P
- Harrison S, Maggiore B, Amadesi S, Tognetto M, Trevisani M, Navarra G, Turini A & Geppetti P Bradykinin B₂ receptor-induced contraction of human isolated gallbladder is increased by inflammation, 206P
- Harriss DR *see* Cousins ID, 249P
- Harrold JA, Widdowson PS & Williams G Evidence that γ -MSH is the endogenous anti-obesity ligand acting at hypothalamic melanocortin-4 receptors, 156P
- Hartell NA *see* Cater HL, 148P
- Harvey RJ *see* Wilkins ME, 166P
- Hashiba E, Lambert DG, Toth G & Smith G Comparison of the binding of [³H]NC(1-13)NH₂, [³H]NCOH and [¹²⁵I]Y¹⁴NCOH to human recombinant nociceptin receptors expressed in Chinese hamster ovary cells, 227P
- Hastings MH *see* Lummis SCR, 189P
- Heales SJR *see* Zeng B-Y, 158P
- Hein L *see* Blandizzi C, 13P
- Heinroth-Hoffmann I *see* Leineweber K, 21P
- Helboe L *see* Cole SL, 165P
- Helliwell R *see* Leishman DJ, 130P
- Hennessy M *see* Spiers JP, 98P
- Herdon HJ *see* Langmead CJ, 213P
- Hermann A *see* Betz H, 262P
- Hickinson MM *see* Baines IA, 251P
- Hickman JA *see* Dive C, 257P
- Higenbottam TW *see* Lal H, 102P
- Higenbottam TW *see* Sisodiya A, 234P
- Hill DR *see* Elands CM, 147P
- Hill DR *see* Ge J, 135P
- Hill SJ *see* Cousins ID, 249P
- Hillier C *see* Coats P, 67P
- Hillier C *see* Jarajapu YPR, 20P
- Hillier C *see* Jarajapu YPR, 106P
- Hla T *see* Bishop-Bailey D, 29P
- Hope AG *see* Barnes NM, 263P
- Hudson AL *see* Finn DP, 181P
- Hudson AL *see* Robinson ESJ, 138P
- Hudson AL *see* Tyacke RJ, 137P
- Huganir RL *see* Snyder GL, 268P
- Humphrey PPA *see* Bland-Ward PA, 54P
- Humphrey PPA *see* Carruthers AM, 47P
- Humphrey PPA *see* Cole SL, 165P
- Humphrey PPA *see* Jarvie E, 167P
- Humphrey PPA *see* Jenkins DW, 50P
- Humphrey PPA *see* Michel AD, 57P
- Humphrey PPA *see* Michel AD, 218P
- Humphrey PPA *see* Simon J, 219P
- Humphrey PPA *see* Thompson KM, 15P
- Humphrey PPA *see* Thompson KM, 229P
- Hussain JF *see* Brown JT, 226P
- Impagnatiello F *see* Bastia E, 160P
- Impicciatore M *see* Barocelli E, 243P
- Irvine J *see* Brown T, 239P
- Iuvone T *see* Izzo AA, 44P
- Iyengar R *see* Giovannini MG, 146P
- Izzo AA, Capasso R, Pinto L, Iuvone T, Esposito G, Mascolo N & Capasso F Effect of cannabinoid agonists on intestinal motility in a chronic model of intestinal inflammation, 44P
- Izzo AA *see* Borrelli F, 19P
- Jackels M *see* Polontchouk LO, 65P
- Jaffar M *see* Criddle DN, 242P
- Jakobs KH *see* Weeking C, 111P
- James RS *see* Borman RA, 237P
- Jane DE *see* Miller JC, 190P
- Jane DE *see* More JCA, 152P
- Jarajapu YPR, Coats P, McGrath JC, Hillier C & MacDonald A Functional characterisation of α_1 adrenoceptor subtypes in human skeletal muscle, 20P
- Jarajapu YPR, Johnston F, Coats P, MacDonald A & Hillier C Post-junctional α_1 - and α_2 -adrenoceptor-mediated contractile responses in human resistance arteries vary with the vascular bed, 106P
- Jarvie E, Feniuk W & Humphrey PPA Regulation of capsaicin-evoked release of CGRP from rat isolated dura mater *in vitro*, 167P
- Jenkins DW, Sellers LA & Humphrey PPA Prostaglandins induce calcitonin gene-related peptide release from adult rat trigeminal neurones, 50P
- Jenkins DW *see* Carruthers AM, 47P
- Jenner P *see* Gilbert E, 80P
- Jenner P *see* Johnston LC, 134P
- Jenner P *see* Johnston T, 172P
- Jenner P *see* Kulkarni RS, 161P
- Jenner P *see* Zeng B-Y, 158P
- Jhaveri MD, Beckett SRG, Kendall DA & Marsden CA Effects of mild unconditioned footshock on *cfos* expression in the periaqueductal grey of rat, 185P
- John CD, Solito E, Mulla A, Morris JF, Flower RJ & Buckingham JC Dexamethasone induces serine phosphorylation of annexin 1 in pituitary cells and suppresses ACTH release by a PKC-dependent mechanism, 34P
- Johnston F *see* Coats P, 67P
- Johnston F *see* Jarajapu YPR, 106P
- Johnston LC, Smith L, Rose S & Jenner P The novel dopamine D₂ receptor partial agonist, SLV-308, reverses motor disability in MPTP-lesioned common marmosets (*Callithrix jacchus*), 134P
- Johnston T, Jenner P & Duty S Alterations in GABA_{B1B} and GABA_{B1C} receptor gene expression in the basal ganglia and thalamus of rats bearing a nigrostriatal tract lesion, 172P

- Johnström P, Landvatter SW, Senderoff SG, Clark JC, Pickard JD, Ohlestein EH & Davenport AP Synthesis and preliminary *in vitro* characterisation of a ^{18}F -labelled analogue of SB209670, a PET radioligand for the endothelin receptor, 99P
- Jones DNC *see* Langmead CJ, 213P
- Joseph MH *see* Mehan AO, 184P
- Jurzak M *see* Langlois X, 264P
- Kam YW *see* Wise H, 87P
- Kamal A *see* Gardoni F, 261P
- Kankaanranta H *see* de Souza PM, 43P
- Kanumilli S, Gudgeon C & Roberts PJ Effect of metabotropic glutamate receptors on astrocyte proliferation: involvement of PKC and PLD, 142P
- Kanumilli S *see* Vladimirov A, 141P
- Katugampola SD, Pallikaros Z & Davenport AP Characterisation of [^{125}I]-ghrelin, the endogenous radio-labelled ligand for the growth hormone secretagogue orphan receptor in human cardiovascular tissue, 115P
- Katugampola SD & Davenport AP Distribution of thromboxane receptors in the normal human heart and its alteration with disease, 114P
- Katz LM, Marr CM & Elliott J A comparison of the responses of equine digital veins and arteries to endothelin-1, 95P
- Kavanagh P *see* Spiers JP, 98P
- Keegan A *see* Murdoch R, 235P
- Keffel S *see* Li Y, 209P
- Kelland EE & Toms NJ AMPA receptor-mediated excitotoxic cell death in rat cultured oligodendrocyte progenitor cells, 139P
- Kelleher D *see* Spiers JP, 98P
- Kelly E *see* Ghadessy RS, 62P
- Kelly E *see* Matharu A-L, 58P
- Kelly E *see* Mundell SJ, 214P
- Kelly JA, Bennett GW, Beckett S, Slator GR, Roe CH, O'Loinsigh ED & O'Boyle KM Effects of thyrotropin-releasing hormone-degrading ectoenzyme inhibitors on thyrotropin-releasing hormone actions *in vivo*, 187P
- Kelly S & Chapman V Effect of a selective cannabinoid CB₁ receptor agonist on spinal nociceptive transmission in carrageenan inflamed anaesthetised rats, 162P
- Kelso EJ, Spiers JP, McDermott BJ, Silke B, McKeown P & Nicholls DP Cardiac gene expression analysis of the left ventricle and atria in anthracyclin-induced cardiomyopathy in rabbits, 117P
- Kendall DA *see* Jhaveri MD, 185P
- Kendall DA *see* McCulloch AI, 113P
- Kendall DA *see* Millns PJ, 163P
- Kendall DA *see* Tep-areenan P, 112P
- Kerby J *see* Brown NA, 221P
- Khan H, Tuladhar BR & Naylor RJ A novel relaxation response to 5-HT in the mouse tetrodotoxin-precontracted isolated colon, 241P
- Khokher S *see* de Saram K, 93P
- Kidd EJ *see* Elneil S, 16P
- Kidd T *see* Leishman DJ, 131P
- Kilpatrick IC *see* Sisodiya A, 234P
- Kingsbury M, Robinson H, Flores N & Sheridan D The role of K_{ATP} channels, adenosine, nitric oxide and prostaglandins as mediators of reactive hyperaemia in guinea-pig hearts, 91P
- Kinsella A *see* McNamara F, 81P
- Kirchengast M *see* DePaoli P, 127P
- Kis A, Krassó, Papp JGy, Parratt JR & Végh É Are B₁ bradykinin receptors involved in the antiarrhythmic effect of bradykinin in anaesthetised dogs?, 89P
- Kis A *see* Baxter GF, 8P
- Kneussel M *see* Betz H, 262P
- Koidl B *see* DePaoli P, 127P
- Kotaniidou A *see* Papapetropoulos A, 3P
- Kötting A *see* Püttmann K, 207P
- Kozłowski CM *see* Clayton N, 151P
- Krassó I *see* Kis A, 89P
- Krauss AH-P *see* Chen J, 63P
- Kulkarni RS, Rose S & Jenner P Effect of cytochrome P4502E1 inhibition on free radical formation and dopamine efflux in the rat striatum: a microdialysis study, 161P
- Kulkarni-Narla A *see* Adami M, 244P
- Kumlin M *see* Bäck M, 238P
- La M, Bandiera S, Flower RJ & Perretti M Annexin-I-derived peptides protect against myocardial ischaemia reperfusion injury, 33P
- Lacey MG *see* Easter A, 175P
- Lacey MG *see* Easter A, 176P
- Lal H, Emery CJ, MacLean MR & Higenbottam TW 5-Hydroxytryptamine receptor-mediated vasoconstriction is selectively augmented in pulmonary resistance arteries from Fawn hooded rats, 102P
- Lal H *see* Yu Q, 232P
- Lambert DG Naloxone benzoylhydrazine is a partial agonist at human nociceptin receptors expressed in Chinese hamster ovary cells (CHO_{NER}) studies with GTP γ S, 143P
- Lambert DG *see* Hashiba E, 227P
- Lambert JJ *see* Low PB, 144P
- Lambert JJ *see* Peden DR, 171P
- Landau EM *see* Giovannini MG, 146P
- Landvatter SW *see* Johnström P, 99P
- Langham CJ, Dougall IG, Wilkinson GF, Scaramellini CM & McHale M The pharmacological effects of the CCR4 chemokine receptor ligands macrophage-derived chemokine and thymus and activation-regulated chemokine on human T cells, 195P
- Langlois X, Jurzak M, Leysen JE, Ashton D, Meert T & Grigoriadis DE Preclinical pharmacology of R121919, a CRF1 receptor antagonist, 264P
- Langmead CJ, Ratcliffe SJ, Szekeres PG, Bridges AM, Blaney FE, Jones DNC & Herdon HJ Identification of key residues involved in binding of [^{125}I]-prolactin-releasing peptide (PRRP) to GPR10, 213P
- Lartaud-Idjouadiene I *see* Nivoit P, 107P
- Lattanzi R, Giannini E, Melchioni P & Negri L Pharmacology of BV8, a new peptide from amphibian skin, 45P
- Laube B *see* Betz H, 262P
- Lavagno L *see* Brunelleschi S, 35P
- Lavagno L *see* Brunelleschi S, 38P
- Leal-Cardoso JH *see* Criddle DN, 242P
- Leineweber K, Seyfarth T, Pöncke K, Heinroth-Hoffmann I & Brodde O-E Noradrenaline-induced hypertrophic response in cardiomyocytes from monocrotaline-treated rats, 21P
- Leishman DJ, Douthwaite M, Kidd T, Memer P, Walker DK, West H & Wallis RM Effects of E-4031, cisapride, terfenadine and terodiline on monophasic action potential duration (MAPD) and incidence of Torsade des Pointes (TdP) in the dog, 131P
- Leishman DJ, Helliwell R, Wakerell J & Wallis RM Effects of E-4031, cisapride, terfenadine and terodiline on cardiac repolarisation in canine Purkinje fibre and HERG channels expressed in HEK293 cells, 130P
- Lentini G *see* Desaphy J-F, 224P
- Lentini G *see* Talon S, 225P
- Leonardi A *see* Cilia A, 220P
- Leong S *see* Rajamani K, 248P
- Leung E *see* Gessi S, 56P
- Leysen JE *see* Langlois X, 264P
- Li Y, Keffel S, Buscher R, Goepel M & Michel MC Staurosporine-induced cell death in Madin-Darby canine kidney cells, 209P
- Liantonio A *see* De Luca A, 250P
- Lin L *see* Barnes NM, 263P
- Lindsay MA *see* de Souza PM, 43P
- Lippolis L *see* Autore G, 200P
- Lippolis L *see* Sorrentino R, 129P
- Little HJ *see* O'Callaghan M, 78P
- Liu L, Paul A & Plevin R The NF κ B pathway participates in the increase in IRF-1 expression in human endothelial cells stimulated by lipopolysaccharide and tumour necrosis factor- α , 86P
- Liu XH, Spiller DG, Morris R, White

- MRH & Williams G Are glucose-receptive neurones in lateral hypothalamus modulated by Orexin-A? A combined electrophysiological and immunohistochemical study, 153P
- Llenas J *see* Montero JL, 126P
- Loiodice F *see* Tricarico D, 210P
- Loizzo A *see* Capasso A, 247P
- Lonardo G *see* Sartiani L, 72P
- Longoni B *see* Giovannini L, 253P
- Lorenzetti R The Consorzio Roberto Lepetit for the Development of Biotechnology: new impulse to academia and industry collaboration, 276P
- Lovick TA Neurosteroid modulation of neuronal excitability in the periaqueductal grey matter in rats: cardiovascular and electrophysiological studies with ORG20599, 53P
- Low PB, Lambert JJ & Peters JA A comparative study of the pharmacological properties of human recombinant homo- and hetero-oligomeric 5-hydroxytryptamine Type-3 (5-HT₃) receptors, 144P
- Luciani S *see* Trevisi L, 128P
- Lummis SCR, O'Brien JA & Hastings MH Gene gun-mediated expression of yellow fluorescent protein-linked 5-HT_{3A} receptors in HEK293 cells and brain slices, 189P
- Lummis SCR *see* Reeves DC, 188P
- Lundahl TS *see* Simon J, 219P
- Lyles GA *see* Robertson DA, 92P
- McAllister G *see* Handford EJ, 77P
- McAllister KHM, Pullen SL, McHarg AD, Chahwala SB & Wallis RM The R(+) enantiomer of amlodipine has an endothelial-dependent vasodilatory effect on canine coronary artery, 124P
- Macaulay A, Rosahl TW, Hadingham KH, Whiting PJ & Wafford KA Investigation of GABA_A receptors in cerebellar Purkinje neurons using mice lacking the $\alpha 1$ or $\beta 2$ subunits, 223P
- McCluskie K *see* Birrell M, 204P
- McCulloch AI, Kendall DA & Randall MD Vasorelaxation of CP55940 and HU210 in the rat isolated mesenteric arterial bed is not mediated by the CB₁ cannabinoid receptor, 113P
- McDaid J & Docherty JR Vascular actions of MDMA involve α -adrenoceptors and 5-HT receptors, 110P
- McDermott BJ *see* Kelso EJ, 117P
- MacDonald A *see* Brown T, 239P
- MacDonald A *see* Jarajapu YPR, 20P
- MacDonald A *see* Jarajapu YPR, 106P
- MacDonald A *see* Tracey A, 233P
- MacDonald J *see* Coats P, 67P
- McDonald MC *see* Abdelrahman M, 119P
- McDonald MC *see* Abdelrahman M, 120P
- McDonald MC *see* Chatterjee PK, 123P
- McDonald MC *see* Cuzzocrea S, 41P
- McDonald MC *see* Wayman NS, 121P
- Macêdo LB *see* Criddle DN, 242P
- McGinn JS, Crozier A & MacLean MR Mechanisms of vasodilation of green and black tea extracts and epicatechin derivatives, 94P
- McGrath JC *see* Jarajapu YPR, 20P
- McHale M *see* Langham CJ, 195P
- McHarg AD *see* McAllister KHM, 124P
- McIlhenney RAJ, Chan WY, Soloviev MM & Ciruela F The role of protein-protein interactions in the targeting of metabotropic glutamate receptors, 260P
- MacInnes N & Handley SL The beta carbolines norharmane and harmaline, but not the specific MAO-B inhibitor RO16-6491, substitute for the imidazoline ligand 2-BFI in rat drug discrimination, 79P
- McKeating JA *see* Mahmoud NG, 192P
- MacKenzie CJ *see* Torrie LJ, 84P
- McKeown P *see* Kelso EJ, 117P
- McKnight AT *see* Maneuf YP, 222P
- MacLean MR *see* Lal H, 102P
- MacLean MR *see* McGinn JS, 94P
- MacLean MR *see* Murdoch R, 235P
- McMurray JJ *see* Coats P, 67P
- McNamara F, Clifford J, Kinsella A, Drago J, Croke D & Waddington J Topographical assessment of behavioural phenotype in congenic dopamine D_{1A} receptor 'knockout' mice, 81P
- McNeill JR & Yu M Haemodynamic effects of a novel hypotensive vasopressin peptide, 125P
- McNeill KL *see* de Saram K, 93P
- McNeish AJ, Wilson WS & Martin W Characterisation of endothelium-dependent vasodilator responses in the bovine isolated perfused eye, 70P
- Maggi CA *see* Catalioto R-M, 240P
- Maggiore B *see* Harrison S, 206P
- Mahmoud NG, Mueller A, McKeating JA & Strange PG Pharmacological analysis of CCR5 receptors using [³⁵S]GTP γ S binding, 192P
- Makin G *see* Dive C, 257P
- Manarini S *see* Rotondo S, 198P
- Mancuso F *see* Sorrentino R, 129P
- Maneuf YP, Blake R, Andrews NA & McKnight AT Reduction by gabapentin of K⁺-evoked release of [³H]-glutamate from the trigeminal nucleus of the streptozotocin-treated rat, 222P
- Mann GS *see* Cousins ID, 249P
- Mannaioni PF *see* Masini E, 9P
- Marchi M, Pedrini A, Monopoli A, Ongini E & Raiteri M Presynaptic adenosine receptors modulate [³H]-D-aspartate release in rat cortical nerve endings, 140P
- Marr CM *see* Katz LM, 95P
- Marrocco G *see* D'Agostino B, 236P
- Marsden CA *see* Jhaveri MD, 185P
- Martelli S *see* Rotondo S, 198P
- Marti O *see* Finn DP, 181P
- Martin W & Buyukafars K Oxidation of nitroxyl anion to nitric oxide by quinones, 71P
- Martin W *see* McNeish AJ, 70P
- Martindale J, Bland-Ward PA & Chessell IP Inhibition of C-fibre and mechanically-evoked dorsal horn neurone activity following intraplantar formalin injection in the anaesthetised rat, 170P
- Marzocco S *see* Autore G, 200P
- Marzocco S *see* Sorrentino R, 129P
- Mascolo N *see* Izzo AA, 44P
- Masini E, Ndisang JF, Baronti R, Cecere G, Vannacci A, Bani D & Mannaioni PF Nitric oxide synthase and heme oxygenase modulation of cardiac anaphylaxis *in vitro*, 9P
- Maskell DJ *see* Royle MCJ, 37P
- Matharu A-L, Mundell SJ & Kelly E Short term desensitization and internalization of the rat A_{2B} adenosine receptor is mediated by its distal C-terminus tail, 58P
- Matharu A-L *see* Mundell SJ, 214P
- Mathy M-J *see* Balt JC, 30P
- Matucci R *see* Raimondi L, 25P
- Mazzeo F *see* D'Agostino B, 236P
- Mazzon E *see* Cuzzocrea S, 41P
- Mechan AO, Green AR, Elliott JM, Young AMJ, Joseph MH & Moran PM A study of the differences in the behaviour of Dark Agouti and Sprague-Dawley rats in the elevated plus-maze, 184P
- Meecham K *see* Smith E, 168P
- Meert T *see* Langlois X, 264P
- Meireles AVP *see* Criddle DN, 242P
- Melani A *see* Pedata F, 154P
- Melchiorri D, Bruno V, Besong G, Ngomba R, Cuomo L, Copani A, Nicoletti F & Passarelli F The mammalian homologue of the novel peptide BV8 is expressed in the central nervous system and supports neuronal survival by activating the MAP kinase/PI-3-kinase pathways, 46P
- Melchiorri P *see* Lattanzi R, 45P
- Meli E *see* Moroni F, 74P
- Meli E *see* Pellegrini-Giampietro D, 73P
- Mereto E *see* Borrelli F, 19P
- Merighi S *see* Gessi S, 56P
- Merner P *see* Leishman DJ, 131P
- Meyer zu Heringdorf D *see* Weeking C, 111P
- Meza-Toledo S *see* Bowery BJ, 177P
- Michel AD, Thompson KM & Humphrey PPA The p38 mitogen-activated protein kinase inhibitor

- SB203580 can antagonise P2X₂ receptor-mediated responses, 218P
- Michel AD, Xing M, Thompson KM & Humphrey PPA Lipids effects on responses at P2X₂ receptors, 57P
- Michel AD *see* Thompson KM, 15P
- Michel AD *see* Thompson KM, 229P
- Michel MC *see* Li Y, 209P
- Michel MC *see* Püttmann K, 207P
- Michel MC *see* Weeking C, 111P
- Middlemiss DN *see* Roberts C, 145P
- Migliori M *see* Giovannini L, 253P
- Milanese M *see* Tessari M, 183P
- Miller JC, O'Neill MJ & Jane DE Immunocytochemical localization of glutamate receptor subtypes in the lumbar region of the neonatal rat spinal cord, 190P
- Millns PJ, Chapman V & Kendall DA Cannabinoid receptor activation reduces capsaicin-evoked increases in [Ca²⁺]_i in adult dorsal root ganglia cells, 163P
- Mitchell JA *see* Bardswell SC, 97P
- Mitchell JA *see* Calatayud S, 197P
- Mitchell JA *see* Calatayud S, 245P
- Mitchell JA *see* Clarke DL, 40P
- Mitchell JA *see* Gitlin JM, 28P
- Mitchell JA *see* Gray PA, 36P
- Mitchell JA *see* Patel HJ, 42P
- Mitchell JA *see* Price S, 1P
- Mitchell JA *see* Price S, 2P
- Mitchell JA *see* Stanford SJ, 39P
- Mitchell JA *see* Stanford SJ, 69P
- Mitchell JA *see* Wort SJ, 64P
- Mitchell JN *see* Baines IA, 251P
- Mitchell JN *see* Day NC, 82P
- Monopoli A *see* Bastia E, 160P
- Monopoli A *see* Marchi M, 140P
- Monopoli A *see* Pedata F, 154P
- Montanari L *see* De Luca A, 250P
- Montanari L *see* Tricarico D, 210P
- Montero JL & Llenas J The piglet isolated Purkinje fibres preparation as a suitable model to predict drug-induced ventricular arrhythmias, 126P
- Moran PM *see* Mechan AO, 184P
- More JCA, Troop HM & Jane DE The N³-substituted willardiine analogue (S)-3-(4-carboxybenzyl)willardiine selectively antagonises AMPA kainate on neonatal rat spinal motoneurons, 152P
- Morelli A *see* Gessi S, 56P
- Morello S *see* Cicala C, 109P
- Moroni F, Attucci S, Cozzi A, Meli E, Pellicciari R & Pellegrini-Giampietro D Antagonists of metabotropic glutamate 1 receptors reduce post-ischaemic neuronal death, 74P
- Moroni F *see* Pellegrini-Giampietro D, 73P
- Morris JF *see* John CD, 34P
- Morris R *see* Liu XH, 153P
- Morrison JH *see* Giovannini MG, 146P
- Morrone LA *see* Romanelli L, 246P
- Moser C *see* Püttmann K, 207P
- Mota-Filipe H *see* Cuzzocrea S, 41P
- Mueller A *see* Mahmoud NG, 192P
- Mugelli A *see* DePaoli P, 127P
- Mugelli A *see* Raimondi L, 25P
- Mugelli A *see* Sartiani L, 72P
- Mulla A *see* John CD, 34P
- Munday PW *see* Day NC, 82P
- Mundell SJ, Matharu A-L & Kelly E C-terminus truncation of the rat A_{2B} adenosine receptor promotes arrestin-independent surface receptor loss following prolonged agonist exposure, 214P
- Mundell SJ *see* Matharu A-L, 58P
- Murdoch R, Keegan A & MacLean MR 5-HT moduline is an endogenous modulator of 5-HT_{1B}-mediated contraction in rabbit pulmonary resistance arteries, 235P
- Nairn AC *see* Snyder GL, 268P
- Navarra G *see* Harrison S, 206P
- Navarra M, Bilotta A, Rotiroti D & Di Renzo GF The protective effect of ethanol against gp120-induced cytotoxicity involves the inhibition of a Ca²⁺ activated NO/cGMP pathway, 230P
- Navarra P *see* Pozzoli G, 212P
- Naylor RJ *see* Khan H, 241P
- Ndisang JF *see* Masini E, 9P
- Negri L *see* Lattanzi R, 45P
- Ng G Molecular role of caspases in apoptotic cell suicide and human disease pathogenesis, 258P
- Ngomba R *see* Melchiorri D, 46P
- Nicholls DP *see* Kelso EJ, 117P
- Nickolls SA & Strange PG Preferential coupling of D_{2S} dopamine receptors to α G proteins over α₂ G proteins, 159P
- Nicoletti F *see* Melchiorri D, 46P
- Nikbakht M-R & Stone TW Activation of NMDA receptors suppresses pre-synaptic responses to adenosine, 155P
- Nivoit P, Cotecchia S, Atkinson J & Lartaud-Idjouadiene I Elastic properties of the aortic wall in α_{1B}-adrenoceptor knockout mice, 107P
- Nutt DJ *see* Finn DP, 181P
- Nutt DJ *see* Robinson ESJ, 138P
- Nutt DJ *see* Tyacke RJ, 137P
- O'Boyle KM *see* Kelly JA, 187P
- O'Brien JA *see* Lummis SCR, 189P
- O'Callaghan M & Little HJ ACTH 4-10 decreases preference of C57 strain mice for alcohol, 78P
- O'Connor SE *see* Delahaye M, 103P
- Ohlstein EH *see* Johnström P, 99P
- O'Loinsigh ED *see* Kelly JA, 187P
- O'Neill MJ *see* Miller JC, 190P
- Ongini E *see* Bastia E, 160P
- Ongini E *see* Corradini L, 169P
- Ongini E *see* Marchi M, 140P
- Ongini E The biomedical science park: a stimulating environment in which to foster interactions between academia and industry, 274P
- Origlia N *see* Giovannini L, 253P
- O'Shea E *see* Colado MI, 133P
- Owen A *see* Gilbert E, 80P
- Page KJ *see* Day NC, 82P
- Pallikaros Z *see* Katugampola SD, 115P
- Palmery M *see* Romanelli L, 246P
- Panerai AE *see* Bianchi M, 51P
- Pangalos M *see* Princivale A, 178P
- Pani-chi V *see* Giovannini L, 253P
- Pantoni L *see* Pedata F, 154P
- Papapetropoulos A, Xagorari A, Kotanidou A, Fotsis T, Cirino G & Roussos C Luteolin inhibits lipopolysaccharide (LPS)-induced lethal toxicity and pro-inflammatory molecule expression, 3P
- Papp JGy *see* Kis A, 89P
- Parratt JR *see* Kis A, 89P
- Parrott RF *see* Ebenezer IS, 186P
- Passarelli F *see* Melchiorri D, 46P
- Patel HJ, Belvisi MG, Bishop-Bailey D, Yacoub MH & Mitchell JA Evidence for an anti-proliferative role of peroxisome-proliferator-activated receptors in human airway smooth muscle cells, 42P
- Patel HJ *see* Clarke DL, 40P
- Patel N, Chatterjee PK, Chatterjee BE & Thiemermann C The stable nitroxyl radical TEMPONE reduces oxidative stress-mediated renal dysfunction in the rat *in vivo* and *in vitro*, 12P
- Patel S *see* Dang K, 179P
- Paterson LM *see* Tyacke RJ, 137P
- Paul A *see* Liu L, 86P
- Paul A *see* Royle MCJ, 37P
- Paul A *see* Torrie LJ, 84P
- Pedata F, Melani A, Pantoni L, Binachi L, Bordoni F, Monopoli A & Pepeu G Effect of adenosine A_{2A} receptor antagonism on the histological damage, neurological deficit and striatal adenosine and amino acid outflow following middle cerebral artery occlusion in the rat, 154P
- Peden DR, Belelli D, Peters JA, Wildsmith JAW & Lambert JJ A single transmembrane located amino acid influences the actions of GABA and pentobarbitone acting on an invertebrate GABA receptor (RDL), 171P
- Pedersen H *see* Chatterjee PK, 123P
- Pedrini A *see* Marchi M, 140P

- Pellegrini-Giampietro D, Meli E, Cozzi A, Romagnoli P, Pellicciari R & Moroni F Inhibitors of poly(ADP-ribose) polymerase (PARP) are neuro-protective against necrotic but not apoptotic post-ischaemic cell death, 73P
- Pellegrini-Giampietro D *see* Moroni F, 74P
- Pellicciari R *see* Moroni F, 74P
- Pellicciari R *see* Pellegrini-Giampietro D, 73P
- Penengo L *see* Brunelleschi S, 38P
- Pepeu G *see* Giovannini MG, 146P
- Pepeu G *see* Giovannini MG, 174P
- Pepeu G *see* Guasparini G, 76P
- Pepeu G *see* Pedata F, 154P
- Pepper JR *see* Stanford SJ, 39P
- Pepper JR *see* Stanford SJ, 69P
- Perretti M, Wheller SK, Getting SJ & Gao J-L Involvement of FPR in the anti-inflammatory action of annexin-1, 203P
- Perretti M *see* Calatayud S, 197P
- Perretti M *see* Getting SJ, 32P
- Perretti M *see* Goulding NJ, 194P
- Perretti M *see* La M, 33P
- Peters JA *see* Low PB, 144P
- Peters JA *see* Peden DR, 171P
- Pfaffendorf M, Sand C & van Zwieten PA Effects of oxidative stress on the α_1 -adrenoceptor-induced contractions in the rat isolated portal vein, 108P
- Pfaffendorf M *see* Balt JC, 30P
- Pfaffendorf M *see* Sand C, 11P
- Pfaffendorf M *see* Streefkerk JO, 100P
- Pfeiffer D *see* Salameh A, 215P
- Piacentini L *see* Guo C, 132P
- Picconi B *see* Calabresi P, 269P
- Pickard JD *see* Johnström P, 99P
- Piegari E *see* D'Amico M, 66P
- Pierno S *see* De Luca A, 250P
- Pierno S *see* Desaphy J-F, 224P
- Pietilä K *see* Gädénäs H, 180P
- Pinto A *see* Autore G, 200P
- Pinto A *see* Sorrentino R, 129P
- Pinto L *see* Izzo AA, 44P
- Pirisino R *see* Raimondi L, 25P
- Plevin R *see* Cameron P, 85P
- Plevin R *see* Liu L, 86P
- Plevin R *see* Torrie LJ, 84P
- Poggesi E *see* Cilia A, 220P
- Polontchouk L *see* Dhein S, 26P
- Polontchouk L *see* Salameh A, 215P
- Polontchouk LO, Ebelt B, Jackels M & Dhein S Effects of endothelin-1 and angiotensin-II on the cardiac connexin expression, 65P
- Pönicke K *see* Leineweber K, 21P
- Poyner DR *see* Cater HL, 148P
- Poyner DR *see* Wang Y, 149P
- Pozzoli G, Tringali G, Dello Russo C, Preziosi P & Navarra P HIV-1 Gp120 protein modulates CRF synthesis and release via the stimulation of its mRNA from the rat hypothalamus *in vitro*: involvement of iNOS, 212P
- Preziosi P *see* Pozzoli G, 212P
- Price GW *see* Day NC, 82P
- Price GW *see* Roberts C, 145P
- Price GW *see* Watson J, 83P
- Price S, Mitchell JA, Anning PB & Evans TW Effect of selective iNOS inhibition on cardiac function in endotoxaemia, 2P
- Price S, Warner TD, Evans TW, Anning PB & Mitchell JA Role of endothelin-1 in modulation of cardiac function in endotoxaemia, 1P
- Prince RJ *see* Brown JT, 226P
- Princivalle A, Bowery NG, Pangalos M & Spreafico R Expression of GABA_{B(1a)}, GABA_{B(1b)} and GABAB₂ subunit proteins in the cortex and thalamus of rat, 178P
- Protzman CE *see* Chen J, 63P
- Pullen SL *see* McAllister KHM, 124P
- Püttmann K, Bischoff A, Kötting A, Moser C, Buschauer A & Michel MC Signal transduction of human Y₁ neuropeptide Y receptors, 207P
- Raimondi L, Banchelli G, Matucci R, Stillitano F, Pirisino R & Mugelli A The effect of neuropeptide Y (NPY) on the GTPase activity of rat left ventricle Gi proteins, 25P
- Raimondi L *see* Bartolini A, 55P
- Raiteri M *see* Marchi M, 140P
- Rajakulendran S *see* Goulding NJ, 194P
- Rajamani K, Leong S & Docherty JR Prejunctional actions of MDMA in mouse vas deferens, 248P
- Rakovska A *see* Giovannini MG, 174P
- Ralevic V *see* Barbadillo-Muñoz M, 96P
- Randall MD *see* McCulloch AI, 113P
- Randall MD *see* Tep-areenan P, 112P
- Ratcliffe SJ *see* Langmead CJ, 213P
- Reeves DC & Lummis SCR Characterisation of a 5-HT_{3B} receptor subunit antiserum, 188P
- Reggiani A *see* Griffante C, 216P
- Regoli D *see* Rizzi D, 228P
- Remelli R *see* Griffante C, 216P
- Richards DA, Tolia C, Sgouros S & Bowery NG Extracellular amino acids in severely head-injured children: a microdialysis study, 75P
- Ritter JM *see* de Saram K, 93P
- Rizzi A *see* Rizzi D, 228P
- Rizzi D, Rizzi A, Bigoni R, Regoli D & Calo' G Effects of Ro 64-6198 in nociceptin/orphanin FQ-sensitive isolated tissues, 228P
- Roberts C, Watson J, Scott C, Collin L, Harries MH, Wyman P, Gaster L, Price GW & Middlemiss DN SB-272183, a selective 5HT_{1A}, 5-HT_{1B} and 5-HT_{1D} receptor antagonist, 145P
- Roberts PJ *see* Kanumilli S, 142P
- Roberts PJ *see* Vladimirov A, 141P
- Robertson DA & Lyles GA Inducible nitric oxide synthase (iNOS) expression in rat aortic cultured smooth muscle cells treated with caffeic acid and related analogues, 92P
- Robinson ESJ, Tyacke R, Nutt DJ & Hudson AL Effect of BU99006, an irreversible imidazoline₂ binding site ligand, in the distribution of [³H]2BFI and of [³H]RX821002 binding to rat brain sections, 138P
- Robinson H *see* Kingsbury M, 91P
- Roe CH *see* Kelly JA, 187P
- Romagnoli P *see* Pellegrini-Giampietro D, 73P
- Romanelli L, Morrone LA, Amico MC, Palmery M & Valeri P Opposite role of opioid and cholecystokinin systems on the withdrawal response to adenosine A₁-receptor agonist in the guinea-pig isolated ileum, 246P
- Romans KN & Ebenezer IS Indomethacin attenuates the inhibitory effects of cholecystokinin on food intake in rats, 182P
- Rosahl TW *see* Macaulay A, 223P
- Rose S *see* Gilbert E, 80P
- Rose S *see* Johnston LC, 134P
- Rose S *see* Kulkarni RS, 161P
- Rossi F *see* D'Agostino B, 236P
- Rossi F *see* D'Amico M, 66P
- Rotiroti D *see* Navarra M, 230P
- Rotondo D *see* Cameron P, 85P
- Rotondo S, Dell'Elba G, Manarini S, Martelli N, Simone V, Evangelista V & Cerletti C ML3000, a balanced inhibitor of cyclooxygenase and lipoxigenase, inhibits platelet/poly-morphonuclear leukocyte transcellular metabolism and adhesion, 198P
- Roussos C *see* Papapetropoulos A, 3P
- Roviezzo F *see* Bucci M, 23P
- Rowland M New safe medicines faster: a EUFAPS-led proposal for EU 6th framework programmer, 273P
- Royle MCJ, Paul A, Maskell DJ & Bryant CE A comparison of the responses of RAW 264.7 macrophages to lipopolysaccharide and infection with *Salmonella typhimurium*, 37P
- Rüegg UT *see* De Luca A, 250P
- Russo A *see* Borrelli F, 19P
- Sakata K, Bäck M & Dahlén S-E Leukotriene B₄ is an indirectly acting vasoconstrictor in the guinea-pig pulmonary artery, 22P
- Salameh A, Polontchouk L, Hagendorff A, Dhein S & Pfeiffer D On the chronic regulation of gap junction protein connexin 43 (Cx43) expression, 215P

- Sampaio-Maia MB, Serrão P & Soares-da-Silva P Role of intracellular regulatory pathways upon uptake and handling of L-DOPA by capillary cerebral endothelial cells, astrocytes and neuronal cells, 157P
- Sand C, Pfaffendorf M & Van Zwieten PA Oxidative stress reduces the pharmacological activity of therapeutics with antioxidant properties, 11P
- Sand C *see* Pfaffendorf M, 108P
- Sanger GJ *see* Dass N, 14P
- Santicoli P *see* Catalioto R-M, 240P
- Santoro C *see* Brunelleschi S, 38P
- Sargent RS *see* Clayton NM, 49P
- Sartiani L, Cerbai E, DePaoli P, Lonardo G, Cagiano R, Tattoli M, Cuomo V & Mugelli A *In utero* exposure to carbon monoxide alters the electrophysiological maturation of neonatal rat ventricular cardiomyocytes, 72P
- Sartiani L *see* DePaoli P, 127P
- Scaramellini CM *see* Langham CJ, 195P
- Scarpato HC *see* Criddle DN, 242P
- Schaefer T *see* Dhein S, 26P
- Scheibner J *see* Blandizzi C, 13P
- Schindler M *see* Cole SL, 165P
- Schindler M The role of CGRP and CGRP antagonists in migraine, 267P
- Schrama LH *see* Gardoni F, 261P
- Scott C *see* Roberts C, 145P
- Scott C *see* Watson J, 83P
- Scott K *see* Spiers JP, 98P
- Sellers LA *see* Carruthers AM, 47P
- Sellers LA *see* Cole SL, 165P
- Sellers LA *see* Elneil S, 16P
- Sellers LA *see* Jenkins DW, 50P
- Sellers LA *see* Simon J, 219P
- Senderoff SG *see* Johnström P, 99P
- Serrão P *see* Sampaio-Maia MB, 157P
- Serrão P *see* Vieira-Coelho MA, 31P
- Seyfarth T *see* Leineweber K, 21P
- Sgouros S *see* Richards DA, 75P
- Shahid M *see* Elands CM, 147P
- Shahid M *see* Ge J, 135P
- Shaw AM *see* Brown T, 239P
- Shaw AM *see* Tracey A, 233P
- Sheehan MJ *see* Clayton NM, 49P
- Sheehan MJ *see* Collins SD, 48P
- Sheehan MJ *see* Dalton RL, 59P
- Sheridan D *see* Kingsbury M, 91P
- Silke B *see* Kelso EJ, 117P
- Simmonds MA *see* Fariba F, 150P
- Simon J, Sellers LA, Lundahl TS, Humphrey PPA & Barnard EA Stimulation of mitogen-activated protein kinase pathways via P2Y1 and P2YT receptors in brain capillary endothelial cells, 219P
- Simon J *see* Thompson KM, 15P
- Simon J *see* Thompson KM, 229P
- Simone V *see* Rotondo S, 198P
- Singh L *see* Smith E, 168P
- Sirtori CR From a scientific finding to an industrial project, 272P
- Sisodiya A, Emery CJ, Kilpatrick IC & Higenbottam TW The acute effects of *d*-fenfluramine on pulmonary pressor responses to 5-HT and hypoxia in the blood-perfused rat isolated lung preparation, 234P
- Skepper JN *see* Elneil S, 16P
- Skingle M Leveraging technology through academic-industrial collaborations, 275P
- Slator GR *see* Kelly JA, 187P
- Sloviter R An introduction to apoptosis: a picture is worth a thousand words, 256P
- Smart TG *see* Wilkins ME, 166P
- Smith CGS & Whitehead K Determination of the extracellular glycine concentration in the rat spinal cord *in vivo*, 136P
- Smith D *see* Handford EJ, 77P
- Smith E, Stafford S, Hall M, Singh L, Williams R & Meecham K *Ex vivo* measurement of *c-fos* mRNA using TaqMan® quantitative Polymerase Chain Reaction (qPCR), 168P
- Smith G *see* Hashiba E, 227P
- Smith L *see* Johnston LC, 134P
- Smith M & Johns EJ The protective effect of NO-aspirin on haemodynamics following ischaemia-reperfusion injury to the kidneys of anaesthetized rats, 254P
- Snyder GL, Yan Z, Galdi S, Allen PB, Fienberg AA, Bibb JA, Haganir RL, Nairn AC & Greengard P A D1-receptor/PKA/DARPP-32/PP1 pathway regulates AMPA receptor phosphorylation and conductance in the neostriatum, 268P
- Soares de Moura R, Carvalho LCRM, Emiliano AF & Castro Resende A Vasodilator effect of angiotensin II in the isolated mesenteric vascular bed of the rat, 101P
- Soares-da-Silva P *see* Gomes P, 60P
- Soares-da-Silva P *see* Gomes P, 208P
- Soares-da-Silva P *see* Gomes P, 211P
- Soares-da-Silva P *see* Sampaio-Maia MB, 157P
- Soares-da-Silva P *see* Vieira-Coelho MA, 31P
- Soares-da-Silva P *see* Vieira-Coelho MA, 191P
- Soffin EM *see* Watson J, 83P
- Sokal DM & Chapman V Effects of topical baclofen on evoked-responses of dorsal horn neurones in control, sham-operated and spinal nerve ligated rats *in vivo*, 52P
- Soldani G *see* Adami M, 244P
- Solito E *see* John CD, 34P
- Soloviev MM *see* McIlhinney RAJ, 260P
- Sorrentino R, d'Emmanuele di Villa Bianca R, Autore G, Lippolis L, Marzocco S, Mancuso F, Baydoun A & Pinto A Co-administration of spermine and newborn calf serum to rats elevates blood pressure *in vivo*, 129P
- Sorrentino R *see* Autore G, 200P
- Spalluto G *see* Gessi S, 56P
- Spampinato S *see* Cacciaguerra S, 217P
- Spiers JP, Hennessy M, Scott K, Volkov Y, Kavanagh P, Keller D & Feely J Receptor-mediated internalisation of a fluorescein labelled endothelin-1 in a human endothelial cell line, 98P
- Spiers JP *see* Kelso EJ, 117P
- Spiller DG *see* Liu XH, 153P
- Spreafico R *see* Princivalle A, 178P
- Spruce AE *see* Easter A, 175P
- Spruce AE *see* Easter A, 176P
- Stafford S *see* Smith E, 168P
- Stanford SJ, Pepper JR & Mitchell JA IL-4, but not IFN γ , differentially regulates GM-CSF and G-CSF release from stimulated arterial and venous smooth muscle cells, 39P
- Stanford SJ, Pepper JR & Mitchell JA Pre-treatment with IL-1 β inhibits SNP-induced apoptosis of human venous smooth muscle cells, 69P
- Stanford SJ *see* Gitlin JM, 28P
- Stanton JA *see* Handford EJ, 77P
- Stavrev E *see* Adami M, 244P
- Stillitano F *see* Raimondi L, 25P
- Stone TW *see* Nikbakht M-R, 155P
- Strange F, Bailey SR & Elliott J Effect of temperature on 5-hydroxytryptamine-mediated vasoconstriction of equine digital veins, 104P
- Strange PG *see* Mahmoud NG, 192P
- Strange PG *see* Nickolls SA, 159P
- Streefkerk JO, Pfaffendorf M & van Zwieten PA Differences in potency and efficacy of vasodilators *in vitro* are dependent on the characteristics of the applied pretension, 100P
- Surmeier DJ The dopaminergic modulation of striatal excitability is state-dependent: new insights into old paradoxes, 270P
- Szekeres PG *see* Langmead CJ, 213P
- Talon S, De Luca A, De Bellis M, Franchini C, Lentini G, Tortorella V & Conte Camerino D Isosteric derivatives of mexiletine: new potent use-dependent blockers of skeletal muscle sodium channels with potential antimyotonic activity, 225P
- Tarter G *see* Tessari M, 183P
- Tattoli M *see* Carratù MR, 17P
- Tattoli M *see* Sartiani L, 72P
- Tep-areenan P, Kendall DA & Randall MD Vasorelaxation to 17 β -oestradiol in the rat isolated mesenteric arterial

- bed, 112P
- Tessari M, Calderan L, Milanese M, Andreoli M, Tarter G, Valerio E, Corsi M & Chiamulera C Effects of mec-amylamine and raclopride pre-treatment on a rat model of nicotine-seeking behaviour, 183P
- Testa R *see* Cilia A, 220P
- Thiemermann C *see* Abdelrahman M, 119P
- Thiemermann C *see* Abdelrahman M, 120P
- Thiemermann C *see* Chatterjee PK, 123P
- Thiemermann C *see* Cuzzocrea S, 41P
- Thiemermann C *see* Patel N, 12P
- Thiemermann C *see* Wayman NS, 121P
- Thiemermann C *see* Wayman NS, 122P
- Thiemermann C *see* Zacharowski K, 4P
- Thiemermann C *see* Zacharowski K, 5P
- Thomas MA, Bishop-Bailey D, Wood EG & Warner TD Biliverdin, the product of heme oxygenase metabolism, attenuates SIN-1-induced apoptosis in WKY 3M-22 rat aortic smooth muscle cells, 118P
- Thompson KM, Simon J, Chessell IP, Humphrey PPA & Michel AD Electrophysiological studies at human and rat chimeric P2X₂ receptors, 229P
- Thompson KM, Simon J, Humphrey PPA & Michel AD Antagonist potencies at human and rat chimeric P2X₂ receptors, 15P
- Thompson KM *see* Michel AD, 57P
- Thompson KM *see* Michel AD, 218P
- Thompson SA, Wingrove PB, Whiting PJ & Wafford KA The functional response of tracazolate is dependent on the subunits present within the GABA_A receptor, 61P
- Thomson AS *see* Chatterjee PK, 123P
- Threadgill MD *see* Chatterjee PK, 123P
- Threadgill MD *see* Wayman NS, 121P
- Todorov S *see* Adami M, 244P
- Tognetto M *see* Harrison S, 206P
- Tolias C *see* Richards DA, 75P
- Toms NJ *see* Kelland EE, 139P
- Torrie LJ, MacKenzie CJ, Paul A & Plevin R The effect of phenylarsine on NIK-dependent IKK/ NF κ B signalling in LPS-stimulated RASMC, 84P
- Tortorella V *see* Desaphy J-F, 224P
- Tortorella V *see* Talon S, 225P
- Tortorella V *see* Tricarico D, 210P
- Toth G *see* Hashiba E, 227P
- Trabace L *see* Carratù MR, 17P
- Tracey A, Bunton D, MacDonald A, Wilkie I & Shaw AM Relaxation to bradykinin in bovine pulmonary supernumerary arteries can be mediated by both a nitric oxide-dependent and -independent mechanism, 233P
- Trendelenburg AU *see* Blandizzi C, 13P
- Trevisani M *see* Harrison S, 206P
- Trevisi L, Bova S, Cargnelli G, Danieli-Betto D, Floreani M, Germinario E, D'Auria MV & Luciani S Callipeltin A: cardiac effects and inhibition of Na/Ca exchanger, 128P
- Tricarico D, Montanari L, Loiodice F, Tortorella V & Conte Camerino D Dualistic ATP-dependent action of new synthesized 3-4-dihydro-2H-1,4-benzoxazine derivatives and cromakalim on muscle K_{ATP} channel, 210P
- Trimble P *see* Barbadillo-Muñoz M, 96P
- Tringali G *see* Pozzoli G, 212P
- Trist DG *see* Griffante C, 216P
- Troop HM *see* More JCA, 152P
- Tuladhar BR *see* Khan H, 241P
- Turini A *see* Harrison S, 206P
- Turini D *see* Catalioto R-M, 240P
- Tyacke RJ, Paterson LM, Nutt DJ & Hudson AL Pre-treatment with imidazoline₂ binding site compounds increases the binding of [³H]2BFI in rat brain membranes, 137P
- Tyacke RJ *see* Robinson ESJ, 138P
- Upton N Emerging role of the orexin ligand-receptor system in modulating arousal and behaviour, 265P
- Urban L *see* Dang K, 179P
- Usansky H *see* Chen J, 63P
- Valeri P *see* Romanelli L, 246P
- Valerio E *see* Tessari M, 183P
- van Zwieten PA *see* Balt JC, 30P
- van Zwieten PA *see* Pfaffendorf M, 108P
- van Zwieten PA *see* Sand C, 11P
- van Zwieten PA *see* Streefkerk JO, 100P
- Vanhoutte PM *see* Weston AH, 68P
- Vannacci A *see* Masini E, 9P
- Varani K *see* Gessi S, 56P
- Vellucci SV *see* Ebenezer IS, 186P
- Végh Á *see* Kis A, 89P
- Viano I *see* Brunelleschi S, 35P
- Viano I *see* Brunelleschi S, 38P
- Vieira-Coelho MA, Gomes P, Serrão P & Soares-da-Silva P Tolcapone, entacapone and nitecapone stimulate renal D1-like receptors and decrease renal tubular sodium absorption, 31P
- Vieira-Coelho MA & Soares-da-Silva P Effect of BIA 3-202 on catechol-O-methyltransferase in rat liver and erythrocytes, 191P
- Vieira-Coelho MA *see* Gomes P, 60P
- Vladimirov A, Kanumilli S & Roberts PJ Investigation of mGlu receptors in protoplasmic and fibrous astrocytes: implications for receptor cross-talk, 141P
- Volkov Y *see* Spiers JP, 98P
- Waddington J *see* McNamara F, 81P
- Wafford KA *see* Brown NA, 221P
- Wafford KA *see* Macaulay A, 223P
- Wafford KA *see* Thompson SA, 61P
- Wakerell J *see* Leishman DJ, 130P
- Walker DK *see* Leishman DJ, 131P
- Walker G *see* Ge J, 135P
- Walker MJ *see* McNeill JR, 125P
- Wallis RM *see* Leishman DJ, 130P
- Wallis RM *see* Leishman DJ, 131P
- Wallis RM *see* McAllister KHM, 124P
- Wang Y & Poyner DR A comparison of the antagonist actions of [¹¹⁻¹⁸Ser]-CGRP₈₋₃₇ with CGRP₈₋₃₇ on the CGRP receptors expressed on L6, SK-N-MC and COL 29 cells, 149P
- Warner TD *see* Bardswell SC, 97P
- Warner TD *see* Bishop-Bailey D, 29P
- Warner TD *see* Calatayud S, 197P
- Warner TD *see* Calatayud S, 245P
- Warner TD *see* Giuliano F, 196P
- Warner TD *see* Gray PA, 36P
- Warner TD *see* Price S, 1P
- Warner TD *see* Thomas MA, 118P
- Warner TD *see* Wort SJ, 64P
- Watson J, Scott C, Davies CH, Soffin EM, Harries MH, Gaster L, Wyman P, Day NC & Price GW Comparison of functional efficacy measured at human recombinant and native tissue 5-HT_{1A} receptors, 83P
- Watson J *see* Day NC, 82P
- Watson J *see* Roberts C, 145P
- Wayman NS, McDonald MC, Threadgill MD & Thiemermann C Effects of 5-aminoisoquinolinone on regional myocardial ischaemia and reperfusion in the anaesthetized rat, 121P
- Wayman NS & Thiemermann C Effects of 15-deoxy-D12,14-prostaglandin J2 on the infarct size caused by myocardial ischaemia and reperfusion in the rat, 122P
- Wayman NS *see* Abdelrahman M, 120P
- Wecking C, Meyer zu Heringdorf D, Jakobs KH, Michel MC & Bischoff A Pertussis toxin inhibits the diuretic and natriuretic effects of sphingosine-1-phosphate and sphingosylphosphorylcholine in anaesthetized rats, 111P
- Weng S *see* Dhein S, 26P
- Werry TD, Christie M, Dainty I, Wilkinson GF & Willars GB Ca²⁺ signalling by recombinant CXCR2 chemokine receptors is potentiated by P2Y2 purinoceptors in human embryonic kidney (HEK) cells, 88P
- West H *see* Leishman DJ, 131P
- Weston AH, Gardener MJ, Félétou M, Vanhoutte PM & Edwards G Components of the bradykinin-induced endothelium-dependent hyperpolarization of pig coronary artery, 68P
- Wheeler-Jones C *see* Bailey SR, 105P
- Wheller SK *see* Perretti M, 203P

- White MRH *see* Liu XH, 153P
 Whitehead KJ *see* Smith CGS, 136P
 Whiting PJ *see* Macaulay A, 223P
 Whiting PJ *see* Thompson SA, 61P
 Wicks S *see* Foster PA, 201P
 Widdowson PS *see* Harrold JA, 156P
 Wildsmith JAW *see* Peden DR, 171P
 Wiley KE & Davenport AP Functional response of apelin-13, the novel endogenous ligand for the orphan receptor APJ, in human internal mammary artery: comparison with natriuretic peptides, 24P
 Wilkie I *see* Tracey A, 233P
 Wilkins ME, Harvey RJ & Smart TG Identification of the H⁺ ion modulatory site on a GABA_A receptor, 166P
 Wilkinson GF *see* Langham CJ, 195P
 Wilkinson GF *see* Werry TD, 88P
 Willars GB *see* Werry TD, 88P
 Williams G *see* Barbadillo-Muñoz M, 96P
 Williams G *see* Harrold JA, 156P
 Williams G *see* Liu XH, 153P
 Williams JM *see* Barnes NM, 263P
 Williams KI *see* Yu Q, 232P
 Williams R *see* Smith E, 168P
 Williamson JG *see* Elneil S, 16P
 Wilson WS *see* McNeish AJ, 70P
 Wingrove PB *see* Thompson SA, 61P
 Wise H, Kam YW & Chow KBS Prostanoid receptor-independent effects of non-prostanoid prostacyclin mimetics, 87P
 Wong T *see* Giovannini MG, 146P
 Wood EG *see* Bardswell SC, 97P
 Wood EG *see* Gray PA, 36P
 Wood EG *see* Thomas MA, 118P
 Woods M *see* Bardswell SC, 97P
 Woods M *see* Wort SJ, 64P
 Woodward B *see* Yu Q, 232P
 Woodward DF *see* Chen J, 63P
 Woolard J, Gardiner SM, Bennett T & Aspley S Regional haemodynamic responses to fluoxetine or nisoxetine in conscious Sprague-Dawley rats, 27P
 Wort SJ, Evans TW, Woods M, Warner TD & Mitchell JA Endogenously released endothelin-1 from human pulmonary artery smooth muscle promotes cellular proliferation, 64P
 Wyman P *see* Roberts C, 145P
 Wyman P *see* Watson J, 83P
 Xagorari A *see* Papapetropoulos A, 3P
 Xing M *see* Michel AD, 57P
 Yacoub MH *see* Birrell M, 204P
 Yacoub MH *see* Clarke DL, 40P
 Yacoub MH *see* Patel HJ, 42P
 Yamanishi T, Chapple CR, Yasuda K & Chess-Williams R Characterisation of the β -adrenoceptor subtypes in urinary bladder of the pig, 231P
 Yan Z *see* Snyder GL, 268P
 Yasuda K *see* Yamanishi T, 231P
 Yellon DM *see* Baxter GF, 7P
 Yellon DM *see* Baxter GF, 8P
 Yellon DM *see* Ebrahim Z, 10P
 Yellon DM *see* Ebrahim Z, 90P
 Young AMJ *see* Mechan AO, 184P
 Yu M *see* McNeill JR, 125P
 Yu Q, Lal H, Woodward B & Williams KI ET-1 sensitizes actions of vasoconstrictor agents in rat isolated perfused lungs, 232P
 Zacharowski K, Chatterjee PK & Thiemermann C Different wall fragments of Gram-positive or negative bacteria induce delayed preconditioning in the rat heart *in vivo*, 5P
 Zacharowski K, Frank S & Thiemermann C Role of nitric oxide on the delayed cardioprotection afforded by lipopolysaccharide in the rat heart *in vivo*, 4P
 Zamfirova R *see* Adami M, 244P
 Zara GP, Cavalli R, Bargoni A, Fundaro A, Gasco MR & Eandi M Gastrointestinal absorption of tobramycin incorporated in solid lipid nanoparticles, 252P
 Zara GP *see* Bonabello A, 164P
 Zeitlin IJ *see* Battu GR, 199P
 Zeng B-Y, Heales SJR, Canevari L & Jenner P Dopamine D-1, D-2 and D-3 receptor binding density was not altered in tetrahydrobiopterin-deficient hph-1 mice, 158P
 Zhang H-T *see* Cole SL, 165P
 Zoppi M *see* Bartolini A, 55P

Keyword Index

- AA transcellular metabolism 198P
 Academic-industrial relations 272P, 273P, 274P, 275P, 276P
 ACE inhibition 11P
 Acetylcholine 174P
 Acetylcholinesterase blockade 18P
 ACTH 78P
 Activity 180P
 Adenosine 7P, 8P, 155P, 160P
 Adenosine diphosphate 96P
 Adenosine receptors 140P
 Adenosine A₁ receptors 47P, 54P
 Adenosine A_{2A} antagonism 154P
 Adenosine A_{2A} receptors 59P
 Adenosine A₃ receptors 56P
 Adenosine triphosphate 96P, 218P, 229P
 Adenosine withdrawal response 246P
 Adenylate cyclase 205P
 Adhesion molecules 41P
 α -Adrenoceptors 106P
 α -Adrenoceptor inhibition 11P
 α -Adrenoceptor stimulation 108P
 α_1 -Adrenoceptors 20P, 21P, 110P
 α_2 -Adrenoceptors 13P, 110P, 138P, 248P
 α_{2AD} -Adrenoceptors 248P
 β -Adrenoceptors 231P
 β_1 -Adrenoceptors 21P
 Aids dementia complex 259P
 Airways 204P
 Airway hyperresponsiveness 236P
 Airway smooth muscle 40P, 42P, 205P
 Alcohol 78P
 Amexiletine Tio-derivatives 225P
 Amines 105P
 5-Aminoisoquinolinone 123P
 Amlodipine 124P
 AMPA 139P
 AMPA receptors 150P, 152P, 268P
 Ampaline 147P
 Anandamide 28P
 Angiotensin 65P
 Angiotensin II 101P
 Angiotensin AT₁ receptors 30P
 Annexin-1 33P, 34P
 Antagonists 152P
 Antiarrhythmic effects 89P
 Antiarrhythmic peptides 26P
 Anti-inflammatory drugs 199P
 Anticancer drugs 245P
 Antigen stimulation 193P
 Antihypersensitivity 48P, 49P
 Antioxidants 93P, 94P
 Anxiety 147P, 184P
 Aortic elasticity 107P
 Apelin-1 24P
 Apoptosis 29P, 43P, 46P, 69P, 118P, 256P, 257P, 258P, 259P
 Arrhythmias 6P, 116P, 130P, 131P
 Arteries, coronary 124P
 Arteries, coronary, human 115P
 Arteries, equine digital 95P
 Arteries, internal mammary, human 24P
 Arteries, porcine coronary 96P
 Arteries, pulmonary 233P, 239P
 Arteries, pulmonary resistance, rabbit 235P
 Arteries, resistance 67P, 106P
 Arthritis 199P
 Astrocytes 141P, 142P
 Baclofen 52P
 Bacteria 5P
 Basal ganglia 173P
 Bcl-2 proteins 257P
 Behaviour 160P, 174P, 181P
 Behavioural phenotypes 81P
 BIA 3-202 191P
 Bioassays 228P
 Biomedical science park 274P
 Bisphosphonates 164P
 Bladder 14P, 16P
 Blood, human 196P
 Blood, rat 196P
 Blood pressure 66P, 109P, 125P
 Bradykinins 10P, 240P, 89P, 90P
 Bradykinin receptors 89P
 Bradykinin B₂ receptors 206P
 Brain 157P
 Brain, human 82P
 Brain, rat 137P
 Brain capillary endothelial cells 219P
 Brain injuries 75P
 Brain slice 188P
 BV8 45P, 46P
 BzATP 57P
 Caffeic acid 92P
 Calcitonin gene-related peptides 47P, 50P, 148P, 149P, 167P, 267P
 Calcitonin gene-related peptide₈₋₃₇ 149P
 Calcium 217P
 Calcium antagonists 127P
 Calcium channels 127P, 175P, 176P
 Calcium-activated chloride channels 242P
 Callipeltin A 128P
 CaMKII 146P
 α -CaMKII 261P
 cAMP 36P
 Cannabinoids 44P, 113P, 163P
 Cannabinoid agonists 162P
 Cannabinoid receptors 244P
 Cannabinoid CB₁-receptors 113P
 Capsaicin 14P, 168P, 202P
 β -Carbolines 79P
 Carbon monoxide 17P, 72P
 Cardiac repolarisation 130P, 131P
 Cardiac anaphylaxis 9P
 Cardiac development 72P
 Cardiac fibroblasts 132P
 Cardiac myoblasts, rat 121P
 Cardiomyocytes 21P
 Cardiomyopathy 114P, 117P
 Cardioprotection, 4P
 Cardiovascular control 53P
 Cardiovascular pharmacology 25P
 Caspases 258P
 Catechol-O-methyltransferase 191P
 CCR4 195P
 CCR5 192P
 CD163 194P
 Cell deaths 209P
 Cellular electrophysiology 72P
 Cerebellum 148P, 223P
 Cerebral cortex 177P
 Cerebral ischaemia 73P, 74P
 C-fibre 170P
 c-fos 151P, 168P, 185P
 CGP 62349 179P
 Channel gating 224P
 Chemokines 192P
 Chemotaxis 195P
 Chemotherapy 252P
 Cholecystokinin 182P
 Cholecystokinin 8 246P
 Cholesterol 150P
 Cicaprost 28P
 Circadian rhythm 180P
 Cognitive performance 45P
 Colon, mouse 241P
 Colon epithelial cancer cells 245P
 Colon tumours 19P
 Colony stimulating factors 39P, 40P, 245P
 Colorectal cancer 18P
Commiphora kua 199P

- Computer simulations of experiments 255P
 Congenic knockout 81P
 Connexin 215P
 Consorzio Roberto Lepetit 276P
 Coronary circulation 91P
 Coronary constriction 103P
 Corticosterones 78P
 Corticotropin-releasing factor 212P, 264P
 COX-1 inhibition 197P
 COX-2 40P
 COX-2 inhibition 197P
 Cross-talk 88P, 141P
 5-CT 235P
 CX516 147P
 CXCR2 88P
 Cyclic AMP 207P, 211P
 Cyclooxygenase inhibitors 254P
 Cyclooxygenase-lipoxygenase inhibitors 198P
 Cyclosporin A 35P, 253P
 Cysteine-leukotrienes 238P
 Cysteine-leukotriene receptors 238P
 Cystic fibrosis 237P
 Cytochrome P450 161P
 Cytokines 97P
 Cytosolic calcium 216P
- DARPP-32 269P
 $[^3\text{H}]$ -D-aspartate release 140P
 Delayed preconditioning 90P
 Delta subunits 221P
 Dependence 247P
 Desensitisation 58P, 62P, 214P
 Detrusor smooth muscle, human 249P
 Diazepam 184P
 Dissociated neurones 150P
 Diuresis 111P
 L-DOPA 80P, 157P
 Dopamine 60P, 159P, 161P
 Dopamine agonists 134P
 Dopamine function 268P, 269P, 270P
 Dopamine receptors 158P, 271P
 Dopamine D_1 -like receptors 31P, 60P, 208P
 Dopamine D_{1A} receptors 81P
 Dopamine D_2 -like receptors 211P
 Dorsal raphe 83P
 Dorsal root ganglia 163P
 Dura mater 167P
- Ecstasy 133P
 Edg4 77P
 Efficacy 83P
 Electrophysiology 26P, 226P
 Endothelial cells 98P, 105P
 Endothelin 64P, 65P, 98P, 117P, 132P
 Endothelin receptors, human 99P
 Endothelin-1 1P, 24P, 66P, 95P, 97P, 232P
 Endothelium 67P, 70P, 95P, 101P
 Endothelium-derived hyperpolarizing factor 67P, 68P, 70P, 233P
 eNOS 23P
 Entacapone 31P
 Eosinophils 43P
 Epicatechin 94P
 Epoxyeicosatrienoic acid 68P
 Epsilon subunits 61P
 Erythrocytes 191P
 Ethanol 230P
 EU Sixth Framework Programme 273P
 Excitotoxic amino acids 75P
 Excitotoxicity 139P
 Eye 63P
- Fatty acid amides 63P
 Fawn hooded rats 102P
 Feeding behaviour 153P
d-Fenfluramine 234P
 Flavonoids 3P
 Fluorescence 98P
 Fluoxetine 27P
 Food intake 182P, 186P
 Footshock 185P
 Forced swim 181P
 Formalin 170P
 Function studies *in vitro* 79P, 231P
 Function studies *in vivo* 243P
 Functionality 77P
 Fundus, rat 242P
- G proteins 143P, 159P
 G protein-coupled receptors 58P, 62P, 82P, 214P
 GABA 61P, 174P, 221P, 223P
 $[^3\text{H}]$ -GABA 177P
 GABA $_A$ receptors 166P, 171P, 262P
 GABA $_B$ 52P, 172P
 GABA $_B$ receptors 175P, 176P, 178P, 179P
 GABA $_B$ receptor antagonists 177P
 GABApentin 222P
 Gallbladder, human 206P
 Gap junctions 26P, 65P, 68P, 215P
 Gastric acid secretion 243P, 244P
 Gene expression 117P, 172P, 189P, 237P
 Gene gun 188P
 Gephyrin 262P
 Ghrelin 115P
 Gi proteins 25P, 55P
 Glucocorticoids 194P
 Glucose receptive neurones 153P
 Glutamate receptors 190P
 Glutamate release 222P
 Glycine 136P
 Glycine re-uptake inhibitors 135P
 Glycine receptors 262P
 Glycine release 135P
 Gout 32P
 Gp120 212P, 230P, 259P
 GPR10 213P
 $[^3\text{H}]$ -Granisetron binding 144P
 Granulocyte-macrophage colony-stimulating factor 36P
 Growth hormone secretagogue receptors 115P
 $[^{35}\text{S}]$ -GTP γ S 220P
 $[^{35}\text{S}]$ -GTP γ S binding 192P, 159P
 Gut 197P
- Haemodynamics 27P
 Haemorrhagic shock 119P, 120P
 Headache 55P
 Heart 1P, 2P
 Heart, human 114P
 HEK293 cells 189P
 Heme oxygenase 9P, 118P
 Hemodynamics 125P
 Hepatocytes 251P
 High affinity IgE receptors 193P
 Histamine 22P
 Histamine H_3 receptors 243P
 HMG-CoA reductase 204P
 hph-1 mice 158P
 Hsp-90 23P
 5-HT 102P, 104P, 105P, 133P, 234P, 241P
 5-HT moduline 235P
 5-HT receptors 82P, 103P
 5-HT $_{1A}$ 83P, 134P
 5-HT $_{1A}$ receptors 145P, 220P
 5-HT $_{1B/1D}$ receptors 145P
 5-HT $_3$ receptors 144P
 5-HT $_{3A}$ receptors 189P
 5-HT $_{3B}$ receptor subunits 144P
 Hyperalgesia 45P, 51P
 Hypersensitivity 151P
 Hypertension 129P
- Imidazoline-2 79P
 Imidazoline-2 binding sites 138P
 Imidazoline 137P, 181P
 Immunocytochemistry 178P, 190P, 77P, 244P
In vivo ischaemia 154P
 Indomethacin 182P
 Inducible nitric oxide synthase 2P, 92P, 120P, 212P
 Inducible nitric oxide synthase expression 200P
 Inducible nitric oxide synthase inhibitors 151P
 Infarct size 7P, 8P, 10P, 121P, 122P
 Inflammation 32P, 44P, 204P, 206P
 Inflammation pharmacology 255P
 Inflammatory cells 201P
 Inflammatory hypersensitivity 49P
 Inotropic effect 128P
 Interferon regulatory factor-1 86P
 Interleukin-4 39P, 193P
 Internalisation 58P, 214P
 Intestinal motility 44P
 Intestinal neurotransmission 13P
 Intra-renal haemodynamics 253P
 Intracellular calcium mobilisation 240P
 Inverse agonists 220P

Ion channels 229P
 Ion transport 237P
 IP agonists 87P
 IP receptors 87P
 Irinotecan 18P
 Irreversible ligand 138P
 Ischaemia/reperfusion 7P, 8P, 33P
 Ischaemia/reperfusion injuries 10P, 12P, 123P
 Isolated nerve endings 140P

Kainate 172P
 Kidney 12P, 123P, 253P
 Kinase 43P
 Kinins 266P
 KN62 15P

Lateral hypothalamus 153P
 Laxatives 19P
 Leukocyte–endothelial cell interactions 197P
 Leukotriene B₄ 22P
 Ligand binding 149P
 Ligand-gated ion channels 188P
 Lipids 57P
 Lipid peroxidation 253P
 Lipopolysaccharides 3P, 4P, 37P, 84P, 86P, 194P
 Liver 191P
 Long QT 130P, 131P
 Long-term potentiation 146P
 Low-efficacy adenosine A₁ agonists 48P, 49P
 L-type amino acid transporters 157P
 Lymphocytes, human 55P

Macrophages, human 38P
 Macrophage stimulating protein 38P
 Madin-Darby canine kidney cells 209P
 MAP kinase 239P
 Matrix metalloproteinase 132P
 MDMA 110P, 248P
 Melanocortins 32P, 156P
 Melanocortin-4 receptors 156P
 Mesenteric bed 28P
 Metabotropic glutamate 142P
 Metabotropic glutamate receptors 74P, 141P
 Methylguanidine 200P
 Mexiletine 224P
 mGluRs 260P
 Microdialysis 75P, 76P, 135P, 154P, 161P
 Migraine 54P, 165P, 167P, 267P
 Migration 203P
 Mitogen-activated protein kinases 146P, 219P
 Monoamine oxidase 137P
 Morphine 247P
 [³H]-MRE 3008F20 binding 56P
 Multiple organ failure 119P
 Multiple organ injuries 120P

Muscarinic receptors 205P
 Muscarinic M₂ receptors 249P
 Muscarinic M₃ receptors 249P
 Muscular dystrophy 250P
 Mutagenesis 226P
 Myelination 17P
 Myocardial infarct 33P
 Myocardial ischaemia 5P, 6P, 122P
 Myocardial reperfusion 122P
 Myocytes 127P
 Myopathic sodium channels 224P

Natriuresis 31P, 111P
 Nemopathic pain 169P
 Nerve growth factor 201P
 Neuroactive steroids 53P
 Neurodegeneration 73P, 74P, 133P
 Neurogenic inflammation 202P
 Neurokinin NK₁ receptors 202P
 Neurokinin NK₁ receptors, human 216P
 Neuropathic pain 48P, 52P
 Neuropeptide receptors 264P, 265P, 266P
 Neuropeptide receptor ligands 267P
 Neuropeptide Y 25P
 Neuropeptide Y receptors 207P
 Neuroprotection 46P
 Neutrophils 33P, 41P, 203P
 NG108-15 217P
 Nicotine 180P, 183P
 Nicotinic acetylcholine receptors 226P
 Niflumic acid 242P
 Nisoxetine 27P
 Nitecapone 31P
 Nitric oxide 4P, 69P, 70P, 71P, 90P, 118P, 129P, 233P
 Nitric oxide inhibitors 254P
 Nitric oxide synthase 9P
 Nitric oxide/cGMP pathways 230P
 Nitroxyl anions 71P
 NMDA receptors 136P, 155P
 Nociceptin 143P, 170P, 227P
 Nociceptin receptors 227P
 Nociceptin/orphanin FQ 169P, 228P
 Nociception 162P
 Non-prostanoids 87P
 Non-steroidal anti-inflammatory drugs 51P
 NR2A 261P
 Nuclear factor κB 84P, 85P, 86P

Obesity 156P
 Oestradiol 112P
 17β-Oestradiol 23P
 8-OH-DPAT 186P
 OK cells 208P, 211P
 Oligodendrocytes 139P
 Opioids 143P
 Opioid/cholecystokinin systems 246P
 Orexin ligands 265P
 Orexins 153P
 Ouabain 66P
 Oxidative stress 11P, 108P, 983P

P38 mitogen activated protein kinase 37P
Parietaria judaica 236P
 Parkinson's disease 134P, 160P, 172P
 PARS 41P
 Patch clamp 210P
 Pentobarbitone 171P
 Periaqueductal grey matter 53P, 185P
 Peroxisome proliferator-activated receptors 29P, 42P, 97P
 Peroxisome proliferator-activated receptor-γ 122P
 Pertussis toxins 111P
 pH modulation 166P
 Pharmacokinetics 252P
 Phenylarsine oxide 84P
 Phenylephrine 109P
 Phosphorylation 34P
 Pithed rat 30P
 Pituitary cells 34P
 PKA 269P
 Platelet/PMN adhesion 198P
 Poly(ADP) ribose polymerase 73P, 121P, 123P
 Polymorphism 59P
 Positron emission tomography 99P
 Potassium channels 112P, 211P
 Potassium channel openers 210P
 Potassium ATP channels 91P
 PPADS 15P
 Preconditioning 5P
 Pregnancy 17P
 Preproenkephalin-A 80P
 Preprotachykinins 80P
 Presynaptic inhibition 155P
 Pretension 100P
 Prolactin releasing peptides 213P
 Proliferation 42P, 142P
 Prostaglandins 50P, 63P, 182P
 Prostaglandin E₂ 116P, 196P
 Protease activated receptors 109P
 Protein synthesis 215P
 PSD-95 261P
 Pulmonary hypertension 64P, 102P, 234P
 Pulmonary vascular bed 232P
 Purinoceptors 247P
 Purinoceptor P2X₁ subtypes 16P
 Purinoceptor P2X₂ subtypes 16P
 Purinoceptor P2X₃ subtypes 15P, 57P, 218P, 229P
 Purinoceptor P2Y subtypes 219P
 Purinoceptor P2Y₁ subtypes 88P
 Purkinje cells 148P
 Purkinje fibres 126P

Quinones 71P

R121919 264P
 Raclopride 183P
 Radioligand binding 227P
 Rat strains 184P
 RDL GABA receptors 171P

Reactive oxygen species 12P
 Receptors 203P
 Receptor autoradiography 138P
 Receptor protein:protein interactions
 260P, 262P, 263P
 Recombinant techniques 176P
 Relapse 183P
 Remodelling 64P
 Renal ischaemia-reperfusion injury
 254P
 Reperfusion 6P
 Research and development 275P
 Research and training 276P
 Resistance arteries 20P
 Respiratory burst 38P
 Rheumatoid arthritis 35P
 Ro 64-6198 228P

Salmonella typhimurium 37P
 SB-203580 218P
 SB-272183 145P
 SB-277011-A 271P
 Second messenger 208P
 Secretin 62P
 Senna 19P
 Sepsis 1P, 2P
 Septo-hippocampal system 76P
 Sigma receptors 217P
 Signal transduction 207P
 Site-directed mutagenesis 213P
 Skeletal muscle 210P, 225P
 Skeletal muscle electrophysiology
 250P
 SL-65.0472 103P
 Smooth muscle cells 39P, 69P, 240P
 Sodium channels 225P
 Sodium-calcium exchange 128P
 Sodium-hydrogen exchange 60P
 Sodium-potassium ATPase 208P
 Sodium-potassium ATPase activity
 60P

Somatic pain 164P
 Somatosensory system 178P
 Somatostatin receptors 165P
 Spermine 129P
 Spinal cord 136P, 162P, 169P, 179P,
 190P
 Staurosporine 209P
 Steroids 221P
 Stress-activated protein kinase 85P
 Striatal excitability 270P
 Substance P 216P
 Substantia nigra 177P
 β -Subunits 166P
 Superoxide anions 93P
 Sympathetic nervous system stimulation
 30P
 Symposia 256P, 257P, 258P, 259P,
 260P, 261P, 263P, 264P, 265P, 266P,
 267P, 268P, 269P, 270P, 271P, 272P,
 273P, 274P, 275P
 Synoviocytes 36P

Tachykinins 35P
 TaqMan quantitative polymerase chain
 reaction 168P
 Taurine 250P
 T-cells 195P
 Temperature 104P
 TEMPONE 12P
 Tetrahydrobiopterin 158P
 Tetrodotoxin 241P
 Thermal hyperalgesia 201P
 Thiazolidinedione 251P
 Thromboxane A₂ 114P
 Thyrotropin releasing hormones 187P
 Thyrotropin releasing hormone degrad-
 ing ectoenzymes 187P
 Thyrotropin releasing hormone degrad-
 ing ectoenzyme inhibitors 187P
 Tobramycin 252P
 Tolcapone 31P

Torsade de pointes 116P
 Toxicity 251P
 Tracazolate 61P
 Trachea, guinea-pig 238P
 Transfection methodology 175P
 Transgenic mice 13P, 107P, 223P
 Trigeminal ganglion 50P, 165P
 Trigeminal ganglion neurones 47P
 Trigeminal nucleus caudalis 54P
 Tumour cell line Jurkat 56P
 Tumour necrosis factor- α 3P
 Tyrosine kinases 119P, 239P

Undergraduate teaching 255P
 Uraemia 200P
 Urinary bladder 231P

Vanilloid receptor 1 knockout 14P
 Vascular function 94P
 Vascular smooth muscle 29P
 Vascular smooth muscle cells 92P
 Vasoconstrictors 22P, 107P, 232P
 Vasodilatation 101P
 Vasodilation 124P
 Vasodilators *in vitro* 100P
 Vasopressin 125P
 Vasorelaxation 112P, 113P
 Veins, digital, equine 95P, 104P
 Veins, portal, rat 108P
 Ventricular arrhythmias 126P
 Verotoxin 85P
 Visceral pain 164P

WAY 100635 186P
 Willardiine 152P
 Wound healing 201P

Yeast 59P