

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

3–5 July 2001

University College Dublin

INDEX TO PROCEEDINGS SUPPLEMENT

University College Dublin

Proceedings of the British Pharmacological Society Meeting

3rd–5th July, 2001

Author Index

- Abbot SE *see* Ryan GE, 176P
- Abdul-Hamid MA, Cousins ID, Harriss DR & Hill SJ [³H]-inositol phosphate responses to histamine mediated by a histamine-H₁ receptor coupled to G₁₁ but not G_q protein in primary human prostatic stromal cells, 173P
- Akhtar R *see* Grant AD, 17P
- Alder JT, Johanssen AM & Strange PG The affinity and efficacy of a series of dipropylaminotetralins at the h5-HT_{1A} receptor, 140P
- Alderton WK *see* Honey AC, 102P
- Alexander SPH, Badial J, Badial T & Ralevic V A comparative study of P2 receptor effects on smooth muscle tone in the porcine isolated common digital artery and palmar lateral vein, 74P
- Alexander SPH *see* Jackson AM, 170P
- Ali R *see* Mistry H, 26P
- Allen A, Kelso E, Bell D & McDermott B Increased potency of neuropeptide Y to attenuate contraction via Y₂ receptors during the development of cardiomyocyte hypertrophy, 30P
- Allen AR *see* Bell D, 79P
- Allers K *see* Boothman LJ, 134P
- Allicotti G, Pinilla C, Hamashin C, Russell S, Osthués L, Moya-Castro R, Schink A, Lambkin I & O'Mahony D Development of a flow-cytometry procedure for characterization of novel lectin mimetics *in vitro*, 192P
- Allshire A *see* Lane S, 78P
- Amantea D, Tessari M, Chiamulera C & Bowery NG (–)Baclofen reduces [³H]-dopamine release from rat ventral tegmental area slices via GABA_B receptor activation, 123P
- Anning PB *see* Gitlin JM, 22P
- Anning PB *see* Gitlin JM, 23P
- Anning PB *see* Gitlin JM, 87P
- Anwyl R *see* Klyubin I, 9P
- Anwyl R *see* Li S, 150P
- Anwyl R *see* O'Dwyer L, 149P
- Anwyl R *see* Shakesby AC, 152P
- Ashby CR Jr *see* Hagan JJ, 199P
- Atack JR *see* Smith AJ, 128P
- Atkinson PJ, Duxon MS, Price GW, Hastie PG & Thomas DR Paroxetine down-regulates 5-HT₁ receptors in rat hypothalamus but not hippocampus following chronic administration, 40P
- Bäckman A *see* Elliott JC, 52P
- Bacon CL *see* Haughey J, 130P
- Badial J *see* Alexander SPH, 74P
- Badial T *see* Alexander SPH, 74P
- Bahra P, Poll CT, Westwick J & Li SW Characterisation of P2 purinoceptors mediating increases in intracellular free calcium levels in HL60 cells using FLIPR (Fluorescence Imaging Plate Reader), 71P
- Baird A *see* Byrne D, 114P
- Baird AW, Moriarty D, Guiry P, McBean GJ & Keenan AK (±)-3,4-methylenedioxymethamphetamine (MDMA) stimulates electrogenic ion transport in rat colonic mucosa *in vitro*, 39P
- Baird AW *see* Leonard M, 57P
- Baird AW *see* Murphy JEJ, 35P
- Baker JG, Hall IP & Hill SJ Pharmacology of CGP 12177 in CHO cells transfected with the human β₂-adrenoceptor, 112P
- Baker JG, Hall IP & Hill SJ Pharmacology and direct visualization of the fluorescent β₂-adrenoceptor ligand BODIPY-CGP 12177 in CHO cells transfected with the human β₂-adrenoceptor, 50P
- Bakhle YS *see* Brady F, 76P
- Ball H *see* Lewis CA, 69P
- Beckett SRG *see* Finn DP, 160P
- Bell C *see* Brady F, 76P
- Bell D, Allen AR, Kelso EJ & McDermott BJ Induction of hypertrophic responsiveness to neuropeptide Y is mediated by the cardiomyocyte Y5 receptor in the spontaneously hypertensive rat, 79P
- Bell D *see* Allen A, 30P
- Bell D *see* Lee GR, 31P
- Bellomo D *see* Wanstall JC, 27P
- Berry CB & McBean GJ Structure activity relationships in the modulation of glutamate transport in synaptosomes and HEK_{GLT1} cells by fatty acids, 32P
- Bevan S *see* Panesar MS, 159P
- Beveridge TJR, Pei Q, Zetterström TSC & Elliott JM Effect of a prior neurotoxic dose of MDMA on the expression of ARC mRNA in response to acute MDMA administration, 36P
- Black JW *see* Boorman PA, 111P
- Black JW *see* Hasseldine ARG, 20P
- Black JW *see* Watt GF, 175P
- Bland-Ward PA *see* Honey AC, 102P
- Bland-Ward PA *see* Martindale J, 154P
- Boarder MR *see* White PJ, 24P

- Bochner F *see* Carmody JJ, 12P
- Boorman PA, Welsh NJ, Watt G & Black JW SR59230A is non-selective between β -adrenoceptor subtypes in mouse colon circular smooth muscle, 111P
- Boothman LJ, Allers K, Rasmussen K & Sharp T Electrophysiological evidence for 5-HT₂ receptor-mediated control of 5-HT cell firing in the dorsal raphe nucleus of the anaesthetised rat, 134P
- Borg JJ, Hancox JC, Spencer IC & Kozłowski RZ An anionic background conductance (IAB) in guinea-pig isolated ventricular myocytes and its modulation by tefluthrin, 77P
- Borman RA, Day N, Harmer DW, Ellis ES, Sheldrick RLG, Carey J, Tilford N, Coleman RA & Baxter GS Functional evidence for a 5-HT_{2B} receptor controlling motility in human isolated colon, 54P
- Bottrill FE *see* Ho WSV, 25P
- Bottrill FE *see* Mistry H, 26P
- Bountra C *see* Brazdil R, 153P
- Bountra C *see* Brown T, 101P
- Bountra C *see* Brown T, 157P
- Bountra C *see* Clayton NM, 18P
- Bowery NG *see* Amantea D, 123P
- Bowery NG *see* Princivalle AP, 124P
- Bowes M *see* Medhurst S, 156P
- Brady F, Bakhle YS & Bell C Does endogenous substance P modulate baroreflex gain in the rat?, 76P
- Brady HR *see* McMahon R, 105P
- Brady HR *see* Maderna P, 55P
- Brady HR *see* Mitchell S, 11P
- Brahmadevara N, Brawley L, Shaw AM & MacDonald A Pharmacological differences between atypical β -adrenoceptors in rat aorta and β_3 -adrenoceptors in rat colon, 110P
- Brain SD *see* Costa SKP, 19P
- Brain SD *see* Grant AD, 17P
- Brain SD *see* Rawlingson A, 15P
- Brawley L *see* Brahmadevara N, 110P
- Brayden D *see* Byrne D, 114P
- Brayden D *see* Byrne D, 115P
- Brayden D *see* Higgins LM, 185P
- Brayden D *see* Lo D, 183P
- Brayden DJ *see* Higgins L, 116P
- Brayden DJ *see* Leonard M, 57P
- Brazdil R, Kozłowski CM, Clayton NM, Stratton SC & Bountra C Inhibition of colorectal distension-induced c-fos expression in the spinal cord following MK801 and GV196771 in the anaesthetised rat, 153P
- Brazdil R *see* Brown T, 101P
- Broadley KJ *see* Toward TJ, 65P
- Brodin P *see* Elliott JC, 52P
- Brough SJ, Jerman JC, Porter R, Martin J, Pilleux JP & Smart D Pharmacological characterisation of orexin receptor subtype selective ligands, 41P
- Brown JT *see* Naseem AA, 144P
- Brown T, Clayton N, Brazdil R, Wiseman J, Naylor A & Bountra C The effects of a selective COX-2 inhibitor, GR253035X, in rat models of inflammatory hyperalgesia assessed using behavioural readouts and by quantitation of spinal immunohistochemistry, 101P
- Brown T, Clayton N, Stratton S, Bountra C & Sheehan M The anti-hyperalgesic effects of the high and low intrinsic efficacy adenosine receptor agonists GR79236X and GR190178X in a mouse model of inflammatory hyperalgesia, 157P
- Buchheit K-H, Manley PW, Quast U & Fozard JR KCO912: a potent and selective opener of ATP-dependent potassium (K_{ATP}) channels with selectivity for the airways, 70P
- Bullard E *see* Pei Q, 146P
- Burnet PWJ *see* Sartori S, 141P
- Butler M, O'Connor JJ & Moynagh PN An evaluation of the effects of TNF α on long-term potentiation in the rat dentate gyrus *in vitro*, 7P
- Byrne D *see* Higgins L, 116P
- Byrne D *see* Higgins LM, 185P
- Byrne D *see* Lo D, 183P
- Byrne D, Higgins L, Conway M, Mah S, Lo D, Brayden D & O'Mahony D Analysis of differential expression of genes in *in vivo* Peyer's Patch M cell models by TOGATM, 115P
- Byrne D, Leonard M, Mah S, Lo D, Baird A, O'Mahony D & Brayden D Differential expression of genes in a Peyer's Patch M cell co-culture model by TOGATM, 114P
- Byström M *see* Elliott JC, 52P
- Cahill MM *see* Wanstall JC, 27P
- Cannon DM *see* Murphy JEJ, 35P
- Carey J *see* Borman RA, 54P
- Carmody JJ, Giles BE, Ting ML & Walker JS Sex hormones and NSAID analgesic response in rats, 12P
- Castro ME *see* Díaz A, 136P
- Castro ME *see* Díaz A, 137P
- Challiss RAJ *see* Selkirk JV, 43P
- Challiss RAJ *see* Willets JM, 48P
- Chapman ER *see* Madziva MT, 47P
- Chapman PF *see* Matthews KL, 122P
- Chapman V *see* Finn DP, 160P
- Chavrier P Function of Rho GTP-binding proteins in actin dynamics during phagocytosis, 181P
- Cheetham S *see* Dempsey Y, 133P
- Chess-Williams R *see* Chong LK, 66P
- Chessell IP *see* Gray RA, 155P
- Chessell IP *see* Jones CA, 46P
- Chessell IP *see* Martindale J, 154P
- Chevali M *see* Latif ML, 169P
- Chew BK, McKirdy SW, Naylor IL & Sharpe DT The pharmacological implications of the association and activity of mast cells and myofibroblasts in peri-implant fibrosis, 56P
- Chiamulera C *see* Amantea D, 123P
- Chong LK, Chess-Williams R & Peachell PT Pharmacological characterisation of the β -adrenoceptor expressed by human lung mast cells, 66P
- Chong LK *see* Smart LJ, 108P
- Clayton N *see* Brown T, 101P
- Clayton N *see* Brown T, 157P
- Clayton NM, O'Shaughnessy CT, Marshall F & Bountra C CB1 and CB2 cannabinoid receptors are implicated in inflammatory hypersensitivity to pain, 18P
- Clayton NM *see* Brazdil R, 153P
- Clayton NM *see* De Alba J, 14P
- Cleary L, Lavelle A & Docherty J Comparison of amphetamine derivatives in their actions at α_2 -adrenoceptors, 34P
- Colado MI *see* Mechan AO, 142P
- Coldwell MC *see* Liu Y-Z, 95P
- Coldwell MC *see* Rawlins P, 96P
- Coleman RA *see* Borman RA, 54P
- Collins SD *see* De Alba J, 14P
- Comet M-A *see* Naseem AA, 144P
- Connelly DB *see* Connor TJ, 38P
- Conway M *see* Byrne D, 115P
- Cordeaux Y, Ijzerman AP & Hill SJ Structure-function relationships of NECA analogues at A1 adenosine receptors, 172P
- Costa SKP, Brain SD & Docherty RJ An electrophysiological investigation into mechanisms via which the venom from the *Phoneutria nigriventer* (PNV) spider activates the rat vagus nerve, 19P
- Cousins ID *see* Abdul-Hamid MA, 173P
- Crews FT Genetics and age-related contributions to long-term changes in CNS structure and function following binge drinking, 198P
- Croft AP, O'Callaghan MJ & Little HJ Effects of chronic ethanol consumption and abstinence on D1-like receptor binding, 121P

- Croucher MJ, Jane DE & Thomas LS Actions of the mGluR subtype 5 ligands, DHPG and MPEP, on neuronal glutamate release *in vitro* and *in vivo*, 166P
- Cudmore S, Harvie P & Paul R Evaluation of targeted lipid-protamine-DNA (LPD) complexes for gene delivery applications, 186P
- Cudmore S *see* Jones JC, 86P
- Cunningham MO & Jones RSG Does phenytoin modify glutamate and GABA release via an interaction with presynaptic GABA_A receptors?, 4P
- Cunningham MO *see* Jones RSG, 3P
- Daly L *see* Donnelly GG, 117P
- Danahay H & Poll CT Niflumic acid (NFA) inhibits UTP-stimulated increases in short circuit current (ISC) in human bronchial epithelial cells (HBECs), 61P
- Danahay H *see* Kemp PA, 62P
- Davenport AP *see* Katugampola SD, 29P
- Davenport AP *see* Katugampola SD, 81P
- Davenport AP *see* Katugampola SD, 82P
- Davenport AP *see* Kuc RE, 75P
- Davies CH *see* Scott C, 139P
- Dawson K *see* Doorty KB, 84P
- Day N *see* Borman RA, 54P
- De Alba J, Clayton NM, Collins SD & Knowles RG Role of the inducible isoform of nitric oxide synthase (iNOS) in a model of established inflammatory pain in the rat, 14P
- Dean PM *see* Seigel AT, 113P
- Deane CM *see* Lummis SCR, 45P
- Dee J, Lambkin I, Pinilla C, Higgins L, Yu XQ & O'Mahony D Investigation of the accessibility of a membrane translocating sequence (MTS) grafted onto polystyrene particles to epithelial cells and bioavailability of a radio-labelled MTS drug concentrate *in vivo*, 85P
- Dee J *see* Higgins L, 116P
- Dee J *see* Higgins LM, 185P
- Dee J *see* Pinilla C, 184P
- del Olmo E *see* Díaz A, 136P
- del Olmo E *see* Díaz A, 137P
- Dempsey M *see* Nathwani SM, 60P
- Dempsie Y, Smith S, Cheetham S, Mason R & Guerin C Co-localisation of neuropeptide Y5 receptors on neurons containing orexin A, orexin B or melanin concentrating hormone in the rat lateral hypothalamus, 133P
- Devadasan C, Starr BS & Doyle KM The effect of the co-administration of eliprodil with memantine in naïve and reserpinised rats, 147P
- Devedasan C, Starr BS & Doyle KM Effect of arcaine and Ro 25-6981 on locomotor activity in naïve and reserpinised mice, 33P
- Díaz A, Castro ME, del Olmo E & Pazos A Effect of chronic fluoxetine in combination with WAY 100635 on 5-HT_{1A} receptors: an autoradiographic and electrophysiological study in rat brain, 137P
- Docherty J *see* Cleary L, 34P
- Docherty RJ *see* Costa SKP, 19P
- Dolan S & Nolan AM Differential up-regulation of prostaglandin E receptor subtype mRNA in spinal cord in acute and chronic models of inflammation, 13P
- Donnelly GG, Daly L, Higgins L, O'Mahony D & Mills KHG Modulation of innate and acquired immune responses with CPG motifs from bacterial DNA, 117P
- Donnelly GG *see* Higgins L, 116P
- Donnelly GG *see* Higgins LM, 185P
- Doorty KB, Golubeva T, Gorelov A, Rochev Y, Dawson K, Gallagher WM & Keenan AK Investigation of co-polymer films as drug delivery systems for prevention of vascular smooth muscle cell proliferation, 84P
- Dorr A *see* Sewell L, 194P
- Dowdy SF *see* Wadia J, 179P
- Doyle KM *see* Devadasan C, 33P
- Doyle KM *see* Devadasan C, 147P
- Dummer J *see* Peachell PT, 67P
- Duncan JS *see* Princivalle AP, 124P
- Dunne M *see* Jones JC, 86P
- Duxon M, Stretton J, Porter R, Pilleux J-P, Martin JD & Upton N Evidence that orexin-A-evoked grooming, but not water intake, in the rat is mediated by the orexin-1 (OX₁) receptor, 131P
- Duxon M *see* Gartlon J, 132P
- Duxon MS *see* Atkinson PJ, 40P
- Dyakonov T *see* Higgins AJ, 53P
- Ebenezer IS Nicotine dependence and the contingent negative variation in rats, 119P
- Ebenezer IS *see* Patel JD, 118P
- Edwardson JM *see* Madziva MT, 47P
- Edwardson JM *see* Neish CS, 49P
- Ekwuribe N *see* Higgins AJ, 53P
- Elliott JC, Harrold JA, Brodin P, Enquist K, Bäckman A, Byström M, Lindgren K & Williams G Changes in rat melanin concentrating hormone (MCH) and MCH receptor (SLC-1) mRNA induced by dietary obesity, 52P
- Elliott JM *see* Beveridge TJR, 36P
- Elliott JM *see* Mechan AO, 142P
- Ellis ES *see* Borman RA, 54P
- Enquist K *see* Elliott JC, 52P
- Epelbaum J *see* Hannon JP, 1P
- Eppstein DA Noninvasive delivery of biopharmaceuticals through the skin by controlled infusion through MiroPors™ created in the stratum corneum, 190P
- Esteban B *see* Mechan AO, 142P
- Evans TW *see* Gitlin JM, 22P
- Evans TW *see* Gitlin JM, 23P
- Evans TW *see* Gitlin JM, 87P
- Everitt B Associative mechanisms in addiction: prospects for treatment, 197P
- Farmer MR, Gardiner SM & Ralevic V Vascular responses to methoxamine in isolated perfused mesenteric arterial beds from endotoxaemic rats, 88P
- Feeley TM *see* Wilson SJ, 28P
- Fehlmann D *see* Hannon JP, 1P
- Feniuk W *see* Honey AC, 102P
- Feuerbach D *see* Nunn C, 42P
- Finlay D, Furlong F, Healy V & Martin F MAP kinase pathway signalling is essential for extracellular matrix determined mammary epithelial cell survival, 99P
- Finn DP, Beckett SRG, Webster P, Sconce J, Sahota A, Jhaveri MD, Marsden CA & Chapman V Cannabinoid CB₁ receptors in the periaqueductal grey may modulate formalin-evoked pain behaviour in rats, 160P
- Flavin FM *see* Self TJ, 174P
- Ford WR *see* Headley EL, 80P
- Fox A *see* McNair K, 158P
- Fox AJ *see* Medhurst S, 156P
- Fozard JR *see* Buchheit K-H, 70P
- Fozard JR *see* Lewis CA, 69P
- Fozard JR *see* Tigani B, 106P
- Fozard JR, Tigani B & Hannon JP Hyper-responsiveness of lung parenchymal strips to adenosine receptor agonists induced by antigen challenge in actively sensitised Brown Norway (BN) rats, 107P
- Francis PT *see* Matthews KL, 122P
- Freeman JE, Godson C & Kinsella BT

- An investigation into thromboxane A₂ and lipoxin A₄ signalling in primary human mesangial cells, 83P
- Freir DB & Herron CE The effects of the L-type Ca²⁺ channel agonist BAY K8644 and APV on LTP in the hippocampal CA1 region *in vivo*, 8P
- Fulton GJ *see* Wilson SJ, 28P
- Furlong F *see* Finlay D, 99P
- Gallagher HC *see* Haughey J, 130P
- Gallagher WM *see* Doorty KB, 84P
- Galtrey CM *see* Madziva MT, 47P
- Gambino A *see* Wanstall JC, 27P
- García-Sevilla JA *see* Mato S, 161P
- Gardiner C *see* McMahon R, 105P
- Gardiner SM *see* Farmer MR, 88P
- Gardner EL *see* Hagan JJ, 199P
- Gartlon J, Duxon M, Porter R, Pilleux J-P, Hagan JJ, Hunter AJ, Upton N & Jones DNC Role of OX₁ and OX₂ receptors in mediating the motor activity response to the orexins, 132P
- Gaxter GS *see* Borman RA, 54P
- Gazi L, Nickolls SA & Strange PG Human dopamine D_{2L(long)} receptor coupling to G_{α2} and G_{αo} G proteins in Sf9 insect cells, 168P
- Geary R *see* Sewell L, 194P
- Gerspacher M *see* Lewis CA, 69P
- Giles BE *see* Carmody JJ, 12P
- Gitlin JM, Stanford SJ, Evans TW, Anning PB & Mitchell JA ATP induces a biphasic dilator response in mesenteric vessels from Sprague Dawley as well as Wistar rats, 87P
- Gitlin JM, Stanford SJ, Evans TW, Anning PB & Mitchell JA Evidence for the sustained phase of ATP-induced vasodilation being mediated by endothelial-derived hyperpolarizing factor, 22P
- Gitlin JM, Stanford SJ, Evans TW, Anning PB & Mitchell JA The second phase of ATP-evoked relaxation in the rat isolated mesenteric artery bed may be independent of P2Y receptors, 23P
- Glatt M *see* Medhurst S, 156P
- Glenn GM Transcutaneous immunization: targeting Langerhans cells with adjuvants, 189P
- Glover J *see* Sewell L, 194P
- Godson C *see* Freeman JE, 83P
- Godson C *see* McMahon R, 105P
- Godson C *see* Maderna P, 55P
- Godson C *see* Mitchell S, 11P
- Golubeva T *see* Doorty KB, 84P
- González-Maeso J *see* Mato S, 161P
- Gorelov A *see* Doorty KB, 84P
- Grant AD, Akhtar R & Brain SD Effect of neurokinin B on plasma extravasation after intradermal and intravenous administration in tachykinin NK₁ wildtype and knockout mice, 17P
- Gray RA, Lappin SC & Chessell IP Modulation of voltage-gated calcium and potassium currents by selective adenosine A1 receptor agonists in rat isolated dorsal root ganglion cells, 155P
- Green AC *see* Harrison PK, 125P
- Green AR *see* Mechan AO, 142P
- Green AR *see* Nelson RM, 2P
- Green AR *see* Nelson RM, 148P
- Green J *see* Medhurst S, 156P
- Green MA *see* Low PS, 178P
- Guerin C *see* Dempsey Y, 133P
- Guiry P *see* Baird AW, 39P
- Guiry P *see* Murphy JEJ, 35P
- Hagan JJ, Vorei SR, Ashby CR Jr, Paul M, Liu X, Hayes R, Middlemiss DN & Gardner EL The role of dopamine D₃ receptors in drug abuse, 199P
- Hagan JJ *see* Gartlon J, 132P
- Hainsworth AH *see* Nelson RM, 2P
- Hainsworth AH *see* Nelson RM, 148P
- Hall IP *see* Baker JG, 50P
- Hall IP *see* Baker JG, 112P
- Hamashin C *see* Allicotti G, 192P
- Hamashin C *see* Pinilla C, 184P
- Hancox JC *see* Borg JJ, 77P
- Hannon JP, Petrucci C, Fehlmann D, Schaeffer J, Viollet C, Epelbaum J & Hoyer D Somatostatin sst₂ receptor knockout mice: patterns of sst₁₋₅ receptor mRNA and binding in brain *in situ* hybridisation histochemistry and receptor autoradiography, 1P
- Hannon JP *see* Fozard JR, 107P
- Hannon JP *see* Tigani B, 106P
- Harkin P *see* Jones JC, 86P
- Harmer DW *see* Borman RA, 54P
- Harper EA *see* Hasseldine ARG, 20P
- Harries MH *see* Scott C, 139P
- Harrison PJ *see* Sartori S, 141P
- Harrison PK, Sheridan RD, Green AC & Tattersall JEH Spectrum of anticonvulsant activity against soman-induced bursting in the guinea-pig *in vitro* hippocampus, 125P
- Harriss DR *see* Abdul-Hamid MA, 173P
- Harrold JA *see* Elliott JC, 52P
- Harvey V *see* Quirk K, 171P
- Harvie P *see* Cudmore S, 186P
- Hasseldine ARG, Harper EA & Black JW Beta adrenoceptor function in transgenic mice with cardiac-specific overexpression of the β₂-adrenoceptor, 20P
- Hastie PG *see* Atkinson PJ, 40P
- Hattenberger M *see* Medhurst S, 156P
- Haughey J, Bacon CL, Gallagher HC & Regan CM Modulation of cyclin protein expression during the G6 glioma G1 phase by the anticonvulsant, valproate, 130P
- Hayes R *see* Hagan JJ, 199P
- Hayward N *see* Wanstall JC, 27P
- Headley EL, Hiley CR & Ford WR Angiotensin II reduces infarct size in rat isolated perfused hearts partly via stimulation of AT₁ receptors, 80P
- Healy V *see* Finlay D, 99P
- Henderson RM *see* Neish CS, 49P
- Herron CE *see* Freir DB, 8P
- Hersperger R *see* Trifilieff A, 68P
- Heslop KE *see* Matthews KL, 122P
- Higgins AJ, Ekwuribe N, Dyakonov T, Langevin M, Miller M, Paige L, Surguladze D, Wille K & Smalley M Enhanced bioefficacy of a novel orally active calcitonin analogue, 53P
- Higgins L *see* Byrne D, 115P
- Higgins L *see* Dee J, 85P
- Higgins L *see* Donnelly GG, 117P
- Higgins L *see* Pinilla C, 184P
- Higgins LM, Donnelly GG, Lambkin I, O'Malley D, Dee J, Byrne D, Smith M, Brayden D & O'Mahony D Screening phage display libraries *in vivo* for the identification of intestinal targeting ligands, 116P
- Higgins LM, Donnelly GG, Lambkin I, O'Malley D, Dee J, Byrne D, Smith M, Brayden D & O'Mahony D Screening phage display libraries *in vivo* for the identification of intestinal targeting ligands, 185P
- Hilbush B *see* Lo D, 183P
- Hiley CR *see* Headley EL, 80P
- Hiley CR *see* Ho WSV, 25P
- Hiley CR *see* Mistry H, 26P
- Hill SJ *see* Abdul-Hamid MA, 173P
- Hill SJ *see* Baker JG, 50P
- Hill SJ *see* Baker JG, 112P
- Hill SJ *see* Cordeaux Y, 172P
- Hill SJ *see* Jackson AM, 170P
- Hill SJ *see* Latif ML, 169P
- Hill SJ *see* Self TJ, 174P
- Ho WSV, Bottrill FE, White R & Hiley CR Anandamide-induced relaxation in rat coronary artery is not mediated by the vanilloid receptor VR1, 25P
- Honey AC, Bland-Ward PA, Alderton WK, Feniuk W & Humphrey PPA The nNOS inhibitor, GW289013, inhibits neurogenic vasodilation in the anaes-

- thetised rat, 102P
- Hope DT *see* Jagger L, 126P
- Hoshiko K *see* Lewis CA, 69P
- Houghten R *see* Pinilla C, 184P
- Hourani SMO, Mackins CJ, Kelly MDW, Ledent C & Prentice DJ Effect of A_{2A} adenosine receptor knockout on inhibition by NECA and CGS21680 of KCl-induced contractions in murine vas deferens, 73P
- Hourani SMO *see* Prentice DJ, 72P
- Hoyer D *see* Hannon JP, 1P
- Hoyer D *see* Nunn C, 42P
- Hull RAD *see* Watt GF, 175P
- Humphrey PPA *see* Honey AC, 102P
- Humphrey PPA *see* Jones CA, 46P
- Hunter AJ *see* Gartlon J, 132P
- Ihenetu K, Molleman A, Parsons ME & Whelan CJ Modulation of interleukin-8 (IL-8) secretion in the human colon epithelial cell line HT-29 by cannabinoids, 164P
- Ijzerman AP *see* Cordeaux Y, 172P
- Jackson AD *see* Kemp PA, 62P
- Jackson AM, Hill SJ & Alexander SPH The role of capacitative calcium entry in muscarinic receptor-mediated enhancement of A_{2B} adenosine receptor-induced cyclic AMP generation in HEK 293 cells, 170P
- Jagger L, Parker L, Hope DT & Mason R Effect of magnesium ions on bicuculline-induced epileptiform activity in hippocampal organotypic slices and monolayer hippocampal neuronal networks, 126P
- Jane DE *see* Croucher MJ, 166P
- Jane DE *see* Jones SC, 145P
- Jankowski J *see* Ralevic V, 21P
- Jeffery TK *see* Wanstall JC, 27P
- Jerman JC *see* Brough SJ, 41P
- Jerman JC *see* Ralevic V, 162P
- Jhaveri MD *see* Finn DP, 160P
- Johansson AM *see* Alder JT, 140P
- Jones CA, Simon J, Humphrey PPA & Chessell IP Co-expression and functional characterisation of rat P2X₄ and P2X₆ subunits in mammalian cells, 46P
- Jones DNC *see* Gartlon J, 132P
- Jones J, Dunne M, Tsai J, Paul R, Cudmore S & Harkin P Analytical method development for the determination of compacted DNA and protamine sulphate in lipoplexes, 86P
- Jones J *see* Quirk K, 171P
- Jones RSG & Cunningham MO Effects of sodium valproate on GABA and glutamate release in the rat entorhinal cortex, 3P
- Jones RSG *see* Cunningham MO, 4P
- Jones RSG *see* Stacey AE, 5P
- Jones RSG *see* Woodhall G, 6P
- Jones SC, Troop HM, Jane DE & Roberts PJ Pharmacological characterization of novel AMPA receptor ligands in rat brain, 145P
- Julia-Sapé M *see* Lane S, 78P
- Katugampola SD & Davenport AP Angiotensin type I receptor antagonist losartan at therapeutic concentrations, binds to thromboxane receptors in human cardiovascular and renal tissue, 81P
- Katugampola SD & Davenport AP Comparison of thromboxane (TP) and angiotensin (AT₁ and AT₂) receptors in human saphenous vein: density and phenotypic changes associated with vein graft disease, 82P
- Katugampola SD & Davenport AP From gene to function: the recently adopted orphan receptor for the novel vasodilator peptide ghrelin is upregulated in human atherosclerotic coronary artery, 29P
- Kay GF *see* Wanstall JC, 27P
- Keegan A *see* Morecroft I, 63P
- Keegan A, Morecroft I & MacLean M The effect of 5-HT_{1B/1D} receptor antagonist treatment on indices of chronic hypoxia-induced pulmonary hypertension in rats, 64P
- Keenan AK *see* Baird AW, 39P
- Keenan AK *see* Berry CB, 32P
- Keenan AK *see* Doorty KB, 84P
- Keenan AK *see* Murphy JEJ, 35P
- Keenan AK *see* Usher C, 92P
- Keenan AK *see* Wilson SJ, 28P
- Kelley LP & Kinsella B Desensitisation of the α isoform of the human thromboxane A₂ receptor by prostaglandin D₂ receptor (DP), 97P
- Kelly E *see* Pula G, 165P
- Kelly JP *see* Connor TJ, 38P
- Kelly JP *see* O'Loinsigh E, 37P
- Kelly MDW *see* Hourani SMO, 73P
- Kelly MDW *see* Prentice DJ, 72P
- Kelso E *see* Allen A, 30P
- Kelso EJ *see* Bell D, 79P
- Kemp PA, Sugar RA & Jackson AD Mucus secretion from differentiated human bronchial epithelial cells: regulation through the purinoceptor P2Y₂, 62P
- Kendall DA *see* Litchfield M, 163P
- Kendall DA *see* Ralevic V, 162P
- Kendall DA *see* Roberts RE, 91P
- Kendall DA *see* Tep-areenan P, 89P
- Kennedy M *see* Low PS, 178P
- Kesingland A *see* McNair K, 158P
- Kidd BL *see* Medhurst S, 156P
- Kiely B & Ryan MP Signalling mechanisms involved in lateration of epithelial barrier function by cyclosporine in renal MDCK cells, 59P
- Kinsella BT *see* Freeman JE, 83P
- Kinsella BT *see* Kelley LP, 97P
- Kinsella BT *see* Lawler OA, 93P
- Kinsella BT *see* Miggin SM, 98P
- Klyubin I, Anwyl R & Rowan MJ Acute stress blocks both NMDA receptor-dependent and independent LTP in rat hippocampus area CA1 *in vivo*, 9P
- Knight A *see* Quirk K, 171P
- Knowles RG *see* De Alba J, 14P
- Koob GF Drug addiction, reward dysregulation and allostasis, 195P
- Kozlowski CM *see* Brazdil R, 153P
- Kozlowski RZ *see* Borg JJ, 77P
- Kuc RE, Maguire JJ & Davenport AP Urotensin-II is a potent constrictor of human atherosclerotic coronary arteries with immunoreactive peptide localised to the atherosclerotic plaque, 75P
- Lambert DG *see* Nelson RM, 148P
- Lambkin I *see* Allicotti G, 192P
- Lambkin I *see* Dee J, 85P
- Lambkin I *see* Higgins L, 116P
- Lambkin I *see* Higgins LM, 185P
- Lambkin I *see* Pinilla C, 184P
- Lane S, Julia-Sapé M & Allshire A Hypophosphorylation of cytoskeletal and myofibrillar proteins correlates with hypercontractility of reperfused cardiomyocytes, 78P
- Langevin M *see* Higgins AJ, 53P
- Langmead CJ, Watson J, Herdon HJ, Scott CM & Price GW Effects of 5-HT, fenfluramine, ketanserin and the 5-HT autoreceptor antagonist, SB-272183, on basal [³H]5-HT release from guinea-pig cortical slices in the presence and absence of paroxetine, 136P
- Lappin SC *see* Gray RA, 155P
- Latif ML, Chevali M, Rehman S & Hill SJ Simultaneous detection of agonist-stimulated activation of cyclic AMP response element (CRE)- and serum response element (SRE)-mediated

- gene transcription in HEK-293 cells, 169P
- Lavelle A *see* Cleary L, 34P
- Law A *see* Woodhall G, 6P
- Lawler OA & Kinsella BT The statins and prostacyclin receptor signalling, 93P
- Lawrence T *see* Quirk K, 171P
- Lazarides E *In vivo* phage display of peptide libraries: for the identification of novel chemical leads and therapeutic drug monitoring, 188P
- Leaman CP *see* Low PS, 178P
- Ledent C *see* Hourani SMO, 73P
- Ledent C *see* Prentice DJ, 72P
- Lee GR, Bell D & McDermott BJ Evidence for enhanced endothelin (ET_B) receptor affinity during the progression of hypertension-induced ventricular cardiomyocyte hypertrophy, 31P
- Lee RJ *see* Low PS, 178P
- Leonard M, Brayden DJ & Baird AW An *in vitro* intestinal cell culture model of M-cells displays a TH1 type cytokine profile, 57P
- Leonard M *see* Byrne D, 114P
- Lewis CA, Hoshiko K, Pfannkuche H-J, Ball H, Subramaniam N, Gerspacher M & Fozard JR Airways pharmacology of DNK333A, a dual NK₁/NK₂ neurokinin receptor antagonist, 69P
- Li S, Anwyl R & Rowan MJ Methocytamine induces a fast onset, long-lasting potentiation in the hippocampal CA1 region of the anaesthetised rat, 150P
- Li SW *see* Bahra P, 71P
- Lin X *see* Nunn C, 42P
- Lindgren K *see* Elliott JC, 52P
- Litchfield M, Ralevic V & Kendall DA No influence of cannabinoids on electrically-stimulated release of [³H]-noradrenaline from rat atria, 163P
- Little HJ *see* Croft AP, 121P
- Liu X *see* Hagan JJ, 199P
- Liu YZ, Rich K, Coldwell MC, Wilkinson GF, McHale M, Sullivan E & Thong B Characterisation of [³⁵S]-GTPγS binding to CHO cell membranes expressing human CCR4 receptors, 95P
- Lo D, Mah S, Hilbush B, Byrne D, O'Mahony D & Brayden D Applying TOGA™ technology to find biologically relevant genes in Peyer's Patch epithelium development, 183P
- Lo D *see* Byrne D, 114P
- Lo D *see* Byrne D, 115P
- Low PS, Leaman CP, Reddy JA, Green MA, Mathies C, Turk MJ, Walters DJ, Lu J, Lee RJ & Kennedy M Folate-mediated delivery of therapeutic and imaging agents to cancer tissue *in vivo*, 178P
- Lu J *see* Low PS, 178P
- Lummis SCR *see* Price KL, 143P
- Lummis SCR & Deane CM The role and predicted propensity of conserved proline residues in the mouse 5-HT_{3A} receptor, 45P
- Lynch MA *see* Murphy KJ, 151P
- McBean GJ *see* Baird AW, 39P
- McBean GJ *see* Berry CB, 32P
- McBean GJ *see* Murphy JEJ, 35P
- McCormack P *see* Murphy JEJ, 35P
- McDermott B *see* Allen A, 30P
- McDermott BJ *see* Bell D, 79P
- McDermott BJ *see* Lee GR, 31P
- MacDonald A *see* Brahmadevara N, 110P
- McHale M *see* Liu Y-Z, 95P
- McHale M *see* Rawlins P, 96P
- McHugh R *see* Usher C, 92P
- McIlhinney RAJ *see* Selkirk JV, 43P
- Mackerel AJ, Fadden AJ, Hislip SJ, Fitzgerald MX & O'Connor MC Neutrophil activation by FMLP and IL-8: differences in involvement of RHOA, 103P
- Mackerel J Pre-exposure to FMLP causes normal neutrophils to mimic neutrophils from patients with acute pulmonary infection, 104P
- Mackins CJ *see* Hourani SMO, 73P
- McKirdy SW *see* Chew BK, 56P
- MacLean M *see* Murray F, 100P
- MacLean MR *see* Keegan A, 64P
- MacLean MR *see* Morecroft I, 63P
- McMahon R, Murphy M, Gardiner C, Godson C, Martin F & Brady HR Gremlin inhibits DNA synthesis and proliferation in human mesangial cells by a BMP-independent mechanism, 105P
- McMorrow T *see* Nathwani SM, 60P
- McMorrow T *see* Nee L, 58P
- McNair K, Kesingland A, Urban L & Fox A The role of central and peripheral bradykinin B1 receptors in models of neuropathic and inflammatory pain in the rat, 158P
- Maderna P, Brady HR & Godson C Lipoxins induce reorganisation of the actin cytoskeleton in monocyte-derived macrophages: the role of RhoA, 55P
- Madhavan P *see* Wilson SJ, 28P
- Madziva MT, Galtrey CM, Vyas B, Chapman ER & Edwardson JM Synaptotagmin I rescues muscarinic acetylcholine receptor internalisation inhibited by either dominant-negative arrestin or dominant-negative dynamin, 47P
- Maguire JJ *see* Kuc RE, 75P
- Mah S *see* Byrne D, 114P
- Mah S *see* Byrne D, 115P
- Mah S *see* Lo D, 183P
- Maldonado R Involvement of different opioid receptors and peptides in cannabinoid dependence, 196P
- Manley PW *see* Buchheit K-H, 70P
- Mant T *see* Sewell L, 194P
- Mar GJ *see* Wilson SJ, 28P
- Marsden CA *see* Finn DP, 160P
- Marshall F *see* Clayton NM, 18P
- Marsland H *see* Naseem AA, 144P
- Martin F *see* Finlay D, 99P
- Martin F *see* McMahon R, 105P
- Martin IL *see* Neish CS, 49P
- Martin J *see* Brough SJ, 41P
- Martin JD *see* Duxon M, 131P
- Martin R *see* Pinilla C, 193P
- Martindale J, Bland-Ward PA & Chessell IP Secondary hyperalgesia following intraplantar capsaicin injection in the anaesthetised rat, 154P
- Mason R *see* Dempsie Y, 133P
- Mason R *see* Jagger L, 126P
- Matharu AL *see* Pula G, 165P
- Mathies C *see* Low PS, 178P
- Mato S, Rodriguez-Puertas R, González-Maeso J, Meana J, Sallés J & Pazos A Cannabinoid receptors in postmortem human brain: a radiometric and transductional study in major depression, 161P
- Matthews KL, Heslop KE, Chapman PF & Francis PT Biochemical characterisation of mice transgenic for a mutation in amyloid precursor protein (APP) known to cause familial Alzheimer's disease, 122P
- Mayer G & Taberner PV Stimulation of insulin secretion *in vivo* by the imidazoline analogue KU14R, 51P
- Mazzoni L *see* Tigani B, 106P
- Mazzoni L *see* Trifileff A, 68P
- Meana J *see* Mato S, 161P
- Mechan AO, Esteban B, Colado MI, Elliott JM & Green AR Studies on the mechanisms involved in the degeneration of dopamine nerve endings in mouse brain following administration of MDMA ('Ecstasy'), 142P
- Medhurst S, Bowes M, Kidd BL, Glatt

- M, Muller M, Hattenburger M, Vaxelaire J, O'Reilly T, Green J, Fox AJ, Urban L & Walker K Antinociceptive effects of the bisphosphonate, zoledronic acid, in a novel rat model of bone cancer pain, 156P
- Middlemiss DN *see* Hagan JJ, 199P
- Middlemiss DN *see* Ralevic V, 162P
- Middlemiss DN *see* Scott C, 139P
- Miggin SM & Kinsella BT MAPK activation through the human thromboxane A₂ receptor α and β isoforms, 98P
- Miller M *see* Higgins AJ, 53P
- Mills KHG *see* Donnelly GG, 117P
- Misra A *see* Quirk K, 171P
- Mistry H, Ali R, Bottrill FE, Hiley CR & White R Effects of anoxia on mechanisms of relaxation to isoprenaline in rat small mesenteric artery, 26P
- Mitchell JA *see* Gitlin JM, 22P
- Mitchell JA *see* Gitlin JM, 23P
- Mitchell JA *see* Gitlin JM, 87P
- Mitchell JA *see* Stanford SJ, 90P
- Mitchell S, Thomas G, Savill J, Brady HR & Godson C Lipoxins, lipoxin stable analogues and aspirin-triggered lipoxins stimulate phagocytosis of apoptotic PMN *in vitro* and *in vivo*, 11P
- Molleman A *see* Ihenetu K, 164P
- Morecroft I, Keegan A & MacLean MR Attenuation of pulmonary hypertension in 5-HT_{1B} receptor knockout mice, 63P
- Morecroft I *see* Keegan A, 64P
- Moriarty D *see* Baird AW, 39P
- Mostov K Epithelial polarity and morphogenesis, 182P
- Moya-Castro R *see* Allicotti G, 192P
- Moynagh PN *see* Butler M, 7P
- Mueller A & Strange P Characterisation of chemokine-triggered internalisation and phosphorylation of the chemokine receptor CCR5, 94P
- Muller M *see* Medhurst S, 156P
- Mundell S *see* Pula G, 165P
- Murdock M & Scholfield CN Robust and simple software/hardware to record muscle contractions in the practical class, 177P
- Murphy JEJ, Cannon DM, Guiry P, McCormack P, Baird AW, McBean GJ & Keenan AK A comparison of the *in vitro* effects of ($\pm$)-4-methylthioamphetamine and ($\pm$)-MDMA on 5-HT re-uptake in the brain and on vascular responses to 5-HT, 35P
- Murphy KJ, Lynch MA & Regan CM Neuroplastic events required for LTP and avoidance learning are impaired by opiate addiction, 151P
- Murphy M *see* Lane S, 78P
- Murphy M *see* McMahon R, 105P
- Murray F, Pyne NJ & MacLean M Evaluation of phosphodiesterase-3 in normoxic and hypoxic human pulmonary artery smooth muscle cells, 100P
- Murray HJ & O'Connor JJ An inhibitory role for cyclooxygenase-2 in long term depression in the rat dentate gyrus *in vitro*, 10P
- Nahorski SR *see* Selkirk JV, 43P
- Nahorski SR *see* Willets JM, 48P
- Naseem AA, Brown JT, Comet M-A, Marsland H & Prince RJ Site-directed mutagenesis of $\alpha 3\beta 4$ neuronal nicotinic acetylcholine receptor agonist binding sites, 144P
- Nathwani SM, McMorrow T, Tuite N, Dempsey M & Ryan MP Pathways involved in cisplatin-induced apoptosis in renal tubular epithelial LLC-PK₁ cells, 60P
- Naylor A *see* Brown T, 101P
- Naylor AM *see* Sergides IY, 138P
- Naylor IL *see* Chew BK, 56P
- Nee L, McMorrow T & Ryan MP Signalling pathways involved in the regulation of MMP-9 (gelatinase B) and TIMP-1 by renal proximal tubular cells in response to TNF α and IL-1 β , 58P
- Neish C, Martin IL, Henderson RM & Edwardson JM Direct visualization of ligand-protein interactions using atomic force microscopy, 49P
- Nelson RM, Green AR, Lambert DG & Hainsworth AH Effects of extracellular calcium removal, NPPB and DL-TBOA on glutamate efflux from rat cortical prisms in response to simulated ischaemia *in vitro*, 148P
- Nelson RM, Green AR & Hainsworth AH Electrophysiological actions of GABA and clomethiazole on human recombinant GABA_A receptors, 2P
- Nickolls SA *see* Gazi L, 168P
- Nickolls SA & Strange PG Activation of G α_i by D2 (ser³¹¹ cys), a naturally-occurring polymorphism of the human D_{2L} receptor, 167P
- Nolan AM *see* Dolan S, 13P
- Nunn C, Feuerbach D, Lin X, Peter R & Hoyer D Functional expression and pharmacological characterisation of the goldfish somatostatin sst₂ receptor, 42P
- Oakley SM *see* Self TJ, 174P
- O'Boyle KM *see* O'Loinsigh E, 37P
- O'Callaghan MJ *see* Croft AP, 121P
- O'Connor JJ *see* Butler M, 7P
- O'Connor JJ *see* Freir DB, 8P
- O'Connor JJ *see* Murray HJ, 10P
- O'Connor TJ, Connelly D & Kelly JP Methylene-dioxymethamphetamine (MDMA; 'Ecstasy') suppresses the primary IgG response to an antigenic challenge in rats, 38P
- O'Dwyer L, Rowan MJ & Anwyl R A presynaptic GluR5 kainate receptor modulates excitatory synaptic transmission in the medial perforant path-granule cell synapse in the rat dentate gyrus, 149P
- O'Loinsigh E, Kelly JP & O'Boyle KM Evidence for a critical role of body temperature in the modulation of MDMA neurotoxicity by drugs of abuse, 37P
- O'Mahony D *see* Allicotti G, 192P
- O'Mahony D *see* Byrne D, 114P
- O'Mahony D *see* Byrne D, 115P
- O'Mahony D *see* Dee J, 85P
- O'Mahony D *see* Donnelly GG, 117P
- O'Mahony D *see* Higgins LM, 185P
- O'Mahony D *see* Lo D, 183P
- O'Mahony D *see* Pinilla C, 184P
- O'Malley D *see* Higgins L, 116P
- O'Malley D *see* Higgins LM, 185P
- O'Reilly T *see* Medhurst S, 156P
- O'Shaughnessy CT *see* Clayton NM, 18P
- Osthues L *see* Allicotti G, 192P
- Osthues L *see* Pinilla C, 184P
- Paige L *see* Higgins AJ, 53P
- Panesar MS, Bevan S & Urban L Pharmacological evaluation of the mouse model of compound 48/80 induced itch, 159P
- Parker L *see* Jagger L, 126P
- Parsons ME *see* Ihenetu K, 164P
- Patel JD & Ebenezer IS Evidence that leptin acts as a short term satiety factor, 118P
- Paul M *see* Hagan JJ, 199P
- Paul R *see* Cudmore S, 186P
- Paul R *see* Jones JC, 86P
- Paul RW Experiences with gene delivery using non-viral and viral systems, 187P
- Payne LG Vaccine delivery across the skin surface using needle-free Powderject technology, 191P
- Pazos A *see* Díaz A, 136P
- Pazos A *see* Díaz A, 137P

- Pazos A *see* Mato S, 161P
- Peachell PT, Weston MC & Dummer J Characterisation of phosphodiesterases in human lung mast cells and basophils, 67P
- Peachell PT *see* Chong LK, 66P
- Peachell PT *see* Smart LJ, 108P
- Pei Q, Bullard E, Sprakes ME, Zetterström T & Sharp T Effect of chronic electroconvulsive shock and antidepressant drugs on mRNA expression of AMPA receptor subunits in the rat brain, 146P
- Pei Q *see* Beveridge TJR, 36P
- Pei Q *see* Sartori S, 141P
- Pei Q *see* Tordera R, 135P
- Pennington RA & Prince RJ Binding site selectivity of epibatidine at the muscle nicotinic acetylcholine receptor, 44P
- Pepper JR *see* Stanford SJ, 90P
- Peter R *see* Nunn C, 42P
- Petrucchi C *see* Hannon JP, 1P
- Pfaller W *see* Ryan GE, 176P
- Pfannkuche H-J *see* Lewis CA, 69P
- Pilleux J-P *see* Duxon M, 131P
- Pilleux J-P *see* Gartlon J, 132P
- Pilleux JP *see* Brough SJ, 41P
- Pinilla C, Lambkin I, Hamashin C, Osthues L, Higgins L, Russell S, Dee J, Schink A, Houghten R & O'Mahony D Use of mixture-based combinatorial libraries to identify ligands that target receptors in the gastrointestinal tract, 184P
- Pinilla C, Martin R, Zhao Y & Simon R The integration of positional scanning libraries with bioinformatics and proteomics, 193P
- Pinilla C *see* Allicotti G, 192P
- Pinilla C *see* Dee J, 85P
- Poll CT *see* Bahra P, 71P
- Poll CT *see* Danahay H, 61P
- Porter R *see* Brough SJ, 41P
- Porter R *see* Duxon M, 131P
- Porter R *see* Gartlon J, 132P
- Prentice DJ, Kelly MDW, Ledent C & Hourani SMO Effect of A_{2A} adenosine receptor knockout on relaxant effects of adenosine and analogues in mouse isolated aorta, 72P
- Prentice DJ *see* Hourani SMO, 73P
- Price GW *see* Atkinson PJ, 40P
- Price GW *see* Scott C, 139P
- Price GW *see* Selkirk JV, 43P
- Price KL & Lummis SCR The role of tyrosine residues in the extracellular domain of the mouse 5-HT₃ receptor, 143P
- Prince RJ *see* Naseem AA, 144P
- Prince RJ *see* Pennington RA, 44P
- Princivalle AP, Duncan JS, Thom M & Bowery NG GABA_B receptor distribution in hippocampi resected from patients with temporal lobe epilepsy: antagonist binding, 124P
- Pula G, Mundell S, Matharu AL, Roberts PJ & Kelly E Agonist-induced internalisation of mGluR1 splice variants A and C (mGluR1A and mGluR1C), 165P
- Pyne NJ *see* Murray F, 100P
- Quast U *see* Buchheit K-H, 70P
- Quirk K, Lawrence T, Harvey V, Misra A, Jones J, Sheardown M & Knight A Comparison of [³H]ZM-241385 binding to adenosine A_{2A} receptors from rat striatum and cortex, 171P
- Ralevic V Endothelial nitric oxide modulates capsaicin-sensitive sensory neurotransmission in the rat isolated mesenteric arterial bed, 16P
- Ralevic V, Jankowski J & Schlüter H Effects of adenosine polyphospho guanosines (Ap_nGs) and guanosine polyphospho guanosines (Gp_nGs) in the rat isolated mesenteric arterial bed, 21P
- Ralevic V, Kendall DA, Jerman JC, Middlemiss DN & Smart D Cannabinoid activation of recombinant and endogenous vanilloid receptors, 162P
- Ralevic V *see* Alexander SPH, 74P
- Ralevic V *see* Farmer MR, 88P
- Ralevic V *see* Litchfield M, 163P
- Randall MD *see* Tep-areenan P, 89P
- Rasmussen K *see* Boothman LJ, 134P
- Rawlingson A & Brain SD Effect of a selective iNOS inhibitor on protein nitration, neutrophil accumulation and plasma extravasation in a rat model of thermal injury, 15P
- Rawlins P, McHale M, Sullivan E & Coldwell MC Characterisation of agonist-induced inhibition of cyclic AMP accumulation in cells expressing human CCR4 receptor, 96P
- Reddy JA *see* Low PS, 178P
- Regan CM *see* Haughey J, 130P
- Regan CM *see* Murphy KJ, 151P
- Rehman S *see* Latif ML, 169P
- Rhodes A *see* Selkirk JV, 43P
- Rich K *see* Liu Y-Z, 95P
- Roberts PJ *see* Jones SC, 145P
- Roberts PJ *see* Pula G, 165P
- Roberts RE The EGF receptor tyrosine kinase inhibitor AG1478 prevents α 2 adrenoceptor-mediated vasoconstriction and ERK activation in porcine palmar lateral vein, 91P
- Rochev Y *see* Doorty KB, 84P
- Rodríguez-Puertas R *see* Mato S, 161P
- Rostami-Hodjegan A *see* Smart LJ, 108P
- Rothbard JB Utility of oligomers of arginine to enhance topical delivery and oral bioavailability of a variety of drugs, 180P
- Rowan MJ *see* Klyubin I, 9P
- Rowan MJ *see* Li S, 150P
- Rowan MJ *see* O'Dwyer L, 149P
- Rowan MJ *see* Shakesby AC, 152P
- Russell S *see* Allicotti G, 192P
- Russell S *see* Pinilla C, 184P
- Ryan GE, Abbot SE, Pfaller W & Ryan MP Comparison of TNF- α and IL-1 β -mediated IL-6 production in a novel human renal co-culture perfusion system, 176P
- Ryan M *see* Dee J, 85P
- Ryan M *see* Donnelly GG, 117P
- Ryan M *see* Higgins L, 116P
- Ryan MP *see* Freeman JE, 83P
- Ryan MP *see* Kelley LP, 97P
- Ryan MP *see* Kiely B, 59P
- Ryan MP *see* Lawler OA, 93P
- Ryan MP *see* Mackarel J, 103P
- Ryan MP *see* Mackarel J, 104P
- Ryan MP *see* Maderna P, 55P
- Ryan MP *see* Miggin SM, 98P
- Ryan MP *see* Mitchell S, 11P
- Ryan MP *see* Nathwani SM, 60P
- Ryan MP *see* Nee L, 58P
- Ryan MP *see* Ryan GE, 176P
- Sahota A *see* Finn DP, 160P
- Salchner P *see* Singewald N, 129P
- Sallés J *see* Mato S, 161P
- Sartori S, Burnet PWJ, Pei Q, Singewald N, Harrison PJ & Sharp T Chronic antidepressant drug treatment does not alter neurokinin-1 receptor expression in the rat brain regions, 141P
- Savill J *see* Mitchell S, 11P
- Schaeffer J *see* Hannon JP, 1P
- Schink A *see* Allicotti G, 192P
- Schink A *see* Pinilla C, 184P
- Schlüter H *see* Ralevic V, 21P
- Scholfield CN *see* Murdock M, 177P
- Sconce J *see* Finn DP, 160P
- Scott A *see* Self TJ, 174P
- Scott C, Shaw TE, Soffin EM, Davies CH, Harries MH, Price GW, Middlemiss DN & Watson J Investigation of high and low agonist affinity states of

- 5-HT_{1A} receptors in rat hippocampus, 139P
- Seigel T & Dean PM Homology modelling of the 11 β -hydroxysteroid dehydrogenase isozymes, 113P
- Self TJ, Oakley SM, Flavin FM, Scott A, Ting KN & Hill SJ Characterisation of a GFP tagged human H₁ receptor expressed in CHO-K1 cells, 174P
- Selkirk JV, Rhodes A, Price GW, McIlhenney RAJ, Nahorski SR & Challiss RAJ Pharmacological characterization of the truncated, soluble N-terminus of the Type 1 α mGluR: comparison to the native full-length receptor, 43P
- Sergides IY, van der Graaf PH, Tang KW & Naylor AM Species differences in the apparent potency of serotonin re-uptake inhibitors (SRIs) at the human, dog and rat serotonin transporters, 138P
- Sewell L, Tami J, Geary R, Mant T, Dorris A & Glover J Phase I study of s.c. and i.v. ISIS 104838 (anti-TNF α), a second generation antisense oligonucleotide, 194P
- Shakesby AC, Anwyl R & Rowan MJ GABA-ergic and glutamatergic mechanisms in stress modulation of synaptic plasticity in the hippocampus of anaesthetised rats, 152P
- Shankley NP *see* Watt GF, 175P
- Sharma SC Effect of pycnogenol on mast cell histamine release, 109P
- Sharp T *see* Boothman LJ, 134P
- Sharp T *see* Díaz A, 136P
- Sharp T *see* Díaz A, 137P
- Sharp T *see* Pei Q, 146P
- Sharp T *see* Sartori S, 141P
- Sharp T *see* Singewald N, 129P
- Sharp T *see* Tordera R, 135P
- Sharpe DT *see* Chew BK, 56P
- Shaw AM *see* Brahmadevara N, 110P
- Shaw TE *see* Scott C, 139P
- Sheardown M *see* Quirk K, 171P
- Sheehan M *see* Brown T, 157P
- Sheldrick RLG *see* Borman RA, 54P
- Sheridan RD *see* Harrison PK, 125P
- Shih M-F & Taberner PV Effects of forskolin on adipose tissue cAMP accumulation during chronic ethanol treatment, 120P
- Simon J *see* Jones CA, 46P
- Simon R *see* Pinilla C, 193P
- Singewald N, Salchner P & Sharp T Anxiogenic drugs induce FOS expression in a specific set of forebrain regions in the rat, 129P
- Singewald N *see* Sartori S, 141P
- Smalley M *see* Higgins AJ, 53P
- Smart D *see* Brough SJ, 41P
- Smart D *see* Ralevic V, 162P
- Smart LJ, Chong LK, Rostami-Hodjegan A & Peachell PT Influence of the Thr164Ile polymorphism in the β_2 -adrenoceptor on the effects of β -agonists on human lung mast cells, 108P
- Smith AJ, Atack JR & Sur C The [K⁺,Cl⁻]-co-transport inhibitor R(+)-DIOA selectively inhibits GABA-stimulated ³⁶Cl⁻ ion influx at diazepam-insensitive human recombinant GABA_A receptor subtypes, 128P
- Smith M *see* Higgins L, 116P
- Smith M *see* Higgins LM, 185P
- Smith S *see* Dempsey Y, 133P
- Soffin EM *see* Scott C, 139P
- Spencer IC *see* Borg JJ, 77P
- Sprakes ME *see* Pei Q, 146P
- Stacey AE & Jones RSG Activation of the neurokinin-3 (NK3) receptor enhances release of glutamate but not GABA in the rat entorhinal cortex, 5P
- Stanford SJ, Pepper JR & Mitchell JA Cytokine-induced apoptosis of human cultured venous smooth muscle cells, 90P
- Stanford SJ *see* Gitlin JM, 22P
- Stanford SJ *see* Gitlin JM, 23P
- Stanford SJ *see* Gitlin JM, 87P
- Starr BS *see* Devadasan C, 33P
- Starr BS *see* Devadasan C, 147P
- Strange PG *see* Alder JT, 140P
- Strange PG *see* Gazi L, 168P
- Strange PG *see* Mueller A, 94P
- Strange PG *see* Nickolls SA, 167P
- Stratton S *see* Brown T, 157P
- Stratton SC *see* Brazdil R, 153P
- Strawbridge M *see* Woodhall G, 6P
- Stretton J *see* Duxon M, 131P
- Subramanian N *see* Lewis CA, 69P
- Sugar RA *see* Kemp PA, 62P
- Sullivan E *see* Liu Y-Z, 95P
- Sullivan E *see* Rawlins P, 96P
- Sur C *see* Smith AJ, 128P
- Surguladze D *see* Higgins AJ, 53P
- Taberner PV *see* Mayer G, 51P
- Taberner PV *see* Shih M-F, 119P
- Tami J *see* Sewell L, 194P
- Tang KW *see* Sergides IY, 138P
- Tattersall JEH *see* Harrison PK, 125P
- Templeton L *see* Dee J, 85P
- Tep-areenan P, Kendall DA & Randall MD Mechanisms of testosterone-induced vasorelaxation in the rat isolated mesenteric arterial bed, 89P
- Tessari M *see* Amantea D, 123P
- Thom M *see* Princivalle AP, 124P
- Thomas DR *see* Atkinson PJ, 40P
- Thomas G *see* Mitchell S, 11P
- Thomas LS *see* Croucher MJ, 166P
- Thong B *see* Liu Y-Z, 95P
- Tigani B, Hannon JP, Mazzoni L & Fozard J Effects of budesonide and IMM125 on antigen-induced airway inflammation and hyperresponsiveness to adenosine (ADO) in actively sensitised Brown Norway (BN) rats, 106P
- Tigani B *see* Fozard JR, 107P
- Tilford N *see* Borman RA, 54P
- Ting KN *see* Self TJ, 174P
- Ting ML *see* Carmody JJ, 12P
- Tordera R, Pei Q & Sharp T The 5-HT₂ agonist DOI increases the expression of the immediate early genes *arc*, *homer*, *c-fos* and *zif-268* in rat brain regions *ex vivo*, 135P
- Toward TJ & Broadley KJ Effects of rolipram and dexamethasone on airway function, cell influx and lung histology of guinea-pigs chronically exposed to LPS, 65P
- Trifilieff A, Wyss D, Walker C, Mazzoni L & Hersperger R Effect of a novel PDE4 inhibitor, NVP-ABE171, a 1,7-naphthyridine derivative in models of lung inflammation in mice and rats, 68P
- Troop HM *see* Jones SC, 145P
- Tsai J *see* Jones JC, 86P
- Tuite N *see* Nathwani SM, 60P
- Turk MJ *see* Low PS, 178P
- Upton N *see* Duxon M, 131P
- Upton N *see* Gartlon J, 132P
- Urban L *see* McNair K, 158P
- Urban L *see* Medhurst S, 156P
- Urban L *see* Panesar MS, 159P
- Usher C, McHugh R & Keenan AK Effects of cyclooxygenase inhibition on endothelium-dependent relaxation in rat aorta, 92P
- van der Graaf PH *see* Sergides IY, 138P
- Vaxelaire J *see* Medhurst S, 156P
- Viollet C *see* Hannon JP, 1P
- Vorel SR *see* Hagan JJ, 199P
- Vyas B *see* Madziva MT, 47P
- Wadia J & Dowdy SF Anti-cancer protein therapy: transduction of tumor suppressor proteins *in vivo*, 179P
- Walker C *see* Trifilieff A, 68P

- Walker JS *see* Carmody JJ, 12P
Walker K *see* Medhurst S, 156P
Walters DJ *see* Low PS, 178P
Wanstall JC, Gambino A, Jeffery TK, Cahill MM, Bellomo D, Hayward N & Kay GF Vascular endothelial growth factor-B deficient mice exhibit normal endothelium-dependent vasorelaxation but subnormal response to chronic hypoxia, 27P
Watson J *see* Scott C, 139P
Watson WP Comparison of levetiracetam and phenytoin in 6Hz versus 60Hz electroshock seizure models, 127P
Watt G *see* Boorman PA, 111P
Watt GF, Shankley NP, Hull RAD & Black JW Transient histamine H₁ receptor-mediated agonist responses may yield erroneous pK_A estimates: application of equilibrium and kinetics models of agonist action, 175P
Webster P *see* Finn DP, 160P
Welsh NJ *see* Boorman PA, 111P
Weston MC *see* Peachell PT, 67P
Westwick J *see* Bahra P, 71P
Whelan CJ *see* Ihenetu K, 164P
White PJ & Boarder MR Nucleotide regulation of proliferation in human vascular smooth muscle cells, 24P
White R *see* Ho WSV, 25P
White R *see* Mistry H, 26P
Wilkinson GF *see* Liu Y-Z, 95P
Wille K *see* Higgins AJ, 53P
Willets JM, Challiss RAJ & Nahorski SR M₃ muscarinic receptor/Gq uncoupling is enhanced by overexpression of GRK6 but not GRK3, 48P
Williams G *see* Elliott JC, 52P
Wilson SJ, Mar GJ, Madhavan P, Fulton GJ, Keenan AK & Feeley TM Expression of heme oxygenase-1 in an experimental model of angioplasty and vein grafting: modulation by cholesterol and vitamin E, 28P
Wiseman J *see* Brown T, 101P
Woodhall G, Strawbridge M, Law A & Jones RSG Group III metabotropic glutamate receptors modulate epileptiform activity in the rat entorhinal cortex, 6P
Wyss D *see* Trifilieff A, 68P

Yu XQ *see* Dee J, 85P

Zetterström T *see* Pei Q, 146P
Zetterström TSC *see* Beveridge TJR, 36P
Zhao Y *see* Pinilla C, 193P

Keyword Index

- Addiction 123P, 195P, 197P, 199P
 Adeno-associated virus vectors 187P
 Adenosine 72P, 73P, 106P, 155P, 171P
 Adenosine A₁ receptors 172P
 Adenosine A_{2B} receptors 170P
 Adenosine agonists 107P
 Adenosine antagonists 107P
 Adenosine polyphospho guanosine 21P
 Adipose tissue 120P
 Adjuvant therapy 189P
 α₂-Adrenoceptors 34P, 91P
 β-Adrenoceptors 26P
 β-Adrenoceptors, atypical 110P
 β₂-Adrenoceptors 20P, 66P, 108P, 112P
 β₃-Adrenoceptors 110P, 111P
 Agonists 175P
 Agonist-induced internalisation 165P
 Airways 62P
 Airways hyperreactivity 65P, 70P, 106P, 107P
 Airways pharmacology 69P
 Allergen challenge 107P
 Allostasis 195P
 Alzheimer's disease 122P
 Amino acid receptors 152P
 AMPA receptors 145P
 Analytical methods 86P
 Anandamides 25P
 Anandamide uptake 162P
 Angioplasty/vein grafting 28P
 Angiotensin 80P
 Angiotensin receptors 82P
 Anionic background currents 77P
 Anoxia 26P
 Antagonists 145P
 Anti-inflammatory drugs 106P
 Antibodies 38P
 Anticancer protein therapy 179P
 Anticonvulsants 125P
 Antidepressants 141P, 146P
 Antisense oligonucleotides 194P
 Anxiety 129P
 Aorta 72P
 Aorta, rat 92P, 110P
 Apoptosis 60P, 90P, 99P
 Arachidonic acid 32P
 Arc mRNA 36P
 Arginine oligomers 180P
 Arteries, coronary 25P
 Arteries, coronary, human 75P
 Associative mechanisms 197P
 Atherosclerosis 29P, 75P
 Atomic force microscopy 49P
 ATP 22P, 23P, 87P
 Autoradiography 1P
 Baclofen 123P
 Baroreflex 76P
 Basophils 67P
 Binding 121P
 Binge drinking 198P
 Bioinformatics 193P
 Biotin 49P
 Blood glucose 51P
 Blood pressure 76P
 BODIPY-CGP 12177 50P
 Bone morphogenetic protein 105P
 Brain, human 161P
 Calcitonin 53P
 Calcium 71P
 Calcium modulation 43P
 cAMP 50P, 96P, 100P, 112P, 120P, 169P
 Cancer 156P
 Cannabinoids 18P, 160P, 161P, 162P, 164P, 196P
 Cannabinoid receptors 163P
 Cannabinoid 1 receptor agonists 18P
 Cannabinoid 2 receptor agonists 18P
 Capsaicin 19P, 25P, 154P
 Cardiomyocytes 31P
 Cardiomyocyte hypertrophy 30P
 Cardiovascular diseases 24P
 CCR4 95P, 96P
 CCR5 94P
 Cell cycle 24P, 130P
 Cell signalling 58P
 CellGate transporters 180P
 Central nervous system 134P, 135P, 141P, 146P
 c-FOS 153P
 CGP 62349 124P
 Chart recorders 177P
 Chemokines 95P, 96P
 Chloride channels 77P
 Chloride currents 2P
 Cholinergic system markers 122P
 Chronic hypoxia 64P
 Chronic lipopolysaccharides 65P
 Chronic obstructive pulmonary disease 65P
 Chronic pain 158P
 [³⁶Cl]-influx 128P
 Clomethiazole 2P
 Co-cultures 115P
 Colchicine 84P
 Colon, human 54P
 Colon, mouse 111P
 Colorectal distension 153P
 Combinatorial libraries 184P
 Compound 48/80 159P
 Contingent negative variation 119P
 Contractile performance 30P
 Contraction 78P
 Co-polymers 84P
 Cross-talk 170P
 Cyclic AMP 50P, 96P, 100P, 112P, 120P, 169P
 Cyclins 130P
 Cyclo-oxygenase 92P
 Cyclosporine 59P, 60P
 Cyclosporine A, 180P
 Cytidine-phosphate-guanosine 117P
 Cytokines 57P, 58P, 90P, 164P
 Cytokine testing 176P
 Cytoskeleton 55P
 Dendritic cells 117P
 Dentate gyrus 149P
 Dependence 119P
 Differences 138P
 DNA determination 86P
 DNK333A 69P
 Docking procedures 113P
 Doco sahexaenoic acid 32P
 Dopamine 121P, 142P
 Dopamine receptors 167P, 168P
 Dopamine D₃ receptors 199P
 Dorsal root ganglion 155P
 Dual neurokinin antagonists 69P
 Ecstasy 142P

Education 177P	Gremlin 105P	Lectin mimetics 192P
Electrophysiology 126P, 144P, 154P, 155P	GRK 48P	Leptin 118P
Electroshock 127P	Grooming 131P	Levetiracetam 127P
Eliprodiol 147P	GTP γ S 172P	Ligand identification 184P, 193P
Endothelial derived hyperpolarising factor 22P, 23P	[35 S]-GTP γ S binding 140P, 167P, 168P	Ligand potencies 168P
Endothelin-1 31P		Ligand-gated ion channels 45P, 143P
Endothelium-dependent relaxation 92P	Heart, human 29P	Lipoplexes 86P
Endothelium-dependent vasorelaxation 27P	Heme oxygenase-1 28P	Lipoxins 11P
Endothelium-derived hyperpolarising factor 87P	Heteromeric P2X receptors 46P	Lipoxin A ₄ 83P
Endotoxaemia 88P	Hippocampal slices 125P	Long-term depression 10P, 152P
Epibatidine 44P	Hippocampus 8P, 150P	Long-term potentiation 8P, 9P, 150P
Epidermal growth factor receptors 91P	Histamine 174P	Losartan 81P
Epilepsy 6P, 126P	Histamine H ₁ receptors 173P, 175P	LPD complexes 186P
Epithelial cell survival 99P	HL60 71P	L-type calcium channels 8P
Epithelial polarity 182P	Homology modelling 113P	Lung 68P
Epithelium 164P	5-HT 35P, 63P, 64P, 134P, 135P	
Epitope tags 174P	5-HT re-uptake inhibitors 138P	M cells 57P, 115P
Erk 99P	5-HT _{1A} 136P, 137P, 139P, 140P	Macrophages 11P, 55P
Erk-MAP kinase 91P	5-HT ₂ 134P, 135P	Magnesium 126P
Ethanol 121P, 198P	5-HT _{2B} receptors 54P	Major depression 161P
Excitatory amino acid transporters 148P	5-HT ₃ receptors 45P	MAP kinases 10P, 59P, 98P
Extracellular matrix 58P	5-HT ₇ receptors 40P	MAP kinases 10P, 59P, 98P
	Human 81P	Mast cells 56P, 66P, 67P, 108P, 109P
	Hydroxysteroid dehydrogenase 113P	MDMA 34P, 36P, 37P, 39P
	Hyperalgesia 101P, 154P, 157P	($\pm$)-4-MDMA 35P
	Hypertrophy 31P, 79P	Melanin concentrating hormones 52P, 133P
	Hypoxia 63P	Memantine 147P
	Hypoxic pulmonary hypertension 27P	Membrane translocating sequences 85P
		Memory 151P
Fibrosis 56P		Mesangial cells 83P, 105P
FLIPR 41P	Imidazoline 51P	Mesenteric arterial bed 16P, 21P, 88P
Flow cytometry 192P	Immunity 38P	Mesentery 22P, 23P, 87P
Fluoxetine 136P, 137P	Immunocytochemistry 129P	Metabotropic glutamate receptors 6P, 43P, 165P
Folate-mediated delivery 178P	Immunomodulatory responses 117P	Methylenedioxymethamphetamine 38P
Food intake 118P	<i>In situ</i> hybridisation 1P	($\pm$)-4-Methylthioamphetamine 35P
Forskolin 120P	<i>In vitro</i> testing 176P	mGLU 166P
c-FOS 153P	Infarction 80P	Microdissection 114P
Free radicals 109P	Inflammation 11P, 13P, 14P, 68P	Micropors TM 190P
	Inflammatory hypersensitivity to pain 18P	Migraine 102P
GABA 2P	Inositol phosphates 172P	Migration 104P
GABA release 3P, 5P	Inotropy 20P	Mitogen-activated protein kinase 169P
GABA _A receptors 128P	Insulin 51P	Morphogenesis 182P
GABA _B 124P	Interleukin 1 β 10P	Motility 54P
GABA _B receptors 4P	Internalisation 47P, 94P	Mouse models 159P
Gender 12P	Ion transport 39P	MPEP 166P
Gene delivery 186P, 187P	Ischaemia 148P	Mucus 62P
Genetic factors 198P	Ischaemia/reperfusion 78P	Muscarinic receptors 47P, 150P, 170P
Genetic polymorphism 108P	ISIS 104838 194P	Muscarinic M ₃ receptors 48P
Ghrelin 29P	Itch 159P	Mutagenesis 143P
Glutamate 6P, 146P, 148P, 166P		Myocardial infarction 80P
Glutamate release 3P, 5P		Myofibroblast 56P
Glutamate transport 32P		Myperthermia 37P
Goblet cells 65P		
Gpp(NH)p 139P	Kainate receptors 149P	[3 H]-NAD-IGC binding 140P
G-proteins 95P, 173P	KC0912 70P	Neurodegeneration 142P
Gq 48P	Kinin B1 receptors 158P	Neurokinin-3 5P
GR79236 157P	Knock-out 72P, 73P	Neurokinin B 17P
GR253035 101P		
GR190178 157P		
Green fluorescent protein 174P	Langerhans cells 189P	

p53 60P
Pain 12P, 14P, 156P, 160P
Panic 129P
Parkinson's disease 33P, 147P
Paroxetine 40P
Particles 85P
Peptide libraries 188P
Periaqueductal grey 160P
Peyer's patch 114P, 183P
Phage displays 116P
Phagocytosis 181P
Pharmacology 171P
Phenytoin 4P
Phoneutria nigriventer venom 19P
Phosphodiesterases 67P, 100P
Phosphodiesterase₄ 68P
Phosphorylation 94P
pK_A estimates 175P
Plasma extravasation 15P
Polymorphism 167P
Potassium channels 61P, 89P
Potassium ATP channel openers 70P
Potency 138P
Powder-jet technology 191P
Pressure overload 79P
Proline 45P
Prostacyclin 93P
Prostaglandins 13P

Satiety factor 118P
SB334867 41P
Scanning libraries 193P
Screening phage display libraries 185P
Second messengers 42P
Seizures 127P
Selective inhibition 128P
Sensitive fibres 19P
Sensory nerves 16P
Sex hormones 12P
Signal transduction 103P
Signalling 93P, 97P
SLC-1 52P
Smooth muscle cells 90P
Sodium valproate 3P
Software 177P
Somatostatin 1P, 42P
Spinal cord 13P, 158P
Splice variants 165P
SR59230A 111P
SST₂ 1P
SST₅ 42P
Statins 93P
Stratum corneum 190P
Streptavidin 49P
Stress 9P, 152P
Structure functions 44P, 144P
Substance P 76P, 141P
Synaptic plasticity 7P
Synaptic transmission 149P

Zoledronate 156P