

# **British Journal of Pharmacology**

## **Proceedings Supplement**

Proceedings of the British Pharmacological Society Meeting

17–21 December 2001

**Imperial College, University of London**

The *British Journal of Pharmacology* is published by Nature Publishing Group, a division of Macmillan Publishers Ltd. It is the official publication of the British Pharmacological Society.

**Scope** The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, EMBASE, Excerpta Medica, BIOSIS, Elsevier Biobase, Current Awareness in Biological Sciences, CINAHL and Index Medicus.

**Editorial** Manuscripts should be submitted online at <http://www.bjpharmacol.org>; authors unable to submit online should send one copy of their manuscript, plus a copy on disk, together with a covering letter to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 20 7417 0432. Fax: +44 20 7417 0430; [aam@bps.ac.uk](mailto:aam@bps.ac.uk).

**Publisher** All business correspondence and enquiries about supplement publication and sponsorship opportunities should be addressed to *British Journal of Pharmacology*, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 1256 329242; Fax: +44 1256 810526. Publishing Manager: Jason Wilde. Production Controller: Jane Torr.

The *British Journal of Pharmacology* is online at: [www.bjpharmacol.org](http://www.bjpharmacol.org). Visit the journal's home pages for details of the aims and scope, readership, instructions to authors and how to contact the Editors and publishing staff. Use the website to order a subscription, reprints or a sample copy.

**Free to all readers:** tables of contents for all articles published since 1965, abstracts for all articles since 1975 and the complete text of the January 2001 issue. Register to receive the table of contents by e-mail as each issue is published.

Subscribers to the 2002 online version of the journal have access to PDF files of all articles since 1997. The full text of all articles in HTML format is also available from 2002.

#### **Subscriptions – 2002 subscription rates INSTITUTIONAL SUBSCRIPTIONS**

**Combined (electronic online & print):** EU £1238, Rest of World £1238/US\$1857

**Electronic online only:** £1125/US\$1688

**Print (hard copy) only:** EU £1125; Rest of World £1125/US\$1688

Prices for airmail delivery on application.

**Site licences and institutional online access** – for information on multi-user or multi-site access to Nature Publishing Group products please contact [s.archer@macmillan.co.uk](mailto:s.archer@macmillan.co.uk) or telephone +44 20 7843 6426. For other enquiries please contact [sjsupport@nature.com](mailto:sjsupport@nature.com) or telephone +44 20 7843 4759.

#### **PERSONAL SUBSCRIPTIONS (USA only)**

**Combined (electronic & print):** US\$352

**Electronic online only:** US\$320

**Print (hard copy) only:** US\$320

#### **Subscriptions – Outside the USA**

Orders must be accompanied by remittance. Cheques should be made payable to Nature Publishing Group and sent to: The Subscription Department, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. E-mail: [subscriptions@nature.com](mailto:subscriptions@nature.com). Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

#### **Subscriptions – USA**

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. E-mail: [subscriptions@nature.com](mailto:subscriptions@nature.com).

Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

*British Journal of Pharmacology* (ISSN 0007-1188) is published twice a month by Nature Publishing Group, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1688 per annum. Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to *British Journal of Pharmacology*, Nature Publishing Group, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

**Advertisements** Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 20 8882 7199; Fax: +44 20 8882 7299; E-mail: [rsloan@rsa2.demon.co.uk](mailto:rsloan@rsa2.demon.co.uk)

**Reprints and permissions** For reprints of any article in this journal or reproduction rights, please contact Tracé Noel ([t.noel@nature.com](mailto:t.noel@nature.com)) at the Publisher's address (above).

**Copyright** © 2002 Nature Publishing Group  
ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world. All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Nature Publishing Group for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$25.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. 0007-1188/02 \$25.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted,

# INDEX TO PROCEEDINGS SUPPLEMENT

Imperial College, University of London  
17th–21st December, 2001

## Author Index

- Abraham D *see* Carruthers AM, 265P  
Akhondzadeh S, Kashani L & Mobaseri M Potentiation of muscimol-induced long-term depression by benzodiazepines but not zolpidem, 215P  
Alencar JL, Geffard M, Stoclet J-C & Muller B Evidence for the formation of vasoactive nitric oxide stores by S-nitrosation of cysteine residues in isolated blood vessels exposed to S-nitrosoglutathione, 173P  
Alexander R *see* Vugler A, 164P  
Alexander SPH, Aynge J & Pocock N Differential centrifugation reveals redistribution of A<sub>2A</sub> adenosine receptor binding in porcine striatal slices after exposure to adenosine, 381P  
Alis J *see* Wilson AJ, 306P  
Allen NH *see* Dimech CJ, 335P  
Altmann C, Meyer zu Heringdorf D, Büyükbas D & Michel MC Sphingosylphosphorylcholine inhibits activation of human platelets, 193P  
Altmann C *see* Czyborra P, 194P  
Altmann C *see* Li Y, 244P  
Altmann C *see* Steenpaß V, 292P  
Amann R *see* Heinemann A, 262P  
Amin YK, Davies MF, Noormohamed FH & Maze M Development of tolerance to the sedative and antinociceptive properties of  $\alpha_2$  adrenergic agonists is dependent on neuronal nitric oxide synthase (nNOS), 360P  
Anderson IK *see* Carruthers AM, 265P  
Anning PB *see* Gitlin JM, 210P  
Antunes E *see* Teixeira CE, 208P  
Archer M *see* Bonifácio MJ, 211P  
Arkle S, Jaura S, Kalogirou A & Nawaz S Serotonergic effects of myo-inositol hexakisphosphate in guinea-pig isolated ileum, 235P  
Arkle S *see* Lodge CS, 239P  
Arocas V, Martinez M, Real M, Carceles MD & Hernández J Cyclic nucleotide phosphodiesterase type 2 regulates the contractile effect mediated by  $\beta_2$  adrenoceptors but not  $\beta_1$  adrenoceptors in human right atria, 318P  
Arrigoni F *see* Jones C, 175P  
Arrigoni F *see* Nandi M, 199P  
Aspley S *see* Wollard J, 201P  
Aston JC, Beveridge TJR & Elliott JM MDMA induces localised increases in arc mRNA expression in rat brain in a dose-dependent fashion, 346P  
Atherton H, Poll CR & Danahay H The induction of a hypersecretory phenotype by interleukin 13 (IL-13) in human bronchial epithelial cells (HBECs): a role for a calcium activated chloride conductance, 279P  
Atherton H *see* Danahay H, 154P  
Atkinson J *see* Hughes I, 385P  
Aynge J *see* Alexander SPH, 381P  
Azam R *see* Brand N, 332P  
Azcoita I, DonCarlos LL & Garcia-Segura LM Oestrogen and brain vulnerability, 398P  
Bagetta G *see* Corasaniti MT, 229P  
Bagetta G *see* Nucci C, 352P  
Bahra P, Poll CT, Westwick J & Li SW Pharmacological characterisation of receptor-mediated and store-dependent calcium influx in the human promyelocytic leukaemic cell line (HL60), 333P  
Bai J, Heemann U & Michel MC Comparison of renal effects of systemic and intrarenal administration of sphingosylphosphorylcholine, 245P  
Bailey DS Exploiting genomics and proteomics for rapid, early-stage drug discovery, 397P  
Bailey SR *see* Berhane Y, 291P  
Baker JG, Hall IP & Hill SJ Agonist specific temporal characteristics of  $\beta_2$ -adrenoceptor-stimulated gene transcription response in CHO-K1 cells transfected with the human  $\beta_2$ -adrenoceptor, 182P  
Bakhle YS *see* Francischi JN, 159P  
Ballard S *see* Flynn DA, 314P  
Ballard S *see* Parker HT, 301P  
Balt JC, Mathy MJ, Nap A, Pfaffendorf M & van Zwieten PA Prejunctional and postjunctional inhibitory actions of the selective AT<sub>1</sub>-antagonists eprosartan and candesartan in the rabbit isolated mesenteric artery, 206P  
Balt JC *see* Nap A, 207P  
Barik J, Houlihan LM, Bermudez I & Slater Y Tropisetron (ICS 205-930) interacts with human nicotinic acetylcholine receptors, 373P  
Barnes PJ *see* Chivers JE, 152P  
Barnes PJ *see* de Graaf W, 280P  
Barnes PJ *see* Smith SJ, 162P  
Barnes PJ *see* Traves SL, 161P  
Barnes TA *see* McDonald J, 258P  
Bastlund JF, Watson WP & Sanchez C Kindling induced in mice by repeated

- administration of sub-convulsant doses of nicotine, 363P
- Bastlund JF, Watson WP & Sanchez C Levetiracetam and phenytoin show greater efficacy at reducing nicotine-kindled seizures than PTZ-kindled seizures in mice, 213P
- Bastlund JF *see* Watson WP, 364P
- Bates SA *see* Gill CH, 251P
- Battram CH *see* Bayley D, 267P
- Baxter GF *see* D'Souza SP, 325P
- Baxter GF *see* Hausenloy DJ, 323P
- Baxter GF *see* Kis A, 322P
- Bayley D, Battram CH, Poll CP & Campbell EM The effect of valsartan on lung remodelling in a mouse model of bleomycin-induced pulmonary fibrosis, 267P
- Beckett SRG *see* Finn DP, 221P
- Beckmann N *see* Tigani B, 270P
- Beer DJ, Scaramellini Carter CM & Charlton SJ Evidence that BX471 is an inverse agonist at the human CCR1 receptor, 264P
- Begum A *see* Jenkinson L, 334P
- Bell AR, Walker L, Graham MJ, Whittaker E, Moorcraft CL, Crewe HK & Lennard MS The expression of dog hepatic CYP2B11, CYP3A12, CYP2C21, CYP2C41 mRNA, protein and enzymatic analysis of CYP3A4, CYP2C19 and CYP2C9 substrates in dog liver microsomes, 384P
- Belvisi MG *see* Birrell MA, 275P
- Belvisi MG *see* Birrell MA, 277P
- Belvisi MG *see* Clarke DL, 155P
- Belvisi MG *see* Clarke DL, 268P
- Belvisi MG *see* McCluskie K, 276P
- Benito G *see* Heredia MP, 324P
- Bennett S & Gronier B Modulation of the release of endogenous dopamine from rat striatal slices by agonists of the strychnine-insensitive glycine receptor site of the NMDA receptor, 371P
- Bennett T, March JE, Kemp PA & Gardiner SM Regional haemodynamic responses to infusion of human urotensin II (hUII) in conscious Sprague-Dawley rats, 200P
- Bennett T *see* Gardiner SM, 202P
- Bennett T *see* Wakefield ID, 296P
- Bennett T *see* Wollard J, 201P
- Berhane Y, Bailey SR & Elliott J Contractile effects on equine digital arteries and veins of monoamines formed in the caecum, 291P
- Bermudez I *see* Barik J, 373P
- Beveridge TJR *see* Aston JC, 346P
- Bidouard J-P *see* Conde C, 197P
- Birdsey G *see* Jones C, 175P
- Birrell M, McCluskie K, Yacoub MH & Belvisi MG The role of nitric oxide synthase in an acute model of LPS-induced airway inflammation in the rat, 276P
- Birrell MA, McCluskie KS, Wong MH, Yacoub MH & Belvisi MG Characterisation of an acute model of COPD in the rat, 275P
- Birrell MA *see* McCluskie K, 276P
- Bishop-Bailey D *see* Thomas MA, 176P
- Bishop-Bailey D *see* Woods M, 165P
- Bittinger F *see* Wessler I, 212P
- Black JW *see* Harper EA, 185P
- Black JW *see* Mitchell EA, 186P
- Boarder MR *see* Dixon CJ, 331P
- Boarder MR *see* Kumari R, 192P
- Boarder MR *see* Kumari R, 330P
- Bonifácio MJ, Vieira-Coelho MA, Archer M, Rodrigues L, Carrondo MA & Soares-da-Silva P Characterization of the inhibition mechanism of catechol *o*-methyltransferase with two novel inhibitors, BIA 3-202 and BIA 3-335, 211P
- Boot JR *see* Johnson LR, 356P
- Bosca L *see* Sanchez V, 348P
- Bose S *see* Johnson LR, 356P
- Botchway A, Maginn M, Mow T & Matz J Effects of the antipsychotic risperidone on normal and hypertrophied guinea-pig cardiac tissue, 319P
- Böyükbas D *see* Altmann C, 193P
- Böyükbas D *see* Czyborra P, 194P
- Brahmadevara N, Shaw AM & MacDonald A Lack of functional  $\beta_3$ - or putative  $\beta_4$ -adrenoceptors in rat isolated aorta, 203P
- Brain KL, Trout SJ & Cunnane TC Characterising ATP release from each varicosity on a nerve terminal branch on an impulse-to-impulse basis in the mouse isolated vas deferens, 344P
- Brain SD *see* Costa SKP, 249P
- Brain SD *see* Lever IJ, 250P
- Brain SD *see* Singh N, 232P
- Brand N, Azam R, Pate A, Yacoub MH & Chester AH A bioinformatics analysis of the structure and expression of the A-type endothelin receptor (EDNRA) gene, 332P
- Brett R *see* Egerton A, 220P
- Brink C *see* Norel X, 282P
- Britti D *see* Patel NSA, 196P
- Broadley KJ *see* Martin TJ, 274P
- Broadley KJ *see* Nevin BJ, 273P
- Broadley KJ *see* Toward TJ, 272P
- Brodde OE *see* Leineweber K, 205P
- Brookes-Fazakerley S *see* Smith SJ, 162P
- Brough CA *see* Owen DE, 383P
- Brown D *see* Vugler A, 164P
- Brown JF *see* Lodge CS, 239P
- Brown MJ *see* Lewis CJ, 183P
- Brown S *see* Jenkinson L, 334P
- Buber R, Cleary L & Docherty JR Effects of MDMA and cathinone on noradrenaline-evoked contractions of rat right ventricle, 345P
- Buchan KW, Campbell CJ, Houston P & Ludbrook VJ Effects of GW7845, a potent, selective PPAR- $\gamma$  agonist, on barrier function of human umbilical vein endothelial cells (HUVEC), in an *in vitro* system, 305P
- Buckingham JC *see* John CD, 227P
- Buckingham JC *see* Lamfon H, 224P
- Buckingham JC *see* Mulla A, 190P
- Buckingham JC *see* Solito E, 189P
- Buckingham JC *see* Theogaraj E, 225P
- Buckingham JC *see* Tierney T, 226P
- Burke SG, Furman BL, Del Soldato P, Vojnovic I, Warner T & Wainwright CL The effect of NO-aspirin on arrhythmias and infarct size in isolated spontaneously hypertensive rat hearts, 321P
- Burnham M *see* Johnson IT, 284P
- Burnham MP *see* Gardener MJ, 166P
- Burnham MP *see* Gardener MJ, 307P
- Bush A *see* Jenkins GR, 157P
- Butler K *see* Bayley D, 267P
- Cairns WJ *see* Gill CH, 251P
- Calo G *see* McDonald J, 258P
- Camarero J, Sanchez V, O'Shea E, Velasquez E, Green AR & Colado MI A selenium-deficient diet potentiates the long term loss of striatal dopamine induced by MDMA in mice and induces depletion of cortical 5-HT, 349P
- Camarero J *see* Sanchez V, 348P
- Campbell CJ *see* Buchan KW, 305P
- Campbell EM *see* Bayley D, 267P
- Cao T, Day AJ & Perretti M Link\_Tumour Necrosis Factor stimulatory gene-6 (LINK\_TSG6) has neutrophil anti-migratory effects *in vivo*, 261P
- Cao T *see* La M, 160P
- Carceles MD *see* Arocas V, 318P
- Cardenas A, De Cristobal J, Castillo J, Davalos A, Leza JC, Moro MA, Lorenzo P & Lizasoain I Citicoline is neuroprotective by reducing glutamate levels after permanent focal cerebral ischaemia in rats, 351P

- Carrondo MA *see* Bonifácio MJ, 211P
- Carruthers AM, Abraham D, Conroy L, McCourt M, Thompson J & Anderson IK *In vitro* and *in vivo* characterisation of CAT-192 and 1D11: Neutralising antibodies to transforming growth factor beta, 265P
- Carswell HVO, Groves SJ, Jardine E, Hamilton CA & Dominiczak A Can exogenous oestrogen scavenge superoxide anions in stroke-prone rats?, 222P
- Castillo J *see* Cárdenas A, 351P
- Centurión D *see* Knowles ID, 295P
- Cerulli L *see* Nucci C, 352P
- Challiss RAJ *see* Nelson CP, 341P
- Chapman V *see* Finn DP, 221P
- Chapman V *see* Kelly S, 218P
- Chapman V *see* Millns PJ, 256P
- Chapple CR *see* Sellers DJ, 242P
- Chaput C *see* Newman-Tancredi A, 187P
- Charlton SJ *see* Beer DJ, 264P
- Charlton SJ *see* Haslam CP, 375P
- Charlton SJ *see* Rosethorne EM, 269P
- Charlton SJ *see* Spragg EJ, 184P
- Charlton SJ *see* Spragg EJ, 340P
- Chatterjee PK, Patel NSA, Kvale EO, McDonald MC, Cockerill GW, Mota-Filipe H, Miller NE & Thiemermann C High density lipoprotein reduces renal dysfunction and injury mediated by ischaemia/reperfusion of the rat kidney *in vivo*, 195P
- Chatterjee PK *see* Patel NSA, 196P
- Chaves CT *see* Francisci JN, 159P
- Chen J *see* Owen DE, 383P
- Chernajovsky Y *see* La M, 160P
- Chess-Williams R *see* Sellers DJ, 242P
- Chessell IP *see* Sargent RS, 253P
- Chester AH *see* Brand N, 332P
- Chivers JE, Donnelly LE, Barnes PJ & Newton R Characterisation of a dissociated glucocorticoid in the  $\alpha$ 549 cell line, 152P
- Chong LK *see* Scola A, 266P
- Choudhury HI, McAllister G, Seabrook GR, Guiblin A & Maubach K Pharmacology of 5-HT receptors in the CA1 region of rat hippocampal brain slices *in vitro*, 376P
- Chowienzyk PJ *see* de Saram K, 174P
- Christidou MA *see* Datla KP, 350P
- Christie MI *see* Werry TD, 181P
- Chuck AJ *see* Flynn DA, 314P
- Chuck AJ *see* Parker HT, 301P
- Cindrova T, Skepper JN & Sellers LA The signalling mechanisms activated concomitantly with the proliferative or apoptotic responses evoked by oxysterols in human umbilical vein endothelial cells (HUVECs), 326P
- Cindrova T *see* Li R-C, 328P
- Clapp LH *see* Wilson AJ, 306P
- Clark MJ *see* Harrison C, 179P
- Clarke B *see* Kennedy S, 310P
- Clarke DL, Belvisi MG, Patel HJ, Yacoub MH & Giembycz MA Prostaglandin E2 inhibits GM-CSF release from interleukin-1 $\beta$ -stimulated human airway smooth muscle cells by interacting with prostanoid receptors of the EP<sub>2</sub>-subtype, 155P
- Clarke DL, Giembycz MA, Yacoub MH & Belvisi MG Regulation of the release of colony-stimulating factors from human airway smooth muscle cells by isoprostanes, 268P
- Clarke ZL *see* Lang D, 169P
- Cleary L *see* Buber R, 345P
- Clements-Jewery H & Curtis MJ Phase 2 ischaemia-induced ventricular fibrillation in the isolated blood-perfused rat heart, 177P
- Clunn GF, Patel MK & Hughes AD Inhibition of rho-kinase impairs chemotaxis and mitogenesis and induces a change in morphology in human vascular smooth muscle cells, 312P
- Cockerill GW *see* Chatterjee PK, 195P
- Colado MI *see* Camarero J, 349P
- Colado MI *see* Heredia MP, 324P
- Colado MI *see* Sanchez V, 348P
- Colledge WH *see* Joseph SS, 336P
- Colledge WH *see* Kaumann AJ, 204P
- Collins SD *see* Sargent RS, 253P
- Coltman C, Prince RI, Purcell WM & Osborne RH Substance P-induced tonic contraction of the rat isolated ileum involves activation of L-type calcium channels and inositol trisphosphate receptors, 234P
- Conde C, Stassen F, Bidouard J-P, Sulpice T, De Murcia G, O'Connor SE, Herbert J-M & Janiak P Relative contributions of poly(ADP) ribose polymerase (PARP) isoforms in the pathogenesis of myocardial ischemia-reperfusion injury, 197P
- Conroy L *see* Carruthers AM, 265P
- Constanti A *see* Whalley B, 355P
- Coote J *see* Jenkinson L, 334P
- Corasaniti MT, Piccirilli S, Del Duca C, Nisticò R, Costa A & Bagetta G Neuronal apoptosis induced by HIV-1 GP120 in the neocortex of rat is prevented by systemic administration of 17 $\beta$ -estradiol, 229P
- Corsi M *see* Lazzarini C, 359P
- Corso G *see* Teixeira CE, 208P
- Corteling R *see* Hawley J, 339P
- Costa A *see* Corasaniti MT, 229P
- Costa SKP, Hyslop S, Grant AD, Docherty RJ & Brain SD Evidence that fraction IV (FIV), a purified fraction of *Phoneutria nigriventer* venom (PNV), is responsible for the neurogenic oedema observed in response to PNV in mice, 249P
- Cox HM *see* Hyland NP, 231P
- Cox HM *see* Singh N, 232P
- Craig PJ *see* Johnson LR, 356P
- Crespi F *see* Lazzarini C, 359P
- Crewe HK *see* Bell AR, 384P
- Croft AP & Little HJ Regional brain corticosterone concentrations: lack of correlation with blood levels, 216P
- Cromar S *see* Dewhurst DG, 386P
- Crouch NS *see* Parker HT, 301P
- Croucher MJ *see* Dhillon K, 374P
- Croucher MJ *see* Dhillon K, 382P
- Cruikshank SF, Drummond RM, Furman BL Inhibition of islet phosphodiesterase PDE3 increases the calcium response to glucose, 228P
- Cunnane TC *see* Brain KL, 344P
- Curtis MJ *see* Clements-Jewery H, 177P
- Cussac D *see* Newman-Tancredi A, 187P
- Cussac D *see* Newman-Tancredi A, 188P
- Cuzzocrea S *see* Chatterjee PK, 195P
- Cuzzocrea S *see* Patel NSA, 196P
- Czyborra P, Altmann C, Meyer zu Heringdorf D, Böyükbas D & Michel MC Studies into the mechanism of inhibition of platelet activation by sphingosylphosphorylcholine, 194P
- Czyborra P *see* Li Y, 244P
- Czyborra P *see* Steenpaß V, 292P
- Dainty IA *see* Werry TD, 181P
- Daly C *see* Jarajapu YPR, 303P
- Daly CJ *see* McBride M, 304P
- Danahay H, Atherton H & Poll CT Interleukin (IL)-13 enhances a calcium activated anion conductance in human bronchial epithelial cells (HBECs) that is sensitive to DIDS and DNDS but not to tamoxifen, 154P
- Danahay H *see* Atherton H, 279P
- Darcy P, Kelly JP, Leonard BE & Henry JA Effect of a cyclodextrin-lofepamine complex on the motility of *Tetrahymena pyriformis*, 358P
- Datla KP, Christidou MA, Widmer WW, Rooparai HK & Dexter DT Citrus flavonoid tangeretin

- accumulates in the brain and pre-treatment protects against dopaminergic neuronal loss in a rat model of Parkinson's disease, 350P
- Davies CH *see* Gill CH, 251P
- Davies MF *see* Amin YK, 360P
- Day AJ *see* Cao T, 261P
- Day AL *see* Simpkins JW, 399P
- Dávalos A *see* Cárdenas A, 351P
- De Cristóbal J *see* Cárdenas A, 351P
- de Graaf W, Smith AK, Barnes PJ & Rogers DF Mucin gene expression in human respiratory epithelial cell lines: activation by phorbol esters and effect of a corticosteroid and cyclic AMP activating agents, 280P
- de Groot A, Peters SLM, Pfaffendorf M & van Zwieten PA Angiotensin II and phenylephrine induced vasoconstriction: a possible contribution of reactive oxygen species and the MAP kinase pathway, 171P
- de Kloet R, Oitzl M & Vreugdenhil E Brain corticosteroid receptors and responsive genes: targets for therapy of stress-related disorders, 401P
- De Murcia G *see* Conde C, 197P
- De Nucci G *see* Teixeira CE, 208P
- de Saram K, McNeill KL, Ritter JM & Chowienzyk PJ Vitamin C may modulate NO-dependent relaxation through direct interaction with NO and nitrosothiols, 174P
- Del Duca C *see* Corasaniti MT, 229P
- Del Soldato P *see* Burke SG, 321P
- Delgado C *see* Heredia MP, 324P
- Deutsch C *see* Wessler I, 212P
- Dewar A *see* John CD, 227P
- Dewhurst DG, Jones H, Page CP & Cromar S A computer simulation of experiments to demonstrate pharmacological control of guinea-pig airways, 386P
- Dexter D *see* Gillies G, 400P
- Dexter DT *see* Datla KP, 350P
- Dexter DT *see* Murray HE, 223P
- Dhillon K, Lawrence A, Misra A, Croucher MJ, Knight AR & Quirk K Characterisation of [<sup>3</sup>H]-ZM 241385 binding to rat hippocampal membranes, 374P
- Dhillon K, Lawrence A, Misra A, Croucher MJ, Palmer AM, Esiri M, Knight AR & Quirk K Comparison of [<sup>3</sup>H]-DPCPX binding to rat and human cortical membranes, 382P
- Dimech CJ, Allen NH, Porter RHP, Sheardown MJ & Strange PG 5-HT<sub>2C(vss)</sub> receptor-mediated activation of inositol phosphate accumulation and arachidonic acid release in CHO cells: no evidence of agonist-directed trafficking, 335P
- Dinn AE *see* Shah B, 342P
- Dixon A *see* Nicholson R, 259P
- Dixon CJ, Hall JF & Boarder MR P2Y regulation of hepatocytes: distinct action of ADP and 2-methylthio ADP, 331P
- Docherty JR *see* Buber R, 345P
- Docherty RJ *see* Costa SKP, 249P
- Dominiczak A *see* Carswell HVO, 222P
- Doncarlos LL *see* Azcoitia I, 398P
- Donnelly LE *see* Chivers JE, 152P
- Donnelly LE *see* Traves SL, 161P
- Doshi S *see* Erhorn S, 168P
- Doshi S *see* Lang D, 169P
- Douglas SA *see* MacLean MR, 283P
- Drummond RM *see* Cruickshank SF, 228P
- D'Souza SP, Yellon DM & Baxter GF Type-B natriuretic peptide limits infarct size in rat isolated heart, 325P
- Dugo L *see* Patel NSA, 196P
- Duncan M, Kendall DA & Ralevic V CP55,940, a cannabinoid receptor agonist, attenuates sensory neurotransmission via CB<sub>1</sub>-like receptors in the rat isolated mesenteric arterial bed, 285P
- Ebenezer IS *see* Patel JD, 240P
- Ebenezer IS *see* Patel SM, 366P
- Ebenezer IS *see* Price M, 367P
- Edwards G *see* Gardener MJ, 166P
- Edwards G *see* Gardener MJ, 307P
- Edwards G *see* Johnson IT, 284P
- Egerton A, Pratt JA & Brett R Regionally selective alterations in AMPA and NMDA receptor subunit mRNA expression in rat brain following repeated administration of  $\Delta^9$ -tetrahydrocannabinol, 220P
- Egger T *see* Heinemann A, 262P
- Elliott J *see* Berhane Y, 291P
- Elliott JM *see* Aston JC, 346P
- Ellis KM, Mazzoni L & Fozard JR Mechanism of the bronchoconstrictor response to bradykinin augmented following allergen challenge in actively sensitised Brown Norway rats, 153P
- Erhorn S, Lang D, Doshi S & Lewis MJ Methyltetrahydrofolate and tetrahydrobiopterin inhibit methionine-induced endothelial dysfunction in rabbit aortic rings: an antioxidant-independent effect?, 168P
- Erhorn S *see* Lang D, 169P
- Esiri M *see* Dhillon K, 382P
- Evans NM *see* Johnson LR, 356P
- Evans TW *see* Gitlin JM, 210P
- Fan T *see* Simpkins JW, 399P
- Fan T-PD *see* Cindrova T, 326P
- Fan T-PD *see* Li R-C, 328P
- Farmer MR, Gardiner SM & Ralevic V Contractile responses to methoxamine of aortae and tail arteries from endotoxaemic rats, 289P
- Farmer MR, Ralevic V & Gardiner SM Capsaicin-sensitive perivascular neurotransmission in isolated perfused mesenteric arterial beds from endotoxaemic rats, 288P
- Feil R *see* Ibarra C, 299P
- Feniuk W *see* Jenkins DW, 217P
- Fernandez M *see* Heredia MP, 324P
- Fernández-Tomé P *see* Hurtado O, 369P
- Fetscher C *see* Kories C, 241P
- Fetscher C *see* Steenpaß V, 292P
- Fexby S, Wimalasundera R & Hughes AD Comparison of histamine- and acetylcholine-induced relaxation of rat isolated mesenteric small arteries, 293P
- Finn DP, Jhaveri MD, Beckett SRG, Kendall DA, Marsden CA & Chapman V The effect of intra-periaqueductal grey administration of the cannabinoid agonist HU210 in a rat model of aversion, 221P
- Flower RJ *see* Gavins FNE, 198P
- Flower RJ *see* Getting SJ, 158P
- Flynn D, Chuck T, Ballard S & Tones MA A comparison of the binding affinity of endothelin (ET) receptor antagonists at recombinant and native ETA receptors, 314P
- Flynn DA *see* Parker HT, 301P
- Foulkes R *see* Shaw S, 278P
- Fozard JR *see* Ellis KM, 153P
- Fozard JR *see* Tigani B, 270P
- Fozard JR *see* van Heeke G, 337P
- Francischi JN, Chaves CT, Lima AS & Bakhle YS A new anti-nociceptive pathway mediated by cyclooxygenase-2 in rat paw inflammation induced by carrageenan, 159P
- Fuhrmann M *see* Wenzel F, 281P
- Fujinaga M *see* Orii R, 255P
- Fujinaga M *see* Stowell JM, 254P
- Fuhrmann M *see* Stumpf V, 263P
- Furman BL *see* Burke SG, 321P
- Furman BL *see* Cruickshank SF, 228P
- Gale JD *see* Hawcock AB, 377P
- Gallagher K *see* Patel M, 313P

- Gao J *see* Gavins FNE, 198P
- Garcia-Segura LM *see* Azcoitia I, 398P
- Gardener MJ, Burnham MP, Gilling KE, Johnson IT, Edwards G & Weston AH Identification of twin-pore potassium channels in rat mesenteric arteries, 307P
- Gardener MJ, Edwards G, Burnham MP & Weston AH Further investigations on EDHF in the rat mesenteric artery: the effect of hepes on acetylcholine-induced hyperpolarization, 166P
- Gardener MJ *see* Johnson IT, 284P
- Gardiner SM, Aspley S & Bennett T Regional haemodynamic responses to phentolamine in conscious Sprague-Dawley rats, 201P
- Gardiner SM *see* Bennett T, 200P
- Gardiner SM *see* Farmer MR, 288P
- Gardiner SM *see* Farmer MR, 289P
- Gardiner SM *see* Wakefield ID, 296P
- Gardiner SM *see* Wollard J, 201P
- Gardner B *see* Harper EA, 185P
- Gavins FNE, Gao J, Murphy PM, Flower RJ & Perretti M Analysis of the protection afforded by an annexin 1 peptide against ischaemia reperfusion in the mouse mesentery, 198P
- Geffard M *see* Alencar JL, 173P
- Geranton SM, Heal D & Stanford SC *In vivo*, dual-probe, microdialysis study of the effects of local infusion of *d*-amphetamine on noradrenaline efflux in rat hypothalamus and frontal cortex, 347P
- Getting SJ, Flower RJ & Perretti M Activation of melanocortin type 3 receptor as a novel mechanism for ACTH efficacy in gouty arthritis, 158P
- Giddings J *see* Bayley D, 267P
- Giembycz MA *see* Clarke DL, 155P
- Giembycz MA *see* Clarke DL, 268P
- Giembycz MA *see* Smith SJ, 162P
- Gill CH, Strijbos PJ, Bates SA, Cairns WJ, Owen D & Davies CH Capsazepine inhibits a recombinant human HCN1-mediated current, 251P
- Gillies G, Murray H & Dexter D Organizational and activational effects of sex steroid hormones in the brain: implications for growth, neuroprotection and disease susceptibility, 400P
- Gillies GE *see* Murray HE, 223P
- Gillies *see* Lamfon H, 224P
- Gilling KE *see* Gardener MJ, 307P
- Gitlin JM, Zanesco A, Stanford SJ, Evans TW, Anning PB & Mitchell JA The second phase of ATP mediated relaxation is mediated by P2Y<sub>11</sub> receptors, 210P
- Giuliano F, Vojnovic I & Warner TD Prostacyclin production from rat intact blood vessels is via the activity of cyclooxygenase-1 as defined by naproxen, paracetamol, rofecoxib and SC560, 297P
- Glen CD *see* Johnson IT, 284P
- Godovac-Zimmerman J Application of proteomics to the study of phosphorylation cascades, 395P
- Goff S *see* van Heeke G, 337P
- Gomes P & Soares-da-Silva P D<sub>1</sub>-like receptors stimulate PLC activity in OK cells independent of G<sub>q/11</sub> activation, 178P
- Gomes P & Soares-da-Silva P Increased Na<sup>+</sup>K<sup>+</sup> ATPase activity correlates positively with L-dopa uptake in renal OK cells, 248P
- Gomes P & Soares-da-Silva P Na<sup>+</sup>-independent transporters, LAT-2 and b<sup>0+</sup> exchange L-dopa with neutral and basic amino acids in opossum kidney cells, 247P
- Gong H *see* Lewis CJ, 183P
- Gotti C *see* Johnson LR, 356P
- Gozzard N *see* Vugler A, 164P
- Grace AA *see* Joseph SS, 336P
- Grace AA *see* Kaumann AJ, 204P
- Graham MJ *see* Bell AR, 384P
- Grant AD *see* Costa SKP, 249P
- Grant AD *see* Lever IJ, 250P
- Gray K *see* Tordera R, 379P
- Green AC *see* Harrison PK, 365P
- Green AR *see* Camarero J, 349P
- Green AR *see* Sanchez V, 348P
- Griswold DE *see* Sarau HM, 389P
- Gronier B *see* Bennett S, 371P
- Groves SJ *see* Carswell HVO, 222P
- Guerrini R *see* McDonald J, 258P
- Guiblin A *see* Choudhury HI, 376P
- Guild SB A direct inhibitory action of prostaglandins upon ACTH secretion at the late stages of the secretory pathway of AtT-20 cells, 191P
- Guo C & Piacentini L Inhibition of furin attenuates type I collagen-induced MMP-2 activation in cardiac fibroblasts, 327P
- Guo T *see* Nelson L, 357P
- Guo T *see* Orii R, 255P
- Gupta P *see* Nelson CP, 341P
- Hajhashemi V *see* Sadraei H, 243P
- Hall IP *see* Baker JG, 182P
- Hall IP *see* Hawley J, 339P
- Hall IP *see* Swan C, 338P
- Hall IP *see* van Heeke G, 337P
- Hall JF *see* Dixon CJ, 331P
- Hamilton CA *see* Carswell HVO, 222P
- Hansel TT *see* Jenkins GR, 157P
- Harding SE *see* Lewis CJ, 183P
- Hardstaff JL, Peck MY, Pype JL & Stiernet F An automated method for evaluating cough numbers in guinea-pigs, 271P
- Harkin A, O'Donnell JM & Kelly JP Physiological and behavioural monitoring in rats in response to pharmacological agents and laboratory stressors with battery free telemetry, 214P
- Harper EA, Gardner B, Shankley NP & Black JW Histamine H<sub>3</sub>-receptor agonists and antagonists can be thermodynamically-discriminated, 186P
- Harper EA *see* Mitchell EA, 186P
- Harrington LS, Hughes AD & Lymn JS Effects of organ culture on the contractility of rat mesenteric arteries, 290P
- Harrison C, Clark MJ, Neubig RR & Traynor JR Expression of RGS insensitive G<sub>αo</sub> enhances μ-opioid agonist signalling through adenylyl cyclase but not intracellular calcium, 179P
- Harrison C, Smart D, Rowbotham DJ, Lambert DG Modulation of recombinant rat vanilloid receptor-1 mediated calcium responses by PKC and forskolin, 252P
- Harrison PK, Sheridan RD, Green AC, Scott IR & Tattersall JEH Profile of clinically employed antiepileptics against soman-induced epileptiform activity in the guinea-pig hippocampal slice, 365P
- Hashimoto T *see* Orii R, 255P
- Hashimoto T *see* Stowell JM, 254P
- Haslam CP, Charlton SJ Characterisation of α<sub>2</sub> adrenoceptor subtypes in rat cortex, 375P
- Hausenloy DJ, Maddock HL, Baxter GF & Yellon DM Inhibiting mitochondrial permeability transition pore opening: a new paradigm for myocardial preconditioning?, 323P
- Hawcock AB, Huguet C & Gale JD A novel 5-HT<sub>4</sub> receptor assay using a preparation of pig striatum: a comparison of 5-HT<sub>4</sub> receptor pharmacology with guinea-pig, 377P
- Hawkins A, McCune L, Whelpton R & Michael-Titus AT Effect of noradrenaline and 5-HT on excitatory amino acid release in rat prefrontal cortex, 372P
- Hawley J, Corteling R & Hall IP

- Characterisation of the human histamine H1 receptor in BEAS2B cells, 339P
- Hay DWP *see* Sellers DJ, 242P
- Heal D *see* Géranton SM, 347P
- Heemann U *see* Bai J, 245P
- Heinemann A, Amann R, Egger T, Schuligoi R & Peskar BA Effects of sodium salicylate on the expression of cyclooxygenase (COX) isoforms in human peripheral blood mononuclear cells, 262P
- Henderson G *see* Samways DSK, 180P
- Henry JA *see* Darcy P, 358P
- Herbert J-M *see* Conde C, 197P
- Heredia MP, Fernandez M, Benito G & Delgado C Neuropeptide Y increases 4-aminopyridine-sensitive transient outward potassium current in rat ventricular myocytes, 324P
- Hernández J *see* Arocas V, 318P
- Hernández J *see* Juan MJ, 317P
- Hicks MN *see* McCabe C, 315P
- Hill SJ *see* Baker JG, 182P
- Hillier C *see* Jarajapu YPR, 302P
- Hillier C *see* Jarajapu YPR, 303P
- Hinzpeter A *see* Seamons R, 230P
- Hofmann F *see* Ibarra C, 299P
- Homey B *see* Muller A, 392P
- Houlihan LM *see* Barik J, 373P
- Houslay M *see* Seamons R, 230P
- Houston P *see* Buchan KW, 305P
- Howat D *see* Vugler A, 164P
- Huckbody K *see* Hughes I, 385P
- Huckle RM, Naylor RJ, Tuladhar BR & Rowton SS Effect of tramadol and its derivatives on analgesia and emesis, 361P
- Huckle RM, Naylor RJ & Tuladhar BR Anti-emetic effect of (-)-tramadol, 362P
- Hughes AD *see* Clunn GF, 312P
- Hughes AD *see* Fexby S, 293P
- Hughes AD *see* Harrington LS, 290P
- Hughes AD *see* Patel M, 313P
- Hughes I, Huckbody K & Atkinson J The EpharNet HYPERTENSION Teaching Resource, 385P
- Huguet C *see* Hawcock AB, 377P
- Humphrey PPA *see* Jenkins DW, 217P
- Hurtado O, Madrigal JLM, Lizasoain I, Fernandez-Tome P, Leza JC, Lorenzo P & Moro MA Effect of TACE/ADAM17 inhibition in rat mixed cortical cultures after glutamate exposure, 369P
- Hyland NP & Cox HM Effects of veratridine upon electrogenic ion transport across NPY knockout and wildtype mouse descending colon mucosa, 231P
- Hyslop S *see* Costa SKP, 249P
- Ibarra C, Müller H, Nedvetsky PI, Lohmann S, Feil R, Hoffmann F & Schmidt HHHW NO down-regulates expression of its receptor, soluble guanylyl cyclase, in a cGMP-dependent manner in vascular endothelial cells, 299P
- Ifa DR *see* Teixeira CE, 208P
- Irouschek M *see* Tigani B, 270P
- Ito E, King S & Sampson AP The leukotriene synthetic pathway in human peripheral blood T-lymphocytes, 163P
- Izumi M, McDonald MC & Thiernemann C Effects of GW274150, a novel and potent inhibitor of the activity of inducible nitric oxide synthase, on the multiple organ injury in haemorrhagic shock in the anaesthetised rat, 320P
- Janiak P *see* Conde C, 197P
- Jarajapu YPR, McGrath JC, MacDonald A & Hillier C  $\alpha_1$ -Adrenoceptor profile in human skeletal muscle resistance arteries in critical limb ischaemia, 302P
- Jarajapu YPR, Mackenzie JF, Daly C, MacDonald A, McGrath JC & Hillier C Quantitative imaging of QAPB-associated fluorescence in smooth muscle cells from human skeletal muscle resistance arteries, 303P
- Jardine E *see* Carswell HVO, 222P
- Jaura S *see* Arkle S, 235P
- Javid FA & Naylor RJ Investigation of the effect of WAY-100635 (5-HT<sub>1A</sub> receptor antagonist) on 5-HT-induced contraction in different regions of the *Suncus murinus* intestine, 236P
- Jenkins DW, Sellers LA, Feniuk W & Humphrey PPA Characterization of bradykinin-induced prostaglandin E<sub>2</sub> release from adult rat trigeminal neurones, 217P
- Jenkins GR, Leckie MJ, Bush A, Hansel TT & Jose PJ Neutrophil stimulating activity in induced sputum from patients with chronic obstructive pulmonary disease (COPD): contribution of GRO and IL-8, 157P
- Jenkinson L, Stables J, Rees S, Vivier R, Coote J, Brown S, Begum A, Wise A & Wilson S Development of a luciferase reporter gene high throughput screen for 7-transmembrane receptor antagonist identification, 334P
- Jhaveri MD *see* Finn DP, 221P
- John C *see* Lamfon H, 224P
- John CD, Theogaraj E, Dewar A, Smith SF, Buckingham JC Effects of perinatal dexamethasone treatment on immune cell distribution in the adult rat, 227P
- John CD *see* Theogaraj E, 225P
- John JE *see* Shah B, 342P
- Johnson EE & Lambert DG Characterization of the nociceptin receptor in dog brain membranes, 257P
- Johnson IT, Gardener MJ, Richards G, Burnham M, Glen CD, Edwards G & Weston AH Twin-pore domain potassium channels in rat pulmonary artery: potential candidates of hypoxic pulmonary vasoconstriction, 284P
- Johnson IT *see* Gardener MJ, 307P
- Johnson LR, Evans NM, Bose S, Craig PJ, O'Neill MJ, Sher E, Gotti C & Volsen SG An immunohistochemical study of the distribution of the nicotinic acetylcholine receptor (nAChR)  $\beta_1$  subunit in adult rat brain, 356P
- Jones AL What is new in paracetamol poisoning?, 404P
- Jones C, Birdsey G, Arrigoni F, Leiper J & Vallance P Increased metabolism of endogenous NOS inhibitors promotes tube formation in an S model, 175P
- Jones H *see* Dewhurst DG, 386P
- Jose PJ *see* Jenkins GR, 157P
- Joseph SS, Lynham JA, Grace AA, Colledge WH & Kaumann AJ The effects of (-)-isoprenaline but not of (-)-CGP12177 are markedly reduced at Gly-389  $\beta_1$ -adrenoceptors compared to Arg-389  $\beta_1$ -adrenoceptors, 336P
- Joseph SS *see* Kaumann AJ, 204P
- Ju M, Rashleigh LR, Ormond SJ & Wray D Activation kinetics of rat and human Kv2.1 potassium channel: an N terminal determinant, 343P
- Juan MJ, Vargas ML, Serrano JS & Hernández J Diazepam potentiates the positive inotropic effect of dopamine and dobutamine in rat ventricular myocardium, 317P
- Kalogirou A *see* Arkle S, 235P
- Kane KA *see* Looi YH, 316P
- Kane KA *see* McCabe C, 315P
- Kashani L *see* Akhondzadeh S, 215P
- Kaumann AJ, Lynham JA, Joseph SS, Colledge WH, Grace AA & Molenaar P (-)-Pindolol acts through two states of the  $\beta_1$ -adrenoceptor in human

- atrium and CHO cells, 204P
- Kaumann AJ *see* Arocas V, 318P
- Kaumann AJ *see* Joseph SS, 336P
- Kelly JP *see* Darcy P, 358P
- Kelly JP *see* Harkin A, 214P
- Kelly S & Chapman V The effect of a selective cannabinoid CB<sub>1</sub> receptor agonist on mechanical evoked responses of spinal neurons in anaesthetised rats, 218P
- Kemp PA *see* Bennett T, 200P
- Kemp PA *see* Gardiner SM, 202P
- Kendall DA *see* Duncan M, 285P
- Kendall DA *see* Finn DP, 221P
- Kendall DA *see* Millns PJ, 256P
- Kendall DA *see* Tep-areenan P, 294P
- Kennedy MD & Strange PG Binding and efficacy of antipsychotic drugs at the human 5-HT<sub>1A</sub> receptor, 378P
- Kennedy S, Clarke B, Wadsworth RM & Wainwright CL Effect of antiproliferative agents on smooth muscle growth, vascular contraction and endothelium-dependent relaxation in the porcine coronary artery, 310P
- Khan H, Tuladhar BR & Naylor RJ Evidence for the role of nitric oxide as an inhibitory neurotransmitter in the mouse proximal colon, 238P
- Khan H, Tuladhar BR & Naylor RJ Further investigation of 5-HT induced relaxation in the mouse isolated colon, 237P
- Kilbinger H *see* Wessler I, 212P
- King S *see* Ito E, 163P
- Kirkpatrick CJ *see* Wessler I, 212P
- Kis A, Yellon DM & Baxter GF Inhibition of nuclear factor  $\kappa$ -B does not modify early myocardial reperfusion injury, 322P
- Knight AR *see* Dhillon K, 374P
- Knight AR *see* Dhillon K, 382P
- Knowles ID, Centurión D, Villalón CM & Ramage AG Evidence that central AT<sub>2</sub> as well as AT<sub>1</sub> receptors play a role in the cardiovascular effects evoked by activation of central 5-HT<sub>2A</sub> receptors with quipazine in anaesthetized rats, 295P
- Koch WJ *see* Lewis CJ, 183P
- Kories C, Wecking C, Fetscher C & Michel MC Comparison of muscarinic receptor subtype number and function in male and female urinary bladder, 241P
- Koschorreck S, Wenzel F, Stichnote C & Racké K Inhibition of phosphodiesterases up-regulates NO synthesis and arginase activity in rat alveolar macrophages, 298P
- Kreutz R *see* Winkler K, 300P
- Kumari R & Boarder M Regulation of c-jun N-terminal kinase and p38 in human vascular smooth muscle cells by G-protein coupled P2Y receptors and PDGF receptors, 192P
- Kumari R & Boarder MR Regulation of extracellular receptor kinase 1/2 in human vascular smooth muscle cells by G-protein coupled P2Y receptors and PDGF receptors, 330P
- Kunkel S Chemokines and their diverse biological paradigms, 387P
- Kvale EO *see* Chatterjee PK, 195P
- Kvale EO *see* Patel NSA, 196P
- La M, Cao T, Chernajovsky Y & Perretti M Effect of galectin-1 on neutrophil chemotaxis *in vitro* and migration *in vivo*, 160P
- Lambert DG *see* Harrison C, 252P
- Lambert DG *see* Johnson EE, 257P
- Lambert DG *see* McDonald J, 258P
- Lamfon H, Gillies G, Theogaraj E, John C, Smith SF & Buckingham JC Effects of neonatal dexamethasone treatment on thymic NOS-2 expression in the adult rat, 224P
- Lang D, Clarke ZL, Erhorn S, Doshi S & Lewis MJ Methionine-induced oxidative stress in isolated aortic ring preparations is inhibited by methyltetrahydrofolate and tetrahydrobiopterin, 169P
- Lang D *see* Erhorn S, 168P
- LaRosa G Chemokine receptors and drug development: the challenges, 388P
- Lawrence A *see* Dhillon K, 374P
- Lawrence A *see* Dhillon K, 382P
- Lazzarini C, Vecchiato E, Corsi M & Crespi F Influence of fluoxetine upon extracellular levels of serotonin in rat brain regions: an *in vivo* electrochemical and electrophysiological study, 359P
- Leckie MJ *see* Jenkins GR, 157P
- Lee K *see* Nicholson R, 259P
- Lee K *see* Shah B, 342P
- Leineweber K, Wangemann T, Simm A, Silber R-E & Brodde O-E Effects of ACE-inhibitors and  $\beta$ -blockers on noradrenaline transporter-density and -activity (uptake,) in the human heart, 205P
- Leiper J, Murray-Rust J, McDonald N & Vallance P A novel mechanism for the regulation of endogenous inhibitors of nitric oxide synthase: S-nitrosylation of dimethylarginine dimethylamino-hydrolase, 172P
- Leiper J *see* Jones C, 175P
- Leiper J *see* Nandi M, 199P
- Lennard MS *see* Bell AR, 384P
- Leonard BE *see* Darcy P, 358P
- Lever IJ, Grant AD, Brain SD & Malcangio M Capsaicin-evoked release of substance P from the spinal cord of NK<sub>1</sub> receptor wild-type and knockout mice, 250P
- Lever IJ & Malcangio M Cannabinoid inhibition of capsaicin-evoked substance P release from the mouse spinal cord is reversed by naloxone, 219P
- Lewis CJ, Gong H, Koch WJ, Brown MJ & Harding SE The putative  $\beta_4$ -adrenergic receptor is a novel state of the  $\beta_1$ -adrenergic receptor, 183P
- Lewis MJ *see* Erhorn S, 168P
- Lewis MJ *see* Lang D, 169P
- Leza JC *see* Cárdenas A, 351P
- Leza JC *see* Hurtado O, 369P
- Li R-C, Cindrova T, Fan T-P, Skepper J & Sellers L Prostaglandin I<sub>2</sub> receptor-stimulation blocks endothelin-1-induced ERK phosphorylation and the subsequent proliferation of vascular smooth muscle cells, 328P
- Li SW *see* Bahra P, 333P
- Li Y, Nau S, Altmann C, Czyborra P & Michel MC Effects of sphingosine-1-phosphate in human prostate cancer cell lines, 244P
- Lima AS *see* Francischi JN, 159P
- Lin HL *see* Roberts DJ, 380P
- Lindpaintner K Genetics and genomics in the discovery/development of new diagnostics and pharmaceuticals: opportunities and challenges, 396P
- Little HJ *see* Croft AP, 216P
- Liu R *see* Simpkins JW, 399P
- Lizasoain I *see* Cárdenas A, 351P
- Lizasoain I *see* Hurtado O, 369P
- Lodge CS, Arkle S & Brown JF Regulation of cholinergic mediated nitric oxide production in rat gastric epithelial cells, 239P
- Lohmann S *see* Ibarra C, 299P
- Looi YH, Wainwright CL & Kane KA Adrenomedullin protects against ischaemia-induced arrhythmias and injury in anaesthetised rats, 316P
- Lorenzo P *see* Cárdenas A, 351P
- Lorenzo P *see* Hurtado O, 369P
- Lu J *see* Nelson L, 357P
- Ludbrook VJ *see* Buchan KW, 305P
- Lynn JS *see* Harrington LS, 290P
- Lynham JA *see* Joseph SS, 336P
- Lynham JA *see* Kaumann AJ, 204P

- McAllister G *see* Choudhury HI, 376P
- McArthur SR *see* Murray HE, 223P
- McBride M, Daly C & McGrath JC Tail arteries from D79N mice show reduced responses to UK14304 compared with wild type, 304P
- McCabe C, Hicks MN, Kane KA & Wainwright CL Differential effects of endothelin ET<sub>A</sub> and ET<sub>B</sub> receptors stimulation on cardiac electrophysiology of isolated working rabbit hearts, 315P
- McCluskie K, Birrell M, Yacoub MH, Mitchell JA & Belvisi MG The role of nitric oxide synthase in antigen-induced airway eosinophilia in the rat, 277P
- McCluskie K *see* Birrell MA, 275P
- McCluskie K *see* Birrell MA, 277P
- McCourt M *see* Carruthers AM, 265P
- McCune L *see* Hawkins A, 372P
- MacDonald A *see* Brahmadevara N, 203P
- MacDonald A *see* Jarajapu YPR, 302P
- MacDonald A *see* Jarajapu YPR, 303P
- McDonald J, Barnes TA, Guerrini R, Calo G, Rowbotham DJ & Lambert DG *In vitro* characterisation of [(pF)Phe4]nociceptin(1–13)NH<sub>2</sub>, a novel agonist for the NOP receptor, 258P
- McDonald MC *see* Chatterjee PK, 195P
- McDonald MC *see* Izumi M, 320P
- McDonald N *see* Leiper J, 172P
- McDonald R, Pyne N, Pyne S, Wadsworth RMW & Wainwright CL Inhibition of smooth muscle cell DNA synthesis by C2-ceramide and inhibitors of sphingosine kinase in primary porcine coronary artery smooth muscle cells, 309P
- McGrath JC *see* Jarajapu YPR, 302P
- McGrath JC *see* Jarajapu YPR, 303P
- McGrath JC *see* McBride M, 304P
- MacKenzie C *see* Seamons R, 230P
- Mackenzie JF *see* Jarajapu YPR, 303P
- MacKenzie S *see* Seamons R, 230P
- McLay JS *see* Marshall LA, 246P
- MacLean MR, Douglas SA & Stirrat A Mechanism of human urotensin-II-induced vasodilation in human small pulmonary arteries, 283P
- McLeod MJ *see* Marshall LA, 246P
- McNeill KL *see* de Saram K, 174P
- McNeish AJ, Wilson WS & Martin W Anti-oxidants attenuate EDHF-mediated vasodilatation in the bovine isolated perfused eye, 308P
- McNeish AJ, Wilson WS & Martin W mediated vasodilatation in the bovine isolated perfused eye, 167P
- Maddock HL *see* Hausenloy DJ, 323P
- Madrigal JLM *see* Hurtado O, 369P
- Maginn M, Rea K & Matz J Characterisation of neurokinin A-induced contraction in rat and guinea-pig isolated ileum, 233P
- Maginn M *see* Botchway A, 319P
- Malcangio M *see* Lever IJ, 219P
- Malcangio M *see* Lever IJ, 250P
- March JE, Kemp PA & Bennett T  $\beta_2$ -adrenoceptor involvement in the hind-quarters vasodilator effects of WIN 55212-2, HU 210 and anandamide in conscious Sprague-Dawley rats, 202P
- March JE *see* Bennett T, 200P
- March JE *see* Gardiner SM, 202P
- Marini L *see* Newman-Tancredi A, 187P
- Marini L *see* Newman-Tancredi A, 188P
- Marsden CA *see* Finn DP, 221P
- Marshall C, Webb DJ & Maxwell SRJ Urate prevents native LDL-induced inhibition of endothelium-dependent vasodilatation, 311P
- Marshall LA, MacLeod MJ & McLay JS Sodium-lithium countertransport activity in rat proximal tubule cell suspensions, 246P
- Martin TJ & Broadley KJ Effects of *in vivo* and *in vitro* challenge with ovalbumen on bronchoconstriction of guinea-pig isolated lung to adenosine, 274P
- Martin W *see* McNeish AJ, 167P
- Martin W *see* McNeish AJ, 308P
- Martínez M *see* Arocas V, 318P
- Mathy M-J *see* Balt JC, 206P
- Mathy MJ *see* Streefkerk JO, 209P
- Matz J *see* Botchway A, 319P
- Matz J *see* Maginn M, 233P
- Maubach K *see* Choudhury HI, 376P
- Maxwell SRJ *see* Marshall C, 311P
- Maze M *see* Amin YK, 360P
- Maze M *see* Nelson L, 357P
- Maze M *see* Orii R, 255P
- Maze M *see* Stowell JM, 254P
- Mazzoni L *see* Ellis KM, 153P
- Metais J-Y *see* van Heeke G, 337P
- Meyer zu Heringdorf D *see* Altmann C, 193P
- Meyer zu Heringdorf D *see* Czyborra P, 194P
- Michael GJ *see* Nazir S, 370P
- Michael-Titus AT *see* Hawkins A, 372P
- Michael-Titus AT *see* Nazir S, 370P
- Michel MC *see* Altmann C, 193P
- Michel MC *see* Bai J, 245P
- Michel MC *see* Czyborra P, 194P
- Michel MC *see* Kories C, 241P
- Michel MC *see* Li Y, 244P
- Michel MC *see* Steenpaß V, 292P
- Millan MJ *see* Newman-Tancredi A, 187P
- Millan MJ *see* Newman-Tancredi A, 188P
- Millns PJ, Chapman V, Kendall DA Anandamide evoked Ca<sup>2+</sup> responses in adult rat dorsal root ganglion neurones, 256P
- Misra A *see* Dhillon K, 374P
- Misra A *see* Dhillon K, 382P
- Mitchell EA, Harper EA & Black JW Thermodynamic analysis of ligands at human CCK2S receptors expressed in NIH3T3 cells, 185P
- Mitchell JA *see* Gitlin JM, 210P
- Mitchell JA *see* McCluskie K, 276P
- Mitchell JA *see* Woods M, 165P
- Mobaseri M *see* Akhondzadeh S, 215P
- Molenaar P *see* Kaumann AJ, 204P
- Moorcraft CL *see* Bell AR, 384P
- Moro MA *see* Cárdenas A, 351P
- Moro MA *see* Hurtado O, 369P
- Mota-Filipe H *see* Chatterjee PK, 195P
- Mow T *see* Botchway A, 319P
- Mulla A, Buckingham JC & Solito E LPS acts via IL-6 and IL-1 to modulate the expression and phosphorylation of annexin 1 in cell lines derived from the putative microglia of the neuroendocrine system, 190P
- Mulla A *see* Solito E, 189P
- Muller A Chemokines and cancer, 392P
- Muller B *see* Alencar JL, 173P
- Müller H *see* Ibarra C, 299P
- Mulloy B *see* Patel M, 313P
- Murphy PM *see* Gavins FNE, 198P
- Murray H *see* Gillies G, 400P
- Murray HE, McArthur SR, Dexter DT & Gillies GE Sex difference in the effects of 6-hydroxydopamine lesions in the nigrostriatal dopaminergic pathway of adult rats and sexually dimorphic actions of 17 $\beta$ -oestradiol, 223P
- Murray SD *see* Price M, 367P
- Murray-Rust J *see* Leiper J, 172P
- Nandi M, Arrigoni F, Leiper J, Vallance P & Haworth G Tetrahydrobiopterin enhances pulmonary arterial relaxation after birth, 199P
- Nap A, Balt JC, Pfaffendorf M & van Zwieten PA Attenuation of angiotensin II augmented noradrenaline release by several selective AT<sub>1</sub>-receptor antagonists in the rabbit isolated thoracic aorta, 207P
- Nap A *see* Balt JC, 206P

- Napier CM *see* Nelson CP, 341P  
 Nau S *see* Li Y, 244P  
 Nawaz S *see* Arkle S, 235P  
 Naylor RJ *see* Huckle RM, 361P  
 Naylor RJ *see* Huckle RM, 362P  
 Naylor RJ *see* Javid FA, 236P  
 Naylor RJ *see* Khan H, 237P  
 Naylor RJ *see* Khan H, 238P  
 Nazir S, Michael GJ, Michael-Titus AT  
 Distribution of NMDA and AMPA glutamate receptor subunits in rat pre-frontal cortex and the effect of chronic imipramine treatment on the GluR2 subunit, 370P  
 Nedvetsky PI *see* Ibarra C, 299P  
 Nelson CP, Gupta P, Napier CM & Challiss RAJ Affinity estimates for darifenacin, tolterodine and oxybutynin at M<sub>2</sub> and M<sub>3</sub> muscarinic receptors in membrane and intact Chinese hamster ovary cell preparations, 341P  
 Nelson LE, Lu J, Guo T, Noormohamed F, Maze M & Saper CS Alpha-2 adrenoceptor agonist dexmedetomidine-induced hypnosis activates orexin-containing neurones in the perifornical area of Fischer rats, 357P  
 Nelson LE *see* Orii R, 255P  
 Nelson LE *see* Stowell JM, 254P  
 Nelson P Dissection of inflammatory events using chemokine antagonists: lessons from transplant rejection, 394P  
 Neubig RR *see* Harrison C, 179P  
 Nevin BJ & Broadley KJ Effect of inhaled corticosteroid administered to ovalbumin-challenged conscious guinea-pigs, 273P  
 Newman-Tancredi A, Cussac D, Marini L & Millan MJ Stimulation of G-protein G<sub>ai3</sub> subunits by h5-HT<sub>1A</sub> receptors expressed in CHO cells: agonists display bell-shaped concentration-response curves, 188P  
 Newman-Tancredi A, Cussac D, Touzard M, Chaput C, Marini L & Millan MJ G-Protein activation by h5-HT<sub>1B</sub> receptors expressed in CHO cells: scintillation proximity assays reveal constitutive G<sub>ai3</sub> activation, 187P  
 Newton R *see* Chivers JE, 152P  
 Newton RC CCR3 as a therapeutic target for asthma and allergic diseases, 393P  
 Nicholson R, Small J, Dixon A, Pinnock R, Spanswick D & Lee K Distribution of 5-HT receptor mRNA in the superficial dorsal horn of the rat spinal cord and in dorsal root ganglia, 259P  
 Nisticò R *see* Corasaniti MT, 229P  
 Nisticò R *see* Nucci C, 352P  
 Noormohamed F *see* Amin YK, 360P  
 Noormohamed F *see* Nelson L, 357P  
 Noormohamed F *see* Orii R, 255P  
 Noormohamed F *see* Stowell JM, 254P  
 Norel X, Walch L & Brink C U46619-induced contractions: role of prostanooids and nitric oxide in human pulmonary vessels, 282P  
 Nourshargh S *see* Young RE, 156P  
 Nucci C, Piccirilli S, Nisticò R, Cerulli L & Bagetta G Intra-vitreous injection of tetanus neurotoxin (TeNT) prevents monocular deprivation-induced apoptosis in the lateral geniculate nucleus (LGN) of newborn rats, 352P  
 O'Brien L *see* Patel M, 313P  
 O'Connor S *see* Conde C, 197P  
 O'Donnell JM *see* Harkin A, 214P  
 Ohashi Y *see* Orii R, 255P  
 Ohashi Y *see* Stowell JM, 254P  
 Oitzl M *see* de Kloet R, 401P  
 O'Neill MJ *see* Johnson LR, 356P  
 Orii R, Ohashi Y, Hashimoto T, Guo T, Nelson LE, Maze M, Fujinaga M  
 Evidence for the involvement of spinal cord alpha-1 adrenoceptors in mediation of the antinociceptive effects of nitrous oxide in Fischer rats, 255P  
 Ormond SJ *see* Ju M, 343P  
 Osborne RH *see* Cotman C, 234P  
 O'Shea E *see* Camarero J, 349P  
 O'Shea E *see* Sanchez V, 348P  
 Owen D *see* Gill CH, 251P  
 Owen DE, Brough CA, Chen J & Smart D FLIPR-based assay for screening inhibitors of the multidrug resistance gene MDR1 *in vitro*, 383P  
 Page CP *see* Dewhurst DG, 386P  
 Palmer AM *see* Dhillon K, 382P  
 Panter H *see* Wessler I, 212P  
 Park BK Biochemical and molecular studies of paracetamol toxicity, 405P  
 Parker HT, Crouch NS, Chuck AJ, Flynn DA, Ballard S & Tones MA  
 Functional potency of endothelin receptor antagonists in human umbilical vein correlates with functional potency in rat aorta and SPA radioligand binding affinity, 301P  
 Pate A *see* Brand N, 332P  
 Patel HJ *see* Clarke DL, 155P  
 Patel JD, Mumford A & Ebenezer IS  
 Previous exposure to cholecystokinin potentiates the contractile effects of acetylcholine on the guinea pig isolated pyloric sphincter muscle, 240P  
 Patel M, Mulloy B, Gallagher K, O'Brien K & Hughes A The antimotogenic action of the sulphated polysaccharide fucoidan differs from heparin in human vascular smooth muscle cells, 313P  
 Patel MK *see* Clunn GF, 312P  
 Patel MK *see* Shah B, 342P  
 Patel NSA, Chatterjee PK, Kvale EO, Dugo L, Cuzzocrea S, Britti D & Thiemermann C The novel iNOS inhibitor GW274150 reduces renal dysfunction mediated by ischaemia/reperfusion of the rat and mouse kidney *in vivo*, 196P  
 Patel NSA *see* Chatterjee PK, 195P  
 Patel SM & Ebenezer IS Effects of chronic administration of the GABA<sub>B</sub> agonist baclofen on food intake and body weight in rats, 366P  
 Paul M *see* Wingler K, 300P  
 Peachell PT *see* Scola A, 266P  
 Peck MJ *see* Hardstaff JL, 271P  
 Pedrosa R & Soares-da-Silva P Dopamine autooxidation induces neuronal death through generation of H<sub>2</sub>O<sub>2</sub>, 353P  
 Pedrosa R & Soares-da-Silva P Generation of L-dopa quinones and H<sub>2</sub>O<sub>2</sub> as major mechanisms in L-dopa-induced neuronal death: implications in Parkinson's disease, 354P  
 Pei Q *see* Tordera R, 379P  
 Perez EJ *see* Simpkins JW, 399P  
 Perretti M *see* Cao T, 261P  
 Perretti M *see* Gavins FNE, 198P  
 Perretti M *see* Getting SJ, 158P  
 Perretti M *see* La M, 160P  
 Peskar BA *see* Heinemann A, 262P  
 Peters SLM *see* de Groot A, 171P  
 Peters SLM *see* Sand C, 170P  
 Pfaffendorf M *see* Balt JC, 206P  
 Pfaffendorf M *see* de Groot A, 171P  
 Pfaffendorf M *see* Nap A, 207P  
 Pfaffendorf M *see* Sand C, 170P  
 Pfaffendorf M *see* Streufkerk JO, 209P  
 Piacentini L *see* Guo C, 327P  
 Piccirilli S *see* Corasaniti MT, 229P  
 Piccirilli S *see* Nucci C, 352P  
 Pinnock R *see* Nicholson R, 259P  
 Pinnock RD *see* Shah B, 342P  
 Pocock N *see* Alexander SPH, 381P  
 Podolin PL *see* Sarau HM, 389P  
 Poll CT *see* Atherton H, 279P  
 Poll CT *see* Bahra P, 333P  
 Poll CT *see* Bayley D, 267P  
 Porter RHP *see* Dimech CJ, 335P  
 Pott CT *see* Danahay H, 154P

- Pratt JA *see* Egerton A, 220P
- Price M, Murray SD & Ebenezer IS Synergy between cholecystokinin (CCK) and calcitonin gene-related peptide (CGRP) on suppression of food intake in rats, 367P
- Prince RI *see* Cotman C, 234P
- Purcell WM *see* Cotman C, 234P
- Pyne N *see* McDonald R, 309P
- Pyne S *see* McDonald R, 309P
- Pyper JL *see* Hardstaff JL, 271P
- Quirk K *see* Dhillon K, 374P
- Quirk K *see* Dhillon K, 382P
- Racké K *see* Koschorreck S, 298P
- Racké K *see* Stumpf V, 263P
- Racké K *see* Wenzel F, 281P
- Ralevic V & Randall MD Effects of sodium deoxycholate and distilled water treatment on the biphasic response to  $\alpha, \beta$ -methylene ATP in the rat isolated mesenteric arterial bed, 287P
- Ralevic V Activation of P2X receptors by  $\alpha, \beta$ -methylene ATP evokes a biphasic response (contractions and prolonged relaxation) in the rat isolated mesenteric arterial bed, 286P
- Ralevic V *see* Duncan M, 285P
- Ralevic V *see* Farmer MR, 288P
- Ralevic V *see* Farmer MR, 289P
- Ramage AG *see* Knowles ID, 295P
- Randall MD *see* Ralevic V, 287P
- Randall MD *see* Tep-areenan P, 294P
- Rashleigh LR *see* Ju M, 343P
- Ratcliffe A *see* Vugler A, 164P
- Rea K *see* Maginn M, 233P
- Real M *see* Arocas V, 318P
- Rees S *see* Jenkinson L, 334P
- Richards G *see* Johnson IT, 284P
- Ritter JM *see* de Saram K, 174P
- Roberts DJ, Lin HL & Strange PG Inhibition of [ $^3$ H]NPA binding by GPP(NH)P and suramin at dopamine D<sub>2</sub> receptors, 380P
- Roberts RE Role of phosphatidylinositol 3-kinase in  $\alpha_2$  adrenoceptor-mediated vasoconstriction and Erk activation in isolated porcine palmar lateral vein, 329P
- Robinson M *see* Vugler A, 164P
- Rodrigues L *see* Bonifácio MJ, 211P
- Rogers DF *see* de Graaf W, 280P
- Rooparai HK *see* Datla KP, 350P
- Rosethorne EM & Charlton SJ ATP priming of macrophage-derived chemokine responses in cells expressing the CCR4 receptor, 269P
- Rowbotham DJ *see* Harrison C, 252P
- Rowbotham DJ *see* McDonald J, 258P
- Rowton SS *see* Huckle RM, 361P
- Sadraei H & Hajhashemi V Relaxant effect of ketotifen on rat isolated bladder contractions, 243P
- Sampson AP *see* Ito E, 163P
- Samways DSK, Werry T, Willars GB & Henderson G Effect of thimerosal on  $\mu$ -opioid receptor evoked [ $\text{Ca}^{2+}$ ]<sub>i</sub> in SH-SY5Y neuroblastoma cells, 180P
- Sanchez V, Zeini M, Camarero J, O'Shea E, Bosca L, Green AR & Colado MI Methamphetamine induces a long term loss of neurofilament protein NF68 in mouse striatum, 348P
- Sanchez V *see* Camarero J, 349P
- Sand C, Peters SLM, Pfaffendorf M & van Zwieten PA The sensitivity of cardiac autonomic receptors and vascular endothelial function to oxidative stress: a comparison between hypochlorite and hydrogen peroxide, 170P
- Saper CS *see* Nelson L, 357P
- Sarau HM, Underwood DC, Widdowson KL, Griswold DE, White JR & Podolin PL Role of CXCR2 antagonists in inflammatory disease, 389P
- Sargent RS, Collins SD, Stratton SC, Chessell IP The effects of centrally penetrant and peripherally restricted iNOS inhibitors on capsaicin-induced secondary hyperalgesia, 253P
- Sánchez C *see* Bastlund JF, 213P
- Sánchez C *see* Bastlund JF, 363P
- Sánchez C *see* Vogel V, 260P
- Sánchez C *see* Watson WP, 364P
- Scaramellini Carter CM *see* Beer DJ, 264P
- Scaramellini CM *see* Spragg EJ, 184P
- Scaramellini CM *see* Spragg EJ, 340P
- Schmidt HHHW *see* Ibarra C, 299P
- Schmidt HHHW *see* Wingler K, 300P
- Schuligoi R *see* Heinemann A, 262P
- Scola A, Chong LK & Peachell PT Desensitisation of  $\beta_2$ -adrenoceptor-mediated responses by long-acting  $\beta_2$ -agonists in human lung mast cells, 266P
- Scott IR *see* Harrison PK, 365P
- Seabrook GR *see* Choudhury HI, 376P
- Seamons R, Hinzpeter A, MacKenzie C, MacKenzie S, Houslay M & van Heeke G Expression profile of phosphodiesterases 4, 3 and 7 in resting and activated epithelial cells, 230P
- Seamons R *see* van Heeke G, 337P
- Seckl JR Prenatal glucocorticoid programming of the brain, 402P
- Sellers DJ, Templeman L, Chapple CR, Hay DWP, Chess-Williams R A comparison of NKA responses in the human and pig detrusor, 242P
- Sellers LA *see* Cindrova T, 326P
- Sellers LA *see* Jenkins DW, 217P
- Sellers LA *see* Li R-C, 328P
- Serrano JS *see* Juan MJ, 317P
- Sever PS *see* Clunn GF, 312P
- Shah B, Dinn AE, John JE, Pinnock RD, Lee K & Patel MK Lidocaine block of Nav1.3 is modulated by co-expression of  $\beta_1$  and  $\beta_3$  subunits, 342P
- Shankley NP *see* Harper EA, 185P
- Sharp T *see* Tordera R, 379P
- Shaw AM *see* Brahmadevara N, 203P
- Shaw S & Foulkes R The role of PDE isoforms in oxazalone-induced proliferation and adoptively transferred sensitivity in mice, 278P
- Sheardown MJ *see* Dimech CJ, 335P
- Sher E *see* Johnson LR, 356P
- Sheridan RD *see* Harrison PK, 365P
- Silber RE *see* Leineweber K, 205P
- Simm A *see* Leineweber K, 205P
- Simmons DL New studies of the pharmacology of paracetamol, 403P
- Simpkins JW, Yang SH, Liu R, Wen Y, Watson DG, Perez EJ, Fan T & Day AL Oestrogen receptor-independent mechanisms for neuroprotection in stroke, 399P
- Singer M *see* Wilson AJ, 306P
- Singh N, Brain SD & Cox HM A study of muscarinic and neurokinin components underlying pancreatic polypeptide motor responses in mouse proximal colon, 232P
- Skepper JN *see* Cindrova T, 326P
- Skepper JN *see* Li R-C, 328P
- Slater Y *see* Barik J, 373P
- Small J *see* Nicholson R, 259P
- Smart D *see* Harrison C, 252P
- Smart D *see* Owen DE, 383P
- Smith AK *see* de Graaf W, 280P
- Smith GL Chemokine inhibitors from viruses, 391P
- Smith SF *see* John CD, 227P
- Smith SF *see* Lamfon H, 224P
- Smith SF *see* Theogaraj E, 225P
- Smith SJ, Brookes-Fazakerley S, Barnes PJ & Giembycz MA Determination of phosphodiesterase 7A protein expression in human immune and pro-inflammatory cells, 162P
- Smith SJ *see* Traves SL, 161P
- Soares-da-Silva P *see* Bonifácio MJ, 211P

- Soares-da-Silva P *see* Gomes P, 178P  
 Soares-da-Silva P *see* Gomes P, 247P  
 Soares-da-Silva P *see* Gomes P, 248P  
 Soares-da-Silva P *see* Pedrosa R, 353P  
 Soares-da-Silva P *see* Pedrosa R, 354P  
 Solito E, Mulla A & Buckingham JC  
 Dexamethasone induces serine phosphorylation of annexin 1: involvement of PKC and PI3-kinase, 189P  
 Solito E *see* Mulla A, 190P  
 Spanswick D *see* Nicholson R, 259P  
 Spragg EJ, Charlton SJ & Scaramellini  
 Carter CM Investigation into the correlation between efficacy and  $K_L:K_H$  affinity ratio for the dopamine  $D_{2s}$  receptor, 340P  
 Spragg EJ, Charlton SJ & Scaramellini  
 Carter CM Testing the extended ternary complex model using the dopamine  $D_{2s}$  receptor as a test system, 184P  
 Sprakes M *see* Tordera R, 379P  
 Springer M CCR5 antagonists with anti-HIV activity: is inhibition on the cell surface sufficient?, 390P  
 Stables J *see* Jenkinson L, 334P  
 Stanford SC *see* Géranton SM, 347P  
 Stanford SJ *see* Gitlin JM, 210P  
 Stassen F *see* Conde C, 197P  
 Steenpass V, Altmann C, Fetscher C, Czyborra P & Michel MC Signal transduction underlying  $\alpha_1$ -adrenoceptor-mediated vasoconstriction in rat mesenteric microvessels, 292P  
 Stichnote C *see* Koschorreck S, 298P  
 Stiernet F *see* Hardstaff JL, 271P  
 Stirrat A *see* MacLean MR, 283P  
 Stoclet J-C *see* Alencar JL, 173P  
 Stowell JM, Ohashi Y, Hashimoto T, Nelson LE, Maze M & Fujinaga M  
 Nitrous oxide exerts age-dependent antinociceptive effects in Fischer rats, 254P  
 Strange PG *see* Dimech CJ, 335P  
 Strange PG *see* Kennedy MD, 378P  
 Strange PG *see* Roberts DJ, 380P  
 Stratton SC *see* Sargent RS, 253P  
 Streefkerk JO, Mathy MJ, Pfaffendorf M & van Zwieten PA Vasopressin-induced presynaptic facilitation of sympathetic neurotransmission in the pithed rat, 209P  
 Strijbos PJ *see* Gill CH, 251P  
 Stumpf V, Wenzel F, Fuhrmann M & Racké K Effects of phosphatidylinositol 3 (PI3)-kinase inhibitors on arginase activity and NO synthesis in rat NR8383 alveolar macrophages, 263P  
 Sulpice T *see* Conde C, 197P  
 Swan C & Hall IP Identification of regulatory short open reading frames (SORFs) in the human histamine H1 receptor gene, 338P  
 Tattersall JEH *see* Harrison PK, 365P  
 Teixeira CE, Ifa DR, Corso G, Antunes E & De Nucci G Toxin IV-5 accounts for the relaxing activity of *Tityus serrulatus* venom in the rabbit corpus cavernosum, 208P  
 Templeman L *see* Sellers DJ, 242P  
 Tep-areenan P, Kendall DA & Randall MD Vasorelaxation to  $17\beta$ -oestradiol in aortic rings from male and female rats, 294P  
 Theogaraj E, John CD, Smith SF & Buckingham, JC The programming actions of glucocorticoids on ANXA-1 expression in the hypothalamic-pituitary adrenal axis of adult rats treated perinatally with dexamethasone, 225P  
 Theogaraj E *see* John CD, 227P  
 Theogaraj E *see* Lamfon H, 224P  
 Thiernemann C *see* Chatterjee PK, 195P  
 Thiernemann C *see* Izumi M, 320P  
 Thiernemann C *see* Patel NSA, 196P  
 Thomas MA, Bishop-Bailey D & Warner TD Heme oxygenase induction is associated with protection from SIN-1 cytotoxicity in WKY 3M-22 rat aortic smooth muscle cells, 176P  
 Thompson J *see* Carruthers AM, 265P  
 Thompson RD *see* Young RE, 156P  
 Tierney T & Buckingham JC Evidence for pro-secretory and anti-secretory actions of glucocorticoids and annexin 1 in GH<sub>3</sub> cells and rat anterior pituitary primary cultures, 226P  
 Tigani B, Beckmann N, Irouschek M & Fozard JR Pulmonary effects of repeated allergen challenge in actively sensitised Brown Norway rats assessed non-invasively by magnetic resonance imaging (MRI), 270P  
 Tite R & Ebenezer IS Effects of 8-hydroxy-2-(di-n-propylamino)-tetralin (8-OH-DPAT) on water intake in rats, 368P  
 Tite R *see* Ebenezer IS, 368P  
 Tones MA *see* Flynn DA, 314P  
 Tones MA *see* Parker HT, 301P  
 Tordera R, Gray K, Sprakes M, Pei Q & Sharp T Effect of paroxetine in combination with the 5-HT<sub>1A</sub> antagonists, NAD-299 and LY 426965, on expression of the immediate early gene *Arc* in the rat brain, 379P  
 Touzard M *see* Newman-Tancredi A, 187P  
 Toward TJ & Broadley KJ Adenylyl and guanylyl cyclase and PDE activities toward cAMP and cGMP in isolated lungs during LPS-induced airway reactivity changes, 272P  
 Traves SL, Smith SJ, Barnes PJ & Donnelly LE Increased migration of monocytes from COPD patients towards GRO $\alpha$  is not mediated by an increase in CXCR<sub>2</sub> receptor expression, 161P  
 Traynor JR *see* Harrison C, 179P  
 Trout SJ *see* Brain KL, 344P  
 Tuladhar BR *see* Huckle RM, 361P  
 Tuladhar BR *see* Huckle RM, 362P  
 Tuladhar BR *see* Khan H, 237P  
 Tuladhar BR *see* Khan H, 238P  
 Underwood DC *see* Sarau HM, 389P  
 Valentin J-P *see* Wakefield ID, 296P  
 Vallance P *see* Jones C, 175P  
 Vallance P *see* Leiper J, 172P  
 Vallance P *see* Nandi M, 199P  
 van Heeke G, Seamons R, Metais J-Y, Fozard JR, Goff S, Wheatley A & Hall IP Single nucleotide polymorphisms in the human adenosine A<sub>2B</sub> receptor gene, 337P  
 van Heeke G *see* Seamons R, 230P  
 van Zwieten PA *see* Balt JC, 206P  
 van Zwieten PA *see* de Groot A, 171P  
 van Zwieten PA *see* Nap A, 207P  
 van Zwieten PA *see* Sand C, 170P  
 van Zwieten PA *see* Streefkerk JO, 209P  
 Vargas ML *see* Juan MJ, 317P  
 Vecchiato E *see* Lazzarini C, 359P  
 Velasquez E *see* Camarero J, 349P  
 Vieira-Coelho MA *see* Bonifácio MJ, 211P  
 Villalón CM *see* Knowles ID, 295P  
 Vivier R *see* Jenkinson L, 334P  
 Vogel V & Sanchez C The effect of the selective sigma<sub>2</sub> ligand, siramesine, in a rodent model of acute nociception, 260P  
 Vojnovic I *see* Burke SG, 321P  
 Vojnovic I *see* Giuliano F, 297P  
 Volsen SG *see* Johnson LR, 356P  
 Vreugdenhil E *see* de Kloet R, 401P  
 Vugler A, Brown D, Alexander R, Ratcliffe A, Howat D & Robinson M Effect of a novel low molecular weight inhibitor of the integrin Alpha<sub>v</sub>Beta<sub>3</sub>

- (CT6725) on bone resorption *in vitro*, 164P
- Wadsworth RM *see* Kennedy S, 310P  
Wadsworth RM *see* McDonald R, 309P  
Waingwright CL *see* Kennedy S, 310P  
Waingwright CL *see* McDonald R, 309P  
Wainwright CL *see* Burke SG, 321P  
Wainwright CL *see* Looi YH, 316P  
Wainwright CL *see* McCabe C, 315P  
Wakefield ID, Gardiner SM, Valentin J-P & Bennett T Effects of the nitric oxide synthase inhibitor, S-methyl-L-thiocitrulline (SMTC), on the regional haemodynamic responses to acetylcholine in conscious Sprague-Dawley rats, 296P  
Walch L *see* Norel X, 282P  
Walker L *see* Bell AR, 384P  
Wangemann T *see* Leineweber K, 205P  
Warner T *see* Burke SG, 321P  
Warner TD *see* Giuliano F, 297P  
Warner TD *see* Thomas MA, 176P  
Warner TD *see* Woods M, 165P  
Watson DG *see* Simpkins JW, 399P  
Watson WP, Bastlund JF & Sanchez C Comparison of the actions of levetiracetam and tiagabine on kindling induced by nicotine or PTZ, 364P  
Watson WP *see* Bastlund JF, 213P  
Watson WP *see* Bastlund JF, 363P  
Webb DJ *see* Marshall C, 311P  
Wecking C *see* Kories C, 241P  
Wen Y *see* Simpkins JW, 399P  
Wenzel F, Fuhrmann R & Racké K Expression of EDG receptors in human bronchial epithelial cells, as putative targets of the growth stimulator lysophosphatidic acid, 281P  
Wenzel F *see* Koschorreck S, 298P  
Wenzel F *see* Stumpf V, 263P  
Werry TD, Christie MI, Dainty IA, Wilkinson GF & Willars GB Synergy between P2Y<sub>2</sub> nucleotide receptor and CXCR2 chemokine receptor at the level of calcium signalling is dependent on the PLC/Ins(1,4,5)P<sub>3</sub> pathway, 181P  
Werry TD *see* Samways DSK, 180P  
Wessler I, Deutsch C, Panter H, Bittinger F, Kirkpatrick CJ & Kilbinger H Subcellular expression of choline acetyltransferase in and release of acetylcholine from the human isolated placenta, 212P  
Weston AH *see* Gardener MJ, 166P  
Weston AH *see* Gardener MJ, 307P  
Weston AH *see* Johnson IT, 284P  
Westwick J *see* Bagra P, 333P  
Whalley B & Constanti A Developmental change in inhibitory presynaptic muscarinic receptor subtype in rat olfactory cortex, 355P  
Wheatley A *see* van Heeke G, 337P  
Whelpton R *see* Hawkins A, 372P  
White JR *see* Sarau HM, 389P  
Whittaker E *see* Bell AR, 384P  
Widdowson KL *see* Sarau HM, 389P  
Widmer WW *see* Datla KP, 350P  
Wilkinson GF *see* Werry TD, 181P  
Willars GB *see* Samways DSK, 180P  
Willars GB *see* Werry TD, 181P  
Wilson AJ, Alis J, Singer M & Clapp LH The effects of lipopolysaccharide on levocromakalim- and forskolin-induced relaxation in endothelium-denuded rat aorta, 306P  
Wilson S *see* Jenkinson L, 334P  
Wilson WS *see* McNeish AJ, 167P  
Wilson WS *see* McNeish AJ, 308P  
Wimalasundera R *see* Fexby S, 293P  
Wingler K, Wunsch S, Kreutz R, Paul M & Schmidt HHHW Upregulation of NAD(P)H oxidases Nox1 and Nox4 by the renin-angiotensin system suggests a role in oxidative stress and endothelial dysfunction, 300P  
Wise A *see* Jenkinson L, 334P  
Wong S *see* Birrell MA, 275P  
Wood EG *see* Woods M, 165P  
Woods M, Wood EG, Mitchell JA, Bishop-Bailey D & Warner TD Antisense to STAT1/IRF-1 and NF- $\kappa$ B inhibits cytokine stimulated ET-1 release from human vascular smooth muscle cells, 165P  
Wray D *see* Ju M, 343P  
Wunsch S *see* Wingler K, 300P  
Yacoub MH *see* Birrell MA, 275P  
Yacoub MH *see* Birrell MA, 277P  
Yacoub MH *see* Brand N, 332P  
Yacoub MH *see* Clarke DL, 155P  
Yacoub MH *see* Clarke DL, 268P  
Yacoub MH *see* McCluskie K, 276P  
Yang SH *see* Simpkins JW, 399P  
Yellon DM *see* D'Souza SP, 325P  
Yellon DM *see* Hausenloy DJ, 323P  
Yellon DM *see* Kis A, 322P  
Young RE, Thompson RD & Nourshargh S Divergent mechanisms of action of the inflammatory cytokines interleukin-1 $\beta$  (IL-1 $\beta$ ) and tumour necrosis factor- $\alpha$  (TNF- $\alpha$ ) in mouse cremasteric venules, 156P  
ZanESCO A *see* Gitlin JM, 210P  
Zeine M *see* Sanchez V, 348P  
Zlotnik A *see* Muller A, 392P

## Keyword Index

- Acetylcholine 240P, 293P, 296P  
 Acetylcholine receptors 356P  
 ACTH 191P  
 Addiction 220P  
 Adenosine 274P  
 Adenosine A<sub>1</sub> 382P  
 Adenosine A<sub>2A</sub> 374P  
 Adenosine A<sub>2A</sub> receptors 381P  
 Adenosine A<sub>2B</sub> receptors 337P  
 Adenylyl cyclase 179P  
 Adrenoceptors 255P, 304P, 329P, 375P  
 $\alpha$ ,-Adrenoceptors 302P, 303P  
 $\beta$ -Adrenoceptors 201P, 202P, 318P  
 $\beta$ -Adrenoceptors, atypical 203P  
 $\beta_1$ -Adrenoceptors 183P, 204P, 336P  
 $\beta_2$ -Adrenoceptors 182P  
 $\beta_3$ -Adrenoceptors 203P  
 $\beta_4$ -Adrenoceptors 183P, 203P  
 Adrenomedullin 316P  
 Affinity 340P  
 Aggregation 193P  
 Agonist-directed trafficking 335P  
 $\alpha_2$ -Agonists 360P  
 Airways 275P, 276P, 277P, 338P  
 Airways epithelial cells 152P, 281P  
 Airways hyperreactivity 273P  
 Airways hyperreactivity, LPS-induced 272P  
 Airways inflammation 273P  
 Airways smooth muscle, human 155P, 268P  
 Allergen challenge 270P  
 Alveolar macrophages 263P, 298P  
 Amines 291P  
*d*-Amphetamines 347P  
 Analgesia 361P  
 Anandamide 256P  
 Angiogenesis 175P  
 Angiotensin 300P  
 Angiotensin receptors 295P  
 Angiotensin AT1-receptors 206P  
 Angiotensin AT1-receptor blockers 207P  
 Angiotensin ATII 171P, 207P, 206P  
 Annexin 189P, 190P  
 Annexin 1 198P, 225P, 226P  
 Antagonists 339P, 341P  
 Anticonvulsants 365P  
 Antidepressants 370P, 372P  
 Anti-emetics 362P  
 Antinociceptive effects 254P  
 Antioxidants 308P  
 Antiproliferative drugs 310P  
 Antipsychotics 378P  
 Aorta, rat 306P  
 Apoptosis 229P, 244P, 326P, 352P  
*Arc* 346P  
 Arginase 263P  
 Arrhythmogenesis 177P  
 Arteries, coronary, pig 310P  
 Arteries, digital 291P  
 Arteries, pulmonary 283P  
 Arteries, pulmonary, human 282P  
 Arteries, tail 289P  
 Arteries resistance, 302P  
 Ascorbate 167P  
 Aspartate 372P  
 Asthma 337P  
 Asymmetric methylarginine 172P  
 ATP 210P, 344P  
 Autonomic receptors 170P, 344P  
 Aversion 221P  
  
 b<sup>0+</sup> 247P  
 Baclofen 366P  
 BIA 3-202 211P  
 Binding 377P  
 Bioinformatics 332P  
 Bladder 241P, 242P, 243P, 341P  
 Blood 177P  
 Blood pressure regulation 295P  
 Blood vessels 297P  
 BNP 325P  
 Bone resorption 164P  
 Bradykinins 153P, 217P  
 Brain 216P  
 Brain, rat 346P, 356P  
 Brain terminals 359P  
 Bronchoconstriction 153P  
  
 C5a receptors 334P  
 Calcium 180P, 194P, 228P, 234P, 252P, 269P, 344P  
 Calcium activated chloride channels 154P, 279P  
 Calcium influx 333P  
 cAMP 258P  
 Cannabinoid agonists 218P  
 Cannabinoids 202P, 220P, 221P, 285P  
 Capsaicin 253P, 256P  
 Capsazepine 251P  
 Cardiac electrophysiology 315P  
 CAT-192 265P  
 Cathinone 345P  
 Cation channels 333P  
 CCK 240P, 367P  
 CCK2 receptors 185P  
 CCR1 264P  
 CCR4 269P  
 CEC 375P  
 Celecoxib 159P  
 Cell survival 176P  
 (-)-CGP 12177 336P  
 CGRP 367P  
 Chemokines 157P  
 Chemotaxis 312P  
 Chloride channel blockers 154P  
 Cisplatin 362P  
 Cocaine 345P  
 Cognition 215P  
 Colon, mouse 237P, 238P  
 Colony stimulating factors 155P, 268P  
 Computer simulations of experiments 386P  
 Computer-based learning 385P  
 COMT 211P  
 Contractility 290P  
 COPD 157P, 161P, 162P, 275P  
 Corpus cavernosum 208P  
 Cortex 375P, 382P  
 Corticosteroids 273P  
 Corticosterones 216P  
 Cough models 271P  
 Cultures 290P  
 Cyclic AMP 178P  
 Cyclic GMP 299P  
 Cyclic nucleotides 272P  
 Cyclic nucleotide phosphodiesterase inhibitors 318P  
 Cyclodextrin 358P  
 Cyclooxygenase 262P  
 Cyclooxygenase-2 297P

Cytochrome P450 384P  
Cytokines 156P, 165P, 190P

D79N 304P  
DDAH 172P, 175P  
Detrusor 242P  
Developmental changes 355P  
Dexamethasone 189P, 280P  
Dexmedetomidine 357P  
Diazepam 317P  
DIDS 279P  
Diuresis 245P  
Dog 257P, 384P  
Dopamine 178P, 184P, 340P, 348P, 353P  
Dopamine D2 receptors 380P  
Dopamine release 371P  
Drug therapy 205P

EDG receptors 281P  
EDHF 166P, 167P, 210P, 308P  
Efficacy 340P  
Electrophysiology 251P, 342P, 343P  
Emesis 361P  
Endothelial dysfunction 168P, 169P  
Endothelins 315P, 332P  
Endothelin antagonists 314P  
Endothelin 1 301P  
Endothelium 287P, 293P, 305P, 311P  
Endotoxaemia 288P, 289P  
Endotoxins 262P  
Enteric neurotransmission 231P  
Epilepsy 213P, 364P  
Epileptiform 365P  
Epithelial cells 230P, 339P  
Equine 291P  
ERK 328P  
Erk-MAP kinase 329P  
Expression profile 230P

Fibroblasts 327P  
Fibrosis 265P, 267P  
FLIPR 383P  
Fluoxetine 359P  
Folliculo stellate cells 189P  
Food intake 366P, 367P  
Formalin 260P  
Formoterol 266P  
Free radicals 176P  
Fucoidan 313P  
Furin 327P

GABA 255P  
GABA-B 366P  
Galectin 160P  
Gap junctions 166P

Gastric 239P  
Gender 241P  
Gene expression 338P  
Gene splicing 332P  
Gene transcription 182P  
Glucocorticoids 152P, 224P, 225P, 226P, 227P  
Glutamate 220P, 351P, 352P, 369P, 372P  
Glutamate receptors 370P  
Gout 158P  
GPCR 181P, 264P  
Gpp(NH)p 380P  
G-proteins 187P, 188P  
Gro $\alpha$  161P  
GTP $\gamma$ S 258P  
Guinea pig 271P  
GW 274150 196P

Haemodynamics 200P, 296P  
Haemorrhage 320P  
HCN 251P  
Heart 324P  
Heart, human 205P, 318P  
Heart, rabbit 315P  
Heart, rat 317P  
Heart rate 214P  
Heme oxygenase 176P  
Heparin 313P  
Hepatocytes 331P  
Hepes 166P  
High density lipoproteins 195P  
Hippocampal slices 365P  
Hippocampus 374P, 376P  
Histamine 293P  
Histamine H1 339P  
Histamine H1 receptors, human 338P  
Histamine H3 receptors 186P  
HIV-1 gp120 229P  
HL60 333P  
5-HT 236P, 237P, 259P, 359P, 376P  
5-HT<sub>1A</sub> 188P, 378P, 379P  
5-HT<sub>1A</sub> receptors 236P  
5-HT<sub>1B</sub> 187P  
5-HT<sub>2</sub> receptors 295P  
5-HT<sub>2C</sub> 335P  
5-HT<sub>3</sub> receptors 373P  
5-HT<sub>4</sub> 377P  
Human 302P, 303P  
Hydrogen peroxide 353P  
Hyperalgesia 159P, 253P  
Hyperreactivity 153P  
Hypertension 246P, 301P, 385P  
Hypertrophy 319P  
Hypnosis 357P  
Hypochlorite 170P  
Hypotension 201P  
Hypoxic pulmonary vasoconstriction 284P

Ileum, guinea-pig 235P  
Immediate-early genes 379P  
Immune cells 227P  
Immunocytochemistry 370P  
Immunohistochemistry 307P, 356P  
*In situ* hybridization 259P  
Inducible nitric oxide synthase 320P  
Infarct size 325P  
Inflammation 156P, 160P, 162P, 270P, 275P, 276P, 277P  
iNOS 253P, 298P  
Inositol heakisphosphate 235P  
Inositol phosphates 331P  
Inotropic agents 317P  
Integrin 164P  
Interleukin-13 154P, 279P  
Intestinal mucosa 231P  
Intestinal smooth muscle 232P  
Intravital 198P, 261P  
Inverse 264P  
Inverse agonism 187P, 188P  
IP accumulation 335P  
IP3 receptors 180P  
IP6 receptors 235P  
Ischaemia 177P, 316P, 351P, 369P  
Ischaemia-reperfusion 196P, 195P, 325P  
Ischaemia-reperfusion injuries 322P  
Islets 228P  
Isoprostanes 268P

Ketotifen 243P  
Kidney 245P  
Kindling 213P, 363P, 364P

L742694 233P  
LAT-2 247P  
L-Dopa 247P, 248P, 354P  
Leukocytes 156P  
Leukotrienes 163P  
Levcromakalim 306P  
Lidocaine 342P  
Ligand binding 185P, 186P  
Lipopolysaccharides 306P  
5-Lipoxygenase 163P  
Lofepamine 358P  
Long-term depression 215P  
Lung 267P  
Lysophospholipids 281P

Magnetic resonance imaging 270P  
MAP kinases 171P, 192P, 330P  
Mast cells 266P, 274P  
MDMA 345P, 346P  
Mediators 274P  
Melanocortins 158P  
Mesenteric arterial bed 285P, 286P,

287P  
 Mesentery 210P, 288P  
 Mesentery, rat 307P  
 Metalloproteinase 327P  
 Methamphetamines 348P  
 $\alpha,\beta$ -Methylene ATP 286P  
 3,4-Methylenedioxymethamphetamine 349P  
 Microdialysis 347P  
 Migration 158P, 261P  
 Mitochondrial KATP channels 323P  
 Mitochondrial permeability transition pores 323P  
 Models 184P  
 Molecular biology 343P  
 Monocyte migration 161P  
 Morphology 312P  
 Motivation 368P  
 Mucin genes 280P  
 Multidrug resistance 383P  
 Multiple organ injuries 320P  
 Muscarinic receptors 241P, 341P, 355P  
 Myocardial infarction 197P, 321P  
 Myocardium 322P  
 Myocytes 183P

Na<sup>+</sup>,K<sup>+</sup>-ATPase 248P  
 Native LDL 311P  
 NEUROAIDS 229P  
 Neurofilaments 348P  
 Neurogenic inflammation 249P  
 Neurokinin receptor subtypes 242P  
 Neurokinin-A 233P  
 Neurokinin-1 receptors 250P  
 Neurokinin-1 knockout mice 249P  
 Neuronal NOS 296P  
 Neuropeptide Y 324P  
 Neuropeptide Y receptors 231P  
 Neuroprotection 223P, 350P, 351P  
 Neurotoxicity 349P, 353P, 354P  
 Neutrophils 157P, 158P, 160P, 261P  
 Neutrophil migration 198P  
 Newborn 254P  
 Nicotine 213P, 363P, 364P  
 Nicotinic acetylcholine receptors 373P  
 Nitric oxide 172P, 173P, 174P, 175P, 199P, 208P, 238P, 239P, 276P, 277P, 294P, 299P  
 Nitrosothiols 174P  
 S-Nitrosothiols 173P  
 Nitrous oxide 254P, 255P  
 NMDA receptors 371P  
 NO-aspirin 321P  
 Nociceptin 257P, 258P  
 Nociception 218P, 260P  
 Non-neuronal acetylcholine 212P  
 Noradrenaline 347P  
 Noradrenaline-uptake1 205P  
 NOS 360P

Novelty 216P  
 NPY Y4 receptors 232P  
 NSAIDs 297P  
 Nuclear factor  $\kappa$ B 322P  
 Nuclear receptors 305P

Oedema 159P  
 Oestradiol 294P  
 Oestrogen 222P, 223P  
 8-OH-DPAT 368P  
 Olfactory cortex 355P  
 Opioids 180P, 219P  
 $\mu$ -Opioids 179P  
 Orexin 357P  
 Organic cation transporters 212P  
 Osteoclast 164P  
 Oxazolone 278P  
 Oxidative stress 168P, 169P  
 Oxysterols 326P

Pain 219P, 259P, 260P  
 Pancreatic polypeptides 232P  
 Parkinson's disease 223P, 350P  
 PD 151242 314P  
 PDE inhibitors 278P  
 Periaqueductal grey 221P  
 P-glycoprotein 383P  
 Phentolamine 201P  
*Phoneutria nigriventer* venom 249P  
 Phosphatidylinositol-3 kinase 263P, 329P  
 Phosphodiesterases 162P, 228P, 230P, 298P  
 Phosphodiesterase activity 272P  
 Phospholipase C 178P, 181P, 292P  
 Pig 377P  
 Pindolol 376P  
 (–)-Pindolol 204P  
 Pithed rat 209P  
 Pituitary 226P  
 Platelets 193P, 194P  
 Poly(ADP-ribose) polymerase 197P  
 Polymorphisms 336P, 337P  
 Potassium channels 284P, 294P, 324P, 343P  
 PPAR 305P  
 Preconditioning 323P  
 Priming 269P  
 Programming 224P, 225P  
 Proliferation 309P, 326P  
 (–)-Propranolol-resistant state 204P  
 Prostaglandins 191P, 262P, 328P  
 Prostaglandin E2 217P  
 Prostanoid receptors 155P  
 Prostanoid EP1 receptors 334P  
 Prostate 244P  
 Protein kinase 239P  
 Protein kinase C 280P

Proximal tubule 246P  
 PTZ 363P  
 Purinoceptors 287P  
 Purinoceptor P2 subtypes 192P, 286P, 330P, 331P  
 Pyloric sphincter 240P

QAPB 303P  
 Quinones 354P

Radioligand binding 257P, 314P  
 Radiotelemetry 214P  
 Rats 214P, 316P  
 Reactive oxygen species 170P, 171P, 300P  
 Receptors 234P, 374P, 382P  
 Receptor desensitization 381P  
 Receptor internalization 381P  
 Remodelling 267P  
 Renal–kidney 195P, 196P  
 Reporter genes 182P  
 Reporter gene assays 334P  
 Respiratory pharmacology 386P  
 Restenosis 309P  
 RGS protein 179P  
 Rho kinase 292P, 312P  
 Risperidone 319P

Salmeterol 266P  
 Schizophrenia 378P  
 Scorpion toxin 208P  
 Second messengers 252P  
 Selenium 349P  
 Sensory nerves 256P  
 Sensory neurons 219P  
 Sensory neurotransmission 285P  
 Serine kinase 190P  
 Smooth muscle 243P, 301P  
 Sodium channels 342P  
 Sodium transport 248P  
 Sodium–lithium countertransport 246P  
 Solubility 358P  
 Soluble guanylyl cyclase 299P  
 Sphingoid bases 309P  
 Sphingosine-1-phosphate 244P  
 Sphingosylphosphorylcholine 193P, 194P, 245P  
 Spinal cord 218P, 250P  
 Spontaneously hypertensive rats 321P  
 SR 48968 233P  
 SSRIs 379P  
 STAT1/IRF-1 165P  
 Stoichiometry 184P  
 Striatum 371P  
 Stroke 222P  
 Subcellular expression 212P  
 Substance P 234P

Substance P release 250P  
Sudden death 319P  
*Suncus murinus* 236P  
Superoxide 199P, 222P, 300P  
Suramin 380P  
Sympathetic neurotransmission 206P,  
207P, 209P  
Synergy 181P

TACE 369P  
Tail 304P  
Tangeretin 350P  
T-cells 278P  
Teaching 385P  
Tetanus neurotoxin 352P  
Tetrahydrobiopterin 168P, 169P, 199P  
Tetrodotoxin 237P, 238P  
Thermodynamics 185P, 186P  
Thymus 224P

Tight-binding inhibitors 211P  
T-lymphocytes 163P  
Tolerance 360P  
Trafficking 227P  
Tramadol 361P, 362P  
Transforming growth factor  $\beta$  265P  
Transgenic mouse 197P  
Transrepression 152P  
Trigeminal nerve 217P  
Tropisetron 373P  
Twin pores 284P  
Two-pore potassium channels 307P

U46619 282P  
Undergraduate teaching 386P  
Urate 311P  
Urotensin-II 200P, 283P

Vanilloid receptors 252P

Vascular function 310P  
Vascular relaxation 173P  
Vascular smooth muscle 290P, 313P  
Vascular smooth muscle cells 192P,  
328P, 330P  
Vascular smooth muscle cells, human  
165P  
Vasoconstriction 289P, 292P  
Vasodilatation 167P, 200P, 202P,  
308P  
Vasodilation 283P  
Vasopressin 209P  
Vasorelaxation 288P  
Veins, pulmonary, human 282P  
Vitamin C 174P

Water intake 368P

Zolpidem 215P