

British Journal of Pharmacology

Proceedings Supplement

Proceedings of the British Pharmacological Society Meeting

4 – 6 September 2002

**Glasgow University & Strathclyde University
co-hosted by Glasgow Caledonian University**

The *British Journal of Pharmacology* is published by Nature Publishing Group, a division of Macmillan Publishers Ltd. It is the official publication of the British Pharmacological Society.

Scope The *British Journal of Pharmacology* publishes 3 volumes of 8 issues per year and is published twice a month. It welcomes contributions in all fields of experimental pharmacology including neuroscience, biochemical, cellular and molecular pharmacology. The Board of Editors represents a wide range of expertise and ensures that well-presented work is published as promptly as possible, consistent with maintaining the overall quality of the journal.

This journal is covered by Current Contents, EMBASE/Excerpta Medica, BIOSIS, Elsevier Biobase/Current Awareness in Biological Sciences, CINAHL and Index Medicus.

Editorial Manuscripts (plus three original copies) and all editorial correspondence should be sent to: The Editorial Office, British Journal of Pharmacology, BPS Office, 16 Angel Gate, 326 City Road, London EC1V 2SG, UK. Tel: +44 207417 0432; Fax: +44 2077417 0430.

Advertisements Enquiries concerning advertisements should be addressed to: Robert Sloan, Advertisement Manager, 84 Arnos Grove, Southgate, London N14 7AR, UK. Tel: +44 208882 7199; Fax: +44 208882 7299.

Publisher All business correspondence, supplement enquiries and reprint requests should be addressed to *British Journal of Pharmacology*, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 1256 329242; Fax: +44 1256 810526. Publishing Manager: Sue Deeley. Production Controller: Jane Torr.

WWW The *British Journal of Pharmacology* is on the internet at: <http://www.bjpharmacol.org/>

The journals' home pages contain a range of information free to all readers. This includes: Editors' Details, Aims and Scope, Instructions to Authors, Subscription Prices, Reprint Ordering, Sample Copy Ordering and News, together with the contact names of our Publishing, Production, Marketing and Advertising Departments.

Readers can view Tables of Contents and Abstracts to all articles since 1997. Register now to have the Tables of Contents sent to you as each issue is published. Subscribers to the 2000 on-line version of the journal have access to PDF and HTML files with the full text of all articles published since 1997.

Subscriptions – 2000 Subscription Rates – *British Journal of Pharmacology*
Institutional Subscriptions Print (Hard Copy); EU £960, Rest of World (surface mail) £1060/US\$1664, Rest of World (airmail) £1272/US\$1997.

Electronic – Online only £960/US\$1507.

Combined – Electronic Online & Print EU £1056, Rest of World (surface mail) £1166/US\$1831, Rest of World (airmail) £1378/US\$2164.

Personal Subscriptions (USA only)
Print (Hard Copy) surface mail \$295; air mail \$628

Electronic – Online only \$295

Combined – Electronic Online & Print
Surface mail \$325; airmail \$384

Subscriptions – Outside the USA

Orders must be accompanied by remittance. Cheques should be made payable to Macmillan Journals Subscriptions Ltd and sent to: The Subscription Department, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Where appropriate, subscribers may make payments into UK Post Office Giro Account No: 519 2455. Full details must accompany the payment.

Subscriptions – USA

USA subscribers can call toll free: 1 800 747 3187. Please send check/money order/credit card details to: The Subscription Department, Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Prices are set in UK Sterling. Dollar prices are converted from UK Sterling at the current exchange rate. Accordingly, your credit card charge may vary slightly from the Dollar rate shown. To obtain the exact Dollar rate shown, please remit by check. All prices, specifications and details are subject to change without prior notification.

British Journal of Pharmacology (ISSN 0007-1188) is published twice a month by Nature Publishing Group, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001, USA. Subscription price for institutions is \$1664 per annum (surface). Periodicals postage is paid at Rahway NJ. Postmaster: send address corrections to *British Journal of Pharmacology*, Nature Publishing Group, c/o Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001.

Reprints of any article in this journal are available from Nature Publishing Group, Houndmills, Basingstoke, Hampshire RG21 6XS, UK. Tel: +44 1256 329242; Fax: +44 1256 810526.

Copyright © 2000 Macmillan Publishers Ltd

ISSN 0007-1188

All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

All material published in this journal is protected by copyright, which covers exclusive rights to reproduce and distribute the material. No material published in this journal may be reproduced or stored on microfilm or in electronic, optical or magnetic form without the written authorisation of the Publisher.

Authorisation to photocopy items for internal or personal use of specific clients, is granted by Nature Publishing Group for libraries and other users registered with the Copyright Clearance Center (CCC) Transaction Reporting Service, provided that the base fee of \$15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. 0007-1188/00 \$15.00 + \$0.00.

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patent Act 1988, this publication may be reproduced, stored or transmitted, in any form or by any means, only with the prior permission in writing of the publishers, or in the case of reprographic reproduction, in accordance with the terms of licences issued by the Copyright Licensing Agency.

INDEX TO PROCEEDINGS SUPPLEMENT

4th–6th September 2002

Glasgow University and Strathclyde University

Co-hosted by Glasgow Caledonian University

Author Index

- Akamine EH *see* Dantas MFV, 56P
Akhondzadeh S, Mojtahedzadeh V & Mirsepassi GR Diazoxide in the treatment of schizophrenia: novel application of potassium channel openers in the treatment of schizophrenia, 39P
Akhondzadeh S, Tavakolian R, Davari Ashtiani R & Amini-Nooshabadi H Selegiline in the treatment of attention deficit hyperactivity disorder in children: a double blind randomized and controlled trial, 40P
Alexander SPH, Hawkes J, Patel S & Ralevic V Characterisation of the novel P2 receptor antagonist MRS2179 in the porcine isolated coronary artery, 12P
Alexander SPH *see* Harper LK, 130P
Alexander SPH *see* Harper LK, 131P
Ali Z, McGrath JC & Daly CJ Characterisation of the contractile α_{1A} -adrenoceptor response in the mouse thoracic aorta, 92P
Ali Z *see* McGrath JC, 21P
Amini-Nooshabadi H *see* Akhondzadeh S, 40P
Ammons WS *see* Pugsley MK, 30P
Andrews N *see* Ge J, 117P
Anselmi E *see* Miquel R, 75P
Arribas SM *see* McGrath JC, 21P
Arya R *see* Mangoni AA, 34P
Ashby MJ *see* Kuc RE, 62P
Asonganyi B *see* Mangoni AA, 34P
Aspley S *see* Woolard J, 76P
Aspley S *see* Woolard J, 77P
Aston JC, Kosar F, Rawji F, Elliott JM & Zetterström TSC Methylphenidate induces Arc mRNA expression differentially in adult and juvenile rat brain, 126P
Avshalumov MV, MacGregor DG & Rice ME Glial antioxidant network prevents H₂O₂-induced oxidative damage in guinea pig brain slices, 137P
Avshalumov MV *see* MacGregor DG, 138P
Ayman S, Wallace P, Gibson A & McFadzean I The rho kinase inhibitor, Y-27632, inhibits contractile responses to carbachol, thapsigargin and potassium in mouse anococcygeus, 25P
Azevedo I *see* Martel F, 123P
Azevedo I *see* Ribeiro L, 106P
Baer PG *see* Gardiner SM, 29P
Baguley BC *see* Paxton JW, 78P
Baker JG, Hall DV, Hall IP & Hill SJ Agonist stimulated gene transcription may discriminate two conformations of the human β_1 -receptor, 95P
Baker JG, Hall IP & Hill SJ Certain classical 'beta-blockers' stimulate gene transcription in CHO-K1 cells expressing the human β_1 -adrenoceptor, 18P
Baker JG *see* Hill SJ, 19P
Balali-Mood K *see* McQueen DS, 35P
Balfour DJK *see* Robertson DA, 144P
Balfour DJK *see* Storey JD, 143P
Ballard S *see* Flynn DA, 132P
Ballarín M *see* Salcedo C, 45P
Balsa D *see* Salcedo C, 45P
Barratt L *see* Walsh KL, 105P
Barret O *see* Johnström P, 63P
Barriocanal F *see* Maguire JJ, 71P
Bastlund JF *see* Slough S, 135P
Beattie JE *see* Robertson DA, 144P
Beckett S *see* Leggett JD, 114P
Beckett SR *see* Harper LK, 130P
Beckett SR *see* Harper LK, 131P
Beckmann N *see* Tigani B, 84P
Bell JK, Rees JL, Walsh P & McQueen DS Thioperamide, an H₃ antagonist, reduces histamine-induced scratching in BalbC mice, 140P
Bellingham M, Bovell D & Corbett AD Prostaglandin involvement in carbachol-evoked changes in short circuit current in rat distal colon, 46P
Bennett T *see* Gardiner SM, 29P
Bennett T *see* Tep-areenan P, 55P
Bennett T *see* Wakefield ID, 58P
Bennett T *see* Woolard J, 76P
Bennett T *see* Woolard J, 77P
Bhardwaj S, Larratt LM, Mant MJ, Turner AR & Gati WP Membrane transport is a determinant of arabinosylcytosine cytotoxicity in leukaemic myeloblasts from patients with acute myeloid leukaemia, 81P
Bianchi M & Crespi F Cytoskeletal changes in stress and depression: involvement of the microtubular network in neuronal plasticity failure, 121P
Bickerdike MJ *see* Walsh KL, 105P
Boachie-Ansah G *see* Grainger J, 59P
Boibessot I, Skellern GG, Watson DG & Grant MH Metabolism and distribution of isometamidium in isolated rat hepatocytes, 79P
Borges N *see* Santos A, 136P
Bovell DL *see* Bellingham M, 46P
Bovell DL *see* Lindsay SL, 54P
Bowery NG *see* Manning J-PA, 133P
Brahmadevara N, MacDonald A,

- McGrath JC & Daly CJ Measurement of cellular and tissue distribution of beta-adrenoceptors in rat thoracic aorta using BODIPY-CGP 12177, 93P
- Brahmadevara N, Shaw AM & MacDonald A Role of potassium channels in β -adrenoceptor-mediated vasorelaxation in rat aorta and superior mesenteric artery, 94P
- Brain KL *see* Williams DJ, 27P
- Brett R *see* Egerton A, 36P
- Bridson SJ, Middleton RJ, Kellam B & Hill SJ Quantifying ligand binding to the adenosine-A₁ receptor at the single cell level using fluorescence correlation spectroscopy (FCS), 17P
- Briones A *see* McGrath JC, 21P
- Brown KK *see* Gardiner SM, 29P
- Brown MJ *see* Lewis CJ, 1P
- Bryant CA *see* Mangoni AA, 28P
- Buckingham JC *see* Yona S, 32P
- Burke SG, Furman BL, Wainwright CL & Del Soldato P The effect of NO-aspirin and aspirin on arrhythmias and infarct size resulting from coronary artery occlusion in a rat model of diabetes, 7P
- Byrne NF & Coker SJ Protection against reperfusion-induced but not ischaemia-induced arrhythmias with chronic administration of 17 β -oestradiol, 2P
- Byrne NF & Coker SJ Reduced platelet aggregation but no change in vascular responsiveness with chronic administration of 17 β -oestradiol, 89P
- Caldwell S *see* Gribben EE, 48P
- Cameron P, Plevin R & Rotondo D The effect of the p38 kinase inhibitor SB203580 on tumour necrosis factor- α , 85P
- Cannet C *see* Tigani B, 84P
- Cara DC *see* McCafferty D-M, 83P
- Carvalho MHC *see* Dantas MFV, 56P
- Cassidy R *see* Tarrach C, 141P
- Catena J *see* Salcedo C, 45P
- Cerejo A *see* Santos A, 136P
- Channer KS *see* Nettleship JE, 66P
- Channer KS *see* Roberts SA, 74P
- Channer KS *see* Rowell KO, 52P
- Chapman V *see* Elmes SJR, 108P
- Chapple CR *see* Templeman L, 26P
- Cheetham S *see* Dempsey Y, 110P
- Chess-Williams R *see* Templeman L, 26P
- Ching L-M *see* Paxton JW, 78P
- Chuck AJ *see* Flynn DA, 132P
- Claase L & Pratt J Diazepam tolerance development and mRNA expression of the NMDA receptor complex, 38P
- Clark CJ, Phillips RS & Stone TW Neuropeptide-containing cells in the cortex and striatum of mice with cerebral malaria, 139P
- Clark J *see* Johnström P, 63P
- Close JCT *see* Mangoni AA, 28P
- Cobb SR *see* Ferrigan L, 134P
- Coker SJ & Panagopoulos P Evidence that prostaglandin E₂ opens cardiac inward rectifier potassium channels: an explanation for prevention of torsade de pointes, 22P
- Coker SJ *see* Byrne NF, 2P
- Coker SJ *see* Byrne NF, 89P
- Coker SJ *see* Philp KL, 3P
- Cole T *see* Pugsley MK, 30P
- Conner AC, Hay DL, Howitt SG, Stirling DJ, Wheatley M, Smith DM & Poyner DR The effect on signalling of mutations to proline residues within the transmembrane regions of human calcitonin receptor-like receptor (CL), 97P
- Conner AC *see* Hay DL, 16P
- Corbett A *see* Lindsay SL, 54P
- Corbett AD *see* Bellingham M, 46P
- Cotecchia S *see* McGrath JC, 21P
- Crane MS, Olsson R, Moore KP, Rossi AG & Megson IL Inhibition of human platelet activation by a short-acting nitric oxide donor drug is substantially prolonged by albumin and plasma thiols, 31P
- Crespi F *see* Bianchi M, 121P
- Cunnane TC *see* Cuprian AM, 107P
- Cunnane TC *see* Williams DJ, 27P
- Cunningham FM *see* Sepulveda MF, 88P
- Cunningham K *see* Prior C, 101P
- Cuprian AM, Mather H, Trout SJ & Cunnane TC Studies on the cholinergic innervation of the mouse isolated vas deferens, 107P
- Currie AJ, Rowan EG & Kennedy C Characterisation of P2X receptors in rat dorsal root ganglion sensory neurones, 102P
- Daly CJ *see* Ali Z, 92P
- Daly CJ *see* Brahmadevara N, 93P
- Daly CJ *see* McBride M, 91P
- Daly CJ *see* McGrath JC, 21P
- Daly CJ *see* Shafaroudi MM, 72P
- Dantas MFV, Akamine EH, Fortes ZB, Nigro D, Carvalho MHC & Tostes-Passaglia RCA Effect of connexins 37, 40 and 43 mRNA overexpression in rats and the potential contribution to increased endothelium-dependent relaxation during pregnancy, 56P
- Darlington LG *see* Forrest CM, 119P
- Davalillo S *see* Salcedo C, 45P
- Davari Ashtiani R *see* Akhondzadeh S, 40P
- Davenport A *see* Johnström P, 63P
- Davenport AP *see* Kuc RE, 62P
- Davenport AP *see* Maguire JJ, 71P
- Davidson J *see* Habeeb F, 87P
- Deighan C & McGrath JC The expression levels of hepatic α_1 -adrenoceptors change with age in α_{1B} -adrenoceptor knockout mice, 20P
- Deighan C *see* McGrath JC, 21P
- Del Soldato P *see* Burke SG, 7P
- Dempsey Y, Cheetham S, Wikberg J & Mason R Effect of neuropeptide Y antagonists BIBO3304 and CGP71683A on neuropeptide Y-evoked responses in the rat lateral hypothalamus, 110P
- Dempster J, Wokosin DL, McCloskey KD, Girkin JM & Gurney AM Winfluor – an integrated system for the simultaneous recording of cell fluorescence images and electrophysiological signals on a single computer system, 146P
- Denvir MA *see* Wallace AF, 65P
- Dhawan S *see* Pugsley MK, 30P
- Ding Q *see* Paxton JW, 78P
- D'Ocon P *see* Miquel R, 75P
- Dolan S, Kelly JG & Nolan AM Up-regulation of metabotropic glutamate receptor 5 (mGluR₅) mRNA in spinal cord in a clinical model of inflammation and hyperalgesia, 118P
- Drummond RM *see* Cruickshank SF, 43P
- Dryden WF, Dunn SMJ & Kula MA Incidence of subconductance currents at single nicotinic receptors is inversely proportional to flexible agonist concentration, but independent of rigid ligand concentration, 98P
- Dryden WF, Gao Y & Rydz D Transmitter mobilization at the mammalian neuromuscular junction is mediated by cgrp acting on salmon calcitonin sensitive receptors coupled to adenylate cyclase by G_s, 99P
- Duncan M, Kendall DA & Ralevic V The CB₂ selective cannabinoid agonist JWH-015 attenuates sensory neurotransmission in the rat isolated mesenteric arterial bed, 113P
- Dunn SMJ *see* Dryden W, 98P
- Egerton A, Pratt JA & Brett R Differential modulation of immediate early gene expression and GABAergic interneuron activity in the nucleus accumbens in response to Δ^9 -tetrahydrocannabinol administration, 36P
- Elliott J, Harrold J, King P & Williams G Increased melanin-concentrating hormone (MCH) levels in the arcuate (ARC), and paraventricular (PVN) nuclei of dietary obese rats, 142P
- Elliott JM *see* Aston JC, 126P
- Ellis KM, Mazzoni L & Fozard JR Further studies on the mechanism of bradykinin-induced bronchoconstriction in actively sensitised Brown

- Norway rats, 33P
- Elmes SJR, Kendall D & Chapman V Effects of lysophosphatidic acid on peripheral somatosensory processing, 108P
- English KM *see* Roberts SA, 74P
- Enrich A *see* Salcedo C, 45P
- Eriksen AB & Watson WP Correlation of convulsant thresholds to infused bicuculline and 4-aminopyridine with extent of pentylenetetrazole (PTZ) kindling in mice, 37P
- Essers H *see* Kuc RE, 62P
- Fernández AG *see* Salcedo C, 45P
- Fernández-Serrat A *see* Salcedo C, 45P
- Ferrerons C *see* Salcedo C, 45P
- Ferrigan L, Roshan-Milani S, Khoshnood-Mansoorkhani MJ & Cobb SR Modulation of epileptiform bursting activity in hippocampal slices by nicotinic acetylcholine receptor activation, 134P
- Flower RJ *see* Yona S, 32P
- Ford E *see* Mangoni AA, 34P
- Forrest CM, Darlington LG & Stone TW Hydrogen peroxide and ferrous chloride potentiate lipid peroxidation by quinolinic acid in rat brain homogenates, 119P
- Fortes ZB *see* Dantas MFV, 56P
- Fozard JR *see* Ellis KM, 33P
- Fozard JR *see* Tigani B, 84P
- Fryer T *see* Johnström P, 63P
- Furman BL *see* Burke SG, 7P
- Gallagher O *see* Roberts SA, 74P
- Gao Y *see* Dryden WF, 99P
- Gardiner SM, Kemp PA, March JE, Baer PG, Brown KK, Nunez D & Bennett T Regional haemodynamic effects of the PPAR α activator, G1262570, in conscious rats, 29P
- Gardiner SM *see* Tep-areenan P, 55P
- Gardiner SM *see* Wakefield ID, 58P
- Gardiner SM *see* Woolard J, 76P
- Gardiner SM *see* Woolard J, 77P
- Gati WP *see* Bhardwaj S, 81P
- Ge J, Andrews N, Hill DR & Shahid M Microdialysis studies in the frontal cortex of the freely moving rat to investigate the interaction between the novel AMPA/kainate receptor CX 516 and serotonergic neurotransmission, 117P
- Gibson A *see* Ayman S, 25P
- Gibson V *see* Scott C, 129P
- Gill S *see* Rowell KO, 52P
- Girkin JM *see* Dempster J, 146P
- Gisbert R *see* Miquel R, 75P
- Gong H *see* Lewis CJ, 1P
- Goode NT *see* Sepulveda MF, 88P
- Grainger J, Senaratna RN & Boachie-Ansah G The role of the endothelium, cyclooxygenase, lipooxygenase and cytochrome P450 in the actions of arachidonic acid in sheep coronary arteries, 59P
- Grant AW *see* Gribben EE, 48P
- Grant MH *see* Boibessot I, 79P
- Grant MH *see* Jairaj M, 80P
- Grant MH *see* Winn PL, 70P
- Grant S, Wadsworth RM, Lutz EM & Robberecht P Vasoactive intestinal polypeptide receptor subtypes involved in vasodilation of porcine basilar artery, 73P
- Gray GA *see* Ness KF, 5P
- Gray GA *see* Sharif I, 4P
- Gray GA *see* Wallace AF, 65P
- Gribben EE, Caldwell S, Grant AW & Nally JE Concentration-dependent potentiation of ANP-evoked relaxations by glycosaminoglycans in bovine bronchi, 48P
- Gurney A *see* Kennedy C, 53P
- Gurney AM *see* Cruickshank SF, 43P
- Gurney AM *see* Dempster J, 146P
- Gurney AM *see* O'Neill GT, 24P
- Gurney AM *see* Shum WWC, 23P
- Gurney AM *see* Wang J, 42P
- Gustaffson J-A *see* Ness KF, 5P
- Habeeb F, Rotondo D & Davidson J Suppression of tumour necrosis factor- α production in human blood by interactions between prostaglandin E₂, interleukin-10 and transforming growth factor- β , 87P
- Hall DV *see* Baker JG, 95P
- Hall IP *see* Baker JG, 18P
- Hall IP *see* Baker JG, 95P
- Hancox JC *see* Witchel HJ, 44P
- Hannon JP *see* Dantas MFV, 56P
- Harding SE *see* Lewis CJ, 1P
- Harmar AJ *see* Morecroft I, 51P
- Harper LK, Beckett SR, Marsden CA & Alexander SPH A_{2A} adenosine receptor inhibition of dopamine release in the rat nucleus accumbens *in vitro*, 131P
- Harper LK, Beckett SR, Marsden CA & Alexander SPH Binding of the A_{2A}-adenosine receptor antagonist radioligand [³H]-ZM241385 to particulate preparations from the porcine putamen and nucleus accumbens, 130P
- Harrold J *see* Elliott J, 142P
- Harrold J *see* Tarrach C, 141P
- Harsing Jr LG *see* Juranyi Z, 128P
- Hart G *see* Philp KL, 3P
- Hawkes J *see* Alexander SPH, 12P
- Hay DL, Howitt SG, Conner AC, Smith DM & Poyner DR Pharmacological characterisation of RAMP2/CL and RAMP3/CL adrenomedullin receptors with adrenomedullin22-52 and CGRP8-37, 16P
- Hay DL *see* Conner AC, 97P
- Heffron H, McQueen DS & Smith PJW A functional study of regional differences in cannabinoid and vanilloid receptors in the anaesthetised rat, 112P
- Hill DR *see* Ge J, 117P
- Hill SJ & Baker JG Differential antagonist affinities for isoprenaline and CGP 12177 stimulated gene transcription in CHO-K1 cells expressing the human β 1 adrenoceptor at low levels, 19P
- Hill SJ *see* Baker JG, 18P
- Hill SJ *see* Baker JG, 95P
- Hill SJ *see* Briddon SJ, 17P
- Hillier C *see* Zacharia J, 90P
- Holdsworth R *see* Lindsay SL, 54P
- Howitt SG *see* Conner AC, 97P
- Howitt SG *see* Hay DL, 16P
- Howson PA, Kennedy IJ, Miller JC, Woolley M & Jane DE The effect of N-substitution of (RS)-4-carboxyphenylglycine on antagonist activity at group I metabotropic glutamate receptors expressed on neonatal rat motoneurons, 115P
- Hughes RA & Randall MD The involvement of endothelium-derived nitric oxide in vasorelaxation to bendroflumazide in the rat aorta, 57P
- Hussain M *see* Philp KL, 3P
- Irvine J *see* Tracey A, 13P
- Irvine J *see* Tracey A, 49P
- Ivorra MD *see* Miquel R, 75P
- Jackson SHD *see* Mangoni AA, 28P
- Jackson SHD *see* Mangoni AA, 34P
- Jane DE *see* Howson PA, 115P
- Jane DE *see* More JCA, 116P
- Johnström P, Richards H, Fryer T, Barret O, Clark J, Pickard J & Davenport AP Radiosynthesis and *in vivo* biodistribution of [¹⁸F]-Big ET-1, a potential PET radioligand for the study of enzyme conversion of Big ET-1 to ET-1, 63P
- Jones DNC *see* Scott C, 129P
- Jones RD *see* Nettleship JE, 66P
- Jones RD *see* Roberts SA, 74P
- Jones RD *see* Rowell KO, 52P
- Jones RL *see* Shum WWC, 23P
- Jones TH *see* Nettleship JE, 66P
- Jones TH *see* Roberts SA, 74P
- Jones TH *see* Rowell KO, 52P
- Juranyi Z, Harsing Jr. LG & Zigmond MJ [³H]-dopamine release in rat striatum evoked by electric field stimulation of cortex in complex corticostriatal slice preparation *in vitro*, 128P
- Kane KA *see* Looi YH, 8P

- Kane KA *see* Pau D, 67P
 Keating E *see* Martel F, 123P
 Kellam B *see* Briddon SJ, 17P
 Kelly JG *see* Dolan S, 118P
 Kelly PAT *see* Quate L, 127P
 Kelso K *see* Winn PL, 70P
 Kemp PA *see* Gardiner SM, 29P
 Kemp PA *see* Tep-areenan P, 55P
 Kendall D *see* Elmes SJR, 108P
 Kendall D *see* Leggett JD, 114P
 Kendall DA *see* Duncan M, 113P
 Kendall DA *see* Overbury AL, 111P
 Kendall DA *see* Tep-areenan P, 55P
 Kendall DA *see* Tep-areenan P, 60P
 Kendall DA *see* Tep-areenan P, 61P
 Kennedy C, Wang S & Gurney AM
 Characterisation of P2Y receptors
 mediating contraction of the rat
 isolated pulmonary artery, 53P
 Kennedy C *see* Currie AJ, 102P
 Kennedy C *see* Menzies JRW, 103P
 Kennedy C *see* Menzies JRW, 104P
 Kennedy IJ *see* Howson PA, 115P
 Kennedy S, Wainwright CL &
 Wadsworth RM Local infusion of
 paclitaxel does not influence neo-
 intimal formation in the porcine
 coronary artery after balloon injury,
 6P
 Kestell P *see* Paxton JW, 78P
 Khan H, Tuladhar BR & Naylor RJ
 Pharmacological characterization of
 endothelin receptors in the mouse
 isolated proximal and distal colon,
 47P
 Khoshnood-Mansoorkhani MJ *see*
 Ferrigan L, 134P
 Khundakar AA & Zetterström TSC
 Differential expression of BDNF
 exons in rat brain after systemic
 administration of paroxetine and
 tranylcypromine, 122P
 King P *see* Elliott J, 142P
 Koch WJ *see* Lewis CJ, 1P
 Kosar F *see* Aston JC, 126P
 Kubes P *see* McCafferty D-M, 83P
 Kuc RE, Ashby MJ, Seed A, Passier P,
 Essers H, McMurray JJV &
 Davenport AP SLV306, a novel
 endothelin converting enzyme and
 neutral endopeptidase inhibitor
 prevents systemic conversion of
 infused big endothelin-1 in humans,
 62P
 Kula MA *see* Dryden W, 98P
 Lagunas C *see* Salcedo C, 45P
 Laidlaw H *see* Nelli S, 14P
 Langmead CJ *see* Scott C, 129P
 Larratt LM *see* Bhardwaj S, 81P
 Leggett J, Overbury A, Beckett S &
 Kendall D Oleamide stimulates [³⁵S]-
 GTPγS binding in rat brain
 preparations via a cannabinoid
 receptor, 114P
 Leggett JD *see* Overbury AL, 111P
 Lewis CJ, Gong H, Koch WJ, Brown
 MJ & Harding SE Adenovirally-
 overexpressed β₂-adrenoceptors
 enhance the contractile response to
 CGP 12177A in adult rat cardiomyo-
 cytes, 1P
 Lindsay SL, Holdsworth R, Sherine T &
 Bovell DL Immunolocalisation of
 P2Y₂ receptor subtype in human
 hyperhidrotic eccrine sweat glands,
 54P
 Llano A *see* Nelli S, 14P
 Logue DN *see* Zeitlin IJ, 82P
 Looi YH, Wainwright CL & Kane KA
 Adrenomedullin-induced cardiopro-
 tection: the role of nitric oxide, 8P
 Loughlin L *see* Morecroft I, 51P
 Lutz EM *see* Grant S, 73P
 McBean DE *see* Quate L, 127P
 McBride M, Daly CJ & McGrath JC
 Contractile responses to UK14304 are
 inhibited by low concentrations of
 rauwolscine but are unaffected by
 prazosin in the mouse tail artery, 91P
 McBride M *see* McGrath JC, 21P
 McCafferty D-M, Cara DC & Kubes P
 Mast cell independent mechanisms of
 immediate hypersensitivity: a role for
 platelets, 83P
 McCloskey KD *see* Dempster J, 146P
 MacDonald A *see* Brahmadevara N, 93P
 MacDonald A *see* Brahmadevara N, 94P
 MacDonald A *see* Tracey A, 13P
 MacDonald A *see* Tracey A, 49P
 MacDonald A *see* Zacharia J, 90P
 McFadzean I *see* Ayman S, 25P
 McGrath JC, Pediani JD, Macmillan J,
 Mackenzie J, Deighan C, Woollhead
 A, McGrory SP, McBride M, Ali Z,
 Malekzadeh-Shafaroudi M, Cotecchia
 S, Arribas SM, Vila E, Briones A,
 Perez D, Mullins J, Tsujimoto G &
 Daly CJ Adventitial cells are
 identified as the major location of
 vascular α_{1b}-adrenoceptors and may
 drive vascular remodelling, 21P
 McGrath JC *see* Ali Z, 92P
 McGrath JC *see* Brahmadevara N, 93P
 McGrath JC *see* Deighan C, 20P
 McGrath JC *see* McBride M, 91P
 McGrath JC *see* Shafaroudi MM, 72P
 MacGregor DG, Avshalumov MV &
 Rice ME Mechanisms underlying rat
 cerebral oedema formation in *in vitro*
 ischaemia, 138P
 MacGregor DG *see* Avshalumov MV,
 137P
 McGrory SP *see* McGrath JC, 21P
 MacKenzie A & Wadsworth RM Super-
 oxide anion contributes significantly
 to the impaired function of rat
 mesenteric arteries treated with lipo-
 polysaccharide, 9P
 Mackenzie J *see* McGrath JC, 21P
 MacKenzie J *see* Morecroft I, 51P
 McKerchar CE, Morris BJ & Pratt JA
 Acute and chronic PCP-induced
 changes in PSD95 mRNA expression
 in rat prefrontal cortex: lack of modu-
 lation by clozapine and haloperidol,
 124P
 McKerchar CE *see* Willerton L, 125P
 MacLean MR *see* Morecroft I, 51P
 Macmillan J *see* McGrath JC, 21P
 McMurray JJV *see* Kuc RE, 62P
 McNeish AJ, Nelli S, Wilson WS &
 Martin W Ascorbate inhibits EDHF in
 the bovine eye but not in the porcine
 coronary artery, 15P
 Macpherson S *see* Ness KF, 5P
 McQueen DS, Smith PJW, Balali-Mood
 K & Smart D Cannabidiol does not
 affect vasorespiratory responses to
 capsaicin and anadamide in anaesthet-
 ised rats, 35P
 McQueen DS *see* Bell JK, 140P
 McQueen DS *see* Heffron H, 112P
 Macrae IM *see* Miller WH, 11P
 McVie A *see* Willerton L, 125P
 Maginn M, Mow T & Matz J A Com-
 parison of two rabbit models of drug
 induced polymorphic ventricular
 tachycardia, 68P
 Maguire JJ, Perez Barriocanal F &
 Davenport AP Are vasoconstrictor
 responses to tyramine in human blood
 vessels, *in vitro*, mediated by the
 orphan trace amine receptor, TA1?,
 71P
 Mairaj J, Watson DG, Skellern GG &
 Grant MH Toxicity of codeine,
 codeinone and oxycodone in HepG2
 cells: Identification of a codeinone-
 glutathione conjugate, 80P
 Malcolm CS *see* Walsh KL, 105P
 Malekzadeh-Shafaroudi M *see* McGrath
 JC, 21P
 Mangoni AA, Arya R, Ford E,
 Asonganyi B, Sherwood RA, Ouldred
 E, Swift CG & Jackson SHD Effects
 of folic acid supplementation on
 inflammatory and thrombogenic
 markers in chronic smokers. A
 randomised controlled trial, 34P
 Mangoni AA, Close JCT, Rodriguez S,
 Sherwood RA, Bryant CA, Swift CG
 & Jackson SHD Acute hemodynamic
 effects of cisapride and erythromycin
 in healthy subjects, 28P
 Manning J-PA, Richards DA & Bowery
 NG Anti-absence effect of ethosux-
 imide administered via reverse micro-
 dialysis into the ventrobasal thalamus
 (VB) of the genetic absence epilepsy
 rat from Strasbourg (GAERS), 133P
 Mant MJ *see* Bhardwaj S, 81P
 March JE *see* Gardiner SM, 29P
 March JE *see* Tep-areenan P, 55P
 Marsden CA *see* Harper LK, 130P

- Marsden CA *see* Harper LK, 131P
Marsden CA *see* Overbury AL, 111P
Marshall S *see* Zeitlin IJ, 82P
Martel F, Keating E & Azevedo I 1-Methyl-4-phenylpyridinium (MPP⁺) uptake by the jar human placental choriocarcinoma cell line, 123P
Martel F *see* Ribeiro L, 106P
Martin W *see* Ferrigan L, 134P
Martin W *see* McNeish AJ, 15P
Martin W *see* Nelli S, 14P
Mason R *see* Dempsie Y, 110P
Mason R *see* Roe C, 109P
Mather H *see* Cuprian AM, 107P
Mathewson AM & Wadsworth RM Modulation of nitergic nerve mediated vasodilation by inducible nitric oxide synthase, 10P
Matz J *see* Maginn M, 68P
Mazzoni L *see* Ellis KM, 33P
Megson IL *see* Crane MS, 31P
Menzies JRW, Paul A & Kennedy C Biochemical characterisation of a soluble ATPase released from sympathetic nerves, 104P
Menzies JRW & Kennedy C P2X receptor-like immunoreactivity in the guinea-pig vas deferens, 103P
Middleton RJ *see* Briddon SJ, 17P
Middleton S *see* Nelli S, 14P
Milasta S, Wilson S & Milligan G The orexin 1 receptor interacts with β -arrestin 2 at its extreme C-terminus, 96P
Miller JC *see* Howson PA, 115P
Miller WH, Macrae IM & Wadsworth RM Altered neurogenic vasodilation in rabbit basilar artery following experimental subarachnoid haemorrhage, 11P
Milligan G *see* Milasta S, 96P
Milliken PH & Wadsworth RM Super-oxide and superoxide dismutase in pulmonary hypoxic vasoconstriction, 50P
Miquel I *see* Salcedo C, 45P
Miquel R, Gisbert R, Tur R, Anselmi E, Ivorra MD, Noguera MA & D'Ocon P Chronic nifedipine treatment decreases the functionality of α_{1D} -adrenoceptors in spontaneously hypertensive rats, 75P
Mirsepassi GR *see* Akhondzadeh S, 39P
Mitcheson JS *see* Witchel HJ, 44P
Mojtahedzadeh V *see* Akhondzadeh S, 39P
Moore KP *see* Crane MS, 31P
More JC, Troop HM & Jane DE Effect of 5-substitution of N³-substituted willardiine derivatives on antagonist activity at AMPA receptors expressed on neonatal rat motoneurons, 116P
Morecroft I, Loughlin L, MacKenzie J, Harmar AJ & MacLean MR Increased pulmonary hypertension in mice over-expressing the 5-hydroxytryptamine transporter gene, 51P
Morris BJ *see* McKerchar CE, 124P
Morris BJ *see* O'Kane EM, 120P
Morris BJ *see* Willerton L, 125P
Morris JF *see* Yona S, 32P
Mow T *see* Maginn M, 68P
Mullins J *see* McGrath JC, 21P
Nally JE *see* Gribben EE, 48P
Naylor RJ *see* Khan H, 47P
Nelli S *see* McNeish AJ, 15P
Nelli S, Wilson WS, Laidlaw H, Llano A, Middleton S, Price AG & Martin W Potassium ion as the EDHF in bovine coronary artery, 14P
Ness KF, Sharif I, Macpherson S, Gustaffson J-A, Saunders P & Gray GA Modification of vascular function by the oestrogen receptor β : the effect of ageing, 5P
Ness KF *see* Sharif I, 4P
Nettleship JE, Jones RD, Pugh PJ, Jones TH & Channer KS Serum cytokine levels in male patients with stable coronary artery disease, 66P
Newberry NR *see* Walsh KL, 105P
Ng RSK *see* Zeitlin IJ, 82P
Nigro D *see* Dantas MFV, 56P
Noguera MA *see* Miquel R, 75P
Nolan AM *see* Dolan S, 118P
Nunez D *see* Gardiner SM, 29P
O'Kane EM, Stone TW & Morris BJ Differential effects of prenylation inhibitors on long-term potentiation in area CA1 of adult rat hippocampus, 120P
Ollosson R *see* Crane MS, 31P
Olverman HJ *see* Quate L, 127P
O'Neill GT, Rowan EG & Gurney AM Muscarinic receptors and calcium signalling in rabbit isolated pulmonary artery smooth muscle cells, 24P
Ouldred E *see* Mangoni AA, 34P
Overbury A *see* Leggett JD, 114P
Overbury AL, Marsden CA & Kendall DA The effect of 5,7-dihydroxytryptamine on central cannabinoid receptor function, 111P
Palmer BD *see* Paxton JW, 78P
Panagopoulos P *see* Coker SJ, 22P
Parsons RL *see* Prior C, 100P
Passier P *see* Kuc RE, 62P
Patel S *see* Alexander SPH, 12P
Pau D, Workman AJ, Kane KA & Rankin AC 5-Hydroxytryptamine increases calcium current but not refractoriness in human single atrial myocytes, 67P
Paul A *see* Menzies JRW, 104P
Paul AA *see* Witchel HJ, 44P
Paxton JW, Kestell P, Ding Q, Ching L-M, Zhou S, Palmer BD & Baguley BC Preliminary investigations into the pharmacokinetic interaction between cyclophosphamide and thalidomide in the mouse, 78P
Pediani JD *see* McGrath JC, 21P
Perez D *see* McGrath JC, 21P
Perretti M *see* Yona S, 32P
Phillips RS *see* Clark CJ, 139P
Philp KL, Coker SJ, Hussain M & Hart G 17 β -Oestradiol has a greater inhibitory effect on the L-type calcium current in female than male cardiac ventricular myocytes, 3P
Pickard J *see* Johnström P, 63P
Plevin R *see* Cameron P, 85P
Poyner DR *see* Conner AC, 97P
Poyner DR *see* Hay DL, 16P
Pratt JA *see* Claase L, 38P
Pratt JA *see* Egerton A, 36P
Pratt JA *see* McKerchar CE, 124P
Pratt JA *see* Willerton L, 125P
Price AG *see* Nelli S, 14P
Prior C & Cunningham K Attenuation of vecuronium-induced tetanic fade in the rat hemidiaphragm by the P2X receptor antagonist, PPADS, 101P
Prior C & Parsons RL A role for synapsin-I in the mobilisation of acetylcholine for release from motor nerve terminals of the mouse, 100P
Pugh PJ *see* Nettleship JE, 66P
Pugh PJ *see* Rowell KO, 52P
Pugsley MK, Cole T, Yang X, Dhawan S & Ammons WS The cardiovascular actions of amphotericin B, a polyene antifungal antibiotic, in anesthetized rats, 30P
Quate L, McBean DE, Ritchie IM, Olverman HJ & Kelly PAT Chronic methylenedioxymethamphetamine administration: effects on local cerebral blood flow and glucose utilisation in the rat, 127P
Ralevic V *see* Alexander SPH, 12P
Ralevic V *see* Duncan M, 113P
Randall MD *see* Hughes RA, 57P
Randall MD *see* Tep-areenan P, 55P
Randall MD *see* Tep-areenan P, 60P
Randall MD *see* Tep-areenan P, 61P
Rankin AC *see* Pau D, 67P
Rawji F *see* Aston JC, 126P
Reavill C *see* Scott C, 129P
Rees JL *see* Bell JK, 140P
Reid IC *see* Robertson DA, 144P
Ribeiro L, Azevedo I & Martel F Effect of somatostatin on catecholamine release from bovine adrenal medullary cells, 106P
Rice ME *see* Avshalumov MV, 137P
Rice ME *see* MacGregor DG, 138P

- Richards DA *see* Manning J-PA, 133P
 Richards H *see* Johnström P, 63P
 Ritchie IM *see* Quate L, 127P
 Robberecht P *see* Grant S, 73P
 Roberts C, Thomas DR & Kew JNC
 GABAergic modulation of 5-HT,
 receptor mediated effects on 5-HT
 efflux, 132P
 Roberts P *see* Witchel HJ, 44P
 Roberts SA, Gallagher O, Jones RD,
 English KM, Jones TH & Channer
 KS Quantification of lumen occlusion
 due to neointimal cell growth in
 cultured thoracic aortae from testicu-
 lar feminized and control mice, 74P
 Robertson DA, Beattie JE, Reid IC &
 Balfour DJK Regionally-selective
 upregulation of hippocampal gluco-
 corticoid receptors in response to
 chronic unavoidable stress in the rat,
 144P
 Rodriguez S *see* Mangoni AA, 28P
 Roe C & Mason R Effects of cannabin-
 oid (CB) agonists on rat hippocampal
 neuronal firing rate activity using
 multi-channel extracellular recording,
 109P
 Roshan-Milani S *see* Ferrigan L, 134P
 Rossi AG *see* Crane MS, 31P
 Rotondo D *see* Cameron P, 85P
 Rotondo D *see* Habeeb F, 87P
 Rotondo D *see* Walker W, 86P
 Rourke C *see* Scott C, 129P
 Rowan EG *see* Currie AJ, 102P
 Rowan EG *see* McCartney CE, 41P
 Rowan EG *see* O'Neill GT, 24P
 Rowe ICM *see* McCartney CE, 41P
 Rowell KO, Gill S, Wagstaff J, Jones
 RD, Pugh PJ, Jones TH & Channer
 KS Assessment of the vasodilatory
 action of testosterone in isolated
 human pulmonary arteries and veins,
 52P
 Rydz D *see* Dryden WF, 99P
- Sanagustín J *see* Salcedo C, 45P
 Santos A, Borges N, Cerejo A &
 Sarmento A Brain catalase activity in
 a model of closed head trauma in the
 rat: effect of gadolinium and
 amiloride, 136P
 Sarmento A *see* Santos A, 136P
 Saunders P *see* Ness KF, 5P
 Scott C, Jones DNC, Reavill C, Gibson
 V, Rourke C, Shilliam CS, Langmead
 CJ, Watson J & Starr KR Determin-
 ation of dopamine D₂ receptor
 occupancy in rat striatum and
 behavioural effects of haloperidol,
 129P
 Seckl JR *see* Sharif I, 4P
 Seed A *see* Kuc RE, 62P
 Senaratna RN *see* Grainger J, 59P
 Sepulveda MF, Goode NT &
 Cunningham FM Priming of equine
 eosinophil superoxide production,
 88P
 Shafaroudi MM, Daly CJ & McGrath JC
 Analysis of α_2 -adrenoceptor and
 angiotensin mediated responses in
 mouse aorta, 72P
 Shahid M *see* Ge J, 117P
 Shahraki A & Stone TW Suppression of
 the presynaptic effects of adenosine
 by metabotropic glutamate receptors
 in rat hippocampal slices, 145P
 Sharif I, Ness KF, Webb DJ, Seckl JR &
 Gray GA Oestrogen worsens outcome
 following myocardial infarction in
 mice, 4P
 Sharif I *see* Ness KF, 5P
 Shaw AM *see* Brahmadevara N, 94P
 Shaw AM *see* Tracey A, 13P
 Shaw AM *see* Tracey A, 49P
 Sheardown MJ *see* Walsh KL, 105P
 Sherwood RA *see* Mangoni AA, 28P
 Sherwood RA *see* Mangoni AA, 34P
 Shilliam CS *see* Scott C, 129P
 Shum WWC, Jones RL & Gurney AM
 Activation of a membrane current and
 contraction by the prostanoid EP₃-
 receptor agonist sulprostone in
 guinea-pig aorta, 23P
 Skellern GG *see* Boibessot I, 79P
 Skellern GG *see* Jairaj M, 80P
 Slough S, Bastlund JF & Watson WP
 Repeated administration of subcon-
 vulsant doses of 4-aminopyridine (4-
 AP) causes decreased seizure
 incidence to higher doses of 4-AP but
 not other convulsant drugs, 135P
 Smart D *see* McQueen DS, 35P
 Smith DM *see* Conner AC, 97P
 Smith DM *see* Hay DL, 16P
 Smith PA *see* Bhardwaj S, 81P
 Smith PJW *see* Heffron H, 112P
 Smith PJW *see* McQueen DS, 35P
 Soares-da-Silva P *see* Santos A, 136P
 Starr KR *see* Scott C, 129P
 Stirling DJ *see* Conner AC, 97P
 Stone TW *see* Avshalumov MV, 137P
 Stone TW *see* Clark CJ, 139P
 Stone TW *see* Forrest CM, 119P
 Stone TW *see* MacGregor DG, 138P
 Stone TW *see* O'Kane EM, 120P
 Stone TW *see* Shahraki A, 145P
 Storey JD & Balfour DJK The influence
 of repetitive stress on hippocampal 5-
 HT overflow and plus-maze activity
 in the rat, 143P
 Swift CG *see* Mangoni AA, 28P
 Swift CG *see* Mangoni AA, 34P
- Tarrach C, Harrold J, Cassidy R,
 Wilding J & Williams G Involvement
 of hypothalamic melanocortin
 receptors in rosiglitazone-induced
 weight gain, 141P
 Tavadia S *see* Lindsay SL, 54P
 Tavakolian R *see* Akhondzadeh S, 40P
- Teh PS *see* Zeitlin IJ, 82P
 Templeman L, Chess-Williams R &
 Chapple C Cholinergic, adrenergic,
 nitrergic and purinergic neurotrans-
 mission in the pig bladder dome, 26P
 Teng WT *see* Zeitlin IJ, 82P
 Tep-areenan P, Kendall DA & Randall
 MD Mechanisms of acute vasorelax-
 ant effects of testosterone in the rat
 aorta, 61P
 Tep-areenan P, Kendall DA & Randall
 MD The involvement of K⁺ channels
 in the vasorelaxant responses to
 testosterone in the rat aorta, 60P
 Tep-areenan P, March JE, Kemp PA,
 Randall MD, Kendall DA, Bennett T
 & Gardiner SM Effects of chronic, *in*
vivo, treatment with a nitric oxide
 synthase inhibitor on vasorelaxant
 responses to anandamide in isolated
 rat arteries, 55P
 Tigani B, Cannet C, Zurbrugg S,
 Beckmann N & Fozard JR Effects of
 anti-inflammatory drugs on
 established lung inflammation
 induced by allergen in actively
 sensitised Brown Norway rats
 assessed non-invasively by MRI, 84P
 Tones MA *see* Flynn DA, 132P
 Tostes-Passaglia RCA *see* Dantas MFV,
 56P
 Tracey A, Irvine J, MacDonald A,
 Wilkie I & Shaw AM Bradykinin-
 induced relaxation of bovine
 pulmonary supernumerary arteries:
 involvement of gap junctions, 49P
 Tracey A, Irvine J, MacDonald A,
 Wilkie I & Shaw AM Inhibition of
 both nitric oxide and guanylyl cyclase
 exposes an EDHF in large bovine
 pulmonary arteries, 13P
 Troop HM *see* More JCA, 116P
 Trout SJ *see* Cuprian AM, 107P
 Tsujimoto G *see* McGrath JC, 21P
 Tuladhar BR *see* Khan H, 47P
 Tur R *see* Miquel R, 75P
 Turner AR *see* Bhardwaj S, 81P
- Valentin J-P *see* Wakefield ID, 58P
 Vila E *see* McGrath JC, 21P
- Wadsworth RM *see* Grant S, 73P
 Wadsworth RM *see* Kennedy S, 6P
 Wadsworth RM *see* Mackenzie A, 9P
 Wadsworth RM *see* Mathewson AM,
 10P
 Wadsworth RM *see* Miller WH, 11P
 Wadsworth RM *see* Milliken PH, 50P
 Wagstaff J *see* Rowell KO, 52P
 Wainwright CL *see* Burke SG, 7P
 Wainwright CL *see* Kennedy S, 6P
 Wainwright CL *see* Looi YH, 8P
 Wakefield ID, Gardiner SM, Valentin J-
 P & Bennett T Comparative effects of

- S-methyl-L-thiocitrulline and N^G -nitro-L-arginine methyl ester on salbutamol-induced hindquarters vasodilation in conscious rats, 58P
- Walker W & Rotondo D Regulation of NK-cell interferon- γ synthesis by prostaglandin E_2 and EP-receptor analogues, 86P
- Wallace AF, Denvir MA & Gray GA Seasonal variation of myocardial endothelin receptor mRNA expression in rats, 65P
- Wallace P *see* Ayman S, 25P
- Walsh KL, Barratt L, Newberry NJ, Sheardown MJ, Bickerdike MJ & Malcolm S Use of FLIPR™ in the characterisation of voltage-gated sodium channels in the SH-SY5Y human neuroblastoma cell line, 105P
- Walsh P *see* Bell JK, 140P
- Wang S *see* Kennedy C, 53P
- Watson DG *see* Boibessot I, 79P
- Watson DG *see* Jairaj M, 80P
- Watson J *see* Scott C, 129P
- Watson WP *see* Eriksen AB, 37P
- Watson WP *see* Slough S, 135P
- Webb DJ *see* Sharif I, 4P
- Webb R & Woodward B Inotropic actions of endothelin and phenylephrine are selectively depressed in right, but not left, ventricular myocytes from rats with hypoxia-induced right ventricular hypertrophy, 64P
- Webb R & Woodward B The positive inotropic action of phenylephrine in rat isolated cardiac myocytes, plated on laminin, is converted to a negative effect when cells are plated on fibronectin, 69P
- Wheatley M *see* Conner AC, 97P
- Wikberg J *see* Dempsie Y, 110P
- Wilding J *see* Tarrach C, 141P
- Wilkie I *see* Tracey A, 13P
- Wilkie I *see* Tracey A, 49P
- Willerton L, McKerchar CE, McVie A, Pratt JA & Morris BJ GABA neurone gene markers: modulation of expression in the rat prefrontal cortex by acute and subchronic PCP, 125P
- Williams DJ, Brain KL & Cunnane TC Ca^{2+} imaging and electrophysiological studies of epibatidine-induced transmitter release from postganglionic sympathetic nerve terminals in mouse isolated vas deferens, 27P
- Williams G *see* Elliott J, 142P
- Williams G *see* Tarrach C, 141P
- Wilson P *see* Zeitlin IJ, 82P
- Wilson S *see* Milasta S, 96P
- Wilson WS *see* McNeish AJ, 15P
- Wilson WS *see* Nelli S, 14P
- Winn PL, Kelso K & Grant MH Effect of aspirin and dexamethasone on proliferation of human aortic smooth muscle cells, 70P
- Wokosin DL *see* Dempster J, 146P
- Woodward B *see* Webb R, 64P
- Woodward B *see* Webb R, 69P
- Woolard J, Gardiner SM, Aspley S & Bennett T Effects of diet on the regional haemodynamic responses to sibutramine in conscious rats, 77P
- Woolard J, Gardiner SM, Aspley S & Bennett T Regional haemodynamic effects of the 5-HT and noradrenaline re-uptake inhibitor, sibutramine, in conscious rats, 76P
- Woolley M *see* Howson PA, 115P
- Woollhead A *see* McGrath JC, 21P
- Workman AJ *see* Pau D, 67P
- Yang KY *see* Zeitlin IJ, 82P
- Yang X *see* Pugsley MK, 30P
- Yona S, Perretti M, Buckingham JC, Morris JF & Flower RJ Altered degree of activation and steroid inhibition in leukocytes from annexin 1 null mice, 32P
- Zacharia J, Hillier C & MacDonald A Neurally-evoked responses of rat femoral small arteries are predominantly mediated by α_{1A} -adrenoceptors, 90P
- Zeitlin IJ, Teh PS, Teng WT, Wilson P, Yang KY, Ng RSK, Marshall S & Logue DN Extracellular products of the mastitis-inducing pathogens, *Escherichia coli* and *Staphylococcus aureus*, activate bovine milk kallikreins, 82P
- Zetterström TSC *see* Aston JC, 126P
- Zetterström TSC *see* Khundakar AA, 122P
- Zhou S *see* Paxton JW, 78P
- Zigmond MJ *see* Juranyi Z, 128P
- Zurbrugg S *see* Tigani B, 84P

Keyword Index

- Absence epilepsy, 133P
 Acetylcholine, 101P, 134P
 Acetylcholine release, 100P
 Adenosine, 17P
 Adenosine receptors, 145P
 Adenosine A_{2A} receptors, 130P, 131P
 ADHD, 40P
 Adrenal chromaffin cells, 106P
 Adrenergic neurotransmission, 26P
 Adrenoceptors, 72P, 107P
 α_1 -Adrenoceptors, 20P, 90P, 92P
 α_{1D} -Adrenoceptors, 75P
 β -Adrenoceptors, 93P, 94P
 β_1 -Adrenoceptors, 18P, 19P, 95P
 β_2 -Adrenoceptors, 1P
 β_x -Adrenoceptors, 1P
 Adrenomedullin, 8P, 16P
 Adventitia, 21P
 Airways, 48P
 AMPA, 116P
 Amphotericin B, 30P
 Anandamide, 55P, 112P
 Androgen receptors, 74P
 Angiotensin, 72P
 Annexin 1, 32P
 Antagonists, 116P
 Anticancer drugs, 78P
 Antidepressants, 122P
 Antioxidant networks, 137P
 Antipsychotics, 124P
 Aorta, 72P
 Aorta, mouse, 5P, 92P
 Aortic smooth muscle cells, 70P
 Appetite, 110P
 Arabinosylcytosine, 81P
 Arachidonic acid, 59P
 Arc, 126P
 L-Arginine, 9P
 β -Arrestin 2, 96P
 Arrhythmias, 2P, 3P, 30P
 Ascorbate, 15P
 Atherosclerosis, 66P, 74P
 ATP, 27P
 ATPase, 104P
 Atrial myocytes, human, 67P
- Bacterial stimulation, 87P
 Balloon injury, 6P
 BDNF, 122P
 Bendroflumazide, 57P
 Benzodiazepine, 38P
 Bladder, 45P
- β -Blockers, 18P
 Blood flow, 29P, 58P
 Blood pressure, 28P
 Bradykinin, 33P, 82P
 Bradykinin-calcium channels, 41P
 Brain, 119P
 Brain, juvenile rat, 126P
 Brain, pig, 130P
 Brain slices, 138P
 Brain trauma, 136P
 Bronchoconstriction, 33P
- Calcium, 24P, 27P
 Calcium currents, 3P
 Calcium imaging, 146P
 Calcium sensitisation, 25P
 Calcium-permeable non-selective cation channels, 23P
 Calcitonin receptor-like receptor, 16P, 97P
 Cannabidiol, 35P
 Cannabinoids, 36P
 Cannabinoid agonists, 109P, 113P
 Cannabinoid receptors, 111P, 112P, 114P
 Capsaicin, 35P
 Cardiovascular system, 55P, 76P, 77P
 Catalase, 136P
 Catecholamine, 106P
 Cerebral ischaemia, 10P
 Cerebral malaria, 139P
 Cerebrovasodilators, 73P
 CGP 12177, 19P, 95P
 CGP 12177A, 1P
 CGRP, 97P
 CGRP receptors, 99P
 Chloride channels, 43P
 Chloride secretion, 46P
 Cholinergic neurotransmission, 26P
 Cholinergic innervation, 107P
 Colon, mouse, 47P
 Confocal microscopy, 93P
 Connexin, 56P
 Constitutive activity, 75P
 Convulsions, 37P
 Coronary artery disease, 66P
 CX 516, 117P
 Cyclophosphamide, 78P
 Cytokines, 66P
 Cytokine suppression, 87P
- Diabetes, 7P
 Diazoxide, 39P
 Diet, 77P
 5,7-Dihydroxytryptamine, 111P
 Dopamine, 128P
 Dopamine release, 131P
 Dopamine D₂ receptors, 129P
 Dorsal root ganglion, 102P
- EDHF, 14P, 15P
 Electrocardiogram, 30P
 Electrophysiology, 109P, 146P
 Endothelin, 47P, 62P, 63P, 64P, 65P
 Endothelin ET_A and ET_B receptor subtypes, 47P
 Endothelin-converting enzyme, 63P
 Endothelin-converting enzyme inhibitor, 62P
 Endothelium, 5P, 14P, 56P, 57P
 Endothelium-derived hyperpolarising factor, 13P, 49P
 Epilepsy, 37P
 Equine eosinophil, 88P
 Exon, 122P
- FCS, 17P
 Femoral artery, 90P
 Fibronectin, 69P
 Fluorescence, 17P, 105P
 Fluorescence microscopy, 146P
 Folic acid, 34P
 Food intake, 141P
- GABA neurones, 125P
 GABA_A, 132P
 GAERS rat, 133P
 Gap junctions, 48P
 Gene expression, 65P
 Gene transcription, 18P
 Glucocorticoid receptors, 144P
 Glutamate, 115P
 Glutathione conjugation, 80P
 Glycosaminoglycans, 48P
 Growth inhibition, 70P
 GTPase, 120P
 [³⁵S]-GTP γ S, 114P
 Guanylyl cyclase, 13P
- Haloperidol, 129P
- Detrusor muscle, 45P

Heart, 64P, 69P
 HERG, 44P
 Hippocampus, 109P, 120P, 134P, 137P, 143P, 144P
 Histamine H₂ antagonists, 140P
 5-HT, 67P, 111P, 121P, 123P, 127P, 143P
 5-HT release, 117P
 5-HT₂, 132P
 5-HTT, 51P
 Hyperreactivity, 33P
 Hypertension, 75P
 Hypertrophy, 64P
 Hypothalamus, 110P, 141P, 142P
 Hypoxia, 41P, 42P, 50P

Immediate early gene, 36P
 Immunohistochemistry, 54P, 103P
 Inducible nitric oxide synthase, 9P
 Infarction, 4P
 Inflammation, 84P, 118P
 INOS, 10P
 Insulin, 29P
 Interferon- γ , 86P
 Internalisation, 96P
 Intimal hyperplasia, 70P
In vivo occupancy, 129P
 Ischaemia, 2P, 7P
 Ischaemia-reperfusion, 138P
 Isometamidium distribution, 79P
 Isometamidium metabolism, 79P

JAR cells, 123P

Kindling, 37P, 135P
 Knockout mice, 20P
 Kv3.1, 42P

Leukaemia, 81P
 Leukocyte recruitment, 83P
 Lipid peroxidation, 119P
 Local cerebral blood flow, 127P
 LTP, 120P
 Luciferase reporter gene, 19P
 Lysophosphatidic acid, 108P

Macrophages, 32P
 MAO-B inhibitors, 40P
 Mast cells, 83P
 Mastitis, bovine, 82P
 Mechanogated ion channel blockers, 136P
 Melanin-concentrating hormone, 142P
 Mesenteric bed, 113P
 Metabotropic glutamate receptors, 115P, 118P, 145P
 Methylenedioxymethamphetamine, 127P
 Methylphenidate, 126P
 Mice, 140P
 Microdialysis, 117P, 133P
 Microtubules, 121P
 Milk, 82P
 Molecular determinants, 44P

MPP⁺, 123P
 MRI, 84P
 Muscarinic receptors, 24P, 45P
 Myocardium, 4P, 65P

NCX4016, 7P
 Neointima, 6P
 Neprilysin, 48P
 Neuromuscular junction, 99P, 100P, 101P
 Neuropeptides, 139P
 Neuropeptide Y, 110P
 Neuroprotection, 138P
 Neurotransmission, 90P
 Neurotransmitter mobilization, 99P
 Neutrophil, 32P
 Nicotine, 27P
 Nicotinic receptors, 98P, 134P
 Nitric nerve mediation, 10P, 11P
 Nitric oxide, 8P, 13P, 31P, 55P, 57P, 73P
 Nitric oxide synthase, 58P
 NK cells, 86P
 Nociception, 108P
 N-substitution, 115P
 Nucleoside transport, 81P
 Nucleus accumbens, 36P

Obesity, 76P, 141P, 142P
 Oestradiol, 2P, 3P, 89P
 Oestrogen, 4P, 5P
 Oleamide, 114P
 Opiates, 80P
 Orexin 1 receptors, 96P
 Over-expression, 51P
 Oxidative stress, 137P

P38 kinase, 85P
 Paclitaxel, 6P
 Phencyclidine, 125P
 Phenylephrine, 69P
 Platelets, 31P, 83P
 Platelet aggregation, 89P
 Positron emission tomography, 63P
 Potassium channels, 22P, 39P, 60P, 94P
 Preconditioning, 8P
 Pregnancy, 56P
 Priming, 88P
 Pro-kinetic agents, 28P
 Proline, 97P
 Propafenone, 44P
 Prostaglandin, 46P, 60P, 61P
 Prostaglandin receptors, 86P
 Prostaglandin EP₂ receptors, 22P
 Prostaglandin EP₃ receptors, 23P
 Pruritus, 140P
 PSD-95, 38P, 124P
 Pulmonary artery, 24P
 Pulmonary artery, rat isolated, 53P
 Pulmonary hypoxic vasoconstriction, 49P
 Pulmonary supernumerary arteries, 51P
 Pulmonary vasculature, 52P
 Purinergic neurotransmission, 26P
 Purinoceptor P2 subtypes, 12P

Purinoceptor P2X subtypes, 101P, 102P, 103P
 Purinoceptor P2Y subtypes, 53P, 54P
 Purinoceptor P2Y₁ subtypes, 12P
 PVT, 68P

QT, 68P
 Quinolinic acid, 119P, 139P

Rabbit, 68P
 Radioligand binding, 20P, 130P
 RAMPs, 16P
 Rat colon, 46P
 Rat nucleus accumbens, 131P
 Rauwolscine, 91P
 Redox agents, 42P
 Refractory period, 67P
 Release, 128P
 Repetitive stress, 143P, 144P
 Reporter genes, 95P
 Restraint stress, 121P
 Rho kinase, 25P
 Rigid cholinergic ligands, 98P

Salbutamol, 58P
 Sarcoplasmic reticulum, 43P
 Schizophrenia, 39P, 124P, 125P
 Seizures, 135P
 Selegiline, 40P
 Sensory nerves, 113P
 Sensory neurones, 102P
 Sheep coronary artery, 59P
 SH-SY5Y, 105P
 Sibutramine, 76P, 77P
 Smoking, 34P
 Smooth muscle, 25P, 43P
 Sodium, 105P
 Somatostatin, 106P
 Spinal cord, 108P, 118P
 STREX, 41P
 Striatum, 128P
 Subconductance currents, 98P
 Superoxide, 50P, 88P
 Superoxide anion, 9P
 Superoxide dismutase, 11P, 50P
 Sweat glands, 54P
 Sympathetic nerves, 104P
 Synapsin-I, 100P

TA₁ trace-amine receptors, 71P
 Tail artery, mouse, 91P
 Testosterone, 52P, 60P, 61P, 74P
 Thalidomide, 78P
 Thiazolidinediones, 29P
 Thiols, 31P
 Thrombosis, 34P
 Thromboxane, 89P
 TNF- α , 85P, 87P
 Tolerance, 38P, 135P
 Torsade de pointes, 22P
 Toxicology, 80P
 Trace amines, 71P

Transmitter-release mechanisms, 107P
Trypanocides, 79P
Tyramine, 71P

UDP, 53P

Vas deferens, guinea-pig, 103P

Vas deferens, mouse isolated, 107P
Vascular remodelling, 107P
Vascular smooth muscle, 23P
Vascular system, 93P, 94P
Vascular tone, 12P
Vasodilatation, 14P, 15P, 52P
Vasorelaxation, 59P, 61P
Vasorespiratory responses, 35P
Vasospasm, 11P

Verotoxins, 85P
VIP, 73P
Voltammetry, 132P
VR1, 112P

Willardiine, 116P
Wire myography, 92P