

CORRIGENDA

Effect of two phenanthrene alkaloids on angiotensin II-induced leukocyte–endothelial cell interactions *in vivo*

Rossana Estellés, Javier López-Martín, Lara Milian, José-Enrique O'Connor, Magdalena Martínez-Losa, Miguel Cerdá-Nicolás, Edet M. Anam, María Dolores Ivorra, Andrew C. Issekutz, Julio Cortijo, Esteban J. Morcillo, María Amparo Blázquez & María-Jesús Sanz

British Journal of Pharmacology (2004) **142**, 229. doi:10.1038/sj.bjp.0705801

Correction to: *British Journal of Pharmacology* (2003) **140**, 1057–1067. doi: 10.1038/sj.bjp.0705525

The authors wish to apologise that Figure 1 of the above paper was published incorrectly. The correct figure is reproduced here.




Figure 1 Chemical structure of uvariopsine and stephananthrine.

Protection by antioxidants against toxicity and apoptosis induced by the sulphur mustard analog 2-chloroethylethyl sulphide (CEES) in Jurkat T cells and normal human lymphocytes

^{1,3}Suhua Han, ^{1,3}Luis A. Espinoza, ¹Hongling Liao, ²A. Hamid Boulares & ^{*,1}Mark E. Smulson

¹Department of Biochemistry and Molecular Biology, Georgetown University School of Medicine, 3900 Reservoir Road NW, Washington, DC 20057, U.S.A. and ²Louisiana State University Health Science Center, Department of Pharmacology and Experimental Therapeutics and the Stanley Cancer Center, New Orleans, LA 70112, U.S.A.

British Journal of Pharmacology (2004) **142**, 229. doi:10.1038/sj.bjp.0705802

Correction to: *British Journal of Pharmacology* (2004) **141**, 795–802. doi:10.1038/sj.bjp.0705591

The author affiliations for the above paper were published incorrectly. The correct affiliations are shown above.

*Author for correspondence; E-mail: smulson@georgetown.edu

³Contributed equally to this work.