



BIBLIOGRAPHY ON CARBOHYDRATE POLYMERS

1 Books, Reviews and Symposia

Dawsey TR, McCormick CL//Univ South Mississippi, Dept Polymer Sci, Hattiesburg, Ms 39406, USA

J MACROMOL SCI-REV MACROMOL 1990, C39 (3-4) 405

The lithium chloride/dimethylacetamide solvent for cellulose - A literature review

Hodgson J//Address not available

BIO-TECHNOLOGY 1991, 9 (2) 149

Chromatography of complex carbohydrates

ANIM FEED SCI TECH 1991, 32 (1-3)

Special Issue - Cells Walls - Structure Biodegradation Utilisation - Papers Presented at an OECD Workshop Held in Nantes, France in July 1989

2 Cellulose

Mateva R, Nikolov K//Higher Inst Chem Technol, Dept Plast, Kilment Ohridski Str 8, BU-1156 Sofia, Bulgaria

J POLYM SCI A-POLYM CHEM 1991, 29 (2) 187

On some regularities of grafting of vinylpyridine derivatives onto acetyl cellulose

Moffett DG//Univ Illinois, Eye & Ear Infirm, Dept Ophthalmol, 1855 W Taylor St, Chicago, IL 60612, USA

ARCH OPHTHALMOL 1991, 109 (2) 173

A new lubricant (carboxymethylcellulose) for contact lens examination (Letter)

Bauza CR, Sanchez CR//Univ Complutense Madrid, Dept Appl Phys 1, Madrid 3, Spain

J NON-EQUIL THERMODYN 1990, 15 (3) 281
Electrokinetic phenomena in cellulose acetate membranes

Christakopoulos P, Koullas DP, Kekos D, Koukios EG, Macris BJ//Natl Tech Univ Athens,

Polytechniopolis Zografou, Dept Chem Engr, 9 Iroon Polytechniou Ave, GR-15773 Zografos, Greece

ENZYME MICROB TECHNOL 1991, 13 (3) 272

Direct conversion of straw to ethanol by *Fusarium oxysporum* - Effect of cellulose crystallinity

Kai A, Xu P//Tokyo Metropolitan Univ, Fac Technol, Dept Ind Chem, Tokyo 158, Japan

POLYM J 1991, 23 (1) 1

Structure of alkali-swelling bacterial cellulose-brightener complex

Kery V, Kucar S, Matulova M, Haplova J//Res Inst Rheumat Dis, Nabrezie Sovietskej Armady 2, CS-92101 Piestany, Czechoslovakia

CARBOHYD RES 1991, 209 (JAN) 83

Immobilisation of beta-D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of disaccharide derivatives

Khudyakov AE, Baranov AV, Moryganov AP, Melnikov BN//Acad Sci USSR, Inst Anhydrous Solut Chem, Ivanovo, USSR

IZV VYSSH UCH ZAV KHIM KHIM T 1990, 33 (8) 106

Plasticization of cellulose fabric materials during thermofixing of active dyes (Russian)

Kurokawa Y, Imai Y//Tohoku Univ, Fac Engr Sci, Sendai, Miyagi 980, Japan

J MEMBRANE SCI 1991, 55 (1-2) 227

Surface-enhanced Raman scattering (SERS) using polymer (cellulose acetate and nafion) membranes impregnated with fine silver particles

Laursen S, Malmgren-Hansen B, Sorensen TS//Tech Univ Denmark, Inst Phys Chem, DK-2800 Lyngby, Denmark

J NON-EQUIL THERMODYN 1990, 15 (3) 223

On the use of Schlogl integration for the non-equilibrium membrane potential and for the concentration profiles in dense cellulose acetate

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into ten sections: 1 Books, Reviews and Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Cyclodextrins; 5 Lignin; 6 Polysaccharides - Named; 7 Polysaccharides - Other; 8 Lipopolysaccharides; 9 Starch; 10 Starch-degrading Enzymes. Within each section, articles are listed in alphabetical order with respect to the subject. When there are no publications to appear under one of these headings, that section will be omitted.

membranes

Liu CK, Cuculo JA, Allen TC, Degroot AW//US Surg Corp, Mt Res Lab, 150 Glover Ave, Norwalk, Ct, 06856, USA

J POLYM SCI B-POLYM PHYS 1991, 29 (2) 181

Fiber formation via solution spinning of the cellulose ammonia ammonium thiocyanate system

Macchi EM//Natl Univ La Plata, Fac Ciencias Exactas, Inst Nacl Invest Fis Teor & Aplicadas, Div Macromolec, RA-1900 La Plata, Argentina

MAKROMOL CHEM-MACRO CHEM PHYS 1990, 191 (10) 2217

The polarity of chain packing in native cellulose - A meridional electron diffraction analysis on valonia fibres

Nango M, Maekawa M, Murakami K, Yoshida H//Univ Osaka Prefecture, Dept Appl Chem, Sakai, Osaka 591, Japan

COLLOID POLYM SCI 1991, 269 (1) 70

Effect of illumination on transport of sulfonated direct dyes into a cellulose membrane

Nedelcheva MP, Mladenova SM, Valcheva ET//Higher Chem Technol Inst, Dept Pulp & Paper Chem, BU-1756 Sofia, Bulgaria

J APPL POLYM SCI 1991, 42 (4) 985

Investigation on the kinetics of the adsorption process of aliphatic amidopolyamine on cellulose

Nishimura H, Okano T, Sarko A**SUNY Syracuse, Coll Environm Sci & Forestry, Dept Chem, Syracuse, NY 13210, USA

MACROMOLECULES 1991, 24 (3) 759

Mercerization of cellulose. 5. Crystal and molecular structure of Na-cellulose.1.

Nishimura H, Sarko A**SUNY Syracuse, Coll Environm Sci & Forestry, Dept Chem, Syracuse, NY 13210, USA

MACROMOLECULES 1991, 24 (3) 771

Mercerization of cellulose. 6. Crystal and molecular structure of Na-cellulose.4.

Patal BK, Sinha VK, Makhija KK, Ray A, Trivedi HC**Sardar Patel Univ, Dept Chem, Vallabh Vidyanagar 388120, Gujarat, India

J MACROMOL SCI-PHYS 1990, B29 (4) 397

Newtonian viscosity behavior of dilute to moderately concentrated solutions of cellulose acetate butyrate

Short RD, Munro HS, Ward RJ, McBriar I, Chan HSO, Tan KL//Univ Sheffield, Sch Mat, Northumberland Rd, Sheffield S10 2TN, England

POLYM DEGRAD STABIL 1991, 31 (2) 211

An XPS investigation of the radiation induced degradation reactions of cellulose nitrate. 1. Argon plasma induced surface reactions

Zang YH, Sapieha S**Ecole Polytech, Pulp & Paper Inst, POB 6079, Stn A, Montreal, Quebec, Canada H3C 3A7

POLYMER 1991, 32 (3) 489

A differential scanning calorimetric characterization of the sorption and desorption of water in cellulose linear low-density polyethylene composites

Shimizu T, Hashimoto K, Tsunoda K//Gunma Univ, Fac Educ, Dept Chem, Maebashi, Gunma 371, Japan

CHROMATOGRAPHIA 1991, 31 (1-2) 60

Chromatography of inorganic ions on diethyl-(2-hydroxy-propyl)aminoethyl cellulose layers in hydrochloric acid and in HCl-ammonium chloride media

Fukumori Y, Ichikawa H, Yamaoka Y, Akaho E, Takeuchi Y, Fukuda T, Kanamori R, Osako Y//Kobe Gakuin Univ, Fac Pharmaceut Sci, Ikawadani cho, Nishi ku, Kobe 673, Japan

CHEM PHARM BULL TOKYO 1991, 39 (1) 164

Effect of additives on physical properties of fine ethyl cellulose microcapsules prepared by the Wurster process

Brownell JE, Nakas JP**SUNY Coll Environm Sci & Forestry, Dept Environm & Forest Biol, Syracuse, NY 13210, USA

J IND MICROBIOL 1991, 7 (1) 1

Bioconversion of acid-hydrolyzed poplar hemi-cellulose to acetic acid by Clostridium thermoaceticum

Alli D, Bolton S, Gaylord NG**28 Newcomb Dr, New Providence, NJ 07974, USA

J APPL POLYM SCI 1991, 42 (4) 947

Hydroxypropylmethylcellulose-anionic surfactant interactions in aqueous systems

Galletti GC, Chiavari G//CNR, Ctr Studio Conservaz Foraggi, via F Re 8, I-40126 Bologna, Italy

J CHROMATOGR 1991, 536 (1-2) 303

Size-exclusion chromatography of lignocellulosics

in wheat straw

3 Cellulose-degrading Enzymes

Durrant AJ, Hall J, Hazlewood GP, Gilbert HJ*//Univ Newcastle upon Tyne, Dept Agr Biochem & Nutr, Newcastle Tyne NE1 7RU, England

BIOCHEM J 1991, 273 (JAN) PT 2, 289

The non-catalytic C-terminal region of endoglucanase-E from *Clostridium thermocellum* contains a cellulose-binding domain

4 Cyclodextrins

Ahmed MO, Nakai Y*, Aboutaleb AE, Yamamoto K, Rahman AAZA, Saleh SI//Chiba Univ, Fac Pharmaceut Sci, 1-33 Yayoicho, Chiba 260, Japan

CHEM PHARM BULL TOKYO 1990, 38 (12) 3423

Complex formation of nitrazepam in coprecipitating and in co-grinding with methylated beta-cyclodextrins

Ashton PR, Ellwood P, Staton I, Stoddart JF//Univ Sheffield, Dept Chem, Sheffield S3 7HF, England

ANGEW CHEM INT ED 1991, 30 (1) 80

Synthesis and characterization of per-3,6-anhydro cyclodextrins

Bekers O, Beijnen JH, Otagiri M, Bult A, Underberg WJM*//State Univ Utrecht, Fac Pharm, Dept Pharmaceut Anal, Catharijnesingel 60, 3511 GH Utrecht, The Netherlands

J PHARMACEUT BIOMED ANAL 1990, 8 (8-12) 671

Inclusion complexation of doxorubicin and daunorubicin with cyclodextrins

Bender H//Univ Freiburg, Inst Organ Chem & Biochem, Albertstr 21, W-7800 Freiburg, FRG

CARBOHYD RES 1991, 209 (JAN) 145

On the role of histidine residues in cyclodextrin glycosyltransferase - Chemical modification with diethyl pyrocarbonate

Frijlink HW, Eissens AC, Hefting NR, Poelstra K, Lerk CF, Meijer DKF//Univ Groningen, Dept Pharmaceut Technol & Biopharm, Ant Deusinglaan 2, 9713 AW Groningen, The Netherlands

PHARMACEUT RES 1991, 8 (1) 9

The effect of parenterally administered cyclodex-

trins on cholesterol levels in the rat

Gadelle A, Defaye J//CEN, Dept Rech Fondamentale, Chim Lab, BP 85X, F-38041 Grenoble, France

ANGEW CHEM INT ED 1991, 30 (1) 78

Selective halogenation at primary positions of cyclomaltooligosaccharides and a synthesis of per-3,6-anhydro cyclomaltooligosaccharides

Green AR, Miller ES, Guillory JK*//Univ Iowa, Coll Pharm, Iowa City, Ia 52242, USA

J PHARM SCI 1991, 80 (2) 186

Physical properties of the complexes formed between heptakis(2,6-di-O-methyl)-beta-cyclodextrin, beta-cyclodextrin, and chlorambucil

Jobe DJ, Verrall RE, Reinsborough VC*//Mt Allison Univ, Dept Chem, Sackville, NB, Canada E0A 3C0

CAN J CHEM 1990, 68 (12) 2131

Ultrasonic absorption studies in aqueous solutions of modified beta-cyclodextrins

Kodama M, Monya S//Ind Res Ctr Ehime Prefecture, 487-2 Kumekubota cho, Matsuyama, Ehime 790, Japan

J JPN SOC FOOD SCI TECHNOL 1991, 38 (1) 49

Utilization and processing of middle or late ripening variety citrus fruits. 16. White precipitates found in syrup of canned Iyo orange (*Citrus iyo* Hort ex Tanaka) segments with and without addition of cyclodextrin

Koradecki D, Kutner W*//Polish Acad Sci, Inst Phys Chem, Kasprzaka 44-52, PL-01224 Warsaw, Poland

J INCLUSION PHENOM MOL RECOGN 1991, 10 (1) 79

Inclusion of the regioisomeric nitrobenzene derivatives and ferrocene guests by beta-cyclodextrin polymer and their transport through the polymer matrix

Lofsson T, Olafsdottir BJ//Univ Iceland, Dept Pharm, IS-101 Reykjavik, Iceland

INT J PHARM 1991, 67 (2) R5

Cyclodextrin-accelerated degradation of beta-lactam antibiotics in aqueous solutions

Nishijo J, Yasuda M, Nagai M//Kobe Womens Coll Pharm, Motoyama kitamachi, Higashinada ku, Kobe 658, Japan

CHEM PHARM BULL TOKYO 1991, 39 (1) 5

Interaction of 8-anilinoanthracene-1-sulfonate with alpha-cyclodextrin

Rao CT, Lindberg B, Lindberg J, Pitha J*//
*NIA, GRC, Baltimore, Md 21224, USA

J ORG CHEM 1991, 56 (3) 1327

Substitution in beta-cyclodextrin directed by basicity - Preparation of 2-O-[(R)-2-hydroxypropyl] and 6-O-[(R)-2-hydroxypropyl] and [(S)-2-hydroxypropyl] derivatives

Rosenthal MI, Czarnik AW*//Ohio State Univ,
Dept Chem, Columbus, Oh 43210, USA

J INCLUSION PHENOM MOL RECOGN 1991, 10 (1) 119

Rapid transacylations of activated ester substrates bound to the primary side beta-cyclodextrin cyclen conjugate and its M-2+ complexes

Shimada K, Ohe Y, Ohguni T, Kawano K, Ishii J, Nakamura T//Yamaguchi Womens Univ, Dept Food & Nutr, 3-2-1 Sakurabatake, Yamaguchi 753, Japan

J JPN SOC FOOD SCI TECHNOL 1991, 38 (1) 16

Emulsifying properties of alpha-cyclodextrins, beta-cyclodextrins, gamma-cyclodextrins

Takahashi K, Ohtsuka Y, Nakada S, Hattori K//Tokyo Inst Polytech, Fac Engn, Dept Ind Chem, Atsugi, Kanagawa 24302, Japan

J INCLUSION PHENOM MOL RECOGN 1991, 10 (1) 63

Syntheses of 6N(N'-formyl-D-phenylalanyl)-deoxyamino-beta-cyclodextrin and 6N(N'-formyl-L-phenylalanyl)-deoxyamino-beta-cyclodextrin and their inclusion behavior

Tanaka M, Asano S, Yoshinaga M, Kawaguchi Y, Tetsumi T, Shono T//Osaka Univ, Fac Engn, Dept Appl Chem, Yamada oka, Suita, Osaka 565, Japan

FRESENIUS J ANAL CHEM 1991, 339 (1) 63

Separation of racemates by capillary zone electrophoresis based on complexation with cyclodextrins

Taraszevska J//Polish Acad Sci, Inst Phys Chem, PL-01224 Warsaw, Poland

J INCLUSION PHENOM MOL RECOGN 1991, 10 (1) 69

Complexes of beta-cyclodextrin with chloronitrobenzenes and with solvents in water + organic solvent mixtures

Wiese M, Cordes HP, Chi H, Seydel JK, Backensfeld T, Muller BW*//Univ Kiel, Dept Pharmaceut, Gutenbergstr 76-78, W-2300 Kiel 1, FRG

J PHARM SCI 1991, 80 (2) 153

Interaction of prostaglandin-E₁ with alpha-cyclodextrin in aqueous systems - Stability of the inclusion complex

Yanagi H, Ishikura N, Kenmotsu H, Yagi N, Goto K, Kato S, Sumiya S, Takada M//Higashi Nippon Gakuen Univ, Fac Pharmaceut Sci, Ishikari, Hokkaido 06102, Japan

YAGUGAKU ZASSHI-J PHARM SOC J 1991, 111 (1) 65

Effect of inclusion complexation of decanoic acid with alpha-cyclodextrin on rectal absorption of cefmetazole sodium suppository in rabbits

5 Lignin

Eriksson I, Haglund I, Lidbrandt O, Salmen L//SCA Tekn AB, Box 3054, S-85003 Sundsvall, Sweden

WOOD SCI TECHNOL 1991, 25 (2) 135

Fiber swelling favoured by lignin softening

Garver TM, Callaghan PT//Univ Nebraska, Dept Chem, Hamilton Hall, Lincoln, Ne 68588, USA

MACROMOLECULES 1991, 24 (2) 420

Hydrodynamics of Kraft lignins

Gomez-Alarcon G, Figueras MJ, Saiz-Jimenez C//Ctr Invest Biologicas, Velaquez 144, E-28006 Madrid, Spain

WOOD SCI TECHNOL 1991, 25 (2) 91

Degradation of pine Kraft lignin by Coriopsis gallica growing on a fibre-glass support

Reid ID, Deschamps AM//Natl Res Council Canada, Biotechnol Res Inst, 6100 Ave Royalmount, Montreal, Quebec, Canada H4P 2R2

CAN J BOT 1991, 69 (1) 147

Nutritional regulation of synthetic lignin (DHP) degradation by the selective white-rot fungus *Phlebia* (*Merulius*) *tremellosa* - Effects of glucose and other cosubstrates

Reid ID//Natl Res Council Canada, Biotechnol Res Inst, 6100 Ave Royalmount, Montreal, Quebec, Canada H4P 2R2

CAN J BOT 1991, 69 (1) 156

Nutritional regulation of synthetic lignin (DHP) degradation by *Phlebia* (*Merulius*) *tremellosa* - Effect of nitrogen

6 Polysaccharides - Named

Hjerten S, Mohammad J, Eriksson KO, Liao JL//Univ Uppsala, Ctr Biomed, Dept Biochem, POB 576, S-75123 Uppsala, Sweden

CHROMATOGRAPHIA 1991, 31 (1-2) 85

General methods to render macroporous stationary phases nonporous and deformable, exemplified with agarose and silica beads and their use in high-performance ion-exchange and hydrophobic-interaction chromatography of proteins

Ohnishi N, Kondo K, Takemoto K//Kanazawa Univ, Fac Sci, Dept Phys, Kanazawa, Ishikawa 920, Japan

MAKROMOL CHEM-MACRO CHEM PHYS 1990, 191 (10) 2397

Functional monomers and polymers. 191. Synthesis of N-nitrophenylchitosan derivatives and their electrochemical properties

Terbojevich M, Cosani A, Conio G, Marsano E, Bianchi E//Univ Padua, Dipartimento Chim Organ, via Marzolo 1, I-35131 Padua, Italy

CARBOHYD RES 1991, 209 (JAN) 251

Chitosan-chain rigidity and mesophase formation

Furukawa R, Arauzlara JL, Ware BR**Syracuse Univ, Dept Chem, Syracuse, NY 13244, USA

MACROMOLECULES 1991, 24 (2) 599

Self-diffusion and probe diffusion in dilute and semidilute aqueous solutions of dextran

Duda CA, Stevens ES*, Reid JSG//SUNY Binghamton, Dept Chem, Binghamton, NY 13901, USA

MACROMOLECULES 1991, 24 (2) 431

Conformational properties of beta-(1-4)-D-galactan determined from chiroptical measurements

Baveja SK, Rao KVR, Arora J, Mathur NK, Vinayak VK**Postgrad Inst Med Educ & Res, Dept Exptl Med, Chandigarh 160012, India

INDIAN J CHEM SECT B 1991, 30 (2) 133

Chemical investigations of some galactomannan gums as matrix tablets for sustained drug delivery

Cairns P, Miles MJ, Morris VJ//AFRC Inst Food Res, Norwich Lab, Colney Lane, Norwich NR4 7UA, England

CARBOHYD POLYM 1991, 14 (4) 367

X-ray fibre diffraction studies of members of the gellan family of polysaccharides

Allmaier G, Schmid ER, Hagspiel K, Kubicek CP, Karas M, Hillenkamp F//Univ Vienna, Inst Anal Chem, Währinger Str 38, A-1090 Vienna, Austria

ANAL CHIM ACTA 1990, 241 (2) 321

Strategy for the characterization of the glycoprotein endoglucanase-I isolated from *Trichoderma reesei* - Combination of plasma desorption and UV laser desorption time-of-flight mass spectrometry

Horvathova M, Mislovicova D, Soltes L, Tuzar Z, Gemeiner P*, Zubor V//Inst Chem, Slovak Acad Sci, 84238 Bratislava, Czechoslovakia

CARBOHYD POLYM 1991, 15 (1) 79

Preparation and molecular characterization of carboxymethylglucan fractions

Waksman G//Univ Sheffield, Dept Molec Biol & Biotechnol, Sheffield S10 2TN, England

BIOCHIM BIOPHYS ACTA 1991, 1073 (1) 49

Purification and characterization of two endo-beta-1,4-D-glucanases from *Sclerotinia sclerotiorum*

Wood PJ, Weisz J, Blackwell BA//Agr Canada, Ctr Food Res, Ottawa, Ontario, Canada K1A 0C6

CEREAL CHEM 1991, 68 (1) 31

Molecular characterization of cereal beta-D-glucans - Structural analysis of oat beta-D-glucan and rapid structural evaluation of beta-D-glucans from different sources by high-performance liquid chromatography of oligosaccharides released by lichenase

Wood PJ, Weisz J, Fedec P//Agr Canada, Ctr Food Res, Ottawa, Ontario, Canada K1A 0C6

CEREAL CHEM 1991, 68 (1) 48

Potential for beta-glucan enrichment if brans derived from oat (*Avena sativa* L) cultivars of different (1-3), (1-4)-beta-D-glucan concentrations

Murakata C, Ogawa T**Inst Phys & Chem Res, Wako, Saitama 35101, Japan

TETRAHEDRON LETT 1991, 32 (5) 671

Synthetic studies on cell-surface glycans. 78. A total synthesis of GPI anchor of *Trypanosoma brucei*

Bajpai UDN, Jain A, Bajpai AK//Rani Durgawa-

- ti Univ Jabalpur, Dept Chem, Jabalpur 482001, Madhya Pradesh, India
 ACTA POLYM 1990, 41 (11) 577
 Grafting of acrylamide onto guar gum with the redox system $\text{Cu}^{2+}/\text{Na}_2\text{S}_2\text{O}_5$
- Lapasin R, Priel S, Tracanelli P//Univ Trieste, Ist Chim Appl Indust, via Valerio 2, I-34127 Trieste, Italy
 CARBOHYD POLYM 1991, 14 (4) 411
 Rheology of hydroxyethyl guar gum derivatives
- Bhatt JR, Ram HYM//Univ Delhi, Dept Bot, Delhi 110007, India
 CURR SCI 1990, 59 (23) 1247
 Ethephon-induced gum production in *Acacia senegal* and its potential value in the semi-arid regions of India
- Dickinson E, Galazka VB, Anderson DMW//Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England
 CARBOHYD POLYM 1991, 14 (4) 373
 Emulsifying behaviour of gum arabic. Part 1: Effect of the nature of the oil phase on the emulsion droplet-size distribution
- Dickinson E, Galazka VB, Anderson DMW//Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England
 CARBOHYD POLYM 1991, 14 (4) 385
 Emulsifying behaviour of gum arabic. Part 2: Effect of the gum molecular weight on the emulsion droplet-size distribution
- Cruickshank MK, Levine MN, Hirsh J, Roberts R, Siguenza M//McMaster Univ, Dept Med, Hamilton, Ontario, Canada L8S 4L8
 ARCH INTERN MED 1991, 151 (2) 333
 A standard heparin nomogram for the management of heparin therapy
- Dyr JE, Suttner J//Inst Hematol & Blood Transfus, CS-12820 Prague 2, Czechoslovakia
 J CHROMATOGR-BIOMED APPL 1991, 563 (1) 124
 Affinity high-performance liquid chromatography on heparin-Glc-Spheron
- Ghosh S, Xiao L, Reed CE, Reed WF*//Tulane Univ, Dept Phys, New Orleans, La 70118, USA
 BIOPOLYMERS 1990, 30 (11-12) 1101
 Apparent persistence lengths and diffusion behavior of high molecular weight hyaluronate
- Laurent C, Soderberg O, Anniko M, Hartwig S//Cent Hosp Falun, Dept Otorhinolaryngol, S-79182 Falun, Sweden
 ORL-J OTO-RHINO-LARYNGOL 1991, 53 (1) 37
 Repair of chronic tympanic membrane perforations using applications of hyaluronan or rice paper prostheses
- Reed WF, Reed CE, Byers LD//Tulane Univ, Dept Phys, New Orleans, La 70118, USA
 BIOPOLYMERS 1990, 30 (11-12) 1073
 Random coil scission rates determined by time-dependent total intensity light scattering - Hyaluronate depolymerization by hyaluronidase
- Prescott LF, Freestone S, McAuslane JAN//Univ Edinburgh, Royal Infirm, Dept Clin Pharmacol, Edinburgh EH3 9YW, Scotland
 CLIN SCI 1991, 80 (2) 167
 Reassessment of the single intravenous injection method with inulin for measurement of the glomerular filtration rate in man
- Berth G, Lexow D//Ctr Inst Nutr, Arthur Scheunert Allee 114/116, O-1505 Bergholz-Rehbrücke, FRG
 CARBOHYD POLYM 1991, 15 (1) 51
 The determination of the molecular-weight distribution of pectins by calibrated GPC. Part II. The universal calibration
- Dawson DM, Melton LD*//Univ Calif, Pomology Dept, Davis, Ca 95616, USA
 CARBOHYD POLYM 1991, 15 (1) 1
 Two pectic polysaccharides from kiwifruit cell walls
- Fishman ML, El-Atawy YS, Sondey SM, Gillespie DT, Hicks KB//USDA, ARS Eastern Reg Res Ctr, 600 E Mermaid Lane, Philadelphia, Pa 19118, USA
 CARBOHYD POLYM 1991, 15 (1) 89
 Component and global average radii of gyration of pectins from various sources
- Koseki M, Kitabatake N, Kazama M, Doi E//Tokyo Metropolitan Res Lab Publ Hlth, 24-1 Hyakunincho 3 chome, Shinjuku ku, Tokyo 169 Japan
 J JPN SOC FOOD SCI TECHNOL 1991, 38 (1) 62
 Repression of lipase activity by pectin

Kunzek H, Kleiber U, Heilscher K, Anger H//
Humboldt Univ, Fak Nahrungsguterwirtschaft &
Lebensmitteltechnol, Neue Schonhauser Str 20,
O-1020 Berlin, FRG

LEBENSMITTELINDUSTRIE 1991, 38 (1) 7

About the influence of the washing and extrac-
tion process of apple pomace on the yield and
quality of pectin. 2. (German, English Abstract)

Renard CMGC, Schols HA, Voragen AGJ, Thi-
bault J-F, Pilnik W//INRA, Lab Biochim &
Technol Glucides, rue Geraudiere, BP 527, F-
44026 Nantes Cedex 03, France

CARBOHYD POLYM 1991, 15 (1) 13

Studies on apple protopectin. III. Charac-
terization of the material extracted by pure poly-
saccharidases from apple cell walls

Walter RH, Matias HL//Cornell Univ, Inst Food
Sci, Geneva, NY 14456, USA

CARBOHYD POLYM 1991, 15 (1) 33

Pectin aggregation number by light scattering
and reducing end-group analysis

Westerlund E, Aman P, Andersson R, Anders-
son RE, Rahman SMM//Swedish Univ Agr Sci,
Dept Chem, Box 7015, S-750 07 Uppsala,
Sweden

CARBOHYD POLYM 1991, 15 (1) 67

Chemical characterization of water-soluble pec-
tin in papaya fruit

Williamson G//AFRC, Inst Food Res, Colney
Lane, Norwich NR4 7UA, England

PHYTOCHEMISTRY 1991, 30 (2) 445

Purification and characterization of pectin acety-
lase from orange peel

Kotzekidou P//Aristotelian Univ Salonika, Fac
Agr, Dept Agr Ind Food Sci & Technol, Box
250, GR-54006 Salonika, Greece

J IND MICROBIOL 1991, 7 (1) 53

Production of polygalacturonase by *Byssoschla-
mys fulva*

Waksman G, Keon JPR, Turner G//Univ Shef-
field, Dept Molec Biol & Biotechnol, Sheffield
S10 2TN, England

BIOCHIM BIOPHYS ACTA 1991, 1073 (1) 43

Purification and characterization of two endo-
polygalacturonases from *Sclerotinia sclerotiorum*

Thorn W, Mohazzeb S//Inst Biochem & Leben-
smittelchem, Martin Luther Pl 6, W-2000 Ham-

burg 13, FRG

STARCH 1990, 42 (12) 455

Alpha-D-polyglucan-iodine complexes

Nio Y, Shiraishi T, Tsubono M, Morimoto H,
Tseng CC, Imai S, Tobe T//Kyoto Univ, Fac
Med, Dept Surg 1, 54 Shogoin kawara cho,
Sakyo ku, Kyoto 606, Japan

CANCER IMMUNOL IMMUNOTHER 1991,
32 (6) 335

In vitro immunomodulating effect of protein-
bound polysaccharide, PSK on peripheral blood,
regional nodes, and spleen lymphocytes in pa-
tients with gastric cancer

Sakurai T, Suzuki I, Kinoshita A, Oikawa S, Ma-
suda A, Ohsawa M, Yadomae T**//Tokyo Coll
Pharm, Hironouchi 1432-1, Hachioji, Tokyo
19203, Japan

CHEM PHARM BULL TOKYO 1991, 39 (1)
214

Effect of intraperitoneally administered beta-1,3-
glucan, SSG, obtained from *Sclerotinia sclerotio-
rum* IPO-9395 on the functions of murine alveo-
lar macrophages

Capalash N, Gupta KG, Sharma P//Punjab Univ,
Dept Microbiol, Chandigarh 160014, India

LETT APPL MICROBIOL 1991, 12 (2) 31

Effects of additives on the activity of *Bacillus* sp
beta-xylanase

Sundberg M, Potanen K//Valt Teknillinen Tutki-
muskeskos Biotech Lab, Tietotie 2, SF-02150
Espoo, Finland

BIOTECHNOL APPL BIOCHEM 1991, 13 (1)
1

Purification and properties of 2-acetylxylan es-
terases of *Trichoderma reesei*

7 Polysaccharides - Other

Beynon LM, Perry MB, Richards JC//Natl Res
Council Canada, Div Biol Sci, Ottawa, Ontario,
Canada K1A 0R6

CARBOHYD RES 1991, 209 (JAN) 211

Structure of the capsular polysaccharide from
Actinobacillus pleuropneumoniae serotype-7

Delcour JA, Van Hamel S, Hosney RC//Cath-
olic Univ Leuven, Toegepaste Organ Scheikunde
Lab, Kardinaal Mercierlaan 92, B-3030 Heverlee,
Belgium

CEREAL CHEM 1991, 68 (1) 72

Physicochemical and functional properties of rye nonstarch polysaccharides. 2. Impact of a fraction containing water-soluble pentosans and proteins on gluten-starch loaf volumes

Fanta GF, Salch JH//USDA, ARS, North Reg Res Ctr, Peoria, IL 61604, USA

CARBOHYD POLYM 1991, 14 (4) 393

Analysis of polysaccharide-poly(ethylene-co-acrylic acid) composites by Fourier-transform infrared spectroscopy

Greenberg DP, Vadheim CM, Bordenave N, Ziontz L, Christenson P, Waterman SH, Ward JI//Univ Calif Los Angeles, Harbor Med Ctr, Sch Med, Ctr Vaccine Res, 1124 W Carson St, Bldg E-6, Torrance, CA 90502, USA

JAMA-J AM MED ASSN 1991, 265 (8) 987

Protective efficacy of Haemophilus influenzae type-B polysaccharide and conjugate vaccines in children 18 months of age and older

Griffiths AJ, Davies DB/3 Whitecroft, St Albans, Hertfordshire AL1 1UU, England

CARBOHYD POLYM 1991, 14 (4) 339

Type-specific carbohydrate antigens of pathogenic bacteria. Part 2

Lam Z, Comisarow MB*, Dutton GGS, Parolis H, Parolis LAS, Bjarnason A, Weil DA/*Univ British Columbia, Dept Chem, Vancouver, BC, Canada V6T 1Y6

ANAL CHIM ACTA 1990, 241 (2) 187

Laser desorption ionization Fourier transform ion cyclotron resonance mass spectrometry of carbohydrates. 1. Bacterial oligosaccharides containing neuraminic acid or pyruvic acid acetal groups

Redgwell RJ, Melton LD, Brasch DJ//DSIR, Mt Albert Res Ctr, Auckland, New Zealand

CARBOHYD RES 1991, 209 (JAN) 191

Cell-wall polysaccharides of kiwifruit (Actinidia deliciosa) - Effect of ripening on the structural features of cell-wall materials

Sano H, Nagae H, Suzuki M, Tagashira E, Fukasaku N, Kimishima S, Yugi H, Baba S//Zeria Pharmaceut Co Ltd, Cent Res Labs, 2512-1 Oshikiri, Konan, Saitama 36001, Japan

J LABEL COMPOUND RADIOPHARM 1991, 29 (2) 131

¹⁴C-labelling of hematopoietic immunomodulator (Z-100) consisting of polysaccharides obtained from cultivation of Mycobacterium tuber-

culosis

Viswanathan T, Toland A//Univ Arkansas, Dept Chem, Little Rock, AR 72204, USA

CARBOHYD POLYM 1991, 15 (1) 41

Whey modified phenol-formaldehyde resins as plywood adhesives

Wang J, Taha Z, Naser N//New Mexico State Univ, Dept Chem, La Cruces, NM 88003, USA

TALANTA 1991, 38 (1) 81

Electroanalysis at modified carbon-paste electrodes containing natural ionic polysaccharides

Zevenhuizen LPTM, Faleschini P//Agr Univ Wageningen, Dept Microbiol, Hesselink van Suchtelenweg 4, 6703 CT Wageningen, The Netherlands

CARBOHYD RES 1991, 209 (JAN) 203

Effect of the concentration of sodium chloride in the medium on the relative proportions of polysaccharides and oligosaccharides excreted by Rhizobium meliloti strain YE-2SI

8 Lipopolysaccharides

Beynon LM, Moreau M, Richards JC, Perry MB//Natl Res Council Canada, Div Biol Sci, Ottawa, Ontario, Canada K1A 0R6

CARBOHYD RES 1991, 209 (JAN) 225

Structure of the O-antigen of Actinobacillus pleuropneumoniae serotype-7

Oxley D, Wilkinson SG//Univ Hull, Sch Chem, Hull HU6 7RX, England

CARBOHYD RES 1991, 209 (JAN) 319

Structure of a glucorhamnan from the lipopolysaccharide of Serratia marcescens strain-S1254

9 Starch

Leloup VM, Colonna P, Bulcon A//INRA, BP 527, F-44026 Nantes 03, France

J CEREAL SCI 1991, 13 (1) 1

Influence of amylose amylopectin ratio on gel properties

Penner M, Fingerhut D, Tacke A//Univ Munster, Anasthesiol & Operat Intens Med Klin & Poliklin, W-4400 Munster, FRG

INFUSIONSTHERAPIE 1990, 17 (6) 314

Influence of a new hydroxyethylstarch preparation (10% HES/270/0.5) on hemostasis, blood-loss and hemodynamics compared to plasma

protein solution (German, English Abstract)

Ask L, Nair B, Asp NG//Univ Lund, Ctr Chem, Dept Appl Nutr & Food Chem, POB 124, S-22100 Lund, Sweden

J CEREAL SCI 1991, 13 (1) 15

Effect of scalding procedures on the degradation of starch in rye products

Cheng P, Mueller RE*, Haeger S, Bajpai R, Iannotti EL//Univ Missouri, Dept Agr Engn, Columbia, Mo 65211, USA

J IND MICROBIOL 1991, 7 (1) 27

Lactic acid production from enzyme-thinned corn starch using *Lactobacillus amylovorus*

Czejka M, Schuller J//Univ Vienna, Inst Pharmazeut Chem, Währinger Str 10, A-1090 Vienna, Austria

ARCH PHARM 1991, 324 (1) 53

Binding of 5-fluorouracil to microspheres starch-particles (German, English Abstract)

Endo S, Okada K, Nagao S//Nisshin Flour Milling Co Ltd, 5-3-1 Tsurugaoka, Iruma, Saitama 354, Japan

J JPN SOC FOOD SCI TECHNOL 1991, 38 (1) 7

Studies on the noodle making quality of Japanese domestic wheat flours. 3. Characterization of wheat starches by high-performance size-exclusion chromatography

Gomez MH, Waniska RD, Rooney LW//Texas A&M Univ Syst, Qual Lab Soil & Crop Sci, College Stn, Tx 77843, USA

STARCH 1990, 42 (12) 475

Effects of nixtamalization and grinding conditions on the starch in masa

Henry RJ, Blakeney AB, Lance RCM//Queensland Wheat Res Inst, POB 2282, Toowoomba, Qld 4350, Australia

STARCH 1990, 42 (12) 468

Enzymic determination of starch in samples with high sugar content

Lingstrom P, Björck I, Drews A, Birkhed D//Gothenburg Univ, Fac Odontol, Dept Cardiol, Odontol Clin, Box 33070, S-40033 Gothenburg, Sweden

SCAND J DENT RES 1991, 99 (1) 30

Effects of chemically modified starches in suspensions and lozenges on pH of human dental

plaque

Mason JR, Avery ML, Glahn JF, Otis DL, Matteson RE, Nelms CO//Monell Chem Senses Res Ctr, USDA, Denver Wildlife Res, Anim & Plant Hlth Inspect Serv, Philadelphia, Pa 19104, USA

J WILDLIFE MANAGE 1991, 55 (1) 182

Evaluation of methyl anthranilate and starch-plated dimethyl anthranilate as bird repellent feed additives

McDonald AML, Stark JR, Morrison WR, Ellis RP//Heriot Watt Univ, Inst Ctr Brewing & Distilling, Edinburgh EH14 4AS, Scotland

J CEREAL SCI 1991, 13 (1) 93

The composition of starch granules from developing barley genotypes

Mohamed S//Univ Pertanian Malaysia, Fac Food Sci & Biotechnol, Dept Food Sci, Serdang 43400, Malaysia

J FOOD PROCESS PRESERV 1990, 14 (6) 437

Factors affecting extrusion characteristics of expanded starch-based products

Nierle W, Elbaya AW, Kerstring HJ, Meyer D//Bundesforsch Anstalt Getreide & Kartoffelverarbeitung, Schutzenberg 12, W-4930 Detmold, FRG

STARCH 1990, 42 (12) 471

Lipids and rheological properties of starch. 2. The effect of granule surface material on viscosity of wheat starch

Niwa E, Ogawa N, Kanoh S//Mie Univ, Fac Bioresources, Tsu, Mie 514, Japan

NIPPON SUISAN GAKKAISHI 1991, 57 (1) 157

Depression of elasticity of kamaboko induced by pregelatinized starch

Oates CG//Natl Univ Singapore, Fac Med, Dept Biochem, 10 Kent Ridge Crescent, Singapore 0511, Singapore

STARCH 1990, 42 (12) 464

Fine structure of mung bean starch - An improved method of fractionation

Sievert D, Czuchajowska Z, Pomeranz Y//Washington State Univ, Dept Food Sci & Human Nutr, Pullman, Wa 99164, USA

CEREAL CHEM 1991, 68 (1) 86

Enzyme-resistant starch. 3. X-ray diffraction of autoclaved amylo maize VII starch and enzyme-

resistant starch residues

Soni PL, Sharma H, Srivastava HC, Gharia MM//Forest Res Inst, MFP Div, Chem Forest Prod Lab, Dehra Dun 248006, India

STARCH 1990, 42 (12) 460

Physicochemical properties of *Canna edulis* starch - Comparison with maize starch

Steeneken PAM, Smith E//TNO, Netherlands Inst Carbohydrate Res, Rouaanstr 27, 9723 CC Groningen, The Netherlands

CARBOHYD RES 1991, 209 (JAN) 239

Topochemical effects in the methylation of starch

Suortti T, Pessa E//Tech Res Ctr Finland, Food Res Lab, Biolognikuja 1, SF-02150 Espoo, Finland

J CHROMATOGR 1991, 536 (1-2) 251

Gel permeation chromatographic determination of starches using alkaline eluents

10 Starch-degrading Enzymes

Feng GH, Chen MS, Kramer KJ, Reeck GR*// *Kansas State Univ Agr & Appl Sci, Dept Biochem, Willard Hall, Manhattan, Ks 66506, USA

CEREAL CHEM 1991, 68 (1) 95

Reversed-phase high-performance liquid chromatographic separation of wheat proteinaceous inhibitors of insect and mammalian alpha-amylases

Giri NY, Mohan KR, Rao LV, Rao CP//Osmania Univ, Nizam Coll, Dept Chem, Hyderabad 500001, India

CURR SCI 1990, 59 (24) 1339

Immobilization of alpha-amylase complex in detection of higher oligosaccharides on paper

McKay AM//Dept Agr North Ireland, Div Food & Agr Microbiol Res, Newforge Lane, Belfast BT9 5PX, North Ireland

LETT APPL MICROBIOL 1991, 12 (2) 36

Cell-associated amylase activity in *Cytophaga johnsonae*

Sreenath HK, Bemiller J//Def Food Res Lab, Mysore 570011, India

STARCH 1990, 42 (12) 482

Effect of pullulanase and alpha-amylase on hydrolysis of waxy corn starch

Ohnishi M, Iwata K, Tomita T, Nishikawa U, Hiromi K//Kyoto Univ, Coll Agr, Dept Food Sci & Technol, Sakyo ku, Kyoto 606, Japan

STARCH 1990, 42 (12) 486

Kinetic properties of the *Rhizopus gluco-amylase* and *Bacillus alpha-amylase*, which are immobilized on cellulofine

Wang HJ, Thomas RL//Clemson Univ, Dept Food Sci, 223 Poole Agr Ctr, Clemson, SC 29634, USA

J CHROMATOGR 1991, 536 (1-2) 107

High-performance liquid chromatography for the assessment of glucoamylase, immobilized on metallic membranes