

Bibliography of carbohydrate polymers

(5 weeks journals. Search completed at 18th June 1997)

1 BOOKS, REVIEWS & SYMPOSIA

- Aida ICF, Martha LAR, Agustin LM*// *UNAM, Inst Biotecnol, AP 510-3, Cuernavaca 62271, Morelos, Mexico
Int J Food Sci Technol 1996 31 (6) 505
 Shelf-life of tortilla extended with fungal amylases (Review)
- Baker RA// USDA/ARS, US Citrus & Subtrop Prod Lab, Sth Atlantic Area, POB 1909, Winter Haven, FL 33880, USA
J Food Sci 1997 62 (2) 225
 Reassessment of some fruit and vegetable pectin levels (Review)
- BeMiller JN// Purdue Univ, Whistler Ctr Carbohydrate Res, Smith Hall, West Lafayette, IN 47907, USA
Starch 1997 49 (4) 127
 Starch modification: Challenges and prospects (Review)
- Nurmohamed MT, Ten Cate H, Ten Cate JW// Univ Amsterdam, Ctr Hemostasis Thrombosis Atherosclerosis & Inflamm Res, Meibergdreef 9, NL-1105 AZ Amsterdam, The Netherlands
Drugs 1997 53 (5) 736
 Low molecular weight heparin(oid)s: Clinical investigations and practical recommendations (Review)

2 CELLULOSE

- Abulzza K, Tambrallo L, Lu DR*// *Univ Georgia, Coll Pharm, Athens, GA 30602, USA
J Pharm Sci 1997 86 (5) 554
In vivo evaluation of zidovudine (AZT)-loaded ethylcellulose microspheres after oral administration in beagle dogs
- Aniedobe NE, Thies MC*// *Clemson Univ, Dept Chem Engr, Clemson, SC 29634, USA
Macromolecules 1997 30 (9) 2792
 Formation of cellulose acetate fibers by the rapid expansion of supercritical methanol solutions
- Barai BK, Singhal RS, Kulkarni PR// Univ Dept Chem Tech, Food & Fermentation Technol Div, Matunga, Bombay 400019, India
Carbohydr Polym 1997 32 (3/4) 229
 Optimization of a process for preparing carboxymethyl cellulose from water hyacinth (*Eichornia crassipes*)
- Brestkin YV, Strelina IA, Zoolshoev ZF, Nudga LA// Inst Macromol Cpds, Bolshoi pr 31, St Petersburg 199004, Russia
Vysokomol Soedin 1997 39 (2) 295
 Flow birefringence and optical anisotropy of the molecules of cyanoethylated cellulose esters (Russian, English Abstract)
- Carranza-Garcia JA, Lopez-Quintela MA, Rivas-Rey J// Univ Santiago de Compostela, Dept Phys Chem, E-15706 Santiago de Compostela, Spain
Colloid Surface A 1997 121 (1) 61
 Characterization of ferrite particles synthesized in presence of cellulose fibers
- Cherng A, Takagi S, Chow LC// Natl Inst Stand & Technol, Paffenbarger Res Ctr, Amer Dent Assoc Hlth Fdn, Gaithersburg, MD 20899, USA
J Biomed Mater Res 1997 35 (3) 273
 Effects of hydroxypropyl methylcellulose and other gelling agents on the handling properties of calcium phosphate cement
- Chirat C, Lachenal D// Ctr Tech Ind Papiers Cartons & Celluloses, Domaine Holzforchung 1997 51 (2) 147
 Effect of hydroxyl radicals on cellulose and pulp and their occurrence during ozone bleaching
- Chiriac AP, Neamtu I, Cazacu G, Simionescu CI, Rozmarin G// Petru Poni Inst

- Macromol Chem, Aleea Gr Ghica Voda 41 A, RO-6600 Iasi, Romania
Angew Makromol Chem 1997 246 1
 An investigation of the grafting of cellulose powder with acrylamide under a magnetic field
- Dashevsky A, Zessin G// Inst Postgrad Advance Physicians, Dorogozhytskaja Str 9, UA-254112 Kiev, Ukraine
J Microencapsul 1997 14 (3) 273
 The effect of ethylcellulose molecular weight on the properties of theophylline microspheres
- Dave V, Glasser WG*// *Virginia Polytech Inst & State Univ, Dept Wood Sci & Forest Prod, Blacksburg, VA 24061, USA
Polymer 1997 38 (9) 2121
 Cellulose-based fibres from liquid crystalline solutions. V. Processing and morphology of CAB blends with lignin
- Dong XM, Gray DG*// *McGill Univ, Paprican, Montreal, Quebec, Canada H3A 2A7
Langmuir 1997 13 (8) 2404
 Effect of counterions on ordered phase formation in suspensions of charged rodlike cellulose crystallites
- Evertsson H, Nilsson S*// *Univ Uppsala, Ctr Biomed, Box 574, S-75123 Uppsala, Sweden
Macromolecules 1997 30 (8) 2377
 Microviscosity in clusters of ethyl hydroxyethyl cellulose and sodium dodecyl sulfate formed in dilute aqueous solutions as determined with fluorescence probe techniques
- Hohn W, Tiekke B*// *Univ Cologne, Inst Phys Chem, Luxemburgerstr 116, D-50939 Cologne, Germany
Macromol Chem Physics 1997 198 (3) 703
 γ-Ray polymerization of lyotropic solutions of cellulose derivatives under retention of the macroscopic order
- Iijima H, Iwata M, Inamoto M, Kamide K// Asahi Chem Ind Co Ltd, Res & Dev Dept Special Chem III, 304 Mizushiri, Miyazaki 882, Japan
Polym J 1997 29 (2) 147
 Phenomenological effects of solvent-casting conditions on pore characteristics of regenerated cellulose membranes
- Kokot S, Marahusin L, Schweinsberg DP// Queensland Univ Technol, Ctr Instrumental & Dev Chem, Brisbane, Qld 4001, Australia
Mikrochim Acta 1997 (Suppl 14) 201
 A drift spectroscopy study of oxidatively modified cotton-cellulose
- Kotelnikova NE, Paakkari T, Serimaa R, Wegener G, Kotelnikov VP, Demidov VN, Schukarev AV, Windeisen E, Knozinger H, Kudryashov VI *et al*// Russian Acad Sci, Inst Macromol Cpds, St Petersburg 199004, Russia
Macromol Symposia 1997 114 165
 Study of metal clusters intercalation into cellulose by WAXS, spectroscopic, and microscopic methods
- Kusano H, Kimura S, Kitagawa M, Kobayashi H// Ind Res Inst, 390 Akisato, Tottori 680, Japan
Thin Solid Films 1997 295 (1-2) 53
 Application of cellulose Langmuir-Blodgett films as humidity sensors, and characteristics of the sorption of water molecules into polymer monolayers
- Luo GS, Niang M, Schaetzl P// Tsing Hua Univ, Dept Chem Engr, Beijing 100084, Peoples Rep China
Separ Sci Technol 1997 32 (6) 1143
 Development of cellulose acetate propionate membrane for separation of ethanol and ethyl tertbutyl ether mixtures
- McBrierty VJ, Keely CM, Coyle FM, Xu HA, Vij JK// Trinity Coll, Dept Phys, Dublin 2, Rep Ireland
Faraday Discuss 1996 (103) 255
 Hydration and plasticization effects in cellulose acetate: Molecular motion and

As a service to subscribers, each issue of the Journal contains a bibliography of newly published material in the field of carbohydrate polymers. The bibliography is divided into thirteen sections: 1 Books, Reviews & Symposia; 2 Cellulose; 3 Cellulose-degrading Enzymes; 4 Chitin/Chitosan; 5 Cyclodextrins; 6 Lignin; 7 Lipopolysaccharides; 8 Pectin; 9 Starch; 10 Starch-degrading Enzymes; 11 Polysaccharides - Microbial; 12 Polysaccharides - Plant; 13 Polysaccharides - Other. Within each section, articles are listed in alphabetical order with respect to author. When there are no publications to appear under one of these headings, that section will be omitted.

relaxation

Muller M, Werner C, Grundke K, Eichhorn KJ, Jacobasch HJ// Inst Polymerforsch Dresden eV, Hohe Str 6, D-01069 Dresden, Germany
Mikrochim Acta 1997 (Suppl 14) 671

ATR-FT-IR spectroscopy of proteins adsorbed on biocompatible cellulose films

Nishinari K, Hofmann KE, Kohyama K, Nishinari N// Osaka City Univ, FCA Human Life Sci, Dept Food & Nutr, Osaka 558, Japan
Macromol Chem Physics 1997 198 (4) 1217

Gel-sol transition of methylcellulose

Nokhodchi A, Ford JL*, Rubinstein MH// *Liverpool John Moores Univ, Pharmaceut Technol & Drug Delivery Grp, Byrom St, Liverpool L3 3AF, England
J Pharm Sci 1997 86 (5) 608

Studies on the interaction between water and (hydroxypropyl)methylcellulose

Oh YS, Lee S, Min SK, Shin YJ, Kim BK*// *Pusan Natl Univ, Dept Polymer Sci & Engr, Pusan 609735, South Korea
J Appl Polym Sci 1997 64 (10) 1937

Modified polyacrylonitrile blends with cellulose acetate: Fibers' properties

Parajo JC, Alonso JL, Moldes AB// Univ Vigo, Dept Chem Engr, E-32004 Orense, Spain
Food Biotechnol 1997 11 (1) 45

Production of lactic acid from lignocellulose in a single stage of hydrolysis and fermentation

Prevys VA, Wang BC, Khan SA, Spontak RJ*// *Nth Carolina State Univ, Dept Mat Sci & Engr, Box 7907, Raleigh, NC 27695, USA
Colloid Polym Sci 1997 275 (3) 284

Salting-in behavior of isotropic and anisotropic aqueous hydroxypropylcellulose solutions

Pron A, Zagorska M, Nicolau Y, Genoud F, Nechtschein M// Acad Mining & Met, Mickiewicz 30, PL-30059 Krakow, Poland
Synthet Metal 1997 84 (1-3) 89

Highly conductive composites of polyaniline with plasticized cellulose acetate

Rashidova SS, Voropaeva NL, Kalantarova TD, Yushkova SM// Uzbek Acad Sci, Inst Polymer Chem, ul A Kadyri 7B, Tashkent 700128, Uzbekistan
Vysokomol Soedin 1997 39 (3) 556

Calorimetric studies of the heats of interaction between methylcellulose and poly (vinylpyrrolidone) (Russian, English Abstract)

Saad GR, Furuhashi K// Cairo Univ, Dept Chem, Giza, Egypt
Polym Int 1997 42 (4) 356

Effect of substituents on dielectric β -relaxation in cellulose

Santamaria A, Lizaso MI, Munoz ME// EHU, UPV, Fac Chem, Dept Polymer Sci & Technol, E-20009 San Sebastian, Spain
Macromol Symposia 1997 114 109

Rheology of ethyl cellulose solutions

Shirai A, Sakairi N, Nishi N, Tokura S*// *Hokkaido Univ, Grad Sch Environ Earth Sci, Div Bio-sci, Sapporo 060, Japan
Carbohydr Polym 1997 32 (3/4) 223

Preparation of a novel (1-4)- β -D-glycan by *Acetobacter xylinum*: A proposed mechanism for incorporation of a *N*-acetylglucosamine residue into bacterial cellulose

Singh K, Shahi VK// Gorakhpur Univ, Dept Chem, Gorakhpur 273009, Uttar Pradesh, India
Indian J Chem Sect A 1997 36 (2) 144

Electrochemical characterization of cellulose nitrate microfilter-surfactant composite system

Tanaka R// Forestry & Forest Prod Res Inst, Wood Chem Div, Tsukuba Norin Kenkyu Danchinai, POB 16, Ibaraki, Osaka 305, Japan
Macromol Chem Physics 1997 198 (3) 883

Differential scanning calorimetry studies on water restrained in hydroxyethylcellulose and hydrophobically modified hydroxyethylcellulose

Tang LG, Hon DNS*, Zhu YQ// *Clemson Univ, Sch Nat Resources, Wood & Cellulos Chem Lab, Clemson, SC 29634, USA
J Appl Polym Sci 1997 64 (10) 1953

An investigation in solution acetylation of cellulose by microscopic techniques

Wolter A, Banka E, Genoud F, Pron A, Nechtschein M// CEA, Dept Rech Fondamentale Mat Condensee, Lab Phys Metaux Synthet, 17 rue Martyrs, F-38054 Grenoble 9, France
Synthet Metal 1997 84 (1-3) 753

Electronic transport in composites based on polyaniline blended with cellulose acetate: A DC-conductivity and ESR analysis

Yin JH, Xue C, Alfonso GC, Turturro A, Pedemonte E// Changchun Inst Appl Chem, Polymer Phys Lab, Changchun 130022, Peoples Rep China
Polymer 1997 38 (9) 2127

Study of the miscibility and thermodynamics of cellulose diacetate-poly(vinyl pyrrolidone) blends

Yin WS, Li J, Li YM, Wu YP, Gu TR, Liu CY// Beijing Univ Aeronaut & Astronaut, Dept Chem, Beijing 100083, Peoples Rep China
Polym Int 1997 42 (3) 276

Conducting IPN based on polyaniline and crosslinked cellulose

3 CELLULOSE-DEGRADING ENZYMES

Busto MD, Ortega N, Perez-Mateos M*// *Univ Burgos, Dept Biotechnol & Food Sci, Plaza Misael Banuelos s/n, E-09001 Burgos, Spain
Bioresource Technol 1997 60 (1) 27

Stabilisation of cellulases by cross-linking with glutaraldehyde and soil humates

Kim H, Ahn DH, Jung KH, Pack MY// Sunchon Natl Univ, Dept Agr Chem, Sunchon 540742, South Korea
Biochem Mol Biol Int 1997 41 (4) 665

Adsorption of *Bacillus subtilis* endo- β -1,4-glucanase to cellulosic materials

Micard V, Renard CMGC, Thibault JF*// *INRA, Lab Biochim & Technol Glucides, rue Geraudiere, BP 71627, F-44316 Nantes 03, France
Food Sci Technol-Lebensm Wiss 1997 30 (3) 284

Influence of pretreatments on enzymic degradation of a cellulose-rich residue from sugar-beet pulp

Samejima M, Ohkubo K, Igarashi K, Isogai A, Kuga S, Sugiyama J, Eriksson KEL// Univ Tokyo, Dept Biomat Sci, Bunkyo ku, Tokyo 113, Japan
Biotechnol Appl Biochem 1997 25 (2) 135

The behaviour of *Phanerochaete chrysosporium* cellobiose dehydrogenase on adsorption to crystalline and amorphous celluloses

Teeri TT// Royal Inst Technol, Dept Biochem & Biotechnol, S-10044 Stockholm, Sweden
Trends Biotech 1997 15 (5) 160

Crystalline cellulose degradation: New insight into the function of cellobiohydrolases

Wang D, Qu YB, Gao PJ// Shandong Univ, Inst Microbiol, Jinan 250100, Peoples Rep China
Biotechnol Appl Biochem 1997 25 (2) 181

Primary studies on several cellulase components with special characteristics purified from *Trichoderma pseudokoningii* S38

4 CHITIN/CHITOSAN

Amiji MM// North Eastern Univ, Dept Pharmaceut Sci, 110 Mugar Life Sci Bldg, Boston, Ma 02115, USA
Carbohydr Polym 1997 32 (3/4) 193

Synthesis of anionic poly(ethylene glycol) derivative for chitosan surface modification in blood-contacting applications

Brack HP, Tirmizi SA, Risen WM// Paul Scherrer Inst, CH-5232 Villigen, Switzerland
Polymer 1997 38 (10) 2351

A spectroscopic and viscometric study of the metal ion-induced gelation of the biopolymer chitosan

Carreno-Gomez B, Duncan R*// *Univ London, Ctr Polymer Therapeut, 29-39 Brunswick Sq, London WC1N 1AX, England
Int J Pharm 1997 148 (2) 231

Evaluation of the biological properties of soluble chitosan and chitosan microspheres

Chen RH, Chang JR, Shyr JS// Natl Taiwan Ocean Univ, Dept Marine Food Sci, Chilung 202, Taiwan
Carbohydr Res 1997 299 (4) 287

Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan

Kapat A, Panda T*// *Indian Inst Technol, Biotechnol Res Ctr, Madras 600036, India
Bioprocess Eng 1997 16 (5) 269

pH and thermal stability studies of chitinase from *Trichoderma harzianum*: A thermodynamic consideration

Kim CH, Choi JW, Chun HJ, Choi KS*// *Hanyang Univ, Dept Ind Chem, Seoul 133791, South Korea
Polym Bull 1997 38 (4) 387

Synthesis of chitosan derivatives with quaternary ammonium salt and their antibacterial activity

Kim JH, Shin JH, Lee HJ, Chung IS, Lee HJ*// *Seoul Natl Univ, Dept Food

- Sci & Technol, Suwon 441744, South Korea
J Ferment Bioeng 1997 **83** (2) 206
 Effect of chitosan on indirubin production from suspension culture of *Polypodium tinctorium*
- Kubota N, Eguchi Y// Oita Univ, Dept Appl Chem, Oita 87011, Japan
Polym J 1997 **29** (2) 123
 Facile preparation of water-soluble *N*-acetylated chitosan and molecular weight dependence of its water-solubility
- Kurita K, Yoshino H, Nishimura SI, Ishii S, Mori T, Nishiyama Y// Seikei Univ, Dept Ind Chem, Musashino-shi, Tokyo 180, Japan
Carbohydr Polym 1997 **32** (3/4) 171
 Mercapto-chitins: A new type of supports for effective immobilization of acid phosphatase
- Lee YM, Kim SS// Hanyang Univ Coll Engr, Dept Ind Chem, Seoul 133791, South Korea
Polymer 1997 **38** (10) 2415
 Hydrogels of poly(ethylene glycol)-co-poly(lactones) diacrylate macromers and β -chitin
- Makino Y, Hirata T// Kagawa Prefectural Govt, Inst Food Res, 587-1 Goto, Takamatsu, Kagawa 761, Japan
Postharvest Biol Technol 1997 **10** (3) 247
 Modified atmosphere packaging of fresh produce with a biodegradable laminate of chitosan-cellulose and polycaprolactone
- Park JK, Morita K, Fukumoto I, Yamasaki Y, Nakagawa T, Kawamukai M*, Matsuda H// *Shimane Univ, Dept Biochem & Biotechnol, 1060 Nishikawatsu, Matsue, Shimane 690, Japan
Biosci Biotechnol Biochem 1997 **61** (4) 684
 Purification and characterization of the chitinase (ChiA) from *Enterobacter* sp. G-1
- Qu X, Wrzyszczyński A, Pielichowski K, Pielichowski J, Adamczak E, Morge S, Linden LA, Rabek JF// Univ Sci & Technol, Dept Mat Sci & Engr, Hefei, Anhui, Peoples Rep China
J Macromol Sci Pure Appl Chem 1997 **A34** (5) 881
 Polymerization of chitosan-acrylic salt for use in dentistry
- Salmon S, Hudson SM// Nth Carolina State Univ, Fiber & Polym Sci Program, Box 8301, Raleigh, NC 27695, USA
J Macromol Sci-Revs Macromol 1997 **C37** (2) 199
 Crystal morphology, biosynthesis, and physical assembly of cellulose, chitin, and chitosan
- Simpson BK, Gagne N, Ashie INA, Noroozi E// McGill Univ, Dept Food Sci & Agr Chem, MacDonald Campus, 21 111 Lakeshore Rd, St Anne de Bellevue, Quebec, Canada H9X 3V9
Food Biotechnol 1997 **11** (1) 25
 Utilization of chitosan for preservation of raw shrimp (*Pandalus borealis*)
- Tanaka Y, Tanioka S, Tanaka M, Tanigawa T, Kitamura Y, Minami S, Okamoto Y, Miyashita M, Nanno M// Tottori Univ, Dept Bacteriol, Yonago, Tottori 683, Japan
Biomaterials 1997 **18** (8) 591
 Effects of chitin and chitosan particles on BALB/c mice by oral and parenteral administration
- Tirmizi SA, Iqbal J, Isa M// Islamia Univ, Dept Chem, Bahawalpur, Pakistan
J Chem Soc Pakistan 1996 **18** (4) 312
 Collection of metal ions present in water samples of different sites of Pakistan using biopolymer chitosan
- Varum KM, Myhr MM, Hjerde RJN, Smidsrod O// Norwegian Univ Sci & Technol, Dept Biotechnol, NOBIPOL, N-7034 Trondheim, Norway
Carbohydr Res 1997 **299** (1-2) 99
In vitro degradation rates of partially *N*-acetylated chitosans in human serum
- Vikhoreva GA, Anchipolovskii MA, Babak VG, Galbraikh LS// Moscow State Text Acad, ul Malaya Kaluzhskaya 1, Moscow 117918, Russia
Vysokomol Soedin 1997 **39** (2) 231
 Complex formation in the tetradecyltrimethylammonium bromide carboxymethylchitin system and surface activity of this system (Russian, English Abstract)
- Vincendon M// CEA, Dept Res Fond Mat Condense, SESAM, MV, F-38054 Grenoble 9, France
Carbohydr Polym 1997 **32** (3/4) 233
 Regenerated chitin from phosphoric acid solutions
- 5 CYCLODEXTRINS**
- Ahmed SM// Assiut Univ, Dept Ind Pharm, Assiut, Egypt
- J Inclusion Phenom Mol Recogn* 1997 **27** (1) 85
 Effect of cyclodextrins on the chemical stability of ST1435, a contraceptive steroid progestin, in aqueous solution
- Alvira E// Univ La Laguna, Dept Fis Fundamental & Expt, E-38206 La Laguna, Tenerife, Spain
Chem Phys Lett 1997 **267** (3-4) 221
 Physisorption in cyclodextrin cavities: An analytical model
- Brown GR, Caira MR*, Nassimbeni LR, Van Oudtshoorn B// *Univ Cape Town, Dept Chem, ZA-7700 Rondebosch, Rep Sth Africa
J Inclusion Phenom Mol Recogn 1996 **26** (4) 281
 Inclusion of ibuprofen by heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin: An X-ray diffraction and thermal analysis study
- Butkus E, Martins JC, Berg U// Vilnius State Univ, Dept Organ Chem, Naugarduko 24, LT-2006 Vilnius, Lithuania
J Inclusion Phenom Mol Recogn 1996 **26** (4) 209
¹H NMR spectroscopic study of the interaction between cyclodextrins and bicyclo[3.3.1] nonanes
- Buvári-Barcza A, Barcza L// Lorand Eotvos Univ, Inst Inorgan & Analyt Chem, POB 32, H-1518 Budapest 112, Hungary
J Inclusion Phenom Mol Recogn 1996 **26** (4) 303
 Solubility characteristics of β -cyclodextrin inclusion complexes
- Ceccato M, Lo Nostro P, Baglioni P*// *Univ Florence, Dept Chem, Via Gino Capponi 9, I-50121 Florence, Italy
Langmuir 1997 **13** (9) 2436
 α -Cyclodextrin/polyethylene glycolpolyrotaxane: A study of the threading process
- Cozzini P, Domiano P, Musini PC, Palla G*, Zanardi E// *Univ Parma, Dipt Chim Organ & Ind, I-43100 Parma, Italy
J Inclusion Phenom Mol Recogn 1996 **26** (4) 295
 Molecular modeling as a tool to discriminate between enantiomers resolved by derivatized cyclodextrins in gas chromatography
- Du Chesne A, Wenke K, Lieser G, Wenz G// Max Planck Inst Polymer Res, Postfach 3148, D-55021 Mainz, Germany
Acta Polym 1997 **48** (4) 142
 Polydimethylsiloxane-cyclodextrin networks synthesized into a porous polystyrene gel: An investigation by energy filtering transmission electron microscopy
- Gonzalez-Gaitano G, Compostizo A, Sanchez-Martin L, Tardajos G*// *Univ Complutense Madrid, Dept Quim Fis, E-28040 Madrid, Spain
Langmuir 1997 **13** (8) 2235
 Speed of sound, density, and molecular modeling studies on the inclusion complex between sodium cholate and β -cyclodextrin
- Guo QX, Zheng XQ, Ruan XQ, Luo SH, Liu YC// Univ Sci & Technol China, Dept Modern Chem, Hefei 230026, Peoples Rep China
J Inclusion Phenom Mol Recogn 1996 **26** (4) 175
 Substituent effect enthalpy-entropy compensation on the inclusion of β -cyclodextrin with 1-substituted naphthalenes
- Han NS, Tao BY*// *Purdue Univ, Dept Agr & Biol Engr, West Lafayette, IN 47907, USA
Starch 1997 **49** (3) 111
 Purification of cyclodextrin glycosyltransferase by immunochromatography
- Kim BE, Lee SH, Park KS, Lee KP, Park JH*// *Yeungnam Univ, Dept Chem, Kyongsan 712749, South Korea
J High Res Chromatogr 1997 **20** (4) 208
 Enantiomer separations by capillary GC on modified cyclodextrins
- Loftsson T, Stefánsson E// Univ Iceland, Dept Pharm, POB 7210, IS-127 Reykjavik, Iceland
Drug Develop Ind Pharm 1997 **23** (5) 473
 Effect of cyclodextrins on topical drug delivery to the eye
- Loukas YL// Riga Ferreou 21, GR-16343 Athens, Greece
Analyst 1997 **122** (4) 377
 Multiple complex formation of unstable compounds with cyclodextrins: Efficient determination and evaluation of the binding constant with improved kinetic studies
- Luna EA, Bormancini ERN, Thompson DO, Rajewski RA*, Stella VJ// *Univ Kansas, Higuchi Biosci Ctr, Ctr Drug Delivery Res, 2099 Constant Ave, Lawrence KS 66047, USA
Carbohydr Res 1997 **299** (3) 103
 Fractionation and characterization of 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β -cyclodextrin)
- Luna EA, Van der Velde DG, Tait RJ, Thompson DO, Rajewski RA*, Stella VJ// Univ Kansas, Higuchi Biosci Ctr, Ctr Drug Delivery Res, 2099 Constant Ave, Lawrence, KS 66047, USA

Carbohydr Res 1997 **299** (3) 111

Isolation and characterization by NMR spectroscopy of three monosubstituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β -cyclodextrin)

Margheritis C, Marini A, Sinistri C// Univ Pavia, Dept Phys Chem, Viale Taramelli 16, I-27100 Pavia, Italy

Z Naturforsch Sect A 1997 **52** (4) 348

Thermodynamics of β -cyclodextrin/water interactions

Moyano JR, Arias-Blanco MJ*, Gines JM, Giordano F// *C/ Duero 51, Valencia Concepcion, E-41907 Seville, Spain

Int J Pharm 1997 **148** (2) 211

Solid-state characterization and dissolution characteristics of glizalide- β -cyclodextrin inclusion complexes

Munoz-Ruiz A, Paronen P// Univ Kuopio, Dept Pharmaceut, POB 1627, FIN-70211 Kuopio, Finland

Int J Pharm 1997 **148** (1) 33

Particle and powder properties of cyclodextrins

Nozaki T, Maeda Y, Kitano H// *Toyama Univ, Dept Chem & Biochem Engr, Toyama 930, Japan

J Polym Sci A-Polym Chem 1997 **35** (8) 1535

Cyclodextrin gels which have a temperature responsiveness

Ohta K, Fujita K*, Shimada H, Ikegami Y, Nogami Y, Koga T// *Nagasaki Univ, Fac Pharmaceut Sci, Bunkyo machi 1-14, Nagasaki 852, Japan

Chem Pharm Bull Tokyo 1997 **45** (4) 631

Preparation of di-alto- β -cyclodextrins with two altrosides as the macrocyclic units through selective synthesis of regioisomers of di(2-*O*-mesitylenesulfonyl)- β -cyclodextrin

Ruppert S, Knittel D, Buschmann HJ, Wenz G, Schollmeyer E// Firma Iben, D-46414 Rheda Wiedenbruck, Germany

Starch 1997 **49** (4) 160

Fixation of β -cyclodextrin derivatives on polyester fibers (German, English Abstract)

Saarinen-Savolainen P, Urtti A, Jarho P, Jarvinen T// Univ Kuopio, Dept Pharmaceut Chem, POB 1627, FIN-70211 Kuopio, Finland

Eur J Pharm Sci 1997 **5** (2) 89

β -Cyclodextrin derivatives (2-HP- β -CD, SBE4- β -CD) decrease the amphiphilicity and membrane perturbing effects of pilocarpine prodrugs

Sreenivasan K// Sree Chitra Tirunal Inst Med Sci & Technol, Biomed Technol Wing, Trivandrum 695012, Kerala, India

J Appl Polym Sci 1997 **64** (9) 1811

Absorption characteristics of a novel semi-IPN membrane based on β -cyclodextrin toward testosterone and progesterone

Szejtli J// Cyclolab Ltd, POB 435, H-1525 Budapest, Hungary

J Mater Chem 1997 **7** (4) 575

Utilization of cyclodextrins in industrial products and processes

Szeman J, Roos N, Csabai K// Cyclodextrin Res & Dev Ltd, Cyclolab, POB 435, H-1525 Budapest, Hungary

J Chromatogr A 1997 **763** (1-2) 139

Ruggedness of enantiomeric separation by capillary electrophoresis and high-performance liquid chromatography with methylated cyclodextrins as chiral selectors

Topchieva IN, Polyakov VA, Elezkaya SV, Bystryzky GI, Karezin KI// Moscow MV Lomonosov State Univ, Dept Chem, Moscow 119899, Russia

Polym Bull 1997 **38** (4) 359

One-pot synthesis of cyclodextrins, modified with poly(ethylene oxide)

6 LIGNIN

Collier W*, Kalasinsky VF, Schultz TP// *Mississippi State Univ, Forest Prod Lab, Dept Chem, Box 9820, Mississippi State Ms 39762, USA

Holzforchung 1997 **51** (2) 167

Infrared study of lignin: Assignment of methoxyl C-H bending and stretching bands

Crestini C, Argyropoulos DS// *McGill Univ, Dept Chem, Montreal, Quebec, Canada H3A 2A7

J Agr Food Chem 1997 **45** (4) 1212

Structural analysis of wheat straw lignin by quantitative ^{31}P and 2D NMR spectroscopy. The occurrence of ester bonds and α -O-4 substructures

Galkin S, Ammalahti E, Kilpelainen I, Brunow G, Hatakka A// Univ Helsinki, Dept Appl Chem & Microbiol, Bioctr 1, POB 56, FIN-00014 Helsinki, Finland

Holzforchung 1997 **51** (2) 130

Characterisation of milled wood lignin from reed canary grass (*Phalaris arundinacea*)

Montane D, Salvado J, Farriol X// Univ Rovira y Virgili, Dept Engr Quim, Autovia Salou s/n, E-43006 Tarragona, Spain

Holzforchung 1997 **51** (2) 135

Fractionation of wheat straw via steam-explosion pretreatment. Characteristics of the lignin obtained by alkali delignification of the steamed straw

Nonaka Y, Tomita B, Hatano Y// Univ Tsukuba, Inst Agr & Forest Engr, Tsukuba, Ibaraki 305, Japan

Holzforchung 1997 **51** (2) 183

Synthesis of lignin/epoxy resins in aqueous systems and their properties

Sudekum KH, Voigt K, Monties B, Stangassinger M// Christian Albrechts Univ, Inst Tierernahrung & Stoffwechselphysiol, D-24098 Kiel, Germany

J Agr Food Chem 1997 **45** (4) 1220

Spectrophotometric investigations on lignin in wheat (*Triticum aestivum* L): Influence of cell wall preparation, solvent and standard

Tamminen T, Poppius-Levlin K, Aurela B, Hortling B// KCL, Finnish Pulp & Paper Res Inst, FIN-02151 Espoo, Finland

Holzforchung 1997 **51** (2) 155

Oxidative degradation of lignin by potassium permanganate: Method improvement

Uraki Y, Kubo S, Kurakami H, Sano Y// Hokkaido Univ, Dept Forens Sci, Kita ku, Kita 9, Nishi 9, Sapporo, Hokkaido 060, Japan

Holzforchung 1997 **51** (2) 188

Activated carbon fibers from acetic acid lignin

Vazquez G, Antorrena G, Gonzalez J, Freire S// Univ Santiago de Compostela, Dept Ingn Quim, Avda Ciencias s/n, E-15706 Santiago de Compostela, Spain

Holzforchung 1997 **51** (2) 158

FTIR, ^1H and ^{13}C NMR characterization of acetosolv-solubilized pine and eucalyptus lignins

Young L, Yu J// *Hong Kong Univ Sci & Technol, Dept Chem Engr, Clear Water Bay, Kowloon, Hong Kong

Water Res 1997 **31** (5) 1187

Ligninase-catalysed decolorization of synthetic dyes

7 LIPOPOLYSACCHARIDES;

Haseley SR, Holst O, Brade H// Res Ctr Borstel, Ctr Med & Biosci, Div Med & Biochem Microbiol, Parkallee 22, D-23845 Borstel, Germany

Eur J Biochem 1997 **245** (2) 470

Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter* strain 90 belonging to DNA group 10

Kozulin VV, Mikerov AN, Makarov OE, Skvortsov IM*, Ignatov VV// *Russian Acad Sci, Inst Biochem & Physiol Plants & Microorganisms, pr Entuzias-tov 13, Saratov 410015, Russia

Microbiology-Engl Tr 1997 **66** (2) 157

Polysaccharide complexes, lipopolysaccharides, and O-specific polysaccharides of *Xanthomonas campestris* pv *campestris* 8183a

Leslie MR, Parolis H*, Parolis LAS// *Rhodes Univ, Sch Pharmaceut Sci, ZA-6140 Grahamstown, Rep Sth Africa

Carbohydr Res 1997 **299** (3) 197

Structural analysis of the capsular antigen of *Escherichia coli* O8:K41:H11

Petersson C, Jachymek W, Klonowska A, Lugowski C, Niedziela T, Kenne L* // *Swedish Univ Agr Sci, Dept Chem, POB 7015, S-75007 Uppsala, Sweden

Eur J Biochem 1997 **245** (3) 668

Structural studies of the O-specific chains of *Hafnia alvei* strains 744, PCM 1194 and PCM 1210 lipopolysaccharides

Senchenkova SN, Shashkov AS, Knirel YA*, McGovern JJ, Moran AP// Russian Acad Sci, ND Zelinskii Organ Chem Inst, Leninsky pr 47, B-334, Moscow 117913, Russia

Eur J Biochem 1997 **245** (3) 637

The O-specific polysaccharide chain of *Campylobacter fetus* serotype A lipopolysaccharide is a partially O-acetylated 1,3-linked α -D-mannan

Severn WB, Jones AM, Kittelberger R, De Lisle GW, Atkinson PH// AgRes, Wallaceville Anim Res Ctr, POB 40063, Upper Hutt, New Zealand

J Microbiol Meth 1997 **28** (2) 123

Improved procedure for the isolation and purification of lipoarabinomannan from *Mycobacterium bovis* strain AN5

Vazquez G, Antorrena G, Gonzalez J, Freire S, Lopez S// Univ Santiago de Compostela, Dept Chem Engr, Avda Ciencias s/n, E-15706 Santiago de Compostela, Spain

Bioresource Technol 1997 **59** (2-3) 121

Acetosolv pulping of pine wood. Kinetic modelling of lignin solubilization and condensation

8 PECTIN

- Boutherin B, Mazeau K, Tvaroska I// CERMAV, CNRS, BP 53, F-38041 Grenoble, France
Carbohydr Polym 1997 32 (3/4) 255
 Conformational statistics of pectin substances in solution by a Metropolis Monte Carlo study
- Kamnev AA, Colina M, Renou-Gonnord MF, Frolov I, Ptitchkina NM, Ignatov VV// Russian Acad Sci, Inst Biochem & Physiol Plants & Microorganisms, Lab Struct Res Methods, Saratov 410015, Russia
Monatsh Chem 1997 128 (3) 211
 Atomic absorption spectroscopic investigation of the mineral fraction of pectins obtained from pumpkin and sugar beet
- Kato N, Teramoto A, Fuchigami M*// *Okayama Prefectural Univ, Dept Nutr Sci, 111 Kuboki, Okayama 71911, Japan
J Food Sci 1997 62 (2) 359
 Pectic substance degradation and texture of carrots as affected by pressurization
- Kiyohara H, Zhang Y, Yamada H*// *Kitasato Inst, Oriental Med Ctr, 5-9-1 Shirokane, Minato ku, Tokyo 108, Japan
Carbohydr Polym 1997 32 (3/4) 249
 Effect of exo- β -D-(1 $\rightarrow$ 3)-galactanase digestion on complement activating activity of neutral arabinogalactan unit in a pectic arabinogalactan from roots of *Angelica acutiloba* Kitagawa
- Korneichev ON, Ovodova RG, Ovodov YS// Komi Res Ctr, Inst Physiol, Syktyvkar, Russia
Dokl Akad Nauk 1997 352 (1) 121
 Isolation and investigation of influence of zosteran, pectic polysaccharide from the White Sea phanerogams on the endocrine and immune systems (Russian)
- Kumar GP, Sudheesh S, Ushakumari B, Valsa AK, Vijayaakumar S, Sandhya C, Vijayakshmi NR*// *Univ Kerala, Dept Biochem, Thiruvananthapuram 695581, Kerala, India
J Food Sci Technol-Mysore 1997 34 (2) 103
 A comparative study on the hypolipidemic activity of eleven different pectins
- Quiroga GOS, Frascina AA*// *Univ Buenos Aires, Fac Agron, Catedra Bioquim, Avda San Martin 4453, RA-1417 Buenos Aires DF, Argentina
Food Sci Technol Int 1997 3 (2) 93
 Evaluation of sensory attributes and biochemical parameters in transgenic tomatato fruit with reduced polygalacturonase activity (Spanish, English Abstract)

9 STARCH

- Bagheri R, Naimian F, Sheikh N// Isfahan Univ Technol, Polymer Grp, Esfahan, Iran
Radiat Phys Chem 1997 49 (4) 497
 Radiation grafting of acrylamide onto starch-filled low density polyethylene
- Baran W, Sikora M, Tomasik P*, Anderegg JW// *Univ Agric, Dept Chem, PL-31120 Cracow, Poland
Carbohydr Polym 1997 32 (3/4) 209
 Thallium(I) starchate
- Besun N, Peker S*, Kokturk U, Yilmaz H// *Ege Univ, Dept Chem Engr, TR-35100 Bornova, Izmir, Turkey
Colloid Polym Sci 1997 275 (4) 378
 Structure of starch-bentonite gels
- Brown I// Goodman Fielder Ingredients Ltd, 45-47 Green St, Botany, NSW 2019, Australia
Nutr Rev 1996 54 (11 Pt 2 Suppl) S115
 Complex carbohydrates and resistant starch
- Cairns P, Bogracheva TY, Ring SG, Hedley CL, Morris VJ// Inst Food Res, Norwich Res Park, Colney, Norwich NR4 7UA, England
Carbohydr Polym 1997 32 (3/4) 275
 Determination of the polymorphic composition of smooth pea starch
- Carcea M, Acquistucci R// Ist Nazl Nutr, Unit Studies Cereals, Via Ardeatina 546, I-00178 Rome, Italy
Starch 1997 49 (4) 131
 Isolation and physicochemical characterization of fonio (*Digitaria exilis* Stapf) starch
- Cheow CS, Yu SY// Mara Inst Technol, Sch Appl Sci, Shah Alam 40450, Malaysia
J Food Process Preserv 1997 21 (2) 161
 Effect of fish protein, salt, sugar, and monosodium glutamate on the gelatinization of starch in fish-starch mixtures
- Cunningham RL, Gordon SH, Felker FC, Eskins K// USDA/ARS, Natl Ctr Agr Utilizat Res, Biomat Proc Res Unit, 1815 Nth Univ St, Peoria, IL 61604, USA
J Appl Polym Sci 1997 64 (7) 1355
 Jet-cooked starch oil composite in polyurethane foams
- Gallant DJ, Bouchet B, Baldwin PM// INRA, Ctr Res Nantes, Lab Technol Appl Nutr, BP 71627, F-44316 Nantes 3, France
Carbohydr Polym 1997 32 (3/4) 177
 Microscopy of starch: Evidence of a new level of granule organization
- Gnedenko BB, Galkin AM, Ryabov AD*// *Chernobyl-Test MEF, Biomolec Med Lab, Rimskogo-Korsakova St 10, Moscow 127577, Russia
Electroanal 1997 9 (8) 592
 Biodegradation of soluble redox polymers. Part II: (0.017Ferrocene)amylose at a rotating disk electrode
- Govindasamy S, Campanella OH, Oates CG// Nat Univ Singapore, Dept Biochem, 10 Kent Ridge Crescent, Singapore 0511, Rep Singapore
Carbohydr Polym 1997 32 (3/4) 267
 High moisture twin screw extrusion of sago starch. II. Saccharification as influenced by thermomechanical history
- Govindasamy S, Campanella OH, Oates CG// Address as above.
Food Chem 1997 60 (1) 1
 The single screw extruder as a bioreactor for sago starch hydrolysis
- Heeres A, Van Doren HA*, Gotlieb KF, Bleeker IP// *TNO, Netherlands Inst Carbohydrate Res, Rouaanstr 27, NL-9723 CC Groningen, The Netherlands
Carbohydr Res 1997 299 (4) 221
 Synthesis of α - and β -D-glucopyranuronate 1-phosphate and α -D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch
- Huang LK, Mehta RC, De Luca PP*// *Univ Kentucky, Coll Pharm, 907 Rose St, Lexington, Ky 40536, USA
Pharmaceut Res 1997 14 (4) 469
 Development of a statistical model for the formation of poly[acryloyl hydroxyethyl starch] microspheres
- Huang LK, Mehta RC, De Luca PP*// *Address as above.
Pharmaceut Res 1997 14 (4) 475
 Evaluation of a statistical model for the formation of poly[acryloyl hydroxyethyl starch] microspheres
- Islam MN, Mohd BMN*// *Univ Sains Malaysia, Sch Ind Technol, Minden 11800, Pinang, Malaysia
Starch 1997 49 (4) 136
 Rheological properties of calcium treated hydroxypropyl rice starches
- Kim YS, Wiesenborn DP*, Grant LA// *Nth Dakota State Univ, Dept Agr Engr, Fargo, ND 58105, USA
Starch 1997 49 (3) 97
 Pasting and thermal properties of potato and bean starches
- Leon A, Duran E, De Barber CB*// *CSIC, Inst Agroquim & Tecnol Alimentos, Poligono Coma s/n, Apdo 73, E-46100 Burjassot, Valencia, Spain
Z Lebensm Unters Forsch A-Food 1997 204 (4) 316
 A new approach to study starch changes occurring in the dough-baking process and during bread storage
- Lepeniotis S, Feuer BI// Hoechst Celanese Corp, Mitchell Tech Ctr, 86 Morris Ave, Summit, NJ 07901, USA
Chemometr Intell Lab Syst 1997 36 (2) 229
 Synthesis of starch acetate: Statistical designed experiments to optimize the reaction conditions
- Lourdin D, Bizot H, Colonna P// INRA, F-44316 Nantes, France
Macromol Symposia 1997 114 179
 Correlation between static mechanical properties of starch-glycerol materials and low-temperature relaxation
- Matser AM, Steeneken PAM// Netherlands Inst Carbohydr Res TNO, Rouaanstr 27, NL-9723 CC Groningen, The Netherlands
Carbohydr Polym 1997 32 (3/4) 297
 Rheological properties of highly cross-linked waxy maize starch in aqueous suspensions of skim milk components. Effects of the concentration of starch and skim milk components
- Perales MDM, Munoz-Ruiz A, Antequera MVV, Ballesteros MRJC// Univ Sevilla, Dept Farm & Tecnol Farmaceut, C/ Tramontana s/n, E-41012 Sevilla, Spain
Pharmazie 1997 52 (4) 314
 Consolidation parameters of maltodextrins obtained from compression-decompression fixed stress rate
- Perez EE, Lares M, Gonzalez ZM// Cent Univ Venezuela, Inst Ciencia Tecnol Alimentos, Apdo 47097, Caracas 1041 A, Venezuela
Starch 1997 49 (3) 103

Characterization of starch isolated from white and dark sorghum

Thiewes HJ, Steeneken PAM*// *Netherlands Inst Carbohydrate Res TNO, Rouaanstr 27, NL-9723 CC Groningen, The Netherlands
Starch 1997 **49** (3) 85

Comparison of the Brabender Viskograph and the Rapid Visco Analyser. I. Statistical evaluation of the pasting profile

Thiewes HJ, Steeneken PAM*// *Address as above.

Starch 1997 **49** (3) 93

Comparison of the Brabender Viskograph and the Rapid Visco Analyser. II. Shear conditions

Van Soest JJG, Knooren N// DLO, ATO, POB 17, NL-6700 AA Wageningen, The Netherlands

J Appl Polym Sci 1997 **64** (7) 1411

Influence of glycerol and water content on the structure and properties of extruded starch plastic sheets during aging

Wang LF, Shogren RL, Willett JL// USDA/ARS, Natl Ctr Agr Utilizat Res, Plant Polymer Res, 1815 Nth Univ St, Peoria, IL 61604, USA

Starch 1997 **49** (3) 116

Preparation of starch succinates by reactive extrusion

Won CY, Chu CC*, Yu TJ// *Cornell Univ, Dept Textile & Apparel, Fibre & Polymer Sci Prog, Ithaca, NY 14853, USA

Carbohydr Polym 1997 **32** (3/4) 239

Synthesis of starch-based drug carrier for the control/release of estrone hormone

10 STARCH-DEGRADING ENZYMES

Kakaloğlu T, Akbaba H*, Yesugay ET, Periz A// *Ege Univ, Dept Food Engn, Izmir, Turkey

J Food Eng 1997 **31** (4) 499

Drying model for α -amylase in a horizontal spray dryer

Kobayashi K, Komeda T, Miura Y, Kettoku M, Kato M// Kirin Brewery Co Ltd, Appl Biores Ctr, Takasaki, Gunma 37012, Japan

J Ferment Bioeng 1997 **83** (3) 296

Production of trehalose from starch by novel trehalose-producing enzymes from *Sulfolobus solfataricus* KM1

Lynn A, Cochrane MP// Address not available.

Starch 1997 **49** (3) 106

An evaluation of confocal microscopy for the study of starch granule enzymic digestion

Manelius R, Qin Z, Avall AK, Andtfolk H, Bertoft E*// *Abo Akad Univ, Dept Biochem & Pharm, POB 66, FIN-20520 Turku, Finland

Starch 1997 **49** (4) 142

The mode of action on granular wheat starch by bacterial α -amylase

Martinez-Anaya MA, Rouzaud O// Inst Agroquim & Tecnol Alimentos, Lab Cereales, AP 73, Burjassot, E-46100 Valencia, Spain

Food Sci Technol Int 1997 **3** (2) 123

Influence of wheat flour and *Lactobacillus* strains on the dynamics of by-products from amylolytic activities

Skadsen RW// USDA/ARS, Cereal Crops Res Unit, 501 Nth Walnut St, Madison WI 53705, USA

J Amer Soc Brew Chemist 1997 **55** (1) 5

Influence of the starchy endosperm on α -amylase isozyme levels in barley

11 POLYSACCHARIDES - MICROBIAL

Adolphi U, Kulicke WM*// *Univ Hamburg, Inst Tech & Makromolek Chem, Bundesstr 45, D-20146 Hamburg, Germany

Polymer 1997 **38** (7) 1513

Coil dimensions and conformation of macromolecules in aqueous media from flow field-flow fractionation/multi-angle laser light scattering illustrated by studies on pullulan

Browarzik D// Univ Halle Wittenberg, Inst Phys Chem, D-06217 Merseburg, Germany

J Macromol Sci Pure Appl Chem 1997 **A34** (3) 397

Continuous kinetics of dextran degradation

Chandrasekaran R, Radha A// Purdue Univ, Whistler Ctr Carbohydr Res, 1160 Smith Hall, West Lafayette, IN 47907, USA

Carbohydr Polym 1997 **32** (3/4) 201

Molecular modeling of xanthan:galactomannan interactions

Doner LW// USDA/ARS, Eastern Reg Res Ctr, 600 East Mermaid Lane,

Wyndmoor, Pa 19038, USA

Carbohydr Polym 1997 **32** (3/4) 245

Rapid purification of commercial gellan gum to highly soluble and gellable monovalent cation salts

Dusterhoft EM, Linssen VAJM, Voragen AGJ, Beldman G*// *Wageningen Univ Agr, Dept Food Chem & Microbiol, POB 8129, NL-6700 EV Wageningen, The Netherlands

Enzyme Microb Technol 1997 **20** (6) 437

Purification, characterization, and properties of two xylanases from *Humicola insolens*

Dyrset N, Lystad KQ, Levine DW// SINTEF, Appl Chem, N-7034 Trondheim, Norway

Enzyme Microb Technol 1997 **20** (6) 418

Development of a fermentation process for production of a κ -carrageenase from *Pseudomonas carrageenovora*

Fishman ML, Cescutti P, Fett WF, Osman SF, Hoagland PD, Chau HK// USDA/ARS, Eastern Reg Res Ctr, 600 East Mermaid Lane, Wyndmoor, Pa 19038, USA

Carbohydr Polym 1997 **32** (3/4) 213

Screening the physical properties of novel *Pseudomonas* exopolysaccharides by HPSEC with multi-angle light scattering and viscosity detection

Gassem MA, Sims KA, Frank JF*// *Univ Georgia, Dept Food Sci & Technol, Athens, Ga 30602, USA

Food Sci Technol-Lebensm Wiss 1997 **30** (3) 273

Extracellular polysaccharide production by *Lactobacillus delbrueckii* subsp *bulgaricus* RR in a continuous fermentor

Gorshkova RP, Nazarenko EL, Zubkov VA, Shashkov AS*, Knirel YA, Paramonov NA, Meshkov SV, Ivanova EP// *Zelinskii Inst Organ Chem, Moscow 117913, Russia

Carbohydr Res 1997 **299** (1-2) 69

Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-oculosonic acid

Grisel M, Muller G*// *Univ Rouen, Fac Sci, CNRS, URA 500, F-76821 Mont St Aignan, France

Macromol Symposia 1997 **114** 127

The salt effect over the physical interactions occurring for schizophyllan in the presence of borate ions

Kalelkar S, Glushka J, Van Halbeek H, Morris LC, Cherniak R*// *Georgia State Univ, Dept Chem, Atlanta, Ga 30303, USA

Carbohydr Res 1997 **299** (3) 119

Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy

Kiho T, Matsushita M, Usui S, Ukai S// Gifu Pharmaceut Univ, Dept Hyg Chem, 5-6-1 Mitahora Higashi, Gifu 502, Japan

Chem Pharm Bull Tokyo 1997 **45** (4) 725

Preparation of novel (1 $\rightarrow$ 3)- β -D-glucans having reducing glucose side chains

Kobayashi H, Suzuki J, Tanaka S, Kiuchi Y, Oyama H, Iwadate N, Suzuki H, Shibata N, Suzuki S, Okawa Y// Tohoku Coll Pharmaceut Sci, Dept Hygien Chem 2, Aoba ku, 4-4-1 Komatsushima, Sendai, Miyagi 981, Japan

Arch Biochem Biophys 1997 **341** (1) 70

Structure of a cell wall mannan from the pathogenic yeast, *Candida catenulata*: Assignment of ^1H nuclear magnetic resonance chemical shifts of the inner α -1,6-linked mannose residues substituted by a side chain

Loaec M, Olier R, Guezennec J*// *IFREMER, Ctr Brest, DRV VP, Lab Biotechnol Microorganismes Hydrothermaux, BP 70, F-29280 Plouzane, France

Water Res 1997 **31** (5) 1171

Uptake of lead, cadmium and zinc by a novel bacterial exopolysaccharide

Madi NS, Harvey LM, Mehler A, McNeil B*// *Univ Strathclyde, Dept Biosci & Biotechnol, 204 George St, Glasgow G1 1XW, Scotland

Carbohydr Polym 1997 **32** (3/4) 307

Synthesis of two distinct exopolysaccharide fractions by cultures of the polymorphic fungus *Aureobasidium pullulans*

Moreira JN, Almeida LM, Galdes CF, Madeira VMC, Costa ML// Univ Coimbra, Lab Bioquim, Rua Couraca Apostolos, P-3000 Coimbra, Portugal

Int J Pharm 1997 **147** (2) 153

Carboplatin liposomes coated with O-palmitoylpullulan: *In vitro* characterization

Muller A, Ensley H, Pretus H, McNamee R, Jones E, McLaughlin E, Chandley W, Browder W, Lowman D, Williams D*// *Tennessee State Univ, Quillen Coll Med, Immunopharmacol Res Grp, POB 70575, Johnson City, TN 37614, USA

Carbohydr Res 1997 **299** (3) 203

The application of various protic acids in the extraction of (1→3)-β-D-glucan from *Saccharomyces cerevisiae*

Oscarson S, Tedebark U, Turek D// Univ Stockholm, Arrhenius Lab, Dept Organ Chem, S-10691 Stockholm, Sweden
Carbohydr Res 1997 **299** (3) 159

Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors

Park EJ, Ko GN, Kim JB, Sohn DH*// *Wonkwang Univ, Med Resources Res Ctr, Geonbuk 570749, South Korea
Biol Pharm Bull 1997 **20** (4) 417

Antifibrotic effects of a polysaccharide extracted from *Ganoderma lucidum*, glycyrrhizin, and pentoxifylline in rats with cirrhosis induced by biliary obstruction

Pszczola DE// Address not available.

Food Technol 1997 **51** (4) 30

Curdian differs from other gelling agents

Raguenes GHC, Peres A, Ruimy R, Pignet P, Christen R, Loac M, Rougeaux H, Barbier G, Guezennec JG// IFREMER, Ctr Brest, DRV, VP, CMM, BP 70, F-29280 Plouzane, France
J Appl Microbiol 1997 **82** (4) 422

Alteromonas infernus sp nov, a new polysaccharide-producing bacterium isolated from a deep-sea hydrothermal vent

Richau JA, Choquet D, Fialho AM, Moreira LM, Sa-Correia I*// *Inst Super Tecn, Engn Bioquim Lab, Avda Rovisco Pais, P-1096 Lisbon, Portugal
Enzyme Microb Technol 1997 **20** (7) 510

The biosynthesis of the exopolysaccharide gellan results in the decrease of *Sphingomonas paucimobilis* tolerance to copper

Sanchez-Chaves M, Arranz F// CSIC, Inst Ciencia & Tecnol Polimeros, Juan Cierva 3, E-28006 Madrid, Spain
Polymer 1997 **38** (10) 2501

Preparation of dextran-bioactive compound adducts by the direct esterification of dextran with bioactive carboxylic acids

Tang J, Tung MA, Lelievre J, Zeng Y// Washington State Univ, Dept Biol Syst Engr, Pullman, Wa 99164, USA
J Food Eng 1997 **31** (4) 511

Stress-strain relationships for gellan gels in tension, compression and torsion

Tang J, Tung MA, Zeng Y// Address as above.

J Food Sci 1997 **62** (2) 276

Gelling temperature of gellan solutions containing calcium ions

Tao ZY, Yu CY, Zhang H, He YL// Lanzhou Univ, Dept Modern Phys, Lanzhou 730000, Peoples Rep China
React Funct Polym 1997 **32** (3) 257

Comparative study of adsorption isotherms of BSA on DEAE- and CM-dextran-type ion exchangers

Wilson PJ, Howlin BJ, Webb GA*// *Univ Surrey, Dept Chem, Guildford GU2 5XH, Surrey, England
J Mol Struct 1997 **405** (2-3) 139

Theoretical nuclear shielding calculations on the secondary structure of the gellan polysaccharide

Wong KKY, Martin LA, Gama FM, Saddler JN, De Jong E// Pulp & Paper Res Org New Zealand, Private Bag RO 3020, Rotorua, New Zealand
Biotechnol Bioeng 1997 **54** (4) 312

Bleach boosting and direct brightening by multiple xylanase treatments during peroxide bleaching of kraft pulps

Zhu WY, Theodorou MK*, Nielsen BB, Trinci APJ// *Inst Grassland & Environm Res, Aberystwyth SY23 3EB, Wales
Anaerobe 1997 **3** (1) 49

Dilution rate increases production of plant cell-wall degrading enzymes by anaerobic fungi in continuous-flow culture

12 POLYSACCHARIDES - PLANT

Chanliaud E, Saulnier L*, Thibault JF// *INRA, Lab Biochim & Technol Glucides, BP 1627, F-443166 Nantes 03, France
Carbohydr Polym 1997 **32** (3/4) 315

Heteroxylans from maize bran in aqueous solution. Part II. Studies of polyelectrolyte behaviour

Chen JP, Tendeyong F, Yiacoumi S*// *Georgia Inst Technol, Sch Civil & Environm Engr, Atlanta, Ga 30332, USA
Environ Sci Technol 1997 **31** (5) 1433

Equilibrium and kinetic studies of copper ion uptake by calcium alginate

Chiovitti A, Bacic A, Craik DJ, Munro SLA, Kraft GT, Liao ML*// *Univ Melbourne, CRC Ind Plant Biopolymers, Parkville, Vic 3052, Australia
Carbohydr Res 1997 **299** (4) 229

Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): Novel, highly pyruvated carrageenans from the genus *Callophycus*

Ciancia M, Matulewicz MC, Cerezo AS*// *Univ Buenos Aires, Dept Quim Organ (CIHIDECAR-CONICET), Pabellon 2, Ciudad Univ, RA-1428 Buenos Aires, Argentina

Carbohydr Polym 1997 **32** (3/4) 293

Alkaline modification of carrageenans. Part III. Use of mild alkaline media and high ionic strengths

Czaczyk K, Albrecht A, Mroczkowski A, Trojanowska K// Univ Agr, Dept Biotechnol & Food Microbiol, Mazowiecka 48, PL-60623 Poznan, Poland
J Biotechnol 1997 **53** (1) 13

Mechanical stability of carrageenan and carrageenan/locust bean gum gels used for immobilization of propionic acid bacteria

Daigle DJ, Cotty PJ// USDA/ARS, Sthn Reg Res Ctr, POB 19687, New Orleans, La 70179, USA

Biocontrol Sci Technol 1997 **7** (1) 3

The effect of sterilization, pH, filler and spore inoculum concentration on the preparation of alginate pellets

De Ramos CM, Irwin AE, Nauss JL, Stout BE*// *Univ Cincinnati, Dept Chem, Cincinnati, Oh 45221, USA

Inorg Chim Acta 1997 **256** (1) 69

¹³C NMR and molecular modeling studies of alginic acid binding with alkaline earth and lanthanide metal ions

Desmarquet C, Fabregue E*, Cassanas G, Vert M// *Fac Pharm Montpellier, Ctr Rech Biopolymeres Artificiels, 15 Ave Charles Flahault, F-34060 Montpellier 1, France

Macromol Symposia 1997 **114** 285

Rheological study on mixed gels from poly(vinyl alcohol) and sodium alginate

Garti N, Madar Z, Aserin A, Sternheim B// Hebrew Univ Jerusalem, Casali Inst Appl Chem, IL-91904 Jerusalem, Israel
Food Sci Technol-Lebensm Wiss 1997 **30** (3) 305

Fenugreek galactomannans as food emulsifiers

Goncalves MP, Gomes C, Langdon MJ, Viebke C, Williams PA*// *NE Wales Inst, Ctr Water Soluble Polymers, Plas Coch, Mold Rd, Wrexham LL11 2AW, Wales

Biopolymers 1997 **41** (6) 657

Studies on κ-carrageenan/locust bean gum mixtures in the presence of sodium chloride and sodium iodide

Gorshkova RP, Nazarenko EL, Zubkov VA, Stepanenko LS, Isakov VV// Pacific Inst Bioorgan Chem, pr 100, Letiya Vladivostoka 159, Vladivostok 690022, Russia

Bioorg Khim 1997 **23** (2) 134

Structural study of polysaccharides from *Cetraria cucullata* and *Cetraria islandica* lichens (Russian, English Abstract)

Hsu BRS, Fu SH, Tsai JS, Huang YY, Huang HS, Chang KSS// Chang Gung Mem Hosp, Dept Internal Med, 5 Fu Shing St, Kwei Shan Cty, Tayuan, Taiwan

Transplant Proc 1997 **29** (3) 1877

The plasminogen-plasmin fibrinolytic system accelerates degradation of alginate-poly-L-lysine-alginate microcapsules *in vitro*

Kardosova A, Kostalova D, Capek P, Patoprsty V, Franova S// Slovak Acad Sci, Inst Chem, Dubravska cesta 9, SK-84238 Bratislava, Slovakia

Chem Pap-Chem Zvesti 1997 **51** (1) 52

Water-extractable polysaccharide complex of *Rudbeckia fulgida* var *sullivantii* (Boynton et Beadle) possesses antitussive activity

Kikuchi A, Kawabuchi M, Sugihara M, Sakurai Y, Okano T*// *Tokyo Women's Med Coll, Inst Biomed Engr, Shinjuku ku, 8-1 Kawadacho, Tokyo 162, Japan

J Control Release 1997 **47** (1) 21

Pulsed dextran release from calcium-alginate gel beads

Klock G, Pfeffermann A, Ryser C, Grohn P, Kuttler B, Hahn HJ, Zimmermann U// Biozentrum Lehrstuhl Biotechnol, Hubland, D-97074 Wurzburg, Germany
Biomaterials 1997 **18** (10) 707

Biocompatibility of mannuronic acid rich alginates

Marghoob AA, Artman NN, Siegel DM*// *Stony Brook Dermatol Associates, 181 Belle Mead Rd, East Setauket, NY 11733, USA

Wounds-Compend Clin Res Pract 1997 **9** (2) 50

Calcium alginate dressings with second intention healing of surgical wounds: Our experience

- Micard V, Renard CMGC*, Colquhoun IJ, Thibault JF// *INRA, Lab Biochim & Technol Glucides, rue Geraudiere, BP 71627, F-44316 Nantes, France
Carbohydr Polym 1997 32 (3/4) 283
End-products of enzymic saccharification of beet pulp, with a special attention to feruloylated oligosaccharides
- Miller IJ, Falshaw R, Furneaux RH, Hemmingson JA// Carina Chem Labs Ltd, POB 30366, Lower Hutt, New Zealand
Bot Mar 1997 40 (2) 119
Variations in the constituent sugars of the polysaccharides from New Zealand species of *Pachymenia* (Halymeniaceae)
- Niemann C, Carpita NC, Whistler RL// Tech Univ Berlin, Inst Food Technol Cereal Technol 1, Seestr 11, D-13353 Berlin, Germany
Starch 1997 49 (4) 154
Arabinose-containing oligosaccharides from tamarind xyloglucan
- Nose M, Terawaki K, Ogihara Y*// *Nagoya City Univ, Dept Pharmacognosy & Plant Chem, Mizuho ku, Nagoya, Aichi 467, Japan
Phytochemistry 1997 4 (1) 23
The role of a crude polysaccharide fraction in the macrophage activation by "Shosaiyota"
- Nussinovitch A, Gershon Z// Hebrew Univ Jerusalem, Inst Biochem Food Sci & Nutr, POB 12, IL-76100 Rehovot, Israel
Food Hydrocolloid 1997 11 (2) 231
Physical characteristics of agar-yeast sponges
- Paterson LA, Hill SE*, Mitchell JR, Blanshard JMV// *Univ Nottingham, Dept Appl Biochem & Food Sci, Sutton Bonington Campus, Loughborough, England
Food Chem 1997 60 (2) 143
Sulphite and oxidative-reductive depolymerization reactions
- Ramzi M, Guenet JM*, Rochas C// *Univ Strasbourg 1, CNRS, URA 851, Lab Ultrasons & Dynam Fluides Complexes, F-67070 Strasbourg, France
Macromol Symposia 1997 114 139
Ternary complexes in agarose gels prepared from binary solvents
- Ramzi M, Mendes E*, Rochas C, Guenet JM// *Univ Strasbourg 1, Lab Dynam Fluides Complexes, LA CNRS URA 851, 4 rue Blaise Pascal, F-67070 Strasbourg, France
Macromol Symposia 1997 114 193
Transient electric birefringence study of agarose aggregates in water-dimethyl sulphoxide mixtures
- Rebello J, Ohno M*, Ukeda H, Sawamura M// *Kochi Univ, Marine Biol Inst, Tosa, Kochi 78111, Japan
J Appl Phycol 1996 8 (6) 517
Agar quality of commercial agarophytes from different geographical origins. I. Physical and rheological properties
- Rochas C, Hecht AM, Horkay F, Geissler E// Univ Grenoble 1, Lab Spectrometrie Phys 1, CNRS UMR 5588, BP 87, F-38402 St Martin d'Heres, France
Macromol Symposia 1997 114 173
Anisotropic agarose gels
- Sarphie DF, Johnson B, Cormier M, Burkoth TL, Bellhouse BJ// Oxford Biosci Ltd, Magdalen Ctr, Oxford Sci Pk, Oxford OX4 4GA, England
J Control Release 1997 47 (1) 61
Bioavailability following transdermal powdered delivery (TPD) of radiolabeled inulin to hairless guinea pigs
- Shapiro L, Cohen S*// *Ben Gurion Univ Negev, Unit Biotechnol, IL-84105 Beer Sheva, Israel
Biomaterials 1997 18 (8) 583
Novel alginate sponges for cell culture and transplantation
- Tokuda H, Urata T, Nakanishi K// Tokyo Univ Agr & Technol, Dept Brewing & Fermentat, Setagaya ku, 1-1-1 Sakuragaoka, Tokyo 156, Japan
Biosci Biotechnol Biochem 1997 61 (4) 583
Hydrolysis of xylan by *Aspergillus niger* immobilized on non-woven fabrics
- Ueda K, Sato S, Ochiai H, Imamura A// Hiroshima Univ, Dept Chem, Higashi-Hiroshima 739, Japan
J Phys Chem B 1997 101 (19) 3653
Ionic polarization of carrageenans with different charge densities as studied by electric birefringence measurements
- Vincken JP, York WS, Beldman G, Voragen AGJ*// *Agr Univ Wageningen, Dept Food Sci, POB 8129, NL-6700 EV Wageningen, The Netherlands
Plant Physiol 1997 114 (1) 9
Two general branching patterns of xyloglucan, XXXG and XXGG
- Wang HB, Zheng QY// Milit Med Coll II, Dept Pharmacol, Shanghai 200433, Peoples Rep China
- Immunopharmacol Immunotoxicol* 1997 19 (2) 197
Effects of *Phytolacca acinosa* polysaccharides 1 with different schedules on its antitumor efficiency in tumor bearing mice and production of IL-1, IL-2, IL-6, TNF, CSF activity in normal mice
- Wustman BA, Gretz MR*, Hoagland KD// *Michigan Technol Univ, Dept Biol Sci, Houghton, MI 49931, USA
Plant Physiol 1997 113 (4) 1059
Extracellular matrix assembly in diatoms (Bacillariophyceae). I. A model of adhesives based on chemical characterization and localization of polysaccharides from the marine diatom *Achnanthes longipes* and other diatoms
- Yamatoya K, Kuwano K, Suzuki J// Dainippon Pharmaceut Co Ltd, Food Food Addit & Chem Div, Chuo ku, 2-6-8 Doshomachi, Osaka 541, Japan
Food Hydrocolloid 1997 11 (2) 239
Effects of hydrolyzed guar gum on cholesterol and glucose in humans

13 POLYSACCHARIDES - OTHER

- Caram-Lelham N, Hed F, Sundelof LO*// *Univ Uppsala, Ctr Biomed, POB 574, S-75123 Uppsala, Sweden
Biopolymers 1997 41 (7) 765
Adsorption of charged amphiphiles to oppositely charged polysaccharides: A study of the influence of polysaccharide structure and hydrophobicity of the amphiphile molecule
- Cheung MK, Douglas NL, Hinzen B, Ley SV*, Pannecoucke X// *Univ Cambridge, Dept Chem, Lensfield Rd, Cambridge CB2 1EW, England
Synlett 1997 (3) 257
One-pot synthesis of tetra- and pentasaccharides from monomeric building blocks using the principles of orthogonality and reactivity tuning
- Grinberg VY, Tolstoguzov VB// Russian Acad Sci, Inst Biochem Phys, Vavilov Str 28, GSP-1, Moscow 117813, Russia
Food Hydrocolloid 1997 11 (2) 145
Thermodynamic incompatibility of proteins and polysaccharides in solutions
- Heinrich J, Konig WA, Bretting H, Mischnick P*// *Univ Hamburg, Inst Organ Chem, Martin Luther King Pl 6, D-20146 Hamburg, Germany
Carbohydr Res 1997 299 (1-2) 1
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia*
- Kakuchi T, Satoh T, Yokota K// Hokkaido Univ, Div Biosci, Sapporo, Hokkaido 060, Japan
J Syn Org Chem Jpn 1997 55 (4) 290
Cyclopolymerization of 1,2:5,6-dianhydrohexitol leading to a novel polymeric carbohydrate
- Karamanos NK, Vanky P, Tzanakakis GN, Tseggenidis T, Hjerpe A// Univ Patras, Dept Chem, Sect Organ Chem Biochem & Nat Prod, GR-26110 Patras, Greece
J Chromatogr A 1997 765 (2) 169
Ion-pair high-performance liquid chromatography for determining disaccharide composition in heparin and heparan sulphate
- Lienemann CP, Mavrocordatos D, Perret D*// *Univ Lausanne, Inst Chim Minerale & Analyt, CH-1015 Lausanne, Switzerland
Mikrochim Acta 1997 126 (1-2) 123
Enhanced visualization of polysaccharides from aqueous suspensions
- Morales A, Emerson L, Nickel JC// Kingston Gen Hosp, Dept Urol, Kingston, Ontario, Canada K7L 2V7
Urology 1997 49 (5A Suppl) 111
Intravesical hyaluronic acid in the treatment of refractory interstitial cystitis
- Mulloy B, Gee C, Wheeler SF, Wait R, Gray E, Barrowcliffe TW// Natl Inst Biol Stand & Controls, Mol Struct Lab, Blanche Lane, South Mimms, Potters Bar EN6 3QG, Herts, England
Thromb Haemost 1997 77 (4) 668
Molecular weight measurements of low molecular weight heparins by gel permeation chromatography
- Plavsic M, Cosovic B, Skudar J// Rudjer Boskovic Inst, POB 1016, Zagreb 10001, Croatia
Croat Chem Acta 1997 70 (1) 111
Adsorption of sulfated polysaccharides on mercury and $\gamma\text{-Al}_2\text{O}_3$ particles in sodium chloride solution and seawater
- Suortti T// VTT Biotechnol & Food Res, POB 1500, FIN-02044 Espoo, Finland
J Chromatogr A 1997 763 (1-2) 331
Coupled size-exclusion chromatography anion-exchange chromatography in the analysis of poly- and oligosaccharides