

CONTENTS OF VOLUME 34

Number 1/2

- 1 Titanium (IV) starch complexes
S. K. TYRLIK, P. TOMASIK, J. W. ANDEREGG & M. BACZKOWICZ (Poland)
- 9 Physico-chemical studies of chitosan-poly (vinyl alcohol) blends plasticized with sorbitol and sucrose
I. ARVANITOYANNIS, I. KOLOKURIS, A. NAKAYAMA, N. YAMAMOTO & SI AIBA (Greece)
- 21 Quarternization/cross linking of starch with choline chloride/epichlorohydrin
I. ŠIMKOVIC (Slovakia)
- 25 Formation of starch films with varying crystallinity
Å. RINDLAV, S. H. D. HULLEMAN & P. GATENHOLM (Sweden)
- 31 The effects of low molecular weight additives on the viscosities of cassava starch
B. VALLÈS-PÀMIES, F. BARCLAY, S. E. HILL, J. R. MITCHELL, L. A. PATERSON & J. M. V. BLANSHARD (UK)
- 39 Fickian and case II diffusion of water into amylose: a stray field NMR study
I. HOPKINSON, R. A. L. JONES, S. BLACK, D. M. LANE & P. J. MCDONALD (UK)
- 49 Molecular mobility of polysaccharide chains in starch investigated by two-dimensional solid-state NMR spectroscopy
A. S. KULIK & J. HAVERKAMP (The Netherlands)
- 55 Adsorption of α -amylase on dextrin immobilized on kieselguhr or chitin
M. KURAKAKE, M. UEKI, S. HASHIMOTO & T. KOMAKI (Japan)
- 61 The system of agaroids and carrageenans from the soluble fraction of the tetrasporic stage of the red seaweed *Iridaea undulosa*
C. A. STORTZ, M. R. CASES & A. S. CERESO (Argentina)
- 67 Some properties of *ruredzo* (*Dicerocaryum zanguebarium*) mucilage crosslinked with epichlorohydrin
M. A. N. BENHURA & I. MAVHUDZI-NYAMBAYO (Zimbabwe)
- 73 Binding of divalent metal cations by sugar-beet pulp
V. M. DRONNET, C. M. G. C. RENARD, M. A. V. AXELOS & J.-F. THIBAUT (France)
- 83 The influence of drying method on the physical properties of some graft copolymers for drug delivery systems
I. CASTELLANO, M. GURRUCHAGA & I. GOÑI (Spain)
- 91 Derivatization of cellulose in homogeneous condition: 1-cellulose propionate
E. BIANCHI, E. MARSANO, L. RICCO & C. CONIO (Italy)
- 95 Effect of D-glucono-1,4-lactone on the production of CMCase, pNPCase and true cellulase by *Clostridium thermocellum*
S. BHAT, J. F. KENNEDY, P. W. GOODENOUGH, E. OWEN & M. K. BHAT (UK)

- 101 Properties of octanoated starch and its blends with polyethylene
J. ABURTO, S. THIEBAUD, I. ALRIC, E. BORREDON, D. BIKIARIS, J. PRINOS & C. PANAYIOTOU (France)
- 113 Structural features of sulfated chitosans
A. GAMZAZADE, A. SKLYAR, S. NASIBOV, I. SUSHKOV, A. SHASHKOV & Y. KRUREL (Russia)
- 117 Bibliography
- 125 Calendar

Number 3

- 127 Comparison of molecular association of dextran and periodate-oxidised dextran in aqueous solutions
I. URAZ & A. GÜNER (Turkey)
- 131 Chemical composition of *O*-(carboxymethyl)-chitins in relation to lysozyme degradation rates
R. J. NORDTVEIT HJERDE, K. M. VÅRUM, H. GRASDALEN, S. TOKURA & O. SMIDSRØD (Norway)
- 141 Physical and structural properties of barley (1→3), (1→4)- β -D-glucan. III. Formation of aggregates analysed through its viscoelastic and flow behaviour
C. GÓMEZ, A. NAVARRO, C. GARNIER, A. HORTA & J. V. CARBONELL (Spain)
- 149 The effect of charge density and conformation on the polyelectrolyte complex formation between carrageenan and chitosan
A. HUGERTH, N. CARUS-LELHAM & L. O. SUNDELÖF (Sweden)
- 157 Evidence of interaction between agarose and guar gum from changes in network response to solvent perturbation
R. B. GARCIA & C. T. ANDRADE (Brazil)
- 165 Viscoelastic properties of xanthan/galactomannan mixtures: comparison of guar gum with locust bean gum
C. SCHORSCH, C. GARNIER & J.-L. DOUBLIER (France)
- 177 Soursop pectinesterases: thermostability and effect on cloud stability of soursop juice
S. M. ARBAISAH, B. A. ASBI, A. H. JUNAINAH, B. JAMILAH & J. F. KENNEDY (UK)
- 183 Construction of supramolecular structures from cyclodextrins and polymers
A. HARADA (Japan)
- 189 Book Review
- 191 Bibliography
- 201 Calendar

Number 4

- 203 Optimisation of conditions of synthesis of oxidised starch from corn and amaranth for use in film-forming applications
S. CHATTOPADHYAY, R. S. SINGHAL & P. R. KULKARNI (India)
- 213 Effect of microwave radiation on physico-chemical properties and structure of potato and tapioca starches
G. LEWANDOWICZ, J. FORMAL & A. WALKOWSKI (Poland)
- 221 Transition behaviour and phase structure of chitin/poly (2-hydroxyethyl methacrylate) composites synthesized by a solution coagulation/bulk polymerization method
Y. MIYASHITA, R. KOBAYASHI, N. KIMURA, H. SUZUKI & Y. NISHIO (Japan)

- 229 A structural study on fluorinated cellulose: crystallization of fluorinated cellulose by conversion treatments used for cellulose
N. KASUYA, K. IIYAMA, G. MESHITSUKA & T. OKANO (Japan)
- 235 Simultaneous production of two different gel-forming exopolysaccharides by an *Alteromonas* strain originating from deep sea hydrothermal vents
E. SAMAIN, M. MILAS, L. BOZZI, G. DUBREUCQ & M. RINAUDO (France)
- 243 Structural studies by NMR spectroscopy of the major oligomers from alkali-degraded arabinogalactan from *Larix occidentalis*
M. MANLEY-HARRIS (USA)
- 251 Arabinogalactan from Western larch, Part III: alkaline degradation revisited, with novel conclusions on molecular structure
G. R. PONDER & G. N. RICHARDS (USA)
- 263 On the extrapolation of the melting temperature of dry starch from starch-water data using the Flory-Huggins equation
I. A. FARHAT & J. M. V. BLANSHARD (UK)
- 267 Theory and applications of DMAC/LICL in the analysis of polysaccharides
A. M. STRIEGEL (USA)
- 275 Phase and glass transition behaviour of concentrated barley starch-glycerol-water mixtures, a model for thermoplastic starch
P. M. FORSSELL, J. M. MIKKILÄ (Finland), G. K. MOATES & R. PARKER (UK)
- 283 Physical properties and enzymatic digestibility of acetylated *ae*, *wx*, and normal maize starch
H. LIU, L. RAMSDEN & H. CORKE (Hong Kong)
- 291 Preparation and study of novel biodegradable blends based on gelatinized starch and 1,4-trans-polyisoprene (gutta percha) for food packaging or biomedical applications
I. ARVANITOYANNIS, I. KOLOKURIS (Greece), A. NAKAYAMA & S.-I. AIBA (Japan)
- 303 Starch radicals. Part II: Cereals—native starch complexes
W. CIESIELSKI, B. ACHREMOWICZ, P. TOMASIK, M. BACZKOWICZ & J. KORUS (Poland)
- 309 Structural properties of pectin-gelatin gels. Part II: effect of sucrose/glucose syrup
I. M. AL-RUQAIE, S. KASAPIS & R. ABEYSEKERA (UK)
- 323 Expolymer production by *Bacillus* species
H. P. GANDHI, R. M. RAY & R. M. PATEL (India)
- 329 Thermal analysis of polyacrylic acid modified by some glucosamine derivatives
F. A. A. TIRKISTANI (Saudi Arabia)
- 335 The effect of growth factors on the cytotoxicity of sulphated polysaccharides
M. KUNOU & K. HATANAKA (Japan)
- 343 A new spectrophotometric method of assay for chitosanase based on Calcofluor white dye binding
D. SOMASHEKAR & R. JOSEPH (India)
- 347 Physical ageing of wheat flour-based confectionery wafers
S. J. LIVINGS, C. BREACH, A. M. DONALD & A. C. SMITH (UK)
- 357 Interpretation of small angle X-ray scattering from starch on the basis of fractals
T. SUZUKI, A. CHIBA & T. YANO (Japan)
- 365 Rheology and microstructure of Ca- and Na- κ -carrageenan and locust bean gum gels
L. LUNDIN & A.-M. HERMANSSON (Sweden)

- 377 Preparation of gum from Tamarind seed—and its application in the preparation of composite material with sisal fibre
K. VELURAJA, S. AYYALNARAYANASUBBURAJ & A. J. PAULRAJ (India)
- 381 Study of lipoprotein sorption by some sulfoderivatives of chitosan
A. I. GAMZAZADE, S. M. NASIBOV & S. V. ROGOZHIN (Russia)
- 385 Viscosity of locust bean, guar and xanthan gum solutions in the Newtonian domain: a critical examination of the $\log (\eta_{sp})_0$ — $\log C[\eta]_0$ master curves
B. LAUNAY, G. CUVELIER & S. MARTINEZ-REYES (France)
- 397 Chemical modifications of carboxylated chitosan
L. E. LILLO & B. MATSUHIRO (Chile)
- 403 Some properties of Cassava Mesocarp carbohydrates—low density polyethylene blends
O. AKARANTA & G. E. OKU (Nigeria)
- 407 Book Reviews
- 421 Abstracts
- 437 Erratum
- 439 Bibliography
- 449 News Release
- 451 Calendar
- 453 Contents of Volume 33
- 457 Contents of Volume 34