

CONTENTS OF VOLUME 64

Issue 1

Papers

- 1 Effect of sucrose on the textural properties of corn and wheat extrudates
K. MEZREB, A. GOULLIEUX, R. RALAINIRINA & M. QUENEUEDEC (AMIENS, FRANCE)
- 9 Preparation, characterization, and swelling behavior of *N*-acetylated and deacetylated chitosans
S. M. TAGHIZADEH & G. DAVARI (TEHRAN, IRAN)
- 16 Preparation of water-soluble and water-swellaable starch acetates using microwave heating
R. L. SHOGREN & A. BISWAS (PEORIA, USA)
- 22 Optimum operating conditions for brewer's spent grain soda pulping
S. I. MUSSATTO, G. DRAGONE, G. J. M. ROCHA & I. C. ROBERTO (LORENA, BRAZIL)
- 29 Effects of molecular weight, degree of acetylation and ionic strength on surface tension of chitosan in dilute solution
G. QUN & W. AJUN (SHANGHAI, CHINA)
- 37 Controlled preparation of physical cross-linked starch-g-PVA hydrogel
C. XIAO & M. YANG (QUANZHOU, PEOPLE'S REPUBLIC OF CHINA)
- 41 Influence of hydroxypropylmethyl cellulose–sodium dodecylsulfate interaction on the solution conductivity and viscosity and emulsion stability
V. J. SOVILJ & L. B. PETROVIĆ (NOVI SAD, SERBIA AND MONTENEGRO)
- 50 Metal ion sorption and swelling studies of psyllium and acrylic acid based hydrogels
B. SINGH, G. S. CHAUHAN, S. S. BHATT & K. KUMAR (SHIMLA, INDIA)
- 57 Inhibition of the adhesion of enteropathogenic *Escherichia coli* strains to HT-29 cells in culture by chito-oligosaccharides
J. RHOADES, G. GIBSON (READING, UK), K. FORMENTIN, M. BEER (NYON, SWITZERLAND) & R. RASTALL (READING, UK)
- 60 Effect of MW and concentration of chitosan on antibacterial activity of *Escherichia coli*
N. LIU, X.-G. CHEN (QINGDAO, PEOPLE'S REPUBLIC OF CHINA), H.-J. PARK (SEOUL, SOUTH KOREA), C.-G. LIU, C.-S. LIU, X.-H. MENG & L.-J. YU (QINGDAO, PEOPLE'S REPUBLIC OF CHINA)
- 66 Bactericidal and antifungal activities of a low molecular weight chitosan and its *N*-2(3)-(dodec-2-enyl)succinoyl/-derivatives
V. E. TIKHONOV, E. A. STEPNOVA, V. G. BABAK, I. A. YAMSKOV (MOSCOW, RUSSIA)
J. PALMA-GUERRERO, H.-B. JANSSON, L. V. LOPEZ-LLORCA, J. SALINAS (ALICANTE, SPAIN),
D. V. GERASIMENKO, I. D. AVDIENKO & V. P. VARLAMOV (MOSCOW, RUSSIA)
- 73 Kinetics of microwave degradation of λ -carrageenan from *Chondrus ocellatus*
G. ZHOU (YANTAI, PEOPLE'S REPUBLIC OF CHINA), W. YAO (QINGDAO, PEOPLE'S REPUBLIC OF CHINA) & C. WANG (DALIAN, PEOPLE'S REPUBLIC OF CHINA)
- 78 Thermo-reversible Diels–Alder polymerization of difurfurylidene trehalose and bismaleimides
N. TERAMOTO, Y. ARAI & M. SHIBATA (CHIBA, JAPAN)
- 85 pH-Dependent inclusion complexation of carboxymethylated cyclophoraooses to *N*-acetylphenylalanine
H. PARK, Y. CHOI, S. KANG, S. LEE, C. KWON & S. JUNG (SEOUL, SOUTH KOREA)

- 92 Preparation, characterization and antibacterial activity of chitosan–Ca₃V₁₀O₂₈ complex membrane
S. CHEN, G. WU, D. LONG & Y. LIU (SHANGHAI, CHINA)
- 98 Characterization of chitosan and chitin produced from silkworm crysalides
A. T. PAULINO, J. I. SIMIONATO, J. C. GARCIA & J. NOZAKI (MARINGA, BRAZIL)
- 104 The fractal nature of kraft pulping kinetics applied to thin Eucalyptus nitens chips
K. L. NGUYEN & V. Q. DANG (CLAYTON, AUSTRALIA)
- 112 Studies on the synthesis of acrylamidomethyl cellulose ester and its application in UV curable surface coatings induced by free radical photoinitiator. Part 1: Acrylamidomethyl cellulose acetate
R. N. KUMAR, P. L. PO & H. D. ROZMAN (PULAU PINANG, MALAYSIA)
- 127 A solid state ¹³C high resolution NMR study of raw and chemically treated sisal fibers
M. A. MARTINS, L. A. FORATO, L. H. C. MATTOSO & L. A. COLNAGO (SÃO PAULO, BRAZIL)

Short Communication

- 134 Process for obtaining cellulose acetate from agricultural by-products
A. BISWAS, B. C. SAHA, J. W. LAWTON, R. L. SHOGREN & J. L. WILLETT (PEORIA, USA)
- 138 Book reviews
- 144 Bibliography
 - I Calendar
 - III Instructions to authors

Issue 2

Papers

- 151 Enzymatic preparation of chitosan from the waste *Aspergillus niger* mycelium of citric acid production plant
J. CAI, J. YANG, Y. DU, L. FAN, Y. QIU, J. LI (HUBEI, CHINA) & J. F. KENNEDY (BIRMINGHAM, UK)
- 158 Influence of reaction conditions on MS values and physical properties of waxy maize starch derivatized by reaction with propylene oxide
J.-A. HAN & J. N. BEMILLER (WEST LAFAYETTE, USA)
- 163 Preparation and characterisation of chitosan microspheres for antioxidant delivery
S. L. KOSARAJU, L. D'ATH & A. LAWRENCE (WERRIBEE, AUSTRALIA)
- 168 Shear-induced aggregate formation in starch solutions
S. KIM, J. XU, A. BISWAS & J. L. WILLETT (PEORIA, USA)
- 175 Dilute solution properties of hexanoyl chitosan in chloroform, dichloromethane, and tetrahydrofuran
M. PEESAN, A. SIRIVAT, P. SUPAPHOL & R. RUJIRAVANIT (BANGKOK, THAILAND)
- 184 Synthesis and properties of acylated chitin and chitosan derivatives
V. A. VASNEV, A. I. TARASOV, G. D. MARKOVA, S. V. VINOGRADOVA & O. G. GARKUSHA (MOSCOW, RUSSIA)
- 190 Laser-light-scattering study of structure and dynamics of waxy corn amylopectin in dilute aqueous solution
C. YANG, B. MENG, M. CHEN, X. LIU (JIANGSU, P.R. CHINA), Y. HUA (WUXI, P.R. CHINA) & Z. NI (JIANGSU, P.R. CHINA)
- 197 Characterization of water mobility in biscuit dough using a low-field ¹H NMR technique
A. ASSIFAOU, D. CHAMPION (DIJON, FRANCE), E. CHIOTELLI & A. VEREL (PALAISEAU, FRANCE)
- 205 Small-deformation rheology of mesquite gum stabilized oil in water emulsions
M. A. VALDEZ, J. I. ACEDO-CARRILLO, A. ROSAS-DURAZO, J. LIZARDI (SONORA, MÉXICO)
M. RINAUDO (GRENOBLE, FRANCE) & F. M. GOYCOOLEA (SONORA, MÉXICO)

- 212 Processes of dehydration and rehydration of raffinose pentahydrate investigated by thermal analysis and FT-IR/DSC microscopic system
W.-T. CHENG & S.-Y. LIN (TAIPEI, TAIWAN ROC)
- 218 Polymerization of vinyl sugar ester using ascorbic acid and hydrogen peroxide as a redox reagent
M. KITAGAWA (SHIGA, JAPAN) & Y. TOKIWA (IBARAKI, JAPAN)
- 224 Mechanical properties of short flax fibre bundle/poly(ϵ -caprolactone) composites: Influence of matrix modification and fibre content
A. ARBELAIZ, B. FERNÁNDEZ, A. VALEA & I. MONDRAGON (DONOSTIA-SAN SEBASTIÁN, SPAIN)
- 233 Isolation of cellotriosyl blocks from barley β -glucan with *endo*-1,4- β -glucanase from *Trichoderma reesei*
A. AJITHKUMAR, R. ANDERSSON (UPPSALA, SWEDEN), M. SIIKA-AHO (ESPOO, FINLAND)
M. TENKANEN (HELSINKI, FINLAND) & P. ÅMAN (UPPSALA, SWEDEN)
- 239 Dissolution kinetics of guar gum powders—III. Effect of particle size
Q. WANG (GUELPH, CANADA), P. R. ELLIS & S. B. ROSS-MURPHY (LONDON, UK)
- 247 Malva nut gum. (Part I): Extraction and physicochemical characterization
P. SOMBOONPANYAKUL (BANGKOK, THAILAND), Q. WANG, W. CUI, S. BARBUT (GUELPH, CANADA)
& P. JANTAWAT (BANGKOK, THAILAND)
- 254 Chitosan/oligo L-lactide graft copolymers: Effect of hydrophobic side chains on the physico-chemical properties and biodegradability
G. E. LUCKACHAN & C. K. S. PILLAI (KERALA, INDIA)
- 267 Urea and ethanolamine as a mixed plasticizer for thermoplastic starch
X. F. MA, J. G. YU & J. J. WAN (TIANJIN, CHINA)
- 274 Microwave-assisted solid-phase oligosaccharides synthesis reaction and scavenging activity of synthetic product to free radical
X.-M. LI, G.-W. LE & Y.-H. SHI (JIANGSU, PEOPLE'S REPUBLIC OF CHINA)
- 282 Synthesis and biological study of some amino acid functionalized starch-graft-polyacrylamide
H. EL-HAMSHARY (AL-AHSA, SAUDI ARABIA), S. AL-SIGENY & M. M. ALI (TANTA, EGYPT)
- 287 Chemical properties and biological activity of a polysaccharide from *Cyrtopodium cardiochilum*
D. W. BARRETO & J. P. PARENTE (RIO DE JANEIRO, BRAZIL)
- 292 Carboxymethyl xylan—synthesis and detailed structure characterization
K. PETZOLD, K. SCHWIKAL & T. HEINZE (JENA, GERMANY)
- 299 Novel highly-soluble peptide-chitosan polymers: Chemical synthesis and spectral characterization
M. K. S. BATISTA, L. F. PINTO, C. A. R. GOMES & P. GOMES (PORTO, PORTUGAL)
- 306 Simple and solvent-free methodology for simultaneous quantification of methanol and acetic acid content of plant polysaccharides based on headspace solid phase microextraction-gas chromatography (HS-SPME-GC-FID)
C. NUNES, S. M. ROCHA, J. SARAIVA & M. A. COIMBRA (AVEIRO, PORTUGAL)
- 312 Optimization of reaction conditions for preparing carboxymethyl cellulose from sago waste
V. PUSHPAMALAR (PETALING JAYA SELANGOR, MALAYSIA), S. J. LANGFORD (CLAYTON, AUSTRALIA),
M. AHMAD (SELANGOR, MALAYSIA) & Y. Y. LIM (PETALING JAYA SELANGOR, MALAYSIA)
- 319 Regioselective grafting of poly(ethylene glycol) onto chitosan through C-6 position of glucosamine units
R. MAKUŠKA & N. GOROCHOVCEVA (VILNIUS, LITHUANIA)
- 328 Poly(ethylene glycol)-crosslinked *N*-methylene phosphonic chitosan. Preparation and characterization
V. M. RAMOS, N. M. RODRÍGUEZ, I. HENNING, M. F. DÍAZ, M. P. MONACHESI, M. S. RODRÍGUEZ
(BAHÍA BLANCA, ARGENTINA), A. ABARRATEGI, V. CORREAS-MAGAÑA, J. L. LÓPEZ-LACOMBA
(MADRID, SPAIN) & E. AGULLO (BAHÍA BLANCA, ARGENTINA)

- 337 Evaluation of sulfated α -glucans from *Poria cocos* mycelia as potential antitumor agent
Q. HUANG, L. ZHANG (WUHAN, CHINA), P. C. K. CHEUNG (HONG KONG, CHINA) & X. TAN (WUHAN, CHINA)
- 345 Synthesis and characterization of biodegradable hydrogels based on starch and succinic anhydride
T. YOSHIMURA, R. YOSHIMURA, C. SEKI & R. FUJIOKA (FUKUOKA, JAPAN)
- 350 Zooglan, an extracellular acidic polysaccharide isolated from *Zoogloea ramigera* 115 as a novel catalytic carbohydrate for methanolysis
S. LEE, S. KANG, C. KWON & S. JUNG (GWANGJIN-GU, SOUTH KOREA)
- 355 Interrelationship between the viscoelastic properties and effective moisture diffusivity of emulsions with the water vapor permeability of edible films stabilized by mesquite gum–chitosan complexes
J. O. RUÍZ-RAMOS (COL. VICENTINA, MEXICO), J. P. PÉREZ-OROZCO (ZACATEPEC, MEXICO)
J. G. BÁEZ-GONZÁLEZ (COL. VICENTINA, MEXICO), E. BÓSQUEZ-MOLINA (MEXICO)
C. PÉREZ-ALONSO (TOLUCA, MÉXICO) & E. J. VERNON-CARTER (COL. VICENTINA, MEXICO)
- 364 An X-ray study of hydrothermally treated potato starch
R. VERMEYLEN, B. GODERIS & J. A. DELCOUR (HEVERLEE, BELGIUM)
- 376 Bibliography
I Calendar
III Instructions to authors

Issue 3

Papers

- 385 Cyclic voltammetric investigations on copper α -N,O-succinated chitosan interactions
I. S. LIMA, A. M. LAZARIN & C. AIROLDI (SÃO PAULO, BRASIL)
- 391 Effect of sugars, galactose content and chainlength on freeze–thaw gelation of galactomannans
J. P. DOYLE (CORK, IRELAND), P. GIANNOULI (LARISSA, GREECE), E. J. MARTIN, M. BROOKS & E. R. MORRIS (CORK, IRELAND)
- 402 Preparation and characterization of crosslinked porous cellulose beads
Y.-X. BAI & Y.-F. LI (GANSU, PEOPLE'S REPUBLIC OF CHINA)
- 408 Optimization of microwave-assisted solid-phase oligosaccharides synthesis reaction and analysis of components and structure of synthetic product
X.-M. LI, G.-W. LE, J.-X. CHENG, F. WANG & Y.-H. SHI (JIANGSU, PEOPLE'S REPUBLIC OF CHINA)
- 419 Monolithic gelation of chitosan solutions via enzymatic hydrolysis of urea
A. CHENITE (LAVAL, CANADA), S. GORI (MONTREAL, CANADA), M. SHIVE, E. DESROSIERS (LAVAL, CANADA) & M. D. BUSCHMANN (MONTREAL, CANADA)
- 425 Blend membranes of sodium alginate and hydroxyethylcellulose for pervaporation-based enrichment of *t*-butyl alcohol
S. KALYANI (TIRUPATI, INDIA), B. SMITHA, S. SRIDHAR (HYDERABAD, INDIA) & A. KRISHNAIAH (TIRUPATI, INDIA)
- 433 Exploratory SAXS and HPAEC-PAD studies of starches from diverse plant genotypes
J. S. SANDERSON, R. D. DANIELS, A. M. DONALD (CAMBRIDGE, UK), A. BLENNOW & S. B. ENGELSEN (COPENHAGEN, DENMARK)
- 444 X-ray diffraction study of crystal transformations in spherulitic amylose/lipid complexes from jet-cooked starch
R. L. SHOGREN, G. F. FANTA & F. C. FELKER (PEORIA, USA)

- 452 Three classes of starch granule swelling: Influence of surface proteins and lipids
M. R. DEBET (BEDFORD, UK) & M. J. GIDLEY (BRISBANE, AUSTRALIA)
- 466 Crystalline and micellar properties of amphiphilic biodegradable chitooligosaccharide-*graft*-poly (ϵ -caprolactone) copolymers
C. WANG, G. LI, S. TAO, R. GUO & Z. YAN (BEIJING, PEOPLE'S REPUBLIC OF CHINA)
- 473 Synthesis of pH-sensitive PVP/CM-chitosan hydrogels with improved surface property by irradiation
L. ZHAO (GUNMA, JAPAN), L. XU (TOKYO, JAPAN), H. MITOMO & F. YOSHII (GUNMA, JAPAN)

Short communications

- 481 A non-ionic glucomannan from the seeds of an indigenous medicinal plant: *Bryonia lacinosa*
V. SINGH & T. MALVIYA (ALLAHABAD, INDIA)
- 484 Rapid preparation of starch maleate half-esters
A. BISWAS, R. L. SHOGREN, S. KIM & J. L. WILLETT (PEORIA, USA)
- 488 Book reviews
- 490 Bibliography
- I Calendar

Issue 4

Papers

- 501 In situ polymerization of starch with lactic acid in aqueous solution and the microstructure characterization
Q. GONG, L.-Q. WANG & K. TU (HANGZHOU, CHINA)
- 510 Studies on the molecular chain morphology of konjac glucomannan
B. LI, B. XIE (WUHAN, CHINA) & J. F. KENNEDY (BIRMINGHAM, UK)
- 516 Biodegradable nanocomposites obtained by ball milling of pectin and montmorillonites
P. MANGIACAPRA, G. GORRASI, A. SORRENTINO & V. VITTORIA (FISCIANO (SA), ITALY)
- 524 Changes in morphological, thermal and pasting properties of yam (*Dioscorea alata*) starch during growth
C.-C. HUANG, M.-C. LIN & C.-C. R. WANG (TAIWAN, ROC)
- 532 Condensed state structure and biocompatibility of the konjac glucomannan/chitosan blend films
X. YE (HUBEI, PEOPLE'S REPUBLIC OF CHINA), J. F. KENNEDY (BIRMINGHAM, UK), B. LI & B. J. XIE (HUBEI, PEOPLE'S REPUBLIC OF CHINA)
- 539 Segmental mobility of polymers in starch granules at low moisture contents
D. SAIBENE & K. SEETHARAMAN (UNIVERSITY PARK, USA)
- 548 Image study of pectin extraction from orange skin assisted by microwave
L. ZHONGDONG (HENAN, FUJIAN, PEOPLE'S REPUBLIC OF CHINA), W. GUOHUA (FUJIAN, PEOPLE'S REPUBLIC OF CHINA), G. YUNCHANG (SHANGHAI, CHINA) & J. F. KENNEDY (BIRMINGHAM, UK)
- 553 Effect of ultrasonic treatment on the biochemophysical properties of chitosan
H. LIU, J. BAO, Y. DU, X. ZHOU (WUHAN, CHINA) & J. F. KENNEDY (BIRMINGHAM, UK)
- 560 Preparation and characterization of polyaniline/chitosan blend film
T. THANPITCHA, A. SIRIVAT (BANGKOK, THAILAND), A. M. JAMIESON (CLEVELAND, USA) & R. RUJIRAVANIT (BANGKOK, THAILAND)

- 569 Physico-chemical and morphological characteristics of New Zealand *Taewa* (Maori potato) starches
J. SINGH, O. J. MCCARTHY & H. SINGH (PALMERSTON NORTH, NEW ZEALAND)
- 582 Reaction pattern of a novel thermostable α -amylase
N. ATICHOKUDOMCHAI, J.-I. JANE (AMES, USA) & G. HAZLEWOOD (SAN DIEGO, USA)
- 589 Cellouronate (β -1,4-linked polyglucuronate) lyase from *Brevundimonas* sp. SH203: Purification and characterization
N. KONNO, N. HABU, I. MAEDA, N. AZUMA (TOCHIGI, JAPAN) & A. ISOGAI (TOKYO, JAPAN)
- 597 Free-radical depolymerization with metallic catalysts of an exopolysaccharide produced by a bacterium isolated from a deep-sea hydrothermal vent polychaete annelid
A.-C. PETIT, N. NOIRET (RENNES, FRANCE), C. SINKIN, J. RATISKOL, J. GUÉZENNEC & S. COLLIEC-JOUAULT (NANTES CEDEX, FRANCE)
- 603 Book reviews
- 605 Calendar
- 606 Contents of Volume