



Bibliography of carbohydrate polymers

(5 weeks journals. Search completed at 18th. June 2008)

1. Reviews

Sallas F, Darcy R// Univ Coll Dublin, Sch Chem & Chem Biol, UCD Conway Inst, Ctr Synthesis & Chem Biol, Dublin 4, Rep Ireland
Eur J Org Chem 2008 (6) 957
Amphiphilic cyclodextrins - Advances in synthesis and supramolecular chemistry

2. Cellulose

Ahola S, Osterberg M, Laine J// Helsinki Univ Technol, Lab Forest Prod Chem, POB 6300, FI-02015 Helsinki, Finland
Cellulose 2008 **15** (2) 303

Cellulose nanofibrils-adsorption with poly(amidamine) epichlorohydrin studied by QCM-D and application as a paper strength additive

Akrman J, Prikryl J// Res Inst Organ Syntheses, CZ-53354 Rybitvi, Czech Republic
J Appl Polym Sci 2008 **108** (1) 334

Application of benzotriazole reactive UV absorbers to cellulose and determining sun protection of treated fabric spectrophotometrically

Barakat NS, Ahmad AAE// King Saud Univ, Sch Pharm, POB 22452, SA-11495 Riyadh, Saudi Arabia
J Microencapsul 2008 **25** (1) 31

Diclofenac sodium loaded-cellulose acetate butyrate: Effect of processing variables on microparticles properties, drug release kinetics and ulcerogenic activity

Barbar R, Durand A, Ehrhardt JJ, Fanni J, Parmentier M// LSGA-ENSAIA-INPL, 2 Ave Foret de la Haye, FR-54505 Vandoeuvre les Nancy, France
J Membr Sci 2008 **310** (1-2) 446

Physicochemical characterization of a modified cellulose acetate membrane for the design of oil-in-water emulsion disruption devices

Bel-Hassen R, Boufi S*, Salon MCB, Abdelmouleh M, Belgacem MN// *Fac Sci Sfax, LMSE, BP 802, TN-3018 Sfax, Tunisia
J Appl Polym Sci 2008 **108** (3) 1958

Adsorption of silane onto cellulose fibers. II. The effect of pH on silane hydrolysis, condensation, and adsorption behavior

Bergenstrahle M, Wohler J, Larsson PT, Mazeau K, Berglund LA// KTH, Dept Fiber & Polymer Technol, SE-10044 Stockholm, Sweden
J Phys Chem B 2008 **112** (9) 2590

Dynamics of cellulose-water interfaces: NMR spin-lattice relaxation times calculated from atomistic computer simulations

Bhattacharya D, Germinario LT, Winter WT*// *State Univ New York, Coll Environm Sci & Forestry, Cellulose Res Inst & Dept Chem, 121 Edwin C Jahn Lab, Syracuse, NY 13219, USA
Carbohydr Polym 2008 **73** (3) 371

Isolation, preparation and characterization of cellulose microfibers obtained from bagasse

Brandt H, Muller FA, Greil P// Univ Erlangen Nurnberg, Dept Materials Sci - Biomaterials, Henkestr 91, DE-91052 Erlangen, Germany
Cellulose 2008 **15** (2) 275

Bioactivation of knitted cellulose scaffolds by strontium

Calvini P, Gorassini A, Merlani AL// Minist Beni Culturali, SBAP, Via Balbi 10, IT-16126 Genoa, Italy
Cellulose 2008 **15** (2) 193

On the kinetics of cellulose degradation: Looking beyond the pseudo zero order rate equation

Chau CF, Yang P, Yu CM, Yen GC*// *Nat'l Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuokuang Rd, Taichung 40227, Taiwan

J Agric Food Chem 2008 **56** (6) 2291
Investigation on the lipid- and cholesterol-lowering abilities of biocellulose

Chen HQ, Fan MW*// *Wuhan Univ, Sch Stomatol, MoE Key Lab Oral Biomed Engrn, CN-430072 Wuhan, Peoples Rep China
J Bioact Compat Polym 2008 **23** (1) 38

Novel thermally sensitive pH-dependent chitosan/carboxymethyl cellulose hydrogels

Choi JI, Lee HS, Kim JH, Lee KW, Lee JW, Seo SJ, Kang KW, Byun MW*// *Korea Atom Energy Res Inst, Advanced Radiat Technol Inst, Team Radiat Food & Biotechnol, Jeongup 580 185, South Korea
Polym Degrad Stab 2008 **93** (1) 310

Controlling the radiation degradation of carboxymethylcellulose solution

Chundawat SPS, Balan V, Dale BE// Michigan State Univ, Dept Chem Engrn & Materials Sci, Biomass Conversion Res Lab, East Lansing, MI 48824, USA
Biotechnol Bioeng 2008 **99** (6) 1281

High-throughput microplate technique for enzymatic hydrolysis of lignocellulosic biomass

Ciaccio GT, Ass BAP, Ramos LA, Frollini E*// *Univ Sao Paulo, Inst Quim Sao Carlos, CP 780, BR-13560-970 Sao Carlos, SP, Brazil
E-Polymers 2008 22

Sisal, sugarcane bagasse and microcrystalline celluloses: Influence of the composition of the solvent system *N,N*-dimethylacetamide/lithium chloride on the solubility and acetylation of these polysaccharides

Dhiman PK, Kaur I*, Mahajan RK// *Himachal Pradesh Univ, Dept Chem, Shimla 5, India
J Appl Polym Sci 2008 **108** (1) 99

Synthesis of a cellulose-grafted polymeric support and its application in the reductions of some carbonyl compounds

Ding HZ, Wang ZD// Univ Manchester, Sch Elect & Elect Engrn, POB 88, Sackville St, Manchester M60 1QD, England
Cellulose 2008 **15** (2) 205

On the degradation evolution equations of cellulose

Fahmy TYA, Mobarak F// Nat'l Res Ctr, Cellulose & Paper Dept, Sh El Tahrir, Cairo, Egypt
Int J Biol Macromol 2008 **42** (1) 52

Vaccination of biological cellulose fibers with glucose: A gateway to novel nanocomposites

Fatimi A, Tassin JF, Quillard S, Axelos MAV, Weiss P*// *Fac Chirurg Dent, INSERM U791, Lab Ingén Osteo-Articulaire & Dent, 1 Pl Alexis Ricordeau, BP 84215, FR-44042 Nantes, France
Biomaterials 2008 **29** (5) 533

The rheological properties of silylated hydroxypropylmethylcellulose tissue engineering matrices

Frolova SV, Demin VA// RAS, Inst Chem, Komi Sci Ctr, Syktyvkar, Russia

Russ J Appl Chem Eng Tr 2008 **81** (1) 148
Degradation of wood cellulose with Lewis acids with the aim to prepare powder cellulose

George J, Sajeevkumar VA, Kumar R, Ramana KV, Sabapathy SN, Bawa AS// Defence Food Res Lab, Food Engrn & Packaging, Siddharthanagar, IN-570011 Mysore, India

J Appl Polym Sci 2008 **108** (3) 1845
Enhancement of thermal stability associated with the chemical treatment of bacterial (*Gluconacetobacter xylinus*) cellulose

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Reviews; 2 General; 3 Amino acids, proteins & enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & co-factors; 7 Trace elements & minerals; 8 Drug, biocide & processing residues; 9 Toxins/Allergens; 10 Additives; 11 Flavours & aromas; 12 Organic acids; 13 Animal products; 14 Plant & microbial products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

- Gindl W, Reifferscheid M, Martinschitz KJ, Boesecke P, Keckes J// Univ Nat Resources & Appl Life Sci, Dept Materials Sci & Process Engn, Vienna, Austria
J Polym Sci B Polym Phys 2008 **46** (3) 297
Reorientation of crystalline and noncrystalline regions in regenerated cellulose fibers and films tested in uniaxial tension
- Gray DG// McGill Univ, Dept Chem, 801 Sherbrooke St West, Montreal, Quebec, Canada H3A 2A7
Cellulose 2008 **15** (2) 297
Transcrystallization of polypropylene at cellulose nanocrystal surfaces
- Han SO, Youk JH*, Min KD, Kang YO, Park WH// *Inha Univ, Dept Advanced Fiber Engn, Intelligent Text Syst Res Ctr, Incheon 402 751, South Korea
Mater Lett 2008 **62** (4-5) 759
Electrospinning of cellulose acetate nanofibers using a mixed solvent of acetic acid/water: Effects of solvent composition on the fiber diameter
- Ibbett RN, Domvoglu D, Phillips DAS// Univ Manchester Sch Materials, Sackville St, Manchester M60 1QD, England
Cellulose 2008 **15** (2) 241
The hydrolysis and recrystallisation of lyocell and comparative cellulosic fibres in solutions of mineral acid
- Ikeda K, Takatani M*, Sakamoto K, Okamoto T// *Kinki Univ, Dept Advanced Biosci, Lab Biomaterials, 3327-204 Nakamachi, Nara 631 8505, Japan
Holzforchung 2008 **62** (2) 154
Development of fully bio-based composite: Wood/cellulose diacetate/poly(lactic acid) composite
- Inman SJ, Briscoe BJ, Pitt KG, Shiu C// Imperial Coll London, Dept Chem Engn & Chem Technol, Sth Kensington Campus, London SW7 2AZ, England
Int J Pharm 2008 **349** (1-2) 172
Axial tensile fracture of microcrystalline cellulose compacts
- Kamio E, Sato H, Takahashi S, Noda H, Fukuhara C, Okamura T// *Hachinohe Inst Technol, Dept Chem Engn Biol Environm, 88-1 Ohiraki, Myo, Hachinohe 031 85, Japan
J Mater Sci 2008 **43** (7) 2179
Liquefaction kinetics of cellulose treated by hot compressed water under variable temperature conditions
- Kang HL, Liu WY, Liu RG*, Huang Y// *CAS, Beijing Natl Lab Mol Sci, Joint Lab Polymer Sci & Materials, CN-100080 Beijing, Peoples Rep China
Macromol Chem Phys 2008 **209** (4) 424
A novel, amphiphilic ethyl cellulose grafting copolymer with poly(2-hydroxyethylmethacrylate) side chains and its micellization
- Kocar D, Strlic M, Kolar J, Selih VS, Pihlar B// Univ Ljubljana, Fac Chem & Chem Technol, Askerceva cesta 5, SI-1000 Ljubljana, Slovenia
Polym Degrad Stabil 2008 **93** (1) 263
Peroxide-related chemiluminescence of cellulose and its self-absorption
- Kundu PP, Singh RP// Sant Longowal Inst Engn & Technol, Dept Chem Technol, IN-148106 Sangur, India
J Appl Polym Sci 2008 **108** (3) 1871
Effect of addition of surfactants on the rheology of gels from methylcellulose in *N,N*-dimethylformamide
- Lee SH, Wang S, Teramoto Y// Univ Tennessee, Forest Prod Ctr Forestry Wild-life & Fisheries, Knoxville, Tn 37996, USA
J Appl Polym Sci 2008 **108** (2) 870
Isothermal crystallization behavior of hybrid biocomposite consisting of regenerated cellulose fiber, clay, and poly(lactic acid)
- Li H, Shen XY*, Gong GL, Wang D// *Donghua Univ, Coll Material Sci & Engn, State Key Lab Modification Chem Fibers & Polym Materials, CN-201620 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 191
Compatibility studies with blends based on hydroxypropylcellulose and polyacrylonitrile
- Li W, Zhao X, Chen S, Zhou X, Chen D, Wang X// *Donghua Univ, Coll Materials Sci & Engn, 2999 Nth Renmin Rd, CN-201620 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 223
Crosslinking of rayon fibers with co-oligomer of maleic acid and methylacrylate and their responses to water
- Li ZG, Hu PP, Yu JR, Hu ZM, Liu ZF// Donghua Univ, State Key Lab Modification Chem Fiber & Polymer Materials, CN-200051 Shanghai, Peoples Rep China
J Macromol Sci Phys 2008 **47** (2) 288
Preparation and characterization of regenerated cellulose fibers from a novel solvent system
- Liebner F, Potthast A, Rosenau T*, Haimer E, Wendland M// *Univ Nat Resources & Appl Life Sci, Dept Chem, Muthgasse 18, AT-1190 Vienna, Austria
Holzforchung 2008 **62** (2) 129
Cellulose aerogels: Highly porous, ultra-lightweight materials
- Lin ZY, Rennecker S*, Hindman DP// *Virginia Tech, Dept Wood Sci & Forest Prod, T Brooks Forest Prod Ctr, Blacksburg, Va 24061, USA
Cellulose 2008 **15** (2) 333
Nanocomposite-based lignocellulosic fibers I. Treatment stability of modified fibers with clay-polyelectrolyte multilayers
- Lindstrom T, Banke K, Larsson T, Glad-Nordmark G, Boldizar A// STFI Packforsk AB, Box 5604, SE-41296 Stockholm, Sweden
J Appl Polym Sci 2008 **108** (2) 887
Nanoclay plating of cellulosic fiber surfaces
- Mouxiou E, Eleftheriadis I, Nikolaidis N, Tsatsaroni E// Aristotle Univ Thessaloniki, Sch Chem, Dept Chem Technol & Ind Chem, GR-54124 Thessaloniki, Greece
J Appl Polym Sci 2008 **108** (2) 1209
Reactive dyeing of cellulosic fibers: Use of cationic surfactants and their interaction with reactive dyes
- Nagendran A, Mohan DR// *Anna Univ, AC Coll Technol, Dept Chem Engn, Membrane Lab, IN-600025 Chennai, India
Polym Adv Technol 2008 **19** (1) 24
Cellulose acetate and polyetherimide blend ultrafiltration membranes: II. Effect of additive
- Nakagaito AN, Yano H// *Kyoto Univ, Res Inst Sustainable Humanosphere, Kyoto 611 0011, Japan
Cellulose 2008 **15** (2) 323
Toughness enhancement of cellulose nanocomposites by alkali treatment of the reinforcing cellulose nanofibres
- Pantze A, Karlsson O, Westermark U// Lulea Univ Technol, Div Wood Sci & Technol, SE-93187 Skelleftea, Sweden
Holzforchung 2008 **62** (2) 136
Esterification of carboxylic acids on cellulosic material: Solid state reactions
- Plagge A, Adler HJ, Rohwerder M, Stratmann M// Univ Sthn Mississippi, Sch Polymers & High Performance Materials, 118 College Dr 10076, Hattiesburg, Ms 39406, USA
Thin Solid Films 2008 **516** (8) 2130
Deposition of functional cellulose films on titanium alloy surfaces
- Reddy N, Yang YQ// *Univ Nebraska, Dept Textiles Clothing & Design, 234 He Bldg, Lincoln, Ne 68583, USA
Bioresource Technol 2008 **99** (7) 2449
Characterizing natural cellulose fibers from velvet leaf (*Abutilon theophrasti*) stems
- Sadeghi M, Hosseinzadeh H// Islam Azad Univ, Fac Sci, Dept Chem, Arak Branch, Arak, Iran
J Appl Polym Sci 2008 **108** (2) 1142
Synthesis and superswelling behavior of carboxymethylcellulose-poly(sodium acrylate-co-acrylamide) hydrogel
- Salaun F, Devaux E, Bourbigot S, Rumeau P// GEMTEX-ENSAIT, 9 rue de Ermitage, BP 30329, FR-59100 Roubaix, France
Carbohydr Polym 2008 **73** (2) 231
Development of a precipitation method intended for the entrapment of hydrated salt
- Siepe S, Lueckel B, Kramer A, Ries A, Gurny R// Novartis Pharma AG, Tech R&D, Lichtstr 35, WSJ 360-1004, CH-4056 Basel, Switzerland
Drug Develop Ind Pharm 2008 **34** (1) 46
Assessment of tailor-made HPMC-based matrix minitables comprising a weakly basic drug compound
- Singh K, Tiwari AK, Dwivedi CS// Gorakhpur Univ, Dept Chem, IN-273009 Gorakhpur, Uttar Pradesh, India
Colloid J-Engl Tr 2008 **70** (1) 101
Adsorption and electrochemical studies on surfactant modified cellulose acetate membranes
- Sobral MCCM, Sobral AJFN*, Guthrie JT, Gill MH// *Univ Coimbra, FCTUC, Dept Chem, PT-3004 Coimbra, Portugal
J Mater Sci Mater Med 2008 **19** (2) 677
Ketotifen controlled release from cellulose acetate propionate and cellulose acetate butyrate membranes
- Takahashi T, Hirayarna KI, Teramoto N, Shibata M// *Chiba Inst Technol, Fac Engn, Department Life & Environmental Science, Narashino, Chiba 275 0016, Japan
J Appl Polym Sci 2008 **108** (3) 1596
Biocomposites composed of epoxidized soybean oil cured with terpene-based acid anhydride and cellulose fibers
- Velzenberger E, Vayssade M, Legeay G, Nagel MD// *Univ Technol Compiegne, UMR CNRS 6600, Domaine Biomateriaux Biocompatibilite, 20529, FR-60205 Compiegne, France
Cellulose 2008 **15** (2) 347
Study of cell behaviour on a cellulose anti-adhesive substratum
- Volkova NV, Emel'yanov DN, Molodova AA// NI Lobachevskii State Univ, Nizhnii Novgorod, Russia
Russ J Appl Chem Eng Tr 2008 **81** (1) 144
Adhesion of butyl methacrylate copolymers to cellulose fabrics
- Yun S, Chen Y, Nayak JN, Kim J// *Inha Univ, Dept Mech Engn, Ctr EAPap Actuator, 253 Yonghyun dong, Nam ku, Incheon 402 751, South Korea
Sensor Actuator B Chem 2008 **129** (2) 652
Effect of solvent mixture on properties and performance of electro-active paper made with regenerated cellulose

Zemljic LF, Stenius P, Laine J, Stana-Kleinschek K// Univ Maribor, Fac Mech Engn, Lab Characterization & Processing Polymers, Smetanova 17, SI-2000 Maribor, Slovenia

Cellulose 2008 **15** (2) 315

Topochemical modification of cotton fibres with carboxymethyl cellulose

Zhao T, Sun G*, Song XY// *Univ Calif Davis, Div Textiles & Clothing, Davis, Ca 95616, USA

J Appl Polym Sci 2008 **108** (3) 1917

An antimicrobial cationic reactive dye: Synthesis and applications on cellulosic fibers

3. Cellulose-degrading enzymes

Dutta T, Sahoo R, Sengupta R, Ray SS, Bhattacharjee A, Ghosh S*// *Univ Kolkata, Univ Coll Sci, Dept Biochem, 35 Ballygunge Circular Rd, IN-700019 Kolkata, India

J Ind Microbiol Biotechnol 2008 **35** (4) 275

Novel cellulases from an extremophilic filamentous fungi *Penicillium citrinum*: Production and characterization

Zhong L, Matthews JF, Crowley MF, Rignall T, Talon C, Cleary JM, Walker RC, Chukkapalli G, McCabe C, Nimlos MR, Brooks CL, Himmel ME, Brady JW*// *Cornell Univ, Dept Food Sci, Ithaca, NY 14853, USA

Cellulose 2008 **15** (2) 261

Interactions of the complete cellobiohydrolase I from *Trichodera reesei* with microcrystalline cellulose I β

4. Chitin/Chitosan

An NT, Dung PL*, Thien DT, Dong NT, Nhi TTY// *VAST, Inst Chem, Nat Polym Lab, 18 Hoang Quoc Viet Rd, VN-10600 Hanoi, Viet Nam

Carbohydr Polym 2008 **73** (2) 261

An improved method for synthesizing *N,N'*-dicarboxymethylchitosan

Azarnia S, Lee BH*, Robert N, Champagne CP// *McGill Univ, Dept Food Sci & Agric Chem, 21 111 Lakeshore Rd, Ste Anne de Bellevue, Quebec, Canada H9X 3V9

J Microencapsul 2008 **25** (1) 46

Microencapsulation of a recombinant aminopeptidase (PepN) from *Lactobacillus rhamnosus* S93 in chitosan-coated alginate beads

Barros FCF, Sousa FW, Cavalcante RM, Carvalho TV, Dias FS, Queiroz DC, Vasconcelos LCG, Nascimento RF*// *Univ Fed Ceara, Dept Quim Analit & Fis Quim, Campus Pici Bloco 940, BR-60451-970 Fortaleza, Ceara, Brazil

Clean Soil Air Water 2008 **36** (3) 292

Removal of copper, nickel and zinc ions from aqueous solution by chitosan-8-hydroxyquinoline beads

Bayramoglu G, Erdogan H, Arica MY*// *Kirikkale University, Fac Sci, Biochem Processing & Biomaterials Res Lab, TR-71450 Yahsihan, Kirikkale, Turkey

J Appl Polym Sci 2008 **108** (1) 456

Studies of adsorption of alkaline trypsin by poly(methacrylic acid) brushes on chitosan membranes

Belalia R, Grelier S, Benaissa M, Coma V*// *Univ Bordeaux 1, INRA, CNRS, UMR 5103 US2B, 351 Cours Liberation, FR-33405 Talence, France

J Agric Food Chem 2008 **56** (5) 1582

New bioactive biomaterials based on quaternized chitosan

Chen SL, Liu MZ*, Jin SP, Wang B// *Lanzhou Univ, Dept Chem, CN-730000 Lanzhou, Peoples Rep China

Int J Pharm 2008 **349** (1-2) 180

Preparation of ionic-crosslinked chitosan-based gel beads and effect of reaction conditions on drug release behaviors

Chernev G, Samuneva B, Djambaski P, Kabaivanova L, Emanuilova E, Salvado LMM, Fernandes MHV, Wu A// University Chemical Technology & Metallurgy, Department Silicate Technology, Kliment Ohridski Str 8, BG-1756 Sofia, Bulgaria

Phys Chem Glasses 2008 **49** (1) 11

Synthesis and structure of new biomaterials containing silica and chitosan

Chiono V, Pulieri E, Vozzi G, Ciardelli G, Ahluwalia A, Giusti P// Univ Pisa, Dept Chem Engn Ind Chem & Materials Sci, Via Diotisalvi 2, IT-56126 Pisa, Italy

J Mater Sci Mater Med 2008 **19** (2) 889

Genipin-crosslinked chitosan/gelatin blends for biomedical applications

Chung YC, Chen CY// China Inst Technol, Dept Biol Sci & Technol, Taipei 115, Taiwan

Bioresource Technol 2008 **99** (8) 2806

Antibacterial characteristics and activity of acid-soluble chitosan

Cunha AG, Fernandes SCM, Freire CSR, Silvestre AJD, Pascoal C, Gandini A// Univ Aveiro, Dept Chem, CICECO, Campus Santiago, PT-3810-193 Aveiro, Portugal

Biomacromolecules 2008 **9** (2) 610

What is the real value of chitosan's surface energy?

Dong AJ, Feng MH, Qi HY, Li SS, Deng LD*// *Tianjin Univ, Sch Chem Engn & Technol, Dept Polymer Sci & Technol, CN-300072 Tianjin, Peoples Rep China

J Mater Sci Mater Med 2008 **19** (2) 869

Synthesis and properties of *O*-carboxymethyl chitosan/methoxy poly(ethylene glycol) graft copolymers

Du J, Hsieh YL*// *Univ Calif Davis, Davis, Ca 95616, USA

Nanotechnology 2008 **19** (12) 125707

Nanofibrous membranes from aqueous electrospinning of carboxymethyl chitosan

Du WL, Xu YL, Xu ZR, Fan CL// Zhejiang Univ, Coll Anim Sci, Inst Feed Sci, MoE Key Lab Mol Anim Nutr, CN-310029 Hangzhou, Peoples Rep China

Nanotechnology 2008 **19** (8) 85707

Preparation, characterization and antibacterial properties against *E. coli* K-88 of chitosan nanoparticle loaded copper ions

El Badawy M// Univ Alexandria, Fac Agric, Dept Pesticide Chem, EG-21545 Alexandria, Egypt

Polym Int 2008 **57** (2) 254

Chemical modification of chitosan: Synthesis and biological activity of new heterocyclic chitosan derivatives

El Kadib A, Molvinger K*, Guimon C, Quignard F, Brunel D// *Inst Charles Gerhardt, UMR 5253 CNRS-UM2-ENSCM-UM1, 8 rue Ecole Normale, FR-34296 Montpellier 5, France

Chem Mater 2008 **20** (6) 2198

Design of stable nanoporous hybrid chitosan/titania as cooperative bifunctional catalysts

Fan L, Wu H*, Zhang H, Li F, Yang TH, Gu CH, Yang Q// *Fourth Military Med Univ, Sch Pharm, Dept Chem, CN-710032 Xian, Peoples Rep China

Carbohydr Polym 2008 **73** (3) 390

Novel super pH-sensitive nanoparticles responsive to tumor extracellular pH

Feng W, Wu ZG, Li Y, Feng YY, Yuan XY// Tianjin Univ, Sch Materials Sci & Engn, CN-300072 Tianjin, Peoples Rep China

Nanotechnology 2008 **19** (10) 105707

The fabrication and electrochemical properties of electrospun nanofibers of a multiwalled carbon nanotube grafted by chitosan

Ferreira ML, Pedroni VI, Alimenti GA, Gschaidner ME, Schulz PC// UNS, PLAPIQUI, CONICET, Camino La Carrindanga km 7, Casilla Correo 717, AR-8000 Bahia Blanca, Buenos Aires, Argentina

Colloid Surface A 2008 **315** (1-3) 241

The interaction between water vapour and chitosan II: Computational study

Hajdu I, Bodnar M, Filipcsei G, Hartmann JF, Daroczi L, Zrinyi M, Borbely J*// *Univ Med, Dept Colloid & Environm Chem, HU-4010 Debrecen, Hungary

Colloid Polym Sci 2008 **286** (3) 343

Nanoparticles prepared by self-assembly of chitosan and poly- γ -glutamic acid

Hombach J, Hoyer H, Bernkop-Schnurch A*// *Leopold Franzens Univ Innsbruck, Inst Pharm, Innrain 52, Josef Moller Haus, AT-6020 Innsbruck, Austria

Eur J Pharm Sci 2008 **33** (1) 1

Thiolated chitosans: Development and *in vitro* evaluation of an oral tobramycin sulphate delivery system

Hu Z, Chan WL, Szeto YS*// *Hong Kong Polytech Univ, Nanotechnol Ctr, Kowloon, Peoples Rep China

J Appl Polym Sci 2008 **108** (1) 52

Nanocomposite of chitosan and silver oxide and its antibacterial property

Huang KS, Wu WJ, Chen JB, Lian HS// Kun Shan Univ, Dept Polym Material, Yung Kang, Tainan 71003, Taiwan

Carbohydr Polym 2008 **73** (2) 254

Application of low-molecular-weight chitosan in durable press finishing

Jayaraju J, Keshavayya J*, Rai SK, Basavaraju KC// *Kuvempu Univ, Sch Chem Sci, Dept Studies Chem, IN-577451 Shimoga, India

J Macromol Sci Pure Appl Chem 2008 **45** (4) 271

Miscibility studies on chitosan/poly(vinyl alcohol) blends

Jayaraju J, Keshavayya J*, Rai SK, Rama SR// *Kuvempu Univ, Sch Chem Sci, Dept Studies Chem, IN-577451 Shimoga, India

J Macromol Sci Phys 2008 **47** (2) 296

Studies on the miscibility of chitosan/poly(vinyl pyrrolidone) blend in solution by viscometry, ultrasonic velocity, density and refractometry techniques at 30, 40, and 50 °C

Jeong K, Lee W, Cha J, Park CR*, Cho YW, Kwon IC// *Seoul Natl Univ, Dept Materials Sci & Engn, HOMRC, Seoul 151 744, South Korea

Macromol Res 2008 **16** (1) 57

Regioselective succinylation and gelation behavior of glycol chitosan

Jung BO, Roseman S, Park JK*// *Johns Hopkins Univ, Dept Biol, Baltimore, Md 21218, USA

Macromol Res 2008 **16** (1) 1

The central concept for chitin catabolic cascade in marine bacterium, vibrios

Kumari K, Raina KK, Kundu PP*// *Sant Longowal Inst Engn & Technol, Dept Chem Technol, IN-148106 Longowal, India

J Appl Polym Sci 2008 **108** (1) 681

Studies on the cure kinetics of chitosan-glutamic acid using glutaraldehyde as crosslinker through differential scanning calorimeter

- Kuroiwa T, Noguchi Y, Nakajima M, Sato S, Mukataka S, Ichikawa S// *Univ Tsukuba, Grand Sch Life & Environm Sci, Tennodai 1-1-1, Tsukuba, Ibaraki 305 8572, Japan
Process Biochem 2008 **43** (1) 62
Production of chitosan oligosaccharides using chitosanase immobilized on amylose-coated magnetic nanoparticles
- Lavertu M, Filion D, Buschmann MD// *Ecole Polytech, Inst Biomed Engn, Dept Chem Engn, POB 6079, Montreal, Quebec, Canada H3C 3A7
Biomacromolecules 2008 **9** (2) 640
Heat-induced transfer of protons from chitosan to glycerol phosphate produces chitosan precipitation and gelation
- Liu YL, Liu ZF, Yu JR, Hu ZM// Donghua Univ, Coll Material Sci & Engn, State Key Lab Modification Chem Fibers & Polymer Materials, CN-201620 Shanghai, Peoples Rep China
J Macromol Sci Phys 2008 **47** (2) 392
Effect of hydroxyethylation on structure and properties of chitosan fibers
- Long DW, Wu GZ*, Zhu GL// *Chinese Acad Sci, Shanghai Inst Appl Phys, Dept Nucl Anal, CN-201800 Shanghai, Peoples Rep China
Int J Mol Sci 2008 **9** (2) 120
Noncovalently modified carbon nanotubes with carboxymethylated chitosan: A controllable donor-acceptor nanohybrid
- Lopez FA, Merce ALR*, Alguacil FJ, Lopez-Delgado A// *Ctr Nacl Invest Metalurgia - CSIC, Dept Metalurgia Primaria & Reciclado, Avda Gregorio del Amo 8, Madrid, Spain
J Therm Anal Calorim 2008 **91** (2) 633
A kinetic study on the thermal behavior of chitosan
- Luo K, Yin JB, Khutoryanskaya OV, Khutoryanskiy VV// Shanghai Univ, Dept Polymer Materials, 20 Chengzhong St, CN-201800 Shanghai, Peoples Rep China
Macromol Biosci 2008 **8** (2) 184
Mucoadhesive and elastic films based on blends of chitosan and hydroxyethylcellulose
- Marsich E, Borgogna M, Donati I, Mozetic P, Strand BL, Salvador SG, Vittor F, Paoletti S// Univ Trieste, Dept Biochem Biophys & Macromol Chem, Via Licio Giorgieri 1, IT-34127 Trieste, Italy
J Biomed Mater Res A 2008 **84A** (2) 364
Alginate/lactose-modified chitosan hydrogels: A bioactive biomaterial for chondrocyte encapsulation
- Martien R, Loretz B, Sandbichler AM, Schnurch AB// *Innsbruck Univ, Inst Pharm, Dept Pharmaceut Technol, Innrain 52, Josep Moller Haus, AT-6020 Innsbruck, Austria
Nanotechnology 2008 **19** (4) 45101
Thiolated chitosan nanoparticles: Transfection study in the Caco-2 differentiated cell culture
- Masotti A, Bordi F, Ortaggi G, Marino F, Palocci C// Univ Roma La Sapienza, Dipt Chim, P A Moro 5, IT-00185 Rome, Italy
Nanotechnology 2008 **19** (5) 55302
A novel method to obtain chitosan/DNA nanospheres and a study of their release properties
- Nagahama H, Nwe N, Jayakumar R, Koiwa S, Furuike T, Tamura H// *Kansai Univ, Fac Chem Materials & Bioengn, High Technol Res Ctr, Osaka 564 8680, Japan
Carbohydr Polym 2008 **73** (2) 295
Novel biodegradable chitin membranes for tissue engineering applications
- Nagahama H, Kashiki T, Nwe N, Jayakumar R, Furuike T, Tamura H// *Address as above
Carbohydr Polym 2008 **73** (3) 456
Preparation of biodegradable chitin/gelatin membranes with GlcNAc for tissue engineering applications
- Pestov AV, Skorik YA, Kogan G*, Yatluk YG// *Slovak Acad Sci, Inst Chem, Ctr Glycomics, SK-84538 Bratislava, Slovakia
J Appl Polym Sci 2008 **108** (1) 119
N-alkylation of chitosan by β -halopropionic acids in the presence of various acceptors
- Shanmuganathan S, Shanmugasundaram N, Adhirajan N, Lakshmi TSR, Babu M// *Central Leather Res Inst, Biomaterials Div, TICEL Biopark, Taramani Rd, Taramani, IN-600113 Chennai, India
Carbohydr Polym 2008 **73** (2) 201
Preparation and characterization of chitosan microspheres for doxycycline delivery
- Shi J, Alves NM, Mano JF// *Univ Minho, 3Bs Res Grp - Biomaterials Biodegradables & Biomimetics, Campus Gualtar, PT-4710-057 Braga, Portugal
J Biomed Mater Res B 2008 **84B** (2) 595
Chitosan coated alginate beads containing poly(*N*-isopropylacrylamide) for dual-stimuli-responsive drug release
- Spasova M, Paneva D, Manolova N, Radenkov P, Rashkov I// Bulgarian Acad Sci, Inst Polymer, Lab Bioact Polymers, Acad G Bonchev St, Bl 103A, BG-1113 Sofia, Bulgaria
Macromol Biosci 2008 **8** (2) 153
Electrospun chitosan-coated fibers of poly(L-lactide) and poly(L-lactide)/poly(ethylene glycol): Preparation and characterization
- Stegmaier T, Wunderlich W, Hager T, Siddique AB, Sarsour J, Planck H// Inst Textile Technol & Process Engn, Koerschtalstr 26, DE-73770 Denkendorf, Germany
Clean Soil Air Water 2008 **36** (3) 279
Chitosan - A sizing agent in fabric production development and ecological evaluation
- Stulzer HK, Lacerda L, Tagliari MP, Silva MAS, Favere VT, Laranjeira MCM// Univ Fed Santa Catarina, Dept Quim, Lab Quitech, Campus Universitario Trindade, Bloco K, 3 Andar, BR-88040-900 Florianopolis, SC, Brazil
Carbohydr Polym 2008 **73** (3) 490
Synthesis and characterization of cross-linked malonylchitosan microspheres for controlled release of acyclovir
- Tan HP, Lao LH, Wu JD, Gong YH, Gao CY// *Zhejiang Univ, MoE Key Lab Macromol Synth & Funct, CN-310027 Hangzhou, Peoples Rep China
Polym Adv Technol 2008 **19** (1) 15
Biomimetic modification of chitosan with covalently grafted lactose and blended heparin for improvement of *in vitro* cellular interaction
- Velasquez CL, Alborno JS, Barrios EM// Univ Los Andes, Fac Ciencias, Grp Polimeros, Dept Quim, VE-5101 Merida, Venezuela
E-Polymers 2008 **14**
Viscosimetric studies of chitosan nitrate and chitosan chlorhydrate in acid free NaCl aqueous solution
- Wang W, Itoh S*, Matsuda A, Ichinose S, Shinomiya K, Hata Y, Tanaka J// *Tokyo Med & Dent Univ, Dept Orthoped Surg, Bunkyo ku, Tokyo 113, Japan
J Biomed Mater Res A 2008 **84A** (2) 557
Influences of mechanical properties and permeability on chitosan nano/microfiber mesh tubes as a scaffold for nerve regeneration
- Wang YS, Jiang Q, Li RS, Liu LL, Zhang QQ*, Wang YM, Zhao J// *POB 25 204, CN-300192 Tianjin, Peoples Rep China
Nanotechnology 2008 **19** (14) 145101
Self-assembled nanoparticles of cholesterol-modified *O*-carboxymethyl chitosan as a novel carrier for paclitaxel
- Wei DW, Qian WP*, Shi Y, Ding SH, Xia Y// *SE Univ, Dept Biol Sci & Med Engn, State Key Lab Bioelect, CN-210096 Nanjing, Peoples Rep China
Carbohydr Res 2008 **343** (3) 512
Effects of cooling treatment and glutaraldehyde on the morphology of Au nanostructures synthesized from chitosan
- Wu T, Zivanovic S// *Univ Tennessee, Dept Food Sci & Technol, Food Biopolym Res Grp, 2509 River Dr, Knoxville, Tn 37996, USA
Carbohydr Polym 2008 **73** (2) 248
Determination of the degree of acetylation (DA) of chitin and chitosan by an improved first derivative UV method
- Yang X, Liu Q, Chen X, Yu F, Zhu Z// *Chinese Acad Sci, Shanghai Inst Appl Phys, PO Box 800204, CN-201800 Shanghai, Peoples Rep China
Carbohydr Polym 2008 **73** (3) 401
Investigation of PVA/ws-chitosan hydrogels prepared by combined γ -irradiation and freeze-thawing
- Youn DK, No HK*, Kim DS, Prinyawiwatkul W// *Catholic Univ Daegu, Dept Food Sci & Technol, Hayang, Gyeongsan 712 702, South Korea
Carbohydr Polym 2008 **73** (3) 384
Decoloration of chitosan by UV irradiation
- Zhang WF, Chen XG*, Li PW, He QZ, Zhou HY// *Ocean Univ China, Coll Marine Life Sci, 5 Yushan Rd, CN-266003 Qingdao, Peoples Rep China
J Mater Sci Mater Med 2008 **19** (1) 305
Preparation and characterization of theophylline loaded chitosan/ β -cyclodextrin microspheres
- Zhong ZM, Xing RG, Liu S, Wang L, Cai SB, Li PC// *Chinese Acad Sci, Inst Oceanol, CN-266071 Qingdao, Peoples Rep China
Carbohydr Res 2008 **343** (3) 566
Synthesis of acyl thiourea derivatives of chitosan and their antimicrobial activities *in vitro*
- Zhou HY, Chen XG*, Kong M, Liu CS, Cha DS, Kennedy JF// *Ocean Univ China, Coll Marine Life Sci, CN-266003 Qingdao, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 265
Effect of molecular weight and degree of chitosan deacetylation on the preparation and characteristics of chitosan thermosensitive hydrogel as a delivery system
- Zhu X, Zhang C, Wu XL, Tang XY, Ping QN// *China Pharmaceut Univ, Coll Pharm, CN-210009 Nanjing, Peoples Rep China
Drug Develop Ind Pharm 2008 **34** (1) 2
Preparation, physical properties, and stability of gambogic acid-loaded micelles based on chitosan derivatives

5. Cyclodextrins

- Bencini M, Ranucci E, Ferruti P*, Manfredi A, Trotta F, Cavalli R// *Univ Milan, Dipt Chim Organ & Ind, Via Venezian 21, IT-20133 Milan, Italy
J Polym Sci A Polym Chem 2008 **46** (5) 1607
Poly(4-acryloylmorpholine) oligomers carrying a β -cyclodextrin residue at one terminus

Benkhaleh A, Cheradame H, Fichet O, Teyssie D, Buchmann W, Guegan P// *Univ Evry Val Essonne, Lab MPI-LRP UMR 7581, Blvd Mitterrand, FR-91025 Evry, France

Carbohydr Polym 2008 **73** (3) 482

Synthesis and characterization of amphiphilic per-(6-thio-2,3-trimethylsilyl)cyclodextrin: Application to Langmuir film formation

Charalampopoulos VG, Papaioannou JC, Kakahib G, Karayianni HS// Univ Athens, Dept Chem, Phys Chem Lab, POB 64004, GR-15710 Athens, Greece
Carbohydr Res 2008 **343** (3) 489

Metal-heptalodide interactions in cyclomaltoheptaose (β -cyclodextrin) polyiodide complexes as detected *via* Raman spectroscopy

De Araujo DR, Tsuneda SS, Cereda CMS, Carualho FDF, Prete PSC, Fernandes SA, Yokaichiya F, Franco MKKD, Mazzaro I, Fraceto LF, De F A Braga A, De Paula E// *Univ Estadual Campinas, Inst Biol, Dept Biochem, Campinas, SP, Brazil

Eur J Pharm Sci 2008 **33** (1) 60

Development and pharmacological evaluation of ropivacaine-2-hydroxypropyl- β -cyclodextrin inclusion complex

De Manakker FV, Van der Pot M, Vermonden T, Van Nostrum CF, Hennink WE// *Univ Utrecht, Utrecht Inst Pharmaceut Sci - UIPS, Dept Pharmaceut, Sorbonnelaan 16, POB 80082, NL-3508 TB Utrecht, The Netherlands
Macromolecules 2008 **41** (5) 1766

Self-assembling hydrogels based on β -cyclodextrin/cholesterol inclusion complexes

Furuishi T, Fukamil T, Nagase H, Suzuki T, Endo T, Ueda H*, Tomono K// *Hoshi Univ, Dept Phys Chem, 2-4-41 Ebara, Shinagawa ku, Tokyo 142 8501, Japan

Pharmazie 2008 **63** (1) 54

Improvement of solubility of C₇₀ by complexation with cyclomaltonaose (δ -cyclodextrin)

Hubert-Roux M, Ba OM, Skiba M, Lange CM// Univ Rouen, IRCOF, UMR-CNRS 6014, Lab Spectrom Mass Bio-Organ, rue Tesniere, FR-76821 Mont-Saint Aignan, France

Rapid Commun Mass Spectrom 2008 **22** (10) 1607

What structural information can ion trap mass spectrometry bring for the characterization of permethylated cyclodextrins?

Jing B, Chen X*, Wang XD, Zhao YR, Qiu HY// *Shandong Univ, MoE Key Lab Colloid & Interface Chem, CN-250100 Jinan, Peoples Rep China

Chemphyschem 2008 **9** (2) 249

Sol-gel-sol transition of gold nanoparticle-based supramolecular hydrogels induced by cyclodextrin inclusion

Zhang YM, Deng XR, Wang LC, Wei TB// *NW Normal Univ, Coll Chem & Chem Engn, Key Lab Polymer Materials Gansu Prov, CN-730070 Lanzhou, Peoples Rep China

J Macromol Sci Pure Appl Chem 2008 **45** (4) 289

Inclusion compounds formation of poly(azomethine ether)s and β -cyclodextrin

Zheng L, Xiong L, Junhua L, Xinjia L, Sun J, Yang S, Xia J// East China Jiao Tong Univ, Dept Chem & Chem Engn, CN-330013 Jiaxing, Peoples Rep China
Electrochem Commun 2008 **10** (2) 340

Synthesis of a novel β -cyclodextrin derivative with high solubility and the electrochemical properties of ferrocene-carbonyl- β -cyclodextrin inclusion complex as an electron transfer mediator

6. Lignin

Barakat A, Gaillard C, Lairez D, Saulnier L, Chabbert B, Cathala B// *Univ Reims Champagne Ardennes, INRA, UMR614 Fractionnement Agro Resources & Emballage, FR-51100 Reims, France

Biomacromolecules 2008 **9** (2) 487

Supramolecular organization of heteroxylyan-dehydrogenation polymers (synthetic lignin) nanoparticles

Xu F, Sun RC*, Zhai MZ, Sun JX, Jiang JX, Zhao GJ// *Beijing Forestry Univ, Coll Materials Sci & Technol, CN-100083 Beijing, Peoples Rep China

J Appl Polym Sci 2008 **108** (2) 1158

Comparative study of three lignin fractions isolated from mild ball-milled *Tamarix austromogoliac* and *Caragana sepium*

Xu F, Jiang JX, Sun RC*, Tang JN, Sun JX, Su YQ// *NW Univ Agric & Forestry Sci & Technol, Coll Forestry, Yangling, Peoples Rep China
Wood Sci Technol 2008 **42** (3) 211

Fractional isolation and structural characterization of mild ball-milled lignin in high yield and purity from *Eucommia ulmoides* Oliv

7. Lipopolysaccharides

De Cordoba FJF, Rodriguez-Carvajal MA, Tejero-Mateo P, Corzo J, Gil-Serrano AM// *Univ Seville, Fac Chem, Dept Organ Chem, ES-41071 Seville, Spain

Biomacromolecules 2008 **9** (2) 678

Structure of the O-antigen of the main lipopolysaccharide isolated from *Sinorhizobium fredii* SMH12

Perepelov AV, Liu B, Senchenkova SN, Shashkov AS, Feng L, Knirel YA, Wang L// Russian Acad Sci, ND Zelinskii Organ Chem Inst, RU-119991 Moscow, Russia

Carbohydr Res 2008 **343** (3) 571

Structure of the O-polysaccharide of *Escherichia coli* O112ab containing L-iduronic acid

Turska-Szewczuk A, Palusinka-Szys M, Russa R// *Marie Curie Sklodowska Univ, Dept Gen Microbiol, Akad 19, PL-20033 Lublin, Poland

Carbohydr Res 2008 **343** (3) 477

Structural studies of the O-polysaccharide chain from the lipopolysaccharide of symbiotically enhanced mutant Mlo-13 of *Mesorhizobium loti* N2P2213

Wang Z, Liu X, Li JJ, Altman E// *Nat'l Res Council Canada, Inst Biol Sci, Ottawa, Ontario, Canada K1A 0R6

Carbohydr Res 2008 **343** (3) 483

Structural characterization of the O-chain polysaccharide of *Aeromonas caviae* ATCC 15468 lipopolysaccharide

8. Pectin

Cardenas A, Goycoolea FM*, Rinaudo M// *Ctr Invest Alimentacion & Desarrollo, AC, Lab Biopolymers, PO Box 1735, Hermosillo, MX-83000 Sonora, Mexico

Carbohydr Polym 2008 **73** (2) 212

On the gelling behaviour of 'nopal' (*Opuntia ficus indica*) low methoxyl pectin

Fishman ML, Chau HK, Cooke PH, Hotchkiss AT// USDA/ARS, Eastern Reg Res Ctr, Crop Conversion Sci & Engn Res Unit, 600 East Mermaid Lane, Wyndmoor, Pa 19038, USA

J Agric Food Chem 2008 **56** (4) 1471

Global structure of microwave-assisted flash-extracted sugar beet pectin

Li T, Li S, Wang N, Tain L// Tianjing Agric Univ, Dept Food Sci, CN-300384 Tianjing, Peoples Rep China

Food Chem 2008 **109** (4) 703

Immobilization and stabilization of pectinase by multipoint attachment onto an activated agar-gel support

Rodriguez NR, Uresti RM, Velazquez G, Vazquez M, Ramirez JA// *Univ Autonoma Tamaulipas, UAM-Reynosa-Aztlan, Cuerpo Academico Alimentos, MX-88700 Reynosa, Tamaulipas, Mexico

J Food Process Eng 2008 **31** (2) 229

Effects of amidated low methoxyl pectin on healthy restructured fish food from Mexican flounder (*Cyclopssetta chittendeni*)

9. Starch

Bai G, Goncalves C, Gama FM, Bastos M// *Univ Porto, Fac Sci, Dept Chem, CIQUP, R Campo Alegre 687, PT-4169-007 Oporto, Portugal

Thermochim Acta 2008 **467** (1-2) 54

Self-aggregation of hydrophobically modified dextrin and their interaction with surfactant

Borgstroem H, Harlin P, Olsson M, Paiar T, Wang Y, Nyborg L// Chalmers Univ Technol, SE-41296 Gothenburg, Sweden

Mater Sci Eng A Struct Mater 2008 **475** (1-2) 34

Possibilities and constraints of implementing starch consolidated high speed steel in prototyping

Cordoba A, Cuellar N, Gonzalez M, Medina J// Univ Andes, Dept Ingn Mecanica, Ctr Invest Procesamiento Polimeros, Carrera 1 18A 10, Bogota, Colombia

Carbohydr Polym 2008 **73** (3) 409

The plasticizing effect of alginate on the thermoplastic starch/glycerin blends

Deetae P, Shobngob S, Varayanond W, Chinachoti P, Naivikul O, Varavinit S// *Mahidol Univ, Fac Sci, Dept Biotechnol, Rama VI Rd, TH-10400 Bangkok, Thailand

Carbohydr Polym 2008 **73** (2) 351

Preparation, pasting properties and freeze-thaw stability of dual modified crosslink-phosphorylated rice starch

Gupta M, Gill BS, Bawa AS// DRDO, Defence Food Res Lab, Siddhartha Nagar, IN-570011 Mysore, India

Int J Food Prop 2008 **11** (1) 173

Gelatinization and X-ray crystallography of buckwheat starch: Effect of microwave and annealing treatments

Han JF, Borjihan G*, Bai R, Chen XS, Jing XB// *Inner Mongolian University, Coll Chem & Chem Engn, Inst Polymer Sci, CN-010021 Hohhot, Peoples Rep China

J Appl Polym Sci 2008 **108** (1) 523

Synthesis and characterization of starch piperinic ester and its self-assembly of nanospheres

Han YJ, Park JT, Le QT, Shim JH, Nguyen VD, Kim YR, Park KH// *Seoul Natl Univ, Ctr Agric Biomaterials, Seoul 151 921, South Korea

Food Sci Biotechnol 2008 **17** (1) 176

Molecular structure of sorghum and waxy sorghum starches

- Hebeish A, Ally AA, Ei-Shafei AM*, Zaghloul S// *Nat'l Res Ctr, Textile Res Div, Cairo, Egypt
Starch 2008 **60** (2) 97
 Innovative starch derivatives as textile auxiliaries for application in sizing, finishing and flocculation
- Juhasz R, Salgo A*// *Budapest Univ Technol & Econ, Dept Appl Biotechnol & Food Sci, Muegyetem rkp 3, HU-1111 Budapest, Hungary
Starch 2008 **60** (2) 70
 Pasting behavior of amylose amylopectin and, their mixtures as determined by RVA curves and first derivatives
- Lafarge C, Bard MH, Breuvert A, Doublier JL, Cayot N// Univ Bourgogne, ENESAD-INRA, UMR 1129 FLAVIC, 17 rue Sully, BP 86510, FR-21065 Dijon, France
J Food Sci 2008 **73** (2) S104
 Influence of the structure of cornstarch dispersions on kinetics of aroma release
- Liu XX, Yu L*, Liu HS, Chen L, Li L// *CSIRO, Private Bag 33, Clayton, Vic 3169, Australia
Polym Degrad Stabil 2008 **93** (1) 260
 In situ thermal decomposition of starch with constant moisture
- Lu TJ, Lin JH, Chen JC, Chang YH*// *Providence Univ, Dept Food & Nutr, Shalu 43301, Taiwan
J Agric Food Chem 2008 **56** (6) 2208
 Characteristics of taro (*Colocasia esculenta*) starches planted in different seasons and their relations to the molecular structure of starch
- Megherbi M, Herbreteau B*, Faure R, Dessalces G, Grenier-Loustalot MF// *Univ Claude Bernard Lyon 1, CNRS UMR 5180, Lab Sci Anal, 43 Blvd 11 Novembre 1918, Batiment Raulin, FR-69622 Villeurbanne, France
J Liq Chromatogr Relat Technol 2008 **31** (7) 1033
 Solid phase extraction of oligo- and polysaccharides; application to maltodextrins and honey qualitative analysis
- Noda T, Takigawa S, Matsuura-Endo C, Suzuki T, Hashimoto N, Kottearachchi NS, Yamauchi H, Zaidul ISM// Nat Agric Res Ctr Hokkaido Region, Shinsei, Memuro, Hokkaido 082 0071, Japan
Food Chem 2008 **110** (2) 465
 Factors affecting the digestibility of raw and gelatinized potato starches
- Oh HE, Hemar Y, Anema SG*, Wong M, Neil Pinder D// *Fonterra Res Ctr, Private Bag 11 029, Palmerston North, New Zealand
Carbohydr Polym 2008 **73** (2) 332
 Effect of high-pressure treatment on normal rice and waxy rice starch-in-water suspensions
- Pashkuleva I, Azevedo HS, Reis RL// Univ Minho, Dept Polymer Engn, Res Grp Biomat Biodegradables & Biomimet 3Bs, Campus Gualtar, PT-4710-057 Braga, Portugal
Macromol Biosci 2008 **8** (2) 210
 Surface structural investigation of starch-based biomaterials
- Perez CJ, Alvarez VA, Mondragon I, Vazquez A*// *Univ Mar del Plata, Fac Engn, Natl Res Council, INTEMA, CONICET, Av JB Justo 4302, AR-7600 Mar del Plata, Argentina
Polym Int 2008 **57** (2) 247
 Water uptake behavior of layered silicate/starch-polycaprolactone blend nanocomposites
- Pourjavadi A, Sarnadi M, Ghasernzadeh H// Sharif Univ Technol, Polymer Res Lab, Dept Chem, PO Box 11365-9516, Tehran, Iran
Starch 2008 **60** (2) 79
 Fast-swelling superabsorbent hydrogels from poly(2-hydroxy ethyl acrylate-co-sodium acrylate) grafted on starch
- Radhika GS, Moorthy SN*// *Cent Tuber Crops Res Inst, Div Crop Utilization, IN-695017 Thiruvananthapuram, Kerala, India
Starch 2008 **60** (2) 87
 Effect of sodium dodecyl sulphate on the physicochemical, thermal and pasting properties of cassava starch
- Ritota M, Gianferri R, Bucci R, Brosio E*// *Univ Rome La Sapienza, Dept Chem, Box 34, Roma 62, Ple Aldo Moro 5, IT-00185 Roma, Italy
Food Chem 2008 **110** (1) 14
 Proton NMR relaxation study of swelling and gelatinisation process in rice starch-water samples
- Sarazin P, Li G, Orts WJ, Favis BD*// *Ecole Polytech, Dept Chem Engn, CREPEC, PO Box 6079, Montreal, Quebec, Canada H3C 3A7
Polymer 2008 **49** (2) 599
 Binary and ternary blends of polylactide, polycaprolactone and thermoplastic starch
- Stawski D// Tech Univ Lodz, Dept Phys Chem Polymers, ul Zeromskiego 116, PL-90924 Lodz, Poland
Food Chem 2008 **110** (3) 777
 New determination method of amylose content in potato starch
- Talja RA, Peura M, Serimaa R, Jouppila K// Univ Helsinki, Dept Food Technol, PO Box 66, Agnes Sjöbergin katu 2, FI-00014 Helsinki, Finland
Biomacromolecules 2008 **9** (2) 658
 Effect of amylose content on physical and mechanical properties of potato-starch-based edible films
- Tran T, Thitipraphunkul K, Piyachomkwan K, Sriroth K// Kasetsart Univ, Natl Ctr Genet Engn & Biotechnol, CSTRU, TH-10900 Bangkok, Thailand
Starch 2008 **60** (2) 61
 Effect of starch modifications and hydrocolloids on freezable water in cassava starch systems
- Yu JL, Wang SJ// Tianjin Univ, Weijin Rd 92, Nankai District, CN-300072 Tianjin, Peoples Rep China
Starch 2008 **60** (2) 110
 Morphological and crystalline properties of starches from new sources - Traditional Chinese medicines (TCMs)
- Zabar S, Shimoni E, Bianco-Peled H// Technion - Israel Inst Technol, Dept Chem Engn, IL-32000 Haifa, Israel
Macromol Biosci 2008 **8** (2) 163
 Development of nanostructure in resistant starch type III during thermal treatments and cycling

11. Polysaccharides - Microbial

- Bae IY, Oh IK, Lee S, Yoob SH, Lee HG*// *Hanyang Univ, Dept Food & Nutr, 17 Haengdang dong, Sungdong gu, Seoul 133 791, South Korea
Int J Biol Macromol 2008 **42** (1) 10
 Rheological characterization of levan polysaccharides from *Microbacterium laevaniformans*
- Bajgai MP, Aryal S, Bhattarai SR, Bahadur KCR, Kim KW, Kim HY*// *Chonbuk Natl Univ, Dept Text Engn, Chonju 561 756, South Korea
J Appl Polym Sci 2008 **108** (3) 1447
 Poly(ϵ -caprolactone) grafted dextran biodegradable electrospun matrix: A novel scaffold for tissue engineering
- Hou XJ, Zhang N, Xiong SY, Li SG, Yang BQ// Tarim Univ, Coll Agric Engn, CN-843300 Alar, Xinjiang Prov, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 289
 Extraction of BaChu mushroom polysaccharides and preparation of a compound beverage
- Hwang HS, Lee SH, Baek YM, Kim SW, Jeong YK, Yun JW*// *Daegu Univ, Dept Biotechnol, Kyungsan 712 714, Kyungbuk, South Korea
Appl Microbiol Biotechnol 2008 **78** (3) 419
 Production of extracellular polysaccharides by submerged mycelial culture of *Laetiporus sulphureus* var. *miniatus* and their insulinotropic properties
- Jaehrig SC, Rohn S, Kroh LW, Wildenauer FX, Lisdat F, Fleischer LG, Kurz T*// *Tech Univ Berlin, Inst Food Technol & Food Chem, Dept Food Proc Engn, Amrumer Str 32, DE-13353 Berlin, Germany
LWT Food Sci Technol 2008 **41** (5) 868
 Antioxidative activity of (1 \rightarrow 3), (1 \rightarrow 6)- β -D-glucan from *Saccharomyces cerevisiae* grown on different media
- Khan T, Park JK*// *Kyungpook Nat Univ, Dept Chem Engn, Snakyuk-dong 1370, Buk-ku, Daegu 702 701, South Korea
Carbohydr Polym 2008 **73** (3) 438
 The structure and physical properties of glucuronic acid oligomers produced by a *Gluconacetobacter hansenii* strain using the waste from beer fermentation broth
- Ruszova E, Pavek S, Hajkova V, Jandova S, Velebny V, Papezikova I, Kubala L// CPN spol sro, CZ-56102 Dolni Dobrouc 401, Czech Republic
Carbohydr Res 2008 **343** (3) 501
 Photoprotective effects of glucomannan isolated from *Candida utilis*
- Santos-Neves JC, Pereira MI, Carbonero ER, Gracher AHP, Alquini G, Gorin PAJ, Sasaki BL, Iacomini M*// *Univ Fed Parana, Dept Bioquim & Biol Mol, CP 19046, BR-81531-980 Curitiba, PR, Brazil
Carbohydr Polym 2008 **73** (2) 309
 A novel branched α - β -glucan isolated from the basidiocarps of the edible mushroom *Pleurotus florida*
- Schultheis E, Dreger MA, Nimitz M, Wray V, Hempel DC, Norteman B*// *Technical Univ Braunschweig, Inst Chem Engn, DE-38106 Braunschweig, Germany
Appl Microbiol Biotechnol 2008 **78** (6) 1017
 Structural characterization of the exopolysaccharide PS-EDIV from *Sphingomonas pituitosa* strain DSM 13101
- Wang M, Bi J// Jiangnan Univ, Sch Food Sci & Technol, CN-214122 Wuxi, Peoples Rep China
J Sci Food Agric 2008 **88** (5) 763
 Modification of characteristics of kefiran by changing the carbon source of *Lactobacillus kefiranofaciens*

12. Polysaccharides - Plant

- Abad L, Okabe S, Shibayama N, Kudo H, Saiki S, Aranilla C, Rellve L, De la Rosa// Philippine Nuclear Res Inst, Commonwealth Ave, Quezon City, Philippines
Int J Biol Macromol 2008 **42** (1) 55
 Comparative studies on the conformational change and aggregation behavior of irradiated carrageenans and agar by dynamic light scattering

- Cheng AC, Chen YY, Chen JC*// *Nat'l Taiwan Ocean Univ, Coll Life Sci, Dept Aquaculture, Chilung 202, Taiwan
Vet Immunol Immunopathol 2008 **121** (3-4) 206
 Dietary administration of sodium alginate and κ-carrageenan enhances the innate immune response of brown-marbled grouper *Epinephelus fuscoguttatus* and its resistance against *Vibrio alginolyticus*
- Cheng AW, Wan FC, Wang JQ, Jin ZY*, Xu XM// *Jiangnan Univ, Sch Food Sci & Technol, CN-214122 Wuxi, Peoples Rep China
Int Immunopharmacol 2008 **8** (1) 43
 Macrophage immunomodulatory activity of polysaccharides isolated from *Glycyrrhiza uralensis* Fish
- Fang HY, Chang SM, Lan CH, Fang TJ*// *Nat'l Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuokuang Rd, Taichung 40227, Taiwan
Process Biochem 2008 **43** (1) 49
 Purification and characterization of a xylanase from *Aspergillus carneus* M34 and its potential use in photoprotectant preparation
- Fernandez E, Lopez D*, Mijangos C, Duskova-Smrckova M, Ilavsky M, Dusek K// *Inst Ciencia Tecnol Polimeros - CSIC, Juan de la Cierva 3, ES-28006 Madrid, Spain
J Polym Sci B Polym Phys 2008 **46** (3) 322
 Rheological and thermal properties of agarose aqueous solutions and hydrogels
- Gao S, Guo J, Wu L, Wang S// Wuhan Univ Technol, Dept Polym Materials & Engn, Luoshi Rd 122, CN-430070 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **73** (3) 498
 Gelation of konjac glucomannan crosslinked by organic borate
- Garcia-Garcia E, Totosaus A*// *Tecnol Estudios Super Ecatepec, Food Sci Lab, Av Technol s/n, MX-55210 Ecatepec, Estado Mexico, Mexico
Meat Sci 2008 **78** (4) 406
 Low-fat sodium-reduced sausages: Effect of the interaction between locust bean gum, potato starch and κ-carrageenan by a mixture design approach
- Huang X, Hu Y*, Zhao X, Lu Y, Wang J, Zhang F, Sun J// *Nanjing Agric Univ, Coll Veterinary Med, Inst Tradit Chinese Med, CN-210095 Nanjing, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 303
 Sulfated modification can enhance the adjuvant activity of *Astragalus* polysaccharide for ND vaccine
- Kar S, Mandal A, Das Mohapatra PK, Samanta S, Pati BR, Mondal KC*// *Vidyasagar Univ, Dept Microbiol, IN-721102 Midnapore, India
J Ind Microbiol Biotechnol 2008 **35** (4) 245
 Production of xylanase by immobilized *Trichoderma reesei* SAF3 in Ca-alginate beads
- Kim MH, Joo HG*// *Cheju Natl Univ, Coll Appl Life Sci, Dept Vet Med, 66 Jejudaehakno, Ara-1-dong, Cheju 690 756, South Korea
Immunol Lett 2008 **115** (2) 138
 Immunostimulatory effects of fucoidan on bone marrow-derived dendritic cells
- Leboeuf E, Immerzeel P, Gibon Y, Steup M, Pauly M*// *Michigan State Univ, Msu Doe Plant Res Lab, East Lansing, MI 48824, USA
Anal Biochem 2008 **373** (1) 9
 High-throughput functional assessment of polysaccharide-active enzymes using matrix-assisted laser desorption/ionization-time-of-flight mass spectrometry as exemplified on plant cell wall polysaccharides
- Lei J, Kim JH*, Jeon YS// *Sungkyunkwan Univ, Dept Chem Engr, Suwon 440 746, Gyeonggi, South Korea
Macromol Res 2008 **16** (1) 45
 Preparation and properties of alginate/polyaspartate composite hydrogels
- Leone G, Torricelli P, Chiumiento A, Facchini A, Barbucci R*// *Univ Siena, CRISMA, Via Aldo Moro 2, IT-53100 Siena, Italy
J Biomed Mater Res A 2008 **84A** (2) 391
 Amidic alginate hydrogel for nucleus pulposus replacement
- Li HY, Yu XJ, Jin Y, Zhang W*, Liu YL// *Chinese Acad Sci, Dalian Inst Chem Phys, Marine Bioprod Engr Grp, CN-116023 Dalian, Peoples Rep China
Bioresource Technol 2008 **99** (8) 3301
 Development of an eco-friendly agar extraction technique from the red seaweed *Gracilaria lemaneiformis*
- Li SG, Wang DG, Tian W, Wang XX, Zhao JX*, Liu Z, Chen R// *Lanzhou Univ, Inst Basic Med, 199 Donggangxi Rd, CN-730000 Lanzhou, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 344
 Characterization and anti-tumor activity of a polysaccharide from *Hedysarum polybotrys* Hand.-Mazz
- Lu J, Wang X, Xiao C*// *Wuhan Univ, Coll Chem & Mol Sci, CN-430072 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **73** (3) 427
 Preparation and characterization of konjac glucomannan/poly(diallyldimethylammonium chloride) antibacterial blend films
- McConaughy SD, Stroud PA, Bordeaux B, Hester RD, McCormick CL// Univ Sthn Mississippi, Dept Polymer Sci, Sthn Stn, Hattiesburg, Ms 39406, USA
Biomacromolecules 2008 **9** (2) 472
 Structural characterization and solution properties of a galacturonate polysaccharide derived from *Aloe vera* capable of *in situ* gelation
- Meena R, Chhatbar M, Prasad K, Siddhanta AK*// Cent Salt & Marine Chem Res Inst, Marine Biotechnol & Ecol Discipline, GB Marg, IN-364002 Bhavnagar, Gujarat, India
Polym Int 2008 **57** (2) 329
 Development of a robust hydrogel system based on agar and sodium alginate blend
- Monobe M, Ema K, Kato F, Maeda-Yamamoto M// NARO, Natl Inst Vegetable & Tea Sci, 2769 Kanaya, Shizuoka 428 8501, Japan
J Agric Food Chem 2008 **56** (4) 1423
 Immunostimulating activity of a crude polysaccharide derived from green tea (*Camellia sinensis*) extract
- Orduna-Rojas J, Garcia-Camacho KY, Orozco-Meyer P, Riosmena-Rodriguez R, Pacheco-Ruiz I, Zertuche-Gonzalez JA, Meling-Lopez AE// Ctr Interdisciplinario Invest Desarrollo Integral Reg - IPN, Blvd Juan de Dios Batiz Paredes 250, MX-81101 Guasave, Sinaloa, Mexico
J Appl Phycol 2008 **20** (2) 169
 Agar properties of two species of Gracilariaceae from the Gulf of California, Mexico
- Pan ZD, He K, Wang YM*// *Sth China Univ Technol, Coll Materials Sci & Engr, CN-510640 Ghangzhou, Peoples Rep China
J Appl Polym Sci 2008 **108** (3) 1566
 Deacetylation of konjac glucomannan by mechanochemical treatment
- Pushpamali WA, Nikapitiya C, Zoysa MD, Whang I, Kim SJ, Lee J*// *Cheju Nat Univ, Coll Ocean Sci, Dept Marine Biotechnol, 66 Jejudaehakno, Ara-dong, Jeju 690 756, South Korea
Carbohydr Polym 2008 **73** (2) 274
 Isolation and purification of an anticoagulant from fermented red seaweed *Lomentaria catenata*
- Qin YM// Jiaxing Coll, Biochem Materials Res & Dev Ctr, CN-314001 Zhejiang, Peoples Rep China
Polym Adv Technol 2008 **19** (1) 6
 The gel swelling properties of alginate fibers and their applications in wound management
- Rocher V, Siauque JM, Cabuil V, Bee A*// *Univ P&M Curie, CNRS UMR 7612, Lab Liquides Ioniques & Interfaces Chargees, Case 51, 4 Pl Jussieu, FR-75252 Paris, France
Water Res 2008 **42** (4-5) 1290
 Removal of organic dyes by magnetic alginate beads
- Rodrigues RAF, Grosso CRF// Univ Estadual Campinas, Phytochem Div, Res Ctr Chem Biol & Agric, POB 6171, BR-13083-970 Campinas, SP, Brazil
J Microencapsul 2008 **25** (1) 13
 Cashew gum microencapsulation protects the aroma of coffee extracts
- Shin SJ, Cho NS// Chungbuk Natl Univ, Wood & Paper Sci, Cheongju 361 763, South Korea
Cellulose 2008 **15** (2) 255
 Conversion factors for carbohydrate analysis by hydrolysis and ¹H-NMR spectroscopy
- Singh B, Chauhan N, Kumar S// Himachal Pradesh Univ, Dept Chem, IN-171005 Shimla, Himachal Pradesh, India
Carbohydr Polym 2008 **73** (3) 446
 Radiation crosslinked psyllium and polyacrylic acid based hydrogels for use in colon specific drug delivery
- Spichtig V, Austin S*// *Nestle Res Ctr, CH-1000 Lausanne 26, Switzerland
J Chromatogr B 2008 **861** (1) 81
 Determination of the low molecular weight fraction of food-grade carrageenans
- Stevanic JS, Salmen L// STFI Packforsk, Swedish Pulp & Paper Res Inst, Box 5604, SE-11486 Stockholm, Sweden
Cellulose 2008 **15** (2) 285
 Characterizing wood polymers in the primary cell wall of Norway spruce (*Picea abies* (L.) Karst.) using dynamic FT-IR spectroscopy
- Tapie N, Malhiac C*, Hucher N, Grisel M// *Univ Havre, URCOM, EA 3221, 25 rue P Lebon, BP 540, FR-76058 Le Havre, France
J Chromatogr A 2008 **1181** (1-2) 45
 Determination of galactose and mannose residues in natural galactomannans using a fast and efficient high-performance liquid chromatography/UV detection
- Tari O, Pekcan O*// *Isik Univ, Dept Phys, Kumbaba, TR-34980 Sile, Istanbul, Turkey
E-Polymers 2008 **1**
 Swelling of ι-carrageenan gels prepared with various CaCl₂ content: A fluorescence study
- Techawipharat J, Suphantharika M, BeMiller JN*// Purdue Univ, Whistler Ctr Carbohydr Res, 745 Agriculture Mall Dr, West Lafayette, IN 47907, USA
Carbohydr Polym 2008 **73** (3) 417
 Effects of cellulose derivatives and carrageenans on the pasting, paste, and gel properties of rice starches
- Togola A, Naess KH, Diallo D, Barsett H, Michaelsen TE, Paulsen BS*// *Univ Oslo, Dept Pharmaceut Chem, PO Box 1068 Blindern, NO-0316 Oslo, Norway
Carbohydr Polym 2008 **73** (2) 280
 A polysaccharide with 40% mono-O-methylated monosaccharides from the bark of *Cola cordifolia* (Sterculiaceae), a medicinal tree from Mali (West Africa)

- Vinod VTP, Sashidhar RB*, Sarma VUM, Saradhi UVRV// *Osmania Univ, Univ Coll Sci, Dept Biochem, IN-500007 Hyderabad, India
J Agric Food Chem 2008 **56** (6) 2199
Compositional analysis and rheological properties of gum kondagogu (*Cochlospermum gossypium*): A tree gum from India
- Virkki L, Maina HN, Johansson L, Tenkanen M*// *University Helsinki, Fac Agric & Forestry, Dept Appl Chem & Microbiol, POB 27, FI-00014 Helsinki, Finland
Carbohydr Res 2008 **343** (3) 521
New enzyme-based method for analysis of water-soluble wheat arabinoxylans
- Webster JM, Oxley D, Pettolino FA, Basic A*// *Univ Melbourne, Sch Bot, CRC Bioprod, Melbourne, Vic 3010, Australia
Phytochemistry 2008 **69** (4) 873
Characterisation of secreted polysaccharides and (glyco)proteins from suspension cultures of *Pyrus communis*
- Yang B, Jiang YM*, Zhao MM, Shi J, Wang LZ// *Chinese Academy Science, South China Bot Garden, CN-510650 Guangzhou, Guangdong, Peoples Rep China
Polym Degrad Stabil 2008 **93** (1) 268
Effects of ultrasonic extraction on the physical and chemical properties of polysaccharides from longan fruit pericarp
- Yang SQ, Huang ZA, Jiang ZQ*, Li L// *China Agric Univ, Coll Food Sci & Nutr Engn, Dept Biotechnol, POB 294, 17 Qinhua Donglu, CN-100083 Beijing, Peoples Rep China
Process Biochem 2008 **43** (1) 56
Partition and purification of a thermostable xylanase produced by *Paecilomyces thermophila* in solid-state fermentation using aqueous two-phase systems
- Zhang Q, Gao Y, Zhai YA, Liu FQ, Gao G*// *Jilin University, College Chemistry & MacDiarmid Laboratory, CN-130021 Changchun, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 359
Synthesis of sesbania gum supported dithiocarbamate chelating resin and studies on its adsorption performance for metal ions
- Zou C, Du Y*, Li Y, Yang J, Feng T, Zhang L, Kennedy JF// *Wuhan University, Sch Resource & Environm Sci, CN-430079 Wuhan, Hubei, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 322
Preparation of lacquer polysaccharide sulfates and their antioxidant activity *in vitro*
- Zou P, Xiong H*, Tang S// *Huangzhong Agric Univ, Coll Food Sci & Technol, Shizishan 1, CN-430070 Wuhan, Peoples Rep China
Carbohydr Polym 2008 **73** (3) 378
Natural weathering of rape straw flour (RSF)/HDPE and nano-SiO₂/RSF/HDPE composites
- ### 13. Polysaccharides - Other
- Alvarez-Mancenido F, Landin M*, Lacik I, Martinez-Pacheco R// *Univ Santiago de Compostela, Fac Farm, Dept Farm & Tecnol Farm, ES-15782 Santiago de Compostela, Spain
Int J Pharm 2008 **349** (1-2) 11
Konjac glucomannan and konjac glucomannan/xanthan gum mixtures as excipients for controlled drug delivery systems. Diffusion of small drugs
- Cui F, Zhang Q, Yan Y, Yao X, Qu G, Lu Y// Henan Normal University, School Chem & Environmental Science, Key Lab Environm Pollut Control Technol Henan Prov, 46 East Construction Rd, CN-453007 Xinxiang, Henan, Peoples Rep China
Carbohydr Polym 2008 **73** (3) 464
Study of characterization and application on the binding between 5-iodouridine with HSA by spectroscopic and modeling
- De la Fuente M, Seijo B, Alonso MJ*// *Univ Santiago de Compostela, Fac Pharm, Dept Pharmaceut Technol, Campus s/n, ES-15782 Santiago de Compostela, Spain
Nanotechnology 2008 **19** (7) 75105
Design of novel polysaccharidic nanostructures for gene delivery
- Fan J, Wang K, Liu M, He Z*// *Tianjin University, Sch Chem Engn & Technol, Enzyme Technol Lab, Chem Engn Res Ctr, CN-300072 Tianjin, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 241
In vitro evaluations of konjac glucomannan and xanthan gum mixture as the sustained release material of matrix tablet
- Furth G, Knierim R, Buss V, Mayer C*// *Univ Duisburg Essen, Fachbereich Chem, DE-45117 Essen, Germany
Int J Biol Macromol 2008 **42** (1) 33
Binding of bivalent cations by hyaluronate in aqueous solution
- Ghafoor K, Jung JE, Choi YH*// *Kyungpook Natl Univ, Dept Food Sci & Technol, Taegu 702 701, South Korea
Food Sci Biotechnol 2008 **17** (1) 80
Effects of gellan, xanthan, and λ -carrageenan on ellagic acid sedimentation, viscosity, and turbidity of 'Campbell Early' grape juice
- Gourdon D, Lin Q, Oroudjev E, Hansma H, Golan Y, Arad S, Israelachvili J// ETH, Lab Biol Oriented Materials, CH-8093 Zurich, Switzerland
Langmuir 2008 **24** (4) 1534
Adhesion and stable low friction provided by a subnanometer-thick monolayer of a natural polysaccharide
- Hernandez MJ, Dolz J, Delegido J*, Cabeza C, Dolz M// *Univ Valencia, Dept Fis Tierra & Termodinam, Avenida Vicente Andres Estelles s/n, ES-46100 Burjassot, Spain
J Disper Sci Tech 2008 **29** (2) 213
Thixotropic behavior of salad dressings stabilized with modified starch, pectin, and gellan gum. Influence of temperature
- Ito Y, Murakami A, Maeda T, Sugioka N, Takada K// Kyoto Pharmaceut Univ, Dept Pharmacokinet, Yamashina ku, Kyoto 607 8414, Japan
Int J Pharm 2008 **349** (1-2) 124
Evaluation of self-dissolving needles containing low molecular weight heparin (LMWH) in rats
- Kim J, Park K, Hahn SK*// *Pohang Univ Sci & Technol, Dept Materials Sci & Engn, San 31, Hyoja dong, Nam gu, Pohang 790 784, South Korea
Int J Biol Macromol 2008 **42** (1) 41
Effect of hyaluronic acid molecular weight on the morphology of quantum dot-hyaluronic acid conjugates
- Kim JK, Srinivasan P, Kim JH, Choi JI, Park HJ, Byun MW, Lee JW*// *KAERI, Advanced Radiat Technol Inst, Radiat Food Sci & Biotechnol Team, 1266 Sinjeong-dong, Jeongeup 580 185, South Korea
Food Chem 2008 **109** (4) 763
Structural and antioxidant properties of γ irradiated hyaluronic acid
- Mirhosseini H, Tan CP*, Hamid NSA, Yusof S// *Univ Putra Malaysia, Fac Food Sci & Technol, Dept Food Technol, MY-43400 Serdang, Malaysia
Colloid Surface A 2008 **315** (1-3) 47
Effect of Arabic gum, xanthan gum and orange oil contents on ζ -potential, conductivity, stability, size index and pH of orange beverage emulsion
- Miyazawa T, Ohtsu S, Funazukuri T*// *Chuo Univ, Fac Sci & Engn, Dept Appl Chem, 1-13-27 Kasuga, Bunkyo ku, Tokyo 112 8551, Japan
J Mater Sci 2008 **43** (7) 2447
Hydrothermal degradation of polysaccharides in a semi-batch reactor: Product distribution as a function of severity parameter
- Mocanu G, Mihai D, Legros M, Piction L, LeCerf D// Petru Poni Inst Macromol Chem, RO-700487 Iasi, Romania
J Bioact Compat Polym 2008 **23** (1) 82
New polysaccharide-based microparticles crosslinked with siloxane: Interactions with biologically active substances
- Patel RP, Narkowicz C, Hutchinson JP, Hilder EF, Jacobson GA// Univ Tasmania, Sch Pharm, Private Bag 26, Hobart, Tas 7001, Australia
J Pharm Biomed Anal 2008 **46** (1) 30
A simple capillary electrophoresis method for the rapid separation and determination of intact low molecular weight and unfractionated heparins
- Pitarresi G, Palumbo FS, Calabrese R, Craparo EF, Giammona G// Univ Palermo, Dipt Chim & Tecnol Farmaceut, Via Archirafi 32, IT-90123 Palermo, Italy
J Biomed Mater Res A 2008 **84A** (2) 413
Crosslinked hyaluronan with a protein-like polymer: Novel bioresorbable films for biomedical applications
- Shimada N, Okobira T, Takeda Y, Shinkai S, Sakurai K*// *Univ Kitakyushu, Dept Chem Proc & Environm, Wakamatu ku, 1-1 Hibikino, Kitakyushu, Fukuoka 808 0135, Japan
J Polym Sci A Polym Chem 2008 **46** (4) 1440
Polysaccharide-templated twisted assemble of 2-anilinonaphthalene-6-sulfonic acid
- Tang Q, Wu J*, Lin J// *Huaqiao Univ, Inst Material Phys Chem, Key Lab Funct Materials Fujian Higher Educat, Fengze Area, CN-362021 Quanzhou, Peoples Rep China
Carbohydr Polym 2008 **73** (2) 315
A multifunctional hydrogel with high conductivity, pH-responsive, thermo-responsive and release properties from polyacrylate/polyaniline hybrid
- Tang Q, Wu J*, Sun H, Fan S, Hu D, Lin J// *Huaqiao Univ, Inst Material Phys Chem, Key Lab Funct Materials Fujian Higher Educat, Fengze Area, CN-362021 Quanzhou, Peoples Rep China
Carbohydr Polym 2008 **73** (3) 473
Superabsorbent conducting hydrogel from poly(acrylamide-aniline) with thermo-sensitivity and release properties
- Williams MAK, Vincent RR, Pinder DN, Hemar Y// Massey Univ, Inst Fundamental Sci, Christchurch, New Zealand
J Non-Newtonian Fluid Mech 2008 **149** (1-3) 63
Microrheological studies offer insights into polysaccharide gels
- Zinoviadou KG, Janssen AM, De Jongh HJJ// Top Inst Food & Nutr, PO Box 557, NL-6700 AN Wageningen, The Netherlands
J Food Sci 2008 **73** (2) E88
Tribological properties of neutral polysaccharide solutions under simulated oral conditions