

CARBOHYDRATE RESEARCH, VOL. 21 (1972)

SUBJECT INDEX

- Acetal migration in methyl 4,6-*O*-benzylidene-2-deoxy-2-halogeno- α -D-altropyranosides, 37
- Acetals from acetone and D-glucitol, a detailed investigation of the formation of, 29
- 2-Acetamido-2-deoxy-D-glucose residues in mammalian heparins, 173
- 2-Acetamido-2-deoxy- β -D-glucosidase of boar epididymis, stereochemistry of products of hydrolysis by, 316
- Acetoxonium ions, intermediate, derived from D-glucose, hydrolyses of, 255
- Adenines, 9-(6-deoxy- β -D-allofuranosyl)- and 9-(6-deoxy- α -L-talofuranosyl)-, from 2',3'-*O*-isopropylideneadenosine, 309
- Adenosine-5'-aldehyde, from the 5'-azido derivative, 393
- Alkaline degradation of (1 $\rightarrow$ 3)- β -D-glucans, 111
- Allose, 3-*O*-methyl, and a facile route to 2- and 3-*O*-methyl-D-ribose, 440
- Altropyranoside, some acetals of methyl 2-deoxy-2-halogeno- α -D-, and their reactions with lithium aluminium hydride, 37
- Amylose, conformation of, in alkaline solution, 229
- Analysis, automated, of neutral monosaccharides in glycoproteins and polysaccharides, 9
- 3,6-Anhydro-1-deoxy-1-(pyrimidin-1-yl)-D-mannitols, homoanalogues of α -D-erythrofuranosyl nucleosides, 320
- Antitumour activity, synthesis of new sugar derivatives having potential, 19
- L-Ascorbic acid, dehydro-, derivatives of bis(hydrazones) of, 430
- Base-catalyzed isomerization of keto sugars. Synthesis of methyl 6-deoxy-2,3-*O*-isopropylidene- β -D-ribo-hexopyranosid-4-ulose and its conversion into derivatives of 4-amino-4,6-dideoxy-D-allose, 166
- Blocking of hydroxyl groups in *O*-isopropylidenehexoses with the 2,4-dinitrobenzenesulfonyl group, 301
- Capsular polysaccharide from *Klebsiella* type 21, 169
- α -Cellobiose and α -isomaltose from crystalline complexes with sodium iodide, 235
- Cellulose formate, fibrous, preparation by the action of thionyl chloride in *N,N*-dimethylformamide, 369
- Cellulose sulfate with a high degree of substitution, 219
- Complexes, crystalline, with sodium iodide, α -cellobiose and α -isomaltose from, 235
- Conformation and intramolecular hydrogen-bonding in the crystal structure of potassium D-gluconate monohydrate, 187
- Conformation of acyclic derivatives of sugars. Part VIII. Conformations of the 2,3,4,5-tetra-*O*-acetylpentose dimethyl acetals in solution, 407
- Conformation of amylose in alkaline solution, 229
- Conversion of 2',3'-*O*-isopropylideneadenosine into 9-(6-deoxy- β -D-allofuranosyl)- and 9-(6-deoxy- α -L-talofuranosyl)-adenines, 309
- C-substance, improved synthesis of, 148
- 1,2-Cyclohexanedione, 3-hydroxy-3-(hydroxymethyl)-5-methyl-, synthesis of, 65
- Dehydrogenase, UDP-D-glucose, from beef liver, studies on mechanism of action of, 249
- 1-Deoxy-D-manno-heptulose, synthesis of, 1
- Derivatives of dehydro-L-ascorbic acid bis(hydrazones), 430
- Dextran, sulfation with piperidine-*N*-sulfonic acid, 420
- "Dibenzylidene fructose", elucidation of the structure of, by physical methods and use of a shift reagent, 455
- Dinitrobenzenesulfonyl group, 2,4-, blocking of hydroxyl groups in *O*-isopropylidenehexoses with, 301
- Elucidation of the structure of "dibenzylidene fructose" by physical methods and use of a shift reagent, 455
- Enzyme substrates, synthesis of, 460
- Evaluation of methods for the preparation of 1,2:3,4-di-*O*-isopropylidene- α -D-galacto-hexodialdo-1,5-pyranose. Oxidation of 1,2:3,4-di-*O*-isopropylidene- α -D-galactopyranose with lead tetraacetate-pyridine, 305
- D-Galactopyranose, dimethyl ethers of, p.m.r. spectroscopy of, 73

- D-Galactopyranose, trimethyl ethers of, p.m.r. spectroscopy of, 83
- D-Galactose, 6-*O*-(2-acetamido-2-deoxy- β -D-galactopyranosyl)-, synthesis of, by inversion of configuration, 57
- Gentianose, synthesis of, 451
- Glucitol, D-, a detailed investigation of the acid-catalysed formation of acetals from acetone and, 29
- Glucopyranose, synthesis of 2-acetamido-6-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-2-deoxy-D-, 211
- D-Glucopyranosides, methyl 4,6-*O*-benzylidene- α - and - β -, 473
- D-Glucopyranosides, reactivities of hydroxyl groups in, 357
- Glucopyranosylamine, 2-acetamido-*N*-(L-aspart-4-oyl)-2-deoxy-3-*O*- α -D-mannopyranosyl- β -D-, 347
- β -D-Glucopyranosyl azide, 2,3,4,6-tetra-*O*-acetyl-, a new synthesis of, 476
- α -D-Glucopyranosyl chloride, tri-*O*-acetyl-2-deoxy-2-nitroso-, synthesis of a β -D-linked disaccharide from, 45
- D-Glucose, *aldehyde* derivatives, 490
- D-Glucose, septanoside derivatives, 490
- Glycal acetates, stereochemistry of methoxy-mercuration of, 379
- Glycuronans, sulfuric acid esters having various degrees of substitution, 275
- Grass species, tropical, polysaccharides of, 201
- Gum of *Acacia elata* A. Cunn., molecular-weight distribution of hydrolysis products from, 91
- Hemicellulose, of *Setaria sphacelata*, electrophoretic analysis and fractionation of, 479
- Heparins, mammalian, 2-acetamido-2-deoxy-D-glucose residues in, 173
- Hexenulopyranoses, photochemical additions of 2,3-dimethylbut-2-ene to, 487
- Hexofuranos-3-ulose, 1,2:5,6-di-*O*-isopropylidene- α -D-*ribo*-, reaction of *p*-toluenesulfonylhydrazide with, 447
- Hexopyranoside, 2,3,6-trideoxy- α -L-*erythro*-, synthesis of methyl, 99
- Hexose, 2,3,6-trideoxy-L-*threo*-, synthesis of, 99
- Hydration of β -D-(1 $\rightarrow$ 4)-xylan, 427
- Hydrolyses of intermediate acetoxonium ions derived from D-glucose, 255
- Iditol, 1,4:3,6-bis(thioanhydro)-D-, and its diacetate, synthesis of, 19
- D-Idopyranosiduronic acid, methyl α - and β -, synthesis and conformational analysis, 123
- Idose, 3-deoxy-3-fluoro-L-, a convenient synthesis of, 297
- Interconversion of the D-tetroses in pyridine, 326
- Inulin, alkali-stable, isolation and hydrolysis of, 154
- Ions, acetoxonium intermediate, derived from D-glucose, hydrolyses of, 255
- Isolation and hydrolysis of alkali-stable inulin, 154
- Isolation of *aldehyde* and septanoside derivatives from the acid-catalyzed reaction of D-glucose and some of its derivatives with acetone-alcohol, 490
- Isomaltose, α -, and α -cellobiose, from crystalline complexes with sodium iodide, 235
- Isomerization, base-catalyzed, of keto sugars, 166
- Keto sugars, base-catalyzed isomerization of, 166
- Lead tetraacetate-pyridine for oxidation of 1,2:3,4-di-*O*-isopropylidene- α -D-galactopyranose, 305
- Lysozyme, interaction with trisaccharides, 269
- D-Mannitol, 3,6-anhydro-1-deoxy-1-(pyrimidin-1-yl)-, synthesis of, 320
- (1 $\rightarrow$ 6)- α -D-Mannopyranan, stereoregularity of chemically synthesized, as revealed by enzymic degradation with *Arthrobacter* α -D-mannanase, 465
- Mannose, 6-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-D-, synthesis of, 460
- D-Mannose, 2-amino-2-deoxy-, hydrochloride, deamination to D-glucose, with nitrous acid, 417
- Mannosyl-*N*-acetylglucosamine-asparagine compound, 347
- Marine plant polymers. Part III. A kinetic analysis of the alkaline degradation of polysaccharides with specific reference to (1 $\rightarrow$ 3)- β -D-glucans, 111
- Methoxymercuration of glycal acetates, stereochemistry of, 379
- 3-*O*-Methyl-D-allose and a facile route to 2- and 3-*O*-methyl-D-ribose, 440
- Methyl α - and β -D-idopyranosiduronic acids. Synthesis and conformational analysis, 123
- Methyl 4,6-*O*-benzylidene- α - and - β -D-glucosides, 473
- Molecular-weight distribution of hydrolysis products from the Gum of *Acacia elata* A. Cunn., 91
- Monosaccharides, automated analysis of neutral, in glycoproteins and polysaccharides, 9
- Monosaccharides, synthesis of pernicotinic esters of, 484
- 3'-Morpholinone, D-glucosyl-(2,3:5',6')-2'(*R*)-methyl-, 339
- Muramic acid, internal amide of, 339

- Neighboring group effects in the reactivities of hydroxyl groups in D-glucopyranosides, 357
- New synthesis of 2,3,4,6-tetra-O-acetyl- β -D-glucopyranosyl azide, 476
- Nitrous acid deamination of 2-amino-2-deoxy-D-mannose hydrochloride to D-glucose, 417
- Nucleosides. Part LXXII. Synthetic studies on nucleoside antibiotics. 7. An improved synthesis of C-substance, 148
- Ortho esters, sugar 1,2-, cleavage with dichloromethyl methyl ether, 331
- Pentose dimethyl acetals, 2,3,4,5-tetra-O-acetyl-, conformations in solution, 407
- Photochemical additions of 2,3-dimethylbut-2-ene to hexenulopyranoses, 487
- Photolysis of azido sugar derivatives. Generation of 5'-aldehydes from 5'-azido derivatives of adenosine and uridine, 393
- Piperidine-N-sulfonic acid, sulfation of dextran with, 420
- P.m.r. spectroscopy of dimethyl ethers of D-galactopyranose and its derivatives, 73
- P.m.r. spectroscopy of trimethyl ethers of D-galactopyranose and its derivatives, 83
- Polysaccharide, capsular, from *Klebsiella* type 21, 169
- Polysaccharides of tropical grass species. I. Giant star grass (*Cynodon plectostachyus*), 201
- Polysaccharides of tropical grass species, II. Electrophoretic analysis and fractionation of *Setaria sphacelata* hemicellulose, 479
- Polysaccharide sulfates. I. Cellulose sulfate with a high degree of substitution, 219
- Polysaccharide sulfates. II. Sulfuric acid esters of glycuronans having various degrees of substitution, 275
- Potassium D-gluconate, monohydrate, conformation and intramolecular hydrogen-bonding in the crystal structure of, 187
- Preparation of fibrous cellulose formate by the action of thionyl chloride in N,N-dimethylformamide, 369
- Reaction of p-toluenesulfonylhydrazide with 1,2:5,6-di-O-isopropylidene- α -D-ribo-hexofuranos-3-ulose, 447
- Reactivities of hydroxyl groups in D-glucopyranosides, 357
- D-Ribofuranosides, ring opening of methyl 2,3-anhydro-, 156
- β -D-Ribopyranoside, methyl, an X-ray crystallographic study of, 334
- Riboses, 2- and 3-O-methyl, 440
- Ribose, synthesis of 3-amino-3-deoxy-D-, 159
- Ring-opening of methyl 2,3-anhydro-D-ribofuranosides, 156
- Stereochemistry of methoxymercuration of glycol acetates, 379
- Stereochemistry of products of hydrolysis of 2-acetamido-2-deoxy- β -D-glucosides by boar epididymis 2-acetamido-2-deoxy- β -D-glucosidase, 316
- Stereoregularity of chemically synthesized (1 $\rightarrow$ 6)- α -D-mannopyranan as revealed by enzymic degradation with *Arthrobacter* α -D-mannanase, 465
- Studies on the mechanism of action of UDP-D-glucose dehydrogenase from beef liver, 249
- Sucrose, 1',4':3',6'-dianhydro-, 293
- Sucrose, 6,6'-di-O-trityl-, synthesis and derivatives of, 144
- Sucrose, new derivatives of, prepared from the 6,6'-di-O-tosyl and octa-O-mesyl derivatives, 133
- Sucrose 6'-phosphate, synthesis of, 283
- Sulfate, of cellulose, with a high degree of substitution, 219
- Sulfates, of polysaccharides, 275
- Sulfation of dextran with piperidine-N-sulfonic acid, 420
- Synthesis of 2-acetamido-6-O-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-2-deoxy-D-glucopyranose, 211
- Synthesis of 6-O-(2-acetamido-2-deoxy- β -D-galactopyranosyl)-D-galactose by inversion of configuration, 57
- Synthesis of a β -D-linked disaccharide from dimeric tri-O-acetyl-2-deoxy-2-nitroso- α -D-glucopyranosyl chloride, 45
- Synthesis of a mannosyl-N-acetylglucosamine-L-asparagine compound: 2-Acetamido-N-(L-aspart-4-oyl)-2-deoxy-3-O- α -D-mannopyranosyl- β -D-glucopyranosylamine, 347
- Synthesis of 3-amino-3-deoxy-D-ribose and D-ribose derivatives by means of methyl sulfide-phosphorus pentoxide and periodate oxidation, 159
- Synthesis of enzyme substrates I. Synthesis of 6-O-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-D-mannose, 460
- Synthesis of gentianose, 451
- Synthesis of D-gluco-(2,3:5',6')-2'(R)-methyl-3'-morpholinone (internal amide of muramic acid), 339
- Synthesis of 3-hydroxy-3-(hydroxymethyl)-5-methyl-1,2-cyclohexanedione, a hydrolytic product of leucogenenol, 65
- Synthesis of new sugar derivatives having potential antitumour activity. Part XVII. Synthesis and oxidation of 1,4:3,6-bis(thioanhydro)-D-iditol and its 2,5-diacetate, 19
- Synthesis of pernecotinic esters of some monosaccharides, 484

D-Tetroses, interconversion in pyridine, 326
Tropical grass species, polysaccharides of, 201

Uridine-5'-aldehyde, from the 5'-azido derivative, 393

X-ray crystallographic study of methyl β -D-
ribopyranoside, 334

β -D-(1 $\rightarrow$ 4)-Xylan, hydration of, 427

CORRIGENDUM

Carbohydr. Res., 19 (1971) page 136, Table I: retention time and temperature given for L-fucitol butaneboronate are incorrect and have been subsequently found to apply to butaneboronic acid, itself. L-Fucitol butaneboronate migrates as a diffuse peak between 4 and 6 min at 187° column temperature.

Carbohydr. Res., 21 (1972) 500