

CARBOHYDRATE RESEARCH, VOL. 128 (1984)

SUBJECT INDEX

- Acarbose, inhibitor of α -D-glucosidase, structure of, 235
- Acetalation of 2-acetamido-4,5-(*R*)-*O*-benzylidene-2-deoxy-D-glucitol, 345
- Acetamido-4,6-(*R*)-*O*-benzylidene-2-deoxy-D-glucitol, acetalation of 2-, 345
- Action patterns of various exo-amylases and the anomeric configurations of their products, 297
- Acyl derivatives and selective benzylation of the *N*-acetyl derivatives of *N*-aryl-D-lyxopyranosylamines, 227
- Altritol and 2,5-anhydro-D-iditol, 2,5-anhydro-D-hexitols: syntheses of 2,5-anhydro-D-, 79
- Amino acids, *N*-(deoxyhexitol-1-yl)-, synthesis of, 37
- 3-Amino-3-deoxy- α -D-L-lyxopyranoside, methyl, synthesis of, 283
- 5-Amino-5-deoxy-D-mannopyranose and 1,5-deoxy-1,5-imino-D-mannitol, synthesis of, and inhibition of α - and β -D-mannosidases, 61
- Amylases and the anomeric configurations of their products, action patterns of various exo-, 297
- 2,5-Anhydro-D-hexitols: syntheses of 2,5-anhydro-D-altritol and 2,5-anhydro-D-iditol, 79
- L-Arabinitol, 1,5-anhydro-, partial tosylation of, 175
- Artificial transaminase with a "deeper" binding pocket, hexadeoxycycloheptaamylase-pyridoxamine, an, 133
- N*-Aryl-D-lyxopyranosylamines, their acyl derivatives, and selective benzylation of *N*-acetyl-*N*-aryl- α -D-lyxopyranosylamines, 227
- Aspergillus niger* microsomes, interference of GDP-2-deGlc with glycosylation enzymes of, 366
- N*-Bromosuccinimide, removal of dithioacetal group with, 11
- Carbohydrate-containing polyacrylamide copolymers having the specificity of O:3 and O:4 factors of *Salmonella*, synthesis of, 269
- Carrot (*Daucus carota*), structural features of cell-wall polysaccharides of the, 321
- Cellulose, liquefaction of, formation of 2,5-dimethyl-1,4-benzenediol during, *via* aldol addition and a reduction-oxidation pathway, 356
- Cetraria islandica*, polysaccharides of, 119
- Characterization of anti-*N*-acetyl-D-glucosamine antibodies elicited through haptenated liposomes, 335
- Cotton effects, extrinsic, exhibited by glucuronans from *Mucor rouxii*, 157
- Crystal structure of ethyl 2,3-dideoxy- α -D-erythro-hex-2-enopyranoside, 1
- Degradation of *N*-substituted 1-amino-1-deoxyfructoses, influence of the amine moiety on the thermal, 351
- 5'-(2-Deoxy- α -D-arabino-hexopyranosyl diphosphate), guanosine, interference with glycosylation enzymes of, 366
- N*-(1-Deoxyhexitol-1-yl)amino acids, synthesis of, 37
- 2-Deoxy-spiro-orthoester, anomeric, synthesis of a, 341
- Disaccharides, α,α -trehalose-type, having the D-*altro* configuration, synthesis of, 165
- Disaccharides of D-xylopyranose, synthesis of reducing, 217
- Dithioacetal group, removal with *N*-bromosuccinimide of, 11
- E.i. and c.i. mass-spectral identification of some derivatives of 7-*O*-(2-amino-2-deoxy- α -D-glucopyranosyl)-L-glycero-D-manno-heptose, obtained from lipopolysaccharides representative of the *Vibrionaceae* family, 203
- Electron-impact, mass-spectrometric fragmentation that identifies 3-linked D-glucopyranosyl residues in per-*O*-alkylated, linear β -D-glucopyrano-oligosaccharide-alditols, 193
- Endo-(1 \rightarrow 4)- β -D-xylanase from *Irpex lacteus* (*Polyporus tulipiferae*), purification and properties of an, 141
- Enzymic synthesis of oligosaccharides on polymer support, 160
- Ethanediol, 1,2-*O*-(3,4,6-tri-*O*-acetyl-2-deoxy-D-arabino-hexopyranosylidene)-, synthesis of, 341
- Exo-amylases and the anomeric configurations of their products, action patterns of the various, 297

- Formation, during liquefaction of cellulose, of 2,5-dimethyl-1,4-benzenediol *via* aldol addition and a reduction-oxidation pathway, 356
- β -D-Galactopyranoside, methyl 6-*O*- α - and - β -D-galactopyranosyl-, synthesis and characterization of, 101
- D-Glucal, 3,4,6-tri-*O*-acetyl-, reductive rearrangement of, C9
- D-Glucopyranosyl residues, 3-linked, in per-*O*-alkylated linear β -D-glucopyrano-oligosaccharide-alditols, an electron-impact mass-spectrometric fragment-ion that identifies, 193
- D-Glucosamine, *N*-acetyl-. See D-Glucose, 2-acetamido-2-deoxy-, 335
- D-Glucose, 2-acetamido-2-deoxy-, anti-, antibodies elicited through haptenated liposomes, characterization of, 335
- α -D-Glucosidase inhibitor, acarbose, structure of, 235
- D-Glucosidic spiro-orthoesters, synthesis from hydroxyalkyl D-glucosides of, 21
- Glucuronans from *Mucor rouxii*, extrinsic Cotton effects exhibited by, 157
- Glycophorin A, glyco-octaepptides of, and a related glycopentapeptide, reductively [^{13}C]methylated, ^{13}C -n.m.r. spectral study of the pH behavior of, 183
- Glycosylation, nonenzymic, of proteins, synthesis of reference compounds for, 37
- Guanosine (5')-diphospho(1)-2-deoxy- α -D-*arabino*-hexose, interference with glycosylation enzymes of, 366
- Heptose, 1-*glycero*-D-*manno*-, 7-*O*-(2-amino-2-deoxy- α -D-glucopyranosyl)-, obtained from lipopolysaccharides representative of the *Vibriaceae* family, e.i. and c.i. mass-spectral identification of some derivatives of, 203
- Hexadeoxycycloheptaamylose-pyridoxamine, an artificial transaminase with a "deeper" binding pocket, 133
- Hex-2-enopyranoside, ethyl 2,3-dideoxy- α -D-*erythro*-, the crystal structure of, 1
- (D-*arabino*-Hexopyranosylidene)ethanediol, 1,2-*O*-(3,4,6-tri-*O*-acetyl-2-deoxy-, synthesis of, 341
- Hydrazinolysis of monosaccharides, and a two-step synthesis of chiral pentane-1,2,3-triols from pentoses, 73
- Hydroxyalkyl D-glucosides, synthesis of D-glucosyl spiro-orthoesters from, 21
- Iditol, 2,5-anhydro-D-hexitols: syntheses of 2,5-anhydro-D-altritol and 2,5-anhydro-D-, 79
- Influence of the amine moiety on the thermal degradation of *N*-substituted 1-amino-1-deoxy-fructoses, 351
- Inhibition of α - and β -D-mannosidases, and synthesis of 5-amino-5-deoxy-D-mannopyranose and 1,5-deoxy-1,5-imino-D-mannitol, 61
- Irpex lacteus* (*Polyporus tulipiferae*), purification and properties of an endo-(1 \rightarrow 4)- β -D-xylanase from, 141
- Isolation and characterization of oligosaccharides containing D-fructose from juices of the Jerusalem artichoke. Kinetic constants for acid hydrolysis, 311
- Jerusalem artichoke. Kinetic constants for acid hydrolysis, isolation and characterization of oligosaccharides containing D-fructose from juices of the, 311
- Lichens, *Cetraria islandica* and *Ramalina usnea*, polysaccharides of, 119
- Lipids, disialylglycero-, α - and β -(2 \rightarrow 9)-linked, synthesis of, C1
- α -D,L-Lyxopyranoside, methyl 3-amino-3-deoxy-, synthesis of, 283
- D-Lyxopyranosylamines, acyl derivatives of *N*-aryl- and selective benzylation of *N*-acetyl-*N*-aryl-, 227
- D-Mannitol, 1,2:5,6-di-*O*-isopropylidene-, the synthesis of, a comparative study of, 87
- Methyl 3-amino-3-deoxy- α -D,L-lyxopyranoside, synthesis of, 283
- Mucor rouxii*, extrinsic Cotton effects exhibited by glucuronans from, 157
- ^{13}C -N.m.r. spectral study of the pH behavior of reductively [^{13}C]methylated, glycophorin A glyco-octaepptides and a related glycopentapeptide, 183
- Oligo- and poly-saccharides, a sequencing method for the reductive-amination derivatives of, 361
- Oligosaccharide-alditols, linear β -D-glucopyranosyl-, an electron-impact mass-spectrometric fragment-ion that identifies 3-linked D-glucopyranosyl residues in per-*O*-alkylated, 193
- Oligosaccharides containing D-fructose from juices of the Jerusalem artichoke. Kinetic constants for acid hydrolysis, isolation and characterization of, 311
- Oligosaccharides, enzymic synthesis on polymer support of, 160
- Oxidation of model carbohydrate compounds, wet, 51
- Partial tosylation of 1,5-anhydro-L-arabinitol, 175
- Pentane-1,2,3-triols, a two-step synthesis from pentoses of chiral, and hydrazinolysis of monosaccharides, 73

- Phase-transfer catalysed synthesis of 4-*S*- β -D-glucopyranosyl-4-thio-D-glucopyranose (thiocellobiose) and 2-*S*- β -D-glucopyranosyl-2-thio-D-glucopyranose (thiosophorose), 291
- Polyacrylamide copolymers, synthesis of carbohydrate-containing, having the specificity of O:3 and O:4 factors of *Salmonella*, 269
- Polysaccharide, from *Streptococcus pneumoniae* type 20, structural studies on the, C11
- Polysaccharide secreted by *Zoogloea ramigera* 115, structural investigation of the acidic, 111
- Polysaccharides of the carrot (*Daucus carota*), structural features of cell-wall, 321
- Polysaccharides of the lichens, *Cetraria islandica* and *Ramalina usnea*, 119
- Poly(vinyl alcohol), substituted, light-sensitive, water-soluble polymer support, oligosaccharide enzymic synthesis on, 160
- Preparation of some partially protected, α,α -trehalose-type disaccharides having the D-*altro* configuration, 165
- Proteins, synthesis of reference compounds for the nonenzymic glycosylation of, 37
- Purification and properties of an endo-(1 \rightarrow 4)- β -D-xylanase from *Irpex lacteus* (*Polyporus ulipiferae*), 141
- Ramalina usnea*, polysaccharides of, 119
- Reductive-amination derivatives of oligo- and poly-saccharides, a sequencing method for the, 361
- Reductive rearrangement of 3,4,6-tri-*O*-acetyl-D-glucal, C9
- Sequencing method for the reductive-amination derivatives of oligo- and poly-saccharides, 361
- Spiro-orthoesters, D-glucosidic, synthesis from hydroxyalkyl D-glucosides of, 21
- Structural features of cell-wall polysaccharides of the carrot (*Daucus carota*), 321
- Structural investigation of the acidic polysaccharide secreted by *Zoogloea ramigera* 115, 111
- Structural studies on the polysaccharide from *Streptococcus pneumoniae* type 20, C11
- aldehyde-Sugars, preparation from sugar di-thioacetals with *N*-bromosuccinimide of, 11
- Synthesis and characterization of methyl 6-*O*- α - and - β -D-galactopyranosyl- β -D-galactopyranoside, 101
- Synthesis and the structural analysis of 1,2,3,4-tetra-*O*-acetyl-5-deoxy-5-C-[(*R,S*)]-methoxyphosphinyl]- α,β -D-xylopyranoses, C5
- Synthesis of 5-amino-5-deoxy-D-mannopyranose and 1,5-deoxy-1,5-imino-D-mannitol, and inhibition of α - and β -D-mannosidases, 61
- Synthesis of α - and β -(2 \rightarrow 9)-linked disialylglycerolipids, C1
- Synthesis of carbohydrate-containing polyacrylamide copolymers having the specificity of O:3 and O:4 factors of *Salmonella*, 269
- Synthesis of chiral pentane-1,2,3-triols from pentoses, hydrazinolysis of monosaccharides and a two-step, 73
- Synthesis of 1,2:5,6-di-*O*-isopropylidene-D-mannitol: a comparative study, 87
- Synthesis of 4-*S*- β -D-glucopyranosyl-4-thio-D-glucopyranose and 2-*S*- β -D-glucopyranosyl-2-thio-D-glucopyranose, phase-transfer catalysed, 291
- Tetrasaccharide, pseudo-, structure and the α -D-glucosidase inhibitor acarbose, 235
- Thermal degradation of *N*-substituted 1-amino-1-deoxyfructoses, influence of the amine moiety on the, 351
- Thiocellobiose and thiosophorose, phase-transfer catalysed synthesis of, 291
- Transaminase with a "deeper" binding pocket, hexadeoxycycloheptaamylose-pyridoxamine, an artificial, 133
- Wet oxidation of model carbohydrate compounds, 51
- D-Xylobiose, synthesis of reducing, 217
- Xylopyranoses, 1,2,3,4-tetra-*O*-acetyl-5-deoxy-5-C-[(*R,S*)]-methoxyphosphinyl]- α,β -D-, synthesis and the structural analysis of, C5
- D-Xylopyranose, synthesis of reducing disaccharides of, 217
- Zoogloea ramigera* 115, structural investigation of the acidic polysaccharide secreted by, 111