

CARBOHYDRATE RESEARCH, VOL. 131 (1984)

SUBJECT INDEX

- 4-*O*-Acetyl-3,6-di-*O*-benzyl-2-deoxy-2-phthalimido- α,β -D-glucopyranosyl chloride as a glycosyl donor, 166
- Addition-reactions to methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-nitro- α -D-*erythro*-hex-2-enopyranoside kinetically controlled nucleophilic, 197
- Adenine, F.t.-i.r. and laser-Raman spectra of, 1
- Adenosine, F.t.-i.r. spectrum of, 1
- Advances in carbohydrate chemistry and biochemistry, Volume 41 (*book review*), C11
- Allyl 2-acetamido-2-deoxy- α -D-galactopyranoside having chain extension at position 4, "standardized intermediates" for oligosaccharide synthesis. A convenient preparation of partially benzylated derivatives of, 47
- Analysis of the linkage positions in D-fructofuranosyl residues by the reductive-cleavage method, 17
- O-Antigen 6, structural studies of the *Escherichia coli*, 277
- Application of molecular-mechanics calculations to D-glucal and its acetate; a comparison of X-ray and n.m.r. results, 157
- Aromatic and heterocyclic 1-C-substituted derivatives of 1,5-anhydro-D-glucitol, 273
- 1-Aryl(glucufurano)imidazolidine-2-thiones derived from new 2-(alkylamino)-2-deoxyheptoses having D-*glycero*-D-*galacto* and D-*glycero*-D-*ialo* configurations, 71
- Asialo-G_{M1}- and asialo-G_{M1}-ganglioside, synthesis of, C1
- Benzylated derivatives of allyl 2-acetamido-2-deoxy- α -D-galactopyranoside having chain extension at position 4, "standardized intermediates" for oligosaccharide synthesis. A convenient preparation of partially, 47
- Blocking group, sulfate as a, in alkali-catalyzed permethylation, C8
- Carbohydrates, a simple and rapid method for the permethylation of, 209
- Chemistry and technology of water-soluble polymers (*book review*), C14
- Chondroitinase AC-II, degradation of rooster-comb dermatan sulfate by, 315
- Cleavage of β -D-glucopyranosiduronic acid linkages in methylated polysaccharide acids from *Drosera* species, selective, 53
- Cyclodextrins, proceedings of the first international symposium on (*book review*), C15
- Cyclomaltoheptaose, isolation and characterization of 6- α -D-glucosyl-, 175
- 4-Deoxy-4-fluoro and 4,6-dideoxy-4,6-difluoro derivatives of sucrose, synthesis of some, 335
- Depolymerization of heparin with diazomethane, 285
- Dermatan sulfate from rooster-comb, degradation with chondroitinase AC-II and periodate oxidation of, 315
- Dermatan sulfate, rooster-comb, characterization and quantitative determination of copolymeric, isomeric tetra- and hexa-saccharides from, 301
- Diazomethane, depolymerization of heparin with, 285
- Di-*O*-benzyl-D-*glycero*-tetrulose, synthesis of 1,3-, 325
- Dietary fibre (*book review*), C12
- Escherichia coli* O-antigen 6, structural studies of, 277
- Fibre, dietary (*book review*), C12
- D-Fructofuranosyl residues, analysis of the linkage positions in, by the reductive-cleavage method, 17
- F.t.-i.r. and laser-Raman spectra of adenine and adenosine, 1
- Galactoglucomannan from cell walls of tobacco (*Nicotiana tabacum*) midrib, structural investigation of a, 105
- D-Galactopyranose, 2-acetamido-2-deoxy-6-*O*- β -D-galactopyranosyl-, synthesis of, 265
- α -D-Galactopyranoside, benzyl 2-acetamido-6-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-2-deoxy-3-*O*- β -D-fucopyranosyl-, synthesis of, 257
- α -D-Galactopyranoside, benzyl 2-acetamido-2-deoxy-3-*O*- β -D-fucopyranosyl-, synthesis of, 257
- α -D-Galactopyranoside, *o*-nitrophenyl 2-acetamido-2-deoxy-6-*O*- β -D-galactopyranosyl-, synthesis of, 265

- α -D-Galactopyranoside, propyl *O*- β -D-galactopyranosyl-(1 \rightarrow 4)-*O*- β -D-galactopyranosyl-(1 \rightarrow 4)-, synthesis and characterization of, 239
- α -D-Galactopyranoside, propyl 4-*O*- β -D-galactopyranosyl-, studies on the synthesis of, 227
- α -D-Galactosyl- α -D-galactosyl- α -D-galactosyl-D-pinitol from the chick pea, isolation and structure determination of a, 331
- Ganglioside, asialo-G_{M1}- and asialo-G_{M2}-, synthesis of, C1
- Glucal and its acetate; a comparison of X-ray and n.m.r. results, application of molecular-mechanics calculations to D-, 157
- D-Glucitol, 1,5-anhydro-, aromatic and heterocyclic 1-C-substituted derivatives of, 273
- Glucopyranosiduronic acid linkages in methylated polysaccharide acids from *Drosera* species, selective cleavage of β -D-, 53
- Glucopyranosyl chloride as a glycosyl donor, 4-*O*-acetyl-3,6-di-*O*-benzyl-2-deoxy-2-phthalimido- α , β -D-, 166
- D-Glucose, 3,4,6-tri-*O*-methyl, an alternative synthesis of, C8
- 6- α -D-Glucosylcyclomaltoheptaose, isolation and characterisation of, 175
- Glycolipid isolated from *Mycobacterium leprae*, structure of the oligosaccharide component of a serologically active phenolic, 346
- Glycosides, aryl, photoinduced electron-transfer reactions of, 185
- Glycosyl donor, 4-*O*-acetyl-3,6-di-*O*-benzyl-2-deoxy-2-phthalimido- α , β -D-glucopyranosyl chloride as a, 166
- Guar, *O*-(carboxymethyl)-, quantitative methods for determining the points of *O*-(carboxymethyl) substitution in, 139
- Guar, *O*-(2-hydroxypropyl)-, a quantitative method to determine the points of *O*-(2-hydroxypropyl) substitution in, 131
- Heparin, depolymerization with diazomethane of, 285
- Heptoses, 2-(alkylamino)-2-deoxy-, new, having D-*glycero*-D-*galacto* and D-*glycero*-D-*talo* configurations, for synthesis of 1-aryl(glycofurano)imidazolidine-2-thiones, 71
- Hex-2-enopyranoside, kinetically controlled nucleophilic addition-reactions to methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-nitro- α -D-*erythro*-, 197
- Hydrogenation, asymmetrical, application of a chiral phosphinite derivative of L-rhamnose to, C6
- Hydrolysis of unordered xanthan in solution by fungal cellulases, 93
- Identification of the characteristic, anomeric bands in the infrared spectrum of L-lyxose in aqueous solution, 29
- Imidazolidine-2-thiones, 1-aryl(glycofurano), derived from new 2-(alkylamino)-2-deoxyheptoses having D-*glycero*-D-*galacto* and D-*glycero*-D-*talo* configurations, 71
- Infrared spectrum, of L-lyxose in aqueous solution, identification of the characteristic anomeric bands in the, 29
- D-Isoglutamine, 1-thiomuramoyl-L-alanyl-, some lipophilic derivatives of, synthesis and biological activity of, 61
- Isolation and characterisation of 6- α -D-glucosylcyclomaltoheptaose, 175
- Isolation and structure determination of an α -D-galactosyl- α -D-galactosyl- α -D-galactosyl-D-pinitol from the chick pea, 331
- Kinetically controlled nucleophilic addition-reactions to methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-nitro- α -D-*erythro*-hex-2-enopyranoside, 197
- Lactose, glycosidation with various catalytic systems of, C1
- Lectin of *Vicia graminea*, structure of the carbohydrate component of, 83
- L-Lyxose, in aqueous solution, identification of the characteristic anomeric bands in the infrared spectrum of, 29
- D-Mannopyranosyl phosphate, synthesis of the phosphono analogues of α - and β -, 180
- Methyl β -glycosides of trisaccharides related to arabinoxylan, stereoselective synthesis and ¹³C-n.m.r. spectra of two isomeric, 219
- Methyl rhamnotriosides, synthesis and ¹³C-n.m.r. spectroscopic investigation of three, 39
- Molecular-mechanics calculations to D-glucal and its acetate; a comparison of X-ray and n.m.r. results, application of, 157
- ¹³C-N.m.r. spectroscopic investigation and synthesis of three methyl rhamnotriosides, 39
- Oligosaccharide component of a serologically active phenolic glycolipid isolated from *Mycobacterium leprae*, structure of the, 346
- Oligosaccharides, containing the *O*- α -L-fucopyranosyl-(1 \rightarrow 2)-D-galactopyranosyl unit, synthesis of some, 247
- L-Olivomycose, stereoselective synthesis of, 341
- Periodate oxidation of rooster-comb dermatan sulfate, 315
- Permethylation, alkali-catalyzed sulfate as a blocking group in, C8

- Permethylation of carbohydrates, a simple and rapid method for the, 209
- Phosphono analogues of α - and β -D-mannopyranosyl phosphate, synthesis of, 180
- Photoinduced, electron-transfer reactions of aryl glycosides, 185
- D-Pinitol, isolation and structure determination of an α -D-galactosyl- α -D-galactosyl- α -D-galactosyl-, from the chick pea, 331
- Plant glycoprotein, structure of the carbohydrate component of, 83
- Polysaccharide, capsular, of *Streptococcus pneumoniae* type 18C (56), structural determination of the, 119
- Polysaccharide, fraction from the fruits of *Cordia dichotoma* Forst., structural studies on a, 149
- Proceedings of the first international symposium on cyclodextrins (book review), C15
- Quantitative methods for determining the points of *O*-(carboxymethyl) substitution in *O*-(carboxymethyl)-guar, 139
- Quantitative method to determine the points of *O*-(2-hydroxypropyl) substitution in *O*-(2-hydroxypropyl)-guar, 131
- Reductive-cleavage method, analysis of the linkage positions in D-fructofuranosyl residues by the, 17
- L-Rhamnose, a chiral phosphinite derivative of, synthesis of, and its application to asymmetrical hydrogenation, C6
- Rooster-comb dermatan sulfate, characterization and quantitative determination of copolymeric, isomeric tetra- and hexa-saccharides from, 301
- Rooster-comb dermatan sulfate, degradation with chondroitinase AC-II and by periodate oxidation of, 315
- Selective cleavage of β -D-glucopyranosiduronic acid linkages in methylated polysaccharide acids from *Drosera* species, 53
- Simple and rapid method for the permethylation of carbohydrates, 209
- "Standardized intermediates" for oligosaccharide synthesis. A convenient preparation of partially benzylated derivatives of allyl 2-acetamido-2-deoxy- α -D-galactopyranoside having chain extension at position 4, 47
- Stereoselective synthesis and ^{13}C -n.m.r. spectra of two isomeric methyl β -glycosides of trisaccharides related to arabinoxylan, 219
- Stereoselective synthesis of L-olivomycose, 341
- Structural determination of the capsular polysaccharide of *Streptococcus pneumoniae* type 18C (56), 119
- Structural investigation of a galactoglucomannan from cell walls of tobacco (*Nicotiana tabacum*) midrib, 105
- Structural studies of the *Escherichia coli* O-antigen 6, 277
- Structural studies on a polysaccharide fraction from the fruits of *Cordia dichotoma* forst., 149
- Structure of the oligosaccharide component of a serologically active phenolic glycolipid isolated from *Mycobacterium leprae*, 346
- Studies on the synthesis of propyl 4-*O*- β -D-galactopyranosyl- α -D-galactopyranoside, 227
- Sucrose, synthesis of some 4-deoxy-4-fluoro and 4,6-dideoxy-4,6-difluoro derivatives of, 335
- Sulfate as a blocking group in alkali-catalyzed permethylation: An alternative synthesis of 3,4,6-tri-*O*-methyl-D-glucose, C8
- Synthesis and biological activity of some lipophilic derivatives of 1-thiomuramoyl-L-alanyl-D-isoglutamine, 61
- Synthesis and characterization of propyl *O*- β -D-galactopyranosyl - (1 \rightarrow 4) - *O* - β - D-galactopyranosyl-(1 \rightarrow 4)- α -D-galactopyranoside, 239
- Synthesis and ^{13}C -n.m.r. spectroscopic investigation of three methyl rhamnotriosides, 39
- Synthesis of 2-acetamido-2-deoxy-6-*O*- β -D-galactopyranosyl-D-galactopyranose and *o*-nitrophenyl 2-acetamido-2-deoxy-6-*O*- β -D-galactopyranosyl- α -D-galactopyranoside, 265
- Synthesis of a chiral phosphinite derivative of L-rhamnose, and its application to asymmetrical hydrogenation, C6
- Synthesis of benzyl 2-acetamido-2-deoxy-3-*O*- β -D-fucopyranosyl- α -D-galactopyranoside and benzyl 2-acetamido-6-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-2-deoxy-3-*O*- β -D-fucopyranosyl- α -D-galactopyranoside, 257
- Synthesis of 1,3-di-*O*-benzyl-D-glycero-tetrol, 325
- Synthesis of some 4-deoxy-4-fluoro and 4,6-dideoxy-4,6-difluoro derivatives of sucrose, 335
- Synthesis of some oligosaccharides containing the *O*- α -L-fucopyranosyl-(1 \rightarrow 2)-D-galactopyranosyl unit, 247
- Synthesis of the phosphono analogues of α - and β -D-mannopyranosyl phosphate, 180
- Tetra- and hexa-saccharides, copolymeric, isomeric, obtained from rooster-comb dermatan sulfate, characterization and quantitative determination of, 301
- Tetrol, synthesis of 1,3-di-*O*-benzyl-D-glycero-, 325
- Tobacco midrib, structural investigation of a galactoglucomannan from cell walls of, 105
- Trisaccharides related to arabinoxylan,

- stereoselective synthesis and ^{13}C -n.m.r. spectra of two isomeric methyl β -glycosides of, 219
- Vicia graminea* lectin, structure of the carbohydrate component of, 83
- Unordered xanthan in solution, hydrolysis by fungal cellulases, 93
- Xanthan, hydrolysis of unordered, in solution by fungal cellulases, 93