

CARBOHYDRATE RESEARCH, VOL. 135 (1985)

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-hexopyranosyl and -D-hexitol residues, a mechanistic consideration of the hydrazinolysis of 3-O-substituted, in the absence and presence of hydrazinium sulfate, 342
- Acetimide, 2-deoxy-2-phthalimido-D-glucose derivative, O-(β -D-glycosyl)trichloro-, use in the synthesis of oligosaccharides of, 203
- N-Acetyl-N-aryl- β -D-xylopyranosylamines, nucleophilic displacement reactions of some, 219
- O-Acetyl groups in acidic D-xylan of *Mimosa scabrella* (*bracatinga*), location of, 129
- N-Acetylmuramic acid lactones, methanolysis and aminolysis of, and evidence for, the retention of the D-glucosyl configuration, 85
- O- α -N-Acetylneuraminosyl-(2 \rightarrow 3)-O- β -D-galactopyranosyl-(1 \rightarrow 4)-D-glucose, synthesis of, c5
- O- α -N-Acetylneuraminosyl-(2 \rightarrow 3)- β -D-galactose, synthesis of, c5
- Acylvinyl group, use of the, for the protection of the amino group of amino sugars during Fischer glycosidation, 101
- Aldehyde sugars, loss or transfer of an acetyl group during Knoevenagel reactions of acetylacetone with, 303
- Aldonamides, g.l.c. determination of aldonic acids as acetylated, 179
- Aldonic acids as acetylated aldonamides, g.l.c. determination of, 179
- Alginate present in extracellular material produced by mucoid strains of *Pseudomonas aeruginosa*, purification and chemical characterisation of the, 147
- Alternative preparation of methyl 3-amino-2,3,6-trideoxy- α -D-arabino-hexopyranoside and chiral intermediates for the synthesis of thienamycin, 167
- Amino sugars, use of the acylvinyl group for the protection of the amino group of, during Fischer glycosidation, 101
- Amylose and amylopectin, the roles of, in the gelation and retrogradation of starch, 271
- Amylose, studies of the gelation of, 257
- 3,6-Anhydro- β - and - α -D-glucofuranoside, methyl, X-ray crystallographic analysis of, 29
- 3,6-Anhydro- β - and - α -D-mannofuranoside, methyl, X-ray crystallographic analysis of, 29
- 3,6-Anhydrohexofuranosides, methyl, X-ray crystallographic analysis of, 29
- 1,6-Anhydro-3,4-O-[5-(hydroxymethyl)-2-furfurylidene]- β -D-galactopyranose from lactose during pyrolysis, the formation of, 324
- 3,6-Anhydro- α -L-idofuranoside, methyl, X-ray crystallographic analysis of, 29
- 1,2-Anhydro-3,4,6-tri-O-benzyl- β -D-mannopyranose, steric control in the polymerization of, 195
- T-Antigen, synthesis of compounds containing the, 71
- Antitumor activity and synthesis of 3'-C-methyl-daunorubicin, 241
- Apple cell-wall polymers, structural features of, 155
- Behaviour of kappa-carrageenan on hydrolysis and distribution of molecular weight, 283
- 1,2-O-Benzylidene group, migration of a, under glycosylation conditions, 312
- Bis(D-mannose) compounds, synthesis of novel, 337
- Carbohydrate metabolism in plants (*book review*), c23
- Cell-wall polymers of the apple, structural features of, 155
- Conformation of 3,4,6-tri-O-acetyl-1,2-dideoxy- α -D-glucopyranose-[2,1-d]-2-oxazolines, 1
- C.p.-m.a.s. ^{13}C -n.m.r. study of the molecular dynamics of some solid-state inclusion-complexes of cyclomaltohexaose and cyclomaltoheptaose, c12
- Crystal structure of 2-deoxy- β -D-lyxo-hexose (2-deoxy- β -D-galactose), 47
- Crystal structure of D-glucose 6-(sodium hydrogen phosphate), 187
- Cyclic (1 \rightarrow 6)- β -D-glucopyranose oligomers: synthesis of cyclogentiotriose and cyclogentiotetraose peracetates, c9
- Cyclisation reaction catalysed by the cyclodextrin glycosyltransferase from *K. pneumoniae* with glycogen, studies of the inhibition by malto-oligosaccharides of the, 291
- Cyclodextrin glycosyltransferase from *K. pneumoniae* with glycogen, studies of the inhibition by malto-oligosaccharides of the cyclisation reaction catalysed by the, 291
- Cyclogentiotetraose peracetates, c9
- Cyclohexanones, synthesis of two enantiomeric tetrasubstituted, from 6-deoxyhex-5-enopyranoside derivatives, 231

- Cyclomaltohexaose and cyclomaltoheptaose, a c.p.-m.a.s. ^{13}C -n.m.r. study of the molecular dynamics of some solid-state inclusion-complexes of, c12
- 2-Deoxy- β -D-lyxo-hexose (2-deoxy- β -D-galactose), crystal structure of, 47
- Derivatives of hydroxylamine, hydrazine, thiosemicarbazide, and secondary amines, n.m.r. studies of D-ribose, 13
- Direct conversion of D-glucosamine into D-gulosamine, 319
- Enantiomeric tetrasubstituted cyclohexanones from 6-deoxyhex-5-enopyranoside derivatives, synthesis of two, 231
- Formation of 1,6-anhydro-3,4-*O*-[5-(hydroxymethyl)-2-furfurylidene]- β -D-galactopyranose from lactose during pyrolysis, the, 324
- Gelation and retrogradation of starch, the roles of amylose and amylopectin in the, 271
- Gelation of amylose, studies of the, 257
- G.l.c. determination of aldonic acids as acetylated aldonamides, 179
- D-Glucosamine into D-gulosamine, direct conversion of, 319
- D-Glucose 6-(sodium hydrogen phosphate), the crystal structure of, 187
- Glycogen of high molecular weight from mammalian muscle, 249
- O*-Glycopeptides, synthesis of, 71
- (1 \rightarrow 6)- β -D-Glucopyranose oligomers: synthesis of cyclogentiotriose and cyclogentiotetraose peracetates, c9
- Glycosylation conditions, migration of a 1,2-*O*-benzylidene group under, 312
- D-Gulosamine, direct conversion of D-glucosamine into, 319
- Higher-carbon sugars: on the stereochemistry of the oxidation of some unsaturated carbohydrate derivatives with osmium tetroxide, c17
- Hydrazinolysis of 3-*O*-substituted 2-acetamido-2-deoxy-D-hexopyranosyl and -D-hexitol residues in the absence and presence of hydrazinium sulfate, a mechanistic consideration of the, 342
- Ii-Blood-group active glycolipids, synthesis of fragments of, 330
- Kappa-carrageenan, distribution of molecular weight and behaviour on hydrolysis of, 283
- Knoevenagel reactions of aldehyde sugars with acetylacetone, loss or transfer of an acetyl group during, 303
- Lactose during pyrolysis, the formation of 1,6-anhydro-3,4-*O*-[5-(hydroxymethyl)-2-furfurylidene]- β -D-galactopyranose from, 324
- Lactose, glycosylation of synthesis of methyl *O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 3)-*O*- β -D-galactopyranosyl-(1 \rightarrow 4)- β -D-glucopyranoside and methyl *O*- β -D-galactopyranosyl-(1 \rightarrow 4)-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 3)-*O*- β -D-galactopyranosyl-(1 \rightarrow 4)- β -D-glucopyranoside, 330
- Laryngectomee, isolation and characterization of a tracheobronchial mucin from a, 117
- Lewis acid-catalyzed synthesis of oligosaccharides, application of trimethylsilyl trifluoromethanesulfonate to, 53
- Loss or transfer of an acetyl group during Knoevenagel reactions of aldehyde sugars with acetylacetone, 303
- Mammalian muscle, glycogen of high molecular weight from, 249
- Mechanistic consideration of the hydrazinolysis of 3-*O*-substituted 2-acetamido-2-deoxy-D-hexopyranosyl and -D-hexitol residues in the absence and presence of hydrazinium sulfate, a, 342
- Methanolysis and aminolysis of *N*-acetylmuramic acid lactones: evidence for the retention of the D-*gluco* configuration, 85
- Methyl 3-amino-2,3,6-trideoxy- α -D-*arabino*-hexopyranoside and chiral intermediates for the synthesis of thienamycin, alternative preparation of, 167
- Methyl 3-benzamido-4-*O*-benzoyl-2,3,6-trideoxy-2-fluoro- β -L-galactopyranoside, synthesis of, 174
- 3'-*C*-Methyl daunorubicin, synthesis and antitumor activity of, 241
- Migration of a 1,2-*O*-benzylidene group under glycosylation conditions, 312
- Mimosa scabrella* (*bracatinga*), location of *O*-acetyl groups in acidic D-xylan of, 129
- Molecular dynamics of some solid-state inclusion-complexes of cyclomaltohexaose and cyclomaltoheptaose, a c.p.-m.a.s. ^{13}C -n.m.r. study of the, c12
- Molecular-weight-distribution and the behaviour of kappa-carrageenan on hydrolysis, 283
- Mucin, tracheobronchial, from a laryngectomee, isolation and characterization of, 117
- Muscle, glycogen of high molecular weight from mammalian, 249
- Neuraminic acid, *N*-acetyl, synthesis of oligosaccharides of, c5
- N.m.r. studies of D-ribosylamines in solution: derivatives of hydroxylamine, hydrazine, thiosemicarbazide, and secondary amines, 13

- Non-ionic seed-gum from *Cassia corymbosa*, 141
- Novel bis(D-mannose) compounds, synthesis of, 337
- Nucleophilic displacement reactions of some *N*-acetyl-*N*-aryl- β -D-xylopyranosylamines, 219
- Oligosaccharides, application of trimethylsilyl trifluoromethanesulfonate to the Lewis acid-catalyzed synthesis of, 53
- Oligosaccharides, use of *O*-(2-deoxy-2-phthalimido- β -D-glucopyranosyl)trichloroacetimidate in the synthesis of, 203
- Oligosaccharides, β -D-(1 \rightarrow 3)-xylo, synthesis of, c1
- 2-Oxazolines, conformation of 3,4,6-tri-*O*-acetyl-1,2-dideoxy- α -D-glucopyrano-[2,1-*d*]-, 1
- Oxidation of some unsaturated carbohydrate derivatives with osmium tetroxide, synthesis of higher-carbon sugars by the, c17
- Polymerization of 1,2-anhydro-3,4,6-tri-*O*-benzyl- β -D-mannopyranose, steric control in the, 195
- Protection of the amino group of amino sugars by the acylvinyl group: glycoside formation by the Fischer reaction, 101
- Pseudomonas aeruginosa*, purification and chemical characterisation of the alginate present in extracellular material produced by mucoid strains of, 147
- Purification and chemical characterisation of the alginate present in extracellular material produced by mucoid strains of *Pseudomonas aeruginosa*, 147
- Retention of the D-*gluco* configuration during the methanolysis and aminolysis of *N*-acetylmuramic acid lactones, 85
- D-Ribosylamines in solution: n.m.r. studies of derivatives of hydroxylamine, hydrazine, thiosemicarbazide, and secondary amines, 13
- Roles of amylose and amylopectin in the gelation and retrogradation of starch, the, 271
- Seed-gum; a non-ionic, from *Cassia corymbosa*, 141
- L-Serine, synthesis of glycopeptides containing, 71
- 6-(Sodium hydrogen phosphate), the crystal structure of D-glucose, 187
- Sialic acid, synthesis of oligosaccharides of, c5
- Steric control in the polymerization of 1,2-anhydro-3,4,6-tri-*O*-benzyl- β -D-mannopyranose, 195
- Structural features of cell-wall polymers of the apple, 155
- Studies of the inhibition by malto-oligosaccharides of the cyclisation reaction catalysed by the cyclodextrin glycosyltransferase from *K. pneumoniae* with glycogen, 291
- Synthesis and antitumor activity of 3'-*C*-methyl-daunorubicin, 241
- Synthesis of methyl 3-benzamido-4-*O*-benzoyl-2,3,6-trideoxy-2-fluoro- β -L-galactopyranoside, 174
- Synthesis of novel bis(D-mannose) compounds, 337
- Synthesis of two enantiomeric tetrasubstituted cyclohexanones from 6-deoxyhex-5-enopyranoside derivatives, 231
- Thienamycin, alternative preparation of methyl 3-amino-2,3,6-trideoxy- α -D-*arabino*-hexopyranoside and chiral intermediates for the synthesis of, 167
- L-Threonine, synthesis of glycopeptides containing, 71
- Topics in enzyme and fermentation biotechnology (book review), c24
- Tracheobronchial mucin from a laryngectomee, isolation and characterization of, 117
- 3,4,6-Tri-*O*-acetyl-1,2-dideoxy- α -D-glucopyranosyl-[2,1-*d*]-2-oxazolines, conformation of, 1
- Tri- and tetra-saccharides, synthesis from lactose of, 330
- Trichloroacetimidate, *O*-(2-deoxy-2-phthalimido- β -D-glucopyranosyl)-, use in the synthesis of oligosaccharides of, 203
- Trimethylsilyl trifluoromethanesulfonate, application to the Lewis acid-catalyzed synthesis of oligosaccharides of, 53
- Unsaturated carbohydrate derivatives, synthesis of higher-carbon sugars by the oxidation with osmium tetroxide of some, c17
- D-Xylan of *Mimosa scabrella* (*bracatinga*), acidic location of *O*-acetyl groups in, 129
- β -D-(1 \rightarrow 3)-Xylo-oligosaccharide, synthesis of, c1
- β -D-Xylopyranosylamines, nucleophilic displacement reactions of some *N*-acetyl-*N*-aryl-, 219
- D-Xylotetrasaccharide, β , β , β -(1 \rightarrow 3), linear, synthesis of, c1