

CARBOHYDRATE RESEARCH, VOL. 138 (1985)

SUBJECT INDEX

- Acetals of β -L-arabino- and α -L-rhamno-pyranoside derivatives, synthesis and hydrog-enolysis of, 1
- Acidic glucomannans from strains of *Serratia mar-cescens* O14 and O6, structural studies of, 267
- Amylopectin from sugar cane, some structural properties of, 161
- Anthelmintic activity of D-glycopyranosylidene acetals, 325
- β -L-Arabinopyranoside and α -L-rhamnopyra-noside derivatives, synthesis and hydrog-enolysis of acetals of, 1
- Arabinoxyloglucan from tobacco (*Nicotiana tabacum*), structural investigation of an, 247
- Branched-chain enuloses, synthesis of enuloses and, 135
- Carbohydrate constituents of glycoproteins, a "one-pot" quantitative determination of the, and a study of the selectivity of alkaline borohydride reductions, 189
- Carbohydrate structures of three hormone-build-ing glycoproteins from human serum, use of methylation analysis in a comparative study of the, 91
- Cellobiose, discrimination between the 2,3- and 2',3'-hydroxyl groups of, through their specific protection, 55
- Cellulose model compounds, effects of iron, cop-per, and chromate ions on the oxidative degra-dation of, 73
- Chromatofocusing as a method for comparing β -D-glucan hydrolases from germinating cereals, 344
- Combined action of an enzyme and a metal catalyst on the conversion of D-glucose/D-fruc-tose mixtures into D-mannitol, 237
- Condensation of *o*-phenylenediamine with de-hydro-L-ascorbic acid derivatives and analogs, 148
- Conversion of D-glucose/D-fructose mixtures into D-mannitol, combined action of an enzyme and a metal catalyst on the, 237
- 1,2-*O*-Cyanoalkylidene derivatives of furanoses as 1,2-*trans*-glycosylating agents, 41
- α -Cyclodextrin, total synthesis, C5
- Cyttaria hariatii* Fischer, tree fungus, structure of glycopeptide from, 257
- Dehydro-L-ascorbic acid derivatives and analogs, with *o*-phenylenediamine, condensation of, 148
- 3-Deoxy-D-manno-2-octulosonic acid (KDO) is a component of rhamnogalacturonan II, a pectic polysaccharide in the primary cell walls of plants, 109
- 1-Deoxy-D-psicose and 1-deoxy-D-tagatose, a new synthesis of, 139
- Discrimination between the 2,3- and 2',3'-hy-droxyl groups of maltose and cellobiose through their specific protection, 55
- Disulphated disaccharide obtained by degradation of bovine lung heparin with nitrous acid, n.m.r. studies of the, 199
- Di-, tri-, and tetra-saccharides corresponding to receptor structures recognised by *Streptococcus pneumoniae*, synthesis of, 17
- Effects of iron, copper, and chromate ions on the oxidative degradation of cellulose model com-pounds, 73
- Endogenous lectins, existence of, suggested by modification of blood-borne arrest properties of lymphoma cells by inhibitors of protein glycosy-lation, 315
- 3,2-Enolones, preparation and chemistry of, and reactions of partially acylated aldohexo-pyranosides, 335
- Enuloses and branched-chain enuloses, synthesis of, 135
- Escherichia coli* K28 polysaccharide, structure, 293
- Extraction and quantification of the raffinosa-ccharides in soya bean, 83
- Formation of 3,4-di-*O*-acetyl-1,6-anhydro-2,7-di-*O*-methyl-L-glycero-D-manno-heptopyranose during methylation analysis of lipopolysac-charide cores representative of the *Vib-riionaceae* family, 171
- D-Fructose, a kinetic approach to the vana-dium(V) oxidation of, 215
- D-Fructose and D-fructose/D-glucose mixtures, hydrogenation of, 225
- Fungus, tree, *Cyttaria hariatii* Fischer, structure of glycopeptide from, 257
- Furanoses, 1,2-*O*-cyanoalkylidene derivatives of, as 1,2-*trans*-glycosylating agents, 41

- Germinating cereals, chromatofocusing as a method for comparing β -D-glucan hydrolases from, 344
- G.I.C. of *O*-methyloxime and alditol acetate derivatives of neutral sugars, hexosamines, and sialic acids, 189
- β -D-Glucan hydrolases from germinating cereals, chromatofocusing as a method for comparing, 344
- D-Glucose/D-fructose mixtures, hydrogenation of D-fructose and, 225
- β -D-Glucosidase from *Stachybotrys atra*, mixed inhibition of, by substrate analogues, 127
- Glycopeptide from tree fungus *Cyttaria harioi* Fischer, structure of, 257
- Glycopeptides containing individual glycosylation sites of Friend murine leukemia virus glycoprotein, isolation of, 305
- Glycoproteins, a "one-pot" quantitative determination of the carbohydrate constituents of, and a study of the selectivity of alkaline borohydride reductions, 189
- N-Glycoproteins, synthesis of pentasaccharides related to, 29
- D-Glycopyranosylidene acetals, preparation and anthelmintic activity of, 325
- 1,2-*trans*-Glycosylating agents, 1,2-*O*-cyanoalkylidene derivatives of furanoses as, 41
- Glycosylation sites of Friend murine leukemia virus glycoprotein, isolation of glycopeptides containing individual, 305
- Guar gum, synergistic interaction between xanthan and, 207
- Gum, guar, synergistic interaction between xanthan and, 207
- Heparin, n.m.r. studies of the disulphated disaccharide obtained by nitrous acid degradation of bovine lung, 199
- Heptopyranose, 3,4-di-*O*-acetyl-1,6-anhydro-2,7-di-*O*-methyl-L-glycero-D-manno-, formation of, during methylation analysis of lipopolysaccharide cores representative of the *Vibrionaceae* family, 171
- Hexachloroacetone and pentachloroacetone, selective acylation of methyl α -D-glucopyranoside at O-6 by reaction with, 143
- Hormone-binding glycoproteins from human serum, use of methylation analysis in a comparative study of the carbohydrate structures of three, 91
- Hydrogenation of D-fructose and D-fructose/D-glucose mixtures, 225
- Identification of the products of periodate oxidation of some mono-*O*-isopropylidene derivatives of aldoses and alditols by g.l.c.-m.s., 329
- Indol-4-ones, 2-(alditol-1-yl)-1-alkyl-4,5,6,7-tetrahydro-, synthesis of, 153
- Inhibitors of protein glycosylation, existence of endogenous lectins suggested by modification of blood-borne arrest properties of lymphoma cells by, 315
- Intermediates for the stepwise synthesis of (1 \rightarrow 3)- β -D-galacto-oligosaccharides or their methyl β -glycosides, c10
- Isolation of glycopeptides containing individual glycosylation sites of Friend murine leukemia virus glycoprotein, 305
- Klebsiella* K44 polysaccharide, degradation by bacteriophage, 277
- Klebsiella* K44 polysaccharide, n.m.r. study, 277
- Klebsiella* K44 polysaccharide, position of the acetate group, 277
- Lactoylpeptide and a saturated disaccharide, formation of, by treatment of peptidoglycan monomer with aqueous ammonia, 65
- Maltose, discrimination between the 2,3- and 2',3'-hydroxyl groups, through their specific protection, 55
- D-Mannitol, combined action of an enzyme and a metal catalyst on the conversion of D-glucose/D-fructose mixtures into, 237
- α -D-Mannopyranosides, methyl, 2,3-*O*-D-glucopyranosylidene-, preparation and anthelmintic activity of, 325
- Methylation analysis in glycoprotein chemistry: a comparative study of the carbohydrate structures of three hormone-binding glycoproteins from human serum, 91
- Methylation analysis of plant cell-walls, a multiple-column approach to the, 177
- Methylation of cell-wall polysaccharides, a new facile method for the, 99
- Methyl α -D-glucopyranoside, selective acylation of, by reaction with hexachloroacetone and pentachloroacetone, 143
- Mixed inhibition of β -D-glucosidase from *Stachybotrys atra* by substrate analogues, 127
- Modification of blood-borne arrest properties of lymphoma cells by inhibitors of protein glycosylation suggests the existence of endogenous lectins, 315
- Mono-*O*-isopropylidene derivatives of aldoses and alditols, identification by g.l.c.-m.s. of the products of periodate oxidation of some, 329
- Multiple-column approach to the methylation analysis of plant cell-walls, 177
- New acyclic-sugar C-nucleoside analogs. Synthesis of 2-(alditol-1-yl)-1-alkyl-4,5,6,7-tetrahydro-indol-4-ones, 153

- New, facile method for the methylation of cell-wall polysaccharides, 99
- New synthesis of 1-deoxy-D-psicose and 1-deoxy-D-tagatose, 139
- N.m.r. studies of the disulphated disaccharide obtained by degradation of bovine lung heparin with nitrous acid, 199
- ^{13}C -N.m.r. study of sugar-beet pectin, a, 168
- C-Nucleoside analogs, new acyclic-sugar, 153
- 2-Octulosonic acid, 3-deoxy-D-manno-, a component of the primary plant cell wall pectic polysaccharide rhamnogalacturonan II, 109
- Oligosaccharides or their methyl β -glycosides, intermediates for the stepwise synthesis of (1 \rightarrow 3)- β -D-galacto-, c10
- Oxidation of D-fructose with vanadium(V): a kinetic approach, 215
- Oxidative degradation of cellulose model compounds, effects of iron, copper, and chromate ions on the, 73
- Partially acylated aldohexopyranosides, reactions of, and the preparation and chemistry of 3,2-enolones, 335
- Pectin, a ^{13}C -n.m.r. study of sugar-beet, 168
- Pentasaccharide fragment of the O-antigen of *Shigella flexneri* serotype 5b, synthesis of a branched, c1
- Pentasaccharides related to N-glycoproteins, synthesis of pentasaccharides related to, 29
- Peptidoglycan monomer, formation of lactoylpeptide and a saturated disaccharide from, by treatment with aqueous ammonia, 65
- Periodate oxidation of some mono-O-isopropylidene derivatives of aldoses and alditols, identification by g.l.c.-m.s. of the products of, 329
- o*-Phenylenediamine with, condensation of dehydro-L-ascorbic acid derivatives and analogs, 148
- Plant cell-walls, a multiple-column approach to the methylation analysis of, 177
- Polysaccharides, a new facile method for the methylation of cell-wall, 99
- Raffinosaccharides in soya bean, extraction and quantification in the, 83
- Reactions of partially acylated aldohexopyranosides: a contribution to the preparation and chemistry of 3,2-enolones, 335
- Receptor structures recognised by *Streptococcus pneumoniae*, synthesis of di-, tri-, and tetra-saccharides corresponding to, 17
- Rhamnogalacturonan II, a primary plant cell wall pectic polysaccharide, 3-deoxy-D-manno-2-octulosonic acid is a component of the, 109
- Selective acylation of methyl α -D-glucopyranoside at O-6 by reaction with hexachloroacetone and pentachloroacetone, 143
- Serratia marcescens* O14 and O6, structural studies of acidic glucomannans from strains of, 267
- Shigella flexneri* serotype 5b, synthesis of a branched pentasaccharide fragment of the O-antigen of, c1
- Soya bean, extraction and quantification of the raffinose saccharides in, 83
- Stepwise synthesis of (1 \rightarrow 3)- β -D-galacto-oligosaccharides or their methyl β -glycosides, intermediates for the, c10
- Structural investigation of the sodium hydroxide-soluble polysaccharides of tobacco (*Nicotiana tabacum*), 247
- Structural properties of amylopectin from sugar cane, 161
- Structural studies of acidic glucomannans from strains of *Serratia marcescens* O14 and O6, 267
- Substrate analogues, mixed inhibition of β -D-glucosidase from *Stachybotrys atra* by, 127
- Sugar-beet pectin, a ^{13}C -n.m.r. study of, 168
- Sugar cane, some structural properties of amylopectin from, 161
- Synthesis and hydrogenolysis of the methylene, ethylidene, isopropylidene, and diastereoisomeric 1-phenylethylidene acetals of β -L-arabino- and α -L-rhamno-pyranoside derivatives, 1
- Synthesis of a branched polysaccharide fragment of the O-antigen of *Shigella flexneri* serotype 5b, c1
- Synthesis of 1-deoxy-D-psicose and 1-deoxy-D-tagatose, a new, 139
- Synthesis of di-, tri-, and tetra-saccharides corresponding to receptor structures recognised by *Streptococcus pneumoniae*, 17
- Synthesis of enuloses and branched-chain enuloses, 135
- Tetrasaccharides, synthesis of pentasaccharides by glycosidation of, 29
- Tobacco (*Nicotiana tabacum*), structural investigation of an arabinoxyloglucan from, 247
- Total synthesis of α -cyclodextrin, c5
- Treatment of peptidoglycan monomer with aqueous ammonia, formation of lactoylpeptide and a saturated disaccharide by, 65
- Vanadium(V), a kinetic approach to the oxidation of D-fructose with, 215
- Xanthan, synergistic interaction between guar gum and, 207