SUBJECT INDEX

- 2-Acetamido-2-deoxy-3,6:4,5-di-*O*-isopropylidene-D-glucose diethyl dithioacetal, X-ray analysis of, 274
- Action of endo-(1-3)-β-D-glucanases from marine bivalves on a polymer substrate labelled at the reducing end, a study of the pattern of, 261
- Alkaline degradation products of polysaccharides, a ¹³C-n.m.r. study of the, 137
- Alkaline degradation of model compounds related to (4-O-methyl-D-glucurono)-D-xylan, 131
- 3-Amino-3,4-dideoxy-β-D and 1-erythro-pentopyranosides, methyl-, absolute configuration of, 292
- Arabinoxylan isolated from the leaves of *Neolitsia* cassia, structural studies of an, 229
- Bromine in the presence of borate, oxidation of methyl α and β -D-xylopyranoside and a xylan with, 305
- tert-Butyl cyanoacetate, reaction of 3-hetero-1,5-dialdehydes with, 99
- Calf fetuin, reinvestigation by ¹³C-n.m.r. spectroscopy of the carbohydrate chains of, 33
- Carbohydrate-binding proteins, potential affinitylabeling reagents for, 143
- Carbohydrate chains of calf fetuin, reinvestigation by ¹³C-n.m.r. spectroscopy of the, 33
- Chlorinated sugars, an investigation of the structural basis of the sweetness of, 47
- Conformation of sucrose: concentration and temperature dependence, the solution, 73
- Convenient syntheses of L-glycero-D-manno-heptose and D-glycero-D-manno-heptose, 329
- Crystal and molecular structures of substituted β-D-glucofuranosidurono-6,3-lactones, 21
- Decose, a synthesis of L-galacto-D-galacto-, 335
 Degradation of glucuronic acid-containing exopolysaccharides from Rhizobium by the
 Hakomori methylation procedure, 237
- Dehydro-D-isoascorbic acid, synthesis of p-fluorophenylflavazoles from, 339
- 3,6:4,5-Di-O-isopropylidene-D-glucose diethyl dithioacetal, 2-acetamido-2-deoxy-, X-ray analysis of, 274
- Disaccharide analogues of methyl 4-O-α-D-galactopyranosyl-β-D-galactopyranoside ("methyl urobioside"), the minimum structure recognised by p-fimbriated E. coli, synthesis of, 301

- Emiliania huxleyi, structure of a food-reserve β -D-glucan produced by the haptophyte alga, 243
- Endo-(1→3)-β-D-glucanases from marine bivalves, a study of the pattern of action on a polymer substrate labelled at the reducing end of, 261
- Fluoride, hydrogen, reaction of L-sorbose with, 89 2-Fluoro analogue of acosamine, synthesis of methyl 3-acetamido-4-O-benzoyl-2,3,6-trideoxy-2-fluoro-β-L-mannopyranoside-a protected, 310
- *p*-Fluorophenylflavazoles from dehydro-D-iso-ascorbic acid, synthesis of, 339
- G.l.c. analysis of monosaccharides as their trimethylsilylated deoxy(methoxyamino) alditol derivatives, capillary, 1
- D-Glucan, a complex, quantitative analysis of linkage positions in, by the reductive-cleavage method, 343
- Glucan from *Streptococcus mutans* 6715 by carbon-13 nuclear magnetic resonance spectroscopy, structural determination of a water-insoluble. 279
- β-D-Glucan produced by the haptophyte alga Emiliania huxleyi, structure of a food-reserve, 243
- β -D-Glucofuranosidurono-6,3-lactones, crystal and molecular structures of substituted, 21
- D-Glucose diethyl dithioacetal, 2-acetamido-2deoxy-3,6:4,5-di-O-isopropylidene, X-ray analysis of, 274
- Glucuronic acid-containing exopolysaccharides from *Rhizobium*, degradation of, by the Hakomori methylation procedure, 237
- Glycophorin A^M, possible role of the carbohydrate residues on the structure of the *N*-terminus of, 217
- Hakomori methylation of N-acylhexosamines, C-methylation at the N-methylacetamido group during repeated, 81
- Heptose, convenient syntheses of L-glycero-Dmanno-heptose and D-glycero-D-manno-, 329
- 3-Hetero-1,5-dialdehydes, reaction of *tert*-butyl cyanoacetate with, 99
- Hydrogen fluoride, reaction of L-sorbose with, 89 Human meconium glycoproteins, complete ¹H-n.m.r. assignments for two core-region oligosaccharides of, using 1D and 2D methods at 500 MHz, 63

C8 SUBJECT INDEX

- Irradiation, ultrasonic, of bacterial polysaccharides. 7
- 2,3-O-Isopropylidene derivatives of D-ribo- and D-manno-furanoses, the Knoevenagel-Doebner reaction on, 283
- Ketone, diazomethyl β-D-galactopyranosyl, synthesis of, 143
- Ketone, diazomethyl β -D-glucopyranosyl, synthesis of, 143
- Klebsiella type 10 capsular polysaccharide, structure of the, 205
- Klebsiella K68 capsular polysaccharide, structure, 249
- Knoevenagel-Doebner reaction on 2,3-O-isopropylidene derivatives of D-ribo- and Dmanno-furanoses, 283
- Leaves of *Neolitsia cassia*, structural studies of an arabinoxylan isolated from the, 229
- Lysosomal-enzyme targeting: the phosphorylation of synthetic D-mannosyl saccharides by UDP-N-acetylglucosamine-lysosomal-enzyme acetylglucosaminephosphotransferase, from rat-liver microsomes and fibroblasts, 183
- α -D-Mannopyranoside, methyl 2-O- and 3-O- α -D-talopyranosyl-, synthesis of, 195
- α-D-Mannopyranoside, methyl 3-O-α-D-mannopyranosyl, and related disaccharides, a synthesis of, 323
- Methyl 3-acetamido-4-O-benzoyl-2,3-6-trideoxy-2-fluoro-β-L-mannopyranoside (a protected 2fluoro analogue of acosamine), synthesis of, 310
- Methyl 3-amino-3,4-dideoxy-β-D- and -L-erythropentopyranosides, absolute configuration of, 292
- Methyl α and β -D-xylopyranoside and a xylan, oxidation of, with bromine in the presence of borate, 305
- Methyl 4-O-α-D-galactopyranosyl- β -D-galactopyranoside (methyl β -D-galabioside), preparation of the 3-O-methyl, 3-C-methyl, and 3-deoxy derivatives of, 113
- Methyl 4-O-α-D-galactopyranosyl-β-D-galactopyranoside ("methyl urobioside"), the minimum structure recognised by p-fimbriated E. coli, structure of disaccharide analogues of, 301
- N-Methylacetamido group, C-methylation at the, during repeated Hakomori methylation of Nacylhexosamines, 81
- C-Methylation at the N-methylacetamido group during repeated Hakomori methylation of Nacylhexosamines, 81
- (4-O-Methyl-D-glucurono)-D-xylan, alkaline degradation of model compounds related to, 131

Model compounds related to (4-O-methyl-D-glucurono)-D-xylan, alkaline degradation of, 131

- Monosaccharides, capillary g.l.c. analysis of, as their trimethylsilylated deoxy(methoxyamino)alditol derivatives, 1
- ¹H-N.m.r. assignments for two core-region oligosaccharides of human meconium glycoproteins, using 1D and 2D methods at 500 MHz, complete, 63
- ¹³C-N.m.r. study of the alkaline degradation products of polysaccharides, 137
- Oligosaccharides of human meconium glycoproteins, complete ¹H-n.m.r. assignments for two core-region, using 1D and 2D methods at 500 MHz. 63
- Osazone derivatives, synthesis of, by regioselective electrophilic substitution, 316
- Oxidation of methyl α and β -D-xylopyranoside and a xylan with bromine in the presence of borate, 305
- Pentasaccharide, hapten related to a monoantennary glycan chain of human chorionic gonadotropin synthesis of a, 173
- β-D- and L-erythro-Pentopyranosides, methyl 3amino-3, 4-dideoxy-, absolute configuration of, 292
- Phenylcarbamoylation, regioselective, of purine and pyrimidine ribonucleosides, through dibutyltin oxide- and tertiary amines-phenyl isocyanate systems, 159
- Phosphorylation, of synthetic D-mannosyl saccharides, by UDP-N-acetylglucosamine-lysosomal-enzyme N-acetylglucosamine phosphotransferase, 183
- Polysaccharide of *Klebsiella* K68, capsular, structure, 249
- Polysaccharide, structure of the *Klebsiella* type 10 capsular, 205
- Polysaccharides, a ¹³C-n.m.r. study of the alkaline degradation products of, 137
- Polysaccharides, bacterial, ultrasonic irradiation of, 7
- Possible role of the carbohydrate residues on the structure of the *N*-terminus of glycophorin A^M, 217
- Preparation of the 3-O-methyl, 3-C-methyl, and 3-deoxy derivatives of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside (methyl β -D-galabioside), 113
- Quantitative analysis of linkage positions in a complex D-glucan by the reductive-cleavage method, 343

SUBJECT INDEX C9

Reaction of 3-hetero-1,5-dialdehydes with tertbutyl cyanoacetate, 99

- Receptor analogues of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside (methyl β -Dgalabioside), preparation of, 113
- Reductive-cleavage method, quantitative analysis of linkage positions in a complex p-glucan by the, 343
- Regioselective electrophilic substitution, synthesis of mixed osazone derivatives by, 316
- Regioselective phenylcarbamoylation of purine and pyrimidine ribonucleosides through dibutyltin oxide— and tertiary amine—phenyl isocyanate systems, 159
- Reinvestigation of the carbohydrate chains of calf fetuin by ¹³C-n.m.r. spectroscopy, 33
- Relationship between the structure and the properties of carbohydrates in aqueous solutions: sweetness of chlorinated sugars, 47
- Rhizobium, degradation of glucuronic acid-containing exopolysaccharides from, by the Hakomori methylation procedure, 237
- D-Ribo- and D-manno-furanoses, the Knoevenagel-Doebner reaction on 2,3-O-iso-propylidene derivatives of, 283
- Ribonucleosides, purine and pyrimidine, regioselective phenylcarbamoylation of, through dibutyltin oxide— and tertiary amine—phenyl isocyanate systems, 159
- Solution conformation of sucrose: concentration and temperature dependence, 73
- L-Sorbose reaction with hydrogen fluoride of, 89 Structural determination of water-insoluble glucan from *Streptococcus mutans* 6715 by carbon-13 nuclear magnetic resonance spectroscopy, 279
- Structural studies of an arabinoxylan isolated from the leaves of *Neolitsia cassia*, 229
- Structure of a food reserve β-D-glucan produced by the haptophyte alga *Emiliania huxleyi* (Lomann) Hay and Mohler, 243
- Structure of the *Klebsiella* type 10 capsular polysaccharide, 205
- Structure of the N-terminus of glycophorin A^M, possible role of the carbohydrate residues on the. 217

Structures of substituted β-D-glucofuranosidurono-6,3-lactones, crystal and molecular, 21

- Streptococcus mutans 6715 by carbon-13 nuclear magnetic resonance spectroscopy, structural determination of a water-insoluble glucan from, 279
- Study of the pattern of action of endo-(1→3)-β-D-glucanases from marine bivalves on a polymer substrate labelled at the reducing end, 261
- Sucrose: concentration and temperature dependence, the solution conformation of, 73
- Sweetness of chlorinated sugars, an investigation of the structural basis of the, 47
- Synthesis of a pentasaccharide hapten related to a monoantennary glycan chain of human chorionic gonadotropin, 173
- Synthesis of diazomethyl β-D-galactopyranosyl and β-D-glucopyranosyl ketones. Potential affinity-labeling reagents for carbohydrate-binding proteins, 143
- Synthesis of disaccharide analogues of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside ("methyl urobioside"), the minimum structure recognised by p-fimbriated E. coli, 301
- Synthesis of L-galacto-D-galacto-decose, a, 335
- Synthesis of L-glycero-D-manno-heptose and D-glycero-D-manno-heptose, convenient, 329
- Synthesis of *p*-fluorophenylflavazoles from dehydro-p-isoascorbic acid, 339
- Synthesis of methyl 3-acetamido-4-O-benzoyl-2,3,6-trideoxy-2-fluoro-β-L-mannopyranoside: a protected 2-fluoro analogue of acosamine, 310
- Synthesis of methyl 2-O- and 3-O-α-Dtalopyranosyl-α-D-mannopyranoside, 195
- Synthesis of methyl 3-O-α-D-mannopyranosyl-α-D-mannopyranoside, and related disaccharides, 323
- Synthesis of mixed osazone derivatives by regioselective electrophilic substitution, 316
- Trimethylsilylated deoxy(methoxyamino)alditol derivatives, capillary g.l.c. analysis of monosaccharides as their, 1
- Ultrasonic irradiation of bacterial polysaccharides, 7