## SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-galactopyranosyl group, α-D-galactopyranosyl-(1→3)-, in carcinoma cells. 87
- Actions of A. oryzae alpha-amylase and some phosphorylases on phosphorylated  $(1\rightarrow 4)-\alpha$ -D-glucan, 295
- Adriamycin analogues. Preparation of 7-O-(Dribofuranosyl)-daunomycinone and -adriamycinone, 171
- Aldoses, general methods for enriching with oxygen isotopes, 253
- Aldoses, C-1-C-2 rearrangement and 2-epimerization of, by paramolybdate anion-exchange resin as an improved catalyst for, 263
- 2-Amino-2-deoxyarabinose hydrochloride, synthesis of, 150
- Amino sugars in polysaccharide hydrolysates, a thin-layer chromatographic method for analyses of, 132
- Amylopectin: a study using analytical ultracentrifugation, the size and shape of, 195
- Analysis of the depolymerization of (1→4)-β-D-mannuronan by an extracellular alginate lyase from a marine bacterium, liquid chromatographic, 181
- Benzoxazole 2-β-D-ribofuranosyl-, from 2,5anhydro-D-allonoimidate, 271
- Biosynthesis of D-glucaric acid in mammals: a free-radical mechanism?, 119
- Branched cyclodextrins, isolation and characterization of, 55
- Carcinoma cells, α-D-galactopyranosyl group in glycoproteins of, 87
- Cellulose acetate and O-methylcellulose: occurrence of crosslinking, triflates of, c1
- Characterisation of the phenylhydrazone derivatives of "glycated albumin" purified from diabetic sera, 314
- Chrysolaminaran from the ice diatom Stauroneis amphioxys (Gregory), structural studies of, 330
- Crosslinking, triflates of cellulose acetate and O-methylcellulose: occurrence of, C1
- Crystal and molecular structure of α laminaribiose octa-acetate, 205
- Crystal structure of isopropyl 1-thio-β-D-galactopyranoside monohydrate at 123 K, 217
- Cyclodextrins, isolation and characterization of branched, 55

- Cyclohexanetetrol, synthesis of (1,2,3,4,5/0)-5-hydroxymethyl-1,2,3,4-, 25
- Daunomycinone and -adriamycinone, adriamycin analogues. Preparation of 7-O-(D-ribo-furanosyl)-, 171
- O-Deacylation of polyacylated sugars, regioselective heterogeneous, 162
- Decitols, synthesis of some, via the epoxide route,
- Dehydro-L-ascorbic acid analogues, reaction of O-phenylenediamine with, 146
- 2-Deoxy-2-fluoro-D-glucose, synthesis of, 168
- 2-Deoxy-2-[18F]fluoro-D-glucose and -D-mannose, synthesis of, 141
- N-(1-Deoxyhexitol-1-yl) amino acids by h.p.l.c., non-enzymatic glycation of proteins: analysis of, 285
- 3,6-Di-O-benzoyl-2,4-dideoxy-D-threo-hexopyranose, synthesis of, and selective benzoylation of 2-deoxy-D-arabino-hexose, 325
- 1,4-Dideoxy-1,4-imino-D-glucitol, synthesis of, a glucosidase inhibitor, 45
- Efficient chemical synthesis of methyl  $\beta$ -glycosides of  $\beta$ - $(1\rightarrow 6)$ -linked D-galacto-oligosaccharides by a stepwise and a blockwise approach,
- Epoxide route, synthesis of some decitols *via* the,
- Extended core-region of the saccharide moiety of N-linked glycoproteins, synthesis of a tetrasaccharide of the, 155
- Fluorination of glycals in water, 17
- 2-[<sup>18</sup>F]Fluoro-D-glucose and -D-mannose, 2deoxy-, synthesis of, 141
- 2-Fluoro-D-glucose, 2-deoxy-, synthesis of, 168
- 2-Fluorohexoses, 2-deoxy-, synthesis by fluorination of glycals in water of, 17
- Free-radical mechanism for the biosynthesis of Dglucaric acid in mammals, 119
- D-Galacto-D-mannan of seeds of *Melilotus indica*All, structure, 69
- Galactomannan from the seeds of *Teramnus* labialis, structure of a water-soluble, 334
- D-Galacto-oligosaccharides by a stepwise and blockwise approach, efficient chemical synthesis of methyl β-glycosides of (1-6)-β-linked, 237

C16 SUBJECT INDEX

- β-D-Galactopyranoside, isopropyl 1-thiomonohydrate, the crystal structure of, at 123 K, 217
- $\alpha$  D Galactopyranosyl (1 $\rightarrow$ 3) 2 acetamido 2deoxy-D-galactopyranosyl group in carcinoma cells, 87
- General methods for enriching aldoses with oxygen isotopes, 253
- D-Glucal, 3,4,6-tri-O-acetyl, fluorination in water of, 141
- (1→4)-α-D-Glucan, actions of A. oryzae alphaamylase and some phosphorylases on phosphorylated, 295
- D-Glucaric acid biosynthesis in mammals, a freeradical mechanism for, 119
- Glucodisaccharides, the scope and limitations of the SIMPLE <sup>13</sup>C-n.m.r. method of structural analysis of, 1
- D-Glucose, 2-deoxy-2-fluoro, synthesis of, 168
- Glucosidase inhibitor, synthesis of 1,4-dideoxy-1,4-imino-D-glucitol, a, 45
- Glycals, fluorination in water of, 17
- "Glycated albumin" purified from diabetic sera, characterisation of the phenylhydrazone derivatives of, 314
- Glycation of proteins: analysis of N-(1deoxyhexitol-1-yl) amino acids by h.p.l.c., nonenzymatic, 285
- Glycosylaminothiazoles, synthesis of, 318
- D-arabino-Hex-1-enitol, 3,4,6-tri-O-acetyl-1,5anhydro-2-deoxy-, fluorination in water of, 141
- Ice diatom Stauroneis amphioxys (Gregory), structural studies of chrysolaminaran from the, 300
- Interconversion rates of tautomers of 3-deoxy-D-manno-octulosonic acid (KDO) from a quantitative analysis of two dimensional n.m.r. exchange data, 136
- Isolation and characterization of branched cyclodextrins, 55
- 2-Ketoaldonic acids, the selective oxidation of aldoses and aldonic acids to, using lead-modified platinum-on-carbon catalysts, 227
- Kiwifruit (Actinidia deliciosa), structure of neutral oligosaccharides obtained from the stem-pith mucilage of, 107
- Kiwifruit (Actinidia deliciosa), structure of the inner core of the mucilage from the stem-pith of, 97
- α-Laminaribiose octa-acetate, the crystal and molecular structure of, 205
- Lead-modified platinum-on-carbon catalysts, the selective oxidation of aldoses and aldonic acids to 2-ketoaldonic acids with, 227

N-Linked glycoproteins, synthesis of a tetrasaccharide of the extended core-region of the saccharide moiety of, 155

- Liquid-chromatographic analysis of the depolymerization of (1→4)-β-D-mannuronan by an extracellular alginate lyase from a marine bacterium, 181
- D-Mannan, D-galacto-, of seeds of *Melilotus indica*All. structure of, 69
- Mannuronan by an extracellular alginate lyase from a marine bacterium, liquid chromatographic analysis of the depolymerization of  $(1\rightarrow 4)$ - $\beta$ -D-, 181
- Melilotus indica All, structure of D-galacto-D-mannan of seeds of, 69
- 2-Methyl-2-propanethiol, reaction of xylo-pentodialdo-1,4-furanose and, 308
- Mucilage from the stem pith of kiwifruit (Actinidia deliciosa), structure of the inner core of the, 97
- Mucilage of kiwifruit (Actinidia deliciosa), structure of neutral oligosaccharides obtained from the stem-pith, 107
- <sup>13</sup>C-N.m.r. method of structural analysis of glucodisaccharides, the scope and limitations of the SIMPLE, 1
- Observations on the structure of the fungal extracellular polysaccharide pullulan, 79
- Octulosonic acid, 3-deoxy-D-manno-, interconversion rates of tautomers of, from a quantitative analysis of two-dimensional n.m.r. exchange rate, 136
- Paramolybdate anion-exchange resin; an improved catalyst for the C-1-C-2 rearrangement and 2-epimerization of aldoses, 263
- xylo-Pentodialdo-1,4-furanose, reaction of 2methyl-2-propanethiol and, 308
- o-Phenylenediamine, reaction of dehydro-Lascorbic acid analogues with, 146
- Phenylhydrazone derivatives of "glycated albumin" purified from diabetic sera, characterisation of the, 314
- Phosphorylated (1→4)-α-D-glucan, actions of A. oryzae alpha-amylase and some phosphorylases on, 295
- Polyacylated sugars, regioselective heterogeneous O-deacylation of, 162
- Polysaccharide hydrolysates, a thin-layer chromatographic method for analyses of amino sugars in, 132
- Proteins: analysis of N-(1-deoxyhexitol-1-yl) amino acids by h.p.l.c. Non-enzymatic glycatin of, 285
- Pseudo-β-DL-talopyranose, synthesis of, 25

SUBJECT INDEX C17

- Pullulan, observations on the structure of, 79
  Pyrazole, the structure and properties of the products of reaction between 3,4,6-tri-O-acetyl-2-deoxy-2-nitroso-α-D-galactopyranosyl chloride and, 33
- Reaction of dehydro-L-ascorbic acid analogues with o-phenylenediamine, 146
- Reaction of xylo-pentodialdo-1,4-furanose and 2methyl-2-propanethiol, 308
- Regioselective heterogeneous O-deacylation of polyacylated sugars, 162
- Resin, paramolybdate anion-exchange, an improved catalyst for the C-1-C-2 rearrangement and 2-epimerization of aldoses, 263
- 2-β-D-Ribofuranosylbenzoxazole from 2,5anhydro-D-allonoimidate, and 1,3-dimethyl-8β-D-ribofuranosylxanthine from 2,5-anhydro-Dallono-thioimidates and -dithioates, 271
- Scope and limitations of the SIMPLE <sup>13</sup>C-n.m.r. method of structural analysis of carbohydrates: glucodisaccharides, 1
- Selective benzoylation of 2-deoxy-D-arabinohexose and synthesis of 3,6-di-O-benzoyl-2,4dideoxy-D-threo-hexopyranose, 325
- Selective oxidation of aldoses and aldonic acids to 2-ketoaldonic acids with lead-modified platinum-on-carbon catalysts, 227
- Size and shape of amylopectin: a study using analytical ultracentrifugation, 195
- Structural studies of chrysolaminaran from the ice diatom Stauroneis amphioxys (Gregory), 330
- Structure and properties of the products of reaction between 3,4,6-tri-O-acetyl-2-deoxy-2-nitroso-α-D-galactopyranosyl chloride and pyrazole, 33
- Structure of a water-soluble galactomannan from the seeds of *Teramnus labialis*, 334
- Structure of  $\alpha$ -laminaribiose octa-acetate, the crystal and molecular, 205
- Structure of neutral oligosaccharides obtained from the stem-pith mucilage of kiwifruit (Actinidia deliciosa), 107

- Structure of pullulan, observations on the, 79
  Structure of the inner core of the mucilage from the stem pith of kiwifruit (Actinidia deliciosa),
- Synthesis of a tetrasaccharide of the extended core-region of the saccharide moiety of N-linked glycoproteins, 155
- Synthesis of 2-amino-2-deoxyarabinose hydrochloride, 150
- Synthesis of 3,6-di-O-benzoyl-2,4-dideoxy-Dthreo-hexopyranose and selective benzoylation of 2-deoxy-D-arabino-hexose, 325
- Synthesis of 1,4-dideoxy-1,4-imino-D-glucitol, a glucosidase inhibitor, 45
- Synthesis of glycosylaminothiazoles, 318
- Synthesis of (1,2,3,4,5/0)-5-hydroxymethyl-1,2,3,4-cyclohexanetetrol (pseudo-β-DL-talopyranose), 25
- Synthesis of methyl β-glycosides of β-(1-6)linked D-galacto-oligosaccharides by a stepwise and a blockwise approach, efficient chemical, 237
- Synthesis of some decitols via the epoxide route, C7
- Teramus labialis, structure of a water-soluble galactomannan from the seeds of, 334
- The Chemist's English (book review), c1
- Thin-layer chromatographic method for analyses of amino sugars in polysaccharide hydrolysates, 132
- 3,4,6-Tri-O-acetyl-2-deoxy-2-nitroso-α-D-galactopyranosyl chloride and pyrazole, structure and properties of the products of reaction between, 33
- Triflates of cellulose acetate and O-methylcellulose: occurrence of crosslinking, c1
- Ultracentrifugation, the size and shape of amylopectin: a study using analytical, 195
- Xanthine, 1,3-dimethyl-8-β-D-ribofuranosyl-, from 2,5-anhydro-D-allono-thioimidates and -dithioates, 271