

CARBOHYDRATE RESEARCH, VOL. 176 (1988)

SUBJECT INDEX

- Accessible conformations of the β -D-(2 \rightarrow 1)- and -(2 \rightarrow 6)-linked D-fructans inulin and levan, 17
- N*-Acetylneuraminic acid, azidoaryl thioglycoside, synthesis of, 211
- 2-Amino-2-deoxy- α -D-glucopyranoside, synthesis of [(1S)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxy-methyl-1-cyclohexyl], a biologically active pseudo-trehalosamine, 309
- 4-Amino-3-(2,3,5-tri-*O*-benzyl)- β -D-ribofuranosyl)-5-pyrazolecarbonitrile, synthesis of, 47
- Amylase, alpha, synthesis of *p*-nitrophenyl 6⁵-*O*-benzyl- α -maltopentaoside as a substrate for, 107
- 3,6-Anhydro and 6-*O*-methyl-1-fluoro derivatives of galabiose, unexpected formation of the, on attempted substitution of HO-6 by fluorine in methyl β -D-galabioside, 289
- 3',6'-Anhydrosucrose, formation of, by Mitsunobu dehydration of sucrose, 306
- L-Arabinitol, 3-*O*- α -D-galactopyranosyl-, structural aspects of, 300
- L-Arabinose, 3-*O*- α -D-galactopyranosyl-, and the corresponding substituted L-arabinitol, structural aspects of, 300
- L-Ascorbate 6-phosphate, synthesis of, 73
- Azidoaryl thioglycoside of sialic acid, synthesis of, 211
- Azo dye- cyclomaltohexaose, inclusion complex, effect of dimethylsulfoxide on, 149
- Branched cyclomaltoheptaoses, enzymic syntheses of doubly, through the reverse action of *Pseudomonas* isoamylase, 87
- Calf fetuin, a two-dimensional ¹H- and ¹³C-n.m.r. study of *N*-linked glycopeptides derived from, 1
- Carazolol, synthesis of the glucuronide of, 155
- Cellulose, distribution of substituents in *O*-ethyl-*O*-(2-hydroxyethyl)-, 137
- Circular dichroism spectra of bichromophorically derivatized methyl D-galactopyranosides, calculable by pairwise additivity, provide a basis for novel microanalysis of oligosaccharides, 175
- Clostridium thermohydrosulfuricum* strain L111-69, structure of a glycan from the surface-layer glycoprotein of, 160
- Conformation of methyl 4-*O*- α -D-galactopyranosyl- β -D-galactopyranoside (methyl β -D-galabioside) and related derivatives determined by n.m.r. and computational methods, 253
- Conformations, accessible, of the β -D-(2 \rightarrow 1)- and -(2 \rightarrow 6)-linked D-fructans inulin and levan, 17
- Conformations of 2,3:4,5- and 2,4:3,5-di-*O*-isopropylidene-D-mannitol, synthesis and, 79
- A core oligosaccharide component from the lipopolysaccharide of *Rhizobium trifolii* ANU843, 127
- Crystal and molecular structure of 5-(α -D-erythrofuranosyl)-3-methyl-2(3*H*)-thiazole-2-thione, 295
- Cyclomaltohexaose-azo dye inclusion complex, effect of dimethylsulfoxide on, 149
- Cyclomaltoheptaoses, enzymic synthesis of doubly branched, through the reverse action of *Pseudomonas* isoamylase, 87
- D-galacto* Derivatives having an ethynyl, vinyl, or epoxy residue at C-5, synthesis of, 59
- Di-*O*-isopropylidene-D-mannitol, synthesis and conformations of 2,3:4,5- and 2,4:3,5-, 79
- Dimethyl sulfoxide, effect on cyclomaltohexaose-azo dye inclusion complex of, 149
- Dimethyl sulfoxide extraction of lichens, D-glucose obtained by, 117
- Distribution of substituents in *O*-ethyl-*O*-(2-hydroxyethyl)cellulose, 137
- Electrochemical detection of reducing carbohydrates produced by the transferase action of yeast debranching enzyme on maltosaccharides, 245
- Enzymic syntheses of doubly branched cyclomaltoheptaoses through the reverse action of *Pseudomonas* isoamylase, 87
- Epoxy residue at C-5, synthesis of *D-galacto* derivatives having an, 59
- 5-(α -D-Erythrofuranosyl)-3-methyl-2(3*H*)-thiazole-2-thione, crystal and molecular structure of, 295
- Escherichia coli* O-149, O-antigen polysaccharide, structural studies of the, 231
- Ethynyl residue at C-5, synthesis of *D-galacto* derivatives having an, 59
- Formation of the 3,6-anhydro and 6-*O*-methyl-1-fluoro derivatives of galabiose on attempted substitution of HO-6 by fluorine in methyl β -D-galabioside, 289
- Formycin analog, sugar-blocked 5,7-disubstituted, synthesis of, 47

- D-Fructans, β -D-(2 \rightarrow 1)- and -(2 \rightarrow 6)-linked, accessible conformations of, 17
- D-Galactopyranosides, methyl, circular dichroism spectra of bichromophorically derivatized, calculable by pairwise additivity, 175
- 4-*O*- α -D-Galactopyranosyl- β -D-galactopyranoside and related derivatives, the conformation of methyl, determined by n.m.r. and computational methods, 253
- D-Glucans obtained by dimethyl sulfoxide extraction of lichens, 117
- D-Gluconamide, molecular and crystal structures of *N*-(*n*-heptyl)- and *N*-(*n*-decyl)-, 165
- Glucuronide of Carazolol, synthesis of the, 155
- Glycan from the surface-layer glycoprotein of *Clostridium thermohydrosulfuricum* strain L111-69, structure of a, 160
- Glycopeptides derived from calf fetuin, a two-dimensional ¹H- and ¹³C-n.m.r. study of *N*-linked, 1
- Glycopeptides from murine teratocarcinoma cells: structure of the determinants recognised by *Griffonia simplicifolia* agglutinin I and by sera from patients with ovarian germ cell tumors, 237
- Glycosides, hydrolysis of, under reducing conditions, 145
- Heptopyranose, 7-deoxy-D-glycero-D-galacto-, mass-spectral identification of various derivatives of, 31
- Heptopyranose, 7-deoxy-L-glycero-D-galacto-, mass-spectral identification of various derivatives of, 31
- N*-(*n*-Heptyl)- and *N*-(*n*-decyl)-D-gluconamide, molecular and crystal structures of, 165
- ¹H-N.m.r. (500 MHz) and ¹³C-n.m.r. (125 MHz) study of *N*-linked glycopeptides derived from calf fetuin, a two-dimensional, 1
- Hydrolysis of glycosides under reducing conditions, 145
- Imidazole from 1-aryl-(1,2-dideoxy- β -D-glycero-L-gluco-heptofurano)[2,1-*d*]imidazolidine-2-thiones, synthesis of new *C*-nucleoside analogues of the, 97
- An improved synthesis of D-perosamine and some derivatives, 316
- Intermolecular bonding between xanthan and the glucomannan konjac mannan, evidence for, 329
- Inulin, accessible conformations of, 17
- Konjac mannan, evidence for intermolecular binding between xanthan and the glucomannan, 329
- Lectin binding and antigenic sites in glycopeptides from murine teratocarcinoma cells, structural studies of the determinants at the, 237
- Levan, accessible conformations of, 17
- Lichens, D-glucans obtained by dimethyl sulfoxide extraction of, 17
- Lipopolysaccharide, of *Rhizobium trifolii* ANU843, a core oligosaccharide from the, 127
- α -Maltopentaoside, *p*-nitrophenyl 6⁵-*O*-benzyl-, a substrate for alpha amylase, synthesis of, 107
- Maltosaccharides, electrochemical detection of reducing carbohydrates produced by the transferase action of yeast debranching enzyme on, 245
- Mass-spectral identification of various derivatives of 7-deoxy-D-glycero-D-galacto- and 7-deoxy-L-glycero-D-galacto-heptopyranose, 31
- Methyl 4-*O*- α -D-galactopyranosyl- β -D-galactopyranoside and related derivatives, the conformation of, determined by n.m.r. and computational methods, 253
- Methyl 4-*O*- α -D-galactopyranosyl- β -D-galactopyranoside (methyl β -D-galabioside), unexpected formation of the 3,6-anhydro and 6-*O*-methyl-1-fluoro derivatives of galabiose on attempted substitution of HO-6 by fluorine in, 289
- Methyl 4-*O*- α -D-galactopyranosyl- β -D-galactopyranoside, preparation and calculated conformations of the 2-deoxy, 6-*O*-methyl, 6-deoxy, and 6-deoxy-6-fluoro derivatives of, 271
- A micromethod for the estimation of oligosaccharides containing glycosidically linked sialic acid or hexoses, or both, in glycoproteins, 195
- Mirabilis jalapa*, structural studies of a neutral polysaccharide, from the root bulb of, 324
- Mitsunobu dehydration of sucrose, formation of 3',6'-anhydrosucrose by, 306
- Molecular and crystal structures of *N*-(*n*-heptyl)- and *N*-(*n*-decyl)-D-gluconamide, 165
- Murine teratocarcinoma cells, structural studies of the determinants at the lectin binding and antigenic sites in glycopeptides from, 237
- C*-Nucleoside analogues of the imidazole from 1-aryl-(1,2-dideoxy- β -D-glycero-L-gluco-heptofurano)[2,1-*d*]imidazolidine-2-thiones, synthesis of new, 97
- Nucleosides, an improved method for the preparation of 2',3'-unsaturated, and application to the synthesis of stereospecifically labelled ketonucleosides, 219
- O-Antigen, of *Pseudomonas syringae* pv. *phaseolica* strain NPS 3121, structure of the, 205

- Oligosaccharide, a core component, from the lipopolysaccharide of *Rhizobium trifolii* ANU843, 127
- Oligosaccharides, containing glycosidically linked sialic acid or hexoses or both, in glycoproteins, a micromethod for the estimation of, 195
- Oligosaccharides, novel microanalysis of, by use of circular dichroism spectra of bichromophoric derivatives, 175
- D-Perosamine, and some derivatives, an improved synthesis of, 316
- 6-Phosphate of L-ascorbic acid, synthesis of, 73
- Polysaccharide from the root bulb of *Mirabilis jalapa*, structural studies of a neutral, 324
- Polysaccharide, structural studies of the *Escherichia coli* O-149 O-antigen, 231
- Preparation and calculated conformations of the 2-deoxy, 6-O-methyl, 6-deoxy, and 6-deoxy-6-fluoro derivatives of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside, 271
- Preparation of 2',3'-unsaturated nucleosides, an improved method for the, 219
- Pseudo-trehalosamine {{{(1S)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl} 2-amino-2-deoxy- α -D-glucopyranoside}}, synthesis of biologically active, 309
- 5-Pyrazolecarbonitrile, 4-amino-3-(2,3,5-tri-O-benzyl)- β -D-ribofuranosyl-, synthesis of, 47
- Receptor analogues of methyl 4-O- α -D-galactopyranosyl- β -D-galactopyranoside (methyl β -D-galabioside), preparation and calculated conformations of, 271
- Reducing conditions, hydrolysis of glycosides under, 145
- Stereospecifically labelled ketonucleosides, an improved method for the preparation of 2',3'-unsaturated nucleosides and its application to the synthesis of, 219
- Structural aspects of 3-O- α -D-galactopyranosyl-L-arabinose and the corresponding substituted L-arabinitol, 300
- Structural studies of a neutral polysaccharide from the root bulb of *Mirabilis jalapa*, 324
- Structural studies of the *Escherichia coli* O-149 O-antigen polysaccharide, 231
- Structure of a glycan from the surface-layer glycoprotein of *Clostridium thermohydrosulfuricum* strain L111-69, 160
- Structure of 5-(α -D-erythrofuransyl)-3-methyl-2(3*H*)-thiazole-2-thione, crystal and molecular, 295
- Structure of the O-antigen of *Pseudomonas syringae* pv. *phaseolica* strain NPS 3121, 205
- Substituents in O-ethyl-O-(2-hydroxyethyl)cellulose, distribution of, 137
- Sucrose, formation of 3',6'-anhydrosucrose by Mitsunobu dehydration of, 306
- Synthesis and conformations of 2,3:4,5- and 2,4:3,5-di-O-isopropylidene-D-mannitol, 79
- Synthesis of biologically active pseudo-trehalosamine {{{(1S)-(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl} 2-amino-2-deoxy- α -D-glucopyranoside}}, 309
- Synthesis of new c-nucleoside analogues of the imidazole from 1-aryl-(1,2-dideoxy- β -D-glycero-L-gluco-heptofurano)[2,1-d] imidazolidine-2-thiones, 97
- Synthesis of p-nitrophenyl 6^S-O-benzyl- α -maltopentaoside, a substrate for alpha amylase, 107
- Synthesis of the glucuronide of Carazolol, 155
- Thiosialic acid, azidoaryl glycoside, synthesis of, 211
- Transferase action of yeast debranching enzyme on maltosaccharides, electrochemical detection of reducing carbohydrates produced by the, 245
- Vinyl residue at C-5, synthesis of D-galacto derivatives having an, 59
- Xanthan and the glucomannan konjac mannan, evidence for intermolecular binding between, 329