

CARBOHYDRATE RESEARCH, VOL. 177 (1988)

SUBJECT INDEX

- Acetals, pyruvate, of hexopyranosides, a new and efficient synthesis of, c9
- Acetates, of carbohydrates, a simple n.m.r. method for assigning the carbonyl resonances of, 228
- Acetylated sugars and glycosides, methanolysis of, in the presence of tin oxides and alkoxides, 21
- N*-Acetylneuraminic acid, antigenic copolymers of, synthesis, c1
- Agglutinin, purification, carbohydrate specificity, and characterisation of the combining site of *Wistaria sinensis*, 173
- Alkyl sulfonyl triflate as activator in the thio-glycoside-mediated formation of β -glycosidic linkages during oligosaccharide synthesis, c13
- Amadori compounds, formation of 1-deoxy-D-*erythro*-2,3-hexodiulose from, 240
- 2-(4-Aminophenyl)ethylamine, preparation of derivatives of reducing oligosaccharides with, 222
- Analysis of positions of substitution of *O*-methyl or *O*-ethyl groups in partially methylated or ethylated cellulose by the reductive-cleavage method, 111
- Anticoagulant, synthesis of branched D-xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro- β -D-xylofuranose, and its conversion into blood, 69
- Antigenic copolymers of *N*-acetylneuraminic acid, synthesis, c1
- Avocado tree (*Persea americana* Mill), structural investigations on the mucilaginous polysaccharides isolated from bark of the, 117
- Bleomycin-A₂, cleavage of D-mannosyl-L-gulose disaccharide from, 81
- Bovine serum albumin conjugate, preparation and application of a pentamannosyl monophosphate, 163
- Carbohydrates, synthesis of some novel group IVa organometallic derivatives of, 259
- Cellulose, *O*-ethyl-, distribution of substituents in, 289
- Cellulose, partially ethylated or methylated, analysis of positions of substitution of *O*-ethyl or *O*-methyl groups in, by the reductive-cleavage method, 111
- Characterisation of galactofuranose-containing heteropolysaccharides from the cell walls of *Talaromyces helicus*, partial, 265
- Chemoselective reduction of D-fructose in the presence of D-glucose, c5
- Chlorodeoxy-L-idofuranoid derivatives, synthesis and reactions of, 247
- Conformationally different (1 \rightarrow 3)- β -D-glucans isolated from liquid-cultured mycelium of *Grifolia frondosa*, degradation with formic acid of, 91
- Conjugates of biologically active lipid A-subunit analogs with 3-deoxy-D-*manno*-2-octulosonic acid (KDO) and its methyl ester, 51
- Crystal structure of di- β -D-fructofuranose 2',1:2,3-dianhydride, 13
- Degradation with formic acid of conformationally different (1 \rightarrow 3)- β -D-glucans isolated from liquid-cultured mycelium of *Grifolia frondosa*, 91
- 1-Deoxy-D-*erythro*-2,3-hexodiulose from Amadori compounds, formation of, 240
- Determinant of serovar 14 of the *Mycobacterium avium* complex, *N*-formylkansosaminyl-(1 \rightarrow 3)-2-*O*-methyl-D-rhamnopyranose: the type-specific, 185
- Dianhydride, crystal structure of di- β -D-fructofuranose 2',1:2,3'-, 13
- 5-*exo*-, 6-*exo*-Dihydroxy-*endo*- and -*exo*-7-oxabicyclo[2.2.1]heptane-2-carboxylic acids, synthesis of pseudo-sugar derivatives from, 213
- Distribution of substituents in *O*-ethylcellulose, 289
- 2,3-Epoxy group, studies of the, as a donor group in lanthanide shift-reagent studies of carbohydrate systems, 1
- Escherichia coli* O25:K19:H12, structure of the capsular polysaccharide (K19 antigen) from uropathogenic, 273
- Ethylamine, 2-(4-aminophenyl)-, preparation of derivatives of reducing oligosaccharides with, 222
- Formation of 1-deoxy-D-*erythro*-2,3-hexodiulose from Amadori compounds, 240
- N*-Formylkansosaminyl-(1 \rightarrow 3)-2-*O*-methyl-D-rhamnopyranose: The type-specific determinant of serovar 14 of the *Mycobacterium avium* complex, 185
- Fructofuranose 2',1:2,3'-dianhydride, crystal structure of di- β -D-, 13
- D-Fructose, chemoselective reduction of, in the presence of D-glucose, c5

- Ginsenosides (glycosides from ginseng), semisynthetic analogues of, 101
- (1→3)- β -Glucan, linear, isolation from the lichen *Stereocaulon ramulosum* (SW) Räusch and identification of, 235
- β -D-Glucans isolated from liquid-cultured mycelium of *Grifola frondosa*, degradation with formic acid of conformationally different (1→3)-, 91
- D-Glucansucrases, synthesis of 6-deoxy-6-fluorosucrose, and its inhibition of *Leuconostoc* and *Streptococcus*, 253
- Glycosides from ginseng (ginsenosides), semisynthetic analogues of, 101
- L-Gulose disaccharide, D-mannosyl-, cleavage from bleomycin-A₂ of, 81
- Heteropolysaccharides from the cell walls of *Talaromyces helicus*, partial characterisation of galactofuranose-containing, 265
- Hexopyranosides, pyruvate acetals of, a new and efficient synthesis of, c9
- High-pressure approach to the synthesis of "C-O-N" analogues of nucleosides, 244
- L-Idofuranoid derivatives, synthesis and reactions of chlorodeoxy-, 247
- Isolation and characterization of the 36-kDa D-mannose 6-phosphate receptor from porcine testis, 153
- Isolation and structure of a new oligosaccharide arising as a by-product during the preparation of commercial lactulose, 43
- Isopropylidene derivatives of alkyl α - and β -D-galactopyranosides, synthesis of 2,3,4,6-di-O-,
- Klebsiella* K24, capsular polysaccharide, location of acetyl group, 278
- Lactulose, isolation and structure of a new oligosaccharide arising as a by-product during the preparation of commercial, 43
- Lanthanide shift-reagent studies of carbohydrate systems, the 2,3-epoxide as a donor group in, 1
- Lichen *Stereocaulon ramulosum* (SW) Räusch, isolation and identification of a linear (1→3)- β -D-glucan from, 235
- Lignin-carbohydrate complexes from sheep rumen fluid, composition and structural features of soluble, 127
- Lipid A, subunit analogs, biologically active conjugates of, with 3-deoxy-D-manno-2-octulosonic acid and its methyl ester, 51
- Lipopolysaccharide of the reference strain (C.D.C. 4523-60) for *Serratia marcescens* serogroup O15, structure of a neutral polymer isolated from the, 285
- D-Mannose 6-phosphate receptor from porcine testis, isolation and characterization of the 36-kDa, 153
- D-Mannosyl-L-gulose disaccharide, cleavage from bleomycin-A₂ of, 81
- Methanolysis of acetylated sugars and glycosides in the presence of tin oxides and alkoxides, 21
- Methyl 2,3-anhydro-4,6-O-benzylidene- β -D-mannopyranoside, the X-ray structure of, 1
- Mycobacterium avium* complex, N-formylkansas-aminyl-(1→3)-2-O-methyl-D-rhamnopyranose: The type-specific determinant of serovar 14 of the, 185
- N.m.r. method, a simple, for assigning the carbonyl resonances of carbohydrate acetates, 228
- Nucleosides, high-pressure approach to the synthesis of "C-O-N" analogues of, 244
- 2-Octulosonic acid, 3-deoxy-D-manno-, and its methyl ester, conjugates of, with biologically active lipid A-subunit analogs, 51
- Oligosaccharide arising as a by-product during the preparation of commercial lactulose, isolation and structure of a new, 43
- Oligosaccharide synthesis, alkyl sulphenyl triflate as activator in the thioglycoside-mediated formation of β -glycosidic linkages during, c13
- Oligosaccharides, reducing, preparation with 2-(4-aminophenyl)ethylamine of derivatives of, 222
- Organometallic derivatives of carbohydrates, synthesis of some novel group IVa, 259
- Penta-N,O-acetyl-pseudo-2-amino-2-deoxy-DL-hexopyranoses, synthesis of seven, 199
- Pentamannosyl monophosphate-bovine serum albumin conjugate, preparation and application of a, 163
- Polysaccharide (K19 antigen) from uropathogenic *Escherichia coli* O25:K19:H12, structure of the capsular, 273
- Polysaccharide of *Klebsiella* K24, location of acetyl group, 278
- Polysaccharides, mucilaginous, isolated from bark of the avocado tree (*Persea americana* Mill), structural, 117
- Preparation and application of a pentamannosyl monophosphate-bovine serum albumin conjugate, 163
- Pseudo-2-amino-2-deoxy-DL-hexopyranoses, synthesis of seven penta-N,O-acetyl-, 199
- Pseudo-sugar derivatives from *Sexo*, 6 α -dihydroxy-endo- and exo-7-oxabicyclo[2.2.1]heptane-2-carboxylic acids, synthesis of, 213
- Purification, carbohydrate specificity, and characterisation of the combining site of *Wistaria sinensis* agglutinin, 173

- Receptor from porcine testis, isolation and characterization of the 36-kDa D-mannose 6 phosphate, 153
- Reductive-cleavage method, analysis of positions of substitution of *O*-methyl or *O*-ethyl groups in partially methylated or ethylated cellulose by the, 111
- Rhamnopyranose: The type-specific determinant of serovar 14 of the *Mycobacterium avium* complex, *N*-formylkansosaminy-(1→3)-2-*O*-methyl-D-, 185
- Semisynthetic analogues of ginsenosides (glycosides from ginseng), 101
- Serratia marcescens* serogroup O15, structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain (C.D.C. 4523-60) for, 285
- Sheep rumen fluid, composition and structural features of soluble lignin-carbohydrate complexes from, 127
- Simple, n.m.r. method for assigning the carbonyl resonances of carbohydrate acetates, 228
- Soluble lignin-carbohydrate complexes from sheep rumen fluid, composition and structural features of, 127
- Stereocaulon ramulosum* (SW) Räusch, lichen, isolation and identification of a linear (1→3)- β -D-glucan from, 235
- Structural investigations on the mucilaginous polysaccharides isolated from bark of the avocado tree (*Persea americana* Mill), 117
- Structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain (C.D.C. 4523-60) for *Serratia marcescens* serogroup O15, 285
- Structure of the capsular polysaccharide (K19 antigen) from uropathogenic *Escherichia coli* O25:K19:H12, 273
- Sucrose, and its inhibition of *Leuconostoc* and *Streptococcus* D-glucansucrases, synthesis of 6-deoxy-6-fluoro-, 253
- Synthesis, a new and efficient, of pyruvate acetals of hexopyranosides, c9
- Synthesis and reactions of chlorodeoxy-L-idofuranoid derivatives, 247
- Synthesis of branched D-xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro- β -D-xylofuranose, and its conversion into a blood anticoagulant, 69
- Synthesis of "C-O-N" analogues of nucleosides, high-pressure approach to the, 244
- Synthesis of 6-deoxy-6-fluorosucrose, and its inhibition of *Leuconostoc* and *Streptococcus* D-glucansucrases, 253
- Synthesis of 2,3:4,6-di-*O*-isopropylidene derivatives of alkyl α - and β -D-galactopyranosides, and elucidation of structure by n.m.r. and X-ray analysis, 29
- Synthesis of pseudo-sugar derivatives from *Sexo*, *bexo*-dihydroxy-*endo*- and *exo*-7-oxabicyclo-[2.2.1]heptane-2-carboxylic acids, 213
- Synthesis of seven penta-*N,O*-acetyl-pseudo-2-amino-2-deoxy-DL-hexopyranoses, 199
- Synthesis of some novel group IVa organometallic derivatives of carbohydrates, 259
- Talaromyces helicus*, partial characterisation of galactofuranose-containing heteropolysaccharides from the cell walls of, 265
- Thioglycoside-mediated formation of β -glycosidic linkages during oligosaccharide synthesis, alkyl sulphenyl triflate as activator in the, c13
- Tin oxides and alkoxides, methanolysis of acetylated sugars and glycosides in the presence of, 21
- Wheat germ agglutinin, binding to synthetic copolymers of *N*-acetylneuraminic acid, c1
- Wistaria sinensis* agglutinin, purification, carbohydrate specificity, and characterisation of the combining site of, 173
- D-Xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro- β -D-xylofuranose, and its conversion into a blood anticoagulant, synthesis of branched, 69