

CARBOHYDRATE RESEARCH, VOL. 179 (1988)

SUBJECT INDEX

- N*-Acetylglucosaminyltransferase-V, recognition of oligosaccharide substrates by, 137
- Alkyl glycopyranuronates, synthesis of 1,2-*O*-cyanoethylidene derivatives of, by oxidation of the 6-trityl ethers of their hexose analogues, 37
- 4-Amino-4-deoxy-L-arabinose and 1,4-dideoxy-1,4-imino-L-arabinitol, a convenient synthesis of, 199
- 7-*O*-(2-Amino-2-deoxy- α -D-glycopyranosyl)-L-glycero-D-manno-heptose as a constituent of lipopolysaccharides of *E. coli* and *V. cholerae*, isolation and chemical analysis of, 289
- 1,6-Anhydrohexofuranoses, n.m.r. spectra of, 1
- Antigen, synthesis of a di-, tri-, and tetrasaccharide unit of the Group B streptococcal common, 61
- Base-catalysed rearrangement of some bromodeoxyheptonolactones, 87
- Binding of heparin to antithrombin III, a chemical proof of the critical role played by a 3-sulfated 2-amino-2-deoxy-D-glucose residue in the, 163
- Bromodeoxyheptonolactones, base-catalysed rearrangement of some, 87
- Capsular polysaccharide of *Streptococcus pneumoniae*, synthesis of trisaccharide repeating units of, 173
- Chemical proof of the critical role played by a 3-sulfated 2-amino-2-deoxy-D-glucose residue in the binding of heparin to antithrombin III, 163
- Citrobacter* O23-lipopolysaccharide, the structure of the O-specific polysaccharide chain from, 349
- Control of depolymerisation during the preparation of reduced dialdehyde cellulose, 259
- 1,2-*O*-Cyanoethylidene derivatives of alkyl glycopyranuronates, synthesis of, by oxidation of the 6-trityl ethers of their hexose analogues, 37
- 3-Deoxy-D-lyxo-2-heptulosaric acid, a component of the plant cell-wall polysaccharide rhamnogalacturonan-II, 269
- Dialdehyde cellulose, control of depolymerisation during the preparation of reduced, 259
- 1,4-Dideoxy-1,4-imino-L-arabinitol, a convenient synthesis of 4-amino-4-deoxy-L-arabinose and, 199
- Dolichyl diphosphate tetrasaccharide, synthetic, as precursor of lipid-linked oligosaccharide diphosphates, 381
- E. coli* K26 capsular polysaccharide, structural studies of, using g.l.c.-c.i.-m.s., 419
- Fast-atom bombardment mass-spectrometric strategies for sequencing sulphated oligosaccharides, 7
- Furanosidic β -KDO residue, structure of the *Escherichia coli* capsular K74 polysaccharide containing, 223
- Galactomannan from the reference strain for *Serratia marcescens* serogroup O4, structural studies of an acidic, 341
- Glucuronic acid, identification of 4-*O*-[(*S*)-1-carboxyethyl]-D-, as a component of the *Klebsiella* serotype K22 capsular polysaccharide, 301
- Glycogens, the iodine-staining properties and fine structure of some mammalian and invertebrate, 327
- Glycosiduronic acid linkages in methylated *Khaya ivorensis* gum, cleavage of modified, using the hex-5-enose degradation, 211
- Haemophilus influenzae* type a capsular antigen, synthesis of *p*-trifluoroacetamidophenyl β -D-glucopyranoside 4-(D-ribose-5-yl phosphate) corresponding to the, 31
- Haemophilus pleuropneumoniae* serotype 3 (ATCC 27090) lipopolysaccharide, structure of the O-antigen polysaccharide of, 245
- Hex-2-enopyranoside, reactions with sodium methoxide of methyl and phenyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C*-*p*-tolylsulfonyl- α -D-erythro-, 77
- Hex-5-enose degradation, cleavage of modified glycosiduronic acid linkages in methylated *Khaya ivorensis* gum, using the, 211
- Hexofuranoses, 1,6-anhydro-, n.m.r. spectra of, 1
- Higher-carbon sugars, on the stereochemistry of osmium tetroxide oxidations of allylic systems used in the synthesis of, 21
- Identification of the primary structures of manno-oligosaccharides and glycopeptides, on the utility of ^{13}C -n.m.r. spectroscopy in the, 369
- Iodine-staining properties and fine structure of some mammalian and invertebrate glycogens, 327

- Isolation and chemical analysis of 7-*O*-(2-amino-2-deoxy- α -D-glucopyranosyl)-L-glycero-D-manno-heptose as a constituent of lipopolysaccharides of *E. coli* and *V. cholerae*, 289
- Khaya ivorensis* gum, cleavage of modified glycosiduronic acid linkages in methylated, using the hex-5-enose degradation, 211
- Klebsiella* serotype K22 capsular polysaccharide, determination of the primary structure of the, 301
- Klebsiella* serotype K48, the structural repeating-unit of the capsular polysaccharide from, 321
- Lactones of 3-deoxy-D-manno-2-octulopyranosonic acid (KDO), synthesis of 1,5-, 125
- Lipid-linked oligosaccharide diphosphates, biosynthesis from synthetic dolichyl diphosphate tetrasaccharide, 381
- Lipopolysaccharide antigenic O-chain produced by *Salmonella carrau* (O: 6, 14, 24), structure of the major, 233
- Lipopolysaccharides of *E. coli* and *V. cholerae*, isolation and chemical analysis of 7-*O*-(2-amino-2-deoxy- α -D-glucopyranosyl)-L-glycero-D-manno-heptose, as a constituent of, 289
- Lyo-GM₃ (II³Neu5Ac lactosyl sphingosine), de-N-acetyl-GM₃ (II³NeuNH₂ lactosyl Cer), and related compounds, synthesis and characterization of, 393
- Mammalian and invertebrate glycogens, the iodine-staining properties and fine structure of some, 327
- Manno-oligosaccharides and glycopeptides, on the utility of ¹³C-n.m.r. spectroscopy in the identification of the primary structures of, 369
- Mass-spectrometric strategies for sequencing sulphated oligosaccharides, fast-atom-bombardment, 7
- Methyl 3-*O*-[α -L (and D)-rhamnopyranosyl]malto-side derivatives, synthesis and conformational analysis of, 97
- Methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C*-p-tolylsulfonyl- α -D-erythro-hex-2-enopyranoside and its phenyl analogues, reactions with sodium methoxide of, 77
- Methyl α -D-galactopyranosides, ¹H- and ¹³C-n.m.r. spectroscopy of synthetic monosulphated, 411
- Monosulphated methyl α -D-galactopyranosides, ¹H- and ¹³C-n.m.r. spectroscopy of synthetic, 411
- N.m.r. spectroscopy in the identification of the primary structures of manno-oligosaccharides and glycopeptides, on the utility of ¹³C-, 369
- N.m.r. spectroscopy of synthetic monosulphated methyl α -D-galactopyranosides, ¹H- and ¹³C-, 411
- N.m.r. study of some *Shigella flexneri* O-polysaccharides, a ¹³C-, 359
- Octulopyranosonic acid (KDO), synthesis of 1,5-lactones of 3-deoxy-D-manno-2-, 125
- Oligosaccharide diphosphates, lipid-linked, biosynthesis from synthetic dolichyl diphosphate tetrasaccharide, 381
- Oligosaccharide substrates, recognition of, by *N*-acetylglucosaminyltransferase-V, 137
- Osmium tetroxide oxidations of allylic systems used in the synthesis of higher-carbon sugars, on the stereochemistry of, 21
- Polysaccharide chain from *Citrobacter* O23-lipopolysaccharide, the structure of the O-specific, 349
- Polysaccharide chain of the *Shigella dysenteriae* type 7 lipopolysaccharide, structure of the O-specific, 51
- Polysaccharide containing furanosidic β -KDO residues, structure of the *Escherichia coli* capsular K74, 223
- Polysaccharide from *Klebsiella* serotype K48, the structural repeating-unit of the capsular, 321
- Polysaccharide of *Haemophilus pleuropneumoniae* serotype 3 (ATCC 27090) lipopolysaccharide, structure of the O-antigen, 245
- Polysaccharide rhamnogalacturonan-II, identification of 3-deoxy-D-lyxo-2-heptulosaric acid as a component of the plant cell-wall, 269
- Polysaccharide, structural studies of *E. coli* K26 capsular, using g.l.c.-c.i.-m.s., 419
- Polysaccharide, synthesis of a β -(1 \rightarrow 6)-linked, via ring-opening polymerization with neighbouring-group participation, 315
- Polysaccharides, a ¹³C-n.m.r. study of some *Shigella flexneri* O-, 359
- Preparation of reduced dialdehyde cellulose, control of depolymerisation during the, 259
- Reactions of methyl 4,6-*O*-benzylidene-2,3-dideoxy-2-*C*-p-tolylsulfonyl- α -D-erythro-hex-2-enopyranoside and its phenyl analogue with sodium methoxide, 77
- Rearrangement of some bromodeoxyheptonolactones, base-catalysed, 87
- Recognition of oligosaccharide substrates by *N*-acetylglucosaminyltransferase-V, 137
- Rhamnogalacturonan-II, identification of 3-deoxy-D-lyxo-2-heptulosaric acid as a component of the plant cell-wall polysaccharide, 269
- Ring-opening polymerization with neighbouring-group participation, synthesis of a β -(1 \rightarrow 6)-linked polysaccharide via, 315

- Salmonella carrau* (O: 6, 14, 24), structure of the major lipopolysaccharide antigenic O-chain produced by, 233
- Serratia marcescens* serogroup O4, structural studies of an acidic galactomannan from the reference strain for, 341
- Shigella dysenteriae* type 7 lipopolysaccharide, structure of the O-specific polysaccharide chain of the, 51
- Shigella flexneri* O-polysaccharides, a ^{13}C -n.m.r. study of some, 359
- Stereochemistry of osmium tetroxide oxidations of allylic systems used in the synthesis of higher-carbon sugars, 21
- Streptococcal common antigen, synthesis of a di-, tri-, and tetra-saccharide unit of the Group B, 61
- Streptococcus pneumoniae*, synthesis of trisaccharide repeating units of the capsular polysaccharide of, 173
- Structural repeating-unit of the capsular polysaccharide from *Klebsiella* serotype K48, 321
- Structural studies of an acidic galactomannan from the reference strain for *Serratia marcescens* serogroup O4, 341
- Structural studies of *E. coli* K26 capsular polysaccharide, using g.l.c.-c.i.-m.s. 419
- Structure of *Klebsiella* serotype K22 capsular polysaccharide: another glycan containing 4-O-[(S)-1-carboxyethyl]-D-glucuronic acid, 301
- Structure of the K74 antigen from *Escherichia coli* O44:K74:H18, a capsular polysaccharide containing furanosidic β -KDO residues, 223
- Structure of the major lipopolysaccharide antigenic O-chain produced by *Salmonella carrau* (O:6, 14, 24), 233
- Structure of the O-antigen polysaccharide of *Haemophilus pleuropneumoniae* serotype 3 (ATCC 27090) lipopolysaccharide, 245
- Structure of the O-specific polysaccharide chain from *Citrobacter* O23-lipopolysaccharide, 349
- Structure of the O-specific polysaccharide chain of the *Shigella dysenteriae* type 7 lipopolysaccharide, 51
- 3-Sulfated 2-amino-2-deoxy-D-glucose residue, a chemical proof of the critical role in the binding of heparin to antithrombin III played by a, 163
- Sulphated oligosaccharides, fast-atom-bombardment mass-spectrometric strategies for sequencing, 7
- Synthesis and characterization of lyso-GM₃ (II³Neu5Ac lactosyl sphingosine), de-N-acetyl-GM₃(II³NeuNH₂ lactosyl Cer), and related compounds, 393
- Synthesis and conformational analysis of methyl 3-O- $[\alpha$ -L (and D)-rhamnopyranosyl]maltoside derivatives, 97
- Synthesis of a di-, tri-, and tetra-saccharide unit of the Group B Streptococcal common antigen, 61
- Synthesis of a β -(1 \rightarrow 6)-linked polysaccharide via ring-opening polymerization with neighbouring-group participation, 315
- Synthesis of 4-amino-4-deoxy-L-arabinose and 1,4-dideoxy-1,4-imino-L-arabinitol, a convenient, 199
- Synthesis of 1,5-lactones of 3-deoxy-D-manno-2-octulopyranosonic acid (KDO), 125
- Synthesis of 1,2-O-cyanoethylidene derivatives of alkyl glycopyranuronates by oxidation of the 6-trityl ethers of their hexose analogues, 37
- Synthesis of *p*-trifluoroacetamidophenyl β -D-glucopyranoside 4-(D-ribose-5-yl phosphate) corresponding to the *Haemophilus influenzae* type a capsular antigen, 31
- 2,3,5-Tri-O-acetyl-1,6-anhydrohexofuranoses, ^{13}C -n.m.r. spectra of, 1
- p*-Trifluoroacetamidophenyl β -D-glucopyranoside 4-(D-ribose-5-yl phosphate) corresponding to the *Haemophilus influenzae* type a capsular antigen, synthesis of, 31
- Trisaccharide having the central glucopyranose residue in the $^1\text{C}_4$ conformation, synthesis of a branched, 97
- Trisaccharide repeating units of capsular polysaccharide of *Streptococcus pneumoniae*, synthesis of, 173