

CONTENTS

(Abstracts/contents lists published in: *Chem. Abstr.*; *Curr. Contents: Phys., Chem. & Earth Sci.*; *Life Sci.* Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database which is available on STN® International.)

Intestinal mucin of germ-free rats. Biochemical and electron-microscopic characterization H. S. Slayter (Boston, MA, U.S.A.), J. K. Wold (Oslo, Norway), and T. Midtvedt (Stockholm, Sweden)	1
X-ray crystal structures of 1,2,4-tri- <i>O</i> -acetyl-5-deoxy-3- <i>O</i> -methyl-5-[(<i>S</i>)-phenylphosphinyl]- α -D-xylopyranose and its 5-[(<i>S</i>)-phenylphosphinothioyl] derivative, and conformations of D-xylopyranose analogs having a C ₆ H ₅ P(=R) group in the hemiacetal ring T. Richter, P. Luger (Berlin, Germany), T. Hanaya, and H. Yamamoto (Okayama, Japan)	11
Analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by ion-spray mass spectrometry J. W. Metzger, M. Jung, D. Schmalzing, E. Bayer, and V. Schurig (Tübingen, Germany)	23
Crystal structure of 2- <i>O</i> -[(<i>S</i>)-2-hydroxypropyl]cyclomaltoheptaose K. Harata (Ibaraki, Japan), C. T. Rao, J. Pitha (Baltimore, MD, U.S.A.), K. Fukunaga (Shizuoka, Japan), and K. Uekama (Kumamoto, Japan)	37
Hydrogen bonding in the crystal structure of α,β -panose G. A. Jeffrey and D.-b. Huang (Pittsburgh, PA, U.S.A.)	47
Synthesis of 2-deoxy-2-[(3 <i>R</i>)-3-hydroxytetradecanamido]-3- <i>O</i> -[(3 <i>R</i>)-3-hydroxytetradecanyl]- α -D-glucopyranosyl dihydrogen phosphate and 2-deoxy-2-[(3 <i>R</i>)-3-hydroxytetradecanamido]-3- <i>O</i> -[(3 <i>R</i>)-3-hydroxytetradecanyl]-4- <i>O</i> -phosphono-D-glucopyranose M. Shiozaki, Y. Kobayashi, N. Ishida, M. Arai, T. Hiraoka, M. Nishijima, S. Kuge, T. Otsuka, and Y. Akamatsu (Tokyo, Japan)	57
Synthesis of a 3-ether analogue of lipid A M. Shiozaki, Y. Kobayashi, M. Arai, N. Ishida, T. Hiraoka, M. Nishijima, S. Kuge, T. Otsuka, and Y. Akamatsu (Tokyo, Japan)	69
Synthesis of 2,6-dideoxy-6-fluoro-2-[(3 <i>R</i> and 3 <i>S</i>)-3-hydroxytetradecanamido]-3- <i>O</i> -[(3 <i>R</i>)-3-(tetradecanoyloxy)tetradecanoyl]-D-glucopyranose 4-(dihydrogen phosphate) and 2-deoxy-2-[(3 <i>R</i> and 3 <i>S</i>)-3-hydroxytetradecanamido]-3- <i>O</i> -[(3 <i>R</i>)-3-(tetradecanoyloxy)tetradecanoyl]- α -D-glucopyranosyl fluoride 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60 Y. Kobayashi, N. Ishida, M. Arai, M. Shiozaki, T. Hiraoka, M. Nishijima, S. Kuge, T. Otsuka, and Y. Akamatsu (Tokyo, Japan)	83
Synthesis and reactivity toward acetylenic dipolarophiles of imidazo[2,1- <i>b</i>]thiazolium-3-olate systems P. Areces, M. Avalos, R. Babiano, L. González, J. L. Jiménez, J. C. Palacios, and M. D. Pilo (Badajoz, Spain)	99
Synthesis of some 2- <i>O</i> -(2-hydroxyalkyl) and 2- <i>O</i> -(2,3-dihydroxyalkyl) derivatives of cyclomaltoheptaose B. Lindberg, J. Lindberg (Stockholm, Sweden), J. Pitha, C. T. Rao (Baltimore, MD, U.S.A.), and K. Harata (Ibaraki, Japan)	113

Regioselective enzymic deacetylation of octa- <i>O</i> -acetylsucrose: preparation of hepta- <i>O</i> -acetylsucroses K.-Y. Chang, S.-H. Wu, and K.-T. Wang (Taipei, Taiwan)	121
Synthesis of 4-thio-L-rhamnofuranose P. A. Zunszain and O. Varela (Buenos Aires, Argentina)	131
Preparation of 2-, 3-, and 4-deoxy derivatives of L-rhamnose, and derivatives of 2-azido-2-deoxy-L-rhamnose and 2,6-dideoxy-2-fluoro-L-glucose, for use in glycosylation reactions M. Bols (Ballerup, Denmark), I. Lundt, and E. R. Ottosen (Lyngby, Denmark)	141
Total asymmetric synthesis of 6-deoxy-5- <i>C</i> -methyl-D- <i>ribo</i> -hexose: structure in aqueous solution J. Wagner and P. Vogel (Lausanne, Switzerland)	151
Total synthesis of 4-(D-alanyl-amino)-2-amino-2,3,4-trideoxy-DL- <i>threo</i> -pentose (3-deoxy-DL-pru-mycin) V. Constantinou-Kokotou, E. A. Couladouros, M. P. Georgiadis, G. Kokotos (Athens, Greece), and T. M. Georgiadis (Los Angeles, CA, U.S.A.)	163
<i>De novo</i> highly stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars K. Toshima, T. Yoshida, S. Mukaiyama, and K. Tatsuta (Yokohama, Japan)	173
Total syntheses of glucosidase inhibitors, cyclophellitols K. Tatsuta, Y. Niwata, K. Umezawa, K. Toshima, and M. Nakata (Yokohama, Japan)	189
Molecular motions of chitosan in the solid state M. Pizzoli, G. Ceccorulli, and M. Scandola (Bologna, Italy)	205
Studies of an acidic polysaccharide from <i>Encephalartos friderici guilietmi</i> M. Adinolfi, M. M. Corsaro, L. Mangoni, M. Parrilli (Naples, Italy), and E. Poerio (Viterbo, Italy)	215
Properties of the polyalcohol prepared from the β -D-glucan schizophyllan by periodate oxidation and borohydride reduction D. Schulz and P. Rapp (Braunschweig, Germany)	223
Structure of the major exopolysaccharide produced by <i>Azotobacter beijerinckii</i> B-1650 L. M. Likhoshertstov, S. N. Senchenkova, A. S. Shashkov, V. A. Derevitskaya, I. V. Danilova, and I. V. Botvinko (Moscow, U.S.S.R.)	233
Branched saccharides formed by the action of His-modified cyclodextrin glycosyltransferase from <i>Klebsiella pneumoniae</i> M 5 al on starch H. Bender (Freiburg, Germany)	239
Structure of the capsular polysaccharide (K98 antigen) of <i>E. coli</i> O7:K98:H6 M. Hahne, B. Jann and K. Jann (Freiburg-Zähringen, Germany)	245
<i>Notes</i>	
¹³ C-N.m.r. structural study on an enteric pharmaceutical coating cellulose derivative having ether and ester substituents Y. Tezuka, K. Imai, M. Oshima, and K.-i. Ito (Niigata, Japan)	255
Evidence of acetyl migration during the methylation of methyl 2,3,4-tri- <i>O</i> -acetyl-D-mannose with diazomethane-boron trifluoride etherate S. Manna and B. H. McAnalley (Dallas, TX, U.S.A.)	261

Synthesis of <i>N</i> -[1-acetyl-5-(<i>D</i> -arabino-tetraacetoxybutyl)-2-methyl-3-pyrrolyl]- <i>N</i> -phthalimidoacetamide M. M. El Sadek and N. N. El Socary (Alexandria, Egypt)	267
Synthesis of sulfenates of sugar derivatives I. Fokt and W. Szeja (Gliwice, Poland)	271
The action of diethylaminosulfur trifluoride (DAST) on 1-(4,6- <i>O</i> -isopropylidene- β - <i>D</i> -glucopyranosyl)pyrimidines, a one-spot synthesis of 2,2'-anhydro-1-(3-deoxy-3-fluoro-4,6- <i>O</i> -isopropylidene- β - <i>D</i> -altropyranosyl)pyrimidines F. Leclercq and K. Antonakis (Villejuif, France)	277
Some new aspects of the synthesis and isolation of 1,2:5,6-di- <i>O</i> -isopropylidene- <i>D</i> -mannitol G. J. F. Chittenden (Nijmegen, The Netherlands)	283
Studies on <i>Acacia nilotica</i> gum exudates. Structural variation due to different habitats V. P. Kapoor, M. I. H. Farooqi (Lucknow, India), F. R. Taravel, and J.-P. Joseleau (Grenoble, France)	289
<i>Preliminary communication</i>	
Total synthesis of a disialoganglioside G _{D1a} H. Prabhanjan, M. Kiso, and A. Hasegawa (Gifu, Japan)	c1
<i>Corrigendum</i>	c5
<i>Announcements</i>	c9
<i>Author index</i>	c11
<i>Subject index</i>	c13
<i>Contents (vol. 222)</i>	c17