

## SUBJECT INDEX

- Acceptor binding-site, inhibition of dextran synthesis by acceptor reactions of dextran sucrose, and the demonstration of a separate, 321
- Acyl derivatives of *O*-carboxymethylchitosan, some *N*-, 175
- Agrobacterium tumefaciens*, synthesis of aryl glycosides as *vir* gene inducers of, 179
- Alginic acid and the effects of calcium binding as determined by high-field n.m.r., structural determination of, 11
- 1,6-Anhydro-2,3-dideoxy- $\beta$ -D-erythro- and -threo-hex-2-enopyranose, synthesis from 3,4-di-*O*-substituted glycals by a facile intramolecular Ferrier reaction, 151
- 3,4-Anhydropyranose system, studies of the ring conformations using X-ray diffractometry, 1
- Antigen corresponding to a disaccharide repeating unit of the capsular polysaccharide of *Haemophilus influenzae* type e, synthesis of an artificial, 163
- L-Arabinose and D-mannose, reaction with Meldrum's acid, 159
- Aryl glycosides as *vir* gene inducers, synthesis of, 179
- 5-Azido-6-*O*-benzoyl-3,5-dideoxy-3-fluoro-1,2-*O*-isopropylidene- $\alpha$ -D-glucofuranose, synthesis, reactions, and crystal structure of, 99
- Benzyl 3,4-anhydro-2-*O*-mesyl-6-*O*-trityl- $\alpha$ -D-altropyranoside, crystal and molecular structure, 1
- Benzyl ethers of *myo*-inositol, the preparation, resolution, and phosphorylation of some, 209
- Binding site of an immunoglobulin, spacer-modified saccharides for the regioselective photoaffinity labelling of the, 67
- Borate esters of alditols,  $^{11}\text{B}$ - and  $^{13}\text{C}$ -n.m.r. characterization of, synthesis of, 113
- Calcium binding as determined by high-field n.m.r., structural determination of alginic acid and the effects of, 11
- Carboxymethylchitosan, some *N*-acyl derivatives of *O*-, 175
- Chitosan, some *N*-acyl derivatives of *O*-carboxymethyl-, 175
- Chitosan derivatives, preparation and characterization of *N*-[2-(glycosyloxy)ethyl]-, 291
- Chitosan derivatives, solution interaction and rheology of *N*-[2-(glycosyloxy)ethyl]-, 307
- Conformational energy map of methyl 4-thio- $\alpha$ -maltoside in solution, PCIO quantum-mechanical relaxed, 27
- CTP: *N*-acylneuraminate cytidyltransferase, synthesis of an affinity ligand for, 147
- Cytidine-5'-monophosphosialate synthase, synthesis of a glycosidic affinity ligand for, 147
- Cytidyltransferase, CTP: *N*-acylneuraminate, synthesis of an affinity ligand for, 147
- Dextran synthesis by acceptor reactions of dextran sucrose, and the demonstration of a separate acceptor binding-site, inhibition of, 321
- 3,6-Dideoxy-4-*C*-(4'-hydroxyethyl)hexopyranoses (yersinioses), synthesis from 1,6-anhydro- $\beta$ -D-glucopyranose, 189
- 2,3-Dideoxy-4,6:7,8-di-*O*-isopropylidene-D-gluc-oct-2-enono-1,5-lactone, a synthesis of, 155
- D-Erythorbic acid, dehydro-, quinoxaline versus 2[1*H*]-quinoxalinone rings from, mode of formation of, 59
- Exopolysaccharide secreted by *Rhizobium leguminosarum* biovar *phaseoli* CFN 42, structure of the acidic, 169
- Fast-atom-bombardment mass-spectrometry, analysis of glycosaminoglycan-derived oligosaccharides using, 137
- Ferrier reaction of 3,4-di-*O*-substituted glycals, synthesis of 1,6-anhydro-2,3-dideoxy- $\beta$ -D-erythro- and -threo-hex-2-enopyranose by a facile intramolecular, 151
- 3-Fluoro-1,2-*O*-isopropylidene- $\alpha$ -D-glucofuranose, synthesis, reactions, and crystal structure of 5-azido-6-*O*-benzoyl-3,5-dideoxy-, 99
- D-Fructose phosphates,  $^{13}\text{C}$ -substituted, a convenient method for the preparation of variety of, using readily available enzymes of the glycolytic pathway, 123
- Gas-liquid chromatography-mass spectrometry, and  $^{13}\text{C}$ -nuclear magnetic resonance spectroscopy, structural analysis of glucuronoxylomannan of *Cryptococcus neoformans* serotype C by, 331
- vir* Gene inducers of *Agrobacterium tumefaciens*, synthesis of aryl glycosides as, 179
- Glucofuranose, synthesis, reactions, and crystal structure of 5-azido-6-*O*-benzoyl-3,5-dideoxy-3-fluoro-1,2-*O*-isopropylidene- $\alpha$ -D-, 99
- Glucuronoxylomannan of *Cryptococcus neoformans* serotype C: structural analysis by gas-liquid chromatography-mass spectrometry and  $^{13}\text{C}$ -nuclear magnetic resonance spectroscopy, 331

- Glycosaminoglycan-derived oligosaccharides, analysis using f.a.b.-m.s. of, 137
- Glycosyloxy)ethyl]chitosan derivatives, preparation and characterization of *N*-[2-, 291
- Haemophilis influenzae* type c, synthesis of an artificial antigen corresponding to a disaccharide repeating unit of the capsular polysaccharide of, 163
- Heparin-derived oligosaccharides, <sup>1</sup>H-n.m.r. spectral assignments for two series of, 43
- Heptanolide, synthesis of 7-(2,4-dichlorophenyl)-D-erythro-3-hydroxy-5-, 269
- Heptonic acid, synthesis of 2,6,7-trideoxy-7-C-(2,4-dichlorophenyl)-D-xylo-, 247
- Hex-2-enopyranose, synthesis of 1,6-anhydro-2,3-dideoxy-β-D-erythro- and -threo-, by a facile intramolecular Ferrier reaction of 3,4-di-O-substituted glycals, 151
- Hexane-1-sulfonic acid, synthesis of 6-(2,4-dichlorophenyl)-D-erythro-2,4-dihydroxy-, 269
- Hexanesulfonic acid, synthesis of 6-(2,4-dichlorophenyl)-D-xylo-2,3,4-trihydroxy-, 247
- Hexylphosphonic acid, synthesis of 6-(2,4-dichlorophenyl)-D-erythro-2,4-dihydroxy-, 269
- Inhibition of dextran synthesis by acceptor reactions of dextransucrase, and the demonstration of a separate acceptor binding-site, 321
- myo-Inositol, the preparation, resolution, and phosphorylation of some benzyl ethers of, 209
- Lysine-containing fragments of the *Proteus mirabilis* O27 O-specific polysaccharide and neoglycoconjugates therefrom, synthesis of, 279
- Maltoside in solution, PCILO quantum-mechanical relaxed conformational energy map of methyl 4-thio-α-, 27
- D-Mannose and L-arabinose, reaction with Meldrum's acid, 159
- Meldrum's acid, reaction with D-mannose and L-arabinose, 159
- <sup>1</sup>H-N.m.r. spectral assignments for two series of heparin-derived oligosaccharides, 43
- <sup>13</sup>C-Nuclear magnetic resonance spectroscopy, and gas-liquid chromatography-mass spectrometry, structural analysis of glucuronoxylomannan of *Cryptococcus neoformans* serotype C by, 331
- Oct-2-enono-1,5-lactone, a synthesis of 2,3-dideoxy-4,6:7,8-di-O-isopropylidene-D-gluc-, 155
- Oligosaccharides derived from glycosaminoglycans, analysis using f.a.b.-m.s. of, 137
- Oligosaccharides, heparin-derived, <sup>1</sup>H-n.m.r. spectral assignments for two series of, 43
- PCILO quantum-mechanical relaxed conformational energy map of methyl 4-thio-α-maltoside in solution, 27
- Photoaffinity labelling of the binding site of an immunoglobulin, spacer-modified saccharides for the regioselective, 67
- Photolabile tetrasaccharides as analogues of maltopentaose for probing porcine pancreatic α-amylase, use of spacer-modified, 83
- Polysaccharide, synthesis of lysine-containing fragments of the *Proteus mirabilis* O27 O-specific, and neoglycoconjugates therefrom, 279
- Polysaccharide of *Streptococcus pneumoniae* type 18C, synthesis of trisaccharide methyl glycosides related to fragments of the capsular, 229
- Preparation and characterization of *N*-[2-(glycosyloxy)ethyl]chitosan derivatives, 291
- Preparation, resolution, and phosphorylation of some benzyl ethers of myo-inositol: intermediates for the synthesis of myo-inositol phosphates of the phosphatidylinositol cycle, 209
- Proteus mirabilis* O27 O-specific polysaccharide, synthesis of lysine-containing fragments and neoglycoconjugates therefrom, 279
- Quinoxaline versus 2[1*H*]-quinoxalinone rings from dehydro-D-erythorbic acid, mode of formation of, 59
- Rheology of *N*-[2-(glycosyloxy)ethyl]chitosan derivatives, solution interaction and, 307
- Rhizobium leguminosarium* biovar *phaseoli* CFN 42, structure of the acidic exopolysaccharide secreted by, 169
- Solution interaction and rheology of *N*-[2-(glycosyloxy)ethyl]chitosan derivatives, 307
- Spacer-modified photolabile tetrasaccharides as analogues of maltopentaose for probing porcine pancreatic α-amylase, 83
- Spacer-modified saccharides for the regioselective photoaffinity labelling of the binding site of an immunoglobulin, 67
- Streptococcus pneumoniae* type 18C, synthesis of trisaccharide methyl glycosides related to fragments of the capsular polysaccharide of, 229
- Structural determination of alginic acid and the effects of calcium binding as determined by high-field n.m.r., 11
- Structure of the acidic exopolysaccharide secreted by *Rhizobium leguminosarium* biovar *phaseoli* CFN 42, 169
- <sup>13</sup>C-Substituted D-fructose phosphates, a convenient method for the preparation of a variety of, using readily available enzymes of the glycolytic pathway, 123
- Synthesis of 3,6-dideoxy-4-C-(4'-hydroxyethyl)-hexopyranoses (yersinioses) from 1,6-anhydro-β-D-glucopyranose, 189

Tetrasaccharides as analogues of maltopentaose for probing porcine pancreatic alpha-amylase, use of spacer-modified photolabile, 83

2,6,7-Trideoxy-7-*C*-(2,4-dichlorophenyl)-*D*-xyloheptonic acid and 6-(2,4-dichlorophenyl)-*D*-xylo-2,3,4-trihydroxyhexanesulfonic acid, synthesis of, 247

*p*-Trifluoroacetamidophenyl 2-acetamido-4-*O*-(2-acetamido-2-deoxy- $\beta$ -*D*-glucopyranosyl)-2-deoxy- $\beta$ -*D*-mannopyranosiduronic acid, synthesis of, 163

Trisaccharide methyl glycosides related to fragments of the capsular polysaccharide of *Streptococcus pneumoniae* type 18C, synthesis of, 229

X-Ray investigation of benzyl 3,4-anhydro-2-*O*-mesyl-6-*O*-trityl- $\alpha$ -*D*-altropyranoside: ring conformations in the 3,4-anhydropyranose system, 1

Yersinioses [3,6-dideoxy-4-*C*-(4'-hydroxyethyl)hexopyranoses], synthesis from 1,6-anhydro- $\beta$ -*D*-glucopyranose, 189