

## SUBJECT INDEX

- ( $\pm$ )-6-Acetamido-1,2-anhydro-6-deoxy-*myo*-inositol, a tight-binding inhibitor and pseudo-substrate for *N*-acetyl- $\beta$ -glucosaminidases, 113
- N*-Acetyl- $\beta$ -glucosaminidases, studies of ( $\pm$ )-6-acetamido-1,2-anhydro-6-deoxy-*myo*-inositol as a tight-binding inhibitor and pseudosubstrate for, 113
- 4-(Adenin-9-yl)-1,6-anhydro-4-deoxy- $\beta$ -D-glucopyranose dihydrate, structure of, 225
- Amicetose, an improved synthesis of D-, 261
- Amylose–iodine complex, studies of the nature of the, 161
- 1,6-Anhydro-4-deoxy- $\beta$ -D-glucopyranose dihydrate, (4-adenin-9-yl)-, structure of, 225
- Anion-exchange chromatography with pulsed amperometric detection, composition analysis of sulfoethylcelluloses by high-pH, 81
- Antigens, artificial. Synthetic carbohydrate haptens immobilized on crystalline bacterial surface layer glycoproteins, 175
- $\alpha$ -L-Arabinofuranan, linear (1  $\rightarrow$  5)-linked, from the seeds of guapuruvu (*Schizolobium parahybum*), 265
- Arabinoxylan, characterisation by  $^1\text{H}$  NMR spectroscopy of enzymically derived oligosaccharides from alkali-extractable wheat-flour, 45
- Assignment of  $^{13}\text{C}$  NMR signals for reduced nigerooligosaccharides prepared by partial acid hydrolysis of (1  $\rightarrow$  3)- $\alpha$ -D-glucan, 237
- Bead-cellulose, estimation of dialdehyde groups in 2,3-dialdehyde, 219
- Capsular polysaccharide of *Cryptococcus neoformans* serotype B (clarification), 271
- Capsular polysaccharide of *E. coli* serotype K47, structural elucidation, 195
- Carbohydrates, expedient syntheses of inososes by the Ferrier reaction of, C5
- Cellobiose, sophorose, and laminarabiose, conformational analysis of the anomeric forms of, using MM3, 15
- Cellulose, estimation of dialdehyde groups in 2,3-dialdehyde bead-, 219
- Chelating properties, a derivative of chitosan and 2,4-pentanedione with strong, 255
- Chitosan and 2,4-pentanedione, a derivative with strong chelating properties, 255
- Composition analysis of sulfoethylcelluloses by high-pH anion-exchange chromatography with pulsed amperometric detection, 81
- Conformational analysis of anomeric forms of sophorose, laminarabiose, and cellobiose using MM3, 15
- $^{13}\text{C}$ -CP/MAS NMR studies of the cyclomalto-oligosaccharide (cyclodextrin) hydrates, 1
- Cryptococcus neoformans* serotype A, structural variability in the glucuronoxylomannan of, determined by  $^{13}\text{C}$  NMR spectroscopy, 205
- Cryptococcus neoformans* serotype B, major capsular polysaccharide of (clarification), 271
- Crystal and molecular structures of the pentitol penta-acetates, 35
- Cyclomalto-oligosaccharide (cyclodextrin) hydrates,  $^{13}\text{C}$ -CP/MAS NMR studies, 1
- 2-Deoxy-2,2-difluoro-D-glucose (2-deoxy-2,2-difluoro-D-*arabino*-hexose), a new and extremely fast synthesis, C1
- 2-Deoxy-2-iodo-D-mannopyranose derivatives, a novel route to, 251
- Deoxygenated methyl  $\alpha$ -isomaltotriosides, syntheses, 101
- Dialdehyde groups in 2,3-dialdehyde bead-cellulose, estimation of, 219
- Disialoganglioside GD1 $\alpha$  and its positional isomer, synthesis, 87
- E. coli* serotype K47, structural elucidation of the capsular polysaccharide of, 195

- Enzymically derived oligosaccharides from alkali-extractable wheat-flour arabinoxylan, characterisation by  $^1\text{H}$  NMR spectroscopy of, 45
- Ferrier reaction, conformational and stereoelectronic aspects of the, C5
- $\beta$ -D-Galactopyranosyl, 2,3,4,6-tetra-*O*-benzyl-, phenyl sulfoxide, use as a glycosylating donor of, 245
- $\alpha$ -D-Galactopyranosyl group, synthesis of oligosaccharides containing a, 245
- (1  $\rightarrow$  4)- $\beta$ -D-Galactosyltransferase, a spacer-modified disaccharide as a photoaffinity reagent for the acceptor-binding area of bovine, 125
- (1  $\rightarrow$  4)- $\beta$ -D-Galactosyltransferase, spacer-modified trisaccharide glycosides that mimic the biantennary Asn-linked oligosaccharide acceptor of, 141
- Ganglioside GD1 $\alpha$  and a positional isomer, synthesis, 87
- Gangliosides, negative-ion, fast-atom bombardment mass spectrometry of, 231
- $\beta$ -D-Glucopyranose dihydrate, 4-(adenin-9-yl)-1,6-anhydro-4-deoxy-, structure of, 225
- Glucose, a new and extremely fast synthesis of 2-deoxy-2,2-difluoro-D-, C1
- $\beta$ -Glucosidases purified from the termite *Macrotermes muelleri* and from its symbiotic fungus *Termitomyces* sp., properties, 273
- Glucuronoxylomannan of *Cryptococcus neoformans* serotype A, structural variability in the, determined by  $^{13}\text{C}$  NMR spectroscopy, 205
- Glycolipid from *Rhizobium trifoli* ANU843, structural characterization of a novel diglycosyl diacylglyceride, 151
- Guapuruvu, linear (1  $\rightarrow$  5)-linked  $\alpha$ -L-arabinofuranan from the seeds of, 265
- High-polar matrix system, negative-ion, fast-atom bombardment mass spectrometry of gangliosides using a, 231
- Inososes, expedient syntheses from carbohydrates, and conformational and stereoelectronic aspects of the Ferrier reaction, C5
- myo-Inositol, ( $\pm$ )-6-acetamido-1,2-anhydro-6-deoxy-, a tight-binding inhibitor and pseudo-substrate for *N*-acetyl- $\beta$ -glucosaminidases, 113
- Iodine, studies of the nature of the complex formed by amylose with, 161
- 2-Iodo-D-mannopyranose derivatives, a novel route to 2-deoxy-, 251
- $\alpha$ -Isomaltotriosides, methyl, syntheses of specifically deoxygenated, 101
- Laminarabiose, sophorose, and cellobiose, conformational analysis of the anomeric forms of, using MM3, 15
- Lipopolysaccharides, structure of the polysaccharide chains of *Pseudomonas pseudomallei*, 185
- D-Mannopyranose derivatives, a novel route to 2-deoxy-2-iodo-, 251
- Mass spectrometry, negative-ion, fast-atom bombardment, of gangliosides, 231
- MM3, conformational analysis of anomeric forms of sophorose, laminarabiose, and cellobiose using, 15
- Molecular and crystal structures of the pentitol penta-acetates, 35
- Nigerooligosaccharides prepared by partial acid hydrolysis of (1  $\rightarrow$  3)- $\alpha$ -D-glucan, assignment of  $^{13}\text{C}$  NMR signals for reduced, 237
- NMR pattern-recognition methods to the classification of peracetylated oligosaccharide residues, application of: effects of intraclass structure, 65
- NMR signals for reduced nigerooligosaccharides prepared by partial acid hydrolysis of (1  $\rightarrow$  3)- $\alpha$ -D-glucan, assignment of  $^{13}\text{C}$ , 237
- NMR studies of the cyclomalto-oligosaccharide (cyclodextrin) hydrates,  $^{13}\text{C}$ -CP/MAS, 1
- Oligosaccharide acceptor of (1  $\rightarrow$  4)- $\beta$ -D-galactosyltransferase, spacer-modified trisaccharide glycosides that mimic the biantennary Asn-linked, 141
- Oligosaccharides from alkali-extractable wheat-flour arabinoxylan, characterisation by  $^1\text{H}$  NMR spectroscopy of enzymically derived, 45
- 2,4-Pentanedione and chitosan, a derivative with strong chelating properties, 255
- Pentitol penta-acetates, the crystal and molecular structure of the, 35
- Photoaffinity reagent for the acceptor-binding area of bovine (1  $\rightarrow$  4)- $\beta$ -D-galactosyltransferase, a spacer-modified disaccharide as a, 125
- Polysaccharide chains of *Pseudomonas pseudomallei* lipopolysaccharides, structure of, 185
- Polysaccharide of *E. coli* serotype K47, structural elucidation of the capsular, 195
- Pseudomonas pseudomallei* lipopolysaccharides, structure of the polysaccharide chains of, 185

*Rhizobium trifoli* ANU843, structural characterization of a novel diglycosyl diacylglyceride glycolipid from, 151

Sophorose, laminarabiose, and cellobiose, conformational analysis of the anomeric forms of, using MM3, 15

Spacer-modified disaccharide as a photoaffinity reagent for the acceptor-binding area of bovine (1 → 4)- $\beta$ -D-galactosyltransferase, 125

Spacer-modified trisaccharide glycosides that mimic the biantennary Asn-linked oligosaccharide acceptor of (1 → 4)- $\beta$ -D-galactosyltransferase, 141

Structural characterization of a novel diglycosyl

diacylglyceride glycolipid from *Rhizobium trifoli* ANU843, 151

Sulfoethylcelluloses, composition analysis by high-pH anion-exchange chromatography with pulsed amperometric detection, 81

Sulfoxide, tetra-*O*-benzyl- $\beta$ -D-galactopyranosyl phenyl, use as a glycosylating donor of, 245

Synthesis of D-amictose, an improved, 261

Synthesis of 2-deoxy-2,2-difluoro-D-arabinohexose (2-deoxy-2,2-difluoro-D-glucose), a new and extremely fast, C1

Termite *Macrotermes muelleri* and its symbiotic fungus *Termitomyces* sp., properties of two  $\beta$ -glucosidases from, 273