

SUBJECT INDEX

- N*-Acetylglucosamine, structure of the O-specific polysaccharide of *Proteus penneri* 62 containing, C19
- N*-Acetyl-lactosamine, synthesis via ozonolysis of a nitro derivative, 289
- N*-Alkyl- and *N,N*-dialkyl-D-glucosamines, a new method for synthesis of, C5
- Analysis, quantitative, of carboxymethyl chitin on a liposome surface, 239
- 2,3-Anhydro- α -D-manno- and -allopyranoside, methyl *O*-*p*-bromobenzyl, synthesis, crystalline structure, conformational analysis, and azidolysis, 163
- Anticoagulant-active arabinan sulfates from the green alga, *Codium latum*, studies on, 309
- Antigen of *Escherichia coli* serotype O8: K102:H[−], structure of the capsular, 199
- Arabinan sulfates from the green alga, *Codium latum*, studies of anticoagulant-active, 309
- Aranciamycinone (the aglycon of the naturally occurring antibiotic aranciamycin), synthesis and collagenase inhibition of new glycosides of, 141
- Asparagines (glycosylated, Fmoc-protected) potentially useful as reagents in the solid-phase synthesis of *N*-glycopeptides, 83
- Biological response modifier derived from *Saccharomyces cerevisiae*, development of a water-soluble, sulfated (1 → 3)- β -D-glucan, 247
- Capsular antigen of *Escherichia coli* serotype O8:K102:H[−], the structure of the, 199
- Capsular polysaccharide of *Escherichia coli* O9:K35:H[−], structure of, 211
- Carboxymethyl chitin on a liposome surface, quantitative analysis of, 239
- Chitin, carboxymethyl, on a liposome surface, quantitative analysis of, 239
- Chitosan and chitosan gels, X-ray fibre diffraction studies, 23
- Collagenase inhibition of new glycosides of aranciamycinone (the aglycon of the naturally occurring antibiotic aranciamycin), synthesis and, 141
- Complex carbohydrates, a ¹H NMR database computer program for the analysis of the primary structure of, 53
- Computer program CASPER, a ¹H and ¹³C NMR study of oligosaccharides from human milk and application of the, 69
- Computer program for the analysis of the primary structure of complex carbohydrates, a ¹H NMR database, 53
- Conformational analysis of β -D-fructofuranosyl-(2 → 6)- β -D-glucopyranoside by molecular mechanics, 1
- ¹³C CP MAS NMR spectroscopy of the transformations of wheat starch associated with the making and staling of bread, observation by, 15
- Curdlan sulfate, analysis of residue types by NMR, 29
- Cycloheptaose consisting of (1 → 4)-linked 7-amino-6,7-dideoxy- α -D-glucopyranosyl units: A new analog of cyclomaltoheptaose, synthesis of a, 129
- Cyclomaltoheptaose, synthesis of a cycloheptaose consisting of (1 → 4)-linked 7-amino-6,7-dideoxy- α -D-glucopyranosyl units: A new analog of, 129
- Diffraction studies of chitosan and chitosan gels, X-ray fibre, 23
- Disaccharides of D-glucose, use of ¹H NMR spectroscopy to determine the rate of enzymic hydrolysis of, 259
- Enzymic hydrolysis of disaccharides, use of ¹H NMR spectroscopy to determine the rate of, 259
- Escherichia coli* O9:K35:H[−], structure of the capsular polysaccharide of, 211
- Escherichia coli* serotype O8:K102:H[−], the structure of the capsular antigen of, 199

- Fructan (sinistrin) from *Urginea maritima*, the structure of a, 221
- O*- β -D-Fructofuranosyl-(2 \rightarrow 1)-*O*- β -D-fructofuranosyl-(2 \rightarrow 1)-D-fructose produced by the enzymic hydrolysis of the inulin from *Cichorium intybus*, isolation and identification of, 303
- Fructo-oligosaccharides from the stems of *Triticum aestivum*, 231
- D-Galacturonan digalacturonohydrolase of *Selenomonas ruminantium*, mechanism of action of, 269
- Gangliosides, a facile, systematic synthesis of ganglio-series: Total synthesis of gangliosides GM₁ and GD_{1a}, C13
- (1 \rightarrow 3)- β -D-Glucan, sulfated, water-soluble, biological response modifier derived from *Saccharomyces cerevisiae*, development of a, 247
- D-Glucosamines, a new method for synthesis of *N*-alkyl- and *N,N*-dialkyl-, C5
- D-Glucosidases, use of ¹H NMR spectroscopy to determine the rate of hydrolysis of disaccharides by, 259
- Glucosylceramide, synthesis of 4-*C*-methyl analogues of, 151
- D-Glucuronic acid, on the characterization of the reaction of organotin compounds with, 41
- N*-Glycopeptides, Fmoc-protected, glycosylated asparagines potentially useful as reagents in the solid-phase synthesis of *N*-glycopeptides, 83
- Glycoproteins, a study of possible sulfate loss during the chemical release of sulfated oligosaccharides from, C9
- Glycoproteins, sulfated sialyl-oligosaccharides, derived from tracheobronchial mucous of a patient suffering from cystic fibrosis, 179
- Glycosides of aranciamycinone (the aglycon of the naturally occurring antibiotic aranciamycin), synthesis and collagenase inhibition of new, 141
- Glycosylated asparagines (Fmoc-protected) potentially useful as reagents in the solid-phase synthesis of *N*-glycopeptides, 83
- (GPI) Glycosyl phosphatidylinositol anchor of *Trypanosoma brucei*, stereoselective total synthesis of the, 95
- GM₁ and GD_a, a total synthesis of gangliosides: A facile, systematic synthesis of ganglio-series gangliosides, C13
- Hydrolysis of disaccharides, enzymic, use of ¹H NMR spectroscopy to determine the rate of, 259
- Inclusion of the anti-cancer drug mitoxantrone in cyclomaltooligosaccharides as seen by ¹H NMR, C1
- Inulin from *Cichorium intybus*, isolation and identification of *O*- β -D-fructofuranosyl-(2 \rightarrow 1)-*O*-D-fructofuranosyl-(2 \rightarrow 1)-D-fructose produced by the enzymic hydrolysis of the, 303
- Liposome surface, quantitative analysis of carboxymethyl chitin on a, 239
- D-Lyxose, new synthesis of, 281
- D-Mannose 6-phosphate and other hexoses 6-phosphates, large scale synthesis, 115
- Mechanism of action of D-galacturonan digalacturonohydrolase of *Selenomonas ruminantium*, 269
- 4-*C*-Methyl analogues of glucosylceramide, synthesis of, 151
- Methyl 2,3-anhydro- α -D-manno- and -allopyranoside *p*-bromobenzyl ethers, synthesis, crystalline structure, conformational analysis, and azidolysis, 163
- Migration of alkylthio groups during the synthesis of thioglycoside 2,3-orthoesters, a simple method for avoiding, 295
- Molecular mechanics, conformational analysis of β -D-fructofuranosyl-(2 \rightarrow 6)- β -D-glucopyranoside by, 1
- Nitro derivative, synthesis of *N*-acetyl-lactosamine via ozonolysis of a, 289
- NMR database computer program for the analysis of the primary structure of complex carbohydrates, a ¹H, 53
- NMR identification of *O*- β -D-fructofuranosyl-(2 \rightarrow 1)-*O*- β -D-fructofuranosyl-(2 \rightarrow 1)-D-fructose produced by the enzymic hydrolysis of the inulin from *Cichorium intybus*, 303
- ¹H NMR investigations of the inclusion of the anticancer drug mitoxantrone in cyclomaltooligosaccharides, C1
- NMR spectroscopy, ¹³C CP MAS, of the transformations of wheat starch associated with the making and staling of bread, observation by, 15
- NMR study of oligosaccharides from human milk, application of the computer program CASPER in a ¹H and ¹³C, 69
- Oligosaccharides containing fructose, isolation from wheat stems, 231
- Oligosaccharides from glycoproteins, a study of possible sulfate loss during the chemical release of sulfated, C9

- Oligosaccharides from human milk, a ^1H and ^{13}C NMR study and application of the computer program CASPER, 69
- Organotin compounds with D-glucuronic acid, on the characterization of the reaction of, 41
- Ozonolysis of a nitro derivative, synthesis of N-acetyl-lactosamine via, 289
- Phosphatidylinositol (GPI) anchor, stereoselective total synthesis of the glycosyl, of *Trypanosoma brucei*, 95
- Polysaccharide of *Escherichia coli* O9:K35:H⁻, structure of the capsular, 211
- Polysaccharide of *Proteus penneri* 62 containing N-acetylismuramic acid, structure of the O-specific, C19
- Proteus penneri* 62, structure of the O-specific polysaccharide of, containing N-acetylismuramic acid, C19
- α -L-Rhamnopyranosides, partially acylated 1-thio-, improved synthesis, 295
- D-Ribose, new synthesis of, 281
- Selenomonas ruminantium*, mechanism of action of D-galacturonan digalacturonohydrolase of, 269
- Sialyl-oligosaccharides, sulfated, derived from tracheobronchial mucous glycoproteins of a patient suffering from cystic fibrosis, 179
- Sinistrin from *Urginea maritima*, the structure of the fructan, 221
- Starch, wheat, associated with the making and staling of bread, observation by ^{13}C CP MAS NMR spectroscopy of the transformations of, 15
- Sulfated sialyl-oligosaccharides derived from tracheobronchial mucous glycoproteins of a patient suffering from cystic fibrosis, 179
- Sulfate loss during the chemical release of sulfated oligosaccharides from glycoproteins, a study of possible, C9
- Synthesis of a cycloheptaose consisting of (1 \rightarrow 4)-linked 7-amino-6,7-dideoxy- α -D-glucopyranosyl units: A new analog of cyclomaltoheptaose, 129
- Synthesis of 4-C-methyl analogues of glucosylceramide, 151
- Triticum aestivum*, fructo-oligosaccharides from the stems of, 231
- Trypanosoma brucei*, stereoselective total synthesis of the glycosyl phosphatidylinositol (GPI) anchor of, 95
- Urginea maritima*, the structure of the fructan sinistrin from, 221
- X-ray fibre diffraction studies of chitosan and chitosan gels, 23
- D-Xylose, new synthesis of D-ribose and D-lyxose from, 281