

SUBJECT INDEX

- Acceptors and donors in glycosylation reactions, D-galacturonic acid derivatives as, 115
- Alcohols, preparation of trimethylsilyl ethers of, simple procedure, 313
- Aminodeoxy derivatives of maltose and maltotriose, strong competitive inhibition of porcine pancreatic alpha-amylase by, 179
- Amylose, circular dichroism and ultraviolet spectroscopy of complexes of, 1
- Anthracyclines, synthesis of some further C-3 branched 3-amino-2,3,6-trideoxy sugars, related to daunosamine, as potential components for structurally modified, 145
- O-Antigen of *Escherichia coli* 0119 lipopolysaccharide, structure of, 249
- Aromatic compounds (especially xanthene), isotope studies of the transfer under degradation conditions of the carbon atoms of carbohydrate derivatives into, 87
- 1-Aryl-(1,2-dideoxy- α -D-glucofurano)[2,1-*d*]imidazolidine-2-selones, synthesis of, 303
- 1-Bromoglycosyl cyanides, synthesis of glycosidic and 2-deoxyglycosidic ortholactones from, 295
- Cellulose nitrite esters, partially and completely substituted, the formation and stability of, in dipolar aprotic solvents containing N₂O₄, 211
- Cellulose, the products of the zinc chloride-promoted decomposition in aqueous phenol at 350°C, 79
- Chitin, partially *N*-deacetylated produced by lysozyme degradation, a ¹H NMR study of a fragment of, 333
- Chitosan, unusual susceptibility of, to enzymic hydrolysis, 325
- Chromate reduction: reduction of potassium chromate by D-glucose and D-fructose to form Cr(III)–saccharide complexes, 195
- Circular dichroism and ultraviolet spectroscopy of complexes of amylose, 1
- ¹³C and ¹H NMR studies of molybdate complexes of ketoses and aldoses, 23
- ¹³C NMR data, computer-assisted analysis of the structure of regular branched polysaccharides containing 2,3-disubstituted rhamnopyranose and mannopyranose residues on the basis of, 11
- ¹³C NMR spectra and synthesis of 2,3-di-*O*-glycosyl derivatives of methyl α -L-rhamnopyranoside and methyl α -D-mannopyranoside, 95
- Computer-assisted analysis of the structure of regular branched polysaccharides containing 2,3-disubstituted rhamnopyranose and mannopyranose residues on the basis of ¹³C NMR data, 11
- Conformation, unexpected, of L-galacto-D-galacto-decitol in the crystalline form, 289
- Cr(III)–saccharide complexes, chromate reduction: reduction of potassium chromate by D-glucose and D-fructose to form, 195
- Crystal structure of methyl 3-*O*- β -D-glucopyranosyl- β -D-glucopyranoside (methyl β -D-laminarabioside) monohydrate, 33
- Crystal structure of 1-*p*-bromophenyl-(1,2-dideoxy- α -D-glucofurano)[2,1-*d*]imidazolidine-2-selone, 303
- Cyclodextrin glucanotransferase and Taka-amylase A, action on dialdehyde cyclodextrins and their reduced forms, 263
- Cyclodextrins, periodate-oxidized, and their reduced forms, action of Taka-amylase A and cyclodextrin glucanotransferase on, 263
- Daunosamine, as potential components for structurally modified anthracyclines, synthesis of some further C-3 branched 3-amino-2,3,6-trideoxy sugars, 145
- Decitol, L-galacto-D-galacto-, conformation in the crystalline form of, 289
- 1-Deoxynojirimycin and (+) and (–)-nojirimycin, synthesis from *myo*-inositol of (+)- and (–)-, 185
- Dermatan sulfate, sulfate composition of, from scar tissue, 319
- Disaccharide β -D-galactopyranosyluronic acid (1

- 3)-L-rhamnose repeating unit heteropolyuronan containing, synthesis of, 131
- Enzymic hydrolysis, unusual susceptibility of chitosan to, 325
- Esters, cellulose nitrite, partially and completely substituted, the formation and stability of, in dipolar aprotic solvents containing N₂O₄, 211
- β-D-Glucopyranoside, methyl 3-O-β-D-glucopyranosyl- (methyl β-D-laminarabioside), crystal structure of, 33
- α-D-Glucopyranosyl α-D-glucopyranoside, ¹H and ¹³C NMR study of nonsymmetrical O-pivaloyl derivatives of, 283
- D-Glucose, soluble complexes of early first-row transition metal ions with, 203
- Glycopeptidolipid antigens of serovars 25 and 26 of the *Mycobacterium avium* serocomplex, structures, synthesis of allyl glycosides of outer disaccharide units and serology of the derived neoglycoproteins, 57
- Glycosidic and 2-deoxyglycosidic ortholactones, synthesis from 1-bromoglycosyl cyanides, 295
- Glycosyl derivatives of methyl α-L-rhamnopyranoside and methyl α-D-mannopyranoside, synthesis and ¹³C NMR spectra of 2,3-di-O-, 95
- Glycosylfructoses, selective protonic activation of isomeric, with pyridinium poly(hydrogen fluoride), and syntheses of spirodioxanyl oligosaccharides, 223
- Heteropolyuronan derivative containing the D-galactopyranosyluronic acid (1 → 3)-L-rhamnose disaccharide repeating unit, synthesis of, 131
- ¹H NMR study of a fragment of partially N-deacetylated chitin produced by lysozyme degradation, 333
- Hyaluronic acid, NMR studies of a tetrasaccharide from, 271
- Imidazolidine-2-selones, synthesis of 1-aryl-(1,2-dideoxy-α-D-glucofurano)[2,1-d]-, 303
- Inhibition of porcine alpha-amylase by aminodeoxy derivatives of maltose and maltotriose, strong competitive, 179
- myo-Inositol, synthesis of (+) and (–)-nojirimycin and their 1-deoxy derivatives from, 185
- Isotope studies of the transfer of the carbon atoms of carbohydrate derivatives into aromatic compounds (especially xanthene) under degradation conditions, 87
- Lipopolysaccharide, 0119, structure of O-antigen of *Escherichia coli*, 249
- Lysozyme degradation, a ¹H NMR study of a fragment of partially N-deacetylated chitin produced by, 333
- Maltose and maltotriose, strong competitive inhibition of porcine pancreatic alpha-amylase by aminodeoxy derivatives of, 177
- Metal ions, early first-row transition, soluble complexes of with D-glucose, 203
- Methyl 3-O-β-D-glucopyranosyl-β-D-glucopyranoside (methyl β-D-laminarabioside), crystal structure of, 33
- Methyl α-L-rhamnopyranoside and methyl α-D-mannopyranoside, synthesis and ¹³C NMR spectra of 2,3-di-O-glycosyl derivatives of, 95
- Methyl and benzyl glycosides of Neu5Ac and 4-*epi*-Neu5Ac, a simple procedure for the synthesis of the, 161
- Molybdate complexes of ketoses and aldoses, 23
- Mycobacterium avium* serocomplex, structures of the glycopeptidolipid antigens of serovars 25 and 26, synthesis of allyl glycosides of outer disaccharide units and serology of the derived neoglycoproteins, 57
- Neoglycoproteins related to the glycopeptidolipid antigens of serovars 25 and 26 of the *Mycobacterium avium* serocomplex, synthesis, 57
- Neu5Ac and 4-*epi*-Neu5Ac, a simple procedure for the synthesis of the methyl and benzyl glycosides of, 161
- Nojirimycin and 1-deoxy derivatives, synthesis from *myo*-inositol of (+)- and (–)-, 185
- Nuclear magnetic resonance studies of hyaluronic acid, 271
- n*-Octyl α,β-D-glucopyranoside, 1:1 complex, crystal structure at 123 K, 45
- Oligosaccharides, spirodioxanyl, syntheses of, and selective protonic activation of isomeric glycosylfructoses with pyridinium poly(hydrogen fluoride), 223
- Ortholactones, synthesis of glycosidic and 2-deoxyglycosidic, from 1-bromoglycosyl cyanides, 295
- O-Pivaloyl nonsymmetrical derivatives of α,α-trehalose, ¹H and ¹³C NMR study of, 283
- Polysaccharides containing 2,3-disubstituted rhamnopyranose and mannopyranose residues, computer-assisted analysis (on the basis of ¹³C NMR data) of the structure of regular branched, 11

- Pyridinium poly(hydrogen fluoride), selective protonic activation of isomeric glycosylfructoses with, and syntheses of spirodioxanyl oligosaccharides, 223
- Scar tissue, sulfate composition of dermatan sulfate from, 319
- Solvents, dipolar aprotic containing N_2O_4 , the formation and stability of partially and completely substituted cellulose nitrite esters in, 211
- Sulfate composition of dermatan sulfate from scar tissue, 319
- Synthesis of some further C-3 branched 3-amino-2,3,6-trideoxy sugars, related to daunosamine, as potential components for structurally modified anthracyclines, 145
- Taka-amylase A and cyclodextrin glucanotransferase, action on dialdehyde cyclodextrins and their reduced forms, 263
- Tetrasaccharide from hyaluronic acid, NMR studies of, 271
- Transfer of the carbon atoms of carbohydrate derivatives into aromatic compounds (especially xanthene) under degradation conditions, isotope studies of the, 87
- α,α -Trehalose derivatives, nonsymmetrical, 1H and ^{13}C NMR study of, 271
- N*-Trifluoroacetylneuraminic acid benzyl glycosides, conversion of the benzyl and methyl glycosides of Neu5Ac into, 161
- Trimethylsilyl ethers of carbohydrates and alcohols, simple procedure for the preparation of, 313
- Ultraviolet spectroscopy and circular dichroism of complexes of amylose, 1
- Zinc chloride-promoted decomposition of cellulose in aqueous phenol at 350°C, the products of the, 79